

VINALOD. Manual for end-user.

12-11-2021

TERESA BARRUECO

Table of Contents

1. <i>Navigation basic mode.</i>	2
1.1. Double click menu options	2
1.2. Legend	3
1.3. Other buttons	4
1.4. Right click menu	4
1.5. Filters	4
1.6. Navigation panel.	5
1.7. Examples of navigation:	6
2. <i>Navigation expert mode</i>	9
2.1. Pop up menu	10
2.2. Legend	11
2.3. Navigation panel vs Network graph	11
2.4. Double click menu options	13
2.5. Filters	13
2.6. Other buttons	13
2.7. Right click menu	14


VINALOD application will be available in this URL:

<https://t-barrueco.github.io/vinalod/#>

There are two navigation modes: basic and expert.

1. Navigation basic mode.

This mode is a guided mode. The options for navigation are shown in a dropbox on the top of the application:




Per default the first option is selected.

When the user chose a graph, this graph will be shown as a network graph:




1.1. Double click menu options

We can start the navigation by double clicking on a bubble. If there is more than one navigation path, a context menu will be shown:



As we can see there is an explanation for every option if we move the mouse over the option.

If the option that we chose retrieves more data with a SPARQL query, this new data will be added as bubbles to the network:




If this option that has been chosen shows a new graph for the specific data, this new graph will be shown in a new window. Example of wordcloud:




1.2. Legend

There is a legend on the top of the graph with the colors for every type of bubble in the graph:




1.3. Other buttons

Under this legend there are two types of buttons: one type will make the graph bigger or smaller:



And the other one will collapse or expand the branches of the graph:



1.4. Right click menu


If we click right on a bubble instead of clicking with the left button, a context menu will appear also showing two options:



If we chose Download data a csv file will be created with the data shown in the network graph and if we chose Download SPARL query we will be able to download the SPARL queries used for this graph.


1.5. Filters.

If there are filters for the graph they will appear on the left side of the window. We will see the color and the class of the bubbles that we can filter. If we chose one of the options of the filter, only the bubbles for those values will appear on the graph.




1.6. Navigation panel.

Navigation panel: When we click on a bubble, a window with the detail for the bubbles connected will be shown:



We can navigate in the application just by using this navigation panel that will have features as the bubbles in the graph:


A menu will be displayed when double clicking on a row:



A context menu for the right button:




When navigating, the historical for the path followed will be shown on the top of the panel and the options for navigating forward will appear on the table below.



1.7. Examples of navigation:


[European Union institutions and bodies](#) > [European Parliament](#) > [Whoiswho Suborganization](#) > [Members of the European Parliament \(MEPs\)](#) > [Parliamentary Committees](#) > [Committee on Foreign Affairs](#) > [Whoiswho Membership](#) > [Members](#)

We will have a branch of bubble that represent all member of this committee with the photograph:



European Union institutions and bodies > European Parliament > Whoiswho Suborganization > Members of the European Parliament (MEPs) > Parliamentary Committees > Committee on Foreign Affairs > Hierarchy membership and persons

If we chose these options, a hierarchy graph will appear for that committee:



European Union institutions and bodies > European Parliament > Whoiswho Suborganization > Members of the European Parliament (MEPs) > Parliamentary Committees > Committee on Foreign Affairs > Table membership and persons

A table ordered will appear with all members of the committee with their photograph:

Committee on Foreign Affairs		
MEMBERSHIP	PERSON	PERSON IMAGE
Chair	David MCALLISTER	
Vice-Chair	Urmas PAET	
Vice-Chair	Sergei STANISHEV	
Vice-Chair	Witold Jan WASZCZYKOWSKI	

European Union institutions and bodies > European Parliament > Whoiswho Suborganization > Members of the European Parliament (MEPs) > Parliamentary Committees > Committee on Foreign Affairs > Whoiswho Membership > Members >Michael Gahler

If we chose these options, a Wikipedia page for this member will be shown in a new window:



This November is Wikipedia Asian Month
Join WAM contests and win postcards from Asia.

[\[Help with translations!\]](#)

Michael Gahler

From Wikipedia, the free encyclopedia

Michael Gahler (born 22 April 1960) is a [German](#) diplomat and politician who has been serving as a [Member of the European Parliament](#) (MEP) since 1999. He is a member of the [Christian Democratic Union](#), part of the [European People's Party](#).

Contents [\[hide\]](#)


- 1 [Education and early career](#)
- 2 [Political career](#)
 - 2.1 [Member of the European Parliament, 1999–present](#)
- 3 [Other activities](#)
- 4 [Political positions](#)
- 5 [References](#)
- 6 [See also](#)

Michael Gahler
MEP




8

[PUBLICATIONS - Publications by OP Theme > Economy – Finance > OP Themes and publication author > Bureau of European Policy Advisers > Publications by CorporateBody > BEPA Monthly Brief. Issue 76, September 2014 > NJ-AB-14-076-2A-N](#)



[Continents countries and organizations > Europe > Austria > EUMS27_1](#)

A timeline will appear with the history of the members of the European Union



2. Navigation expert mode

For the expert mode we will have a form where we fill the URI as our point of start and we have to specify if the URI will be placed as subject in the SPARQL query and we will get all

objects and properties or it will be placed as object and we will get all subjects and properties.

Enter URI:

Type URI...

Select subject/object position:

Subject

Search

2.1. Pop up menu

When we click on Search and more than one option and SPARQL EndPoints are available, we will be able to chose the one that we want to query from the popup menu:

Option 1: show graph with following settings


URI:	http://publications.europa.eu/resource/authority/corporate-body/EP_GROUP_EPP
Sparql Endpoint:	https://publications.europa.eu/webapi/rdt/sparql
Position:	s

Show graph

Option 2: show graph with following settings


URI:	http://publications.europa.eu/resource/authority/corporate-body/EP_GROUP_EPP
Sparql Endpoint:	https://data.europa.eu/sparql

Once we chose one of the options, the graph will be shown:




2.2. Legend

As the legend shows we will see URIs, Bnodes and literals in a different color:




2.3. Navigation panel vs Network graph

In the navigation panel we will have the subject or object nodes resulting from that query and the properties in gray.



In the graph, the properties will be shown as arrows and the nodes will be URIs, Bnodes or Literals.



If we will double click on a bubble or row in the table of the navigation panel, more nodes will be added to the graph and the navigation panel as result of the query launched.

NAVIGATION PANEL

HTTP://PUBLICATIONS.EUROPA.EU/RESOURCE/AUTHORITY/CORPORATE-BODY/EP_GROUP_EPP


[HTTP://WWW.W3.ORG/1999/02/22-RDF-SYNTAX-NS#TYPE](http://www.w3.org/1999/02/22-rdf-syntax-ns#type)
 Sparql Endpoint(<https://publications.europa.eu/webapi/rdf/sparql>)

HTTP://WWW.W3.ORG/2004/02/SKOS/CORE#CONCEPT

HTTP://WWW.W3.ORG/2004/02/SKOS/CORE#CONCEPT


http://www.w3.org/1999/02/22-rdf-syntax-ns#type	http://www.w3.org/2002/07/owl#Class
http://www.w3.org/2000/01/rdf-schema#label	Concept
http://www.w3.org/2000/01/rdf-schema#isDefinedBy	http://www.w3.org/2004/02/skos/core

As we can see, the history of the path followed shows the URIs and the properties selected. There will be a down arrow if the URI is a subject in the query and an up arrow if it is an object.




2.4. Double click menu options

If we have more than one option when we double click on a bubble or row, the options available will be shown for the different SPARQL EndPoints and Position of the URI as subject or object.




2.5. Filters

We will have filters available for selecting the properties and node type that we want to show:




2.6. Other buttons

Under this legend there are two types of buttons: one type will make the graph bigger or smaller:



And the other one will collapse or expand the branches of the graph:



2.7. Right click menu

If we click right on a bubble instead of clicking with the left button, a context menu will appear also showing two options:



If we chose Download data a csv file will be created with the data shown in the network graph and if we chose Download SPARQL query we will be able to download the SPARL queries used for this graph.