Follow ryanchapman

>RYAN A. CHAPMAN

01. SEARCH 02. ASK ME ANYTHING 03. SUBMIT 04. SUBSCRIBE 05. ARCHIVE 06. RANDOM

Troubleshooting EAP-TLS with freeradius - Ubuntu 14.04 (Linux 3.13.0-53), freeradius 2.1.12, wpa_supplicant... http://t.co/QsorUYcjIY follow me --

NEWER OLDER

Linux System Call Table for x86_64

Linux 3.19, x86_64

Note: 64-bit x86 uses syscall instead of interrupt 0x80. The result value will be in %rax

To find the implementation of a system call, grep the kernel tree for SYSCALL_DEFINE.\?(syscall, For example, to find the read system call:

illusion:/usr/src/linux-source-3.19\$ grep -rA3 'SYSCALL_DEFINE.\?(read,' *
fs/read_write.c:SYSCALL_DEFINE3(read, unsigned int, fd, char __user *, buf, size_t, count)
fs/read_write.c-{
fs/read_write.c- struct file *file;
fs/read_write.c- ssize_t ret = -EBADF;

The results show that the implementation is in fs/read_write.c and that it takes 3 arguments (thus SYSCALL_DEFINE3).

Linux Cross Reference is another good tool for finding information about system calls.

By the way, the system call numbers are different for 32-bit x86. A system call table for i386 (32-bit) can be found at http://docs.cs.up.ac.za/programming/asm/derick_tut/syscalls.html

Information on the order of registers can be found on page 124 of the x86_64 ABI paper at http://www.x86-64.org/documentation/abi.pdf

%rax	System call	%rdi	%rsi	%rdx	%r10	%r8	
0	sys_read	unsigned int fd	char *buf	size_t count			
1	sys_write	unsigned int fd	const char *buf	size_t count			
2	sys_open	const char *filename	int flags	int mode			
3	sys_close	unsigned int fd					
4	sys_stat	const char *filename	struct stat *statbuf				
5	sys_fstat	unsigned int fd	struct stat *statbuf				
6	sys_lstat	fconst char *filename	struct stat *statbuf				
7	sys_poll	struct poll_fd *ufds	unsigned int nfds	long timeout_msecs			
8	sys_lseek	unsigned int fd	off_t offset	unsigned int origin			
9	sys_mmap	unsigned long addr	unsigned long len	unsigned long prot	unsigned long flags	unsigned long fd	
10	sys_mprotect	unsigned long start	size_t len	unsigned long prot			
11	sys_munmap	unsigned long addr	size_t len				
12	sys_brk	unsigned long brk					
13	sys_rt_sigaction	int sig	const struct sigaction *act	struct sigaction *oact	size_t sigsetsize		
14	sys_rt_sigprocmask	int how	sigset_t *nset	sigset_t *oset	size_t sigsetsize		
15	sys_rt_sigreturn	unsigned long _unused					
				unsigned long			٦

		>Ryan A. Chapman		-		
16	sys_ioctl	unsigned int fd	unsigned int cmd	arg		
17	sys_pread64	unsigned long fd	char *buf	size_t count	loff_t pos	
18	sys_pwrite64	unsigned int fd	const char *buf	size_t count	loff_t pos	
19	sys_readv	unsigned long fd	const struct iovec *vec	unsigned long vlen		
20	sys_writev	unsigned long fd	const struct iovec *vec	unsigned long vlen		
21	sys_access	const char *filename	int mode			
22	sys_pipe	int *filedes				
23	sys_select	int n	fd_set *inp	fd_set *outp	fd_set*exp	struct timeval *tvp
24	sys_sched_yield					
25	sys_mremap	unsigned long addr	unsigned long old_len		unsigned long flags	unsigned long new_addr
26	sys_msync	unsigned long start	size_t len	int flags		
27	sys_mincore	unsigned long start	size_t len	unsigned char *vec		
28	sys_madvise	unsigned long start		int behavior		
29	sys_shmget	key_t key	size_t size	int shmflg		
30	sys_shmat	int shmid	char *shmaddr	int shmflg		
31	sys_shmctl	int shmid	int cmd	struct shmid_ds *buf		
32	sys_dup	unsigned int fildes	 			
33	sys_dup2	unsigned int oldfd	unsigned int newfd			
34	sys_pause					
35	sys_nanosleep	struct timespec *rqtp	struct timespec *rmtp			
36	sys_getitimer	int which	struct itimerval *value			
37	sys_alarm	unsigned int seconds				
38	sys_setitimer	int which	struct itimerval *value	struct itimerval *ovalue		
39	sys_getpid					
40	sys_sendfile	int out_fd	int in_fd		size_t count	
41	sys_socket	int family	int type struct sockaddr	int protocol int addrlen		
42	sys_connect	int fd	*uservaddr	ını addnen		
43	sys_accept	int fd	struct sockaddr *upeer_sockaddr	int *upeer_addrlen		
44	sys_sendto	int fd	void *buff	size_t len	unsigned flags	struct sockaddı *addr
45	sys_recvfrom	int fd	void *ubuf	size_t size	unsigned flags	struct sockaddı *addr
46	sys_sendmsg	int fd	struct msghdr *msg	unsigned flags		
47	sys_recvmsg	int fd	struct msghdr *msg	unsigned int flags		
48	sys_shutdown	int fd	int how			
49	sys_bind	int fd	struct sokaddr *umyaddr	int addrlen		
50	sys_listen	int fd	int backlog			
51	sys_getsockname	int fd	struct sockaddr *usockaddr	int *usockaddr_len		
52	sys_getpeername	int fd	struct sockaddr *usockaddr	int *usockaddr_len		
	sys_socketpair	int family	int type	int protocol	int	II

54	sys_setsockopt	int fd	int level	int optname	char *optval	int optlen	
55	sys_getsockopt	int fd	int level	int optname	char *optval	int *optlen	
56	sys_clone	unsigned long clone_flags	unsigned long newsp	void *parent_tid	void *child_tid		
57	sys_fork						
58	sys_vfork						
59	sys_execve	const char *filename	const char *const argv[]	const char *const envp[]			
60	sys_exit	int error_code					
61	sys_wait4	pid_t upid	int *stat_addr	int options	struct rusage *ru		
62	sys_kill	pid_t pid	int sig				
63	sys_uname	struct old_utsname *name					
64	sys_semget	key_t key	int nsems	int semflg			
65	sys_semop	int semid	struct sembuf *tsops	unsigned nsops			
66	sys_semctl	int semid	int semnum	int cmd	union semun arg		
67	sys_shmdt	char *shmaddr					
68	sys_msgget	key_t key	int msgflg				_
69	sys_msgsnd	int msqid	struct msgbuf *msgp	size_t msgsz	int msgflg		
70	sys_msgrcv	int msqid	struct msgbuf *msgp	size_t msgsz	long msgtyp	int msgflg	
71	sys_msgctl	int msqid	int cmd	struct msqid_ds *buf			
72	sys_fcntl	unsigned int fd	unsigned int cmd	unsigned long arg			
73	sys_flock	unsigned int fd	unsigned int cmd				
74	sys_fsync	unsigned int fd					
75	sys_fdatasync	unsigned int fd					
76	sys_truncate	const char *path	long length				
77	sys_ftruncate	unsigned int fd	unsigned long length				
78	sys_getdents	unsigned int fd	struct linux_dirent *dirent	count			
79	sys_getcwd	char *buf	unsigned long size				
80	sys_chdir	const char *filename					
81	sys_fchdir	unsigned int fd					_
82	sys_rename	const char *oldname	const char *newname				
83	sys_mkdir	const char *pathname	int mode				
84	sys_rmdir	const char *pathname					
85	sys_creat	const char *pathname	int mode				
86	sys_link	const char *oldname	const char *newname				
87	sys_unlink	const char *pathname					
88	sys_symlink	const char *oldname	const char *newname				
89	sys_readlink	const char *path	char *buf	int bufsiz			
90	sys_chmod	const char *filename	mode_t mode				
91	sys_fchmod	unsigned int fd	mode_t mode				
d =		const char				1	

	>	-Ryan A. Chapman	Linux System Call T	able for x86_64		
92	sys_chown	*filename	uid_t user	git_t group		
93	sys_fchown	unsigned int fd	uid_t user	git_t group		Ĭ
94	sys_lchown	const char *filename	uid_t user	git_t group		
95	sys_umask	int mask				Ī
96	sys_gettimeofday	struct timeval *tv	struct timezone *tz			Ī
97	sys_getrlimit	unsigned int resource	struct rlimit *rlim			
98	sys_getrusage	int who	struct rusage *ru			Ī
99	sys_sysinfo	struct sysinfo *info				
100	sys_times	struct sysinfo *info				
101	sys_ptrace	long request	long pid	unsigned long addr	unsigned long data	
102	sys_getuid					Ī
103	sys_syslog	int type	char *buf	int len		
104	sys_getgid					
105	sys_setuid	uid_t uid				
106	sys_setgid	git_t gid				
107	sys_geteuid					
108	sys_getegid					
109	sys_setpgid	pid_t pid	pid_t pgid			
110	sys_getppid					
111	sys_getpgrp					
112	sys_setsid					
113	sys_setreuid	uid_t ruid	uid_t euid			
114	sys_setregid	git_t rgid	gid_t egid			
115	sys_getgroups	int gidsetsize	gid_t *grouplist			
116	sys_setgroups	int gidsetsize	gid_t *grouplist			
117	sys_setresuid	uid_t *ruid	uid_t *euid	uid_t *suid		
118	sys_getresuid	uid_t *ruid	uid_t *euid	uid_t *suid		
119	sys_setresgid	gid_t rgid	gid_t egid	gid_t sgid		
120	sys_getresgid	git_t *rgid	git_t *egid	git_t *sgid		
121	sys_getpgid	pid_t pid				
	sys_setfsuid	uid_t uid				ļĻ
123	sys_setfsgid	gid_t gid				ļ
124	sys_getsid	pid_t pid				ļ
125	sys_capget	cap_user_header_t header	dataptr			
126	sys_capset	cap_user_header_t header	const cap_user_data_t data			
127	sys_rt_sigpending	sigset_t *set	size_t sigsetsize			
128	sys_rt_sigtimedwait	const sigset_t *uthese	siginfo_t *uinfo	const struct timespec *uts	size_t sigsetsize	
129	sys_rt_sigqueueinfo	pid_t pid	int sig	siginfo_t *uinfo		
130	sys_rt_sigsuspend	sigset_t *unewset	size_t sigsetsize			
131	sys_sigaltstack	const stack_t *uss	stack_t *uoss			
132	sys_utime	char *filename	struct utimbuf *times			
133	sys_mknod	const char *filename	int mode	unsigned dev		
134	sys_uselib	NOT IMPLEMENTED				
135	sys_personality	unsigned int personality				
136	sys_ustat	unsigned dev	struct ustat *ubuf			Ţ
137	sys_statfs	const char *pathname	struct statfs *buf			

		Kyan A. Chapman 1					
138	sys_fstatfs	unsigned int fd	struct statfs *buf				
139	sys_sysfs	int option	unsigned long arg1	unsigned long arg2			
140	sys_getpriority	int which	int who				
141	sys_setpriority	int which	int who	int niceval			
142	sys_sched_setparam	pid_t pid	struct sched_param *param				
143	sys_sched_getparam		struct sched_param *param				
144	sys_sched_setscheduler	pid_t pid	int policy	struct sched_param *param			
145	sys_sched_getscheduler	pid_t pid					
146	sys_sched_get_priority_max	int policy					
147	sys_sched_get_priority_min	int policy					
148			struct timespec *interval				
149	sys_mlock	unsigned long start					_ _
150	sys_munlock	unsigned long start	size_t len				_ _
151	sys_mlockall	int flags					_ _
	sys_munlockall						_ _
153	sys_vhangup						
154	sys_modify_ldt	int func	void *ptr	unsigned long bytecount			
155	sys_pivot_root	const char *new_root	const char *put_old				
156	syssysctl	struct sysctl_args *args					
157	sys_prctl		unsigned long arg2	unsigned long arg3	unsigned long arg4		u Id
	sys_arch_prctl	riask	int code	unsigned long *addr			
159	sys_adjtimex	struct timex *txc_p					
160	sys_setrlimit	resource	struct rlimit *rlim				
161	sys_chroot	const char *filename					
162	sys_sync						_
163	sys_acct	const char *name					
164	sys_settimeofday	struct timeval *tv	struct timezone *tz				
165	sys_mount		char *dir_name	char *type	unsigned long flags	void *data	
166	sys_umount2		int flags				_
167	sys_swapon	rspecialille	int swap_flags				
168	sys_swapoff	const char *specialfile					
169	sys_reboot		int magic2	unsigned int cmd	void *arg	<u> </u>	<u> </u>
170	sys_sethostname		int len				
171	sys_setdomainname		int len				
172	sys_iopl		struct pt_regs *regs				
173	sys_ioperm	unsigned long from	unsigned long num	int turn_on			
174	sys_create_module	REMOVED IN Linux 2.6					
175	sys_init_module	void *umod	unsigned long len	const char *uargs			
	···				•		

176	sys_delete_module	const chat *name_user	unsigned int flags				
177	sys_get_kernel_syms	REMOVED IN Linux 2.6					
178	sys_query_module	REMOVED IN Linux 2.6					
179	sys_quotactl	unsigned int cmd	const char *special	qid_t id	void *addr		
180	sys_nfsservctl	NOT IMPLEMENTED					
181	sys_getpmsg	NOT IMPLEMENTED					
182	sys_putpmsg	NOT IMPLEMENTED					
183	sys_afs_syscall	NOT IMPLEMENTED					
184	sys_tuxcall	NOT IMPLEMENTED					
185	sys_security	NOT IMPLEMENTED					
186	sys_gettid						<u> </u>
187	sys_readahead	int fd	loff_t offset	size_t count			<u> </u>
188	sys_setxattr	const char *pathname	const char *name	const void *value	size_t size	int flags	_ _
189	sys_lsetxattr	const char *pathname		const void *value		int flags	_ _
190	sys_fsetxattr	int fd	const char *name	const void *value	size_t size	int flags	4
191	sys_getxattr	const char *pathname	const char *name	void *value	size_t size		
192	sys_lgetxattr	const char *pathname		void *value	size_t size		
193	sys_fgetxattr	int fd	const har *name	void *value	size_t size		
194	sys_listxattr	const char *pathname	char *list	size_t size			
195	sys_llistxattr	const char *pathname	char *list	size_t size			
196	sys_flistxattr	int fd	char *list	size_t size			<u> </u>
197	sys_removexattr	const char *pathname	const char *name				
198	sys_Iremovexattr	const char *pathname	const char *name				
199	sys_fremovexattr	int fd	const char *name				<u> </u>
200	sys_tkill	pid_t pid	ing sig				
201	sys_time	time_t *tloc					
202	sys_futex	u32 *uaddr	int op	u32 val	struct timespec *utime	u32 *uaddr2	u
203	sys_sched_setaffinity	pid_t pid	unsigned int len	unsigned long *user_mask_ptr			
204	sys_sched_getaffinity	pid_t pid	unsigned int len	unsigned long *user_mask_ptr			
205	sys_set_thread_area	NOT IMPLEMENTED. Use arch_prctl					
206	sys_io_setup	unsigned nr_events	aio_context_t *ctxp				
207	sys_io_destroy	aio_context_t ctx					
208	sys_io_getevents	aio_context_t ctx_id	long min_nr	long nr	struct io_event *events		
209	sys_io_submit	aio_context_t ctx_id	long nr	struct iocb **iocbpp			

	П	>Kyan A. Chapman		_	П	П
210	sys_io_cancel	aio_context_t ctx_id	struct iocb *iocb	struct io_event *result		
211	sys_get_thread_area	NOT IMPLEMENTED. Use arch_prctl				
212	sys_lookup_dcookie	u64 cookie64	long buf	long len		
213	sys_epoll_create	int size				
214	sys_epoll_ctl_old	NOT IMPLEMENTED				
215	sys_epoll_wait_old	NOT IMPLEMENTED				
216	sys_remap_file_pages	unsigned long start	unsigned long size	unsigned long prot	unsigned long pgoff	unsigned long flags
217	sys_getdents64	unsigned int fd	struct linux_dirent64 *dirent	unsigned int count		
218	sys_set_tid_address	int *tidptr				
219	sys_restart_syscall					
220	sys_semtimedop	int semid	struct sembuf *tsops	unsigned nsops	const struct timespec *timeout	
221	sys_fadvise64	int fd	loff_t offset	size_t len	int advice	
222	sys_timer_create	const clockid_t which_clock	struct sigevent *timer_event_spec	timer_t *created_timer_id		
223	sys_timer_settime	timer_t timer_id	int flags	const struct itimerspec *new_setting	struct itimerspec *old_setting	
224	sys_timer_gettime	timer_t timer_id	struct itimerspec *setting			
25	sys_timer_getoverrun	timer_t timer_id				
226	sys_timer_delete	timer_t timer_id				
27	sys_clock_settime	const clockid_t which_clock	const struct timespec *tp			
228	sys_clock_gettime	const clockid_t which_clock	struct timespec *tp			
229	sys_clock_getres	const clockid_t which_clock	struct timespec *tp			
230	sys_clock_nanosleep	const clockid_t which_clock	int flags	const struct timespec *rqtp	struct timespec *rmtp	
231	sys_exit_group	int error_code				
232	sys_epoll_wait	int epfd	struct epoll_event *events	int maxevents	int timeout	
233	sys_epoll_ctl	int epfd	int op	int fd	struct epoll_event *event	
234	sys_tgkill	pid_t tgid	pid_t pid	int sig		
235	sys_utimes	char *filename	struct timeval *utimes			
236	sys_vserver	NOT IMPLEMENTED				
237	sys_mbind	unsigned long start		unsigned long mode	unsigned long *nmask	unsigned long maxnode
238	sys_set_mempolicy	int mode	unsigned long *nmask	unsigned long maxnode		
239	sys_get_mempolicy	int *policy	unsigned long *nmask	unsigned long maxnode	unsigned long addr	unsigned long flags
		const char			struct	

		>Ryan A. Chapman	Linux System Call I	able for x86_64			
241	sys_mq_unlink	*u_name					
242	sys_mq_timedsend	mqd_t mqdes	const char *u_msg_ptr	size_t msg_len	unsigned int msg_prio	const stuct timespec *u_abs_timeout	
243	sys_mq_timedreceive	mqd_t mqdes	char *u_msg_ptr	size_t msg_len	unsigned int *u_msg_prio	const struct timespec *u_abs_timeout	
244	sys_mq_notify	mqd_t mqdes	const struct sigevent *u_notification				
245	sys_mq_getsetattr	mqd_t mqdes	const struct mq_attr *u_mqstat	struct mq_attr *u_omqstat			
246	sys_kexec_load	unsigned long entry	unsigned long nr_segments	struct kexec_segment *segments	unsigned long flags		
247	sys_waitid	int which	pid_t upid	struct siginfo *infop	int options	struct rusage *ru	
248	sys_add_key	const char *_type	const char *_description	const void *_payload	size_t plen		
249	sys_request_key	const char *_type	const char *_description	const char *_callout_info	key_serial_t destringid		
250	sys_keyctl	int option	unsigned long arg2	unsigned long arg3	unsigned long arg4	unsigned long arg5	
251	sys_ioprio_set	int which	int who	int ioprio			
252	sys_ioprio_get	int which	int who				
253	sys_inotify_init						
254	sys_inotify_add_watch	int fd	const char *pathname	u32 mask			
255	sys_inotify_rm_watch	int fd	_s32 wd				
256	sys_migrate_pages	pid_t pid	unsigned long maxnode	const unsigned long *old_nodes	const unsigned long *new_nodes		
257	sys_openat	int dfd	const char *filename	int flags	int mode		
258	sys_mkdirat	int dfd	const char *pathname	int mode			
259	sys_mknodat	int dfd	const char *filename	int mode	unsigned dev		
260	sys_fchownat	int dfd	const char *filename	uid_t user	gid_t group	int flag	
261	sys_futimesat	int dfd	const char *filename	struct timeval *utimes			
262	sys_newfstatat	int dfd	const char *filename	struct stat *statbuf	int flag		
263	sys_unlinkat	int dfd	const char *pathname	int flag			
264	sys_renameat	int oldfd	const char *oldname	int newfd	const char *newname		
265	sys_linkat	int oldfd	const char *oldname	int newfd	const char *newname	int flags	
266	sys_symlinkat	const char *oldname	int newfd	const char *newname			
267	sys_readlinkat	int dfd	const char *pathname	char *buf	int bufsiz		
268	sys_fchmodat	int dfd	const char *filename	mode_t mode			
269	sys_faccessat	int dfd	const char *filename	int mode			
270	sys_pselect6	int n	fd_set *inp	fd_set *outp	fd_set *exp	struct timespec *tsp	V
					const	I	

		>Ryan A. Chapman	Linux System Call 1	able for x86_64			
271	sys_ppoll	struct pollfd *ufds	unsigned int nfds	struct timespec *tsp	sigset_t *sigmask	size_t sigsetsize	
272	sys_unshare	unsigned long unshare_flags					Ï
273	sys_set_robust_list	struct robust_list_head *head	size_t len				
274	sys_get_robust_list	int pid	struct robust_list_head **head_ptr	size_t *len_ptr			
275	sys_splice	int fd_in	loff_t *off_in	int fd_out	loff_t *off_out	size_t len	u
276	sys_tee	int fdin	int fdout	size_t len	unsigned int flags		
277	sys_sync_file_range	long fd	loff_t offset	loff_t bytes	long flags		Ĭ
278	sys_vmsplice	int fd	const struct iovec *iov	unsigned long nr_segs	unsigned int flags		
279	sys_move_pages	pid_t pid	unsigned long nr_pages	const void **pages	const int *nodes	int *status	ir
280	sys_utimensat	int dfd	const char *filename	struct timespec *utimes	int flags		
281	sys_epoll_pwait	int epfd	struct epoll_event *events	int maxevents	int timeout	const sigset_t *sigmask	s s
282	sys_signalfd	int ufd	sigset_t *user_mask	size_t sizemask			
283	sys_timerfd_create	int clockid	int flags				
284	sys_eventfd	unsigned int count					
285	sys_fallocate	long fd	long mode	loff_t offset	loff_t len		
286	sys_timerfd_settime	int ufd	int flags	const struct itimerspec *utmr	struct itimerspec *otmr		
287	sys_timerfd_gettime	int ufd	struct itimerspec *otmr				
288	sys_accept4	int fd	struct sockaddr *upeer_sockaddr	int *upeer_addrlen	int flags		
289	sys_signalfd4	int ufd	sigset_t *user_mask	size_t sizemask	int flags		
290	sys_eventfd2	unsigned int count	int flags				
291	sys_epoll_create1	int flags					ļ
292	sys_dup3	unsigned int oldfd	unsigned int newfd	int flags			
293	sys_pipe2	int *filedes	int flags				
294	sys_inotify_init1	int flags					ļ
295	sys_preadv	unsigned long fd	const struct iovec *vec	unsigned long vlen	unsigned long pos_I	unsigned long pos_h	
296	sys_pwritev	unsigned long fd	const struct iovec *vec	unsigned long vlen	unsigned long pos_I	unsigned long pos_h	
297	sys_rt_tgsigqueueinfo	pid_t tgid	pid_t pid	int sig	siginfo_t *uinfo		
298	sys_perf_event_open	struct perf_event_attr *attr_uptr	pid_t pid	int cpu	int group_fd	unsigned long flags	
299	sys_recvmmsg	int fd	struct msghdr *mmsg	unsigned int vlen	unsigned int flags	struct timespec *timeout	
300	sys_fanotify_init	unsigned int flags	unsigned int event_f_flags				
301	sys_fanotify_mark	long fanotify_fd	long flags	_u64 mask	long dfd	long pathname	
302	sys_prlimit64	pid_t pid	unsigned int resource	const struct rlimit64 *new_rlim	struct rlimit64 *old_rlim		
303	sys_name_to_handle_at	int dfd	const char *name	struct file_handle		int flag	Ï

				*handle		
304	sys_open_by_handle_at	int dfd	const char *name	ctruct file handle	int *mnt_id	int flags
305	sys_clock_adjtime	clockid_t which_clock	struct timex *tx			
306	sys_syncfs	int fd				
307	sys_sendmmsg	int fd	struct mmsghdr *mmsg	unsigned int vlen	unsigned int flags	
308	sys_setns	int fd	int nstype			
309	sys_getcpu	unsigned *cpup	unsigned *nodep	struct getcpu_cache *unused		
310	sys_process_vm_readv	pid_t pid	const struct iovec *Ivec	unsigned long liovcnt	const struct iovec *rvec	unsigned long riovent
311	sys_process_vm_writev	pid_t pid	const struct iovec *Ivec	unsigned long liovcnt	const struct iovcc *rvec	unsigned long riovcnt
312	sys_kcmp	pid_t pid1	pid_t pid2	int type	unsigned long idx1	unsigned long idx2
313	sys_finit_module	int fd	const charuser *uargs	int flags		
314	sys_sched_setattr	pid_t pid	struct sched_attr _user *attr	unsigned int flags		
315	sys_sched_getattr	pid_t pid	struct sched_attr user *attr	unsigned int size	unsigned int flags	
316	sys_renameat2	int olddfd	const charuser *oldname	int newdfd, const charuser *newname	unsigned int flags	
317	sys_seccomp	unsigned int op	unsigned int flags	const char _user *uargs		
318	sys_getrandom	charuser *buf	size_t count	unsigned int flags		
319	sys_memfd_create	const charuser *uname_ptr	unsigned int flags			
320	sys_kexec_file_load	int kernel_fd	int initrd_fd	unsigned long cmdline_len	const char _user *cmdline_ptr	unsigned long flags
321	sys_bpf	int cmd	union bpf_attr *attr	unsigned int size		
322	stub_execveat	int dfd	const charuser *filename	const char _user *const _user *argv	const char user *const user *envp	int flags

Tagged: Linux, 3.19, x86_64, syscall, 64 bit

Posted on November 29, 2012 with 11 notes

rhelmot likes this

rayslava likes this

mwgamera likes this

communistmetalhead likes this

tfkdm likes this

thekeithpoole likes this

vzybilly likes this

wonderlandzor likes this

deathbybaconess reblogged this from ryanchapman

deathbybaconess likes this

mhd-hbd likes this

ryanchapman posted this



Field Notes Theme. Designed by Manasto Jones. Powered by Tumblr.