

Instrument Used: 32
Probe Used: custom probe 1
Heart Defect: HLHS

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N

Initials Member 1: JS Date: 12/15/14 Initials Member 2: JN Date: 12/15/14

Instrument Used: 32
Probe Used: custsonprobe1
Heart Defect: HLHS

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N

Initials Member 1: JS Date: 12/15/14 Initials Member 2: JTN Date: 12/15/14

Instrument Used: 32
Probe Used: cust probe 1
Heart Defect: HLHS

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N

Initials Member 1: XR Date: 12/15/14 Initials Member 2: JN Date: 12/15/14

Instrument Used: 32
Probe Used: customprobe1
Heart Defect: HLHS

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N

Initials Member 1: MN Date: 12/15/14 Initials Member 2: STN Date: 12/15/14

Instrument Used: 37
Probe Used: Custom probe 1
Heart Defect: HLHS

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N

Initials Member 1: MM Date: _____ Initials Member 2: JTN Date: 12/15/14

Instrument Used: 32
Probe Used: custom 1
Heart Defect: HLHS

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N

Mark/Time	Description of Event	Notes/Location of Probe
0018		
0056		
160135	cal 1	
160155	✓ 1	
160234	cal 2	
160303	✓ 2	
160322	cal 3	
160339	✓ 3	
160656	left 1	
160726	2	
160801	3	
160826	4	
BFI-3 Det(6-8) ^{low} 3,5		
1/2 > L	3 > R	
(5-9 kHz)	(15-18) kHz	
161448	Right 1	
161504	2	
161522	3	
161540	4	

Initials Member 1: TK Date: 12/15/14 Initials Member 2: JDN Date: 12/15/14

Instrument Used: 3λ
Probe Used: Custom 1
Heart Defect: HLHS

Y / N (DCS)

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N (DOS)

[illegible]

Initials Member 1: TK Date: 12/5/14 Initials Member 2: _____ Date: _____
Initials Member 1: MW Date: 12/5/14 Initials Member 2: _____ Date: _____



Instrument Used: 3K
Probe Used: CD 1
Heart Defect: HUHS

measurements
d

measurements

Y / N (DCS)

Y / N (DOS)

Mark/Time	Description of Event	Notes/Location of Probe
200559	cal 1	
200621	✓ 1	
200641	cul 2	
200703	✓ 2	
200723	cul 3	
200741	✓ 3	
R1	200959	L1 202324
R2	201016	L2 202389
R3	201034	L3 202418
R4	201139	L4 202538
BFI.5	Det b-8 R 3 L 4	DOS 
		DCS 

Initials Member 1: MMW Date: 12/15/14 Initials Member 2: _____ Date: _____
Initials Member 1: TE Date: 12/15/14 Initials Member 2: _____ Date: _____

Instrument Used: 3A
Probe Used: Custom probe 1
Heart Defect: HLHS



(Y) / N (DCS)

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N (DOS)

[illegible]

Initials Member 1: TK Date: 11/5/14 Initials Member 2: JJW Date: 12/15/14

Instrument Used: 32
Probe Used: Custom 1
Heart Defect: H L H S

Mark/Time	Description of Event	Notes/Location of Probe
132438	1	
132514	1	
132552	2	
132616	2	
132638	3	
132701	3	
134100	R1	L1 134814
134128	R2	L2 134833
134148	R3	L3 134850
134209	R4	L4 134907
BFI-12614	<p>1 → Right 3 → Left</p> <p>2 → 4 →</p> <p>*use detectors 5-8</p> <p>*note (R) sided measurements probe came from bottom</p> <p>(L) sided from top.</p>	 

Initials Member 1: Date: Initials Member 2: Date:

Instrument Used: 32
Probe Used: Custom probe 1
Heart Defect: HLHS

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N

Absolutes

BFI

Patient ID: AUG090
 File Name: 12/18/14 BFI-121814
 Date: 12/18/14
 Iteration (s): POD 3

Instrument Used: 3L
 Probe Used: CPI
 Heart Defect: HLHS

Checklist: Absolutes on check and calibration block Y / N
 4x on each side of the head for absolute measurements (DOS) Y / N
 5-7 frames for BFI on each side of the head (DCS) Y / N
 SvO₂ if intubated Y / N
 Set up Moberg of longitudinal vitals measurements Y / N
 "Mark Event" on Moberg: *absolutes*# Y / N
 Adverse Events? Y / N

Mark/Time	Description of Event	Notes/Location of Probe
132944 4808	1	
133008 4829	1	
133026 4850	2	
133047 4909	2	
133107 4930	3	
133129 4950	3	
134104 5139	Left 1	} close to probe
134131 5228	2	
134156 5247	3	
134213 5322	4	
134232 5343	5	
135718	Right 1	
135734	2	
135749	3	
135804	4	
BFI-121814		
	Det 6-8	Det 6-8
	1 > L	3 > R
	2 > L	4 > R
	I = (9-11)	
	K42	




Patient ID: AUG090
 File Name: Aug090-121514
 Date: 12/19/14
 Iteration (s): POD 4

Instrument Used: 3A
 Probe Used: Customprobe1
 Heart Defect: HLHS

Checklist: Absolutes on check and calibration block
 4x on each side of the head for absolute measurements (DOS)
 5-7 frames for BFI on each side of the head (DCS)
 SvO₂ if intubated
 Set up Moberg of longitudinal vitals measurements
 "Mark Event" on Moberg: *absolutes*#
 Adverse Events?

Y / N
 Y / N
 Y / N
 Y / N
 Y / N
 Y / N
 Y / N

Mark/Time	Description of Event	Notes/Location of Probe
141648	Cal 1	
141711	✓ 1	
141732	Cal 2	
141755	✓ 2	
141818	Cal 3	
141842	✓ 3	
142131 / 143643	R 1	
143728	2	
3745	3	
3802	4	
143044	L 1	LP 1
143103	2 (Ignore)	LP 2
143128	3	
143150	4	
143212	5	
1	BF1-121914 (R)	
2,3	# Mark 2 → movement	
4	BF1-121914 (L)	
5		
6	BF1-121914 L Parietal	



Initials Member 1: TK Date: 12/19/14 Initials Member 2: JTN Date: 12/19/14

Instrument Used: 3A
Probe Used: Custom 1
Heart Defect: 4LHS

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N

[illegible]

Initials Member 1: TK Date: 12/20/14 Initials Member 2: _____ Date: _____

Instrument Used: 3λ
 Probe Used: custom 1
 Heart Defect: HLHS

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N

Mark/Time	Description of Event	Notes/Location of Probe
115625	C 1	
115648	✓ 1	
115705	C 2	
115723	✓ 2	
115740	C 3	
115759	✓ 3	
115949	Left 1	
120020	2	
120055	3	
120113	4	
120157	5	
120233	Right 1	
120250	2	
120308	3	
120324	4	
BFL 122114	Det(4-8)	
1	2	
2	3	
	4	
	5	
	6	
	7	
	8	
	9	
	10	
	11	
	12	
	13	
	14	
	15	
	16	
	17	
	18	
	19	
	20	
	21	
	22	
	23	
	24	
	25	
	26	
	27	
	28	
	29	
	30	
	31	
	32	
	33	
	34	
	35	
	36	
	37	
	38	
	39	
	40	
	41	
	42	
	43	
	44	
	45	
	46	
	47	
	48	
	49	
	50	
	51	
	52	
	53	
	54	
	55	
	56	
	57	
	58	
	59	
	60	
	61	
	62	
	63	
	64	
	65	
	66	
	67	
	68	
	69	
	70	
	71	
	72	
	73	
	74	
	75	
	76	
	77	
	78	
	79	
	80	
	81	
	82	
	83	
	84	
	85	
	86	
	87	
	88	
	89	
	90	
	91	
	92	
	93	
	94	
	95	
	96	
	97	
	98	
	99	
	100	

Initials Member 1: TK Date: 12/21/14 Initials Member 2: MN Date: 12/21/14

Instrument Used: 37
Probe Used: customprobe1
Heart Defect: HLHS

Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N

Initials Member 1: _____ Date: _____ Initials Member 2: JR Date: 12/22/14