

Preop Study - IRB# 10-007552

Patient ID# POA 029INSTRUMENT USED 32DATE: 07 / 30 / 2014

Heart defect _____

File name _____

Probe used Custom probe 1Staff at Study MEW, JJN

Iteration of days at study _____

HR _____ SpO2 _____

Blood Pressure _____

Checklist: Absolutes on check and calibration block
 BFI for 5-7 frames between marks on left and right side
 3x each of absolutes on left and right side of head
 SVO2 if intubated
 Set up MOBERG for longitudinal measurements

| MARK# | DESCRIPTION OF EVENT | TIME |
|--------|---------------------------|-------------------------|
| 113402 | Cal 1 | Mother was holding baby |
| 113423 | ✓ 1 | |
| 113450 | Cal 2 | |
| 113516 | ✓ 2 | |
| 113538 | Cal 3 | |
| 113559 | ✓ 3 | |
| | | |
| 113941 | L1 left lateral placement | |
| 114017 | 2 | |
| 114035 | 3 | |
| 114055 | 4 | |
| | | |
| 114143 | R1 1 | |
| 114205 | 2 | |
| 114227 | 3 | |
| 4246 | 4 | |
| | | |
| 1 | ➤ BFI_3 (R) | |
| 2 | | |
| 3 | ➤ BFI_3 (L) | |
| 4 | | |
| | | |
| | | |

Preop Study - IRB# 10-007552

Patient ID# PA029

DATE: 31 1/14

File name PA029

Staff at Study JAN P. R. S.

Iteration of days at study 4

HR 199

SpO2 83

Blood Pressure 64/38

INSTRUMENT USED 31

Heart defect HLHS

Probe used Cust 1

- Checklist:
- Absolutes on check and calibration block
 - BFI for 5-7 frames between marks on left and right side
 - 3x each of absolutes on left and right side of head
 - SV02 if intubated
 - Set up MOBERG for longitudinal measurements

| MARK# | DESCRIPTION OF EVENT | TIME |
|--------|-----------------------|---|
| 124959 | Cal 1 | |
| 5028 | ✓ 1 | |
| 5110 | Cal 2 | |
| 5141 | 2 | |
| 125211 | Cal 3 | |
| 125236 | 3 | |
| 125528 | R1 Medial Detector | |
| 125724 | 2 | |
| 125745 | 3 | |
| 125806 | 4 | |
| 130038 | L1 Medial Detector | |
| 130058 | 2 | |
| 130117 | 3 | |
| 130136 | 4 | |
| 1 | ➤ BFI - 4 (L) Lateral | In the data the first mark is for the right side, but it should be left |
| 2 | | |
| 3 | ➤ BFI - 4 (R) | |
| 4 | | |
| | | |
| | | |
| | | |
| | | |