

The Atlas - User Manual

1. Overview

The Atlas is a professional tool for visualizing C# script dependencies within Unity. It automatically scans your code and generates an interactive node graph, helping you analyze architecture, perform refactoring, and track hidden relationships between components.

2. Getting Started

1. Open the window via the menu: Window -> Script Atlas -> Dependency Graph.
2. **Specific folder analysis:** Drag a folder from the Project window into the **Folder** slot (top-left corner). Atlas will scan only the contents of that directory.
3. **Entire project analysis:** Leave the **Folder** slot empty and click the **Refresh** button. The tool will scan every script inside the Assets folder.




Fig. 1: Main Toolbar Interface

3. Controls

- **Middle Mouse Button (Hold):** Panning (moving across the graph).
- **Mouse Wheel:** Zoom In / Zoom Out.
- **Left Mouse Button (Drag):** Area selection (select multiple nodes at once).
- **Right Mouse Button (Empty space):** Create a Sticky Group.
- **Right Mouse Button (On selected nodes):** Pack into Box.

4. Visual Language (Nodes & Tags)

Node Types

Script Atlas recognizes and visualizes 5 distinct node varieties:

- **[Class]:** Standard C# classes.
- **[Abstract]:** Abstract classes.
- **[Interface]:** C# interfaces.
- **[Struct]:** Structures (Value types).

- **[Enum]**: Enumerations.

Tracked Relations (Tags)

Each dependency within a node is marked with a color-coded tag:

- **[Base]**: Class inheritance.
- **[Impl]**: Interface implementation and its members.
- **[Call]**: Method calls (includes nested calls within Lists and Arrays).
- **[Field]**: References via variables and collections (List, Array).
- **[Get]** / **[Set]**: Property access. Compound operators like +=, -=, ++, -- are displayed as a double **[Get][Set]** tag.
- **[EventSub]**: C# Event subscriptions.
- **[Inst]**: Access to Singleton patterns (.Instance, .Shared, .Main).
- **[Static]**: Access to static fields and constants.
- **[GetComp]**: Usage of Unity API for finding components or objects on the scene.
- **[Debug]**: Dependencies used exclusively within Debug.Log contexts.




Fig. 2: Script Dependency Graph Overview

5. Toolbar Features

- **Refresh:** Complete rescan of the code and rebuild of the graph. Use this after making changes to your scripts.
- **Focus Mode:**
 - Clicking a **Node** dims the entire graph except for the selected node and its direct neighbors.
 - Clicking a **Connection (Edge)** dims everything except the link itself and the two nodes it connects.
-
- **Show Inherited Members:** A toggle that hides fields, properties, and interfaces inherited from base classes. This allows you to see only the unique code added to a specific subclass.
- **Save/Load:** Saves the current node layout into a .asset file (Preset). This allows you to restore your node arrangement after restarting Unity or changing the scene.

6. Organization (Boxing & Groups)

The Atlas provides two main ways to organize your graph and maintain a clean workspace:

Boxing:

- **Create Box:** Select one or more nodes -> Right-click -> **Pack into Box**. This groups nodes into a compact list, hiding their internal clutter while keeping external connections visible.
- **Add to Box:** Select free nodes AND an existing box -> Right-click -> **Add to '[Box Name]'**.
- **Extract Node:** Click the [×] button next to a specific node name inside the box list to return it to the main graph.
- **Unpack All:** Click the **Unpack All** button in the box header to dissolve the box and restore all nodes to the graph.
- **Rename:** Click the **Rename** button in the box header to change the module's name.

Sticky Groups (Visual Grouping):

- **Create Group:** Select nodes -> Right-click -> **Create Sticky Group**. Use this to move related systems together without hiding their internal details.

- **Remove from Group:** Select nodes already inside a group -> Right-click -> **Remove from Group**. This detaches nodes from the group frame while keeping them in their current position.




Fig. 3: Organization and Workspace Management

7. IDE Integration

- **Double-click on Node Header:** Instantly opens the corresponding .cs file in your IDE (Visual Studio, Rider, etc.).
- **Double-click on a Tag line:** Jumps directly to the specific line of code where the dependency is declared or called.

8. Support

- **Email:** altushka.dev@outlook.com
- **Version:** 1.0.0