


[Home](#) / [Page Types](#) / [Page Layouts](#) / [Page Header](#)

Page Header

Intro

The page header is a crucial component of any application interface, serving as the first point of interaction for users. A well-designed header not only enhances navigation but also sets the tone for the entire user experience. This guideline is based on the dynamic page header, which offers a flexible structure and interaction capabilities to support a variety of application scenarios.



Page header

When to Use

Do

Apply the page header guidance for the following page types:

- Object list (list report)

Don't

Don't apply the page header guidance for the following page types:

- Home page and pages with

[Feedback](#)

- Guided process (wizard)
- Create page
- Overview
- Dashboard


spreadsheet or calendar.

- Other page types that aren't mentioned in the "Do" list.

Anatomy

Page header areas

1. **Header title:** The title area hosts the mandatory page title and the common, but optional elements – breadcrumbs, subtitle/summary, key information, and actions. When the header collapses, the title area remains visible, with the page title and actions always persistent. The contents can adapt between expanded and collapsed modes (for example, a list report can show the filter summary in the subtitle when collapsed).
2. **Header content:** A collapsible area which can hold any structured or unstructured content. The entire content is hidden when the header is collapsed.



Anatomy of page header areas


Page header elements

1. **Title:** A title describes the purpose and/or the contents of the page.

[Feedback](#)



3. **Key information (optional):** Key information is a dedicated section that showcases essential indicators of the page contents, such as KPIs or object status.
4. **Global actions (optional):** Actions relevant for the entire page appear on the right-hand side of the header title bar. For more information, see [header toolbar](#).
5. **Layout actions (optional):** Typical layout actions are the *Close*, *Full Screen*, or *Exit Full Screen* icons, which are mainly used when a page is presented in a [flexible column layout](#).
6. **Header feature (optional):** Controls to expand/collapse and pin/unpin the header content. These controls are hidden if the header content area isn't used.
7. **Header content (optional):** The content varies based on the use case and floorplan. This area is used to display contextual information about the object or filters relevant to the page content. It's hidden when the header is collapsed.
8. **Subtitle/summary (optional):** A subtitle is a secondary text that supports the main title. It can also be used to display summarized header content, such as applied filters, when the header is collapsed.



Elements of a page header


Behavior and Interaction

[Feedback](#)

For more details on page header behavior and interactions, see the [dynamic page layout](#).

Expand and collapse


The page header supports expanded and collapsed modes. In the expanded mode, users can see more page-level information in the header. In the collapsed state, the header content area is hidden and the title shrinks, freeing vertical space for the page content. The page-level messages remain visible until the user dismisses them manually.



Pin

Activating the pin feature keeps the header expanded while the user scrolls through the page content. This interaction works only in combination with expandable/collapsible header content.

To save vertical space, don't offer the pin feature for size S screens.



Dynamic page header with pin feature activated

✓ Guidelines

To save vertical space, don't offer the pin feature for size S screens.

Responsive Behavior

The page header adapts automatically to all screen sizes based on the [responsive spacing system](#). For more details on page header responsiveness, see the [dynamic page layout](#).


Title and subtitle

The title and subtitle truncate in collapsed mode to save vertical space and wrap in expanded mode to show the full text. This behavior is provided by the respective controls. We recommend a maximum of two lines in collapsed mode to avoid an oversized header, especially on mobile when no summary line is present. Those two lines can be either a title with a subtitle, or a single longer title that wraps to two lines.

The title has the highest priority for space allocation. Elements that share the same horizontal space, such as key information and actions, move to overflow before the title wraps or truncates.

For more information, see [Wrapping and Truncation](#).


Feedback



Title and subtitle wrap in expanded mode and truncate in collapsed mode

Key information

Key information, such as a generic tag or KPI (middle area, left-aligned), remains visible as long as possible before moving into the overflow. If no key information is present, the title and global actions automatically receive more space.



Key Information remains visible

✓ Guidelines


Be mindful of the space available for key information. To avoid excessive truncation or wrapping of the page title and to prevent key information from being hidden in overflow, use header content if multiple indicators need to be displayed.

Global actions

Global actions also remain visible as space allows.

The toolbar follows standard overflow behavior, moving actions into the overflow menu from right to left.

For more information, see [Toolbar](#).




Global action in overflow

[Feedback](#)




- **Screen size S, M:** Layout actions appear in a separate row above the global actions.
- **Screen size L, XL or more:** Layout actions appear to the right of the global actions on the same line.

This breakpoint is based on the page width, not the window width, and applies regardless of whether the page is used in the flexible column layout, on desktop, or on mobile.



Size L: Layout actions next to global actions



Size S: Layout actions above global actions

Best Practices

Title

Every application page must have a visible title in the page header that describes its topic and purpose.


Make the title concise. Remove non-essential words to improve scannability and to avoid excessive wrapping or truncation when space is limited.

If using an object name or ID as the title, ensure it's identifiable. Add the type before the name/ID to help the user identify the object, if needed. Use the format "Object

[Feedback](#)

A. Static: A simple, static text [title](#) in the page header.

B. Dynamic: A title that contains dynamic elements, such as variant management.



Page title types

Accessibility requirements

Every page must have a single static <h1> heading that describes its topic and purpose. Dynamic elements – such as variant management components or input fields – don't qualify, because their labels change, and assistive technologies can't rely on them to identify the page.

The <h1> can be visible or visually hidden, but it must always be present in the DOM. If a visible heading suits the design, add a simple text title (<h1>) alongside the dynamic element. If a visible heading doesn't fit, insert an <h1> at the top of the page using a screen-reader-only technique. The heading won't appear on screen but remains fully accessible to assistive technologies.


Page-level avatar

You can add a page-level avatar to the page header title area or header content area.

Use a size S avatar before the page title and subtitle in the title area. In the header content area, pick the size based on the other elements.

Use only one avatar per header in expanded and collapsed modes.

For more information, see [Avatar](#).






Global actions

The global actions toolbar located in the page header contains actions that are valid for the entire page, except for the closing and finalizing actions that end the current process.

- Use text buttons for all business specific actions.
- Use icon buttons for all generic actions, such as *Favorite*, *Flag*, *Share*, and paging.
- Use no more than one primary button to highlight the most important action for the page.
- Since space is limited, try grouping related actions using menu buttons.
- Use an overflow toolbar if there are multiple global actions. This activates the overflow when there isn't enough space. The app team can decide which actions can move into the overflow and which actions are so important that they should never move into the overflow.

For more information, see [Toolbar](#).



Global actions in the page header

Page-level breadcrumbs

Presenting the current page in breadcrumbs is optional but must be consistent across all pages within a product.

In applications with a fixed hierarchy, use static breadcrumbs. These breadcrumbs always display the current page location the same way, regardless of how the user arrives there.

Consistent presentation of breadcrumbs throughout the product helps users orient themselves and sets clear expectations. Breadcrumbs should consistently start from the same hierarchy level to improve usability.

Breadcrumb patterns




Use Case	Breadcrumb Pattern
On home page	No breadcrumb
Multiple tab pages on the home page	Don't show a breadcrumb on t
Navigation item (L1) in the side navigation menu is navigational	On L1 landing page: Home / Current page (L1 item) On a navigation subitem (L2): Home / L1 item / Current page Drilling down to the subsequent item (L3): Home / L1 item / L2 item / Current page <i>Breadcrumb examples when L1 item is navigational</i>
Navigation item (L1) in the side navigation menu is not navigational	On a navigation subitem (L2): Home / L1 item: Current page (L2 item) Drilling down from L2 landing page: Home / L1 item: L2 item / Current page <i>Breadcrumb examples when L1 item is not navigational</i>

"Back to" link

You can include an additional link before the breadcrumbs for quick access to a previously visited page that isn't part of the current hierarchy.

Use a descriptive label like *Back to Project XYZ* to specify the destination.

If you need a persistent back button that functions like the browser back button but can't depend on the browser's back button, use the back button in the shell bar.




Breadcrumb example with an extra "Back to" link

Feedback



or forms. See [Use Cases and Page Types](#).

If no extra header content is required, use a single, static header without expand/collapse functionality.



No header content, without expand/collapse feature

Use Cases and Page Types

The page header can display different elements based on the use cases or page types. The following are some of the common use cases.

List report (object list)

A list report page enables users to view and manage a large collection of items. Users can locate and interact with relevant items using the search and filter options in the page header. It often serves as an entry point for navigating to item details, which are typically displayed on an object page.

Recommended page title syntax

Use the object type in plural form as the page title (for example, *Purchase Orders*). If variant management is used, provide a meaningful, descriptive label for the default view, such as *Active Orders*.

Mandatory elements

- Title (text, variant Management, or both)
- Subtitle (show filter summary when the header is collapsed)

Optional elements


- Breadcrumbs
- Key information (KPIs, generic tags)
- Global actions

[Feedback](#)



- Header features (pin, expand/collapse)

For more information, see [List Report Floorplan](#).



Example of a list report page header with a filter bar

Analytical list page

An analytical list page enables users to analyze large datasets, identify root causes, and take action on transactional content. It helps users find interesting areas within datasets or significant individual instances through data visualization and business intelligence. A [visual filter bar](#), consisting of a set of interactive charts, offers a unique way to filter large datasets via visualization and is included in the page header.

Recommended page title syntax

Use the object type in plural form as the page title (for example, *Suppliers*). If variant management is used as the page title, provide a meaningful, descriptive label for the default view, such as *Active Suppliers*.

Mandatory Elements

- Title (text, variant management, or both)
- Subtitle (show filter summary when the header is collapsed)


Optional Elements

- Breadcrumbs
- Key information (KPIs, generic tags)
- Global actions
- Header contents (visual filter bar, filter bar)

[Feedback](#)



For more information, see [Analytical List Page Floorplan](#).



Example of an analytical list page header with a visual filter bar and filter toggle

Object page

The object page displays and organizes all relevant information about an object. It can be in display or edit mode. The page header provides context to help the user identify the object shown and the actions they can take.

Recommended page title syntax

Use the object name or object ID directly as the page title. If the object name or ID is unclear, append the object type in front to provide the context (for example, *Order Item: 019204X*), or use the subtitle for context.


Mandatory Elements

- Title (text)

Optional Elements

- Breadcrumbs
- Subtitle
- Key information
- Global actions
- Header content (form, text, avatar, key value, micro chart, progress indicator, rating indicator)

[Feedback](#)



Example of an object page header with context information

Wizard page

A wizard page assists users in completing lengthy or complex tasks by dividing them into sections and guiding them step-by-step. It includes two types of screens: walkthrough screens and a summary screen. A progress bar, which can be either in anchor or tab mode, is located just below the page header to help users follow their progress. When an anchor bar is used, the summary page appears as a separate screen. With a tab bar, the summary is usually the final step. Typically, use a wizard page for tasks with 3 to 8 steps.

Recommended page title syntax

If the wizard page is used to create new object, use the format, *New <Object Type>*, as the page title. For example, *New Customer*. If the wizard page is used to walk users through a complex process, use the process name as the page title. For example, *Check Out*.

If the wizard page is used to create a new object, use the format "*New <Object Type>*," as the page title (for example, *New Customer*). If the wizard page is used to walk users through a complex process, use the process name as the page title (for example, *Check Out*).

Mandatory Elements

- Title (text)
- Progress bar

Optional Elements

- Breadcrumbs
- Subtitle
- Global actions

For more information, see [Wizard Floorplan](#).

Feedback



Example of a wizard page header with a progress bar



Create Page



A "create" page is an object page in create mode.



Recommended page title syntax



Use the format “*New <Object Type>*,” as the page title (for example, *New Customer*). This page title can be replaced with the actual object name or object ID as soon as it is entered or generated.



Mandatory Elements

- Title (text)

Optional Elements

- Breadcrumbs
- Subtitle
- Key information (draft/version switcher)
- Global actions

For more information, see [Object Page Floorplan](#).

[Home](#) / [L1](#) / Current page

New Order



Example of a page header for a "create" object page

Related Links

[Feedback](#)



Design System for Web



- [Analytical List Page](#)
- [Breadcrumbs](#)
- [Dynamic Page](#)
- [Object Page](#)
- [Tag](#)
- [Title](#)
- [Toolbar](#)
- [Views \(Variant Management\)](#)

SAPUI5

- [Dynamic Page](#) (sample)
- [Breadcrumb](#) (API reference)

SAP Web Components

- [Dynamic Page](#)



© 2026 SAP SE or an SAP affiliate company. All rights reserved.

[Feedback](#)