



Home / Page Types / Floorplans / List Report Floorplan

List Report Floorplan

SAPUI5

Information

This floorplan is available with [SAP Fiori Elements](#).

For more information, see the topics for the list report [header](#) and [content area](#) in the *SAP Fiori Elements* section.

To explore the design capabilities of SAP Fiori elements for OData V4 and experiment with their behavior, see [List Report Page](#) in the [SAP Fiori Development Portal](#).

Intro

With a list report, users can view and work with a large set of items. This floorplan offers powerful features for finding and acting on relevant items. It is often used as an entry point for navigating to the item details, which are usually shown on an [object page](#).

Feedback



Editing Status: Availability: Category: Supplier:

Search

Products (8)

☐ Image	Product	Supplier	Category	Availability	Product Unit Price	
☐	 Tea / Coffee Mugs MC - CM - 1003	Office Line Prag	Cups & Mugs	In Stock	2.65 USD	>
☐	 Ring Binder AR - FB - 1000	OffiPOR	Files & Binders	In Stock	3.25 USD	>
☐	 Map Pins - 5mm Head - Assorted Colors - Pack of 100 DE - PMM - 1003	POLirado	Paperclips, Pins & Magnets	Out of Stock	1.89 USD	>
☐	 Lever Arch File - White AR - FB - 1007	OffiPOR	Files & Binders	In Stock	4.10 USD	>
☐	 Notebook - Plain - 80 Sheets PB - MB - 1034	ChinaChin	Notebooks & Paper	In Stock	2.80 USD	>
☐	 High Quality Clear Tape FE - AL - 1234	Office Line Prag	Glue & Sticky Tape	In Stock	0.90 USD	>
☐	 Desktop Tape Dispenser AE - IT - 1009	Office Line Prag	Glue & Sticky Tape	Less Than 10 Left	5.95 USD	>
☐	 Tea / Coffee Mugs MB - BM - 1200	Office Line Prag	Cups & Mugs	Out of Stock	3.00 USD	>

List report

When to Use

Use the list report floorplan if:

- Users need to find and act on relevant items within a large set of items by searching, filtering, sorting, and grouping.
- You want to let users display the whole dataset using different visualizations (for example, as a table or as a chart), but no interactions are required between these visualizations. An example use case might be reporting.
- Users need to work with multiple views of the same content, for example on items that are “Open”, “In Process”, or “Completed”. You want to let users switch views using tabs, segmented buttons, or a select control.
- Drilldown is rarely or never used, or is only available via navigation to another page, and not as free or flexible drilldown within the page itself.
- Users work on different kinds of items.

Do not use the list report floorplan if:

[Feedback](#)



Design System for Web




- Users need to find one specific item, and the item or an identifying data point is known to the user (such as a code). Use the [initial page floorplan](#) instead.
- Users need to work through a comparably small set of items, one by one. Use the [worklist floorplan](#) instead.
- Users need to extract knowledge or insights from data, either to better understand the current situation, or to identify the root cause for a certain value. Use the [analytical list page](#) instead.
- Charts are not only used for visualization. Users need to switch between integrated chart and table views (hybrid view). Use the [analytical list page](#) instead.
- Users need to see the impact of their action on a KPI. Use the [analytical list page](#) instead.
- Users need to see not only the result, but also the impact of their filter settings directly in a chart representation. Use the [analytical list page](#) instead.

Components

The list report is a [full screen](#) floorplan. It can also be used in [flexible column layout](#), where it is usually displayed in the first column.

The list report page is based on the [dynamic page](#), and is divided into a header area and a content area, as defined by the dynamic page layout.

[Feedback](#)



Schematic visualization of a list report

- The **dynamic page header (1)** contains the header title **(2)** and the expandable/collapsible header content **(5)**.
 - The **header title (2)** is part of the header area and should display a [title](#) or [variant \(3\)](#) for the whole page (mandatory), filter information (if the header is collapsed), and a [header toolbar \(4\)](#) with global actions, such as *Share* (optional).
 - The **header content (5)** is used to display the [filter bar](#) or the smart filter bar (mandatory).
 - The [header features \(6\)](#) allow users to expand/collapse the header **(6a)** (mandatory) and pin/unpin the header area **(6b)**.
- The **content area (7)** is used to display:
 - A table/chart title, textual [icon tab bar](#), or select **(8)** (optional)
 - One [table/chart toolbar \(9\)](#) per tab
 - One or multiple [tables](#) and/or [charts \(10\)](#). You can use any kind of table. If you use a chart, you can display the chart on its own (without a table) or as an additional view for an existing table (switchable).
- The **footer toolbar (11)**: If needed, use a [footer toolbar](#) to display the [messaging button](#) and finalizing actions.



Behavior and Interaction

Initial Focus

When the list report is loaded, set the initial focus as follows:

- If the header is expanded, set the focus on the first filter field (live update mode) or on the *Go* button (manual update mode).
- If the header contains empty mandatory fields, set the focus on the first empty mandatory field.
- If the header is collapsed, set the focus on the first table row.

Standard Naming Conventions

For all objects, follow the standard conventions for action buttons, the object name, and the title in the shell bar. For more information see:

- [Object Handling – Naming Guidelines](#)
- [Launchpad Shell Bar – Page Title and Navigation Menu](#)

Header Title

Variant Management

[Variant management](#) is optional. If you use variants, we recommend using one variant management control for the whole page. Use the variants to save and restore all settings for [filters](#), selected [tabs](#), all [tables](#), and all [charts](#).

In some specific cases, you might need to add a second variant at control level. This can be the case when the user needs to change the view settings of a list independently of the page filters. However,

Standard 

Variant management

Feedback



Users can choose a default variant, which is selected every time the app is started.

Allow users to choose whether a variant should be executed automatically as soon as it has been selected. Not executing a variant automatically allows the user to add or remove [filters](#) before the dataset is updated. Provide this option only if the filter bar is in manual update mode. For live updates, this option is not required.


If [variant management](#) is not needed, show a [title](#) that describes the current view instead.

Filter Information

Display the summary of filters currently applied only if the header content is collapsed. Use the following text:

- Either *1 filter active* or *<n> filters active*; where “n” stands for the number of applied filters.
- A comma-separated list of the currently applied filters for up to five filters. If there are more, an ellipsis (...) shows at the end of the string.

If no filters have been applied, the summary text is: *No filters active*



Filter information

Header Toolbar

Use the header toolbar for non-finalizing global actions, such as *Share*. *Share* opens an [action sheet](#), which features *Save as*



Feedback



Join (if SAP Join is available). Show the [Share button](#) only if it makes sense for your application.

If the content area contains a [grid table](#), an [analytical table](#), a [tree table](#), or any other content with its own scrollbar, display a [Show Filters / Hide Filters button](#) for expanding and collapsing the header content.

In addition, offer any other global, non-finalizing actions needed. Hide actions that cannot be used at all (for example, because of access rights). To save space on the [header toolbar](#), group similar actions using a [menu button](#). For more information on global actions, see the guidelines for the [header toolbar](#).

Header Content

Search

The [filter bar](#) can contain a [search field](#) (optional). If you use the search field, the content shows only items that match both the search terms and the filter criteria.

The search generally searches across all available columns of the table, regardless of whether or not they are visible. In rare cases, some columns might not be included due to technical constraints. If the search does not apply to multiple columns, do not offer the search field.



Filter bar

Filters



Design System for Web



performance, consider providing mandatory filter fields and/or default settings for filters.

If the list report loads automatically when the page loads, **ensure that mandatory filter fields always have default values** to avoid error messages.

The [filter bar](#) offers two different update modes:

- The live update mode (recommended) triggers filtering immediately whenever a filter setting is changed. If the [search field](#) is used, the search is triggered together with all filter settings with every letter typed.
- The manual update mode displays a [Go button](#), which triggers the filtering. If the [search field](#) is used, the search is executed together with all filters as soon as the *Go* button is pressed. Make sure that all [tables](#) and [charts](#) in the content area are in a busy state until the new data is available. Also ensure that the content is grayed out as soon as the filter settings do not correspond to the content shown (any table, property: `showOverlay`). This is usually the case if the content is not yet updated and the *Go* button needs to be triggered.

Use the manual update mode only if you run into performance problems while loading the [table](#) data.

Regardless of the update mode, make sure that the [filter bar](#) and the visible content match: The [filter bar](#) must always describe the items that are shown in the content area.

[Feedback](#)



The header content collapses when the user scrolls down the page (except for desktop-centric tables), and expands again when the user scrolls back up (“snap on scroll”). Users can pin the header content to keep it visible. For more information, see [Dynamic Page – Expand/Collapse Header](#).

Exception: The “Snap on scroll” and “pin header” features are not provided if the main content area contains desktop-centric tables ([grid tables](#), [analytical tables](#), [tree tables](#)) or any other content with its own scrollbar. In these [cases](#), users need to expand and collapse the header content manually using the *Show Filters / Hide Filters* button.

When starting the application, expand the header content if no query was fired (and the table is therefore empty). Otherwise, collapse the header content.

Content Area

General Layout

There are three basic list report layouts: *simple content*, *multiple views*, and *multiple content*. These are described in more detail below.

Simple Content

In most cases, the content consists of just a [table toolbar](#) and a [table](#). If needed, provide an option to switch between the [table](#) and a corresponding [chart](#) view.

Multiple Views

For more complex scenarios, provide multiple views of the same content.

[Feedback](#)



- Showing the same [table](#), but with different columns.
- Showing the same [table](#) in different pre-filtered states. These states are usually based on a status column, for example, items that are *Open*, *In Process*, or *Closed*. Make sure that the corresponding filter is not offered on the [filter bar](#).
- Differentiating between the items displayed in the content in some other fundamental way.

There are two options for switching between different views:

The first option is to replace the table [title](#) with a content switch. Use this approach if all views share the same sort and group states, as well as the same actions.

The content switch can be:

- A [segmented button](#) for up to three views
- A [select control](#) for more than three views, or if the number of views changes dynamically

If you have both a [table title](#) and a content switch, display the [table title](#) first, then the content switch. Place both on the left side of the [table toolbar](#). Since the content switch is placed on the [table toolbar](#), the same actions are shown for all views.

If you are using the content switch together with [charts](#), ensure that the [chart](#) also reacts to the content switch. This can be done by:




Table toolbar with a segmented button for up to three different views




Table toolbar with a select control for more than three views



- Changing the measures and/or dimensions (for example, *View by Country/Region*, *View by Customer*, ...)




The second option for switching views is to show each view in a tab container of the [icon tab bar](#). Use this approach if all views show different states of the same data (sort states, group states, as well as item selection). Using tabs also allows you to offer different actions on the [table toolbar](#) for each view.

Multiple Content

To support even more complex use cases, a list report floorplan can also contain multiple [tables](#) that display different kinds of objects. The [filter bar](#) settings are applied to all of these [tables](#) in parallel. For example, a customer overview list report might display different [tables](#) for invoices, deliveries, and overdue payments. All of these [tables](#) can be filtered for a specific customer and a specific date.

Display each [table](#) inside a tab container of an [icon tab bar](#). This also allows you to offer different actions on the [table toolbar](#) for each [table](#).



List report floorplan with multiple tables placed in multiple tabs

Icon Tab Bar

Use the text-only version of the [icon tab bar](#). Display the number of items shown in

First Table (123) Second Table (234) Third Table (345)

Icon tab bar

Feedback



Table Toolbar

Display a table [title](#) (ideally with an item count) and a (*Settings*) button that opens the [P13n-Dialog](#) for sorting, grouping, and column settings, as well as more extensive functionality, such as grouping or sorting on several levels or for tables with more than 20 columns. Enable only the features required.


Do not offer additional filter settings on the [table toolbar](#). If alternative visualizations are provided (such as [charts](#)), offer an additional view switch on the [table toolbar](#). Triggering the switch replaces the current visualization with another one. If a [table](#) and [chart](#) need to be shown in parallel, offer a switch for the combined view.

In rare cases, you can offer an additional layout [variant](#) on the [table toolbar](#). The layout variant stores view settings like the column order and the sort and group settings. If you use a layout variant, do not store the [table](#) settings in the filter variant. Offer this additional layout [variant](#) only if there is a strong use case for switching filter and layout variants independently. If there is no strong use case, or you are unsure, do not use a layout [variant](#) at all.

In addition, offer any other actions needed. Disable selection-dependent actions (such as *Delete*) if



Typical toolbar in the list report floorplan containing the table title and item count, as well as buttons for sorting, grouping, and column settings



Toolbar with a switch between table and chart visualizations



Toolbar with a table title and layout variant



Toolbar with additional actions



applied to the selected items. Always enable selection-independent actions (such as *Add*). To save space on the [table toolbar](#), group similar actions using a [menu button](#). For example:

- *Release* and *Release with Conditions*
- *Add Contact* and *Replace Contact*
- *Edit Account* and *Edit Title*

For more information on table/chart actions, see the guidelines for the [table toolbar](#), the [chart toolbar](#), and for [managing objects](#).

Table

If there are no items to display, use the “no data” text of the corresponding [table](#). Explain why the table is empty, and what the user needs to do to display items.

Examples:

- After starting the app, no filters are applied:
To start, set the relevant filters.
- The filter was executed, but no items were found. This can also happen if the list report was opened by a related app, and the filter criteria were transferred automatically:
No data found. Try adjusting the filter settings.

If you are using a responsive table, always enable “[scroll to load](#)” behavior.

Sticky Behavior

[Feedback](#)



Navigation

There are three types of navigation at item level in the list report floorplan:

- Line item navigation:** If applicable, allow navigation to a detail view (usually an [object page](#)) at line item level. Show a navigation indicator (chevron icon) for each line item that provides a detail view. In a [list](#), [tree](#), or [responsive table](#), clicking the line item triggers the navigation.
 In a [grid table](#), [analytical table](#), or [tree table](#), clicking the navigation indicator triggers the navigation.
 Another option is to use a [link](#) as the identifier for the line item. This [link](#) triggers the navigation. Use this only if the navigation indicator is being used for a different target. Only show navigation indicators for target pages the user is authorized to access.
- Drilldown navigation:** If a line item contains aggregated data, allow navigation to a view that contains details for the aggregated amount. This is usually another list report. In this case, use a [link](#) to display the aggregated amount. If the [table](#) contains many columns with [links](#), use the [link](#) options to provide different levels of highlighting.
 In [charts](#), offer the drilldown navigation [link](#) in the popover for the chart element. In this case, also navigate to the corresponding list report to show the details.
- Cross navigation:** If a line item contains cross-references to other entities, such as people or business objects, use a [link](#) to display the corresponding data point in the [table](#). Triggering the [link](#) opens a [quick view](#). Typically, the [quick view](#) displays basic details of the referenced object and a navigation [link](#) to another page (usually an [object page](#)) or another app that shows the object details.

Information

SAP Fiori Elements – Navigation to Classic UIs If you need to navigate to classic UIs for create, display, or edit actions, see [Integration of Classic SAP UIs \(SAP Fiori Elements List Report\)](#). This article describes which UI elements and navigation flows to use in different scenarios.

Working Modes

When the user edits a list item in a filtered list, the changed item might no longer match the filter criteria. For this use case, there are two alternative working modes:

[Feedback](#)




the current filters vanish immediately. This mode applies to about 80% of all use cases.

• Continuous Working Mode

The user still needs the edited item, even though it no longer matches the filter criteria. The item stays in the list until the next filtering process is triggered. The item is marked, and a system message informs the user about the filter mismatch. This mode applies to about 20% of all use cases.

The app developer can choose the appropriate working mode for the app use case.



Footer Toolbar

Footer toolbar

Use the [footer toolbar](#) to display the [messaging button](#) and finalizing actions. Only use the [footer toolbar](#) if finalizing actions for the whole page and/or the [message popover](#) are available.

Always show the [footer toolbar](#) in edit mode.

Hide actions that cannot be used at all (for example, if the user doesn't have authorization). To save space on the [footer toolbar](#), group similar actions using a [menu button](#).

For more information on finalizing actions, see the guidelines for the [footer toolbar](#).

Actions

[Feedback](#)



Places for actions in the list report

- (1) Global actions in the header toolbar
- (2) Table actions in the table toolbar
- (3) Line item actions
- (4) Finalizing actions in the footer toolbar

1. Global Actions

Place actions that affect the entire page in the [header toolbar](#) in the header title (1). These include the following standard actions:

- *Show Filters / Hide Filters*: This [button](#) expands and collapses the header content. Show this [button](#) only if the list report contains a [grid table](#), [analytical table](#), or [tree table](#).
- *Share*: This [button](#) opens an [action sheet](#) that contains actions like *Save as Tile* (if the [SAP Fiori Launchpad](#) is available), *Send Email*, and *Share in SAP Jam* (if SAP Jam is available). Show the *Share* [button](#) only if it makes sense for your application.

Hide actions that cannot be used at all (for example, because the user has no authorization). To save space on the [header toolbar](#), group similar actions using a [menu button](#).

Do not place actions that finalize the current process (“finalizing actions”) on the [header toolbar](#) of the header title, even if they affect the entire page.

[Feedback](#)



2. Table/Chart Actions

Place actions that affect the content of a [table](#) or [chart](#) in the [table toolbar](#) (2).

Information

When you use the [list](#), [tree](#), or [responsive table](#), actions on the [table toolbar](#) move up out of the visible screen area when the user scrolls down.

If you are using an [icon tab bar](#), be aware that each tab contains its own table toolbar.

When to Enable, Disable, or Hide Actions

Indicate whether an action is available. Some actions are always available (such as *Create* for new objects). Other actions are only relevant if items have been selected (for example, *Edit* at item level, *Remove*, object-specific actions, or actions that change the status of an item).

Enable the following actions:

- All *Add/Create* actions, unless the user needs to specify where in the table the new item should be added.
- *Edit* actions that switch the entire table to edit mode (independent of the selected items).
If the user triggers the *Edit* button, replace it with *Save* and *Cancel* buttons (see [Editing the Whole Table](#)).
- Item-dependent actions that can be applied to some or all of the selected items.

Disable the following actions:

- Item-dependent actions when no items have been selected.
- *Add/Create* actions where the user needs to specify the insert position in the table, but either no item has been selected, or more than one item has been selected.

Hide actions that cannot be used at all (for example, because the user has no authorization).

For more information, also see [UI Element States – Control States](#).

Partial Processing

[Feedback](#)



executing the action:

- Indicate the number of selected items that can't be processed (out of the total number of selected items).
- Give a reason why the action can't be applied to these items.
- Let the user choose whether to apply the action to the remaining items anyway or cancel the action.

[See an example here.](#)

Note: In some scenarios, you might not be able to identify whether an action can be applied to all selected items before executing it. If the system is unable to apply the action to all items, show a message after executing the action.

Sort, Group, Personalization

Decide if you need to provide a sorting, grouping or personalization for your use case. If you offer more than one of these actions, offer them as single actions. We recommend keeping them in the following order: [Sort](#), [Group](#), [Personalization](#).

Add/Create Items Using a Dialog

You can let users add or create new items at list report level using a dialog. This approach is recommended for cases where there are fewer than 8 required fields. Display the action in the table toolbar.

You can use this option for both draft and non-draft scenarios.

More Information

For more information on table and chart actions, see the guidelines for the [table toolbar](#), [chart toolbar](#), and for [managing objects](#).

3. Line Item Actions

In rare cases, actions that affect a single item can be placed directly inside the line item. Use this only for specific, frequently used tasks (3). If the same action can also be applied to several items at once, feel free to also place it on the [table toolbar](#). Nevertheless, if you do so, reconsider whether you really need to offer the action at line item level. Examples of line item actions include:

[Feedback](#)



- *Assign* (an item)

Do not disable line item actions. If an action cannot be used, hide it. This can be the case if the user has no authorization or the line item is in the wrong state.

4. Finalizing Actions

Place actions that trigger the end of a process and affect the entire page in the [footer toolbar](#) (4).

Examples:

- *Save*
- *Cancel*
- *Submit*

Please be aware: Even if you are using the [icon tab bar](#), there is only one [footer toolbar](#) for all tabs.

Hide actions that cannot be used at all (for example, because the user has no authorization).

For more information on finalizing actions, see the guidelines for the [footer toolbar](#).

Responsiveness

In general, the list report floorplan is responsive. However, there are exceptions if the following controls are used:

- [Grid table](#), [analytical table](#), and [tree table](#) are supported on **desktop and tablet devices only** so you cannot use them for mobile use cases.

Instead, take an [adaptive approach](#):

- Create a new Fiori application with reduced complexity, not an exact match of the desktop application.
- With the new application, address the most important use cases for users in a mobile context. The responsive controls ([responsive table](#), [list](#) or [tree](#)) or a

Feedback

- [Smart table](#): The smart table is a wrapper around the different existing [table](#) controls. If a [grid table](#), [analytical table](#), or [tree table](#) is used inside the smart table, you will run into the limitation mentioned above.

For more details, see the respective guideline articles.

<
Manage Products ▾
Q

Standard ▾

 ▾

Editing Status:

Availability:

Category:

Q


All ▾

Supplier:


Go Adapt Filters

Products (123)				Create Delete ▾
☐ Image	Product	Supplier	Product Unit Price	
☐	Tea / Coffee Mugs MC - CM - 1003	Office Line Prag	2.65 USD	>
☐	Ring Binder AR - FB - 1000	OffiPOR	3.25 USD	>
☐	Map Pins - 5mm Head - Assorted Colors - Pack of 100 DE - PMM - 1003	POLirado	1.89 USD	>
☐	Lever Arch File - White AR - FB - 1007	OffiPOR	4.10 USD	>
☐	Notebook - Plain - 80 Sheets PB - MB - 1034	ChinaChin	2.80 USD	>
☐	High Quality Clear Tape FE - AL - 1234	Office Line Prag	0.90 USD	>

List report - Size L




List report - Size M



List report - Size S

Examples

The examples below show variants of the list report with the most commonly-used controls.



Feedback



Design System for Web

The screenshot displays the SAP Fiori List Report Floorplan. At the top, there are filter fields for 'Editing Status' (set to 'All'), 'Availability', 'Category', and 'Supplier'. A 'Go' button is highlighted with a red box. Below the filters, a 'Products (8)' tab is selected. The table lists products with columns for Image, Product, Supplier, Category, Availability, and Product Unit Price. The products include Tea / Coffee Mugs, Ring Binder, Map Pins, Lever Arch File, Notebook, High Quality Clear Tape, Desktop Tape Dispenser, and another Tea / Coffee Mugs entry. The 'Go' button is also highlighted with a red box.

Image	Product	Supplier	Category	Availability	Product Unit Price
	Tea / Coffee Mugs MC - CM - 1003	Office Line Prag	Cups & Mugs	In Stock	2.65 USD
	Ring Binder AR - FB - 1000	OffiPOR	Files & Binders	In Stock	3.25 USD
	Map Pins - 5mm Head - Assorted Colors - Pack of 100 DE - PMM - 1003	POLirado	Paperclips, Pins & Magnets	Out of Stock	1.89 USD
	Lever Arch File - White AR - FB - 1007	OffiPOR	Files & Binders	In Stock	4.10 USD
	Notebook - Plain - 80 Sheets PB - MB - 1034	ChinaChin	Notebooks & Paper	In Stock	2.80 USD
	High Quality Clear Tape FE - AL - 1234	Office Line Prag	Glue & Sticky Tape	In Stock	0.90 USD
	Desktop Tape Dispenser AE - IT - 1009	Office Line Prag	Glue & Sticky Tape	Less Than 10 Left	5.95 USD
	Tea / Coffee Mugs MB - BM - 1200	Office Line Prag	Cups & Mugs	Out of Stock	3.00 USD

1. Simple content layout, manual update mode with *Go* button
2. Simple content layout, draft handling enabled, manual update mode
3. Multiple view layout with segmented button, manual update mode
4. Multiple view layout with select control, manual update mode
5. Multiple content layout with icon tab bar, manual update mode

Top Tips

6. Simple content layout, live update mode
 - Avoid loading list report page without any data, even if there are no mandatory filters.
 - Use only one [key identifier](#) in the table.
 - If you are using the [icon tab bar](#), place it beneath the filters.
 - In the icon tab bar, use text labels only (without icons).
 - Choose [selection controls](#) that best fit your use case.
 - Make sure that columns in the table are [aligned correctly](#).
 - Ensure that mandatory [filter](#) fields always have default values.
 - Avoid using variant management for tables. Use the page variant instead.

[Feedback](#)



- Never place finalizing actions in the header toolbar, even if they affect the whole page.
- When using the icon tab bar, be aware that each tab contains its own table toolbar.



Related Links

Guidelines

Components

- [Chart](#)
- [Filter Bar](#)
- [Icon Tab Bar](#)
- [Table Overview](#)
- [Variant Management](#)

Page Layouts

- [Floorplan Overview](#)

SAP Fiori Elements

- [Introduction to SAP Fiori Elements](#)
- [Integration of Classic SAP UIs \(SAP Fiori Elements List Report\)](#)

Implementation

SAPUI5 – API Reference

- [Filter Bar](#)
- [Icon Tab Bar](#)
- [Responsive Table](#)

SAP Fiori Elements

- [SAP Fiori Elements Feature Map](#) (internal)
- [List Report and Object Page](#) (developer guide)



© 2026 SAP SE or an SAP affiliate company. All rights reserved.



Feedback