



Home / Page Types / Page Layouts / Semantic Page Layout

Semantic Page Layout


sap.f.SemanticPage

SAPUI5

Intro

The semantic page is recommended as the basic layout for freestyle applications. It builds on the basic functionality of the [dynamic page](#) and adds predefined content elements to the header toolbar (1) and footer toolbar (2), such as a title, global actions, and finalizing actions.

Using the semantic page significantly reduces the development effort for app teams, and ensures that the placement of the header and footer content conforms with the SAP Fiori Design Guidelines.



Semantic page

Feedback



When to Use

Use the semantic page if:

- You are building a freestyle application.
- You want to use a predefined layout to reduce development time.

Do not use the semantic page if:

- You are planning to use [SAP Fiori elements](#), such as the [list report](#), [analytical list page](#), [overview page](#), or [object page](#).
- You want to implement an [initial page](#) or [object page](#) floorplan.
- You only need to display a small amount of information. In this case, use a [dialog](#). If you must use the dynamic page, use [letterboxing](#) to mitigate the issue.

Components

The semantic page is based on the structure of the [dynamic page](#). In short, the semantic page has the following elements:


1. [Header title](#)
2. [Header content](#)
3. [Page content](#), dependent on the use case
4. [Footer toolbar](#) with finalizing actions

The control's semantics determine whether content specified in the control appears in the [header toolbar](#) or [footer toolbar](#).



Semantic page structure

Header Title



Semantic page - Header title example

Mandatory Elements

- **Title (1):** The title is located on the left-hand side of the header title bar and is always visible.

Optional Elements

- **Subtitle (2):** The subtitle is always below the title and is often used to summarize the most important information.
- **Breadcrumb (3):** Depending on the use case, you can add a [breadcrumb](#) navigation.
- **Key information (4):** Key information is located in the middle area, and is left aligned. This can be text, mini facets, or KPI tags, for example.
- **Global actions toolbar (5):** The global actions toolbar for the entire floorplan is located on the right-hand side. Always use [buttons](#) for global actions, visualized either as text or icons. For more information, see [header toolbar](#).

[Feedback](#)



Design System for Web



- **Layout actions** (6): These are actions like the *Close* or *Full Screen / Exit Full Screen* icons, which are mainly offered by the [flexible column layout](#). Depending on the screen size, layout actions are placed either to the right of the global actions toolbar, separated by a divider line, or above the global actions.

For more information about the expandable and collapsible header and its features, see [dynamic page](#).

✓ Guidelines

- Layout actions never move into the overflow and are always last in the [header toolbar](#).
- Do not remove or disable actions within the header title when it is collapsed.


Header Content

The *optional* header content is not defined in the semantic page and can be populated according to the use case.

Page Content

Like the header content, the page content is also not specified by the semantic page. It is proportionally the largest area of the layout and can be populated according to the use case.

Footer Toolbar



Semantic page - Footer toolbar

The [footer toolbar](#) is *optional* and contains the following components:

1. Message button (containing the [message popover](#)) on the left-hand side
2. [Draft indicator](#) on the right-hand side, just before the finalizing actions

[Feedback](#)



Behavior and Interaction

The interaction and guidelines for the [dynamic page](#) also apply for the semantic page. The actions in the semantic page and their order are predefined and follow the rules of the [action placement](#) concept. For more information about toolbars in general, see [toolbar overview](#).

Initial Focus

When the semantic page is loaded, set the initial focus as follows:

- If the page is in display mode, set the focus on the first section.
- If the page is in edit mode, set the focus on the first empty mandatory field.
- If there are no mandatory fields in edit mode, set the focus on the first editable element or first action.

Responsiveness

The semantic page offers considerable freedom and flexibility. It is designed to adapt automatically to small, medium, and large screen sizes. Next to that the responsive behavior depends on the behavior of the content being displayed.

The **title** (sap.m.Title) and **subtitle** (sap.m.Text) on the left truncate in collapsed mode to save vertical space and wrap in expanded mode to offer the full text. This behavior needs to come from the respective controls for the [title](#) and [subtitle](#). Overall, it is recommend not to show more than 2 lines of text in collapsed mode to avoid a disproportionate header height, especially on mobile devices, when no [summary line](#) is used. This can either be a combined title and subtitle or a longer wrapping title. For more information, see [Wrapping and Truncation](#).

Key information (middle area, left aligned) stays as long as possible before it moves into the overflow.

[Feedback](#)



Design System for Web


automatically get more space. The toolbar follows the standard [toolbar overflow](#) guidelines, and adds buttons to the [overflow menu](#) from right to left.

The combination of a semantic page within in a [flexible column layout](#) and accompanying [layout actions](#) works as described for the [dynamic page](#). The same applies for the [summary line](#) and [letterboxing](#).

Size L




Size M



Size S

[Feedback](#)



Feedback



Top Tips

- Use always a [header title](#).
- Use the [header title](#) and [header content](#) to provide the most relevant information and actions for your use case.
- Do not remove or disable actions within the [header title](#) when it is collapsed.
- Make sure that the [layout actions](#) in the flexible column layout are displayed correctly and never get hidden in the overflow.
- Start your application in [expanded mode](#) if users need further content or adjustment options to get started.
- Offer the [pinning feature](#) whenever users may need to fix the header content while scrolling through the page content.
- Activate the [summary line](#) on smartphones to help users focus on the actual content of the page.

Related Links

Guidelines

Components

- [Header Toolbar](#)
- [Footer Toolbar](#)

Layouts and Floorplans

- [Dynamic Page](#)
- [Flexible Column Layout](#)
- [Floorplan Overview](#)

SAP Fiori Elements

Implementation

SAPUI5

- [Semantic Page](#) (samples)
- [Semantic Page](#) (API reference)

[Feedback](#)



Design System for Web

[SAP UIs \(SAP Fiori Elements List Report\)](#)



© 2026 SAP SE or an SAP affiliate company. All rights reserved.



[Feedback](#)