

Class:13 RNA Seq (pt. 1)

Thomas Bailey

Today we will analyze published RNA-seq experiment where airway smooth muscle cells were treated with dexamethasone, a synthetic glucocorticoid steroid with anti-inflammatory effects (Himes et al. 2014).

Import countData and colData

There are two datasets I need to import/read

-countData the transcript counts per gene (rows) in the different experiments -colData information about the column (i.e. experiments) in countData.

```
library(DESeq2)
```

Loading required package: S4Vectors

Loading required package: stats4

Loading required package: BiocGenerics

Attaching package: 'BiocGenerics'

The following objects are masked from 'package:stats':

IQR, mad, sd, var, xtabs

The following objects are masked from 'package:base':

```
anyDuplicated, aperm, append, as.data.frame, basename, cbind,
colnames, dirname, do.call, duplicated, eval, evalq, Filter, Find,
get, grep, grepl, intersect, is.unsorted, lapply, Map, mapply,
match, mget, order, paste, pmax, pmax.int, pmin, pmin.int,
Position, rank, rbind, Reduce, rownames, sapply, saveRDS, setdiff,
table, tapply, union, unique, unsplit, which.max, which.min
```

Attaching package: 'S4Vectors'

The following object is masked from 'package:utils':

```
findMatches
```

The following objects are masked from 'package:base':

```
expand.grid, I, unname
```

Loading required package: IRanges

Attaching package: 'IRanges'

The following object is masked from 'package:grDevices':

```
windows
```

Loading required package: GenomicRanges

Loading required package: GenomeInfoDb

Loading required package: SummarizedExperiment

Loading required package: MatrixGenerics

Loading required package: matrixStats

```
Attaching package: 'MatrixGenerics'
```

```
The following objects are masked from 'package:matrixStats':
```

```
colAlls, colAnyNAs, colAnyNs, colAvgsPerRowSet, colCollapse,
colCounts, colCummaxs, colCummins, colCumprods, colCumsums,
colDiffs, colIQRDiffs, colIQRs, colLogSumExps, colMadDiffs,
colMads, colMaxs, colMeans2, colMedians, colMins, colOrderStats,
colProds, colQuantiles, colRanges, colRanks, colSdDiffs, colSds,
colSums2, colTabulates, colVarDiffs, colVars, colWeightedMads,
colWeightedMeans, colWeightedMedians, colWeightedSds,
colWeightedVars, rowAlls, rowAnyNAs, rowAnyNs, rowAvgsPerColSet,
rowCollapse, rowCounts, rowCummaxs, rowCummins, rowCumprods,
rowCumsums, rowDiffs, rowIQRDiffs, rowIQRs, rowLogSumExps,
rowMadDiffs, rowMads, rowMaxs, rowMeans2, rowMedians, rowMins,
rowOrderStats, rowProds, rowQuantiles, rowRanges, rowRanks,
rowSdDiffs, rowSds, rowSums2, rowTabulates, rowVarDiffs, rowVars,
rowWeightedMads, rowWeightedMeans, rowWeightedMedians,
rowWeightedSds, rowWeightedVars
```

```
Loading required package: Biobase
```

```
Welcome to Bioconductor
```

```
Vignettes contain introductory material; view with
'browseVignettes()'. To cite Bioconductor, see
'citation("Biobase")', and for packages 'citation("pkgname")'.
```

```
Attaching package: 'Biobase'
```

```
The following object is masked from 'package:MatrixGenerics':
```

```
rowMedians
```

```
The following objects are masked from 'package:matrixStats':
```

```
anyMissing, rowMedians
```

```
counts <- read.csv("airway_scaledcounts.csv", row.names=1)
metadata <- read.csv("airway_metadata.csv")
```

we can have a wee peak at these with `head()`

```
head(counts)
```

	SRR1039508	SRR1039509	SRR1039512	SRR1039513	SRR1039516
ENSG000000000003	723	486	904	445	1170
ENSG000000000005	0	0	0	0	0
ENSG000000000419	467	523	616	371	582
ENSG000000000457	347	258	364	237	318
ENSG000000000460	96	81	73	66	118
ENSG000000000938	0	0	1	0	2
	SRR1039517	SRR1039520	SRR1039521		
ENSG000000000003	1097	806	604		
ENSG000000000005	0	0	0		
ENSG000000000419	781	417	509		
ENSG000000000457	447	330	324		
ENSG000000000460	94	102	74		
ENSG000000000938	0	0	0		

```
metadata
```

	id	dex	celltype	geo_id
1	SRR1039508	control	N61311	GSM1275862
2	SRR1039509	treated	N61311	GSM1275863
3	SRR1039512	control	N052611	GSM1275866
4	SRR1039513	treated	N052611	GSM1275867
5	SRR1039516	control	N080611	GSM1275870
6	SRR1039517	treated	N080611	GSM1275871
7	SRR1039520	control	N061011	GSM1275874
8	SRR1039521	treated	N061011	GSM1275875

Q1. How many genes are in this dataset?

```
nrow(counts)
```

[1] 38694

Q2. How many ‘control’ cell lines do we have?

```
table(metadata$dex)
```

```
control treated  
4 4
```

```
sum(metadata$dex == "control")
```

```
[1] 4
```

We can find the average (mean) count values per gene for all “control” experiments and compare it to the mean values for “treated”.

-Extract all “control” columns from the `counts` data -Find the mean value for each gene in these columns

Q3. How would you make the above code in either approach more robust? Is there a function that could help here?

```
control inds <- metadata$dex == "control"  
control counts <- counts[,control inds]
```

```
head(control counts)
```

	SRR1039508	SRR1039512	SRR1039516	SRR1039520
ENSG000000000003	723	904	1170	806
ENSG000000000005	0	0	0	0
ENSG00000000419	467	616	582	417
ENSG00000000457	347	364	318	330
ENSG00000000460	96	73	118	102
ENSG00000000938	0	1	2	0

```
dim(control counts)
```

```
[1] 38694 4
```

Now find the row wise mean

```
control.mean <- rowSums(control.counts)/ncol((control.counts))
head(control.mean)
```

```
ENSG000000000003 ENSG000000000005 ENSG00000000419 ENSG00000000457 ENSG00000000460
    900.75          0.00      520.50      339.75      97.25
ENSG000000000938
    0.75
```

```
treated inds <- metadata$dex == "treated"
treated.counts <- counts[,treated inds]
```

```
head(treated.counts)
```

	SRR1039509	SRR1039513	SRR1039517	SRR1039521
ENSG000000000003	486	445	1097	604
ENSG000000000005	0	0	0	0
ENSG00000000419	523	371	781	509
ENSG00000000457	258	237	447	324
ENSG00000000460	81	66	94	74
ENSG00000000938	0	0	0	0

```
dim(treated.counts)
```

```
[1] 38694      4
```

Q4. Follow the same procedure for the treated samples (i.e. calculate the mean per gene across drug treated samples and assign to a labeled vector called treated.mean)

```
treated.mean <- rowSums(treated.counts)/ncol((treated.counts))
head(treated.mean)
```

```
ENSG000000000003 ENSG000000000005 ENSG00000000419 ENSG00000000457 ENSG00000000460
    658.00          0.00      546.00      316.50      78.75
ENSG000000000938
    0.00
```

Let's put these two mean values together for easy book-keeping


```
meancounts <- data.frame(control.mean, treated.mean)
head(meancounts)
```

	control.mean	treated.mean
ENSG000000000003	900.75	658.00
ENSG000000000005	0.00	0.00
ENSG00000000419	520.50	546.00
ENSG00000000457	339.75	316.50
ENSG00000000460	97.25	78.75
ENSG00000000938	0.75	0.00

Let's have a wee look - i.e. plot control vs treated.mean

Q5 (a). Create a scatter plot showing the mean of the treated samples against the mean of the control samples.


```
plot(meancounts)
```



Q5 (b). You could also use the ggplot2 package to make this figure producing the plot below. What geom_?() function would you use for this plot?

```
library(ggplot2)

ggplot(meancounts) + aes(control.mean, treated.mean) + geom_point(alpha = 0.3)
```




Whenever we see data that is so heavily skewed like this we often log transform it so we can see what is going on more easily

Q6. Try plotting both axes on a log scale. What is the argument to plot() that allows you to do this?

```
plot(meancounts, log = "xy")
```

Warning in xy.coords(x, y, xlabel, ylabel, log): 15032 x values <= 0 omitted from logarithmic plot

Warning in xy.coords(x, y, xlabel, ylabel, log): 15281 y values <= 0 omitted from logarithmic plot



We most often work in log2 units as this makes the math easier. Let's have a play to see this.

```
# treated / control
log2(20/20)
```

```
[1] 0
```

```
log2(40/20)
```

```
[1] 1
```

```
log2(80/20)
```

```
[1] 2
```

```
# treated / control
log2(20/40)
```

```
[1] -1
```

We can now add a “log2 fold-change” values to our `meancounts` dataset.

```
meancounts$log2fc <- log2(meancounts$treated.mean / meancounts$control.mean)
head(meancounts)
```

	control.mean	treated.mean	log2fc
ENSG000000000003	900.75	658.00	-0.45303916
ENSG000000000005	0.00	0.00	NaN
ENSG000000000419	520.50	546.00	0.06900279
ENSG000000000457	339.75	316.50	-0.10226805
ENSG000000000460	97.25	78.75	-0.30441833
ENSG000000000938	0.75	0.00	-Inf

We need to filter out zero count genes - i.e remove the rows (genes) that have a 0 value in either control or treated means.

How many genes are “up” regulated at the common log2 fold-change threshold of +2.

```
up inds <- meancounts$log2fc >= 2
sum(up inds, na.rm = T)
```

[1] 1910

How many genes are “down” regulated at the threshold of -2?

```
down inds <- meancounts$log2fc <= -2
sum(down inds, na.rm = T)
```

[1] 2330

DESeq2 analysis

To do this the right way we need to consider the significance of the differences not just their magnitude

```
library(DESeq2)
```

To use this package it wants `countData` and `colData` in a specific format.

```
dds <- DESeqDataSetFromMatrix(countData = counts, colData = metadata, design = ~dex)
```

converting counts to integer mode

Warning in DESeqDataSet(se, design = design, ignoreRank): some variables in
design formula are characters, converting to factors

```
dds <- DESeq(dds)
```

estimating size factors

estimating dispersions

gene-wise dispersion estimates

mean-dispersion relationship

final dispersion estimates

fitting model and testing

Extract my resultss

```
res <- results(dds)  
head(res)
```

log2 fold change (MLE): dex treated vs control

Wald test p-value: dex treated vs control

DataFrame with 6 rows and 6 columns


	baseMean	log2FoldChange	lfcSE	stat	pvalue
	<numeric>	<numeric>	<numeric>	<numeric>	<numeric>
ENSG000000000003	747.194195	-0.3507030	0.168246	-2.084470	0.0371175
ENSG000000000005	0.000000	NA	NA	NA	NA
ENSG00000000419	520.134160	0.2061078	0.101059	2.039475	0.0414026
ENSG00000000457	322.664844	0.0245269	0.145145	0.168982	0.8658106
ENSG00000000460	87.682625	-0.1471420	0.257007	-0.572521	0.5669691
ENSG00000000938	0.319167	-1.7322890	3.493601	-0.495846	0.6200029

padj

```
<numeric>
ENSG000000000003 0.163035
ENSG000000000005 NA
ENSG000000000419 0.176032
ENSG000000000457 0.961694
ENSG000000000460 0.815849
ENSG000000000938 NA
```


Plot of fold-change vs P-value (adjusted for multiple testing)

```
plot(res$log2FoldChange, res$padj)
```



Take to the log of the P-value

```
plot(res$log2FoldChange, log(res$padj))
```



```
log(0.01)
```


```
[1] -4.60517
```

```
log(0.0000000001)
```

```
[1] -23.02585
```

We can just flip the y-axis by putting a minus sign

```
plot(res$log2FoldChange, -log(res$padj), xlab = "Log2 Fold-change", ylab = "-log(P-value)")
```



Let's save our work to date

```
write.csv(res, file="myresults.csv")
```

To finish off let's make a nicer volcano plot

Add the log2 threshold lines at $+/-2$ Add P-value threshold lines at 0.05 add color to highlight the subset of genes that meet both of the above thresholds

Make it with ggplot please...


```
(res$log2FoldChange, -log(res$padj), xlab = "Log2 Fold-change", ylab = "-log(P-value)")
```

```
mycols <- rep("gray", nrow(res))
mycols[ abs(res$log2FoldChange) > 2 ] <- "red"

inds <- (res$padj < 0.01) & (abs(res$log2FoldChange) > 2 )
mycols[ inds ] <- "blue"
```

```
ggplot(res) + aes(x= log2FoldChange, y= -log(padj)) + geom_point(col=mycols) + geom_vline(xif
```

Warning: Removed 23549 rows containing missing values or values outside the scale range (`geom_point()`).



Add gene annotation data

Now the question is what are the blue points in the above volcano plot - i.e. what are the genes most influenced by drug treatment here

```
read.csv
```

```
function (file, header = TRUE, sep = ",",
         quote = "\"", dec = ".",
         fill = TRUE, comment.char = "") ...)
read.table(file = file, header = header, sep = sep, quote = quote,
           dec = dec, fill = fill, comment.char = comment.char, ...)
<bytecode: 0x000001c5ef5906d8>
<environment: namespace:utils>
```

We will use some BioConductor packages to “map” the ENSEMBL ids to more useful gene SYMBOL names/ids.

We can install these packages with `BiocManager::install("AnnotationDbi")`

```
library(AnnotationDbi)
library(org.Hs.eg.db)
```

What database identifiers can I translate between here:

```
columns(org.Hs.eg.db)
```

```
[1] "ACCCNUM"      "ALIAS"        "ENSEMBL"       "ENSEMLPROT"    "ENSEMLTRANS"
[6] "ENTREZID"     "ENZYME"       "EVIDENCE"      "EVIDENCEALL"   "GENENAME"
[11] "GENETYPE"     "GO"           "GOALL"         "IPI"          "MAP"
[16] "OMIM"          "ONTOLOGY"     "ONTOLOGYALL"   "PATH"         "PFAM"
[21] "PMID"          "PROSITE"      "REFSEQ"        "SYMBOL"       "UCSCKG"
[26] "UNIPROT"
```

We can now use the `mapIDs()` function to translate/map between these different identifier formats.

```
res$symbol <- mapIDs(org.Hs.eg.db,
                      keys = rownames(res),
                      keytype = "ENSEMBL",
                      column = "SYMBOL")
```

```
'select()' returned 1:many mapping between keys and columns
```

```
res$genename <- mapIDs(org.Hs.eg.db,
                        keys = rownames(res),
                        keytype = "ENSEMBL",
                        column = "GENENAME")
```

```
'select()' returned 1:many mapping between keys and columns
```

```
res$entrez <- mapIDs(org.Hs.eg.db,
                       keys = rownames(res),
                       keytype = "ENSEMBL",
                       column = "ENTREZID")
```

```
'select()' returned 1:many mapping between keys and columns
```

```
head(res)
```

```
log2 fold change (MLE): dex treated vs control
Wald test p-value: dex treated vs control
DataFrame with 6 rows and 9 columns
  baseMean log2FoldChange      lfcSE      stat     pvalue
  <numeric>      <numeric> <numeric> <numeric> <numeric>
ENSG000000000003 747.194195 -0.3507030  0.168246 -2.084470 0.0371175
ENSG000000000005  0.000000      NA        NA        NA        NA
ENSG00000000419   520.134160  0.2061078  0.101059  2.039475 0.0414026
ENSG00000000457   322.664844  0.0245269  0.145145  0.168982 0.8658106
ENSG00000000460   87.682625 -0.1471420  0.257007 -0.572521 0.5669691
ENSG00000000938   0.319167 -1.7322890  3.493601 -0.495846 0.6200029
  padj      symbol      genename      entrez
  <numeric> <character> <character> <character>
ENSG000000000003 0.163035    TSPAN6      tetraspanin 6      7105
ENSG000000000005  NA        TNMD       tenomodulin 64102
ENSG00000000419  0.176032    DPM1 dolichyl-phosphate m.. 8813
ENSG00000000457  0.961694    SCYL3 SCY1 like pseudokina.. 57147
ENSG00000000460  0.815849    FIRRM FIGNL1 interacting r.. 55732
ENSG00000000938  NA        FGR        FGR proto-oncogene, .. 2268
```

Now I know the gene names and their IDs in different databases I want to know what type of biology they are involved in...

Pathway analysis

This is the job of “pathway analysis” (a.k.a “gene set enrichment”)

There are tones of different BioConductor packages for pathway analysis here we use just one of them called **gage** and **pathview**. I will install these packages with `BiocManager::install(c("gage", "pathview", "gageData"))`

```
library(gage)
```

```
library(gageData)
library(pathview)
```

```
#####
# Pathview is an open source software package distributed under GNU General
# Public License version 3 (GPLv3). Details of GPLv3 is available at
# http://www.gnu.org/licenses/gpl-3.0.html. Particullary, users are required to
# formally cite the original Pathview paper (not just mention it) in publications
# or products. For details, do citation("pathview") within R.
```

The pathview downloads and uses KEGG data. Non-academic uses may require a KEGG license agreement (details at <http://www.kegg.jp/kegg/legal.html>).

```
#####
```

Load up the KEGG genesets

```
data(kegg.sets.hs)
```

```
head(kegg.sets.hs)
```

```
$`hsa00232 Caffeine metabolism`
[1] "10"    "1544"  "1548"  "1549"  "1553"  "7498"  "9"

$`hsa00983 Drug metabolism - other enzymes`
[1] "10"     "1066"   "10720"  "10941"  "151531" "1548"   "1549"   "1551"
[9] "1553"   "1576"   "1577"   "1806"   "1807"   "1890"   "221223" "2990"
[17] "3251"   "3614"   "3615"   "3704"   "51733"  "54490"  "54575"  "54576"
[25] "54577"  "54578"  "54579"  "54600"  "54657"  "54658"  "54659"  "54963"
[33] "574537" "64816"  "7083"   "7084"   "7172"   "7363"   "7364"   "7365"
[41] "7366"   "7367"   "7371"   "7372"   "7378"   "7498"   "79799" "83549"
[49] "8824"   "8833"   "9"      "978"

$`hsa01100 Metabolic pathways`
[1] "10"      "100"     "10007"   "100137049" "10020"   "10026"
[7] "100510686" "10063"   "10157"   "10170"   "10195"   "10201"
[13] "10229"   "10312"   "10317"   "10327"   "10331"   "1036"
[19] "10380"   "10390"   "1040"    "10400"   "10402"   "10423"
[25] "10449"   "10476"   "10554"   "10555"   "10558"   "1056"
[31] "10588"   "10606"   "10621"   "10622"   "10623"   "10632"
[37] "10654"   "1066"    "10678"   "10682"   "10690"   "10714"
[43] "10720"   "10768"   "10797"   "10826"   "10841"   "10855"
[49] "10873"   "10901"   "10905"   "10941"   "10975"   "10993"
[55] "10998"   "11019"   "11041"   "1109"    "11112"   "11128"
[61] "1119"    "1120"    "11226"   "11227"   "11232"   "112483"
```

[67]	"11253"	"11282"	"11285"	"113026"	"11320"	"11343"
[73]	"113451"	"113612"	"114805"	"1152"	"1158"	"1159"
[79]	"1160"	"116285"	"117248"	"119548"	"120227"	"121278"
[85]	"122481"	"122622"	"123099"	"123745"	"123876"	"124"
[91]	"124454"	"124975"	"125"	"125061"	"125965"	"125981"
[97]	"126"	"126328"	"126792"	"127"	"127124"	"128"
[103]	"128869"	"129607"	"129642"	"130"	"130013"	"131"
[109]	"1312"	"131669"	"132"	"132158"	"1327"	"132789"
[115]	"1329"	"1337"	"1339"	"1340"	"134147"	"1345"
[121]	"1349"	"1350"	"1351"	"135152"	"1352"	"1353"
[127]	"1355"	"1371"	"1373"	"137964"	"138050"	"138429"
[133]	"139596"	"140838"	"1431"	"144193"	"144245"	"145226"
[139]	"146664"	"1491"	"15"	"1503"	"150763"	"151056"
[145]	"151531"	"1537"	"154141"	"1543"	"1544"	"1548"
[151]	"1549"	"155066"	"1551"	"1553"	"1555"	"1557"
[157]	"1558"	"1559"	"1562"	"1571"	"1573"	"157506"
[163]	"1576"	"1577"	"1579"	"158"	"1581"	"1582"
[169]	"1583"	"1584"	"1585"	"1586"	"1588"	"1589"
[175]	"159"	"1593"	"1594"	"1595"	"160287"	"1603"
[181]	"1606"	"1607"	"1608"	"160851"	"1609"	"1610"
[187]	"1621"	"162417"	"162466"	"1629"	"1633"	"1635"
[193]	"1638"	"1644"	"1650"	"166929"	"168391"	"169355"
[199]	"170712"	"171568"	"1716"	"1717"	"1718"	"1719"
[205]	"1723"	"1737"	"1738"	"1743"	"1757"	"178"
[211]	"1786"	"1787"	"1788"	"1789"	"1798"	"18"
[217]	"1806"	"1807"	"1841"	"1854"	"189"	"1890"
[223]	"1892"	"191"	"192134"	"1962"	"197258"	"199857"
[229]	"201595"	"2023"	"2026"	"2027"	"203"	"204"
[235]	"205"	"2053"	"2058"	"210"	"211"	"212"
[241]	"2131"	"2132"	"2134"	"2135"	"2137"	"216"
[247]	"217"	"218"	"2180"	"2181"	"2182"	"2184"
[253]	"219"	"2194"	"220"	"2203"	"221"	"221223"
[259]	"221823"	"222"	"2222"	"2224"	"223"	"2235"
[265]	"224"	"226"	"2271"	"22845"	"22856"	"229"
[271]	"22928"	"22929"	"22934"	"22978"	"230"	"23057"
[277]	"231"	"23193"	"23236"	"23305"	"23382"	"23396"
[283]	"23417"	"23475"	"23483"	"23498"	"23530"	"23545"
[289]	"23553"	"23556"	"2356"	"23600"	"23649"	"23761"
[295]	"239"	"240"	"242"	"245972"	"245973"	"246"
[301]	"246721"	"247"	"248"	"249"	"250"	"251"
[307]	"2523"	"2524"	"2525"	"2526"	"2527"	"2528"
[313]	"2529"	"2530"	"2531"	"253558"	"2538"	"2539"
[319]	"254531"	"2548"	"256435"	"2571"	"2572"	"25796"

[325]	"2581"	"2582"	"2583"	"25834"	"2584"	"2585"
[331]	"2588"	"25885"	"2589"	"2590"	"25902"	"2591"
[337]	"2592"	"259230"	"2593"	"259307"	"2595"	"2597"
[343]	"26007"	"26035"	"2618"	"262"	"26227"	"26229"
[349]	"26275"	"26279"	"2628"	"26289"	"2629"	"26290"
[355]	"26301"	"2632"	"26330"	"2639"	"2643"	"2645"
[361]	"2650"	"2651"	"2673"	"2678"	"2683"	"2686"
[367]	"2687"	"270"	"27010"	"27034"	"27087"	"27089"
[373]	"27090"	"271"	"2710"	"2712"	"27124"	"27165"
[379]	"272"	"2720"	"27235"	"2729"	"2730"	"27306"
[385]	"2731"	"27349"	"27430"	"2744"	"2746"	"2747"
[391]	"275"	"2752"	"276"	"2762"	"277"	"278"
[397]	"279"	"2799"	"28"	"280"	"2805"	"2806"
[403]	"2821"	"283208"	"283871"	"284098"	"284541"	"2875"
[409]	"290"	"29071"	"2937"	"2954"	"29796"	"2987"
[415]	"29880"	"2990"	"29906"	"29920"	"29922"	"29925"
[421]	"29926"	"29929"	"29947"	"29958"	"29968"	"30"
[427]	"3028"	"3030"	"3032"	"3033"	"3034"	"3067"
[433]	"3073"	"3074"	"3081"	"30814"	"30815"	"30833"
[439]	"30834"	"3098"	"3099"	"31"	"3101"	"314"
[445]	"3141"	"3145"	"3155"	"3156"	"3157"	"3158"
[451]	"316"	"317749"	"32"	"3242"	"3251"	"326625"
[457]	"3283"	"3284"	"3290"	"3291"	"3292"	"3293"
[463]	"3294"	"3295"	"33"	"3340"	"3373"	"337876"
[469]	"339221"	"34"	"340485"	"341392"	"3417"	"3418"
[475]	"3419"	"341947"	"3420"	"3421"	"3422"	"3423"
[481]	"3425"	"348158"	"349565"	"35"	"353"	"36"
[487]	"3612"	"3613"	"3614"	"3615"	"3620"	"3628"
[493]	"3631"	"3632"	"3633"	"3636"	"37"	"3703"
[499]	"3704"	"3705"	"3706"	"3707"	"3712"	"374291"
[505]	"374378"	"3795"	"38"	"383"	"384"	"387787"
[511]	"39"	"3906"	"391013"	"3938"	"3939"	"3945"
[517]	"3948"	"3990"	"4047"	"4048"	"4051"	"4056"
[523]	"411"	"4121"	"4122"	"4124"	"4128"	"4129"
[529]	"4143"	"4144"	"4190"	"4191"	"4199"	"4245"
[535]	"4247"	"4248"	"4249"	"427"	"4329"	"435"
[541]	"4351"	"4357"	"438"	"440"	"440138"	"440567"
[547]	"441024"	"441531"	"442117"	"445"	"4507"	"4508"
[553]	"4509"	"4512"	"4513"	"4514"	"4519"	"4522"
[559]	"4524"	"4535"	"4536"	"4537"	"4538"	"4539"
[565]	"4540"	"4541"	"4548"	"4594"	"4597"	"4598"
[571]	"4669"	"4694"	"4695"	"4696"	"4697"	"4698"
[577]	"47"	"4700"	"4701"	"4702"	"4704"	"4705"

[583]	"4706"	"4707"	"4708"	"4709"	"471"	"4710"
[589]	"4711"	"4712"	"4713"	"4714"	"4715"	"4716"
[595]	"4717"	"4718"	"4719"	"4720"	"4722"	"4723"
[601]	"4724"	"4725"	"4726"	"4728"	"4729"	"4731"
[607]	"48"	"4830"	"4831"	"4832"	"4833"	"4837"
[613]	"4842"	"4843"	"4846"	"4860"	"4907"	"493911"
[619]	"4942"	"4952"	"4953"	"4967"	"498"	"50"
[625]	"5009"	"501"	"5033"	"5048"	"50484"	"50487"
[631]	"5049"	"5050"	"5051"	"5053"	"506"	"50614"
[637]	"50617"	"50700"	"50814"	"509"	"5091"	"5095"
[643]	"5096"	"51"	"51004"	"5105"	"51056"	"5106"
[649]	"51074"	"51082"	"51084"	"51102"	"51109"	"51144"
[655]	"51166"	"51179"	"51181"	"51196"	"51227"	"51251"
[661]	"51268"	"513"	"5130"	"51301"	"51380"	"51382"
[667]	"514"	"51477"	"51478"	"515"	"51540"	"516"
[673]	"5160"	"51601"	"51604"	"51606"	"5161"	"5162"
[679]	"5167"	"5169"	"517"	"51703"	"51727"	"51728"
[685]	"51733"	"51763"	"518"	"51805"	"51809"	"5198"
[691]	"521"	"5211"	"5213"	"5214"	"522"	"5223"
[697]	"5224"	"5226"	"523"	"5230"	"5232"	"5236"
[703]	"525"	"526"	"527"	"5277"	"5279"	"528"
[709]	"5281"	"5283"	"5286"	"5287"	"5288"	"5289"
[715]	"529"	"5297"	"5298"	"5313"	"5315"	"5319"
[721]	"5320"	"5321"	"5322"	"533"	"5330"	"5331"
[727]	"5332"	"5333"	"5335"	"53354"	"5336"	"5337"
[733]	"5338"	"534"	"535"	"53630"	"537"	"5372"
[739]	"5373"	"539"	"53947"	"5406"	"5407"	"5408"
[745]	"5409"	"54107"	"54187"	"5422"	"5424"	"5425"
[751]	"5426"	"5427"	"5428"	"5430"	"5431"	"5432"
[757]	"5433"	"5434"	"54344"	"5435"	"5436"	"54363"
[763]	"5437"	"5438"	"5439"	"5440"	"5441"	"5444"
[769]	"5445"	"5446"	"54480"	"54490"	"54575"	"54576"
[775]	"54577"	"54578"	"54579"	"54600"	"54657"	"54658"
[781]	"54659"	"54675"	"5471"	"54802"	"548596"	"548644"
[787]	"549"	"54947"	"54963"	"54965"	"5498"	"54988"
[793]	"54995"	"55163"	"55191"	"55224"	"55229"	"55256"
[799]	"55276"	"55300"	"55301"	"55304"	"55312"	"55361"
[805]	"5538"	"55454"	"55500"	"55512"	"55568"	"5557"
[811]	"5558"	"55627"	"55650"	"55703"	"55750"	"55753"
[817]	"55790"	"55808"	"55821"	"55902"	"55907"	"56052"
[823]	"5625"	"56267"	"5631"	"5634"	"56474"	"56623"
[829]	"56624"	"56655"	"56848"	"56894"	"56895"	"56898"
[835]	"56901"	"56913"	"56922"	"56953"	"56994"	"570"

[841]	"57016"	"57026"	"57134"	"5723"	"5730"	"5740"
[847]	"5742"	"5743"	"57452"	"574537"	"57678"	"57804"
[853]	"57818"	"57834"	"5805"	"5831"	"5832"	"5833"
[859]	"58510"	"5859"	"586"	"5860"	"587"	"593"
[865]	"594"	"5980"	"60490"	"60495"	"6120"	"6184"
[871]	"6185"	"622"	"6240"	"6241"	"6296"	"6303"
[877]	"6307"	"6309"	"6342"	"635"	"6389"	"6390"
[883]	"6391"	"63917"	"6392"	"64087"	"64131"	"64132"
[889]	"64409"	"64425"	"6448"	"64579"	"64600"	"646625"
[895]	"6470"	"6472"	"6476"	"64768"	"6480"	"64802"
[901]	"64816"	"6482"	"6483"	"6484"	"6487"	"6489"
[907]	"64902"	"65220"	"65263"	"654364"	"6609"	"661"
[913]	"6610"	"6611"	"6652"	"6675"	"6677"	"669"
[919]	"6697"	"6713"	"6718"	"6723"	"683"	"686"
[925]	"6888"	"6898"	"6916"	"6999"	"7054"	"7083"
[931]	"7084"	"7086"	"7108"	"7166"	"7167"	"7173"
[937]	"7263"	"7264"	"729020"	"7298"	"7299"	"7306"
[943]	"7357"	"7358"	"7360"	"7363"	"7364"	"7365"
[949]	"7366"	"7367"	"7368"	"7371"	"7372"	"7378"
[955]	"7381"	"7384"	"7385"	"7386"	"7388"	"7389"
[961]	"7390"	"7498"	"7841"	"790"	"79053"	"79087"
[967]	"7915"	"79178"	"7923"	"79369"	"7941"	"79586"
[973]	"79611"	"79623"	"79646"	"79695"	"79717"	"79796"
[979]	"79799"	"79814"	"79868"	"79888"	"7991"	"80025"
[985]	"80055"	"80142"	"80146"	"80201"	"80270"	"80308"
[991]	"80339"	"80347"	"8050"	"81490"	"81579"	"81616"
[997]	"81849"	"81888"	"8277"	"8309"	"8310"	"83440"
[1003]	"83549"	"8372"	"8382"	"8394"	"8395"	"8398"
[1009]	"8399"	"84002"	"84076"	"84172"	"84245"	"84265"
[1015]	"84274"	"84284"	"84532"	"84618"	"84620"	"84647"
[1021]	"84649"	"84693"	"847"	"84701"	"84706"	"84720"
[1027]	"84735"	"84803"	"84812"	"84890"	"84920"	"84992"
[1033]	"8509"	"8513"	"8525"	"8526"	"8527"	"8529"
[1039]	"85365"	"8540"	"85465"	"8560"	"8564"	"8566"
[1045]	"8608"	"8611"	"8612"	"8613"	"8630"	"8639"
[1051]	"8659"	"8681"	"8692"	"8693"	"8694"	"8702"
[1057]	"8703"	"8704"	"8705"	"8706"	"8707"	"8708"
[1063]	"873"	"8733"	"874"	"875"	"8760"	"8789"
[1069]	"8790"	"8801"	"8802"	"8803"	"8813"	"8818"
[1075]	"8821"	"883"	"8833"	"8854"	"8867"	"8869"
[1081]	"8871"	"8877"	"8879"	"8942"	"8972"	"8974"
[1087]	"89869"	"8992"	"9"	"90423"	"9060"	"9061"
[1093]	"9091"	"9114"	"91373"	"9162"	"91734"	"9197"

```

[1099] "9245"      "92483"     "9249"      "9296"      "93034"     "93183"
[1105] "9331"      "9348"      "9374"      "9377"      "9380"      "9388"
[1111] "94005"     "9453"      "9468"      "9487"      "9488"      "9489"
[1117] "95"        "9514"      "9517"      "952"       "9533"      "9536"
[1123] "9550"      "9551"      "9563"      "9588"      "9615"      "978"
[1129] "9791"      "9942"      "9945"

$`hsa00230 Purine metabolism`
[1] "100"      "10201"     "10606"     "10621"     "10622"     "10623"     "107"       "10714"
[9] "108"      "10846"     "109"       "111"       "11128"     "11164"     "112"       "113"
[17] "114"      "115"       "122481"    "122622"    "124583"    "132"       "158"       "159"
[25] "1633"     "171568"    "1716"      "196883"    "203"       "204"       "205"       "221823"
[33] "2272"     "22978"     "23649"     "246721"    "25885"     "2618"      "26289"    "270"
[41] "271"       "27115"     "272"       "2766"      "2977"      "2982"      "2983"      "2984"
[49] "2986"     "2987"      "29922"    "3000"      "30833"     "30834"     "318"       "3251"
[57] "353"       "3614"      "3615"      "3704"      "377841"    "471"       "4830"      "4831"
[65] "4832"     "4833"      "4860"      "4881"      "4882"      "4907"      "50484"    "50940"
[73] "51082"    "51251"     "51292"    "5136"      "5137"      "5138"      "5139"      "5140"
[81] "5141"     "5142"      "5143"      "5144"      "5145"      "5146"      "5147"      "5148"
[89] "5149"     "5150"      "5151"      "5152"      "5153"      "5158"      "5167"      "5169"
[97] "51728"    "5198"      "5236"      "5313"      "5315"      "53343"    "54107"    "5422"
[105] "5424"     "5425"      "5426"      "5427"      "5430"      "5431"      "5432"      "5433"
[113] "5434"     "5435"      "5436"      "5437"      "5438"      "5439"      "5440"      "5441"
[121] "5471"     "548644"   "55276"     "5557"      "5558"      "55703"    "55811"    "55821"
[129] "5631"     "5634"      "56655"     "56953"     "56985"     "57804"    "58497"    "6240"
[137] "6241"     "64425"    "646625"   "654364"   "661"       "7498"      "8382"      "84172"
[145] "84265"    "84284"    "84618"     "8622"      "8654"      "87178"    "8833"      "9060"
[153] "9061"     "93034"    "953"       "9533"      "954"       "955"       "956"       "957"
[161] "9583"     "9615"

$`hsa05340 Primary immunodeficiency`
[1] "100"      "115650"    "23495"    "29760"    "29851"    "326"       "3543"      "3561"
[9] "3575"     "3718"      "3932"      "4261"      "57379"    "5788"      "5896"      "5897"
[17] "5993"     "5994"      "64421"     "6890"      "6891"      "695"       "7374"      "7535"
[25] "8517"     "8625"      "915"       "916"       "920"       "925"       "926"       "930"
[33] "958"      "959"       "973"

$`hsa04514 Cell adhesion molecules (CAMs)`
[1] "1000"     "1001"      "100133583" "1002"      "1003"      "100506658"
[7] "1013"     "10666"     "10686"     "1272"      "1364"      "1365"
[13] "1366"     "137075"    "1462"      "1493"      "149461"    "214"
[19] "22871"    "23114"     "23308"     "23562"     "23705"     "24146"
[25] "257194"   "25945"     "26047"     "26285"     "2734"      "29126"

```

```
[31] "29851"      "3105"       "3106"       "3107"       "3108"       "3109"
[37] "3111"       "3112"       "3113"       "3115"       "3117"       "3118"
[43] "3119"       "3122"       "3123"       "3125"       "3126"       "3127"
[49] "3133"       "3134"       "3135"       "3383"       "3384"       "3385"
[55] "3655"       "3676"       "3680"       "3683"       "3684"       "3685"
[61] "3688"       "3689"       "3695"       "3696"       "3897"       "4099"
[67] "4267"       "4359"       "4684"       "4685"       "4756"       "4897"
[73] "4950"       "49861"      "5010"       "50848"      "51208"      "5133"
[79] "5175"       "53842"      "54413"      "57502"      "57555"      "57863"
[85] "5788"       "5792"       "5797"       "5817"       "5818"       "5819"
[91] "58494"      "6382"       "6383"       "6385"       "6401"       "6402"
[97] "6403"       "6404"       "652614"     "6614"       "6693"       "6900"
[103] "7122"       "7412"       "80380"      "80381"      "8174"       "83700"
[109] "8506"       "8516"       "9019"       "9071"       "9073"       "9074"
[115] "9075"       "9076"       "9080"       "90952"     "914"        "920"
[121] "923"        "925"        "926"        "933"        "9369"      "9378"
[127] "9379"       "940"        "941"        "942"        "947"        "958"
[133] "959"        "965"        "9672"      "999"
```

We will use these KEGG genesets (a.k.a pathways) and our `res` results to see what overlaps. To do this we will use the `gage()` function.

For input `gage()` wants just a vector of importance - in our case FoldChange values.

```
foldchanges <- res$log2FoldChange
```

Vectors in R can have “names” that are useful for bookkeeping so we know what a given value corresponds to the data

```
x <- c(10, 100, 20)
table(x)
```

```
x
10 20 100
 1   1   1
```

Let’s put names on our `foldchanges` vector - here we will use `res$entrez`

```
names(foldchanges) <- res$entrez
```

```
# Get the results  
keggres = gage(foldchanges, gsets=kegg.sets.hs)
```

```
head(keggres$less)
```

	p.geomean	stat.mean
hsa05332 Graft-versus-host disease	0.0004250461	-3.473346
hsa04940 Type I diabetes mellitus	0.0017820293	-3.002352
hsa05310 Asthma	0.0020045888	-3.009050
hsa04672 Intestinal immune network for IgA production	0.0060434515	-2.560547
hsa05330 Allograft rejection	0.0073678825	-2.501419
hsa04340 Hedgehog signaling pathway	0.0133239547	-2.248547
	p.val	q.val
hsa05332 Graft-versus-host disease	0.0004250461	0.09053483
hsa04940 Type I diabetes mellitus	0.0017820293	0.14232581
hsa05310 Asthma	0.0020045888	0.14232581
hsa04672 Intestinal immune network for IgA production	0.0060434515	0.31387180
hsa05330 Allograft rejection	0.0073678825	0.31387180
hsa04340 Hedgehog signaling pathway	0.0133239547	0.47300039
	set.size	exp1
hsa05332 Graft-versus-host disease	40	0.0004250461
hsa04940 Type I diabetes mellitus	42	0.0017820293
hsa05310 Asthma	29	0.0020045888
hsa04672 Intestinal immune network for IgA production	47	0.0060434515
hsa05330 Allograft rejection	36	0.0073678825
hsa04340 Hedgehog signaling pathway	56	0.0133239547

We can get a pathway image file with our genesets highlighted via the pathview() function.

```
pathview(foldchanges, pathway.id = "hsa05310")
```

```
'select()' returned 1:1 mapping between keys and columns
```

```
Info: Working in directory C:/Users/thoma/OneDrive/Desktop/BIMM143 winter/Class13
```

```
Info: Writing image file hsa05310.pathview.png
```

Inset this figure in my report

