Extending SDF for relationship and instance information

T2TRG / WISHI 27.9.2021

Ari Keränen

SDF Instance ex1

```
"sdfInstance": {
 "robot-arm-1": {
  "sdfInstanceOf": "#/sdfObject/RobotArm",
   "sdfProperty" : {
    "X" : {
     "minimum" : 0
    }
   }
  }
 }
```

SDF Instance ex1 as Thing

```
"sdfThing": {
 "robot-arm-1": {
  "sdfRef": "#/sdfObject/RobotArm",
   "sdfProperty" : {
    "X" : {
     "minimum" : 0
    }
   }
  }
 }
```

Needs to be Thing

As drafted during the meeting

SDF Instance ex1 as Object

```
"sdfObject": {
 "robot-arm-1": {
  "sdfRef": "#/sdfObject/RobotArm",
   "sdfProperty" : {
    "X" : {
     "minimum" : 0
    }
   }
  }
 }
```

Does setting values make instance? (no?)

SDF Instance ex2

```
"sdfInstance": {
 "sensor1": {
  "sdfInstanceOf": "ipso:#/sdfObject/Temperature",
  "sdfRelation": {
   "robot-arm-with-temperature" : {
    "type" : "saref:iscontainedIn",
    "target" : "#/sdfInstance/robot-arm-1"
   }
  }
 }
}
```

SDF class relation example

```
"sdfRelation": {
  "measured-temp": {
   "type": "eiot:measured-by",
   "target": "ipso:#/sdfObject/Temperature"
  }
 }
```

SDF relations

- Class -> class: how these two relate in general
- **Instance -> Instance: how these instances relate**
- Instance -> class: restricting what instance relations can have
- Class -> instance?

SDF instances

- 4 levels: class, type, kind, instance