

```
wangtaorui@wangtaoruideMBP CSE110 % git clone https://github.com/t2wang/CSE110-Lab1.git
Cloning into 'CSE110-Lab1'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0
Unpacking objects: 100% (6/6), done.
```

```
wangtaorui@wangtaoruideMBP ~ % cd Desktop
wangtaorui@wangtaoruideMBP Desktop % cd CSE110
wangtaorui@wangtaoruideMBP CSE110 % cd CSE110-Lab1
wangtaorui@wangtaoruideMBP CSE110-Lab1 % git branch add-read-me
wangtaorui@wangtaoruideMBP CSE110-Lab1 % git checkout add-read-me
Switched to branch 'add-read-me'
```

```
wangtaorui@wangtaoruideMBP CSE110-Lab1 % vim README.md
wangtaorui@wangtaoruideMBP CSE110-Lab1 % git add README.md
wangtaorui@wangtaoruideMBP CSE110-Lab1 % git commit -m "Update readme file"
[add-read-me 837e1f6] Update readme file
Committer: wangtaorui <wangtaorui@wangtaoruideMBP.lan>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
```

```
git config --global --edit
```

After doing this, you may fix the identity used for this commit with:

```
git commit --amend --reset-author
```

```
1 file changed, 3 insertions(+), 1 deletion(-)
wangtaorui@wangtaoruideMBP CSE110-Lab1 % git push add-read-me
fatal: 'add-read-me' does not appear to be a git repository
fatal: Could not read from remote repository.
```

Please make sure you have the correct access rights
and the repository exists.

```
wangtaorui@wangtaoruideMBP CSE110-Lab1 % git push origin add-read-me
Username for 'https://github.com': t2wang
Password for 'https://t2wang@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (3/3), 287 bytes | 287.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'add-read-me' on GitHub by visiting:
remote:      https://github.com/t2wang/CSE110-Lab1/pull/new/add-read-me
remote:
To https://github.com/t2wang/CSE110-Lab1.git
* [new branch]      add-read-me -> add-read-me
```

```
[root@022263e7b0cb CSE110-Lab1]# git checkout add-read-me
Switched to branch 'add-read-me'
Your branch is up to date with 'origin/add-read-me'.
[root@022263e7b0cb CSE110-Lab1]# git branch another-change
[root@022263e7b0cb CSE110-Lab1]# git checkout another-change
Switched to branch 'another-change'
```

```
[root@022263e7b0cb CSE110-Lab1]# git add README.md
[root@022263e7b0cb CSE110-Lab1]# git add .gitignore
```

✓ SOURCE CONTROL

Update readme and configure gitignore files

✓ Staged Changes

2

🔍 .gitignore

A

📄 README.md

M

✓ Changes

0