

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>My Anime & Manga Vault</
title>
  <!-- Tailwind CSS for styling -->
  <script src="https://
cdn.tailwindcss.com"></script>
  <!-- FontAwesome for icons -->
  <link rel="stylesheet" href="https://
cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">
  <style>
    body {
      background: linear-
gradient(rgba(15, 11, 25, 0.88),
rgba(26, 15, 36, 0.94)),
        url('http://
googleusercontent.com/
image_collection/image_retrieval/
15435201623793551224') no-repeat
center center fixed;
      background-size: cover;
      color: #eae1f0;
    }
    /* Custom scrollbar to keep up the
lo-fi vibe */
    ::-webkit-scrollbar {
      width: 8px;
    }
    ::-webkit-scrollbar-track {
      background: rgba(15, 11, 25,
0.5);
    }
    ::-webkit-scrollbar-thumb {
```

```

        background: #ffb7c5;
        border-radius: 4px;
    }
    /* Frosted glass effect */
    .glass-panel {
        background: rgba(25, 18, 36,
0.65);
        backdrop-filter: blur(12px);
        border: 1px solid rgba(255, 183,
197, 0.15);
    }
</style>
</head>
<body class="font-sans min-h-screen
flex flex-col tracking-wide">

    <!-- Header / Navbar -->
    <header class="border-b border-
pink-900/30 bg-[#161024]/80 sticky
top-0 z-50 backdrop-blur-md">
        <div class="max-w-6xl mx-auto
px-4 py-4 flex flex-col sm:flex-row
justify-between items-center gap-4">
            <div class="flex items-center
gap-3">
                <span class="text-2xl
animate-bounce duration-1000">🌸</
span>
                <h1 class="text-2xl font-
extrabold tracking-widest bg-gradient-
to-r from-pink-300 via-purple-300 to-
indigo-300 bg-clip-text text-
transparent">
                    SAKURA VAULT
                </h1>
            </div>
            <!-- Navigation Tabs -->
            <nav class="flex gap-2 bg-
[#0e0a17]/90 p-1.5 rounded-xl border
border-pink-950/40">
                <button

```

```

onclick="switchTab('anime')" id="tab-
anime" class="tab-btn px-4 py-2
rounded-lg text-xs font-bold
uppercase tracking-wider transition-all
bg-gradient-to-r from-pink-400 to-
purple-500 text-white shadow-md
shadow-pink-950/40">
    Anime (<span id="count-
anime">0</span>)
</button>
<button
onclick="switchTab('manga')" id="tab-
manga" class="tab-btn px-4 py-2
rounded-lg text-xs font-bold
uppercase tracking-wider transition-all
text-purple-300 hover:text-white">
    Manga (<span id="count-
manga">0</span>)
</button>
<button
onclick="switchTab('watchlist')"
id="tab-watchlist" class="tab-btn px-4
py-2 rounded-lg text-xs font-bold
uppercase tracking-wider transition-all
text-purple-300 hover:text-white">
    Watchlist (<span
id="count-watchlist">0</span>)
</button>
</nav>
</div>
</header>

<!-- Main Content Area -->
<main class="flex-grow max-w-6xl
w-full mx-auto px-4 py-8">

    <!-- Tab: Anime -->
    <section id="content-anime"
class="tab-content">
        <div class="flex items-center
gap-2 mb-6">

```

<i class="fa-solid fa-compact-disc text-pink-400 animate-spin" style="animation-duration: 6s;"></i>

<h2 class="text-xl font-semibold text-pink-200">Collected Tapes</h2>

</div>

<div id="anime-grid" class="grid grid-cols-2 sm:grid-cols-3 md:grid-cols-4 lg:grid-cols-5 gap-4">

<!-- JavaScript Injects Visual Cards -->

</div>

</section>

<!-- Tab: Manga -->

<section id="content-manga" class="tab-content hidden">

<div class="flex items-center gap-2 mb-6">

<i class="fa-solid fa-book-open text-purple-400"></i>

<h2 class="text-xl font-semibold text-purple-200">Shelf Library</h2>

</div>

<div id="manga-grid" class="grid grid-cols-2 sm:grid-cols-3 md:grid-cols-4 lg:grid-cols-5 gap-4">

<!-- JavaScript Injects Visual Cards -->

</div>

</section>

<!-- Tab: Watchlist -->

<section id="content-watchlist" class="tab-content hidden">

<div class="flex items-center gap-2 mb-6">

<i class="fa-regular fa-heart

```
text-indigo-400 animate-pulse"></i>
    <h2 class="text-xl font-
semibold text-indigo-200">Future Late
Nights</h2>
    </div>
    <div id="watchlist-grid"
class="grid grid-cols-2 sm:grid-cols-3
md:grid-cols-4 gap-4">
        <!-- JavaScript Injects Simple
Grid -->
    </div>
</section>
</main>

<!-- Footer -->
<footer class="border-t border-
pink-950/20 bg-[#0e0a17]/90 py-6
text-center text-xs text-purple-400/60
tracking-widest">
    <p>• LO-FI ANIME ARCHIVE v2.0
•  CHILLING IN NIGHT CITY •</p>
</footer>

<script>
    // Data arrays
    const animeList = [
        "Pokémon", "Yo-Kai Watch",
        "Beyblade", "Demon Slayer",
        "Shimoneta", "My Dress-Up Darling",
        "Highschool DxD", "In Another
World w/m Smartphone", "Yamada-Kun
and the Seven Witches",
        "That Time I Got Reincarnated
as a Slime", "Death Note", "KonoSuba",
        "JUJUTSU KAISEN",
        "Romantic Killer", "Toradora!",
        "My Love Story With Yamada-kun at
Lv999",
        "KonoSuba: An Explosion on
This Wonderful World!", "Sword Art
Online", "Kaguya Sama: Love is War!",
```

"Solo Leveling", "Horimiya",
"Classroom of the Elite", "TSUKIMICHI:
Moonlit Fantasy",

"DARLING in the FRANXX",
"MASHLE: MAGIC AND MUSCLES",
"Domestic Girlfriend",

"Alya Sometimes Hides Her
Feelings In Russian (#3)", "JoJo's
Bizzare Adventure", "School Days",

"Saiki K.", "Naruto/Shippuden",
"Don't Toy With Me Miss Nagatoro",
"WIND BREAKER (awesome new
anime)",

"Rascal Does Not Dream of
Bunny Girl Senpai", "Kaiju No. 8",
"Tower of God", "CHAINSAW MAN",

"Tokyo Ghoul", "(PEAK) Can a
Boy-Girl Friendship Survive?",
"BOCCHI THE ROCK!",

"Makeine: Too Many Losing
Heroines", "Tomo-chan is a Girl!", "A
Couple of Cuckoos",

"The Quintessential Quintuplets
(#1)", "More Than a Married Couple,
But Not Lovers (peak)",

"The Angel Next Door Spoils Me
Rotten", "Date a Live (#3)", "Clevatess
(good new anime)",

"The Fragrant Flower Blooms
With Dignity", "One Punch Man",
"Reign of the Seven Spellblades",

"Tougen Anki", "Hokkaido Gals
Are Super Adorable", "Sakamoto Days",
"Frieren (#1)",

"Cosmic Princess Kaguya",
"Hana-kimi", "You can never be in a
romcom with your childhood friends!",

"Call of the Night (#3)", "Black
Clover", "The ice guy and his cool
female colleague (#2)",

"Pseudo-Harem (#1)", "My

Awkward Senpai (#3)", "Tune In to the Midnight Heart (#3)",

"Uzaki-chan Wants to Hang Out! (#1)"

];

const mangaList = [

"I'm in Love with the Older Girl Next Door", "Haimiya-senpai is cute and scary (#1)",

"I made friends with the second prettiest girl in class (#1)", "Black Clover (#2)",

"The ice guy and his cool female colleague (#2)", "Can't Gals Be Kind to Otaku? (#2)",

"The Case Study of Vanitas (#3)", "Cyberpunk Edgerunners (#1)", "Uzaki-chan Wants to Hang Out! (#1)"

];

const watchList = [

"Finish Wandance", "Boarding School Juliet", "Blue Box", "I have a crush at work",

"Blue Spring Ride", "Kagurabachi", "Azumanga Daioh", "Dealing With Mikadono Sisters is a Breeze",

"Chained Soldier", "Red River", "Akame ga Kill", "Oshi no Ko", "Finish gurren lagann",

"No Game No Life", "Lord of Mysteries", "Love is Hard for Otaku", "Golden Time",

"Hajame no ippo", "FINISH DARLING IN THE FRANXX", "Future Diary", "Your Lie in April",

"Plastic Memories", "PERSONA5", "Bakemonogatari", "I Want to Eat Your Pancreas",

```
"Danganronpa", "My youth  
romantic comedy is wrong as I  
expected SNAFU", "Attack on Titan",  
"Giji Harem", "Kakegurui",  
"Evangelion", "Mushoku Tensei:  
Jobless Reincarnation",  
"Code Geass", "STEINS;GATE"  
];
```

```
function parseTitle(itemString) {  
    let cleanTitle = itemString;  
    let rank = null;  
    let isPeak = false;  
    let customTag = null;  
  
    const rankMatch =  
itemString.match(/\(#(\d+)\)/);  
    if (rankMatch) { rank =  
rankMatch[1]; cleanTitle =  
cleanTitle.replace(rankMatch[0], ''); }  
    if  
(itemString.toLowerCase().includes('pe  
ak')) { isPeak = true; cleanTitle =  
cleanTitle.replace(/\([Pp][Ee][Aa][Kk]\)/  
g, '').replace(/\(peak\)/g, ''); }  
    const tagMatch =  
cleanTitle.match(/\(((^)+)\)/);  
    if (tagMatch && !  
tagMatch[0].includes('#')) { customTag  
= tagMatch[1]; cleanTitle =  
cleanTitle.replace(tagMatch[0], ''); }  
  
    return { title: cleanTitle.trim(),  
rank: rank, isPeak: isPeak, tag:  
customTag };  
}
```

```
// Helper to find aesthetic  
placeholder matching the media style  
dynamically  
function
```



```

generateCoverPlaceholder(title) {
    // Generates a stylized graphic
    canvas with a unique background color
    blend based on string signature
    let hash = 0;
    for (let i = 0; i < title.length; i++)
    { hash = title.charCodeAt(i) + ((hash <<
    5) - hash); }
    const hue1 = Math.abs(hash %
    360);
    const hue2 = (hue1 + 40) %
    360;
    return `linear-gradient(135deg,
    hsl(${hue1}, 45%, 25%), hsl(${hue2},
    50%, 15%))`;
}

```

```

class AestheticMediaCard {
    constructor(item) {
        this.parsed =
        parseTitle(item);
        this.bgStyle =
        generateCoverPlaceholder(this.-
        parsed.title);
    }

    render() {
        let badgeHTML = '';
        if (this.parsed.rank) {
            let rColor =
            this.parsed.rank === '1' ? 'from-
            amber-300 to-yellow-400 text-
            purple-950' :
            this.parsed.rank
            === '2' ? 'from-slate-200 to-slate-400
            text-purple-950' :
            'from-amber-600
            to-orange-500 text-white';
            badgeHTML = `<span
            class="bg-gradient-to-r ${rColor} text-
            [9px] font-black px-1.5 py-0.5 rounded

```

```

shadow shadow-black/50 tracking-
wider">#${this.parsed.rank}</span>`;
    }
    if (this.parsed.isPeak) {
        badgeHTML += `<span
class="bg-gradient-to-r from-
rose-500 to-red-600 text-white text-
[9px] font-black px-1.5 py-0.5 rounded
shadow shadow-black/50 tracking-
wider">PEAK</span>`;
    }

    return `
        <div class="glass-panel
rounded-xl overflow-hidden shadow-lg
transition-all duration-300 hover:-
translate-y-1.5 hover:shadow-
pink-900/10 hover:border-pink-300/40
group flex flex-col h-full">
            <!-- Poster Image Frame
Area -->
            <div class="aspect-[3/4]
w-full flex flex-col justify-between p-3
relative relative overflow-hidden"
style="background: ${this.bgStyle};">
                <!-- Overlay filter
mapping lo-fi shadow layout -->
                <div class="absolute
inset-0 bg-gradient-to-t from-
[#140e1f] via-transparent to-black/30
pointer-events-none"></div>

                <!-- Top indicators
row -->
                <div class="z-10 flex
flex-wrap gap-1 items-start">
                    ${badgeHTML}
                </div>

                <!-- Decorative Lo-Fi
Watermark Box -->

```

```

        <div class="z-10 w-
full flex justify-between items-end
opacity-40 group-hover:opacity-80
transition-opacity">
            <span class="text-
[9px] font-mono uppercase tracking-
widest text-pink-200">SYS.REC_</
span>
            <i class="fa-solid
fa-heart-pulse text-[10px] text-
pink-300"></i>
        </div>
    </div>

    <!-- Info Strip Footer -->
    <div class="p-3 bg-
[#130d1c]/90 flex-grow flex flex-col
justify-between border-t border-
pink-950/20">
        <h3 class="font-bold
text-xs text-pink-100 group-
hover:text-pink-300 transition-colors
line-clamp-2">
            ${this.parsed.title}
        </h3>
        ${this.parsed.tag ?
`<p class="text-[10px] italic text-
purple-300/70 mt-1 truncate">~ $
{this.parsed.tag}</p>` : ''}
        </div>
    </div>
    `;
    }
}

function initDashboard() {

document.getElementById('count-
anime').innerText = animeList.length;

document.getElementById('count-

```

```
manga').innerText = mangaList.length;
```

```
document.getElementById('count-  
watchlist').innerText =  
watchList.length;
```

```
        const sortedAnime =  
[...animeList].sort();  
        const sortedManga =  
[...mangaList].sort();  
        const sortedWatch =  
[...watchList].sort();
```

```
document.getElementById('anime-  
grid').innerHTML =  
sortedAnime.map(item => new  
AestheticMediaCard(item).render()).join('');
```

```
document.getElementById('manga-  
grid').innerHTML =  
sortedManga.map(item => new  
AestheticMediaCard(item).render()).join('');
```

```
document.getElementById('watchlist-  
grid').innerHTML =  
sortedWatch.map(item => {  
    const p = parseTitle(item);  
    return `  
        <div class="glass-panel  
rounded-xl p-3 flex items-center  
justify-between border border-  
purple-900/20 hover:border-  
indigo-400/30 transition-all  
duration-300">  
            <span class="text-xs  
font-medium text-purple-200 truncate  
pr-2">${p.title}</span>
```

```
        <span class="text-[9px] uppercase tracking-wider font-bold text-indigo-300 bg-indigo-950/60 border border-indigo-800/40 px-2 py-0.5 rounded-md flex items-center gap-1 shrink-0">
```

```
        <i class="fa-solid fa-moon text-[8px]"></i> Queue
```

```
    </span>
```

```
</div>
```

```
`;
```

```
}).join('');
```

```
}
```

```
function switchTab(tabName) {
```

```
document.querySelectorAll('.tab-content').forEach(el =>
el.classList.add('hidden'));
```

```
document.getElementById(`content-${tabName}`)
.classList.remove('hidden');
```

```
document.querySelectorAll('.tab-btn').forEach(btn => {
    btn.classList.remove('bg-gradient-to-r', 'from-pink-400', 'to-purple-500', 'text-white', 'shadow-md', 'shadow-pink-950/40');
    btn.classList.add('text-purple-300', 'hover:text-white');
});
```

```
const actBtn =
document.getElementById(`tab-${tabName}`);
actBtn.classList.add('bg-gradient-to-r', 'from-pink-400', 'to-purple-500', 'text-white', 'shadow-md',
```

```
'shadow-pink-950/40');  
    actBtn.classList.remove('text-  
purple-300', 'hover:text-white');  
}  
  
    window.onload = initDashboard;  
</script>  
</body>  
</html>
```