


Bouncy Betty Probes



"Bouncing Betty Probes" allow your reflection probes to automatically try to set themselves up, shortening the amount of time it takes to probe an area.




Bind "Create Auto Probe" to a key and while holding your mouse over a floor or ceiling, press the bound button to create a new reflection probe. Like always the probe will jump up from the floor or down from the ceiling, but then it will orient and expand to fill the space it has been

placed in.


For example:



This estimates based on nearby geometry and as seen above it works quite well in uncluttered environments. If there were another probe outside the door, you would have to follow this up with a "door snap," but it still saves a number of clicks. It will also automatically set reflection planes. If you're working in an environment where you know this won't work, you can still create probes the regular ways and they won't auto-fill.



The auto-size portion of this feature can also be run on an already existing probe by pressing the "Auto Target" button (W by default). When using this key, a dialog box pops up. If you choose box probe, the same function will run as when you create an auto probe. If you choose multiface probe, you get to decide how many faces it should have. As can be seen below it does a pretty good job of filling the space. It's usually a good idea to undershoot the number of planes you'll need, then add the smaller additional planes as necessary.



A small addendum to this: if you run the auto-probe feature on an already existing probe by pressing W, and that probe has detected changes from doing the "Check for Probe Geometry Changes" feature, auto probe will only attempt to repair the face where a change was detected. The changes are normally signified with a red line, and this is the face that auto-probe will try to auto-place.

Of course this only works if you choose the same probe type from the dialog (box or multiface) and you've asked for at least as many faces as the probe already has (though you can add additional faces if you choose). If you really do want it to auto-probe from scratch, just press "Approve Probe Changes" before auto-probing, to clear the changes.