

Example Document

This is the subtitle

This document is a sample document to test the functionality of omd2typst. It contains a cover page, table of contents, tables, images and call-outs. Optionally a figure list and revision and approval sections.

Version: 0.9
Date: 14-05-2026

Author: W. Williams
Status: Draft

Contents

1. Introduction	3
2. Text examples	3
3. Strikethrough, highlighting, super- and subscript	3
4. Mathematics	3
5. Bullet lists	4
5.1. Unordered list	4
5.2. Ordered list	4
6. Table	4
7. Code block	5
8. Section with images	6
8.1. Without size	6
8.2. Width 200 – Option 1	7
8.3. Width 150 – Option 2	8
9. Call-outs	8
9.1. Note	8
9.2. Info	9
9.3. Tip	9
9.4. Hint	9
9.5. Important	9
9.6. Warning	9
9.7. Caution	9
9.8. Attention	9
9.9. Danger	9
9.10. Error	10
9.11. Bug	10
9.12. Quote	10
9.13. Cite	10
9.14. Unknown, not defined	10
9.15. Typst	10
10. Selection or checkboxes	10
11. Footnotes	11
12. Addendum — Notes	11
13. Addendum — More notes	11

1. Introduction

This section gives a brief introduction to the document.

2. Text examples

Regular text.

****Bold text**** → **Bold text**

Italic text → *Italic text*

> "Quote" →

"Quote: Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua." – Lorem Ipsum

Inline code → text between backticks

The Obsidian comment (%%Obsidian comment%%) is on the line below; in the omd2typst output it has been removed.

Below is another Obsidian comment line inside a Markdown block.

Markdown example

Below an Obsidian comment

%% Obsidian comment %%

Another line of text.

3. Strikethrough, highlighting, super- and subscript

~~~~strikethrough text~~~~ → ~~strikethrough text~~

==highlighted== text → highlighted text

Superscript (HTML hack)  $E = mc^2$  → Superscript:  $E = mc^2$

Subscript:  $H_2O$  → Subscript:  $H_2O$

## 4. Mathematics

Inline math:  $E = mc^2$  and  $a^2 + b^2 = c^2$ . → Inline math:  $E = mc^2$  and  $a^2 + b^2 = c^2$ .

Display formula:  $\sum_{k=1}^n k = (n(n+1)) / 2$  →

Display formula:

$$\sum_{k=1}^n k = \frac{n(n+1)}{2}$$

## 5. Bullet lists

Lists

### 5.1. Unordered list

A list:

- Item a
- Item b
  - Sub-item a
  - Sub-item b
    - Sub-sub-item a
    - Sub-sub-item b
      - Sub-sub-sub-item a
      - Sub-sub-sub-item b
    - Sub-sub-item c
  - Sub-item c
- Item c

That was the list.

### 5.2. Ordered list

1. Item 1
2. Item 2
  1. Sub-item 1
  2. Sub-item 2
    1. Sub-sub-item 1
    2. Sub-sub-item 2
      1. Sub-sub-sub-item 1
      2. Sub-sub-sub-item 2
    3. Sub-sub-item 3
  3. Sub-item 3
3. Item 3

## 6. Table

Some examples of tables and their alignment.

The text before the table.

| Component    | Description                                                    |
|--------------|----------------------------------------------------------------|
| service-name | Short logical name of the service (e.g. portal, api, intranet) |
| environment  | DTAP environment (dev, tst, acc, prd)                          |
| application  | Centrally registered application code                          |

Text between the tables.

|             |             |
|-------------|-------------|
| Not aligned | Not aligned |
|-------------|-------------|

|       |                                                                                                                             |
|-------|-----------------------------------------------------------------------------------------------------------------------------|
| lorem | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| ipsum | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| dolor | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |

| Right-aligned | Left-aligned                                                                                                                |
|---------------|-----------------------------------------------------------------------------------------------------------------------------|
| lorem         | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| ipsum         | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| dolor         | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |

| Centered | Left-aligned                                                                                                                |
|----------|-----------------------------------------------------------------------------------------------------------------------------|
| lorem    | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| ipsum    | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| dolor    | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |

One line of text after the table.

## 7. Code block

And then a code block.

```
/// Returns a path to the template relative to the output .typ file's directory.
/// Typst resolves #import paths relative to the importing file, not the cwd.
fn resolve_template_path(output: &str, template: &str) -> Result<String> {
  use std::path::{Component, Path};

  let template_abs = Path::new(template)
    .canonicalize()
    .with_context(|| format!("Template file not found: {}", template))?;

  let output_dir = Path::new(output).parent().unwrap_or(Path::new("."));
  let output_dir_abs = output_dir
    .canonicalize()
    .unwrap_or_else(|_| std::env::current_dir().unwrap_or_default());

  let from: Vec<_> = output_dir_abs.components().collect();
  let to: Vec<_> = template_abs.components().collect();
  let common = from.iter().zip(to.iter()).take_while(|(a, b)| a == b).count();
```

```
let up = from.len() - common;
let mut parts: Vec<String> = (0..up).map(|_| "...".into()).collect();
parts.extend(to[common..].iter().filter_map(|c| match c {
    Component::Normal(s) => Some(s.to_string_lossy().into_owned()),
    _ => None,
}));

Ok(if parts.is_empty() { "...".into() } else { parts.join("/") })
}
```

Text after the code block.

## 8. Section with images

Examples of the different ways images can be displayed in markdown. With or without alt text or custom size.

### 8.1. Without size

An image without a specified size.

![alt text](\_assets/laptop.png)



Figure 1: alt text

## 8.2. Width 200 – Option 1

The first format for an image with width 200.

`![alt text|200](\_assets/laptop.png)`



Figure 2: alt text

### 8.3. Width 150 – Option 2

The second format for an image with width 150. The alt text is not supported in this format. The caption shows only the figure number.

```
![[_assets/laptop.png|150]]
```



Figure 3:

## 9. Call-outs

The collection of supported call-outs.

### 9.1. Note

#### Note

This is a “note” call-out.



## 9.2. Info

### Info

This is an "info" call-out.

## 9.3. Tip

### Tip

This is a "tip" call-out.

## 9.4. Hint

### Hint

This is a "hint" call-out.

## 9.5. Important

### Important

This is an "important" call-out.

## 9.6. Warning

### Warning

This is a "warning" call-out.

## 9.7. Caution

### Caution

This is a "caution" call-out.

## 9.8. Attention

### Attention

This is an "attention" call-out.

## 9.9. Danger

### Danger

This is a "danger" call-out.

## 9.10. Error

### ⊗ Error

This is an "error" call-out.

## 9.11. Bug

### 🐛 Bug

This is a "bug" call-out.

## 9.12. Quote

### 🗉 Quote

This is a "quote" call-out.

## 9.13. Cite

### 📖 Citation or Reference

This is a "cite" call-out.

## 9.14. Unknown, not defined

### Not defined, fallback value

This is an "unknown, not defined" call-out.

## 9.15. Typst

In Typst, `breakable: false` is added to the outer block of a call-out. This prevents call-outs from being split across a page break.

## 10. Selection or checkboxes

Regularly used in Obsidian but after a PDF export they may still be useful to indicate a certain status.

- ☐ Empty / to do
- ☒ Done
- ☐ In progress
- ☐ Cancelled
- ☐ Forwarded
- ☐ Important
- ☐ Question
- ☐ Idea
- ☐ Info
- ☐ Star

## **11. Footnotes**

Footnotes are placed inline in the text.<sup>1</sup> A second footnote can follow immediately.<sup>2</sup>

## **12. Addendum — Notes**

Here follows an addendum with notes.

## **13. Addendum — More notes**

More notes.

---

<sup>1</sup>This is the first footnote. It appears at the bottom of the page.

<sup>2</sup>This is the second footnote.