



Example Document

This is the subtitle

Summary

This document is a sample document to test the functionality of omd2typst. It contains a cover page, table of contents, tables, images and call-outs. Optionally a figure list and revision and approval sections.

Version	0.9
Status	Draft
Date	14-05-2026
Author	W. Williams

Revision

Version	Date	Author(s)	Remark / Changes
0.8	2026-05-01	William Williams	Initial draft
0.9	2026-05-16	William Williams	Review comments applied

Approval

Role	Reviewer	v0.8	v0.9	Remark
Security	S.E. Curity			
Governance	Gover Nance			
Architecture	Archi Tectuur			

Symbol	Meaning
	Agrees with the content
	Input or comments provided
	No response received

Table of Contents

1. Introduction	4
2. Text examples	4
3. Strikethrough, highlighting, super- and subscript	4
4. Mathematics	4
5. Bullet lists	5
5.1. Unordered list	5
5.2. Ordered list	5
6. Table	5
7. Code block	6
8. Section with images	7
8.1. Without size	7
8.2. Width 200 – Option 1	8
8.3. Width 150 – Option 2	9
9. Call-outs	9
9.1. Note	9
9.2. Info	10
9.3. Tip	10
9.4. Hint	10
9.5. Important	10
9.6. Warning	10
9.7. Caution	10
9.8. Attention	11
9.9. Danger	11
9.10. Error	11
9.11. Bug	11
9.12. Quote	11
9.13. Cite	11
9.14. Unknown, not defined	12
9.15. Typst	12
10. Selection or checkboxes	12
11. Footnotes	12
12. Addendum — Notes	12
13. Addendum — More notes	13

Introduction

This section gives a brief introduction to the document.

Text examples

Regular text.

****Bold text**** → **Bold text**

Italic text → *Italic text*

> “Quote” →

“Quote: Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.” – Lorem Ipsum

Inline code → text between backticks

The Obsidian comment (%%Obsidian comment%%) is on the line below; in the omd2typst output it has been removed.

Below is another Obsidian comment line inside a Markdown block.

```
# Markdown example
```

```
Below an Obsidian comment
```

```
%% Obsidian comment %%
```

```
Another line of text.
```

Strikethrough, highlighting, super- and subscript

~~~~strikethrough text~~~~ → ~~strikethrough text~~

**==highlighted==** text → **highlighted** text

Superscript (HTML hack)  $E = mc^2$  → Superscript:  $E = mc^2$

Subscript:  $H_2O$  → Subscript:  $H_2O$

## Mathematics

Inline math:  $E = mc^2$  and  $a^2 + b^2 = c^2$ . → Inline math:  $E = mc^2$  and  $a^2 + b^2 = c^2$ .

Display formula:  $\sum_{k=1}^n k = (n(n+1)) / 2 \rightarrow$

Display formula:

$$\sum_{k=1}^n k = \frac{n(n+1)}{2}$$

## Bullet lists

Lists

### Unordered list

A list:

- Item a
- Item b
  - Sub-item a
  - Sub-item b
    - Sub-sub-item a
    - Sub-sub-item b
      - Sub-sub-sub-item a
      - Sub-sub-sub-item b
    - Sub-sub-item c
  - Sub-item c
- Item c

That was the list.

### Ordered list

1. Item 1
2. Item 2
  1. Sub-item 1
  2. Sub-item 2
    1. Sub-sub-item 1
    2. Sub-sub-item 2
      1. Sub-sub-sub-item 1
      2. Sub-sub-sub-item 2
    3. Sub-sub-item 3
  3. Sub-item 3
3. Item 3

## Table

Some examples of tables and their alignment.

The text before the table.

| Component    | Description                                                       |
|--------------|-------------------------------------------------------------------|
| service-name | Short logical name of the service (e.g. portal , api , intranet ) |
| environment  | DTAP environment ( dev , tst , acc , prd )                        |
| application  | Centrally registered application code                             |

Text between the tables.

| Not aligned | Not aligned                                                                                                                 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------|
| lorem       | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| ipsum       | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| dolor       | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |

| Right-aligned | Left-aligned                                                                                                                |
|---------------|-----------------------------------------------------------------------------------------------------------------------------|
| lorem         | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| ipsum         | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| dolor         | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |

| Centered | Left-aligned                                                                                                                |
|----------|-----------------------------------------------------------------------------------------------------------------------------|
| lorem    | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| ipsum    | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |
| dolor    | Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. |

One line of text after the table.

## Code block

And then a code block.

```
/// Returns a path to the template relative to the output .typ file's directory.  
/// Typst resolves #import paths relative to the importing file, not the cwd.  
fn resolve_template_path(output: &str, template: &str) -> Result<String> {
```

```

use std::path::{Component, Path};

let template_abs = Path::new(template)
    .canonicalize()
    .with_context(|| format!("Template file not found: {}", template))?;

let output_dir = Path::new(output).parent().unwrap_or(Path::new("."));
let output_dir_abs = output_dir
    .canonicalize()
    .unwrap_or_else(|_| std::env::current_dir().unwrap_or_default());

let from: Vec<_> = output_dir_abs.components().collect();
let to: Vec<_> = template_abs.components().collect();
let common = from.iter().zip(to.iter()).take_while(|(a, b)| a == b).count();

let up = from.len() - common;
let mut parts: Vec<String> = (0..up).map(|_| "..".into()).collect();
parts.extend(to[common..].iter().filter_map(|c| match c {
    Component::Normal(s) => Some(s.to_string_lossy().into_owned()),
    _ => None,
})));

Ok(if parts.is_empty() { ".".into() } else { parts.join("/") })
}

```

Text after the code block.

## Section with images

Examples of the different ways images can be displayed in markdown. With or without alt text or custom size.

### Without size

An image without a specified size.

```

![alt text](../assets/laptop.png)

```



Figure 1: alt text

### Width 200 – Option 1

The first format for an image with width 200.

```
![alt text|200](_assets/laptop.png)
```





Figure 2: alt text

## Width 150 – Option 2

The second format for an image with width 150. The alt text is not supported in this format. The caption shows only the figure number.

```
![_assets/laptop.png|150]]
```



Figure 3:

## Call-outs

The collection of supported call-outs.

## Note

**Note**

This is a “note” call-out.

**Info****Info**

This is an “info” call-out.

**Tip****Tip**

This is a “tip” call-out.

**Hint****Hint**

This is a “hint” call-out.

**Important****Important**

This is an “important” call-out.

**Warning****Warning**

This is a “warning” call-out.

**Caution**

**⚠ Caution**

This is a “caution” call-out.

**Attention****⚠ Attention**

This is an “attention” call-out.

**Danger****💣 Danger**

This is a “danger” call-out.

**Error****⊗ Error**

This is an “error” call-out.

**Bug****🐛 Bug**

This is a “bug” call-out.

**Quote****🗉 Quote**

This is a “quote” call-out.

**Cite**

### Citation or Reference

This is a “cite” call-out.

## Unknown, not defined

### Not defined, fallback value

This is an “unknown, not defined” call-out.

## Typst

In Typst, `breakable: false` is added to the outer block of a call-out. This prevents call-outs from being split across a page break.

## Selection or checkboxes

Regularly used in Obsidian but after a PDF export they may still be useful to indicate a certain status.

- ☐ Empty / to do
- ☒ Done
- ☐ In progress
- ☐ Cancelled
- ☐ Forwarded
- ☐ Important
- ☐ Question
- ☐ Idea
- ☐ Info
- ☐ Star

## Footnotes

Footnotes are placed inline in the text.<sup>1</sup> A second footnote can follow immediately.<sup>2</sup>

## Addendum — Notes

Here follows an addendum with notes.

---

<sup>1</sup>This is the first footnote. It appears at the bottom of the page.

<sup>2</sup>This is the second footnote.

## Addendum — More notes

More notes.