—My Keymaps—

WhichKey: checking conflicting keymaps

- WARNING: conflicting keymap exists for mode **"n"**, lhs: **" f"**
- INFO: rhs: `:FSToggle<CR>`
- WARNING: conflicting keymap exists for mode **"n"**, lhs: **"sd"**
- INFO: rhs: `<Plug>(sandwich-delete)`
- WARNING: conflicting keymap exists for mode **"n"**, lhs: **"sr"**
- INFO: rhs: `<Plug>(sandwich-replace)`

nvim

```
space="leader"
```

Normal mode

Basic

```
leader+e="Open netrw"
```

```
leader+u="Show Undotree"
```

```
leader+s="Spell Check"
```

```
leader+b="Toggle Bionic Reading"
```

```
leader+f="Format File
```

Telescope

```
leader+ff="Find Files"
```

```
leader+fg="Live Grep"
```

```
leader+fb="Find Buffers"
```

```
leader+fh="Help Tags"
```

LSP

```
K="Displays hover information about the symbol under the cursor
in a floating window. See :help vim.lsp.buf.hover()."
```

```
gd="Jumps to the definition of the symbol under the cursor. See
:help vim.lsp.buf.definition()."
```

```
gD="Jumps to the declaration of the symbol under the cursor. Some
servers don't implement this feature. See :help vim.lsp.buf.declaration()."
```

gi="Lists all the implementations for the symbol under the cursor in the quickfix window. See :help vim.lsp.buf.implementation()."

go="Jumps to the definition of the type of the symbol under the cursor. See :help vim.lsp.buf.type_definition()."

gr="Lists all the references to the symbol under the cursor in the quickfix window. See :help vim.lsp.buf.references()."

ctrl+k="Displays signature information about the symbol under the cursor in a floating window. See :help vim.lsp.buf.signature_help(). If a mapping already exists for this key this function is not bound."

F2="Renames all references to the symbol under the cursor. See :help vim.lsp.buf.rename()."

F4="Selects a code action available at the current cursor position. See :help vim.lsp.buf.code_action()."

gl="Show diagnostics in a floating window. See :help vim.diagnostic.open_float()."

[d="Move to the previous diagnostic in the current buffer. See :help vim.diagnostic.goto_prev()."

]d="Move to the next diagnostic. See :help vim.diagnostic.goto_next()."

CMP

enter="confirms selection"

ctrl+y="confirms selection"

up="Navigate to previous item on the list."

down="Navigate to the next item on the list."

ctrl+p="Navigate to previous item on the list."

ctrl+n="Navigate to the next item on the list."

ctrl+u="Scroll up in the item's documentation."

ctrl+f="Scroll down in the item's documentation."

ctrl+e="Toggles the completion."

ctrl+d="Go to the next placeholder in the snippet."

ctrl+b="Go to the previous placeholder in the snippet."

tab="Enables completion when the cursor is inside a word. If the completion menu is visible it will navigate to the next item in the list."

```
shift+tab="When the completion menu is visible navigate to the
previous item in the list."
```

Visual mode

Insert mode

Cut mode

tmux

Leader

```
ctrl+space="leader"
```

Window Management

```
leader+w="new window"
```

```
leader+n="rename window"
```

```
leader+f="find window"
```

Pane Management

```
leader+v="Split vertically"
```

```
leader+h="Split horizontally"
```

```
leader+x="kill pane"
```

Pane Navigation

```
alt+j="previous window"
```

```
alt+k="next window"
```

Pane Resizing

```
leader+alt+arrows
```

```
leader+z="full screen"
```

Pane Navigation

```
leader+h=move left
```

```
leader+j=move down
```

```
leader+k=move up
```

```
leader+l=move right
```

zsh