

On the precision of dynamic gene regulation


Tarek Tohme


November 3, 2026

















Transcription




Transcription





Transcription





Translation























Binding







TF concentration



Level of expression
of controlled gene



Division cycle	Embryo
1	
2	
3	
...	**...**
13	
14	

cycle duration:
4 minutes

Division cycle	Embryo
1	
2	
3	
...	**...**
13	
14	


cycle duration:
4 minutes


Division cycle	Embryo	
1		
2		
3		
...	**...**	
13		
14		cycle duration: **4 minutes**


Division cycle	Embryo
1	
2	
3	
...	**...**
13	
14	

cycle duration:
4 minutes






Promoter






Transcription
OFF
k_u
$c\ k_b$
Transcription
ON



transcription
ON
OFF
time






Transcription
OFF
k_u
$c\ k_b$
Transcription
ON



transcription
ON
OFF
time



Conc.
difference
2×
1×
1/2 ×



Transcription
OFF
k_u
$c\ k_b$
Transcription
ON



transcription
ON
OFF
time



Conc.
difference
2×
1×
1/2×



Transcription
OFF
k_u
$c\,k_b$
Transcription
ON



transcription
ON
OFF
time



Conc.
difference
2×
1×
1/2×


Transcription
OFF
k_u
$c\,k_b$
Transcription
ON


transcription
ON
OFF
1.5×
ON
OFF
1×
time


Conc.
difference
2×
1×
1/2×


Transcription
OFF
k_u
$c\ k_b$
Transcription
ON


transcription
ON
OFF
ON
OFF
time


$$P(\text{  } \mid c_{\text{low}}) \overset{?}{>} P(\text{} \mid c_{\text{high}})$$


$$\frac{P(\text{} \mid c_{\text{low}})}{P(\text{} \mid c_{\text{high}})} > 1$$


$$P(\ \text{}\ \mid c_{\text{low}}) \overset{?}{>} P(\ \text{}\ \mid c_{\text{high}})$$


$$R(t) = \frac{P(\ \text{}\ \mid c_{\text{low}})}{P(\ \text{}\ \mid c_{\text{high}})} > 1$$

$$\log R(t) = V t + \sqrt{2D}\,\xi$$


transcription
ON
OFF
Conc. difference
2×
1×
1/2×
$\frac{P(\text{⊓⊓⊓} \mid c_{\text{low}})}{P(\text{⊓⊓⊓} \mid c_{\text{high}})}$
10^8
10^4
1
Vt
time
Transcription OFF
k_u
$c\,k_b$
Transcription ON
slope V
c


transcription
ON
OFF
Conc. difference
2×
1×
1/2×
$\frac{P(\text{⊓⊓⊓⊓} \mid c_{\text{low}})}{P(\text{⊓⊓⊓⊓} \mid c_{\text{high}})}$
10^8
10^4
1
Vt
time
Transcription OFF
k_u
$c\,k_b$
Transcription ON
slope V
c


transcription
ON
OFF
Conc. difference
2×
1×
1/2×
$\frac{P(\text{⊓⊓⊓} \mid c_{\text{low}})}{P(\text{⊓⊓⊓} \mid c_{\text{high}})}$
10^8
10^4
1
Vt
time
Transcription OFF
k_u
$c\,k_b$
Transcription ON
slope V
c


transcription
ON
OFF
Conc. difference
2×
1×
1/2×
$\frac{P(\text{⊓⊓⊓} \mid c_{\text{low}})}{P(\text{⊓⊓⊓} \mid c_{\text{high}})}$
10^8
10^4
1
time
Vt
Transcription OFF
k_u
$c\,k_b$
Transcription ON
slope V
c

$$V = \frac{1}{2}\left(\frac{\delta c}{c}\right)^2 \underbrace{\dot{\mathcal{F}}(c)}_{\text{Fisher information rate}}$$


$$V = \frac{1}{2}\left(\frac{\delta c}{c}\right)^2 \underbrace{\dot{\mathcal{F}}(c)}_{\text{Fisher information rate}}$$

$$\dot{\mathcal{F}}(c) = -\lim_{t\to\infty} \frac{1}{t}\left\langle \frac{\partial^2 \ln P(\mathcal{O}(t) \mid c)}{(\partial \ln c)^2} \right\rangle_c$$

$$V = \frac{1}{2}\left(\frac{\delta c}{c}\right)^2 \underbrace{\dot{\mathcal{F}}(c)}_{\text{Fisher information rate}}$$

$$\dot{\mathcal{F}}(c) = -\lim_{t\to\infty} \frac{1}{t}\left\langle \frac{\partial^2 \ln P(\mathcal{O}(t)\,|\,c)}{(\partial \ln c)^2} \right\rangle_c$$

$$= \frac{1}{\tau_{\text{burst}}}$$



$c\,k_b$: diffusion-limited arrival of molecules


$k_b = 4aD$


$$V = \frac{1}{2}\left(\frac{\delta c}{c}\right)^2 \underbrace{\dot{\mathcal{F}}(c)}_{\text{Fisher information rate}}$$

$$\dot{\mathcal{F}}(c) = -\lim_{t\to\infty} \frac{1}{t}\left\langle \frac{\partial^2 \ln P(\mathcal{O}(t)\,|\,c)}{(\partial \ln c)^2}\right\rangle_c$$

$$= \frac{1}{\tau_{\text{burst}}}$$


$$\langle T_{\text{dec}}\rangle = \frac{K}{V}\tanh\left(\frac{K}{2}\right)$$








$c\,k_b$: diffusion-limited arrival of molecules


$k_b = 4aD$






$c\ k_b$
k_u
k_{off}
k_{on}
$c\ k_b$
k_u
Transcription OFF
Transcription ON



Binding



c k_b
k_u
Transcription OFF
k_{off}
k_{on}
c k_b
k_u
Transcription ON






$c\ k_b$
k_u
Transcription
OFF
k_{off}
k_{on}
$c\ k_b$
k_u
Transcription
ON






$c\ k_b$
k_u
Transcription
OFF
k_{off}
k_{on}
$c\ k_b$
k_u
Transcription
ON






$c\ k_b$
k_u
Transcription
OFF
k_{off}
k_{on}
$c\ k_b$
k_u
Transcription
ON



$\dot{\mathcal{F}}(c)$
c






$c\ k_b$
k_u
Transcription
OFF
k_{off}
k_{on}
$c\ k_b$
k_u
Transcription
ON



$\dot{\mathcal{F}}(c)$
c






$c\ k_b$
k_u
Transcription
OFF
k_{off}
k_{on}
$c\ k_b$
k_u
Transcription
ON



$\dot{\mathcal{F}}(c)$
$2\ k_{\text{on}}$
k_{on}
c



$\max_{\text{rates}} \dot{\mathcal{F}}(c)$
10^1
10^0
10^{-1}
10^{-2}
Activation limit
Diffusion limit
10^{-1}
10^0
10^1
10^2
10^3
Concentration






c k_b
c k_b
Transcription OFF
k_{off}
k_{on}
Transcription ON
k_u
k_u






$c\ k_b$
$c\ k_b$
Transcription OFF
k_{off}
k_{on}
Transcription ON
k_u
k_u






$c\ k_b$
$c\ k_b$
Transcription OFF
k_{off}
k_{on}
Transcription ON
k_u
k_u






c k_b
c k_b
Transcription OFF
k_{off}
k_{on}
Transcription ON
k_u
k_u






$c\ k_b$
$c\ k_b$
Transcription OFF
k_{off}
k_{on}
Transcription ON
k_u
k_u


$\max_{\text{rates}} \dot{\mathcal{F}}(c)$
10^1
10^0
10^{-1}
10^{-2}
Activation limit
Diffusion limit
low c
10^{-1}
10^0
10^1
10^2
10^3
Concentration





c k_b
c k_b
Transcription OFF
k_{off}
k_{on}
Transcription ON
k_u
k_u



$\max_{\text{rates}} \dot{\mathcal{F}}(c)$
10^1
10^0
10^{-1}
10^{-2}
Activation limit
Diffusion limit
high c
10^{-1}
10^0
10^1
10^2
10^3
Concentration



Decision time (A.U.)
1000
100
10
1
10^{-1}
10^{0}
10^{1}
10^{2}
10^{3}
Concentration
4 state model
6 state model
with cooperativity
2 state model


Takeaway





same optimized function
different mechanisms





enhancer
gene
promoter



enhancer
gene
promoter










Sequence-dependent surface condensation of a pioneer transcription factor on DNA
Morin et al., 2022





Protein-DNA Co-condensation is Prewetting to a Collapsed Polymer
Rouches & Machta, 2025








Closed polymer
Open polymer
$\tau_p = \langle T^{\mathrm{x}} \rangle + \langle T^{\mathrm{o}} \rangle$
Transcription
On
Off
T^{x}
T^{o}
Time
Free receptor
$\tau_r = \langle T^{-} \rangle + \langle T^{+} \rangle$
Transcription
On
Off
T^{-}
T^{+}
Time


Smoothed
transcription activity
0.6
0.5
0.4
0.3
0.2
0.1
50
40
30
20
10
0
Probe-enhancer distance
0
1
2
3
Time ($\times 10^5$ Monte Carlo samples)