

# Taanshu Babariya 03

04/02/26

## Experiment-4: Classification Using Logistic Regression, Decision Tree, and k-Nearest Neighbors

ML LAB


PID - 246001

```
In [2]: import numpy as np
import matplotlib.pyplot as plt

from sklearn.datasets import make_moons
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import StandardScaler
from sklearn.metrics import accuracy_score, confusion_matrix
```

```
In [8]: x,y = make_moons(n_samples=300, noise=0.25, random_state=42)

plt.scatter(x[:,0], x[:,1], c=y)
plt.title("Dataset")
plt.show()
```



```
In [12]: x_train, x_test, y_train, y_test = train_test_split(
          x, y, test_size=0.3, random_state=0)
```

```
In [13]: scaler = StandardScaler()
          x_train_scaled = scaler.fit_transform(x_train)
          x_test_scaled = scaler.transform(x_test)
```

## Part A: Logistic Regression

```
In [14]: from sklearn.linear_model import LogisticRegression

          lr = LogisticRegression()
          lr.fit(x_train_scaled, y_train)
          y_pred_lr = lr.predict(x_test_scaled)

          print("Logistic Regression")
          print("Accuracy:", accuracy_score(y_test, y_pred_lr))
          print("Confusion Matrix:\n", confusion_matrix(y_test, y_pred_lr))
```

```
Logistic Regression
Accuracy: 0.8777777777777778
Confusion Matrix:
[[34  5]
 [ 6 45]]
```

## Part B: Decison Tree

```
In [16]: from sklearn.tree import DecisionTreeClassifier
dt = DecisionTreeClassifier(max_depth=4)
dt.fit(x_train, y_train)
y_pred_dt = dt.predict(x_test)

print("Decison Tree")
print("Accuracy:", accuracy_score(y_test, y_pred_dt))
print("Confusion Matrix:\n", confusion_matrix(y_test, y_pred_dt))
```

Decison Tree

Accuracy: 0.8555555555555555

Confusion Matrix:

```
[[30  9]
 [ 4 47]]
```

## Part C: k-Nearest Neighbors (kNN)

```
In [22]: from sklearn.neighbors import KNeighborsClassifier
kn = KNeighborsClassifier(n_neighbors=5)
kn.fit(x_train_scaled, y_train)
y_pred_kn = kn.predict(x_test_scaled)

print("KNN")
print("Accuracy:", accuracy_score(y_test, y_pred_kn))
print("Confusion Matrix:\n", confusion_matrix(y_test, y_pred_kn))
```

KNN

Accuracy: 0.9111111111111111

Confusion Matrix:

```
[[38  1]
 [ 7 44]]
```

```
In [29]: # Plotting
def plot_boundary(model, scaled, title):
    h=0.02
    x_min, x_max = x[:,0].min()-1, x[:,0].max()+1
    y_min, y_max = x[:,1].min()-1, x[:,1].max()+1



    xx, yy = np.meshgrid(np.arange(x_min, x_max, h), np.arange(y_min, y_max, h))
    grid = np.c_[xx.ravel(), yy.ravel()]


    if scaled:
        grid = scaler.transform(grid)

    z = model.predict(grid)
    z = z.reshape(xx.shape)

    plt.contourf(xx, yy, z, alpha=0.3)
    plt.scatter(x[:,0], x[:,1], c=y)
    plt.title(title)
    plt.show()

plot_boundary(lr, True, "Logestic Regression Boundary")
plot_boundary(dt, False, "Decision Tree Boundary")
plot_boundary(kn, True, "KNN Boundary")
```





In [ ]: