

AFFLOW

WINDOWS WORKFLOW MANUAL

From product files to publish-ready creative

How to use Afflow workstations, agent presets,
and isolated browser tools for an affiliate content
production workflow.

Build
Afflow 0.1.0

Manual generated
August 25, 2026

Open Afflow and know what changed

Afflow keeps Terax's terminal, editor, file explorer, Git tools, and built-in AI surfaces. The additions turn that baseline into a persistent production workspace for affiliate content.

How to open it

- 1. Open the Windows Start menu and search for **Afflow**.
- 2. Installed application:
`C:\Users\Admin\AppData\Local\Afflow\afflow.exe`
- 3. Installer for another Windows PC:
`C:\Users\Admin\Afflow\src-tauri\target\release\bundle\nsis\Afflow_0.1.0_x64-setup.exe`

Your current app is the installed Windows build.
It is already open and restoring local Afflow state.

Added over baseline Terax

Workstations Separate files, tabs, layouts, tools, and browser choices by niche or project.	Scaffolding Creates a predictable production folder tree and three role prompts.
Agent presets Launches four repeatable workflows through Claude, Codex, Gemini, OpenCode, or a custom CLI.	Browser tools Opens saved sites in a normal Chrome or Edge window with Afflow-managed profiles.
Daily recovery Restores saved workstation state and warns before losing dirty files or active work.	Windows packaging Provides an installable desktop application instead of requiring VS Code to run it.

Not implemented yet: cross-device cloud sync. Windows and macOS support is being prepared, but copying workstation files and UI state between your PC and MacBook belongs to the later Afflow Cloud phase.

STEP 1

Create one workstation per niche or campaign

1 Create a clean root folder

Use a location such as `Documents\Afflow` `Workspaces\Fit Check`. Avoid using your whole home folder as the long-term workstation root.

2 Click the plus in Workstations


The plus creates and scaffolds a workstation. The folder icon opens an existing workstation.

3 Choose the folder

Afflow adds the standard folder tree and a minimal `workstation.json`. Existing prompt files are preserved and never overwritten.

4 Switch by clicking its row

Each row retains its own active files, terminal definitions, saved websites, profile mode, agent choices, and layout.



The Workstations rail. Use the plus to create, the folder to open, and a row to switch.

Recommended workstation split


Use separate workstations for Fit Check, Realistic AI Avatar, Health and Wellness, or any distinct brand, client, or campaign.

What Afflow creates


```
agents/  
  script-generator/prompt.md  
  script-reviewer/prompt.md  
  video-prompt/prompt.md  
products/  
references/  
research/
```

```
scripts/  
images/  
audio/  
videos/  
outputs/  
workstation.json
```

Launch a workstation agent



Click the tab plus, then select **Agents**.




Choose a role and a detected command-line agent, then launch it in the workstation root.

PRESET	USE IT FOR	EXPECTED RESULT
General Agent	Research, file organization, planning, and one-off work.	Work completed inside the active workstation.
Script Generator	Short-form affiliate scripts from verified product facts and audience notes.	Hook, scenes, on-screen text, voice-over, CTA, and claims to verify.
Script Reviewer	Risk review before production, especially health and wellness content.	Risk level, line findings, required revisions, and a safer version.
Image-to-Video Prompt Generator	Turn a source image and approved script into a tool-specific motion prompt.	Main prompt, negative prompt, motion notes, continuity risks, and conservative alternate.

STEP 3

Use the browser profile that matches the job



Browser tools launch external websites. Afflow does not embed a browser and does not inspect page contents.

1 Open Browser tools

Click the browser icon beside Search and Settings.

2 Select a profile mode

This workstation isolates website sessions for the current niche. **Shared** reuses one Afflow profile across workstations.

3 Add or open tools

Use the saved Google Flow, Kling, Grok, TikTok, Shopee, and Facebook launchers, add your own, or click **Open all**.

4 Sign in in the opened browser


The managed profile is separate from your normal Chrome or Edge profile. Sign in once for that Afflow profile, subject to each website's session policy.

Use isolated mode by default.

It prevents two niche workstations from intentionally sharing login state. Use Shared only when cross-workstation reuse is the desired behavior.

Profile reset is destructive. Close the related browser first. Afflow refuses reset while the profile is active or its state is uncertain, and requires confirmation. It never resets your normal personal browser profile.

Choose Chrome or Edge



Open the gear icon, then select **Browser**. This Windows machine currently detects both Chrome and Edge.

Normal setup

Select Chrome or Edge as the preferred browser. Afflow uses the detected executable and opens a normal external browser window.

Executable override

Use **Choose .exe** only when auto-detection misses a valid installation. Afflow validates the selected browser executable again before launch.

macOS direction: the native backend includes Chrome and Edge candidate detection and macOS profile lock probing. A physical Apple Silicon MacBook test and packaging pass are still required before the Mac build should be treated as accepted.

Product-to-video workflow

1 Collect verified inputs

Put product facts in `products`, source material in `references`, and research notes in `research`. Keep claims tied to a source.

2 Generate the script

Launch **Script Generator**. Specify platform, niche, audience, duration, language, tone, and the exact source files to use. Save the result under `scripts`.

3 Review before production

Launch **Script Reviewer** against the saved script. Resolve unsupported claims and save the approved revision.

4 Prepare media

Place source images in `images` and audio in `audio`. Launch **Image-to-Video Prompt Generator** with target tool, duration, and aspect ratio.

5 Open production websites

Use Browser tools in **This workstation** mode. Open Flow, Kling, or Grok and upload the prepared media manually.

6 Bring results back

Download completed media to `videos`. Keep publish-ready exports and final documents in `outputs`.

7 Do the final platform check

Use TikTok, Shopee, or Facebook launchers for manual review and publishing. Afflow does not auto-post or bypass platform controls.

8 Save and close cleanly

Save edited files before closing. Afflow checks for dirty editors and active terminal work, persists the workstation state, and restores it on the next start.

Suggested naming convention

```
scripts/2026-08-25-product-angle-v01.md
videos/2026-08-25-product-angle-9x16-v01.mp4
outputs/2026-08-25-product-angle-approved/
```

Only saved files persist and will eventually sync. Unsaved editor buffers, terminal output, running processes, browser cookies, and CLI login state are device-local by design.

What Afflow restores today

STATE	WINDOWS TODAY	ACROSS PC AND MAC LATER
Saved workstation files	Local Kept in your selected folder.	Planned End-to-end encrypted file sync.
Workstation name, order, tools, layout, saved tabs	Restored Local persistence and crash recovery.	Planned Portable declarative state.
Terminal sessions and running processes	Restored cold as definitions, not as live processes.	Never migrated live between devices.
Browser profile and sign-in	Local Afflow-managed directory.	Never synchronized. Sign in independently on each device.
CLI credentials and secrets	Stored by the CLI or OS credential store.	Never synchronized by Afflow.

Crash recovery: Afflow writes durable workspace state and a clean-close marker. After an unclean shutdown, it offers recovery rather than silently discarding the last saved state.

Security boundaries

- Every native file operation is constrained to an authorized canonical workstation root.
- Browser launches use fixed arguments, not a shell, and never accept caller-supplied browser flags.
- `workstation.json` contains identity and creation metadata only. It contains no cookies, tokens, process handles, or passwords.
- Afflow never reads, exports, or synchronizes browser cookies or local storage.
- Browser profile reset fails closed when activity cannot be proven idle.

First manual test checklist

- [] Create a dedicated empty folder and add it as a new workstation.
- [] Confirm the standard folders and three prompt files were created.
- [] Switch away and back; confirm the workstation retains its state.
- [] Open `New Tab > Agents` and launch Script Generator with Claude.
- [] Save a sample script under `scripts`, then open it in Afflow.
- [] Launch Script Reviewer and save a revised script.
- [] Open Browser tools in **This workstation** mode.
- [] Open one AI media site, sign in, close the browser, and launch it again.
- [] Create a second workstation and verify its isolated profile is not signed in.
- [] Switch both workstations to Shared mode and verify the shared profile is reused.
- [] Upload and download one representative media file through the external browser.
- [] Close Afflow with saved work, reopen it, and confirm workstation, tabs, layout, tools, and profile selection restore.

Troubleshooting

Agent unavailable	Install or authenticate the CLI, ensure its executable is on PATH, then reopen the Agent presets panel.
Prompt missing	Check the matching file under <code>agents</code> . Re-running scaffold is safe and preserves existing files.
Browser not detected	Open <code>Settings > Browser</code> , refresh detection, or choose the exact Chrome or Edge executable.
Profile reset refused	Close every window using that Afflow profile and retry. Unknown activity is intentionally treated as unsafe.
Workstation folder moved	Use the workstation relocation action to reconnect the saved workstation to its new root.
MacBook continuation	Until Afflow Cloud exists, move saved workstation files manually. Browser and CLI authentication must remain separate.

Current acceptance status: automated Windows checks and packaging are complete. Signed-in profile persistence, isolation, representative upload/download, sustained real workflow use, and physical MacBook acceptance remain manual validation items.