

Naloga 7: Varnost spletne trgovine in delo s .htaccess

Amar Tabaković

Contents

Omogočite dvonivojsko avtentikacijo (angl. two-factor authentication) na nivoju administracije s pomočjo poljubnega vtičnika (npr. WP 2FA).....	3
Nastavite samodejno dnevno varnostno kopijo celotne spletne strani z uporabo poljubnega vtičnika (npr. Updraft).	11
Omogočite uporabnikom registracijo in pripravite obrazec, kamor lahko uporabnik vnese dodatne podatke, kot so ime, naslov, elektronska pošta ... Zahtevajte, da uporabnik vnese varno geslo (lahko uporabite User Registration)	13
Da bi preprečili napad na račune z grobo silo (angl. brute force attack), omogočite vtičnik, ki preprečuje zaporedne poskuse prijav (Login Lockdown). S tem zaščitimo tako administratorja, kot ostale uporabnike.....	17
Uporabnike po 20 minutah neaktivnosti samodejno odjavite iz spletne strani in preprečite zlorabe na deljenih računalnikih (Inactive Logout).	19
Uporabite vtičnik za beleženje dnevnika vseh obiskov spletne strani (npr. WP Activity Log). Omogočite shranjevanje vseh dnevniških zapisov za 6 mesecev.....	20
2. del - .htaccess	21
Preusmeritev na test.html.....	23
Dostopanje z prijavo na dostop.html	24
Napaka - sprožanje	25
Preko url naslova	26

Omogočite dvonivojsko avtentikacijo (angl. two-factor authentication) na nivoju administracije s pomočjo poljubnega vtičnika (npr. WP 2FA)



WP 2FA – Two-factor authentication for WordPress

Get better WordPress login security; add two-factor authentication (2FA) for all your users with this easy-to-use plugin.

By Melapress

[Activate](#)
[More Details](#)

 (167)

100,000+ Active Installations

Last Updated: 2 months ago

 **Compatible** with your version of WordPress



Welcome

Configure 2FA methods & Policies

Setup Finish

Let us help you get started

Thank you for installing the WP 2FA plugin. This quick wizard will assist you with configuring the plugin and the two-factor authentication (2FA) settings for your user and the users on this website.

LET'S GET STARTED!

SKIP WIZARD - I KNOW HOW TO DO THIS

← → ↺ Ni varno http://strike.local/wp-admin/user-edit.php?page=wp-2fa-setup&is_initial_setup=true¤t-step=settings_configuration 90% ☆

1 2FA methods 2 Alternative methods 3 2FA policy



Which 2FA methods can your users use?

When you uncheck any of the below 2FA methods it won't be available for your users to use. You can always change this later on from the plugin's settings.

- ☒ **One-time code via 2FA app - complete list of supported 2FA apps.**
When using this method, users will need to configure a 2FA app to get the one-time login code. The plugin supports all standard 2FA apps. Refer to the [guide on how to set up 2FA apps](#) for more information. Allowing users to set up a secondary 2FA method is highly recommended. You can do this in the next step of the wizard. This will allow users to log in using an alternative method should they, for example lose access to their phone.
- ☒ **One-time code via email - ensure email deliverability with the free plugin [WP Mail SMTP](#).**
When using this method, users will receive the one-time login code over email. Therefore, email deliverability is very important. Users using this method should whitelist the address from which the codes are sent. By default, this is the email address configured in your WordPress. You can run an email test from the plugin's settings to confirm email deliverability. If you have had email deliverability / reliability issues, we highly recommend you to install the free plugin [WP Mail SMTP](#).

Allowing users to set up a secondary 2FA method is highly recommended. You can do this in the next step of the wizard. This will allow users to log in using an alternative method should they, for example lose access to their phone.

CONTINUE SETUP





Welcome

Configure 2FA methods & Policies

Setup Finish

1 2FA methods 2 Alternative methods 3 2FA policy 4 **Exclude users** 5 Grace period

Do you want to exclude any users or roles from 2FA?

If you are enforcing 2FA on all users but for some reason you would like to exclude individual user(s) or users with a specific role, you can exclude them below

Exclude the following users

Exclude the following roles

CONTINUE SETUP

Welcome

Configure 2FA methods & Policies

Setup Finish

1 2FA methods 2 Alternative methods 3 2FA policy 4 Exclude users 5 **Grace period**

How long should the grace period for your users be?

When you configure the 2FA policies and require users to configure 2FA, they can either have a grace period to configure 2FA, or can be required to configure 2FA before the next time they login. Choose which method you'd like to use:

- ☐ Users have to configure 2FA straight away.
- ☒ Give users a grace period to configure 2FA

3

☐ hours ☒ days

What should the plugin do with users who do not configure 2FA within the grace period?

- ☒ Do not let them access the dashboard / user page once they log in until they configure 2FA
- ☐ Lock the user (administrators have to manually unlock them)

How do you want users to be informed they are enforced to setup 2FA?

- ☐ Show an admin notice in the dashboard
- ☒ Show a notification on a page on its own after the user authenticates and before accessing the dashboard

ALL DONE



Welcome

Configure 2FA methods & Policies

Setup Finish

Congratulations, you're almost there...

Great job, the plugin and 2FA policies are now configured. You can always change the plugin settings and 2FA policies at a later stage from the WP 2FA entry in the WordPress menu.

Now you need to configure 2FA for your own user account. You can do this now (recommended) or later.

[CONFIGURE 2FA NOW](#)

[CLOSE WIZARD & CONFIGURE 2FA LATER](#)

details on this issue. Logging must be enabled to see recorded logs.

Choose the 2FA method

There are 2 methods available to choose from for 2FA:

☒ One-time code via 2FA app i

☐ One-time code via email

NEXT STEP

CANCEL

gistration failed.

Setting up TOTP (one-time code via app)

1

Download and start the application of your choice i

2

From within the application scan the QR code provided on the left. Otherwise, enter the following code manually in the application:

3

Click the "I'm ready" button below when you complete the application setup process to proceed with the wizard.

I'M READY

CANCEL

ing plugin: [WooCommerce Currency Switcher](#)

Almost there...

Please type in the one-time code from your chosen authentication app to finalize the setup.

Verification Code:

989453|

VALIDATE & SAVE

CANCEL

plugin is currently inactive: [Google Language Translator](#).

Your login just got more secure

Congratulations! You have enabled two-factor authentication for your user. You've just helped towards making this website more secure!

[GENERATE LIST OF BACKUP CODES](#) [I'LL GENERATE THEM LATER](#)

Backup codes generated

Here are your backup codes:

1: [0983682863768907](#)

[DOWNLOAD](#) [PRINT](#) [SEND ME THE CODES VIA EMAIL](#)

[I'M READY, CLOSE THE WIZARD](#)



You are now logged out.



Username or Email Address

Password

☐ Remember Me [Log In](#)

[Register](#) | [Lost your password?](#)

[← Go to Strike](#)



Nastavite samodejno dnevno varnostno kopijo celotne spletne strani z uporabo poljubnega vtičnika (npr. Updraft).

 trusted backup plugin!

[Press here to start!](#)

☐ **UpdraftPlus - Backup/Restore**
Premium / Pro Support | Settings | Deactivate | Take Tour | Translate

Launch a beautiful website with the power of AI or using our Pre-Designed Templates.
Version 2.2.14 | By Kadence WP | [View details](#)
[Enable auto-updates](#)

☐ **WooCommerce**
Settings | Deactivate | Translate

An ecommerce toolkit that helps you sell anything. Beautifully.
Version 10.6.0 | By Automattic | [View details](#) | [Download](#) | [Feedback](#) | [Community support](#)
[Enable auto-updates](#)

Strike **Live**

12

New UpdraftPlus

Howdy, strike

Posts

Media

Pages

Comments

CookieYes

CartFlows

WooCommerce

Products

Payments

Analytics

Marketing

Appearance

Plugins **10**

Users

Tools

Settings

WP 2FA

FURS Blagajna

HFCM

UpdraftPlus

Loco Translate

Collapse Menu

Welcome to UpdraftPlus! To make a backup, just press the Backup Now button. [To change any of the default settings of what is backed up, to configure scheduled backups, to send your backups to remote storage \(recommended\), and more, go to the settings tab.](#)

[TeamUpdraft](#) | [Premium](#) | [Blogs](#) | [Twitter / X](#) | [Support](#) | [Newsletter sign-up](#) | [Lead developer's homepage](#) | [Documentation](#) | [More plugins](#) - Version: 1.26.4

[Backup / Restore](#) | [Migrate / Clone](#) | [Settings](#) | [Advanced Tools](#) | [Premium / Extensions](#)

Next scheduled backups:

Files:
Nothing currently scheduled

Time now: Sun, May 10, 2026 10:08

Database:
Nothing currently scheduled

Backup Now

Your first backup Close

To make a simple backup to your server, press this button. Or to setup regular backups and remote storage, go to [settings](#)

End tour Next

Last log message:
(Nothing has been logged yet)

Existing backups **0**
More tasks: [Upload backup files](#) | [Rescan local folder for new backup sets](#) | [Rescan remote storage](#)

You have not yet made any backups.

If you have an existing backup that you wish to upload and restore from, then please use the "Upload backup files" link above. Or, if they are in remote storage, you can connect that remote storage (in the "Settings" tab), save your settings, and use the "Rescan remote storage" link.

Welcome to UpdraftPlus! To make a backup, just press the Backup Now button. [To change any of the default settings of what is backed up, to configure scheduled backups, to send your backups to remote storage \(recommended\), and more, go to the settings tab.](#)

[TeamUpdraft](#) | [Premium](#) | [Blogs](#) | [Twitter / X](#) | [Support](#) | [Newsletter sign-up](#) | [Lead developer's homepage](#) | [Documentation](#) | [More plugins](#) - Version: 1.26.4

[Backup / Restore](#) | [Migrate / Clone](#) | [Settings](#) | [Advanced Tools](#) | [Premium / Extensions](#)

Files backup schedule:

Daily

 and retain this many scheduled backups:

2

Database backup schedule:

Daily

 and retain this many scheduled backups:

2

Choose your backup schedule Close

Choose the schedule that you want your backups to run on.

Back Next

To fix the time at which a backup should take place (e.g. if your server is busy in the day and you want to run overnight), to take [incremental backups](#), or to [automatically delete backups as they age](#), use [UpdraftPlus Premium](#).

Choose your remote storage
(tap on an icon to select or unselect):

UpdraftVault

Microsoft OneDrive

WebDAV

Dropbox

FTP

S3 Compatible (SaaS)

Apple Pay domain registration failed.
Please check the [logs](#) for more details on this issue. Logging must be enabled to see recorded logs.

[TeamUpdraft](#) | [Premium](#) | [Blogs](#) | [Twitter / X](#) | [Support](#) | [Newsletter sign-up](#) | [Lead developer's homepage](#) | [Documentation](#) | [More plugins](#) - Version: 1.26.4

Backup / Restore

Migrate / Clone

Settings

Advanced Tools

Premium / Extensions

Next scheduled backups:

Files:

Sun, May 10, 2026 22:10

Time now: Sun, May 10, 2026 10:10

Database:

Sun, May 10, 2026 22:10

Backup Now

[Add changed files \(incremental backup\)...](#)

Last log message:

(Nothing has been logged yet)

Existing backups 0

More tasks: [Upload backup files](#) | [Rescan local folder for new backup sets](#) | [Rescan remote storage](#)

You have not yet made any backups.

If you have an existing backup that you wish to upload and restore from, then please use the "Upload backup files" link above. Or, if they are in remote storage, you can connect that remote storage (in the "Settings" tab), save your settings, and use the "Rescan remote storage" link.

TEST

Next scheduled backups:

Files:

Sun, May 10, 2026 22:10

Time now: Sun, May 10, 2026 10:12

Database:

Sun, May 10, 2026 22:10

Backup Now

[Add changed files \(incremental backup\)...](#)

Sun, May 10, 2026 10:13

Creating file backup zips (Plugins)

last activity: 3s ago - [show log](#) - [stop](#)

Last log message:

Adding batch to zip file (UpdraftPlus_ZipArchive): over 25 MB added on this batch (25.9 MB, 15368 files batched, 927 (1906) added so far); re-opening (prior size: 9670.8 KB) (May 10 10:13:29)

[Download most recently modified log file](#)


Existing backups 0

More tasks: [Upload backup files](#) | [Rescan local folder for new backup sets](#) | [Rescan remote storage](#)


You have not yet made any backups.

If you have an existing backup that you wish to upload and restore from, then please use the "Upload backup files" link above. Or, if they are in remote storage, you can connect that remote storage (in the "Settings" tab), save your settings, and use the "Rescan remote storage" link.



Omogočite uporabnikom registracijo in pripravite obrazec, kamor lahko uporabnik vnese dodatne podatke, kot so ime, naslov, elektronska pošta ... Zahtevajte, da uporabnik vnese varno geslo (lahko uporabite User Registration)






The screenshot shows the WordPress Settings page, General tab. The 'Membership' section is highlighted with a red box, indicating that 'Anyone can register' is checked. Other settings visible include Tagline, Site Icon, WordPress Address (URL), Site Address (URL), Administration Email Address, New User Default Role (Subscriber), Site Language (English (United States)), and Timezone (UTC+0).



The screenshot shows the User Registration & Membership (URM) Welcome screen. The 'Advanced Registration' option is selected under 'Choose your setup:'. The screen also includes a 'Share anonymous usage data' checkbox and a 'Next' button.





Registration

Uporabniško ime *

Elektronska pošta *



Geslo *



Ponovno geslo *

Submit

✔ User successfully registered.

Da bi preprečili napad na račune z grobo silo (angl. brute force attack), omogočite vtičnik, ki preprečuje zaporedne poskuse prijav (Login Lockdown). S tem zaščitimo tako administratorja, kot ostale uporabnike.





Uporabnike po 20 minutah neaktivnosti samodejno odjavite iz spletne strani in preprečite zlorabe na deljenih računalnikih (Inactive Logout).

Version 1.2.3 | By [Viktor Chirvan](#) | [View updates](#)

☐ **Inactive Logout** Automatically logout idle user sessions, even if they are on the front end! Fully configurable & easy to use. [Enable auto-updates](#)
[Settings](#) | [Deactivate](#) | [Translate](#) Version 3.6.1 | By [Inactive Logout](#) | [View details](#)

← → ↻  <http://strike.local/wp-admin/options-general.php?page=inactive-logout> 90%    

Strike Live 12 0 + New User Registration UpdraftPlus Howdy, strike

Site Assist Dashboard Elementor Posts Media Pages Comments CookieYes CartFlows WooCommerce Products User Registration & Membership Payments Analytics Marketing Appearance Plugins 18 Users 1 Tools Settings

INACTIVE LOGOUT / Settings

General Role Based User Based Support Go Pro

Idle Timeout Minute(s)
Note: When multi-role is activated, the modal will be displayed based on the idle timeout selected for each individual user role. Limited to 24 hours i.e. 1440 minutes. If these timeouts are not working for you then, [read this post](#).

Idle Message Content Visual Code

Zaradi neaktivnosti ste odjavljeni iz spletne strani

P

Message to be shown when idle timeout screen shows.

Session Logout Message

Strike Live 12 0 + New User Registration UpdraftPlus Howdy, strike

Plugins 18

Installed Plugins
Add Plugin
Plugin File Editor
Users 1
Tools
Settings
WP 2FA
FURS Blagajna
HFCM
UpdraftPlus
Loco Translate

Version 1.2.4 | By [TeamUpdraft, DavidAnderson](#) | [View details](#)

☐ **User Registration & Membership** The most flexible User Registration and Membership plugin for WordPress. [Enable auto-updates](#)
[Settings](#) | [Deactivate](#) | [Translate](#) Version 5.1.6 | By [WPiEverest](#) | [View details](#) | [Docs](#) | [Free support](#)

☐ **WooCommerce** An ecommerce toolkit that helps you sell anything. Beautifully. [Enable auto-updates](#)
[Settings](#) | [Deactivate](#) | [Translate](#) Version 10.6.0 | By [Automattic](#) | [View details](#) | [Docs](#) | [API docs](#) | [Community support](#)
Required by: Modern Cart Starter for WooCommerce, WooCommerce Stripe Gateway
Note: This plugin cannot be deactivated or deleted until the plugins that require it are deactivated or deleted.

There is a new version of WooCommerce available. [View version 10.7.0 details](#) or [update now](#).

You can test upgrading your site on an instant copy using [UpdraftClone credits](#) - [go here to learn more - dismiss notice](#)

☐ **WooCommerce Stripe Gateway** Accept debit and credit card payments in 135+ currencies, as well as Apple Pay, Google Pay, Klarna, Affirm, P24, ACH, and more. [Enable auto-updates](#)
[Settings](#) | [Deactivate](#) | [Translate](#) Version 10.6.1 | By [Stripe](#) | [View details](#) | [Docs](#) | [Support](#)
Requires: WooCommerce


☐ **WP 2FA - Two-factor authentication for WordPress** Easily add an additional layer of security to your WordPress login pages. Enable Two-Factor Authentication for you and all your website users with this easy to use plugin. [Enable auto-updates](#)
[Configure 2FA Settings](#) | [Upgrade to Premium](#) | [Deactivate](#) | [Translate](#) Version 3.1.1.2 | By [Melapress](#) | [View details](#)

☐ **WP Activity Log** Identify WordPress security issues before they become a problem. Keep track of everything happening on your WordPress, including users activity. Similar to Linux Syslog, WP Activity Log generates an activity log with a record of everything that happens on your WordPress websites. [Enable auto-updates](#)
[Log viewer](#) | [Get Premium!](#) | [Settings](#) | [Deactivate](#) | [Translate](#) Version 5.6.3 | By [Melapress](#) | [View details](#)


☐ Plugin Description Automatic Updates

Tracking activity!

TEST Z 1 MINUTO ODJAVE



Uporabite vtičnik za beleženje dnevnika vseh obiskov spletne strani (npr. WP Activity Log). Omogočite shranjevanje vseh dnevniških zapisov za 6 mesecev.



Activity Log Viewer

Search

11 items 1 of 2

ID	Severity	Date	User	IP	Object	Event Type	Message
6052	Warning	May 10, 2026 12:04:03.079 pm	Strike Administrator	127.0.0.1	WP Activity Log	Modified	Changed the Activity log retention to Delete events older than 6 months. Previous setting: Delete events older than 3 months. More details...
5032	Info	May 10, 2026 12:00:24.920 pm	System	127.0.0.1	System	Available	Plugin update available for plugin WooCommerce. Available version: 10.7.0 Installed version: 10.6.0 View all updates More details...
5032	Info	May 10, 2026 12:00:20.079 pm	System	127.0.0.1	System	Available	Plugin update available for plugin Starter Templates. Available version: 4.5.4 Installed version: 4.4.51 View all updates More details...
5032	Info	May 10, 2026 12:00:20.043 pm	System	127.0.0.1	System	Available	Plugin update available for plugin Modern Cart Starter for WooCommerce. Available version: 1.0.9 Installed version: 1.0.7 View all updates More details...
5032	Info	May 10, 2026 12:00:19.821 pm	System	127.0.0.1	System	Available	Plugin update available for plugin Loco Translate. Available version: 2.8.4 Installed version: 2.8.3 More details...

You will be logged out in 19:59 You were last active on May 10, 2026 2:04 pm

2. del - .htaccess


XAMPP Control Panel v3.3.0 [Compiled: Apr 6th 2021]

XAMPP Control Panel v3.3.0




Modules


Service	Module	PID(s)	Port(s)	Actions
✗	Apache	10408 14156	4433, 8080	Stop Admin Config Logs
✗	MySQL			Start Admin Config Logs
✗	FileZilla			Start Admin Config Logs
□	Mercury			Start Admin Config Logs
✗	Tomcat			Start Admin Config Logs

Config Netstat Shell Explorer Services Help Quit





Preusmeritev na test.html






Dostopanje z prijavo na dostop.html





Napaka - sprožanje



Preko url naslova

