



Guide to Healthy Eating with Gestational Diabetes

Disclaimer: This material is intended for general information only and is provided on an “as is”, “where is” basis. This material is not a substitute for the advice of a qualified health professional.

This guide will review what to eat, how much to eat and how often to eat with gestational diabetes mellitus (GDM).

1. What to eat

After being diagnosed with GDM it is important to continue to follow recommendations for healthy eating during pregnancy.

This advice includes eating a variety of foods with an emphasis on those rich in the baby building nutrients: Calcium, Vitamin D, Iron, Protein, Omega 3, Folate and other B vitamins.

For a review of key foods/drinks to include during pregnancy and what to limit and avoid, please see the Healthy Eating for Pregnancy section in the Resource list at the end of this guide.

2. How much to eat

To help manage GDM choose nutrient-rich carbohydrate-containing foods/drinks to meet the carbohydrate goals recommended in this guide. Please note, the serving sizes listed in the tables are not necessarily the recommended portions at a meal or snack.

3. How often to eat

Spreading carbohydrate throughout the day in three meals and 2-3 snacks (eating every 2 to 4 hours) is helpful.

What is carbohydrate? What foods have carbohydrate in them?

Carbohydrate is one of 3 main (macro) nutrients in food. In your body, carbohydrate breaks down into sugar (glucose), to give you energy. The other macronutrients are protein and fat. Protein and fat do not raise your blood sugar significantly.

Do not stop eating carbohydrates to manage your blood sugar.

- Many carbohydrate containing foods contain other key vitamins and minerals that are important for a healthy pregnancy
- Avoiding or limiting carbohydrate too much can contribute to weight loss and the development of ketones, which is not recommended in pregnancy

Food Groups

Carbohydrate containing

Grains & Starches (including Legumes/Pulses)

Fruits

Milk and Alternatives

Sweets/desserts

Non-carbohydrate containing

Vegetables (most)

Protein (Meat & Alternates)

Fats and Oils

Portion sizes: how much carbohydrate do I need to eat per day?

The term "Carbohydrate (carb) choices" is used to describe portion sizes when you have GDM.

1 carbohydrate choice = 15 grams of carbohydrate

During pregnancy, 175 grams of carbohydrate (12 carb choices) or more per day is recommended. This can be spread throughout the day in 3 meals and 2-3 snacks in the following carbohydrate choices or gram portions:

Carb choices		Grams
12 choices or more	(1 carb choice = 15 grams)	175 grams or more
Per meal: 3-4 choices	(3 meals per day)	Per meal: 45-60 grams
Per snack: 1-2 choices	(2-3 snacks per day)	Per snack: 15-30 grams

**Note: A Registered Dietitian will follow up to discuss how the GDM meal plan is working and help individualize the plan for you.

What is the Glycemic Index?

The Glycemic Index (GI) is a scale that ranks carbohydrates by how much it raises blood sugar levels after it is eaten or drank. Foods are ranked from 0-100. The GI is divided into three categories, low, medium and high GI. Aim to choose foods in the low GI group more often.

■ A low GI diet may help:

- Manage blood glucose
- Feel full longer
- Reduce the need for insulin

■ After GDM, a low GI diet may help:

- Maintain a healthy body weight or help to lose weight
- Prevent type 2 diabetes and its complications
- Decrease risk of heart disease and stroke

Fruits

Low Glycemic Index (55 or less) Choose Most Often	Medium Glycemic Index (56 to 69) Choose Less Often	High Glycemic Index (70 or more) Choose Least Often
Apple Apricot (Fresh, Dried) Banana (Green, Unripe) Berries Cantaloupe Grapefruit Honeydew Melon Mango Orange Peach Pear Plum Pomegranate Prunes	Banana (Ripe, Yellow) Cherries (Bottled)  Cherries (Fresh) Cranberries (Dried) Figs (Fresh, Dried) Grapes Kiwi Lychee Pineapple Raisins	Banana (Brown, Overripe) Watermelon
Additional foods:	Additional foods:	Additional foods:
1. _____	1. _____	1. _____
2. _____	2. _____	2. _____
3. _____	3. _____	3. _____

Some fruits have not been assigned a GI because they contain less than 15 g of available carbohydrate per serving (e.g. lemon and lime). Credit: Diabetes Canada

Grains and starches

Low Glycemic Index (55 or less) Choose Most Often	Medium Glycemic Index (56 to 69) Choose Less Often	High Glycemic Index (70 or more) Choose Least Often
Breads: Heavy Mixed Grain Breads Spelt Bread Sourdough Bread Tortilla (Whole Grain) Cereal: All-Bran™ Cereal All-Bran Buds™ With Psyllium Cereal Oat Bran Oats (Steel Cut) Grains: Barley Bulgur Mung Bean Noodles Pasta (Al Dente, Firm) Pulse Flours Quinoa Rice (Converted, Parboiled) Other: Peas Popcorn Sweet Potato Winter Squash	Breads: Chapati (White, Whole Wheat) Flaxseed/Linseed Bread Pita Bread (White, Whole Wheat) Pumpernickel Bread Roti (White, Whole Wheat) Rye Bread (Light, Dark, Whole Grain) Stone Ground Whole Wheat Bread Whole Grain Wheat Bread Cereal: Cream of Wheat™ (Regular) Oats (Instant) Oats (Large Flake) Oats (Quick) Grains: Basmati Rice Brown Rice Cornmeal Couscous (Regular, Whole Wheat) Rice Noodles White Rice (Short, Long Grain) Wild Rice Other: Beets* Corn French Fries  Parsnip Potato (Red, White, Cooled) Rye Crisp Crackers (e.g. Ryvita Rye Crispbread™) Stoned Wheat Thins™ Crackers	Breads: Bread (White, Whole Wheat) Naan (White, Whole Wheat) Cereal: All-Bran Flakes™ Cereal Corn Flakes™ Cereal Cream of Wheat™ (Instant) Puffed Wheat Cereal Rice Krispies™ Cereal Special K™ Cereal Grains: Jasmine Rice Millet Sticky Rice White Rice (Instant) Other: Potato (Instant Mashed) Potato (Red, White, Hot) Pretzels Rice Cakes Soda Crackers
Additional foods: 1. 2. 3.	Additional foods: 1. 2. 3.	Additional foods: 1. 2. 3.

*Most starchy/sweet vegetables (e.g. peas, parsnip, winter squash provide 15 g or more carbohydrate per 1 cu serving. Beets and carrots often provide less than 15 g carbohydrate per serving (marked above with *). Most non-starchy (or free) vegetables (e.g. tomato and lettuce) have not been assigned a GI because they have very little carbohydrate and have very little effect on blood sugar. Credit: Diabetes Canada

Milk, alternatives and other beverages

Low Glycemic Index (55 or less) Choose Most Often	Medium Glycemic Index (56 to 69) Choose Less Often	High Glycemic Index (70 or more) Choose Least Often
Almond Milk Cow Milk (Skim, 1%, 2%, Whole) Frozen Yogurt ▲ Greek Yogurt Soy Milk Yogurt (Skim, 1%, 2%, Whole)		Rice Milk
Additional foods:	Additional foods:	Additional foods:
1.	1.	1.
2.	2.	2.
3.	3.	3.

Milk, alternatives, and other beverages listed include flavoured (e.g. chocolate), sweetened and unsweetened varieties. Credit: Diabetes Canada

Meat and alternatives

Low Glycemic Index (55 or less) Choose Most Often	Medium Glycemic Index (56 to 69) Choose Less Often	High Glycemic Index (70 or more) Choose Least Often
Baked Beans Chickpeas Kidney Beans Lentils Mung Beans Romano Beans Soybeans/Edamame Split Peas	Lentil Soup (ready-made) Split Pea Soup (ready-made)	
Additional foods:	Additional foods:	Additional foods:
1.	1.	1.
2.	2.	2.
3.	3.	3.

Meat, poultry and fish do not have a GI because they do not contain carbohydrate. When ½ cup or more of pulses are eaten, they can be included in the Grains and Starches food group or the Meats and Alternatives group. Credit: Diabetes Canada

For more info on the glycemic index (GI) please refer to: guidelines.diabetes.ca/docs/patient-resources/glycemic-index-food-guide.pdf

glycemicindex.com from University of Sydney (Australia) is another great resource on glycemic index, with access to the GI database.

Grains and starches (carbohydrate containing)

Choose whole grains such as brown rice, whole grain breads and pasta more often. These foods are rich in vitamins and minerals, higher in fibre, and are usually lower on the glycemic index.

*Contain both protein and starch. **Potatoes and Corn are vegetables that are high in starch

Food Item	Serving Size = ~15 grams of carbs = 1 carb choice
Bagel, whole grain	¼ of a large one, ½ of a small one
Barley, bulgur	½ cup (125 ml) cooked
Bread, whole grain, rye, pumpernickel	1 slice
Cereal, hot (e.g. oatmeal)	¾ cup (175 ml) cooked
Cereal, All-Bran type	½ cup (125 ml)
Cereal, Shredded Wheat	1 biscuit
Chapati, roti, tortilla (whole wheat)	1 (6 inch round)
**Corn, kernel	½ cup (125 ml)
**Corn-on-the-cob	½ medium
Couscous	½ cup (125 ml) cooked
*Dahl	½ cup (125 ml)
English muffin, whole grain	½ muffin
*Hummus	6 tbsp (approx. 1/3 cup)
Kasha, cooked	½ cup (125 ml)
*Legumes (e.g. beans, lentils, chickpeas)	½ cup (125 ml) cooked
Naan bread, whole wheat	¼ (6 inch round)
Pasta	½ cup (125 ml) cooked
Pita bread, whole wheat	½ (6 inch round)
Plantain, mashed	⅓ cup (75 ml)
Popcorn, low fat	3 cups (750 ml)
**Potato	½ medium
**Potato, mashed	½ cup (125 ml)
Quinoa	½ cup (125 ml) cooked
Rice (Basmati, brown, parboiled)	⅓ cup (75 ml) cooked
Ryvita, dark rye	4 pieces
Soup, thick type (e.g. split pea, potato, tomato)	1 cup (250 ml)
**Sweet potato, mashed	⅓ cup (75 ml)
Tortilla, whole grain	1 (6 inch round)
Wasa, whole grain	2 pieces

Fruits

Carbohydrate containing fruits (fresh, frozen, and canned fruit) are a source of fibre, vitamins and minerals. Most fruits are low on the **glycemic index**.

Food Item	Serving Size = ~15 grams of carbs = 1 carb choice
Ackee	10 pieces
Apple	1 medium
Apple sauce, unsweetened	½ cup (125 ml)
Banana	½ large
Blackberries, strawberries, raspberries	2 cups (500 ml)
Blueberries, mulberry, currants	1 cup (250 ml)
Canned fruit, in juice	½ cup (125 ml)
Cherries, Grapes	15 small
Clementine	2 medium
Dried Fruit	¼ cup (50 ml)
Durian	¼ cup
**Fruit Juice	½ cup
Grapefruit	1 small
Guava	3 fruit
Kiwi	2 medium
Lanka (Jackfruit)	½ cup
Lychee	10 fruit
Mango	½ medium
Mangosteen	½ cup
Melon (all types)	1 cup (250 ml)
Nectarine	1 large
Orange	1 medium
Papaya	1 cup (250 ml)
Pear	1 medium
Peach	2 small
Pineapple (Pinya)	¾ cup (175 ml)
Plum	2 medium
Pomegranate	½ medium
Raisins	2 Tbsp (30 ml)
Tangerine	2 medium

****It is recommended to choose whole fruit instead of juice.** If you make your own smoothies or juices, be sure to measure the ingredients and count the grams of carbohydrate.

Milk and alternates (carbohydrate containing)

Carbohydrate containing milk products, including fortified alternative beverages, and yogurt are good sources of calcium and vitamin D. Most milk and yogurt products are low on the **glycemic index** but rice milk is high glycemic index.

Food Item	Serving Size = ~15 grams of carbs = 1 carb choice
Milk, plain, skim, 1% or 2%	1 cup (250 ml)
Milk, lactose free	*refer to label (1 cup (250 ml))
Evaporated milk, canned	½ cup (125 ml)
Milk powder, skim	4 tbsp (60 ml)
Soy milk, plain (fortified with calcium/vit D)	1 cup (250 ml)
Yogurt, all types (ex. Greek, soy, plain, flavoured)	*refer to label (¾ cup (175 ml) plain)
Alternative milks such as almond, cashew, oat, rice (lower protein content than cow's milk)	*refer to label Ensure it is fortified with Calcium and Vitamin D

Vegetables (carbohydrate containing)

Vegetables are an excellent source of fibre, vitamins & minerals, especially the dark green and brightly coloured ones!

Food Item	Serving Size = ~15 grams of carbs = 1 carb choice
Beets	1 cup
Baby Carrots	~20
Carrots	1½ cups
Parsnips	½ cup
Peas	1 cup
Rutabaga	1 cup
Shitake mushrooms (cooked)	1 cup
Squash	1 cup
Tomato juice, Vegetable juice (V8)	1 cup
Tomato sauce	1 cup
Tomatoes (canned/stewed)	1 cup
Water chestnuts	½ cup

Vegetables (eat freely)

The majority of vegetables contain minimal carbohydrate and can be eaten freely.

These vegetables are low in carbohydrate, therefore **portions are unlimited**.

Food Item	Food Item
Asparagus	Mushrooms
Beans, yellow or green	Okra
Bok Choy	Onions
Broccoli	Peppers
Cabbage	Radish
Cauliflower	Rapini
Celery	Salad greens
Cucumber	Shallots
Eggplant	Snow peas
Endive	Spinach
Kale	**Tomato (size of a tennis ball - 1 per meal)
Leeks	Turnip greens
Lettuce, all varieties	Zucchini

Protein (meat and alternatives)

Meat & Alternatives contain mostly protein and therefore tend **not** to **affect blood sugar**. Keep your saturated fat intake to a minimum by choosing lean meats, poultry without skin, and fish more often.

For a review of **Food Safety** during pregnancy please see Healthy Eating for Pregnancy section in the Resource list at the end of this guide.

Food Item	Food Item
Hard Cheeses	Peameal/back bacon
Cottage cheese	Poultry, skinless
Egg	Shellfish
Fish, (Fresh or canned water packed)	Shrimp, fresh-frozen
Meat (lean cut, game, organ and tripe)	Tofu (soybean)
Meat/poultry, ground, lean	Vegetarian meat alternatives

Fats

Fats & Oils tend **not** to **affect blood sugar**; however, it is important to use in moderation for healthy weight gain. Saturated fat can increase insulin resistance. Choose healthy unsaturated fats such as oils, nuts, and avocado more often.

More Often	Less Often
Avocado, raw	Butter
Margarine, non-hydrogenated	Cream
Nuts & Seeds	Cream cheese
Oil, canola or olive	Mayonnaise
Peanut butter/Almond butter, nut/seed butters (i.e. peanut butter, almond butter, pumpkin seed butter, tahini)	Sour cream

Extras

Extras to measure (carbohydrate containing)

Some condiments and sauces provide small amounts of carbohydrate. In larger quantities they may count as a carbohydrate choice and can raise blood sugars. Be sure to read labels of all extras and try to keep use to a minimum.

Food Item	Serving Size – all equal to 5 g carb
Barbeque Sauce	2 tsp (10 ml)
Fruit spread, no sugar added	1 tbsp (15 ml)
Ketchup	1 tbsp (15 ml)
Salsa	¼ cup (60 ml)
Sweet Relish	1 tsp (5 ml)
Hoisin Sauce	1.5 tsp (7 ml)
Oyster Sauce	1 tbsp (15 ml)
Whipped Topping	1 tbsp (15 ml)

Free extras

These items do not contain significant amounts of carbohydrate.

Food Item	Food Item
Bouillon, broth or consommé	Lemon or lime juice
Club Soda	Rhubarb, fresh
Garlic	Soy Sauce (high in sodium)
Herbs & spices	Sugarless gum
Horseradish	Vinegar
Sugar free jello	Worcestershire sauce

Sugar and sweeteners

Can Artificial Sweeteners be used in Pregnancy?

The following Sweeteners do not impact blood sugar and have been approved by Health Canada as safe to use in pregnancy:

- ✓ Aspartame (Equal or NutraSweet®)
- ✓ Sucralose (Splenda®)
- ✓ Acesulfame-potassium
- ✓ Saccharin (Hermesestas®)
- ✓ Stevia
- ✓ Cyclamates (SugarTwin®, Sweet'N Low®) – **limit to 2 packets a day**

What are Sugar Alcohols?

Examples of sugar alcohols include lactitol, maltitol, mannitol, sorbitol and xylitol.

Sugar Alcohols can be found naturally in fruit and vegetables and can be manufactured. They are only partially absorbed by the body and have no major effect on blood sugar.

Sugar Alcohols are often added to No Sugar Added desserts and candy.

- Limit intake of these foods.
- In addition to limited nutritional value – If you **eat more than 10 grams of sugar alcohols a day** you may experience **side effects such as gas, bloating and diarrhea.**

■ Can Sugar be used with Gestational Diabetes?

e.g. Honey, Brown or White Sugar, Maple syrup

1 teaspoon = approximately 5 grams of carbohydrates

1 tablespoon (or 3 teaspoons) = approximately 15 grams of carbohydrate (1 carb choice)

**Always read the label for accuracy.

**Keep use of added sugars and other sweets/desserts to a minimum with gestational diabetes

■ More information on sugars and sweeteners can be found at:

guidelines.diabetes.ca/docs/patient-resources/sugars-and-sweeteners.pdf

What if I can't find the foods I eat in this guide?

Check the package for a food label.

This provides the carbohydrate content in specific serving sizes.

Reading food labels

Step 1: Look for the "Nutrition Facts" table on the product.

Step 2: Locate the serving size.

Step 3: Locate Carbohydrate on the label.

Step 4: Locate the fibre (listed under the carbohydrate)

Step 5: Subtract the dietary fibre from total carbohydrate

Step 6: Determine the amount of carbohydrate for the serving size you will be eating.

■ Example: cereal

* Information in the Nutrition Facts table is based on a specific amount of food. Compare this to the amount you eat to determine your carbohydrate intake.

Remember, the carbohydrate amount listed includes starch + sugar + fibre.

Subtract the fibre from the carbohydrate.

18g (carb) - 3g (fibre) = 15g of available carb

Therefore 125 mL (½ cup) = **1 carbohydrate choice.**

Nutrition Facts			
Per 125 mL (87 g)*			
Amount		% Daily Value	
Calories 80			
Fat 0.5 g		1 %	
Saturated 0 g		0 %	
+ Trans 0 g			
Cholesterol 0 mg			
Sodium 0 mg		0 %	
Carbohydrate 18 g		6 %	
Fibre 3 g		8 %	
Sugars 1 g			
Protein 3 g			
Vitamin A 2 %		Vitamin C 10 %	
Calcium 0 %		Iron 2 %	

If there is no Nutrition Facts Label, are there other ways to find the approximate amount of carbohydrate in the foods you eat?

1. Apps such as MyFitnessPal, CalorieKing, or FatSecret
2. Restaurant websites

Example meals

Each meal option contains **3 or 4 carbohydrate choices** (1 Choice = 15 grams of carbohydrate)

Breakfast #1		Breakfast #2		Breakfast #3	
• 1½ cup of oatmeal with 2 tbsp of nuts	2	• 1 slice, whole grain toast with 1/3 avocado, mashed	1	• 2 slices bread, whole grain toast with 10 mL (2 tsp) non-hydrogenated margarine	2
• ½ banana	1	• ¾ plain low-fat greek yogurt	1	• 1 scrambled egg with diced mushroom, bell pepper, onion	0
• 1 cup skim or 1% milk	1	• 1 cup blueberries	1	• 1 cup skim or 1% milk	1
		• Tea	0		
Total Choices	4	Total Choices	3	Total Choices	3

Lunch #1		Lunch #2		Lunch #3	
• 2 slices bread, pumpernickel	2	• 1 cup split pea soup	1	• 1(6 inch round) tortillas, whole wheat	1
• Roasted chicken with lettuce and tomato	0	• ½ toasted pita bread, whole grain	1	• Grilled vegetables	0
• 1 medium apple	1	• 2 small peaches	1	• Avocado	0
• 1 cup skim or 1% milk	1	• Vegetable sticks with low-fat dip	0	• ½ cup black beans	1
				• 1 cup milk, skim, plain	1
Total Choices	4	Total Choices	3	Total Choices	3

Dinner #1		Dinner #2		Dinner #3	
• 1 corn-on-the-cob, medium	2	• 1 cup parboiled rice	3	• ½ cup quinoa	1
• Grilled steak	0	• Grilled chicken	0	• ½ cup chickpeas	1
• Grilled bell peppers and onions	0	• Roasted non-starchy vegetables	0	• 1 cup butternut squash	1
• 1 baked potato	2	• 1 cup skim or 1% milk	1	• Baby spinach	0
				• Feta cheese	0
Total Choices	4	Total Choices	4	Total Choices	3

Snack ideas

1 carbohydrate choice:

- 4 pieces of Ryvita, dark rye crackers and 50 g (1 ½ oz) cheese
- 125 ml (1/2 cup) low fat Greek plain yogurt and 125 ml (1/2 cup) of blueberries OR one 100 g container fruit flavored greek yogurt
- 1 orange +/- 60 mL (1/4 cup) walnuts
- 250 ml (1 cup) skim or 1% milk

2 carbohydrate choices:

- 1/3 cup hummus and 1/2 whole wheat pita
- 175 mL (3/4 cup) plain, low fat greek yogurt and 1 apple
- 250 ml (1 cup) skim or 1% milk with 15 ml (1 Tbsp) peanut butter (or other nut butter) on 1 slice of whole grain toast
- 1/3 cup roasted chickpeas and 100g container fruit flavor yogurt

For more meal plan ideas check out: diabetes.ca/DiabetesCanadaWebsite/media/Managing-My-Diabetes/Recipes/7-dayGDM_Mealplan_Oct292021_FNL1115.pdf

Tips for healthy eating with gestational diabetes

1. Eat 3 meals and 2-3 snacks every day
2. Have nutrient rich carbohydrates at every meal and snack
3. Snacks and meals should be at minimum 2 hours apart
4. Do not eat or drink anything (except water) in the two-hour period between your last meal and the time you test your blood sugar
5. Try to pair your carbohydrate foods with a source of protein
6. Minimum 8 hours between your evening snack and checking your fasting blood sugar before breakfast the next morning


Plate model for portion sizes

**For accuracy – the use of measuring cups is encouraged for foods & drinks in the carbohydrate containing groups (fruits, grains and starchy vegetables, legumes/pulses, and milk & alternatives).



Meat and alternatives*

Choose an amount the size of the palm of your hand and the thickness of your little finger.



Adapted from the Diabetes Canada, "Just the Basics", 2010

Next steps

Along with blood sugar readings, keep notes of the foods you eat (include portion size i.e. 125 ml or ½ cup).

If you know the grams of carbohydrate from the food label – include this also.

This will show you how different types and amounts of carbohydrate impact your blood sugar. It will also help the Dietitian work with you to make any needed changes.



Name: _____

Date: _____

Meal	# of Carb Choices	Suggested # of Carb Choices
Record what you eat and drink. Include portion sizes and the number of carb choices.		
before breakfast blood sugar: _____ mmol/L time: _____		
Breakfast time:		3-4
2 slices whole wheat toast and margarine	2	
1 boiled egg	0	
1 cup 1% milk	1	
2 hours after breakfast blood sugar: _____ mmol/L time: _____		
Snack time:		1-2
1 apple	1	

Trouble shooting guide to food records & blood glucose numbers

If your blood sugars are higher than target following a meal consider:

1. Did you count the carbohydrate correctly?
 - a. Did you use a measuring cup to measure?
 - b. Do you know the exact amount of carbohydrate from the label?
 - c. Any hidden sources of carbohydrate from sauces/condiments, etc?
2. Did you have a processed high glycemic index carbohydrate?
3. Did you have anything to eat or drink in the 2 hours between the meal and blood sugar check?
4. Did you eat a snack less than 2 hours before your meal?
5. Were you less active than usual after the meal? (Did you sit or lie down after eating?)

☐ **None of the above?**

Remember! GDM develops when the pancreas cannot make enough insulin to keep up with the pregnancy hormones. If your blood glucose levels are above target despite following the advice in this guide, your Endocrinologist will recommend medication to help.

Further resources

■ Healthy Eating for Pregnancy

- Sensible Guide to a Healthy Pregnancy (Health Canada)
canada.ca/content/dam/phac-aspc/documents/services/health-promotion/healthy-pregnancy/64-03-16-1758-Sensible%20Guide%20to%20Healthy%20Pregnancy-EN-Web-final-v3.pdf
- Toronto Public Health- Guide to Eating Fish
toronto.ca/wp-content/uploads/2017/12/8d3f-tph-91f6-guide-eat-fish.pdf

■ Breastfeeding

- mountsinai.on.ca/patients/having-a-baby-at-mount-sinai/care-after-birth/newborn-care/infant-feeding
- Postnatal Ambulatory Clinic (PNAC) within the first seven days after birth
Call 416-586-4800 ext. 7409 for an appointment
- Best Start Resource Centre – My Breastfeeding Guide
<https://resources.beststart.org/wp-content/uploads/2018/12/B20-E.pdf>

■ Healthy Eating to prevent Type 2 Diabetes (after pregnancy)

- Dietitians of Canada – UnlockFood (Formerly EatRightOntario)
 - i. Menu plans for Diabetes Prevention and Management
unlockfood.ca/en/Articles/Diabetes/Diabetes-Menu-Plan-for-Prevention-and-Management
 - ii. Recipes and articles related to diabetes prevention and diabetes
unlockfood.ca/en/Diabetes.aspx
- Diabetes Canada
 - i. diabetes.ca/nutrition--fitness

■ Healthy Eating with a Limited Income

- Finding a Community Food Program or Food Bank
211ontario.ca/211-topics/food/dailybread.ca/need-food/
- Foodshare's Good Food Box program
goodfoodbox.foodshare.net/collections/frontpage
- Healthy eating on a budget – Canada's Food Guide
food-guide.canada.ca/en/tips-for-healthy-eating/healthy-eating-budget/unlockfood.ca/en/Articles/Budget/10-Tips-for-Planning-Meals-on-a-Budget.aspx

■ Cooking Skills

- unlockfood.ca/en/Articles/Cooking-and-Food/Cooking-Methods/
- food-guide.canada.ca/en/cooking-skills/