


mob showcase V1

Six companions. Two editions. One integration handoff.



The world contains one roaming Builder, Rectifier, Courier, Collector, Sentinel and Redstone Rat; 29 stationary animation exhibits; and a glass enclosure with a live creeper and Rat. Creative spawn eggs are included for every mob.

What this handoff includes

Java: a Fabric mod JAR and saved world for Minecraft 26.2. **Bedrock:** a separate resource/behavior add-on and importable world, checked on Bedrock Dedicated Server 1.26.45.1. These are separate implementations; a Java JAR does not run in Bedrock.

Integration scope: the showcase proves models, animation loops, spawning and selected behaviors. It is not a port of the entire Seed City redstone computer. Collector gathering orders and the Bedrock city/task system still need Tabor's integration.

Open the showcase

Installation and Creative mode tools

Java Edition - Minecraft 26.2

1. Install Fabric Loader **0.19.5** for Minecraft **26.2**. Use Java 25 for development builds.
2. Put the supplied **seedcity-0.0.1.jar** and matching **Fabric API 0.160.0+26.2** in that installation's mods folder.
3. Extract **mob-showcase-V1-Java.zip**. Place its **mob showcase V1** folder in the installation's saves folder; level.dat must be directly inside it.
4. Open **mob showcase V1** in Singleplayer. The spawn point is the central aisle at 36, 65, 0. Search Creative inventory for each mob's name or look in Spawn Eggs.

Bedrock Edition - separate add-on

1. Open **mob-showcase-V1-Bedrock.mcworld** with Minecraft Bedrock to import the world. Its resource and behavior packs are bundled.
2. Alternatively, open **Seed-City-NPCs.mcaddon** to install the packs for another world. Activate both packs. The behavior pack uses the stable @minecraft/server 2.0.0 scripting API.
3. Creative inventory includes six generated spawn eggs. In the showcase, first-time visitors receive eggs; **/function eggs** also gives a set.
4. Keep difficulty at Easy, Normal or Hard so the vanilla creeper remains in the enclosure. Observe it from Creative mode outside the glass.

Fresh worlds only: `/function seedcity:showcase/build` (Java) and `/function showcase` (Bedrock) replace blocks in the showcase footprint, x=-3..82, y=63..81, z=-3..65. The delivered worlds are already built; do not run these functions in an existing city.

Loader: fabricmc.net/use/installer | Fabric API: [official releases](#)

Actual Java inheritance

Preserve city task contracts and signal control

Mob / ID	Actual superclass	Behavior and integration
Builder / builder	FlyingCityMob (PathfinderMob)	Custom flying movement and city BuildTask consumption. Allay-like flight, not an Allay subclass.
Rectifier / warden	PathfinderMob	Ground repair worker: gravity, movement 0.25, stroll multiplier 0.6. No IronGolem inheritance or protector AI. Saved ID stays warden; old flight flags migrate.
Courier / courier	PathfinderMob	0.48 x 0.48 collider and small-space navigation. Keep signal transport binding.
Collector / collector	PathfinderMob	0.95 x 1.8 collider; real iron pickaxe/axe, player-style swing and level-12 temporary lights. Gathering task scheduling is separate.
Sentinel / sentinel	PathfinderMob	0-15 signal control remains. Reuses golem-like sturdiness via knockback resistance 0.5; not an IronGolem subclass. Separate walk and jog.
Redstone Rat / redstone_rat	Cat	Cat ancestry plus priority-1, ten-block creeper avoidance mixin. Quiet silverfish sounds about every two minutes. No taming or sitting.

Sentinel policy: 0 is dormant, middle values are alert, and 15 enables the existing hostile behavior. The Java target goal still targets players. Do not silently replace it with an iron golem's village-defense AI. Tabor can choose targets and speed deliberately.

Rat policy: Cat ancestry supplies creeper recognition, not pet ownership. Taming and sitting are intentionally absent; Tabor decides whether to add them later. Pull AvoidRedstoneRatGoal, CreeperRatAvoidanceMixin and seedcity.mixins.json with the entity. Avoidance needs an escape path, unwinds natural swelling and does not cancel manual ignition.

Merge more than the models

Required code, assets and display-only animation hooks

Pull these dependencies together

BuildTask.java is **part of this fork**. The upstream file was missing and blocked compilation. Tabor must review and bring this implementation (or reconcile his replacement), not cherry-pick only NPC meshes and textures.

Bring entity registration and attributes, the six entity classes, FlyingCityMob, client renderers/models/mesh layers, emissive textures, and language entries. Keep existing city bindings and task ownership intact.

Bring **SeedCityItems** and its initializer, six item definitions/models/textures, and Creative tab registration. Java Rectifier egg ID is **seedcity:rectifier_spawn_egg**; it spawns **seedcity:warden**.

Collector lighting depends on **CollectorLightBlock**, block registration and cleanup, plus BuildTask/Integrity treating that temporary light as replaceable air. The lamp and cape motion helpers require their client tick registration.

Rat city spawning depends on **RedstoneRatSpawning**, CityState tick integration and maxRedstoneRats configuration. Default local cap is two; zero disables city spawning.

Showcase hooks are opt-in

Java exhibit names beginning **SC:** select a pose in ShowcaseAnimation. Only tagged **seedcity_showcase_roam** mobs receive demonstration navigation. These hooks do not make ordinary egg-spawned workers perform unbound city jobs. Bedrock uses the synchronized **seedcity:pose** property and pose events.

Animation library: Builder idle/walk/fly/build/carry/look; Rectifier idle/walk/repair/fly/look; Courier idle/walk/look; Collector idle/walk/mine/chop/look; Sentinel sleep/alert/idle/walk/run/attack/look; Rat idle/walk/look. Movement poses loop in place on the pedestals.

Bedrock handoff and validation

Component-based behavior; client review still required

Bedrock uses JSON components and Molang animations, not Java class inheritance. Builder borrows allay-style hover navigation; Rat has the cat family recognized by vanilla creepers; Sentinel has knockback resistance and explicit signal events. No vanilla entity definitions are replaced.

Set Sentinel signal with `/event entity <selector> seedcity:signal_7` (events exist for 0 through 15). At 15 the current target policy is players, matching Java. Tabor must wire his Bedrock signal source to these events. CityState, blueprint verification and Java tasks do not transfer automatically.

The Collector equips real iron tools. Its script places level-12 vanilla light blocks only in air, tracks ownership and cleans up after movement, including saved cleanup locations. Bedrock cloth uses native Molang hinges with movement-driven lift and independent front-cloth sway. No extra cloth mod is needed; this is not collision-based fabric simulation.

Check	Result
Java build and visual tests	Assembly and all seven client tests passed; actual world screenshots inspected.
Java server tests	All 34 passed, including grounded Rectifier repair and Rat avoidance with a nearby survival player target and active natural swelling.
Bedrock server / world	1.26.45.1 loaded packs, generated the world, and spawned all 37 actors (six roaming, 29 exhibits, Rat + creeper).
Bedrock behavior	Six spawn-egg IDs resolve. Collector light verified. Creeper separation increased from 3 to 16.93 blocks in the updated server test.
Bedrock visual limits	Client rendering, held-item alignment, animation transitions and console/mobile imports have not been visually verified. Treat this as the Bedrock integration candidate until tested in the client.

Sources: [Mojang Bedrock samples](#) (allay hover / creeper cat-family avoidance); [Microsoft Block API](#); [official Bedrock server](#). Java inheritance and results above are from this fork and its local test logs.