

# 1st Bus Manufactured as per Bus Body Code Standard, Duly Approved by "Automotive Research Association of India"



57 Staff & School Bus



# **S7 School Bus Features**







Peep Window For Driver



Low Step Entry



School Bus Logo



Bag Storage Space



Windows Rails



STOP Sign



Notice Board



Grab Handles & Hooks for Bottles




Anti-Skid Flooring



Armrest



Hat-Rack and Spacious Windows





### **S7 Staff Bus Features**







Large Wind Shield - Better Driving View



Suitably Located Gear Shift Lever for Driver Comfort



Tiltable and Telescopic Power Steering



Time Tested and Proven Engine



Peep Window - Better Driving



Wide Hatrack



High Head Rest Seats with Arm Rest for more Comfort



Large Side Windows



Improved Tail Lamps & Rear Fascia



Improved Head lamps



Side Emergen Door

### **S7 AC Bus Features**



AC Bus Exterior



Ductable AC with individual Air Louvers



AC Bus Interior



High Head Rest Seats



Magazine Pouch




Mp3 & USB Music Player



Roof Hatch



Saloon LED Lights & Music Speakers





# **S7 Bus Specifications**

Model	S7 Bus BS-III		S7 Bus BS-IV
Engine & Displacement	SLTHT3 & Numeral, 3455 cc		SLT4 & Numeral, 3455 cc
Туре	In Line four Cylinder Direct Injection		In Line four Cylinder Common Rail Direct Injection
	Diesel Turbo Charger with Intercooler		
Max.Engine Output	75 Kw @3000 rpm		75 Kw @2800 rpm
Max. Torque	315Nm@1750-2000 rpm		296Nm @ 1500 rpm
Clutch	Single plate Diaphragm Type , Dia. 260mm		
Gear Box	Synchromesh Manual 5-Forward and 1-Reverse		
Suspension	Semi Ellipitical Type Multi Leaf Spring		
Variants	S7 Bus-5100	S7 Bus-3940	S7 Bus-3335
Steering	Power Steering		Mechanical
Brakes	Air Brake		Hydraulic
Standard School Type Seats (3x2)	50+1	37+1	30+1
Semi Deluxe Seats (2x2)	40+1	30+1	24+1
Deluxe Push Back Seats (2x1)	25+1	19+1	15+1
Fuel Tank Capacity ( Its)	90		
Dimensions			
Wheelbase (mm)	5100	3940	3335
Overall Length (mm)	9280	7484	6515
Overall Width (mm)	2262		
Overall Height (mm)	2960		
Rear Overhang (mm)	3000	2364	2000
Front Overhang (mm)	1180		
Wheels & Tyres	8.25" X 16 "- 16 PR	8.25" X 16 "- 16 PR	7.50" X 16 "- 16 PR
No of Tyres	6+1		
Max. Permissible GVW (kgs)	8800	7000	6340

NOTE: As our policy is that of continuous improvement, above specifications may change without notice.

#### S7 AC Bus Also Available

E-mail: salesadm@smlisuzu.com, www.smlisuzu.com.

