

Wave 1 - Updates and Correction-v2

None

Please update my Google Apps Script tab-sorting framework (based on v1.7.8) to implement a new category sort order and fix two known bugs related to sheet placement and date extraction.

Please rewrite and provide the complete code for these three functions: ``getConfiguredSheetCreationIndex_``, ``extractFirstDateFromSheetName_``, and ``getSheetSortProfileByName_``.

Here are the exact requirements:

1. The Tab Sorting Bug Fix (The Root Cause: A Flawed Starting Number)

****Function to update:**** ``getConfiguredSheetCreationIndex_``

* ****The Issue:**** When calculating the insertion index for a newly created sheet, the framework currently starts searching at the template boundary (``firstTailIndex``). This flawed starting number causes every new sheet to be dumped at the back of the line (just before the hidden templates) instead of immediately sorting into its proper rank.

* ****The Fix ("1. Apply the Math Fix"):** In the block where ``!targetRecord.tail`` is true, change the initial index value to start at Tab 1. Specifically, set ``let targetIndex = 1;`` so the engine evaluates all active tabs from left to right and slides the new sheet perfectly into its configured rank upon creation.

2. The Hidden Date Bug

****Function to update:**** ``extractFirstDateFromSheetName_``

* **The Issue:** The current regex strictly looks for a full `MM.DD.YY` format (e.g., `05.01.26`). My monthly sheets are named using an `MM.YY` format (e.g., "Banners 05.26"). Because the script misses the date, it falls back to alphabetical sorting, forcing an "oldest-to-newest" layout instead of "newest-to-oldest".

* **The Fix:** Keep the existing `MM.DD.YY` check, but add a fallback regex check for standard `MM.YY` formats:
`/(?:^|\s|-)(\d{1,2})\.(\d{2}|\d{4})(?:\s|\$|\())/`. If this matches, extract the month and year, assume the 1st of the month, and return a valid date object so the framework's negative-time math can sort it newest-to-oldest.

3. Updated Category Sort

Function to update: `getSheetSortProfileByName\_`

* **The Goal:** Implement a strict, non-overlapping numerical rank system based on a new blueprint. Extract the month from the sheet name (1-12) to calculate dynamic ranks.

Apply these exact Rank Profiles:

* **Core Infrastructure:** "Index" (Rank 5), "Disenrolled Exclusion" or starts with "Disenrolled" (Rank 10), "Demo P" (Rank 15).

* **Active Sheets (Month Window):** Starts with "Master List", "Monthly Change", or "Raw Data " (but NOT "Raw Data -"). Use math to assign ranks 21 to 98 where December is the lowest number: `rank = 105 - (month \* 7)`. (Fallback to 250 if no month).

* **Monthly Import Sheets (Month Window):** Starts with "Banner", "CP Due", or "Unlocked". Use math to assign ranks 115 to 192 where December is the lowest number: `rank = 199 - (month \* 7)`. (Fallback to 250 if no month).

```
* **Temporary Imports & Archives:** Starts with "Raw Data -  
Banners" (Rank 210), "Raw Data - CP Due" (Rank 220), "Raw Data -  
Unlock CP" (Rank 220), starts with "B ", "CD ", "UC ", or "RD "  
(Rank 230), starts with "Archive - Demo P" (Rank 240).  
  
* **System Sheets & Templates (Tail Block):** "Framework Timing  
Report" (Rank 500), "Dashboard Quality Report" (Rank 510), "Format  
Dashboard" (Rank 520). Template - Banner Report (Rank 800).  
RFF_BASE_TEMPLATE (Rank 900). Any other template (Rank 850).  
  
* **Catch-All (New Sheets):** Everything else gets Rank 250.
```

The Hidden Date Bug

Replace your current `extractFirstDateFromSheetName_` function (around line 3040) with this updated version:

JavaScript

Master_List/Specs/Fixes/The Hidden Date Bug.txt

The Tab Sorting Bug Fix

First, fix the mathematical bug in `getConfiguredSheetCreationIndex_` (around line 1550) so the script stops dumping every sheet at the template boundary:

JavaScript

Master_List/Specs/Fixes/The Tab Sorting Bug Fix.txt

The Code Update

This is an incredibly well-structured blueprint. By assigning a dedicated, non-overlapping rank block to every single month, you completely remove the reliance on the background "negative time" date math and force the workbook into absolute physical positions.

Looking at your tables, you provided two layout options for the months. Because you previously mentioned wanting to sort **newest to oldest**, I am utilizing the layout where **December is the lowest number** (Rank 21/115) and **January is the highest number** (Rank 98/192). This ensures December always anchors to the left.

The Mathematical Shortcut

Rather than writing 24 different **if** statements to handle every month, we can use a tiny piece of math inside the function to generate your exact tables automatically based on the month in the sheet's name:

- For Active Sheets: $105 - (\text{Month} * 7)$ perfectly calculates your 21-to-98 spread.
(Example: $105 - (12 * 7) = \text{Rank } 21$).
- For Import Sheets: $199 - (\text{Month} * 7)$ perfectly calculates your 115-to-192 spread.

Here is your fully updated `getSheetSortProfileByName_` function that perfectly mirrors your blueprint.

Master_List/Specs/Fixes/Updated Category Sort.txt