

Affiliation line 1

Affiliation line 2

Author line 1

Author line 2



MyProjectName : Your Title
Messir Analysis Document
- v 0.0 -
(*Report type: Specification*)

Tuesday 28th November, 2017 - 18:46

Contents

1	Introduction	7
1.1	Overview	7
1.2	Purpose and recipients of the document	7
1.3	Application Domain	7
1.4	Definitions, acronyms and abbreviations	7
1.5	Document structure	7
2	General Description	9
2.1	Domain Stakeholders	9
2.2	System's Actors	10
2.3	Use Cases Model	10
2.3.1	Use Cases	10
2.3.2	Use Case Instance(s)	11
3	Environment Model	13
3.1	Environment model view(s)	13
3.2	Actors and Interfaces Descriptions	13
4	Concept Model	15
4.1	Concept Model view(s)	15
4.2	Concept Model Types Descriptions	15
4.2.1	Primary types - Class types descriptions	15
4.2.2	Primary types - Datatypes types descriptions	15
4.2.3	Primary types - Association types descriptions	15
4.2.4	Primary types - Aggregation types descriptions	15
4.2.5	Secondary types - Class types descriptions	15
4.2.6	Secondary types - Datatypes types descriptions	15
4.2.7	Secondary types - Association types descriptions	16
4.2.8	Secondary types - Aggregation types descriptions	16
4.2.9	Secondary types - Composition types descriptions	16
5	Operation Model	17
5.1	Environment - Out Interface Operation Schemes	17
5.2	Environment - Actor Operation Schemes	17
5.3	Primary Types - Operation Schemes for Classes	17
5.4	Primary Types - Operation Schemes for Datatypes	17
5.5	Primary Types - Operation Schemes for Enumerations	17
5.6	Secondary Types - Operation Schemes for Classes	17
5.7	Secondary Types - Operation Schemes for Datatypes	17
5.8	Secondary Types - Operation Schemes for Enumerations	18

6	Test Model(s)	19
7	Additional Constraints	21
A	Undocumented Messir Specification Elements	23
A.1	Undocumented Use Cases	23
A.1.1	Undocumented Use Cases - Summary Level	23
A.1.2	Undocumented Use Cases - Subfunction Level	23
A.1.3	Undocumented Use Case Views	23
A.2	Undocumented Use Case Instances	23
A.2.1	Undocumented Use Case Instances - Summary Level	23
A.2.2	Undocumented Use Case Instance Views	23
A.3	Undocumented Actors	24
A.4	Undocumented Primary Types	24
A.4.1	Undocumented Primary Classe Types	24
B	Messir Specification Files Listing	25
B.1	File /src-gen/messir-spec/.views.msr	25
B.2	File /src-gen/messir-spec/environment/environment.msr	25
B.3	File /src-gen/messir-spec/concepts.../primarytypes-associations.msr	26
B.4	File /src-gen/messir-spec/concepts/primarytypes-classes/primarytypes-classes.msr	26
B.5	File /src-gen/messir-spec/concepts.../primarytypes-datatypes.msr	26
B.6	File /src-gen/messir-spec/concepts.../secondarytypes-associations.msr	27
B.7	File /src-gen/messir-spec/concepts.../secondarytypes-classes.msr	27
B.8	File /src-gen/messir-spec/concepts.../secondarytypes-datatypes.msr	28
B.9	File /src-gen/messir-spec/tests/tests.msr	28
B.10	File /src-gen.../usecaseinstance-sfAddLibrarian-ucisfAddLibrarian.msr	28
B.11	File /src-gen.../usecaseinstance-sfDeleteLibrarian-ucisfDeleteLibrarian.msr	29
B.12	File /src-gen.../usecaseinstance-sfEditLibrarian-ucisfEditLibrarian.msr	29
B.13	File /src-gen.../usecaseinstance-suDeployAndRun-ucisuDeployAndRun.msr	29
B.14	File /src-gen.../usecaseinstance-suManageLibrarians-ucisuManageLibrarians.msr	29
B.15	File /src-gen/messir-spec.../usecaseinstance-ugLibrarians-uciugLibrarians.msr	30
B.16	File /src-gen/messir-spec/usecases/usecases.msr	30

List of Figures

Listings

B.1	Messir Spec. file .views.msr.	25
B.2	Messir Spec. file environment.msr.	25
B.3	Messir Spec. file primarytypes-associations.msr.	26
B.4	Messir Spec. file primarytypes-classes.msr.	26
B.5	Messir Spec. file primarytypes-datatypes.msr.	26
B.6	Messir Spec. file secondarytypes-associations.msr.	27
B.7	Messir Spec. file secondarytypes-classes.msr.	27
B.8	Messir Spec. file secondarytypes-datatypes.msr.	28
B.9	Messir Spec. file tests.msr.	28
B.10	Messir Spec. file usecaseinstance-sfAddLibrarian-ucisfAddLibrarian.msr.	28
B.11	Messir Spec. file usecaseinstance-sfDeleteLibrarian-ucisfDeleteLibrarian.msr.	29
B.12	Messir Spec. file usecaseinstance-sfEditLibrarian-ucisfEditLibrarian.msr.	29
B.13	Messir Spec. file usecaseinstance-suDeployAndRun-ucisuDeployAndRun.msr.	29
B.14	Messir Spec. file usecaseinstance-suManageLibrarians-ucisuManageLibrarians.msr.	29
B.15	Messir Spec. file usecaseinstance-ugLibrarians-uciugLibrarians.msr.	30
B.16	Messir Spec. file usecases.msr.	30

Chapter 1

Introduction

1.1 Overview

1.2 Purpose and recipients of the document

1.3 Application Domain

1.4 Definitions, acronyms and abbreviations

1.5 Document structure

Chapter 2

General Description

2.1 Domain Stakeholders

2.2 System's Actors

The objective of this section is not to provide the full requirement elicitation document in this section but to reuse a part of this document to provide a informal introduction to the **Messip** specification of the system under development. The use case model is made of a use case diagrams modelling abstractly and informally the actors and their use cases together with a set of use cases descriptions. In addition, those diagrams and description tables are adapted to the **Messip** specification since actor and messages names together with parameters are partly adapted to be consistent with the specification identifiers (see [?] for more details).

2.3 Use Cases Model

This section contains the use cases elicited during the requirements elicitation phase. The use cases are textually described as suggested by the **Messip** method and inspired by the standard Cokburn template [?].

2.3.1 Use Cases

There are no elements in this category in the system analysed.

2.3.2 Use Case Instance(s)

There are no elements in this category in the system analysed.

Chapter 3

Environment Model

3.1 Environment model view(s)

There are no view(s) for the **messip** environment model.

3.2 Actors and Interfaces Descriptions

There are no elements in this category in the system analysed.

Chapter 4

Concept Model

4.1 Concept Model view(s)

There are no view(s) for the **Messip** concept model.

4.2 Concept Model Types Descriptions

This section provides the textual descriptions of all the types defined in the concept model and that can be part of the graphical views provided.

4.2.1 Primary types - Class types descriptions

There are no elements in this category in the system analysed.

4.2.2 Primary types - Datatypes types descriptions

There are no elements in this category in the system analysed.

4.2.3 Primary types - Association types descriptions

There are no association types for the primary types.

4.2.4 Primary types - Aggregation types descriptions

There are no aggregation types for the primary types.

4.2.4.1 Primary types - Composition types descriptions

There are no composition types for the primary types.

4.2.5 Secondary types - Class types descriptions

There are no elements in this category in the system analysed.

4.2.6 Secondary types - Datatypes types descriptions

There are no elements in this category in the system analysed.

4.2.7 Secondary types - Association types descriptions

There are no association types for the secondary types.

4.2.8 Secondary types - Aggregation types descriptions

There are no aggregation types for the secondary types.

4.2.9 Secondary types - Composition types descriptions

There are no composition types for the secondary types.

Chapter 5

Operation Model

This section contains the operation schemes of each operation defined in either an actor, its output interface, in a primary or secondary type (class, datatype or enumeration types). The **messi** OCL code listing is joined to the comment table.

5.1 Environment - Out Interface Operation Schemes

There are no elements in this category in the system analysed.

5.2 Environment - Actor Operation Schemes

There are no elements in this category in the system analysed.

5.3 Primary Types - Operation Schemes for Classes

There are no elements in this category in the system analysed.

5.4 Primary Types - Operation Schemes for Datatypes

There are no elements in this category in the system analysed.

5.5 Primary Types - Operation Schemes for Enumerations

There are no elements in this category in the system analysed.

5.6 Secondary Types - Operation Schemes for Classes

There are no elements in this category in the system analysed.

5.7 Secondary Types - Operation Schemes for Datatypes

There are no elements in this category in the system analysed.

5.8 Secondary Types - Operation Schemes for Enumerations

There are no elements in this category in the system analysed.

Chapter 6

Test Model(s)

There are no elements in this category in the system analysed.

Chapter 7

Additional Constraints

Appendix A

Undocumented Messir Specification Elements

A.1 Undocumented Use Cases

A.1.1 Undocumented Summary Level Use Cases

- `lu.uni.lassy.excalibur.myproject.usecases.suDeployAndRun`
- `lu.uni.lassy.excalibur.myproject.usecases.suManageLibrarians`

A.1.2 Undocumented Subfunction Level Use Cases

- `lu.uni.lassy.excalibur.myproject.usecases.sfAddLibrarian`
- `lu.uni.lassy.excalibur.myproject.usecases.sfDeleteLibrarian`
- `lu.uni.lassy.excalibur.myproject.usecases.sfEditLibrarian`
- `lu.uni.lassy.excalibur.myproject.usecases.sfLogin`
- `lu.uni.lassy.excalibur.myproject.usecases.sfLogout`

A.1.3 Undocumented Use Case Views

- `uc-suDeployAndRun`
- `uc-suManageLibrarians`

A.2 Undocumented Use Case Instances

A.2.1 Undocumented Summary Level Use Case Instances

- `usecases.ucisuDeployAndRun.ucisuDeployAndRun`

A.2.2 Undocumented Use Case Instance Views

- `uci-ucisuDeployAndRun`

A.3 Undocumented Actors

- `lu.uni.lassy.excalibur.myproject.environment.actDatabaseManagementSystem`
- `lu.uni.lassy.excalibur.myproject.environment.actLibrarianManagementSystem`
- `lu.uni.lassy.excalibur.myproject.environment.actSysadmin`

A.4 Undocumented Primary Types

A.4.1 Undocumented Primary Classe Types

- `lu.uni.lassy.excalibur.myproject.concepts.primarytypes.classes.ctState`

Appendix B

Messir Specification Files Listing

B.1 File ./src-gen/messir-spec/.views.msr

```
1 //
2 //DON'T TOUCH THIS FILE !!!
3 //
4 package uuid695728acbf2b4e2da067e942a8b71a42 {
5   Concept Model {}
6 }
```

Listing B.1: Messir Spec. file .views.msr.

B.2 File ./src-gen/messir-spec/environment/environment.msr

```
1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.environment {
7
8   import lu.uni.lassy.messir.libraries.calendar
9   import lu.uni.lassy.messir.libraries.math
10  import lu.uni.lassy.messir.libraries.primitives
11  import lu.uni.lassy.messir.libraries.string
12
13  Environment Model {
14
15    actor actSysadmin role ractSysadmin cardinality[0 .. *] {
16      input interface inactSysadmin {
17      }
18      output interface outactSysadmin {
19      }
20    }
21    actor actLibrarianManagementSystem role ractLibrarianManagementSystem cardinality[0 .. *] {
22      input interface inactLibrarianManagementSystem {
23      }
24      output interface outactLibrarianManagementSystem {
25      }
26    }
27    actor actDatabaseManagementSystem role ractDatabaseManagementSystem cardinality[0 .. *] {
28      input interface inactDatabaseManagementSystem {
29      }
30      output interface outactDatabaseManagementSystem {
31      }
32    }
33  }
34 }
```

Listing B.2: Messir Spec. file environment.msr.

B.3 File `./src-gen/messir-spec/concepts/primarytypes-associations/primarytypes-associations.msr`

```

1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.concepts.primarytypes.associations {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Concept Model {
14
15 Primary Types {
16
17 }
18 }
19 }

```

Listing B.3: Messir Spec. file primarytypes-associations.msr.

B.4 File `./src-gen/messir-spec/concepts/primarytypes-classes/primarytypes-classes.msr`

```

1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.concepts.primarytypes.classes {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 import lu.uni.lassy.messir.libraries.primitives
14
15 Concept Model {
16
17 Primary Types {
18
19 state class ctState {
20 attribute vpStarted: ptBoolean
21
22 operation init(AvpStarted:ptBoolean): ptBoolean
23 }
24
25 }
26 }
27 }

```

Listing B.4: Messir Spec. file primarytypes-classes.msr.

B.5 File `./src-gen/messir-spec/concepts/primarytypes-datatypes/primarytypes-datatypes.msr`

```

1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017

```

```

4 */
5
6 package lu.uni.lassy.excalibur.myproject.concepts.primarytypes.datatypes {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Concept Model {
14
15 Primary Types {
16
17 }
18 }
19 }

```

Listing B.5: Messir Spec. file primarytypes-datatypes.msr.

B.6 File `./src-gen/messir-spec/concepts/secondarytypes-associations/secondarytypes-associations.msr`

```

1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.concepts.secondarytypes.associations {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Concept Model {
14
15 Secondary Types {
16
17 }
18 }
19 }

```

Listing B.6: Messir Spec. file secondarytypes-associations.msr.

B.7 File `./src-gen/messir-spec/concepts/secondarytypes-classes/secondarytypes-classes.msr`

```

1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.concepts.secondarytypes.classes {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Concept Model {
14
15 Secondary Types {
16
17 }
18 }

```

19 }

Listing B.7: Messir Spec. file secondarytypes-classes.msr.

B.8 File `./src-gen/messir-spec/concepts/secondarytypes-datatypes/secondarytypes-datatypes.msr`

```

1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.concepts.secondarytypes.datatypes {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Concept Model {
14
15 Secondary Types {
16
17 }
18
19 }
20 }

```

Listing B.8: Messir Spec. file secondarytypes-datatypes.msr.

B.9 File `./src-gen/messir-spec/tests/tests.msr`

```

1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.tests {
7
8 import lu.uni.lassy.messir.libraries.calendar
9 import lu.uni.lassy.messir.libraries.math
10 import lu.uni.lassy.messir.libraries.primitives
11 import lu.uni.lassy.messir.libraries.string
12
13 Test Model {
14
15 }
16
17 }

```

Listing B.9: Messir Spec. file tests.msr.

B.10 File `./src-gen/messir-spec/usecases/usecaseinstance-sfAddLibrarian-ucisfAddLibrarian.msr`

```

1 package usecases.ucisfAddLibrarian {
2 import lu.uni.lassy.excalibur.myproject.usecases
3
4 Use Case Model {
5 }
6 }

```

Listing B.10: Messir Spec. file usecaseinstance-sfAddLibrarian-ucisfAddLibrarian.msr.

B.11 File `./src-gen/messir-spec/usecases/usecaseinstance-sfDeleteLibrarian-ucisfDeleteLibrarian.msr`

```

1 package usecases.ucisfDeleteLibrarian {
2   import lu.uni.lassy.excalibur.myproject.usecases
3
4   Use Case Model {
5   }
6 }

```

Listing B.11: Messir Spec. file usecaseinstance-sfDeleteLibrarian-ucisfDeleteLibrarian.msr.

B.12 File `./src-gen/messir-spec/usecases/usecaseinstance-sfEditLibrarian-ucisfEditLibrarian.msr`

```

1 package usecases.ucisfEditLibrarian {
2   import lu.uni.lassy.excalibur.myproject.usecases
3
4   Use Case Model {
5
6   }
7 }

```

Listing B.12: Messir Spec. file usecaseinstance-sfEditLibrarian-ucisfEditLibrarian.msr.

B.13 File `./src-gen/messir-spec/usecases/usecaseinstance-suDeployAndRun-ucisuDeployAndRun.msr`

```

1 package usecases.ucisuDeployAndRun {
2   import lu.uni.lassy.excalibur.myproject.usecases
3
4   Use Case Model {
5
6     use case instance ucisuDeployAndRun : suDeployAndRun{
7       actors {
8         filippoLobisch : lu.uni.lassy.excalibur.myproject.environment.actSysadmin
9       }
10
11       use case steps{
12         filippoLobisch executed instanceof subfunction sfLogin("filippoLobisch", "password") {}
13         filippoLobisch executed instanceof subfunction sfLogout() {}
14         filippoLobisch executed instanceof subfunction sfAddLibrarian("100900100", "John Smith", "
15           10/10/1990") {}
16         filippoLobisch executed instanceof subfunction sfEditLibrarian("Successfully edited librarian.")
17           {}
18         filippoLobisch executed instanceof subfunction sfDeleteLibrarian("Successfully deleted librarian
19           .") {}
20       }
21     }
22   }
23 }

```

Listing B.13: Messir Spec. file usecaseinstance-suDeployAndRun-ucisuDeployAndRun.msr.

B.14 File `./src-gen/messir-spec/usecases/usecaseinstance-suManageLibrarians-ucisuManageLibrarians.msr`

```

1 package usecases.ucisuManageLibrarians {
2   import lu.uni.lassy.excalibur.myproject.usecases

```

```

3
4 Use Case Model {
5
6 }
7 }

```

Listing B.14: Messir Spec. file usecaseinstance-suManageLibrarians-ucisuManageLibrarians.msr.

B.15 File `./src-gen/messir-spec/usecases/usecaseinstance-ugLibrarians-uciugLibrarians.msr`

```

1 package usecases.uciugLibrarians {
2   import lu.uni.lassy.excalibur.myproject.usecases
3
4   Use Case Model {
5
6   }
7 }

```

Listing B.15: Messir Spec. file usecaseinstance-ugLibrarians-uciugLibrarians.msr.

B.16 File `./src-gen/messir-spec/usecases/usecases.msr`

```

1 /*
2 * @author lobfil
3 * @date Tue Nov 07 21:17:53 CET 2017
4 */
5
6 package lu.uni.lassy.excalibur.myproject.usecases {
7
8   import lu.uni.lassy.messir.libraries.calendar
9   import lu.uni.lassy.messir.libraries.math
10  import lu.uni.lassy.messir.libraries.primitives
11  import lu.uni.lassy.messir.libraries.string
12
13  Use Case Model {
14
15    use case system summary suManageLibrarians() {
16      actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
17      actor lu.uni.lassy.excalibur.myproject.environment.actDatabaseManagementSystem[secondary, active]
18      actor lu.uni.lassy.excalibur.myproject.environment.actLibrarianManagementSystem[secondary, active]
19
20      reuse lu.uni.lassy.excalibur.myproject.usecases.sfAddLibrarian[0..*]
21      reuse lu.uni.lassy.excalibur.myproject.usecases.sfEditLibrarian[0..*]
22      reuse lu.uni.lassy.excalibur.myproject.usecases.sfDeleteLibrarian[0..*]
23
24      step a: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes sfAddLibrarian
25      step b: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes sfEditLibrarian
26      step c: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes sfDeleteLibrarian
27
28    }
29
30    use case system summary suDeployAndRun() {
31      actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
32
33      reuse lu.uni.lassy.excalibur.myproject.usecases.suManageLibrarians[1..*]
34      reuse lu.uni.lassy.excalibur.myproject.usecases.sfLogin[0..1]
35      reuse lu.uni.lassy.excalibur.myproject.usecases.sfLogout[0..1]
36
37      step a: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes sfLogin
38      step b: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes sfLogout
39      step c: lu.uni.lassy.excalibur.myproject.environment.actSysadmin executes suManageLibrarians
40
41    }
42
43    use case system subfunction sfAddLibrarian() {
44      actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, passive]

```

```

45  actor lu.uni.lassy.excalibur.myproject.environment.actDatabaseManagementSystem[secondary, passive
46  ]
47  actor lu.uni.lassy.excalibur.myproject.environment.actLibrarianManagementSystem[secondary,
48  passive]
49  returned messages{
50  ieAddLibrarian returned to lu.uni.lassy.excalibur.myproject.environment.actSysadmin
51  }
52  }
53  use case system subfunction sfDeleteLibrarian() {
54  actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
55  actor lu.uni.lassy.excalibur.myproject.environment.actDatabaseManagementSystem[secondary, passive
56  ]
57  actor lu.uni.lassy.excalibur.myproject.environment.actLibrarianManagementSystem[secondary,
58  passive]
59  returned messages{
60  ieDeleteLibrarian returned to lu.uni.lassy.excalibur.myproject.environment.actSysadmin
61  }
62  }
63  use case system subfunction sfEditLibrarian() {
64  actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
65  actor lu.uni.lassy.excalibur.myproject.environment.actDatabaseManagementSystem[secondary, passive
66  ]
67  actor lu.uni.lassy.excalibur.myproject.environment.actLibrarianManagementSystem[secondary,
68  passive]
69  returned messages{
70  ieEditLibrarian returned to lu.uni.lassy.excalibur.myproject.environment.actSysadmin
71  }
72  }
73  use case system subfunction sfLogin() {
74  actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
75  returned messages{
76  ieLogin returned to lu.uni.lassy.excalibur.myproject.environment.actSysadmin
77  }
78  }
79  use case system subfunction sfLogout() {
80  actor lu.uni.lassy.excalibur.myproject.environment.actSysadmin[primary, active]
81  returned messages{
82  ieLogout returned to lu.uni.lassy.excalibur.myproject.environment.actSysadmin
83  }
84  }
85  }
86  }
87  }
88  }

```

Listing B.16: Messir Spec. file usecases.msr.

