In [1]: import numpy as np
 import pandas as pd
 import matplotlib.pyplot as plt
 import seaborn as sns

In [2]: df = sns.load_dataset('titanic')
df #v

Out[2]:

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult_mal
0	0	3	male	22.0	1	0	7.2500	S	Third	man	Tru
1	1	1	female	38.0	1	0	71.2833	С	First	woman	Fals
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	Fals
3	1	1	female	35.0	1	0	53.1000	S	First	woman	Fals
4	0	3	male	35.0	0	0	8.0500	S	Third	man	Tru
886	0	2	male	27.0	0	0	13.0000	S	Second	man	Tru
887	1	1	female	19.0	0	0	30.0000	S	First	woman	Fals
888	0	3	female	NaN	1	2	23.4500	S	Third	woman	Fals
889	1	1	male	26.0	0	0	30.0000	С	First	man	Tru
890	0	3	male	32.0	0	0	7.7500	Q	Third	man	Tru

891 rows × 15 columns

•


In [3]: df.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 15 columns):
```


#	Column	Non-Null Count	Dtype				
0	survived	891 non-null	int64				
1	pclass	891 non-null	int64				
2	sex	891 non-null	object				
3	age	714 non-null	float64				
4	sibsp	891 non-null	int64				
5	parch	891 non-null	int64				
6	fare	891 non-null	float64				
7	embarked	889 non-null	object				
8	class	891 non-null	category				
9	who	891 non-null	object				
10	adult_male	891 non-null	bool				
11	deck	203 non-null	category				
12	embark_town	889 non-null	object				
13	alive	891 non-null	object				
14	alone	891 non-null	bool				
<pre>dtypes: bool(2), category(2), float64(2), int64(4), object(5)</pre>							
memory usage: 80.7+ KB							

memory usage: 80./+ KB

Out[5]: <Axes: xlabel='sex', ylabel='age'>




% of Male Survied : 25.796178343949045 % of Female Survied : 81.10918544194108




```
In [6]: sns.boxplot(x='sex', y='age', data=df, hue='survived') #c
```

Out[6]: <Axes: xlabel='sex', ylabel='age'>



```
In [8]: sns.swarmplot(x='sex', y='age', data=df, hue='survived')
```

Out[8]: <Axes: xlabel='sex', ylabel='age'>



```
In [ ]:
```