API Reference

HyperAPI provides four document intelligence endpoints. All requests are authenticated with an API key and accept multipart file uploads.

```
Base URL https://api.hyperapi.dev
```

Authentication

All API requests require an `X-API-Key` header. Keys are prefixed with `hk_live_` for production or `hk_test_` for testing. Generate keys from your dashboard.

```
curl -X POST https://api.hyperapi.dev/v1/parse \
  -H "X-API-Key: hk_live_your_key_here" \
  -F "file=@invoice.pdf"
```

Quickstart

Install the Python SDK and run your first API call in under a minute.

Install

```
pip install hyperapi
```

Parse a document

```
from hyperapi import HyperAPIClient

client = HyperAPIClient(api_key="hk_live_your_key_here")

result = client.parse("invoice.pdf")
print(result["result"]["ocr"])

client.close()
```

POST `/v1/parse`

Parse

Extract raw text from documents using OCR. Supports PDFs and images. Returns structured markdown with page-level text.

Request Headers

`X-API-Key`	required — your API key
`Content-Type`	multipart/form-data

Request Body

`file`	required — PDF, PNG, JPG

cURL

```
curl -X POST https://api.hyperapi.dev/v1/parse \
  -H "X-API-Key: hk_live_..." \
  -F "file=@document.pdf"
```

Python

```
from hyperapi import HyperAPIClient

client = HyperAPIClient(api_key="hk_live_...")
result = client.parse("document.pdf")
print(result["result"]["ocr"])
```

Response (200 OK)

```
{
  "status": "success",
  "request_id": "req_01j9x...",
  "task": "parse",
  "model_used": "hyperbots_vlm_ocr",
  "result": {
    "ocr": "Invoice\n\nBill To: Acme Corp\nDate: 2024-01-15\n\n..."
  },
  "duration_ms": 843,
  "metadata": {
    "pages": 2,
    "file_type": "pdf"
  }
}
```

POST `/v1/classify`

Classify

Categorize document type automatically. Returns a label and confidence score from a set of financial document classes.

Cost: **$0.03/page** Latency: **~0.8s** Model: `hyperbots_vlm_ocr`

Request Headers

Content-Type multipart/form-data

Request Body

`file`	required — PDF, PNG, JPG

cURL

```
curl -X POST https://api.hyperapi.dev/v1/classify \
  -H "X-API-Key: hk_live_..." \
  -F "file=@document.pdf"
```

Python

```
from hyperapi import HyperAPIClient

client = HyperAPIClient(api_key="hk_live_...")
result = client.classify("document.pdf")
print(result["result"]["label"])
```

Response (200 OK)

```
{
  "status": "success",
  "request_id": "req_01j9y...",
  "task": "classify",
  "model_used": "hyperbots_vlm_ocr",
  "result": {
    "label": "invoice",
    "confidence": 0.98,
    "candidates": [
      { "label": "invoice", "confidence": 0.98 },
      { "label": "receipt", "confidence": 0.01 },
      { "label": "contract", "confidence": 0.01 }
    ]
  },
  "duration_ms": 612,
  "metadata": { "pages": 1 }
}
```

POST `/v1/split`

Split

Segment a multi-document PDF into individual logical documents. Returns page ranges for each detected document.

Cost: **$0.02/page** Latency: **~0.5s** Model: `hyperbots_vlm_ocr`

Request Headers

`X-API-Key`	required — your API key

`file`	required — PDF, PNG, JPG

cURL

```
curl -X POST https://api.hyperapi.dev/v1/split \
  -H "X-API-Key: hk_live_..." \
  -F "file=@document.pdf"
```

Python

```
from hyperapi import HyperAPIClient

client = HyperAPIClient(api_key="hk_live_...")
result = client.split("document.pdf")
print(result["result"]["segments"])
```

Response (200 OK)

```
{
  "status": "success",
  "request_id": "req_01j9z...",
  "task": "split",
  "model_used": "hyperbots_vlm_ocr",
  "result": {
    "segments": [
      { "document_index": 0, "start_page": 1, "end_page": 3, "type": "invoice" },
      { "document_index": 1, "start_page": 4, "end_page": 5, "type": "receipt" }
    ]
  },
  "duration_ms": 490,
  "metadata": { "pages": 5 }
}
```

POST `/v1/extract`

Extract

Extract structured data fields from documents using a vision-language model. Returns named entities and line items.

Cost: **$0.08/page** Latency: **~2s** Model: `hyperbots_vlm_extract`

Request Headers

`X-API-Key`	required — your API key
`Content-Type`	multipart/form-data

Request Body

```
curl -X POST https://api.hyperapi.dev/v1/extract \
  -H "X-API-Key: hk_live_..." \
  -F "file=@document.pdf"
```

Python

```
from hyperapi import HyperAPIClient

client = HyperAPIClient(api_key="hk_live_...")
result = client.extract("document.pdf")
print(result["result"]["entities"])
```

Response (200 OK)

```
  "request_id": "req_01ja0...",
  "task": "extract",
  "model_used": "hyperbots_vlm_extract",
  "result": {
    "entities": {
      "invoice_number": "INV-2024-0042",
      "date": "2024-01-15",
      "due_date": "2024-02-15",
      "vendor_name": "Acme Supplies Ltd",
      "total_amount": "1,250.00",
      "currency": "USD"
    },
    "line_items": [
      { "description": "Widget A", "quantity": 10, "unit_price": "100.00", "total": "1,000.00" },
      { "description": "Shipping", "quantity": 1, "unit_price": "250.00", "total": "250.00" }
    ]
  },
  "duration_ms": 1820,
  "metadata": { "pages": 2 }
}
```

Errors

All errors return a JSON body with an `error` object and a standard HTTP status code.

401	Unauthorized	Missing or invalid X-API-Key
402	Payment Required	Insufficient credit balance
413	Payload Too Large	File exceeds 50 MB limit
422	Unprocessable Entity	Unsupported file type
429	Too Many Requests	Rate limit exceeded

```
{
  "error": {
    "code": "INSUFFICIENT_CREDITS",
    "message": "Your credit balance is too low to process this request."
  }
}
```

Rate Limits

Rate limits are applied per API key, per minute. Limits scale with your plan tier.

Tier	Requests / min	Concurrency	Priority weight
Free	10	1	1
Pro	100	10	10
Enterprise	Unlimited	100	100

SDKs

Official SDK for Python. Node.js SDK coming soon.

Python SDK

Python 3.9+ • httpx • asyncio support

```
pip install hyperapi
```

```
client.parse(file)
client.extract(file)
client.classify(file)
client.split(file)
client.process(file)
client.upload_document(file)
```

Node.js SDK

Coming soon

```
npm install hyperapi
```

Financial document processing APIs that actually work. Built for developers who ship fast.

Product

APIs

Pricing

Waitlist

Resources

Research

Blog

Company

About

Hyperbots

Contact

Legal

Terms and Conditions

© 2026 Hyperbots. All rights reserved.

All systems operational