1 Vision & Mission

1.1 Vision

To establish true "One Window" facilities in SNGPL front desk offices and introduce different platforms to encompass our diverse clientage for maximum facilitation through implementation of latest technology and IT solutions.

1.2 Mission

The prime objective of Customer Services is to act as an interface between customers and different departments. Customer Services shall act as a bridge by receiving complaints of Customers, arranging timely resolution of their complaints through concerned departments, responding to their queries.

1.3 Policy

Sui Northern Gas Pipelines Limited strives to be

- **Customer Focused**
- **Service Oriented**
- **Caring**

We aim to meet customer's needs with efficiency, effectiveness and courtesy by:

- Providing a friendly service, showing respect and sympathy
- Recognizing and responding to customers particular needs
- Dealing with customers' requests and enquiries accurately, swiftly and efficiently
- Ensuring customers' confidentiality
- Making effective liaison with other departments for quick resolution
- Making effective use of IT and web services
- Continuously monitoring of our performance
- Prompt feedback from customers

1.3.1 Circulation of Policies

1. It shall be responsibility of Regional Incharge CS to provide a copy of this Manual to all personnel deputed in CSCs and CCs under his area of jurisdiction for their information and implementation thereof.
2. It shall also be a responsibility of Regional Incharge CS to maintain a record of recipients. Any new incumbent in Customer Services Department shall be provided a copy of this manual, immediately upon his arrival.

3. A meeting shall be arranged by Regional Incharge CS to be attended by all Customer Services Executives / Subordinate staff along with casuals of that region once in a month to monitor the understanding of Customer Services Manual and SOPs (for CSC and CC) and OGRA performance standards. Record of Minutes of the meeting should be maintained at regional level.
4. In case of any lapse, responsibility shall be fixed accordingly.

2 Preface

2.1 Introduction

Customer Services Department is offering consumer care facilities to valued consumers through its front desk offices situated in all operational area of SNGPL. Presently multiple Regional offices, Sub-Area offices, independent Customer Service Centers (CSCs) and independent Complaint Centers (CCs) are in operation for providing customer related services.

SNGPL is using different modes for interacting with its Customers, which include the following:

1. Customers Telephonic Calls at 1199
2. Walk-in customers
3. PMDU(Pakistan Citizen Portal)
4. Company's website "www.sngpl.com.pk"
5. Company's Facebook account "www.facebook.com/SNGPLofficial"
6. Company's Twitter account "www.twitter.com/SNGPLofficial"
7. Company's YouTube account "www.youtube.com/sngplofficial"
8. Company's Instagram account "www.instagram.com/sngplofficial"
9. Mobile application "SNGPL Bill" for Android users
10. E-Kachehris
11. Landline number of concerned office
12. Email "customerservices@sngpl.com.pk"

Customer Services Department serves as an interface between customers and different departments of SNGPL for redressal of customers' complaints. Customer Service Centers in Regional offices are headed by CS Executive. Following departments have direct interaction with Customers through their representatives deputed in Customer Services Centers.

- Distribution (Development, Operations, Maintenance, UFG-C)
- Business Development (BD-R)
- Billing
- Treasury

Other than Customer Service Centers, Customer Services Department is custodian of Complaint Centers where Emergency Duty Assistants and Emergency teams perform duty round the clock, 365 days a year, to attend customer complaints and handle gas emergencies. Teams of

engineering section deputed with Customer Services pay initial visits against customer complaints and arrange rectification of customer complaints with overhead issues. Customer complaints related to underground issues are referred to Operations/Maintenance sections for rectification depending upon the type of complaint.

Customer Services Department has made arrangements for centralized Call Center to respond to customer queries and receive Operational, Billing and BD-R complaints of customers across SNGPL. Complaints are lodged in the CC&B by Call Center agents and are automatically assigned to concerned Region/Department in the system, instantaneously. The complete history and database of each customer is maintained in Oracle based Customer Care & Billing (CC&B) software. The Call Center can be accessed by dialling a short code 1199 from mobile or landline number within Company`s area of jurisdiction. To improve satisfaction level of our valued customers, immediately upon lodgement of complaint, an SMS is sent on the given cell number whereby unique complaint number against that complaint is forwarded to the complainant. Subsequently, feedback of all resolved complaints is obtained through text message. Furthermore, random feedback from consumers is obtained by all offices along-with the Call Center through telephonic calls.

2.1.1 Region Wise Detail of Company Offices

The details of Region Wise Company vide offices is attached as **Appendix-"A".**

2.1.2 Customer Services Functions at Head Office

1. To develop policies/strategies for Customer Services Department.
2. To prepare/update CS Department Manual.
3. To monitor compliance regarding OGRA Standards at Regional level.
4. To monitor/deal with Call Center.
5. To prepare annual budget and to ensure availability of human resource in accordance with the available budget. To monitor complaint resolution of Regional CSCs and CCs through dashboards.
6. To deal with Ministry / OGRA and Cabinet Division regarding Customer Services Department.

2.2 Organogram

Organogram of CS department is attached as **Appendix-"B".**

3 Definition

- **Call Center:**

  The establishment of a system at the Location for receiving customer complaints and taking information from the caller, which is to operate as a complaint management system for SNGPL

- **1199:**

  Short code for calling SNGPL's Call Center.

- **OBI Dashboard:**

  Web module for analysis of complaints data.

- **Response Time:**

  The time taken for attending a particular complaint.

- **PCP Dashboard:**

  Web module for PMDU complaints handling.

- **Performance and Service Standards:**

  Set of standards devised by OGRA.

4 Manual

4.1 Scope of Customer Services Department

Customer Services Department shall facilitate valuable consumers through following sources:

1. Call Center
2. Customer Service Centers (CSCs)
3. Complaint Centers (CCs)

Call Center

Within the Company's area of jurisdiction, a short code 1199 is assigned for receiving telephone calls from the public to lodge a complaint or to seek information. These calls are received by a third party i.e. Call Center. Customer Services department shall make arrangements to award the contract to a well established and resourceful Call Center service provider for a period of two years to disseminate information related to services provided by the Company. The Call Center shall receive complaints regarding Operational, Billing and BD-R for all Regions. These complaints shall then be routed to respective Regions / Sub-Areas through Oracle based Customer Care & Billing (CC&B) software. The complete history and database of each customer is maintained in this software.

Customer Service Center

Customer Service Center is essential part of Regional office, and Sub Area offices. To facilitate our valued customers, independent Customer Service Centers have also been established. The Customer Service Center functions as “one window” and its main function should be to resolve the consumers / public complaints on the spot. If issue is not resolved at the spot, complaint shall be lodged in CC&B and complaint number should be given to the consumer with tentative timeline for resolution of complaint. Upon resolution of complaint, it should be posted in CC&B by the concerned section and complainant shall be informed accordingly through automatically generated text message. The primary object is to resolve the public complaints through one window. The front desk officials of the Distribution, BD-R, Treasury and Billing departments shall be deputed at CSC and the CSC shall be headed by a Customer Services Incharge. Following are the types of complaints to be handled in CSCs:

a) Business Development (BD-R):

1. New application receipt of domestic and commercial gas connections.

2. Providing security and service line charges bill to the consumer upon receipt of signed contract form along with requisite documents from consumer
3. Receiving and forwarding of BD-R complaints.

b) Billing:

1. Issuance of duplicate bills, instalments and date extension of bills.
2. Receiving and forwarding of Billing Complaints.

c) Engineering:

1. Receipt and rectification of gas leakage complaints.
2. Receipt and rectification of Gas stoppage / meter blockage complaints.
3. Receipt and rectification of Low gas pressure complaints.
4. Complaints related to new connections.

d) Accounts/Treasury:

1. Correction of bill regarding previously paid bill amount added in the current bill.
2. Issuance of duplicate receipt of payment of security and service line charges in case of loss of original receipt.

Complaint Center (CC)

Complaint Center is an essential part of Regional office, and Sub Area offices. However, in remote areas, independent Complaint Centers have been established to reduce response time in handling gas emergencies and redressal of consumers' grievance related to operational issues. Complaint Centers shall deal with operational complaints received through 1199 facility or walk- in consumers at Complaint Center offices. Complaints with above ground issues shall be rectified by Distribution fitter teams deputed with Customer Services Department, whereas complaints of low pressure area and underground issues shall be forwarded to Distribution Operation/Maintenance and Distribution Metering sections.

4.1.1 Staff Deployment Responsibility at CSCs / CCs

Regional Heads shall be responsible for the deployment / appointment of skilled / proficient BD-R, Billing, Engineering and Accounts / Treasury staff at CSCs / CCs under their jurisdiction.

4.1.2 Responsibilities of Customer Service Center Staff

1. Incharge Customer Service Center shall be well aware of Company procedures. He shall ensure optimum utilization of staff and resources at Customer Service Center to facilitate our valued consumers in resolution of their complaints on the spot. The record of the consumer complaints which have not been resolved on the spot shall be entered in CC&B for further necessary action. Track of complaints from lodging till resolution shall be maintained in CC&B.
2. Complaints received in CSC shall be forwarded to concerned Sectional Incharges through CC & B to resolve and post the same in CC&B.
3. Complaint resolution status shall be monitored by Incharge Customer Services through OBI Dashboard on daily basis. Timely resolution of complaints related to CS section shall be responsibility of Incharge CS. However, pending complaints pertaining to other sections shall be available on their respective OBI dashboards and concerned Sectional Head shall be responsible for pending complaints pertaining to his section.

4.1.3 Administrative Functions of Incharge Customer Service Center

a) CSC should be properly cleaned and completely functional before office working hours.
b) All executives and staff should be properly dressed. All personnel should display Company cards at prominent place on their dress.
c) Strict security check at CSC / CC offices should be maintained by Admin department. Public should not be allowed to enter the main office rather sent to CSC/CC.

4.1.4 Service Delivery Quality in CSCs/CCs

In compliance to the Management's instructions to ensure service delivery quality, all Regional Heads, Regional Incharge Billing and Regional Incharge (BD-R) should visit Customer Service Centers as per following schedule:

a) Regional Head should visit Customer Service Center located in Regional office on daily basis
b) For other CSCs and CCs, any Executive appointed by Regional Head should visit these offices fortnightly.
c) Improvement as a result of above shall be sent to respective Sr. General Manager (D) Head Office on monthly basis

4.2 Nature of Complaints

4.2.1 Complaints Related To Engineering Departments

The Engineering Department handles various complaints categorized under **Customer Services, Maintenance, Development, and Operations**.

- **Customer Services** issues include gas leakage, meter-related problems (stoppage, blockage, damage, or leakage), regulator overflow, and service valve leakage.
- **Maintenance** addresses infrastructure-related concerns such as line ruptures, condensate or oil in service lines, riser bends or leaks, buried or leaking service valves, mainline leaks, underground leakage, missing valve covers, water intrusion in lines, widespread gas stoppages, mainline blockages, uplifting of CMS/service lines, blasts, building collapses, and fire incidents.
- **Development** complaints typically involve delays in gas connections, service line and meter installations, untraceable addresses, locked houses, long service line requirements, uncommissioned mainlines, missing receipts, road cut permission issues, long merit-based waiting queues, and reconnection cases.
- **Operations** complaints cover incidents such as blasts, building collapses, high or low-pressure fluctuations, fire cases at TBS/DRS facilities, TBS/DRS pressure issues, ruptures, gas theft, and contract violations. These categories help structure and streamline complaint resolution within the Engineering Department.

4.2.2 Complaints Related To Services Departments

The **Services Department** addresses complaints related to **Business Development, Billing, and Treasury**.

- **Business Development** complaints include CMS shifting or modification, delay in issuance of demand notice, demand notice not delivered, estimated cost not as per actual, incorrect address, adjustment of tariff (type), change of name, correction of address, service line shifting, and wrong or incomplete name.
- **Billing** complaints cover bill not received, bills withheld by system, delayed or wrong final billing, high gas billing, incorrect meter reading, interchange billing, late delivery of bills, minimum gas billing, payment not reflected, punching error, wrong adjustment, wrong billing, wrong delivery of bills, incorrect meter number, duplicate bill issuance, extension of due date, installment of bills, provisional bill rectification, sticky bill rectification, adjustment of tariff (period/slab), and tampering charges.
- **Treasury** complaints involve arrears reappearing after bill payment, duplicate payment slip, LPS charged after payment, payment not reflected, and security refund. These categories help streamline the complaint resolution process within the Services Department.

4.3 Complaints Handling Procedures

4.3.1 Complaints Receipt in Call Center / CSCs/ CCs

4.3.1.1 Complaints Receiving Offices

Complaints shall be received in Call Center, CSCs / CCs of the concerned Regions along with other sources as mentioned in section 2.1.

4.3.1.2 Complaints Receiving Person(s)

- Call Center Agent (CCA)
- Emergency Duty Attendant (EDA)
- Front Desk staff at CSC

They shall register consumer complaints in CC&B.

4.3.1.3 How to Receive Complaints at Call Center CSCs and CCs (where CC&B is available)

Duty person shall greet Consumers and say "Assalam-o-Alaikum", welcome to Sui Northern Gas Pipelines Limited'. How can I help you?

The complaints received through personal visit of consumer shall be registered in Customer Care & Billing (CC&B) system.

Complaint ID and Date shall be automatically generated. Complaint ID shall be unique for each complaint generated in the system. These fields cannot be changed.

The duty person shall ensure to fill in following information in Customer Care & Billing (CC&B) system.

1. Consumer numbers
2. Comments from consumer.
3. Contact information.
4. Type of complaint.
5. Nearest known location / landmark.
6. Complaint priority.

After entering consumer number, the consumer data including Meter Number, Meter Type, Consumer Name, Address, Region, Sub-region and Consumer type shall be automatically filled on the basis of consumer database. EDA /Call Center Agent from 1199 shall set priority

for complaints after cross questioning the complainant. All leakage complaints shall be categorized as ‘Critical’.

After registration of complaint in Customer Care & Billing (CC&B) system, the consumer shall be given computerized complaint ID number for future reference / follow-up.

4.3.1.4 How to receive complaints at Complaint Centers where CC&B is not available

Complaints through Call Center (1199) System:

1. CCs without CC&B facility shall be provided with their relevant complaints through phone call by the concerned Sub-Regional Complaint Centre. Duty person at remote CC shall enter the complaint particulars in pre-printed Field Order (FO) form.
2. The duty person shall ensure to fill all fields of FO.
3. The concerned Incharge of Complaint Center shall try to resolve the received problem immediately. After rectification of complaint, the concerned Incharge shall give feed back to their Sub-Regional Complaint Centre through telephone for entry in Complaint Management System (CC&B).
4. If the complaint is of emergency in nature and Complaint Center does not have the resources to resolve the problem on their own, they shall report this situation to their respective Region / Sub-Region immediately through telephone for help / assistance.

Complaints from Walk-In Consumers:

1. The complaints received through personal visit of consumer shall be entered in pre-printed Field Order (FO) form. The duty person shall ensure to fill all fields of FO.
2. After receiving complaint from walk-in consumer, the same complaint and data shall be communicated to respective Sub-Regional Complaint Centre for registration in Complaint Management System. The computerized complaint ID received from Sub-Regional Complaint Centre (1199) shall be given to consumer for future reference / follow-up.
3. The concerned Complaint Center Incharge, after complaint rectification, shall give the feed back to respective Sub-Regional Complaint Centre on telephone along with entries in complaints register.
4. The FO forms duly signed by complainant shall be dispatched to regional offices on weekly basis for record purpose.

4.3.1.5 Responsibilities / Job Assignments

Job assignments shall be allocated by Customer Services Incharge in writing. In case of absence / leave of any designated person, Section Incharge shall assign same duties in written to other staff member. For rotation of jobs, duty roster shall be revised on monthly basis.

Emergency Duty Attendant (EDA)

EDA shall get print outs of complaints from CC&B and shall enter all these complaints in program sheet of that day. Complaints of gas leakage and gas emergencies shall be forwarded to the complaints rectification teams as soon as the complaints are received in CC&B. If complaint rectification team is present in complaint office, FO of the complaint shall be handed over to team physically. If complaints rectification team is on site, complaint shall be communicated to team telephonically and same shall be written on the FO of the complaint. Normal complaints may be handed over to the teams in a way that OGRA performance and Service Standards for rectification of these complaints are fulfilled. EDA at Complaint Center where CC&B is not available shall fill complaint form / complaint register and shall inform Sub-Region about status of complaints. At the end of his shift, he shall sign the register and prepare list of complaints received, attended and pending.

Complaint Team

Complaint team shall collect complaints from Complaint Center, or shall receive complaint from EDA on telephone. Complaint team shall rectify the complaint and shall give feedback to EDA about status of Complaints.

Incharge Customer Services

At the start of each day, he / she shall review the progress of complaints received / resolved during last day/night through OBI Dashboard and shall sign the complaints status report. He / She shall also review the last day/night pending complaints and ensure rectification in accordance with the OGRA performance standards.

General Manager/Regional Manager shall check and sign the complaints record once a week and shall ask reasons for delay in attending the complaints, if any.

4.3.2 Complaints Handling Offices

Domestic and Commercial complaints shall be handled / resolved by all Regional / Sub Regional Offices, Customer Service Centers and Complaint Centers.

Industrial complaints shall be handled / resolved by Regional offices only or specified by Regional Head in writing.

4.3.2.1 Complaints Handling Person(s)

All Domestic, Commercial and Industrial complaints shall be handled by designated complaint teams for each category comprising of supervisor, welder, pipe fitter and helper (two or all of them).Teams deputed on rectification of domestic complaints shall work under the supervision of respective customer services Incharge / EDA. Teams deputed on rectification of commercial and Industrial complaints shall work under the supervision of respective Incharges of commercial and Industrial sections. I/C CS shall monitor the progress of rectification of all complaints as per OGRA performance and service Standards.

4.3.2.2 Complaints Rectification Procedure

After receiving particular number of complaints from Customer Care & Billing (CC&B) system, every team shall visit each premises of available list and shall resolve the problem.

1. Upon reaching the complaint site, the complaint team shall ***"Ring the Door Bell***" or shall ***"Knock at the Door".*** If no one appears from premises on three knocks, the team shall contact the complainant telephonically. In case consumer is non-responsive after three calls, team shall leave the complaint unattended and shall report the same in complaint feedback.

2. In case, any complaint remained unresolved due to below mentioned reasons, same shall be reported to respective EDA on telephone or physically after attending all remaining complaints.

a) Due to non availability of material like new meter (In case complaint is about stoppage of gas and on premises visit, meter found faulty).

b) Complaint requires tools/work that is beyond the scope of that particular team.

c) Problem is in internal houseline. (In some exceptional cases where nature of problem is "Emergency", the assigned team shall attend the same).

3. If the complaint is of emergency in nature and the assigned team on its visit determines that it is beyond their resources to resolve the problem on their own, they shall report this situation to their respective Incharge / EDA / Region immediately through telephone for help/assistance. The team shall not leave the premises until help arrives.

4. The complaint teams, after attending all the assigned complaints, shall report the rectification status to respective EDA.

5. After resolving the complaint of a particular consumer, the complaint team shall have to obtain name, signature, date, time and comments from consumer on FO form as service acceptance acknowledgement.

6. The feedback of all received complaints after rectification by complaint rectification team shall be transferred to Customer Care & Billing (CC&B) system.

4.3.3 Complaints Assigning Offices

Domestic and Commercial complaints shall be assigned to respective teams at all Regional / Sub Regional Offices, Customer Service Centers and Complaint Centers.

Industrial complaints shall be assigned to respective teams in Regional offices only or specified by Regional Head in writing.

4.3.3.1 Complaints Assigning Person(s)

Emergency Duty Attendant (EDA) shall assign all Domestic complaints and Critical complaints of commercial and industrial consumers to designated teams.

Normal complaints of Commercial and Industrial Sections shall be assigned to respective teams by representatives of these sections nominated by Sectional Incharges.

4.3.3.2 How to Assign Complaints

After receiving complaints, EDA/concerned person shall obtain print outs of Field Order (FO) from CC&B.

EDA/concerned person shall handover each Field Order form to respective teams.

In case of a complaint related to a particular Complaint Center with no Customer Care & Billing (CC&B) system, EDA shall assign the same complaint to that Complaint Center on telephone.

4.3.3.3 Complaints Feedback

After receiving status of assigned complaints from respective teams and Complaint Centers, EDA shall make entries in CC&B to complete the field activity.

If the complaint remains unresolved due to non availability of material or manpower, the EDA shall handover the complaint to another team by lodging a fresh complain in Customer Care & Billing (CC&B) system.

4.3.3.4 Filing of Complaints

Computerized Operation:

In case of computerized complaint management system, the record of all complaints shall be maintained in following two forms;

1. In Customer Care & Billing (CC&B) system data base.
2. As hard copy of Field Order form.

The respective Region's Customer Services Incharge and Sub Area Incharges shall be responsible for record maintenance of complaints under their areas of jurisdiction.

Manual Operation:

In case of manual complaint system, the record of all complaints shall be maintained in following three forms;

1. In the form of Field Order Form.
2. In the form of complaint register.
3. In Customer Care & Billing (CC&B) system data base.

4.3.4 Visit to Customer's Residence

1. The vehicle, welding plant, etc. must not be parked inside the customers drive-way while visiting them for any service / redress of complaint etc. In the form of complaint register.
2. The visiting employees should introduced as themselves as Company's representative and identity card be shown, if demanded.
3. Avoid un-necessary access to customer's premises unless requested for inspection of appliances etc.

4. The customer may be discourteous due to delay in response time etc. but the Company employees must remain courteous.

4.3.5 Customer Feedback

The category wise text which shall be communicated to the consumer regarding complaint status is attached as **Appendix-"C"**:-

4.4 Timelines for Complaints

4.4.1 Timelines as per the OGRA Standards

4.4.1.1 Gas Emergencies

Gas escapes, fires or other hazardous situations

- Un-controlled escapes(Blast/Fire case/Line Rupture) - Attend as quickly as possible but within 01 hour
- Controlled escapes (Gas Leakages) - Within 02 Hours

4.4.1.2 Telephone Calls

All calls to Call Center to be answered within 60 seconds

4.4.1.3 Complaints

- All complaints shall be recorded whether received by phone, letter, electronically or in person.
- All other complaints, which are determined to be low risk, i.e., not involving loss of life or property shall be responded to within 24 hours

4.4.1.4 Meter Replacements

- Replacement / Alteration on consumer's request (within 15 days)
- Responding to complaints of meter problem (within 02 days)
- Replacement of Blocked / Damaged /not passing gas meters (within 05 days)
- Replacement of Sticky/stop Meters: (within 60 days)

4.4.1.5 Investigating Pressure Complaints

- Visit within 36 hours

4.4.2 Timelines as Approved by Management Committee

The category wise detail of timelines for various complaints as approved by Management Committee is attached as **Appendix-"D".**

4.5 Standard Operating Procedures & Performance and Service Standards (OGRA)

4.5.1 Standard Operating Procedures (SOPs)

4.5.1.1 SOP for Customer Service Center (CSC)

SOP for Customer Service Center is attached as **Appendix "E"**.

4.5.1.2 SOP for Complaints Rectification

SOP for Complaint rectification is attached as **Appendix "F"**.

4.5.1.3 SOP for Interaction with Customers

SOP for interaction with Customers is attached as **Appendix "G"**.

4.5.1.4 SOP for Attending Critical Complaints

SOP for Attending Critical Complaints of Controlled Gas Escape is attached as **Appendix "H".**

SOP for Attending Critical Complaints of Un-Controlled Gas Escape is attached as **Appendix "I".**

4.5.1.5 SOP for Attending Normal Complaints

SOP for attending Normal Complaints of Meter Replacement is attached as **Appendix "J"**.

SOP for attending Normal Complaints of Service Valve Replacement is attached as **Appendix "K"**.

SOP for attending Normal Complaints of Regulator Replacement is attached as **Appendix "L"**.

SOP for attending Normal Complaints of High Gas Billing is attached as **Appendix "M"**.

SOP for attending Normal Complaints of Low Pressure / Gas Stopped Complaints is attached as **Appendix "N"**.

4.5.1.6 SOP for Emergency Duty Attendant

SOP for Emergency Duty Attendant is attached as **Appendix "O"**.

4.5.2 OGRA Performance and Service Standards

SNGPL being the licensee for carrying out the regulated activity of transmission, distribution and sale of natural gas shall comply with the performance and service standards of OGRA. OGRA's Performance and Service Standards.

Note:

The Authority may, from time to time, prescribe any additional standards, amend, change or alter the already prescribed standards in consultation with the licensee. Where the standards set forth herein are inconsistent with the terms and conditions of the license, the provisions of the license shall have the overriding effect to the extent of inconsistency alone.

Response Time Examples

The **maximum time** for **action** regarding a **fire** or **explosion** is **one hour**. The **maximum time** for **action** regarding a **minor leak on valve in un-inhabited area** or **relief valve discharge** is **two hours**. For **other** issues like an **inaccurate meter** or a **trench not backfilled**, the maximum time for action is not specified.

OGRA Performance and Service Standards is attached as **Appendix "P"**.

4.6 Energy Conservation Initiatives

SNGPL has taken initiative to ensure gas conservation and optimal utilization of natural gas by offering various equipments to its valuable consumers at no profit basis with easy and flexible payment options. Detail of the equipments is as follows:

1. Conical Baffles
2. Geyser Timer Device
3. Solar Water Heater

To create awareness amongst the general public related to energy conservation, all three modes of media shall be employed for advertisement like print media, electronic (TV / FM radio) and web advertisement on social media.

All the deputed staff at CSCs / CCs shall communicate verbally benefits of Energy Conservation to the consumers visit SNGPL offices regarding any issue. Flexes / Posters related to energy conservation, safety of consumers, gas theft and gas leakage for general public awareness should be displayed at CSCs / CCs.

Management has approved SOP for Energy Conservation Initiatives which defines the role and responsibility of the concerned departments which is attached as **Appendix- "Q"**.

4.7 Prime Minister's Performance Delivery Unit (PMDU)

Customer Services department Head Office, in coordination with BD-R and IT/MIS, is looking after the assignment of Pakistan Citizen's Portal (PCP) which is assigned to SNGPL by Prime Minister's Performance Delivery Unit (PMDU) through Ministry of Energy (Petroleum Division).

Prime Minister's Delivery Unit assures that the registered citizens/members on Pakistan Citizen's Portal get every possible relief under the law and on merit from the Government Organizations being interacted. The citizens or members may use the portal to place any plausible request before the authorities or personal complaints/grievances or complaints as social responsibility or to report violations of laws by the people or to seek guidance etc. The Unit takes it as a prime responsibility to ensure that all complaints and suggestions are handled fairly and efficiently through concerned organizations. In this regard, PCP manual is designed by the PMDU to help the Government Organizations to efficiently respond to the matters raised on the Portal. The processes described in PCP manual are intended for understanding and use of all concerned stakeholders.

Customer Services department is currently the custodian of PCP complaints with GM (BD-R) as the administrative focal person and GM (IT/MIS) as the technical focal person.

SNGPL has developed an in-house portal to handle the complaints lodged on PCP in accordance with the PCP Manual issued by the Ministry.
(https://admin.pmdu.gov.pk/manuals/Pakistan-Citizen-Portal-Manual-3.0.pdf).

Complaints receipt in SNGPL is centralized at PMDU Cell Head Office from where prompt disbursement to the concerned Regions / Departments is ensured. Regions/ Departments have nominated their dashboard handlers who shall ensure timely resolution and posting of PCP complaints in SNGPL's In-house portal. PMDU Cell at Head Office subsequently post the complaints on PCP live portal. This assignment is governed by SOPs approved by the Management of SNGPL attached **Appendix-"R"**.

5 Abbreviations / Glossary

CS: Customer Services

CSC: Customer Service Center

CC: Complaint Center

CC&B: Customer Care & Billing

EDA: Emergency Duty Attendant

FO: Field Order

SOP: Standard Operating Procedure

OGRA: Oil and Gas Regulatory Authority

PMDU: Prime Minister's Performance Delivery Unit

PCP: Pakistan Citizen's Portal

CB: Conical Baffle

GTD: Geyser Timer Device

SWH: Solar Water Heater

6 Appendices

Appendix A contains the **details of Region Wise Company vide offices** and is on **page 32**. **Appendix B** shows the **CS Department Organogram** and is on **page 33**. **Appendix C** provides the **category wise text of Customer Feedback** and is on **page 34**. **Appendix D** includes the **category wise detail of timelines for various complaints as approved by Management Committee** and is on **page 35**. **Appendix E** contains the **SOP for Customer Service Center** and is on **page 36**. **Appendix F** describes the **SOP for Complaint Rectification** and is on **page 37**. **Appendix G** outlines the **SOP for Interaction with Customers** and is on **page 39**. **Appendix H** details the **SOP for Attending Critical Complaints of Controlled Gas Escape** and is on **page 40**. **Appendix I** describes the **SOP for Attending Critical Complaints of Un-Controlled Gas Escape** and is on **page 42**. **Appendix J** contains the **SOP for attending Normal Complaints of Meter Replacement** and is on **page 44**. **Appendix K** includes the **SOP for attending Normal Complaints of Service Valve Replacement** and is on **page 46**. **Appendix L** details the **SOP for attending Normal Complaints of Regulator Replacement** and is on **page 48**. **Appendix M** contains the **SOP for attending Normal Complaints of High Gas Billing** and is on **page 50**. **Appendix N** includes the **SOP for attending Normal Complaints of Low Pressure / Gas Stopped Complaints** and is on **page 52**. **Appendix O** describes the **SOP for Emergency Duty Attendant** and is on **page 54**. **Appendix P** shows the **OGRA Performance and Service Standards** and is on **page 56**. **Appendix Q** contains the **SOP for Energy Conservation Initiatives** and is on **page 63**. **Appendix R** includes the **SOPs of handling PMDU complaints approved by the Management of SNGPL** and is on **page 66**. **Exhibit-I** shows the **SOP of Pressure Checking** and is on **page 69**. **Exhibit-II** contains the **Proforma designed to obtain customer signature for telephonically communicated complaints** and is on **page 75**.

Appendix-A

DETAILS OF REGION WISE COMPANY VIDE OFFICES

The data represents a region-wise breakdown of company offices, including the number of Customer Service Centers (CSCs) and independent Complaint Centers (CCs).

- **Lahore (East & West)** has **10** Customer Service Centers and **4** independent Complaint Centers.
- **Islamabad** has **7** Customer Service Centers and **10** independent Complaint Centers.
- **Multan** has **11** Customer Service Centers and **11** independent Complaint Centers.
- **Bahawalpur** has **7** Customer Service Centers and **11** independent Complaint Centers.
- **Gujrat** has **5** Customer Service Centers and **5** independent Complaint Centers.
- **Gujranwala** has **3** Customer Service Centers and **5** independent Complaint Centers.
- **Peshawar** has **8** Customer Service Centers and **4** independent Complaint Centers.
- **Mardan** has **5** Customer Service Centers and **3** independent Complaint Centers.
- **Abbotabad** has **3** Customer Service Centers and **4** independent Complaint Centers.
- **Sheikhupura** has **6** Customer Service Centers and **4** independent Complaint Centers.
- **Rawalpindi** has **9** Customer Service Centers and **4** independent Complaint Centers.
- **Sialkot** has **2** Customer Service Centers and **4** independent Complaint Centers.
- **Faisalabad** has **9** Customer Service Centers and **5** independent Complaint Centers.
- **Sahiwal** has **4** Customer Service Centers and **5** independent Complaint Centers.
- **Sargodha** has **5** Customer Service Centers and **5** independent Complaint Centers.

In total, there are **94** Customer Service Centers and **84** independent Complaint Centers, for a combined total of **178**.

Appendix-E

SOP FOR CUSTOMER SERVICE CENTER (CSC)

1. Incharge Customer Service Center shall be well aware of Company procedures. He shall ensure optimum utilization of staff and resources at Customer Service Center to facilitate our valued customers in resolution of their complaints on the spot. The record of the consumer complaints which have not been resolved at the spot shall be entered in CC&B for further necessary action. Track of complaints from lodging till resolution shall be maintained in CC & B.
2. Complaints received in CSC shall be forwarded to concerned Sectional Incharges on daily basis to resolve within given timelines under intimation to Incharge Customer Services. Concerned Sectional Heads are bound to meet the timelines laid down by the Management. Pendency shall be brought in the knowledge of concerned GM/RM by Incharge CS.
3. Progress of resolution of consumer complaints shall be monitored by Incharge Customer Services through OBI Dashboard on daily basis. Timely resolution of complaints related to CS section shall be responsibility of Incharge CS. For complaints pertaining to other sections, Incharge CS shall intimate concerned Sectional head in writing regarding their pending complaints on weekly basis.
4. **Interior of the CSC**

a) It should be properly cleaned before office working hours.

b) All E-gadgets which include AC, lights, heaters, ticket machine and computers should be in working condition and switched "ON" before arrival of public.

c) All executives and staff should be properly dressed and uniformed staff should wear uniform.

d) Strict security check at CSC / CC offices should be maintained by LS department, they should be advised not to allow any consumer to enter in main office.

5. **Exemption List**

   The Incharge CSC shall maintain exemption list of persons with the approval of Regional GM /RM / I/C who are allowed to go inside the main office building and maintain record
   of such consumers.

Appendix-F

SOP FOR COMPLAINTS RECTIFICATION

The following precautions and procedure are to be observed for carrying out activity of attending complaints:

1. An Engineer shall be the Focal Point of Customer Services in each Region and shall be overall Incharge of all CSCs & CCs falling within the Region. He shall be responsible to monitor all activities related with Customer Services in his respective Region. The Engineer / Officer shall be administratively responsible to respective GM / RM / Incharge; however, he shall be functionally responsible to General Manager (Customer Services) at Head office. He shall be responsible to analyze and monitor Customer Care and Billing System (CC&B) in the Region and shall also monitor emergency activities through manual operation.
2. An Engineer of junior cadre shall be Incharge of Customer Services in all Sub-Areas, who shall be functionally / administratively responsible to Incharge Customer Services of the Region. In case, Engineer is not available then a Sub-Engineer shall be responsible for Customer Services functions at Sub-Area level. He / she shall be administratively responsible to Incharge Sub Area and functionally to Incharge Customer Services of the Region. However, Sub-Area Incharge shall share all the responsibilities pertaining to emergency rectification and prompt responses.
3. The Focal Point shall appraise Regional GM / RM / Incharge about the shortfalls / discrepancies in CSCs / CCs and shall recommend actions.
4. All the Emergency Duty Clerks (EDA) at all CSC's / CCs shall be functionally and administratively responsible to Incharge Customer Services of the Region. However at Sub Areas, they shall administratively be responsible to Sub Area Incharge.
5. Incharge CSC shall review progress of complaints resolution through OBI dashboard on daily basis and shall take necessary action to resolve pending complaints. Where complaints are lodged through manual operations all the Emergency Duty Attendants shall be required to furnish daily reports to Incharge Customer Services on the daily basis before 10:00 a.m. The report shall cover the following:-
    a. Total complaints received.
    b. Total complaints attended.
    c. Pending complaints.
    d. Total No. of complaints forwarded to Operation / Maintenance.
    e. All emergencies of critical nature like pipeline rupture, fire, bomb blast etc shall be intimated to Incharge Customer Services of Region and Sub-Area Incharge in case the incident happens in Sub-Area.
6. EDAs shall ensure that complaints beyond scope of work of emergency teams are forwarded to Operation / Maintenance Sections in CC&B. Representatives of Maintenance/Operations Section shall get print outs of complaints forwarded by CS section in CC&B and handover to their field teams for rectification. Record

maintenance of complaints along-with closure of these complaints in CC & B shall be responsibility of the respective section.

7. Meter replacement reports shall be posted in CC & B on daily basis.
8. EDAs of CSCs / CCs where complaints are recorded manually shall communicate the information to the concerned Sub-Area / Region, telephonically on daily basis, so that the same are recorded in Customer Care and Billing System and included in the database of the Region.
9. Record of routine complaints attended / addressed at CSCs / CCs where manual operation is in process shall be kept at CSCs / CCs for reference and be communicated to Regional Office Incharge Customer Services on daily basis.
10. The Incharge (CS) and the Sub-Area shall ensure the following: -
    i. To provide all kind of tools, material, safety equipments to emergency field staff.
    ii. Customer Services Department shall maintain complete record of tools, material and safety equipments received and used by Customer Services department in coordination with concerned department.
    iii. To prepare duty roster of the staff.
    iv. To ensure availability of sufficient material in stock to meet any emergency.
    v. The material consumed shall be reconciled at the end of every month against respective job numbers in coordination with concerned department.
    vi. To monitor the operation of vehicles and other equipments, engaged in CSCs & CCs.
11. Incharge (CS) of each Region should be responsible for preparation of Weekly, Fortnightly and Monthly Progress Reports of complaints from CC & B and follow up with sub areas, commercial, industry, maintenance and operations for closing of complaints.

Appendix-G

SOP FOR INTERACTION WITH CUSTOMERS

It is prime responsibility of all the front desk staff and staff visiting customer premises for resolution of their complaints to interact the customer with courteous manner. In this context following SOP which may be remembered with the acronym "GUEST" shall be followed while interacting with customers

- **G stands for Greet** – To make a positive first impression with every customer, employees shall greet every customer as soon as they interact with Customer. As per our norms "Assalamo-Alaikum" shall be used as greeting sentence
- **U is for Understand** – To understand customer's need, employee shall listen carefully to customer requests and respond effectively and efficiently.
- **E is for Eye-contact and Explain** – Making eye contact shall let the customer know that they are important. Customers shall be interacted while having eye contact. Moreover, employees shall explain in detail how the issue of the customer shall be resolved.
- **S stands for Speed of Service** and solve the problem–Employees must prioritize tasks, always putting customer needs at the top of the list and customer issue must be solved in minimum possible time
- **T is for Thank You** – A personalized and sincere "thank you" at the end of a customer experience shall let customers know they're appreciated and given value.

DO'S and DON'T's while interacting Customers

DO'S

- Listen with the intent to understand
- Apologize sincerely
- Keep the focus on the issue, not the customer's behavior
- Express empathy
- Seek the options to address grievance
- Give personal attention to senior citizens

DONT'S

- Don't argue
- Don't raise your voice
- Don't make threats
- Don't tell a customer he/she is wrong
- Don't pass on the customer to others
- Don't make the customer feel helpless

Appendix-H

SOP FOR RECTIFICATION OF CRITICAL COMPLAINTS OF CONTROLLED GAS ESCAPE

General Responsibilities:

Fitter team Supervisor is responsible for:

1. Strictly follow the duty timing / roster.
2. Ensure availability of following tools / material to handle Critical complaint.
    I. Adjustable Wrench 6" to 18"
    II. Pipe Wrench 12" to 18"
    III. Plier 8"
    IV. Nose Plier 8"
    V. Cutter Plier 6"
    VI. Screw Driver 6"
    VII. Hammer 2 Pounds (Lbs)
    VIII. Chisel 6"
    IX. CO_2 Cylinder (7 Kgs)
    X. No Blow ¾" Ø, 1" Ø, 2" Ø
    XI. Cutter
    XII. Leakage Clamps ¾" Ø, 1" Ø, 2" Ø
    XIII. Hacksaw 12"
    XIV. Pipe Threader (Die) ¼" Ø to 1" Ø
    XV. Pipe Squeezing Tool
3. Display Company card during duty timings at prominent place on the dress, preferably on the chest.
4. Make sure to fill in safety check list on daily basis. Copy of checklist duly signed by Incharge (CS) / Sub Area Incharge should always be present in vehicle.
5. Make sure to wear PPEs while working at site.
6. Make sure to respond quickly to the call from Emergency Duty Clerk / Incharge (CS) / Incharge Sub Area.
7. Company's HSE Policy and Standards will be strictly implemented.

Procedure:

Following steps shall be observed by Fitter team for rectification of critical complaints of Controlled Gas Escape.

1. Collection of complaint from Emergency Duty Clerk / Sub Engineer in hard form or receive the complaint telephonically from Emergency Duty Clerks.
2. Immediately rush towards the site and contact with complainant to seek help in tracing address and give necessary safety advice to the consumer.
3. Reach at the site as soon as possible.
4. Shut off the gas supply by closing Service Valve and replace damaged / defective Meter, Regulator or G.I fitting.

5. Check and note delivery pressure as per SOP of pressure checking attached as (***Exhibit-I***)
6. After completion of work, apply soap test to check any leakage from CMS and rectify if detected.
7. Ask the consumer to check gas pressure at the gas appliances.
8. Inspection of appliances etc may be carried out on consumer's request only.
9. Properly fill in all entries of complaint Field Order besides writing the details of the work performed. If the complaint is received telephonically, fill in the complaint Field Order after reaching office and mention on the complaint that this complaint was received telephonically.
10. Take consumer's signature on the complaint Field Order. However in case complaint was received telephonically, signatures shall be obtained on the proforma designed to obtain customer signature for telephonically communicated complaints ***(Exhibit-II)***. These proforma shall be handed over to EDA along with attended complaints upon arrival of fitter teams in the office after rectification of consumer complaints
11. Thank the consumer for contacting SNGPL for redressal of his complaint.
12. Hand over all the attended complaints to the EDA's on return to the office.

Appendix-I

SOP FOR RECTIFICATION OF CRITICAL COMPLAINTS OF UN-CONTROLLED GAS ESCAPE

General Responsibilities:

Fitter team Supervisor is responsible for:

1. Strictly follow the duty timing / roster.
2. Ensure availability of following tools / material to handle Critical complaint.
    I. Adjustable Wrench 6" to 18"
    II. Pipe Wrench 12" to 18"
    III. Plier 8"
    IV. Nose Plier 8"
    V. Cutter Plier 6"
    VI. Screw Driver 6"
    VII. Hammer 2 Pounds (Lbs)
    VIII. Chisel 6"
    IX. CO_2 Cylinder (7 Kgs)
    X. No Blow ¾" Ø, 1" Ø, 2" Ø
    XI. Cutter
    XII. Leakage Clamps ¾" Ø, 1" Ø, 2" Ø
    XIII. Hacksaw 12"
    XIV. Pipe Threader (Die) ¼" Ø to 1" Ø
    XV. Pipe Squeezing Tool
3. Display Company card on duty time at prominent place on the dress
4. Make sure to fill in safety check list on daily basis. Copy of checklist duly signed by Incharge (CS) / Sub Area Incharge should always be present in vehicle.
5. Make sure to wear PPEs while working at site.
6. Make sure to respond quickly to the call from Emergency Duty Clerk / Incharge (CS) / Incharge Sub Area.
7. Company's HSE Policy and Standards will be strictly implemented.

Procedure:

Following steps shall be observed by Fitter team for rectification of critical complaints of Un-Controlled Gas Escape.

1. Collection of complaint from Emergency Duty Clerk / Sub Engineer in hard form or receive the complaint telephonically from Emergency Duty Clerks.
2. Immediately rush towards the site and contact with complainant to seek help in tracing address and give necessary safety advice to the consumer.
3. Try to control the emergency situation as follows:

    a) In case of fire, use CO_2 Cylinder to extinguish fire. If fire is not being controlled, immediately call at Rescue 1122 and intimate Emergency Duty Clerk to bring this matter in notice of Duty Officers, Incharge (CS) / Sub Area Incharge and request to send standby operations and maintenance teams at site. Fitter team

shall not leave the site without handing over the charge to maintenance or operations team.

b) In case of mainline leakage / riser leakage, control gas leakage by applying leak clamp , no blow machine or pipe squeezing tool (In case of PE line) and forward the complaint to maintenance section for complete rectification. In case gas leakage cannot be controlled by above mentioned tools, immediately intimate Emergency Duty Clerk to bring this matter in the notice of Duty Officers, Incharge (CS) / Sub Area Incharge and request to send standby operations/maintenance teams at site. Fitter team shall not leave the site without handing over the charge to maintenance and operations team.

c) In case of leakage at Service Valve or Service Valve damage, apply No-Blow Machine into service riser and replace the damaged Service Valve and remove the No-Blow machine.

d) In case of Under Ground Leakage, if leakage is severe and gas is travelling into consumer premises immediately intimate Emergency Duty Clerk to bring this matter in the notice of Duty Officers, Incharge (CS) / Sub Area Incharge and request to send standby maintenance teams of Under Ground Leakage rectification at site. Fitter team shall not leave the site without handing over the charge to maintenance team.

e) In case only gas leakage smell is observed due to underground leakage, but leakage is not severe and not travelling to any premises, complaint should be forwarded to maintenance section for tracing and rectification of underground leakage.

4. Properly fill in all entries of complaint Field Order besides writing the details of the work performed. If the complaint is received telephonically, fill in the complaint Field Order after reaching office and mention on the complaint that this complaint was received telephonically.
5. Check and note delivery pressure as per SOP of pressure checking attached as ***(Exhibit-I)***
6. Take consumer's signature on the complaint Field Order. However in case complaint was received telephonically, signatures shall be obtained on the proforma designed to obtain customer signature for telephonically communicated complaints ***(Exhibit-II)***. These proforma shall be handed over to EDA along with attended complaints upon arrival of fitter teams in the office after rectification of consumer complaints
7. Thank the consumer for contacting SNGPL for redressal of his complaint.
8. Hand over all the attended complaints to the EDA's on return to the office.

Appendix-J

SOP FOR ATTENDING NORMAL COMPLAINTS OF METER REPLACEMENT

General Responsibilities:

Fitter team Supervisor is responsible for:

1. Strictly follow the duty timing / roster.
2. Ensure availability of following tools / material to handle Normal complaint.
    I. Adjustable Wrench 6" to 18"
    II. Pipe Wrench 12" to 18"
    III. Plier 8"
    IV. Nose Plier 8"
    V. Cutter Plier 6"
    VI. Screw Driver 6"
    VII. Hammer 2 Pounds (Lbs)
    VIII. Chisel 6"
    IX. CO_2 Cylinder (5 KGs)
    X. No Blow ¾" Ø, 1" Ø, 2" Ø
3. Make sure to fill safety check list on daily basis. Copy of checklist duly signed by Incharge (CS) / Sub Area Incharge should always be available.
4. Make sure to wear PPEs while working at site.
5. Make sure to respond quickly to the calls from Emergency Duty Clerk / Incharge (CS) / Incharge Sub Area.
6. Display Company card during duty timings at prominent place on the dress, preferably on the chest.
7. Ring the bell / knock at the door of the complainant, greet the consumer and introduce yourself as Company's representative deputed for rectification of consumer complaint.
8. Company's HSE Policy and Standards will be strictly implemented.

Procedure

1. The gas meter shall be replaced for any of the following reasons: -
    - Scheduled replacement.
    - Sticky/defective meter.
    - Damaged meter.
    - Installation of meter against stolen meter.
2. Demand the gas bill from the consumer and verify the meter make, size and number installed at consumer premises with the bill and complaint Field Order.
3. Ask the consumer to shut off all the gas appliances.
4. Close the meter outlet valve (handle valve).
5. Close the gas supply from Service valve.
6. Remove the meter.
7. Install new/repaired meter.
8. Turn on gas and check regulator set pressure for satisfactory meter operation.

9. Check and note delivery pressure as per SOP of pressure checking attached as ***(Exhibit-I)***
10. After completion of work, apply soap test to check leakage at whole CMS including meter, regulator, G.I fittings and service riser. Rectify if any leakage is detected.
11. Ask the consumer to check gas pressure in the gas appliances.
12. Fill in proper record of meter replacement on complaint Field Order including the new and replaced meter number, readings, date of replacement and reason for meter replacement.
13. After completion of work, apply soap test to check any leakage from CMS and rectify if detected.
14. Provide meter replacement record (the new and replaced meter number, readings, date of replacement and reason for meter replacement) to the consumer with name and signature of Fitter supervisor.
15. Take consumer's signature on the complaint Field Order. However in case complaint was received telephonically, signatures shall be obtained on the proforma designed to obtain customer signature for telephonically communicated complaints ***(Exhibit-II)***. These proforma shall be handed over to EDA along with attended complaints upon arrival of fitter teams in the office after rectification of consumer complaints.
16. Thank the consumer for contacting SNGPL for redressal of his complaint.

Appendix-K

SOP FOR ATTENDING NORMAL COMPLAINTS OF SERVICE VALVE REPLACEMENT

General Responsibilities:

Fitter team Supervisor is responsible for:

1. Strictly follow the duty timing / roster.
2. Ensure availability of following tools / material to handle Normal complaint.
    I. Adjustable Wrench 6" to 18"
    II. Pipe Wrench 12" to 18"
    III. Plier 8"
    IV. Nose Plier 8"
    V. Cutter Plier 6"
    VI. Screw Driver 6"
    VII. Hammer 2 Pounds (Lbs)
    VIII. Chisel 6"
    IX. CO_2 Cylinder (5 KGs)
    X. No Blow ¾" Ø, 1" Ø, 2" Ø
3. Make sure to fill safety check list on daily basis. Copy of checklist duly signed by Incharge (CS) / Sub Area Incharge should always be available.
4. Make sure to wear PPEs while working at site.
5. Make sure to respond quickly to the calls from Emergency Duty Clerk / Incharge (CS) / Incharge Sub Area.
6. Display Company card during duty timings at prominent place on the dress, preferably on the chest.
7. Ring the bell / knock at the door of the complainant, greet the consumer and introduce yourself as Company's representative deputed for rectification of consumer complaint.
8. Company's HSE Policy and Standards will be strictly implemented.

Procedure

1. Ask the consumer to shut off all the gas appliances.
2. Close the meter outlet valve (handle valve).
3. Apply no blow machine into service riser and ensure that gas supply has been cut off.
4. Replace the damaged Service Valve and remove the no blow machine.
5. After completion of work, apply soap test to check any leakage from CMS and rectify if detected.
6. Check and note delivery pressure as per SOP of pressure checking attached as ***(Exhibit-I)***
7. Ask the consumer to check gas pressure at the gas appliances.
8. Properly fill in all entries of complaint Field Order besides writing the details of the work performed. If the complaint is received telephonically, fill in the complaint Field Order after reaching office and mention on the complaint that this complaint was received telephonically.

9. Take consumer's signature on the complaint Field Order. However in case complaint was received telephonically, signatures shall be obtained on the proforma designed to obtain customer signature for telephonically communicated complaints ***(Exhibit-II)***. These proforma shall be handed over to EDA along with attended complaints upon arrival of fitter teams in the office after rectification of consumer complaints.
10. Thank the consumer for contacting SNGPL for redressal of his complaint.

Appendix-L

SOP FOR ATTENDING NORMAL COMPLAINTS OF REGULATOR REPLACEMENT

General Responsibilities:

Fitter team Supervisor is responsible for:

1. Strictly follow the duty timing / roster.
2. Ensure availability of following tools / material to handle Normal complaint.
    I. Adjustable Wrench 6" to 18"
    II. Pipe Wrench 12" to 18"
    III. Plier 8"
    IV. Nose Plier 8"
    V. Cutter Plier 6"
    VI. Screw Driver 6"
    VII. Hammer 2 Pounds (Lbs)
    VIII. Chisel 6"
    IX. CO_2 Cylinder (5 KGs)
    X. No Blow ¾" Ø, 1" Ø, 2" Ø
3. Make sure to fill safety check list on daily basis. Copy of checklist duly signed by Incharge (CS) / Sub Area Incharge should always be available.
4. Make sure to wear PPEs while working at site.
5. Make sure to respond quickly to the calls from Emergency Duty Clerk / Incharge (CS) / Incharge Sub Area.
6. Display Company card on duty time at prominent place on the dress.
7. Ring the bell / knock at the door of the complainant, greet the consumer and introduce yourself as Company's representative deputed for rectification of consumer complaint.
8. Company's HSE Policy and Standards will be strictly implemented.

Procedure

1. Ask the consumer to shut off all the gas appliances.
2. Close the meter outlet valve (handle valve).
3. Close the gas supply from Service valve.
4. Remove the damage / overflow regulator.
5. Install new properly sized regulator to meet customer load.
6. After completion of work, apply soap test to check any leakage from CMS and rectify if detected.
7. Check and note delivery pressure as per SOP of pressure checking attached as ***(Exhibit-I)***
8. Ask the consumer to check gas pressure at the gas appliances.
9. Properly fill in all entries of complaint Field Order besides writing the details of the work performed. If the complaint is received telephonically, fill in the complaint Field Order after reaching office and mention on the complaint that this complaint was received telephonically.

10. Take consumer's signature on the complaint Field Order. However in case complaint was received telephonically, signatures shall be obtained on the proforma designed to obtain customer signature for telephonically communicated complaints ***(Exhibit-II)***. These proforma shall be handed over to EDA along with attended complaints upon arrival of fitter teams in the office after rectification of consumer complaints.
11. Thank the consumer for contacting SNGPL for redressal of his complaint.

Appendix-M

SOP FOR ATTENDING NORMAL COMPLAINTS OF HIGH GAS BILLING

General Responsibilities:

Fitter team Supervisor is responsible for:

1. Strictly follow the duty timing / roster.
2. Ensure availability of following tools / material to handle Normal complaint.
    I. Adjustable Wrench 6" to 18"
    II. Pipe Wrench 12" to 18"
    III. Plier 8"
    IV. Nose Plier 8"
    V. Cutter Plier 6"
    VI. Screw Driver 6"
    VII. Hammer 2 Pounds (Lbs)
    VIII. Chisel 6"
    IX. CO_2 Cylinder (5 KGs)
    X. No Blow ¾" Ø, 1" Ø, 2" Ø
3. Make sure to fill safety check list on daily basis. Copy of checklist duly signed by Incharge (CS) / Sub Area Incharge should always be available.
4. Make sure to wear PPEs while working at site.
5. Make sure to respond quickly to the calls from Emergency Duty Clerk / Incharge (CS) / Incharge Sub Area.
6. Display Company card during duty timings at prominent place on the dress, preferably on the chest.
7. Ring the bell / knock at the door of the complainant, greet the consumer and introduce yourself as Company's representative deputed for rectification of consumer complaint.
8. Company's HSE Policy and Standards will be strictly implemented.

Procedure

1. Verify the meter make, size and number installed at consumer premises. These should be matched with bill and complaint Field Order.
2. Verify/check actual meter reading and compare it with the meter reading on the bill to confirm if it was over-read.
3. Close meter outlet valve (handle valve) and check the flow rate of the meter.
4. Check flow-rate of meter with all appliances turned off.
5. Check flow-rate with all appliances on for verification of load/meter accuracy.
6. Check for extensions in Houseline.
7. Customer is required to be informed for rectification of Houseline, if leakage is detected in the houseline.
8. Check and note delivery pressure as per SOP of pressure checking attached as ***(Exhibit-I)***
9. Satisfy the customer without indicating or committing any adjustment in the bill unless confirmation of meter having been over-read.

10. Properly fill in all entries of complaint Field Order besides writing the details of the work performed. If the complaint is received telephonically, fill in the complaint Field Order after reaching office and mention on the complaint that this complaint was received telephonically.
11. Take consumer's signature on the complaint Field Order. However in case complaint was received telephonically, signatures shall be obtained on the proforma designed to obtain customer signature for telephonically communicated complaints ***(Exhibit-II)***. These proforma shall be handed over to EDA along with attended complaints upon arrival of fitter teams in the office after rectification of consumer complaints.
12. Thank the consumer for contacting SNGPL for redressal of his complaint.

Appendix-N

SOP FOR ATTENDING NORMAL COMPLAINTS OF LOW PRESSURE / GAS STOP

General Responsibilities:

Fitter team Supervisor is responsible for:

1. Strictly follow the duty timing / roster.
2. Ensure availability of following tools / material to handle Normal complaint.
    I. Adjustable Wrench 6" to 18"
    II. Pipe Wrench 12" to 18"
    III. Plier 8"
    IV. Nose Plier 8"
    V. Cutter Plier 6"
    VI. Screw Driver 6"
    VII. Hammer 2 Pounds (Lbs)
    VIII. Chisel 6"
    IX. CO_2 Cylinder (5 KGs)
    X. No Blow ¾" Ø, 1" Ø, 2" Ø
3. Make sure to fill safety check list on daily basis. Copy of checklist duly signed by Incharge (CS) / Sub Area Incharge should always be available.
4. Make sure to wear PPEs while working at site.
5. Make sure to respond quickly to the calls from Emergency Duty Clerk / Incharge (CS) / Incharge Sub Area.
6. Display Company card during duty timings at prominent place on the dress, preferably on the chest.
7. Ring the bell / knock at the door of the complainant, greet the consumer and introduce yourself as Company's representative deputed for rectification of consumer complaint.
8. Company's HSE Policy and Standards will be strictly implemented.

Procedure

1. Ask the consumer to shut off all the gas appliances.
2. Close the meter outlet valve (handle valve).
3. Check the gas pressure at meter outlet.
4. If gas pressure is Ok at meter outlet, then low gas pressure or gas stop issue may be due to blockage in houseline or problem in gas appliances. In this case, advise the consumer to arrange rectification of fault at their own.
5. If gas pressure is low or zero i.e. less than 6" WC at meter outlet, then open the Service valve. If gas pressure is Ok in the service line, check blockage in the meter or regulator and replace the defective item.
6. In case of low pressure i.e. less than 6" WC, the regulator should be adjusted until delivery pressure is re-set to the normal limit i.e., 6"-8" WC pressure.
7. The regulator should be replaced if delivery pressure/set pressure is not achieved after its adjustment.

8. Ask the consumer to check gas pressure at the gas appliances.
9. Check and note delivery pressure as per SOP of pressure checking attached as ***(Exhibit-I)***
10. After completion of work, apply soap test to check any leakage from CMS and rectify if detected.
11. If gas pressure is low / zero in service line, check the gas pressure of adjacent houses.
12. If gas pressure in the adjacent houses is also low then refer this complaint to Operations to carry out pressure survey of the area and rectify the problem, as per rules.
13. If gas pressure in the adjacent houses is Ok, then refer this complaint to Maintenance department for re-drilling of service tee.
14. Properly fill in all entries of complaint Field Order besides writing the details of the work performed. If the complaint is received telephonically, fill in the complaint Field Order after reaching office and mention on the complaint that this complaint was received telephonically.
15. Take consumer's signature on the complaint Field Order. However in case complaint was received telephonically, signatures shall be obtained on the proforma designed to obtain customer signature for telephonically communicated complaints ***(Exhibit-II)***. These proforma shall be handed over to EDA along with attended complaints upon arrival of fitter teams in the office after rectification of consumer complaints.
16. Thank the consumer for contacting SNGPL for redressal of his complaint.

Appendix-O

SOP FOR EMERGENCY DUTY ATTENDANT

The following precautions and procedure are to be observed for carrying out activities of handling critical and normal complaints.

General Responsibilities:

1. Observe duty timing strictly as per the duty roster prepared by Incharge (CS)/ Sub area Incharge
2. No EDA shall leave office without arrival of their reliever EDA.
3. Display Company card during duty timings at prominent place on the dress, preferably on the chest.
4. Misuse of land line telephone installed at Complaint Center and Company's provided equipment / gadgets is prohibited.
5. If it is inevitable to avail leave for any EDA, matter should be brought in notice of Incharge (CS) / Sub Area Incharge however, no EDA shall leave office without arrival of his reliever.
6. Duty rosters and emergency contact numbers should be clearly displayed on the notice board.
7. Company's HSE Policy and Standards will be strictly implemented.

Procedure for complaints handling:

The following precautions and procedure are to be observed by Emergency Duty Attendants for carrying out activities of handling critical and normal complaints.

1. Separate dispatch groups have been created in CC&B for critical and normal complaints. Since critical complaints are to be responded in one/two hours as per OGRA performance and Service Standards, EDAs on duty shall check dispatch groups for critical complaints pertaining to their operational area after every five minutes and dispatch groups for normal complaints shall be checked after every two hours. Complaints not pertaining to their operational area shall be dispatched to relevant dispatch group.
2. EDAs shall take print outs of the complaints Field Orders from dispatch group of critical complaints after every five minutes and for normal complaints after every two hours.
3. EDAs shall handle the walk-in consumers and shall lodge their complaints in CC&B.
4. EDAs on duty shall maintain record of all the complaints, mentioning complaint no. and type in complaint sheet.
5. After receipt of critical complaint from Call Center, EDA on duty shall forward this complaint immediately to the relevant fitter team and follow it till rectification. In case maintenance and operations teams are required for complete rectification, EDA shall dispatch relevant team to the site immediately and apprise Incharge (CS) / Sub Area Incharge and duty officers about complaint.

6. Complaints related to Operation/Maintenance shall be generated in CC&B by concerned EDA while closing of CS complaints mentioning of reference of CS complaint
7. Inform Incharge (CS) / Sub Area Incharge about constraints being faced in complaint resolution on daily basis.
8. Hand over the complaints to the fitter teams according to divided areas and get acknowledgement.
9. Gas leakage complaints shall be forwarded to fitter teams, at site telephonically according to divided areas.
10. Receive the attended complaints from fitter teams and ensure closure of these complaints in CC & B.
11. Lodge new complaints for the relevant departments i.e. maintenance and operations as per fitter teams comments on complaint Field Order.
12. Area / sub area EDA performing duty in evening shift shall be responsible to receive complaints / data from all EDAs of Complaint Centers where CC & B is not available and would lodge and close these complaints in CC & B.