GROUP	OVERVIEW	PRM Test	Sib Test	Raw Trait Dist	Trait-PRS Distributio	Selection Estimate	Conditional Sibling Distribution
Trait Name (id)	samples,sil vals (50% SNP-h^2 SIB-h^2 PRS-r^2	Upper, Lower, QC	Upper, Lower				
biomarker WBCs (30000)	287k, 16k 125 17% 40% 4%	DUAL 1.0e-05 0.019 PASS	upper 0.013 0.284			WBCs	
biomarker Haematocr % (30030)	287k, 16k 268 14% 38% 4%	LOWER 0.517 2.9e-19 PASS	dual 0.036 0.003			Haematocr	
biomarker RBC Dist Width (30070)	286k, 16k 55 18% 41% 6%	UPPER 5.7e-60 0.006 PASS	upper 4.1e-04 0.776		RBC	Dist Width	
biomarker Monocytes (30130)	286k, 16k 12 18% 45% 7%	DUAL 7.8e-06 1.8e-28 FAIL	lower 0.387 0.002			Monocytes	
biomarker Lymphocyt % (30180)	286k, 16k 533 13% 35% 4%	DUAL 9.7e-06 1.1e-22 PASS	upper 0.043 0.078			Lymphocyt	
biomarker Eosinophil % (30210)	286k, 16k 99 16% 39% 6%	DUAL 1.7e-13 8.3e-17 PASS	dual 0.021 0.036			Eosinophill	
biomarker Mean RT Vol (30260)	282k, 16k 526 17% 45% 8%	DUAL 1.7e-08 1.4e-21 PASS	lower 0.337 0.014			Mean RT V	
biomarker Sodium In Urine (30530)	359k, 17k 514 5% 16% 1%	UPPER 2.1e-05 0.051 PASS	none 0.569 0.087			Sodium In Uri	
biomarker Urea (30670)	293k, 16k 160 8% 27% 2%	DUAL 0.028 2.4e-06 PASS	none 0.201 0.662			Urea	
biomarker Creatinine (30700)	294k, 16k 177 17% 45% 6%	DUAL 9.1e-17 0.004 PASS	none 0.158 0.23			Creatinine	
biomarker IGF-1 (30770)	292k, 16k 6.7k 20% 49% 6%	LOWER 0.343 4.4e-09 PASS	none 0.419 0.219			IGF-1	
biomarker Testosteron (30850)	267k, 15k 1.3k 7% 18% 2%	NONE 7.5e-04 0.049 PASS	none 0.454 0.216			Testosterone	
biomarker Vitamin D (30890)	279k, 16k 292 7% 31% 2%	LOWER 0.043 4.6e-10 FAIL	none 0.429 0.708			Vitamin D	
ognitive func TV Watching (1070)	350k, 17k 3 8% 41% 1%	DUAL 0.01 8.3e-04 PASS	lower 0.061 0.042			TV Watching	
ognitive func HRT (3536)	67.5k, 6k 6 6% 18% 1%	NONE 0.441 0.327 PASS	none 0.707 0.327			HRT	
ognitive func Time To Answer (4288)	122k, 7k 105 6% 23% 1%	UPPER 3.4e-04 0.364 PASS	none 0.634 0.33			Time To Answer	
ognitive func Match ID Time (20023)	367k, 17k 52 6% 23% 1%	UPPER 9.9e-07 0.677 PASS	upper 0.043 0.164			Match ID Time	
ognitive func Alphanum Trail (20157)	81.4k, 6k 14.4k 11% 42% 1%	UPPER 1.3e-04 0.092 FAIL	none 0.2 0.934			Alphanum. Trail	
hysical_meas Waist Circum (48)	370k, 17k 19 14% 42% 3%	LOWER 0.014 1.8e-08 PASS	dual 0.001 0.024			Waist Circun	
hysical_meas Heel BUA (3144)	212k, 12k 17.8k 22% 51% 7%	DUAL 3.1e-21 1.2e-16 PASS	lower 0.08 0.019			Heel BUA	
hysical_meas PW Notch (4199)	121k, 7k 8 6% 12% 1%	UPPER 1.1e-04 0.74 PASS	upper 0.025 0.272			PW Notch	
hysical_meas FVC Best (20151)	279k, 16k 130 20% 55% 6%	DUAL 0.02 9.4e-27 PASS	dual 0.006 0.036			FVC Best	
hysical_meas BMI (21001)	369k, 17k 4.7k 17% 49% 5%	LOWER 0.017 2.9e-14 PASS	upper 0.022 0.148			BMI	
hysical_meas BMR (23105)	364k, 17k 407 23% 68% 9%	LOWER 0.211 1.1e-04 PASS	none 0.139 0.249			BMR	
hysical_meas Leg Fat % (23115)	364k, 17k 138 16% 48% 4%	LOWER 0.462 1.7e-09 PASS	none 0.647 0.335			Leg Fat %	

GROUP	OVERVIEW	PRM Test	Sib Test	Raw Trait Dist	Trait-PRS Distributio	Selection Estimate	Conditional Sibling Distribution
Trait Name (id)	samples,sil vals (50% SNP-h^2 SIB-h^2 PRS-r^2	Upper, Lower, QC	Upper, Lower				
biomarker RBCs (30010)	287k, 16k 307 19% 51% 7%	LOWER 0.306 9.5e-21 PASS	lower 0.258 0.005			RBCs	
biomarker Mean CP Vol (30040)	287k, 16k 307 23% 54% 11%	DUAL 2.0e-05 3.0e-97 PASS	lower 0.309 5.1e-05			Mean CP Vol	
biomarker Platelet Crit (30090)	287k, 16k 60 21% 52% 10%	DUAL 2.7e-16 1.1e-50 PASS	dual 5.8e-04 2.2e-04			Platelet Crit	
biomarker Neutrophil (30140)	286k, 16k 96 14% 35% 4%	DUAL 9.6e-11 1.7e-08 PASS	none 0.084 0.401			Neutrophills	
biomarker Monocyte % (30190)	286k, 16k 156 16% 39% 9%	DUAL 2.6e-16 1.2e-48 PASS	dual 0.03 7.8e-04			Monocyte %	
biomarker Reticulocyt % (30240)	282k, 16k 353 16% 40% 5%	DUAL 2.9e-05 0.004 PASS	none 0.263 0.659			Reticulocyte %	
biomarker Sphered Cell Vol (30270)	282k, 16k 379 18% 47% 8%	DUAL 1.1e-08 8.6e-06 PASS	none 0.21 0.066			Sphered Cell Vol	
biomarker Albumin (30600)	269k, 15k 340 10% 29% 3%	DUAL 5.0e-04 6.8e-06 PASS	none 0.876 0.413			Albumin	
biomarker Calcium (30680)	269k, 15k 117 10% 30% 3%	DUAL 5.0e-16 0.003 PASS	lower 0.437 0.022			Calcium	
biomarker Glucose (30740)	268k, 15k 665 6% 22% 2%	DUAL 1.1e-13 0.026 PASS	upper 0.005 0.439			Glucose	
biomarker Phosphate (30810)	268k, 15k 211 9% 25% 3%	NONE 0.085 0.158 PASS	none 0.465 0.56			Phosphate	
biomarker Total Protein (30860)	269k, 15k 518 14% 36% 3%	UPPER 6.7e-05 0.225 PASS	none 0.078 0.245			Total Protein	
cognitive func Education Age (845)	243k, 14k 3 5% 58% 1%	UPPER 9.9e-07 4.0e-10 PASS	upper 4.3e-06 0.074			Education Age	
cognitive func Glasses Age (2217)	317k, 16k 13 6% 32% 1%	NONE 0.044 0.51 PASS	dual 0.035 0.016			Glasses Ag	
cognitive func Menopaus (3581)	111k, 9k 6 12% 35% 2%	DUAL 0.035 1.1e-14 PASS	none 0.623 0.821			Menopause	
cognitive func Fluid Intellect (20016)	119k, 7k 3 17% 55% 2%	LOWER 0.511 7.7e-04 PASS	none 0.556 0.67			Fluid Intelligen	
cognitive func Neuroticism (20127)	300k, 16k 5 8% 25% 1%	LOWER 0.334 7.0e-07 PASS	none 0.297 0.422			Neuroticism	
cognitive func SD Matches (20159)	92.4k, 7k 7 11% 33% 1%	LOWER 0.01 0.003 PASS	none 0.779 0.522			SD Matches	
physical_meas Height (50)	370k, 17k 15 40% 99% 21%	DUAL 0.022 1.3e-12 PASS	none 0.796 0.096			Height	
physical_meas Heel BMD (3148)	212k, 12k 160 24% 58% 9%	DUAL 2.5e-16 2.7e-27 FAIL	dual 0.003 0.002			Heel BMD	
physical_meas Sitting Height (20015)	369k, 17k 7 29% 74% 13%	DUAL 4.3e-25 3.5e-60 PASS	dual 3.3e-08 7.1e-04			Sitting Heigh	
physical_meas Pred FEV % (20154)	216k, 14k 19.2k 16% 38% 3%	LOWER 0.39 2.7e-12 PASS	lower 0.291 0.043			Pred FEV %	
physical_meas Weight (21002)	369k, 17k 207 20% 58% 6%	LOWER 0.726 1.1e-10 PASS	none 0.488 0.497			Weight	
physical_meas Body Impedanc (23106)	364k, 17k 128 21% 54% 7%	DUAL 0.003 5.2e-06 PASS	none 0.348 0.38			Body Impedance	
physical_meas FF Trunk Mass (23129)	364k, 17k 74 25% 71% 10%	LOWER 0.417 8.7e-14 PASS	none 0.105 0.088			FF Trunk M	

GROUP	OVERVIEW	PRM Test	Sib Test	Raw Trait Dist	Trait-PRS Distributio	Selection Estimate	Conditional Sibling Distribution
Trait Name (id)	samples,sil vals (50% SNP-h^2 SIB-h^2 PRS-r^2	Upper, Lower, QC	Upper, Lower				
biomarker Haemoglob Conc (30020)	287k, 16k 95 15% 40% 4%	LOWER 0.243 2.6e-36 PASS	lower 0.155 0.002			Haemoglob	
biomarker Mean CP Heme (30060)	286k, 16k 69 5% 20% 1%	LOWER 0.369 4.3e-04 PASS	none 0.495 0.59			Mean CP Hem	
biomarker Lymphocyt (30120)	286k, 16k 44 17% 44% 5%	LOWER 0.052 9.0e-10 PASS	none 0.177 0.808			Lymphocyt	
biomarker Eosinophil (30150)	286k, 16k 8 16% 37% 5%	DUAL 2.1e-09 2.5e-06 PASS	none 0.102 0.322			Eosinophills	
biomarker Neutrophi % (30200)	286k, 16k 107 12% 32% 3%	DUAL 5.6e-13 3.1e-06 PASS	upper 0.045 0.2			Neutrophill %	
biomarker Reticulocyt (30250)	282k, 16k 30 16% 41% 5%	DUAL 1.6e-04 0.046 PASS	none 0.18 0.529			Reticulocyt	
biomarker Imm. RT Frac (30280)	282k, 16k 45 11% 31% 4%	DUAL 4.7e-04 1.5e-15 PASS	none 0.914 0.541			Imm. RT Fra	
biomarker Apolipoprot A (30630)	267k, 15k 349 17% 43% 8%	DUAL 5.5e-06 2.9e-04 PASS	none 0.263 0.357			Apolipoprotein A	
biomarker Cholesterol (30690)	294k, 16k 1.4k 19% 52% 11%	DUAL 3.9e-04 0.002 PASS	lower 0.517 0.007			Cholesterol	
biomarker Glycated Haem. (30750)	280k, 16k 47 18% 49% 8%	DUAL 1.6e-50 8.2e-11 PASS	upper 0.001 0.165			Glycated Haem.	
biomarker SHBG (30830)	266k, 15k 2.9k 16% 50% 8%	UPPER 1.1e-32 0.07 PASS	none 0.15 0.506			SHBG	
biomarker Triglyceride (30870)	293k, 16k 879 15% 41% 4%	LOWER 0.028 1.5e-07 PASS	none 0.21 0.298			Triglyceride	
cognitive func Summertin (1050)	336k, 17k 3 5% 24% 1%	NONE 0.056 0.118 PASS	none 1 1			Summertin	
cognitive func Menarche (2714)	190k, 13k 3 18% 51% 3%	LOWER 0.052 1.3e-07 FAIL	upper 0.015 0.054			Menarche	
cognitive func Age Hay Fever (3761)	74.5k, 5k 13 8% 32% 1%	NONE 0.058 0.6 PASS	none 1 1			Age Hay Fev	
cognitive func Birth Weight (20022)	211k, 13k 12 8% 78% 1%	LOWER 0.336 2.2e-07 PASS	lower 0.088 0.038			Birth Weigh	
cognitive func Numeric Trail (20156)	81.4k, 6k 9k 5% 23% 1%	NONE 0.206 0.027 PASS	none 0.554 0.284			Numeric Tra	
physical_meas Grip Strength (46)	369k, 17k 10 9% 31% 2%	LOWER 2.9e-04 2.1e-14 PASS	lower 0.064 5.5e-04			HandGrip S	
physical_meas Ankle Spacing (3143)	212k, 12k 350 23% 65% 6%	NONE 0.215 0.168 PASS	none 0.371 0.873			Ankle Spacin	
physical_meas Pulse Rate (4194)	112k, 6k 15 10% 39% 1%	UPPER 9.2e-04 0.728 PASS	upper 0.044 0.406			Pulse Rate	
physical_meas FEV Best (20150)	279k, 16k 102 17% 48% 5%	LOWER 0.327 7.8e-21 PASS	lower 0.283 0.024			FEV Best	
physical_meas FEV Z-score (20256)	297k, 16k 1.4k 15% 40% 4%	DUAL 2.2e-26 0.038 PASS	upper 0.025 0.655			FEV Z-score	
physical_meas Body Fat % (23099)	364k, 17k 124 17% 49% 5%	LOWER 0.016 1.1e-12 FAIL	none 0.199 0.376			Body Fat %	
physical_meas Leg Impedanc (23107)	364k, 17k 48 19% 54% 6%	DUAL 0.009 5.2e-11 PASS	lower 0.603 8.5e-04			Leg Impedance	