



GENERAL NOTES:

- 1) ALL MATERIAL SHALL BE ASTM A36 U.N.O. TUBE STEEL SHALL BE A500-B AND PIPE SHALL BE A53B U.N.O.
- 2) ALL WELDING ELECTRODES SHALL BE E70XX U.N.O.
- 3) DUPLICATION OF PIECEMARKS ALSO INDICATES DUPLICATION OF WELDS
- 4) ALL STEEL CLEANING SHALL BE SSPC-SP2(HAND TOOL) OR SSPC-SP3(POWER TOOL) U.N.O.
- 5) ALL MEMBERS ARE CENTERED ON EACH OTHER (U.N.O.)
- 6) COPE ALL RE-ENTRANT CORNERS $1/2"$ MIN NOTCH FREE
- 7) HOLES EDGE DISTANCE SHALL BE $1 1/2"$ U.N.O.
- 8) ALL TAIL DIMENSIONS ARE TO TOP OF BASE PLATE OR SQUARE(UNCUT) END OF BEAM
- 9) PLACE ALL SHIPPING MARKS ON LEFT END AND TOP OF PIECE AS DETAILED
- 10) ERECT ALL STEEL WITH SHIPPING MARK IN POSITION SHOWN IN ERECTION PLAN
- 11) WELD FLANGE MATERIAL TO BE ASTM A992 (FY=50KSI)

REV	REVISION DESCRIPTION	REV /BY	DATE	SHOP	DWG'S FOR APRVL: A	DETAILED BY: BMN
A	ISSUED FOR APPROVAL	BMN	11-05-20			
0	ISSUED FOR FABRICATION	BMN	12-11-20		DWG'S TO SHOP:	DATE: 10-11-20
					DWG'S TO FIELD:	CHECKED BY: BNB
						DATE: 10-12-20

GROGAN - HAZEL- STEEL, INC
10547 W LITTLE YORK RD.
HOUSTON TEXAS 77041
OFFICE (713) 466-7501 FAX (713) 466-8921

<u>CUSTOMER</u>	R.C.PAGE CONSTRUCTION
<u>PROJECT</u>	CENTERPOINT INDUSTRIAL P
<u>LOCATION</u>	SAN ANTONIO, TX
<u>ARCH/ ENGR</u>	BEATY PALMER ARCHITECTS

PROJECT NO.
#4222

SHEET NO:
113 