


Project: Yut Nori Console Game Implementation using C++	
Location:	Seoul National University (2nd Year, Spring Semester)
Duration:	May 2024 – June 2024
Project Overview	
Description:	Development of a console-based version of the traditional Korean board game, <i>Yut Nori</i> , using C++. The project involved interpreting complex game rules and integrating them into a provided software framework.
Role & Responsibilities:	• Code Implementation: Analyzed a pre-existing skeleton codebase and programmed the missing core functions to ensure the game operated according to strict project guidelines. • Game Mechanics & Debugging: Studied the traditional rules of <i>Yut Nori</i> and verified that my code manages player moves and game states correctly.

	 <pre> 17 18 /* menuSelect function 19 This function is used to choose "game start / end program" 20 The function returns 0 if the user selects the end 21 program, and returns 1 if the user selects the game start. 22 */ 23 24 Game::Game(){ 25 pPlayer = new Player(); 26 } 27 int Game::menuSelect() { 28 int i; 29 //IMPLEMENT HERE// 30 31 //IMPLEMENT HERE// 32 while (1) { 33 cout << "***** 34 << endl; 35 cout << "***** Menu ***** 36 << endl; 37 cout << "***** 38 << endl; 39 40 cout << "1. game start" << endl; 41 cout << "2. end program" << endl; 42 cout << "Select the function you want : "; 43 cin >> i; 44 if (i < 1 i > 2) { 45 cout << "Type an integer from 1 to 2!" << endl; 46 if (cin.fail()) { 47 cin.clear(); 48 cin.ignore(std::numeric_limits<std::streamsize>::max(), '\n'); 49 } 50 } 51 if (i == 2) { 52 return 0; 53 } else { 54 run(); 55 return 1; 56 } 57 } 58 return 1; 59 } 60 61 /* run function 62 This function is used to run the game. 63 The function is called when the user selects the game start. </pre> Figure 1. Partial game code
Key Takeaways & Professional Growth:	1. Adaptability and Perseverance: Working with skeleton code required me to quickly understand and adapt to existing software architecture rather than building from scratch. This experience reinforced the importance of perseverance when navigating complex or unfamiliar logic. 2. Collaborative Problem Solving: While much of the coding was individual, I actively collaborated with peers during the debugging phase. I learned that recognizing when to seek consultation for specific roadblocks is a strength, not a weakness. Leveraging the expertise of colleagues allowed me to resolve

	persistent issues faster and optimize the final execution speed.
--	--