

TO : A2ME-industrie ATTN : Mr Khalid BENNIS COUNTRY : Marroco
Tél : 212 5 23 30 31 17 / 212 5 23 30 31 18 Fax : 212 5 23 31 49 44
Mobile : 212 6 61 42 15 76
ADD: A2ME-industrie ,Lot N° 254, Zone Industrielle Sud-ouest, 28810 Mohammedia
E-mail : k.bennis@a2me.ma
2010-6-18

Machine technical parameter :

Model		SZK-402VP1-0.2L
Type		pneumatic + toggle mechanism
Station	Unit	2
Number of die	Unit	1
Material		PE/PP
Min/Max.container capacity	ml	5-200
Daily Output (dry Cycle)	pcs/24hrs	6000-10000
Machine Dimension	mm	2400×1800×1900
Total weight	kg	4000
Accumulator head		SZK-402VP1-0.2L
Number of die heating	zone	1
Power of die heating	KW	5
Clamping Unit		SZK-402VP1-0.2L
Clamping force	T	3
platen open/clamp stroke	mm	80-260
Max product size	mm	150×120×100
Max mould size	mm	180×220×140
Extruder Unit		SZK-402VP1-0.2L
Screw diameter	mm	40
Screw L/D ratio	L/D	25
Extruding Volume	Kg/hr	12-15
Number of heating zone	zone	4
Extruder heating power	KW	5
Main motor Extruder driving power	KW	5.5
Hydraulic Pump power	KW	/
FOB Price	USD	15,630

COMPONENT FOR THE STANDARD TYPE	
Japan	Mitisubishi Computer
	Mitisubishi MMI
	YUKEN Hydraulic
	Fuji Contactor
Germany	SICK Proximity Switch
	Festo Pneumatic Valve
	Afagomma Oil Pipe
England	HALLITE Seal
Taiwan	IVNT Frequency Inverter
	Airtac Pneumatic Cylinder
China	Safety light curtain (security assurance)

1. Delivery Terms :FOB guangzhou
2. Payment terms: 30% deposit by T/T, Balance After Inspection before shipment.
3. Delivery time: 35-40 days(After received the deposit)
4. validity : 30 days



● SZK-402YP1-0.2L
5-200ml (ZOOM)



● SZK-402VP1-0.2L
5-200ml (ZOOM)