

## Feature Extraction

### degreedata.xlsx

```
library(tidyverse)

## -- Attaching packages ----- tidyverse 1.3.0 --
## v ggplot2 3.3.3      v purrr  0.3.4
## v tibble  3.1.1      v dplyr  1.0.2
## v tidyr   1.1.2      v stringr 1.4.0
## v readr   1.3.1      v forcats 0.5.0

## Warning: package 'ggplot2' was built under R version 3.6.2
## Warning: package 'tibble' was built under R version 3.6.2
## Warning: package 'tidyr' was built under R version 3.6.2
## Warning: package 'purrr' was built under R version 3.6.2
## Warning: package 'dplyr' was built under R version 3.6.2

## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()     masks stats::lag()

library(readxl)
p2_degree = read_excel(path = "feature/p2-fro_degreedata.xlsx", col_names = TRUE)
p3_degree = read_excel(path = "feature/p3-fro_degreedata.xlsx", col_names = TRUE)
p4_degree = read_excel(path = "feature/p4-fro_degreedata.xlsx", col_names = TRUE)
p5_degree = read_excel(path = "feature/p5-fro_degreedata.xlsx", col_names = TRUE)
p6_degree = read_excel(path = "feature/p6-fro_degreedata.xlsx", col_names = TRUE)
p7_degree = read_excel(path = "feature/p7-fro_degreedata.xlsx", col_names = TRUE)
```

### Count of branchpoints

```
# Count of branchpoints
nrow(p2_degree)

## [1] 481

nrow(p3_degree)

## [1] 910

nrow(p4_degree)

## [1] 1444

nrow(p5_degree)

## [1] 2723
```

```
nrow(p6_degree)
```

```
## [1] 3238
```

```
nrow(p7_degree)
```

```
## [1] 3956
```

### Spatial density of nodes (Branching number per node)

```
# Branching number per node
```

```
# Spatial density of nodes
```

```
deg_spatial_density = data.frame(miceage = c(), degree = c(), density = c())
```

```
degree = p2_degree$degree
```

```
deg_density = table(degree)[max(degree):1] %>%
```

```
  prop.table() %>%
```

```
  cumsum() %>%
```

```
  rev()
```

```
deg_spatial_density = rbind(deg_spatial_density,
```

```
                             data.frame(miceage = rep("p2",max(degree)), degree = 1:max(degree), density
```

```
degree = p3_degree$degree
```

```
deg_density = table(degree)[max(degree):1] %>%
```

```
  prop.table() %>%
```

```
  cumsum() %>%
```

```
  rev()
```

```
deg_spatial_density = rbind(deg_spatial_density,
```

```
                             data.frame(miceage = rep("p3",max(degree)), degree = 1:max(degree), density
```

```
degree = p4_degree$degree
```

```
deg_density = table(degree)[max(degree):1] %>%
```

```
  prop.table() %>%
```

```
  cumsum() %>%
```

```
  rev()
```

```
deg_spatial_density = rbind(deg_spatial_density,
```

```
                             data.frame(miceage = rep("p4",max(degree)), degree = 1:max(degree), density
```

```
degree = p5_degree$degree
```

```
deg_density = table(degree)[max(degree):1] %>%
```

```
  prop.table() %>%
```

```
  cumsum() %>%
```

```
  rev()
```

```
deg_spatial_density = rbind(deg_spatial_density,
```

```
                             data.frame(miceage = rep("p5",max(degree)), degree = 1:max(degree), density
```

```
degree = p6_degree$degree
```

```
deg_density = table(degree)[max(degree):1] %>%
```

```
  prop.table() %>%
```

```
  cumsum() %>%
```

```
  rev()
```


```
deg_spatial_density = rbind(deg_spatial_density,
```

```
                             data.frame(miceage = rep("p6",max(degree)), degree = 1:max(degree), density
```

```

degree = p7_degree$degree
deg_density = table(degree)[max(degree):1] %>%
  prop.table() %>%
  cumsum() %>%
  rev()
deg_spatial_density = rbind(deg_spatial_density,
                             data.frame(miceage = rep("p7",max(degree)), degree = 1:max(degree), density
deg_spatial_density$miceage = as.factor(deg_spatial_density$miceage)
deg_spatial_density$degree = as.factor(deg_spatial_density$degree)
ggplot(deg_spatial_density, aes(x = degree, y = density, color = miceage, group = miceage)) +
  geom_line() +
  geom_point() +
  labs(x = "Number k of vessels branching out for one node",
       y = "% of branching points with node density >= k") +
  scale_colour_discrete("Mice age")

```



Reference: <https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=6076630>

## alldata.xlsx

```

p2_all = read_excel(path = "feature/p2-fro_alldata.xlsx", col_names = TRUE)
p3_all = read_excel(path = "feature/p3-fro_alldata.xlsx", col_names = TRUE)
p4_all = read_excel(path = "feature/p4-fro_alldata.xlsx", col_names = TRUE)
p5_all = read_excel(path = "feature/p5-fro_alldata.xlsx", col_names = TRUE)
p6_all = read_excel(path = "feature/p6-fro_alldata.xlsx", col_names = TRUE)

```

```
p7_all = read_excel(path = "feature/p7-fro_alldata.xlsx", col_names = TRUE)
```

Vessel segment - the number of vessel edges

```
nrow(p2_all)
```

```
## [1] 598
```

```
nrow(p3_all)
```

```
## [1] 1178
```

```
nrow(p4_all)
```

```
## [1] 1601
```

```
nrow(p5_all)
```

```
## [1] 3627
```

```
nrow(p6_all)
```

```
## [1] 4411
```

```
nrow(p7_all)
```

```
## [1] 5561
```

It certainly increases as it gets older.

Vessel length & Tortuosity & Width

```
mean(p2_all$length)
```

```
## [1] 11.86584
```

```
mean(p3_all$length)
```

```
## [1] 11.79226
```

```
mean(p4_all$length)
```

```
## [1] 12.09268
```

```
mean(p5_all$length)
```

```
## [1] 11.68207
```

```
mean(p6_all$length)
```

```
## [1] 11.56996
```

```
mean(p7_all$length)
```

```
## [1] 11.62666
```

```
sum(p2_all$length)
```

```
## [1] 7095.773
```

```
sum(p3_all$length)
```

```
## [1] 13891.28
```

```

sum(p4_all$length)

## [1] 19360.39
sum(p5_all$length)

## [1] 42370.87
sum(p6_all$length)

## [1] 51035.11
sum(p7_all$length)

## [1] 64655.84
mean(p2_all$tortuosity)

## [1] 1.101782
mean(p3_all$tortuosity)

## [1] 1.099792
mean(p4_all$tortuosity)

## [1] 1.142496
mean(p5_all$tortuosity)

## [1] 1.096093
mean(p6_all$tortuosity)

## [1] 1.092839
mean(p7_all$tortuosity)

## [1] 1.085495
mean(p2_all$width)

## [1] 2.862876
mean(p3_all$width)

## [1] 2.736418
mean(p4_all$width)

## [1] 2.404747
mean(p5_all$width)

## [1] 2.60863
mean(p6_all$width)

## [1] 2.665949
mean(p7_all$width)

## [1] 2.4893

```

Sum of vessel length increases as it gets older  
 Couldn't find any other interesting facts (differences) for length and tortuosity.  
 Maybe Vessel width (diameter) gets smaller as it gets older? (perform t-test?)

## Summary

```
vessel_summary = data.frame(p2 = c(), p3 = c(), p4 = c(), p5 = c(), p6 = c(), p7 = c())
f1 = c(nrow(p2_degree), nrow(p3_degree), nrow(p4_degree), nrow(p5_degree), nrow(p6_degree), nrow(p7_degree))
f2 = c(nrow(p2_all), nrow(p3_all), nrow(p4_all), nrow(p5_all), nrow(p6_all), nrow(p7_all))
f3 = c(mean(p2_all$length), mean(p3_all$length), mean(p4_all$length),
        mean(p5_all$length), mean(p6_all$length), mean(p7_all$length))
f4 = c(mean(p2_all$tortuosity), mean(p3_all$tortuosity), mean(p4_all$tortuosity),
        mean(p5_all$tortuosity), mean(p6_all$tortuosity), mean(p7_all$tortuosity))
f5 = c(mean(p2_all$width), mean(p3_all$width), mean(p4_all$width),
        mean(p5_all$width), mean(p6_all$width), mean(p7_all$width))

m = rbind(f1, f2, f3, f4, f5)
colnames(m) = c("p2", "p3", "p4", "p5", "p6", "p7")
rownames(m) = c("Number of Branchpoints", "Number of Vessel Edges", "Mean of Vessel Length",
               "Mean of Vessel Tortuosity", "Mean of Vessel Width")

options(digits=4)
knitr::kable(as.data.frame(m), align="c")
```


	p2	p3	p4	p5	p6	p7
Number of Branchpoints	481.000	910.000	1444.000	2723.000	3238.000	3956.000
Number of Vessel Edges	598.000	1178.000	1601.000	3627.000	4411.000	5561.000
Mean of Vessel Length	11.866	11.792	12.093	11.682	11.570	11.627
Mean of Vessel Tortuosity	1.102	1.100	1.143	1.096	1.093	1.085
Mean of Vessel Width	2.863	2.736	2.405	2.609	2.666	2.489

## Density and Boxplot

```
p1to7_all <- rbind(p2_all, p3_all, p4_all, p5_all, p6_all, p7_all)
p1to7_all$stage <- c(rep("p2", nrow(p2_all)), rep("p3", nrow(p3_all)), rep("p4", nrow(p4_all)), rep("p5", nrow(p5_all)), rep("p6", nrow(p6_all)), rep("p7", nrow(p7_all)))


p1to7_all_long <- gather(p1to7_all, key = "feature", value = "value",
                        line, length, width, tortuosity)

ggplot(p1to7_all_long, mapping = aes(x = value, fill = stage, color = stage)) + facet_wrap(~feature, nrow = 1)
```



stage — p2 — p3 — p4 — p5 — p6 — p7

```
ggplot(p1to7_all_long, aes(x=stage, y=value, fill=stage)) + facet_wrap(~feature, nrow = 2, scales = "f") +  
  geom_boxplot(width = 0.8, outlier.size=0.4) + theme(legend.position = "bottom") + scale_x_discrete(exp
```



## Area

```
## Install EBImage package
```

```
### http://bioconductor.org/packages/release/bioc/html/EBImage.html
```

```
library(EBImage)
```

```
## Warning: package 'EBImage' was built under R version 3.6.1
```

```
##
```

```
## Attaching package: 'EBImage'
```

```
## The following object is masked from 'package:purrr':
```

```
##
```

```
## transpose
```

```
my_image2 <- readImage("../data/test_data/predictions/p2-from 5-5-2 M_prediction.tif")
```

```
my_image3 <- readImage("../data/test_data/predictions/p3-from 5-5-2 M_prediction.tif")
```

```
my_image4 <- readImage("../data/test_data/predictions/p4-from 5-5-2 M_prediction.tif")
```

```
my_image5 <- readImage("../data/test_data/predictions/p5-from 5-5-1 M_prediction.tif")
```

```
my_image6 <- readImage("../data/test_data/predictions/p6-from 5-5-2 M_prediction.tif")
```

```
my_image7 <- readImage("../data/test_data/predictions/p7-from 5-5-2 M_prediction.tif")
```

```
options(digits=4)
```

```
knitr::kable(data.frame(p2 = mean(my_image2), p3 = mean(my_image3), p4 = mean(my_image4),  
p5 = mean(my_image5), p6 = mean(my_image6), p7 = mean(my_image7)), align = "c")
```

p2	p3	p4	p5	p6	p7
0.0185	0.0339	0.0437	0.1015	0.1193	0.1419



VAD: ratio of the total image area occupied by blood vessel area <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4901200/pdf/JBO-021-066008.pdf> (page 4)