

Ex No: 1

Date:

IMPLEMENT CODE TO RECOGNIZE TOKENS IN C

AIM:

To implement the program to identify C keywords, identifiers, operators, end statements like [], {} using C tool.

ALGORITHM:

- We identify the basic tokens in c such as keywords, numbers, variables, etc.
- Declare the required header files.
- Get the input from the user as a string and it is passed to a function for processing.
- The functions are written separately for each token and the result is returned in the form of bool either true or false to the main computation function.
- Functions are issymbol() for checking basic symbols such as () etc , isoperator() to check for operators like +, -, *, / , isidentifier() to check for variables like a,b, iskeyword() to check the 32 keywords like while etc., isInteger() to check for numbers in combinations of 0-9, isnumber() to check for digits and substring().
- Declare a function detecttokens() that is used for string manipulation and iteration then the result is returned from the functions to the main. If it's an invalid identifier error must be printed.
- Declare main function get the input from the user and pass to detecttokens() function.

PROGRAM:

```
#include<stdio.h>
int main(){
    int count=0,k=0,i=0;
    char a[25];
    printf("Enter expression : ");
    fgets(a,25,stdin);
    while(a[i]!='\0'){
        if(isalpha(a[i])){
            printf("%c - identifier\n",a[i]);
        }
        else if(a[i]=='+' || a[i]=='-' || a[i]=='*' || a[i]=='/'){
            printf("%c - arithmetic operator\n",a[i]);
        }
        else if(a[i]=='='){
            printf("%c - assignment operator\n",a[i]);
        }
        else if(isdigit(a[i])){
            char b[k];
            while(isdigit(a[i])){
                b[k++]=a[i];
                i++;
            }
            printf("%s - digit\n",b);
            k=0;
        }
    }
}
```

```
        i=i-1;
    }
    i++;
}
```

OUTPUT:

```
The Program is : 'float x = a + 1b; '  
All Tokens are :  
Valid keyword : 'float'  
Valid Identifier : 'x'  
Valid operator : '='Valid Identifier : 'a'  
Valid operator : '+'Invalid Identifier : '1b'
```

RESULT

Ex No: 2

Date:


IMPLEMENT A LEXICAL ANALYZER TO COUNT THE NUMBER OF WORDS USING LEX TOOL

AIM:

To implement the program to count the number of words in a string using LEX tool.

STUDY:

Lex is a tool in lexical analysis phase to recognize tokens using regular expression. Lex tool itself is a lex compiler.



- lex.l is an input file written in a language which describes the generation of lexical analyzer. The lex compiler transforms lex.l to a C program known as lex.yy.c.
- lex.yy.c is compiled by the C compiler to a file called a.out.
- The output of C compiler is the working lexical analyzer which takes stream of input characters and produces a stream of tokens.
- yylval is a global variable which is shared by lexical analyzer and parser to return the name and an attribute value of token.
- The attribute value can be numeric code, pointer to symbol table or nothing.
- Another tool for lexical analyzer generation is Flex.

STRUCTURE OF LEX PROGRAMS:

Lex program will be in following form

declarations

%%

translation rules

%%

auxiliary functions

ALGORITHM:

- Declare necessary header files and variables in the beginning.
- Define rules in the form of regular expressions to identify words and newline characters.
- Increment a counter each time a word is matched.
- Reset the counter when encountering a newline character and print the count.
- Implement the main function to initiate lexical analysis and return 0.

PROGRAM:

```
%{
#include<stdio.h>
#include<string.h>
int i = 0;
}%
/* Rules Section*/
%%
([a-zA-Z0-9])* {i++;} /* Rule for counting
number of words*/
"\n" {printf("%d\n", i); i = 0;}
%%
int yywrap(void){}
int main()
{
// The function that starts the analysis
yylex();
return 0;
}
```

OUTPUT:

```
[student@fedora ~]$ vi pg.l
[student@fedora ~]$ lex pg.l
[student@fedora ~]$ cc lex.yy.c
[student@fedora ~]$ ./a.out
i am taej
3
taejashwar
1
```

RESULT:

Ex No: 3

Date:

DEVELOP A LEXICAL ANALYZER TO RECOGNIZE TOKENS USING LEX TOOL

AIM:

To implement the program to identify C keywords, identifiers, operators, end statements like [], {} using LEX tool.

ALGORITHM:

- Define patterns for C keywords, identifiers, operators, and end statements using regular expressions. Use %option noyywrap to disable the default behavior of yywrap.
- Utilize regular expressions to match patterns for C keywords, identifiers, operators, and end statements. Associate each pattern with an action to be executed when matched.
- Define actions to print corresponding token categories for matched patterns. Handle special cases like function declarations, numeric literals, and processor directives separately.
- Open the input file (sample.c in this case) for reading. Start lexical analysis using yylex() to scan the input and apply defined rules.
- Increment a counter (n) each time a newline character is encountered. Print the total number of lines at the end of the program execution.

PROGRAM:

```
%option noyywrap
letter [a-zA-Z]
digit [0-9]
id [_a-zA-Z]
AO [+|-|/|%*]
RO [<|>|<=|>|=|==]
pp [#]
%{
int n=0;
}%

%%
"void"                printf("%s return type\n",yytext);
{letter}*([()])       printf("%s Function\n",yytext);
"int"|"float"|"if"|"else" printf("%s keywords\n",yytext);
"printf"              printf("%s keywords\n",yytext);
{id}({id}|{digit})*   printf("%s Identifier\n",yytext);
{digit}{digit}*       printf("%d Numbers\n",yytext);
{AO}                  printf("%s Arithmetic Operators\n",yytext);
{RO}                  printf("%s Relational Operators\n",yytext);
{pp}{letter}*(<|{letter}*[.]|{letter}>| printf("%s processor
                                                                Directive\n",yytext);

[\n]                  n++;
```

```
"."|","|"}|{"|";"          printf("%s others\n",yytext);
```

```
%%
```

```
int main()
```

```
{
```

```
    yyin=fopen("sample.c","r");
```

```
    yylex();
```

```
    printf("No of Lines %d\n",n);
```

```
}
```

OUTPUT:

```
[root@fedora student]# vi 280e3.1      3
[root@fedora student]# lex 280e3.1      3
[root@fedora student]# cc lex.yy.c
[root@fedora student]# ./a.out
#include<stdio.h> voidmain(){ int a,b;
#include<stdio.h> processor Directive
void return type
main() Function
{
others
int keywords
a Identifier
, others
b Identifier
; others
}others
```

RESULT:

Ex No: 4

Date:

DESIGN A DESK CALCULATOR USING LEX TOOL

AIM:

To create a calculator that performs addition, subtraction, multiplication and division using lex tool.

ALGORITHM:

- In the headers section declare the variables that is used in the program including header files if necessary.
- In the definitions section assign symbols to the function/computations we use along with REGEX expressions.
- In the rules section assign dig() function to the dig variable declared.
- In the definition section increment the values accordingly to the arithmetic functions respectively.
- In the user defined section convert the string into a number using atof() function.
- Define switch case for different computations.
- Define the main () and yywrap() function.

PROGRAM:

```
%{
int op = 0,i;
float a, b;
}%
dig [0-9]+|([0-9]*)."([0-9]+)
add "+"
sub "-"
mul "*"
div "/"
pow "^"
ln "\n
%%
{dig} {digi();}
{add} {op=1;}
{sub} {op=2;}
{mul} {op=3;}
{div} {op=4;}
{pow} {op=5;}
{ln} {printf("\n The Answer :%f\n\n",a);}
%%
digi(){
if(op==0)
a=atof(yytext);
else{
b=atof(yytext);
switch(op){
```

```

case 1:a=a+b;
break;
case 2:a=a-b;
break;
case 3:a=a*b;
break;
case 4:a=a/b;
break;
case 5:for(i=a;b>1;b--)
a=a*i;
break;
}
op=0; } }
main(int argv,char *argc[])
{
yylex();}
yywrap()
{
return 1;
}

```

OUTPUT:

```

[root@Taej] # vi ex4.1
[root@Taej]# lex ex4.1
[root@Taej]# cc_lex.yy.c
[root@Taej]# ./a.out

5*4
The Answer : 20.000000
2+3
The Answer : 5.000000
8-2
The Answer : 6.000000
6/3
The Answer: 2.000000

```

RESULT:

Ex No: 5

Date:

RECOGNIZE AN ARITHMETIC EXPRESSION USING LEX AND YACC

AIM:

To check whether the arithmetic expression using lex and yacc tool.


ALGORITHM:

- Using the flex tool, create lex and yacc files.
- In the C include section define the header files required.
- In the rules section define the REGEX expressions along with proper definitions.
- In the user defined section define yywrap() function.
- Declare the yacc file inside it in the C definitions section declare the header files required along with an integer variable valid with value assigned as 1.
- In the Yacc declarations declare the format token num id op.
- In the grammar rules section if the starting string is followed by assigning operator or identifier or number or operator followed by a number or open parenthesis followed by an identifier. The x could be an operator followed by an identifier or operator or no operator then declare that as valid expressions by making the valid stay in 1 itself.
- In the user definition section if the valid is 0 print as Invalid expression in yyerror() and define the main function.

LEX AND YACC WORKING :

Parser generator:

- Takes a specification for a context-free grammar.
- Produces code for a parser.



PROGRAM:**validexp.l:**

```
%{
#include<stdio.h>
#include "y.tab.h"
}%

%%
[a-zA-Z]+ return VARIABLE;
[0-9]+ return NUMBER;
[\t] ;
[\n] return 0;
. return yytext[0];
%%
int yywrap()
{
return 1;
}
```

validexp.y:

```
%{
#include<stdio.h>
}%
%token NUMBER
%token VARIABLE

%left '+' '-'
%left '*' '/' '%'
%left '(' ')'

%%

S: VARIABLE='E' {
    printf("\nEntered arithmetic expression is Valid\n\n");
    return 0;
}
E: E '+' E
| E '-' E
| E '*' E
| E '/' E
| E '%' E
| '(' E ')'
| NUMBER
| VARIABLE
;
```

```
%%
```

```
void main()
{
    printf("\nEnter Any Arithmetic Expression which can have operations Addition,
    Subtraction, Multiplication, Divison, Modulus and Round brackets:\n");
    yyparse();
}

void yyerror()
{
    printf("\nEnter arithmetic expression is Invalid\n\n");
}

}
```

OUTPUT:

```
[root@Taej]# vi ex5.c
[root@Taej]# vi ex5.1
[root@Taej]# vi ex5.y
[root@Taej]# lex ex5.1
[root@Taej]# yacc -d ex5.y
[root@Taej]# cc lex.yy.cy.tab.c
[root@Taej]# ./a.out
Enter Any Arithmetic Expression which can have operations Addition, Subtraction, Multiplication, Divison, Modulus and Round brackets:
14+27

Entered arithmetic expression is Invalid

[root@Suri]# ./a.out
Enter Any Arithmetic Expression which can have operations Addition, Subtraction, Multiplication, Divison, Modulus and Round brackets:
a=2+3

Entered arithmetic expression is Valid
```

RESULT:

Ex No: 6

Date:

RECOGNIZE A VALID VARIABLE WITH LETTERS AND DIGITS USING LEX AND YACC

AIM:

To recognize a valid variable which starts with a letter followed by any number of letters or digits.

ALGORITHM:

- Define lexical rules in variable.l with regex to match valid variables: start with a letter, followed by letters or digits. Tokenize input, distinguishing letters and digits.
- Use lexer (variable.l) to tokenize input into meaningful units like letters and digits.
- Implement grammar rules in parser (variable.y) for recognizing valid variable names using context-free grammar. Incorporate lexer tokens into parsing.
- In parser, implement error handling to detect invalid variable names. Set a flag (e.g., valid) to mark invalid identifiers.
- Check validity post-parsing; if flag remains true, indicate valid identifier. Otherwise, display message for invalid input.

PROGRAM:

variable.l:

```
%{
    #include "y.tab.h"
}%
%%
[a-zA-Z_][a-zA-Z_0-9]* return letter;
[0-9]          return digit;
.              return yytext[0];
\n            return 0;
%%
int yywrap()
{
    return 1;
}
```

variable.y:

```
%{
    #include <stdio.h>
    int valid=1;
}%
```

```

%token digit letter
%%
start : letter s
s :    letter s
      | digit s ;

%%
int yyerror()
{
    printf("\nIts not a identifier!\n");
    valid=0;
    return 0;
}
int main() {
    printf("\nEnter a name to test for an identifier: ");
    yyparse();
    if(valid) {
        printf("\nIt is a identifier!\n");
    } }

```

OUTPUT:

```

[root@fedora student]# vi 280e6.l
[root@fedora student]#vi 280e6.y
[root@fedora student]#lex 280e6.l
[root@fedora student]#yacc -d 280e6.y
[root@fedora student]#cc lex.yy.c y.tab.c
[root@fedora student]#./a.out

Enter a name to test for an identifier: var

It is a identifier!

```

RESULT:

Ex No: 7

Date:

EVALUATE EXPRESSION THAT TAKES DIGITS, *, + USING LEX AND YACC

AIM:

To perform arithmetic operations that takes digits, *, + using lex and yacc.

ALGORITHM:

- Define rules in evaluate.l to recognize digits and ignore whitespace, returning tokens for numbers. Utilize yylval to pass token values to parser.
- Break down input into tokens (numbers) in evaluate.l, associating each with its respective value.
- Use parser (evaluate.y) to implement grammar rules for arithmetic expressions, considering precedence and associativity of operators. Generate a result for each expression.
- Implement error handling in evaluate.y to detect invalid expressions. Set a flag if errors occur during parsing.
- After parsing, check if the flag remains unset. If so, indicate that the arithmetic expression is valid; otherwise, display an error message.

PROGRAM:

evaluate.l:

```
%{
#include<stdio.h>
#include "y.tab.h"
extern int yylval;
}%

%%
[0-9]+ {
    yylval=atoi(yytext);
    return NUMBER;
}

[\t] ;
[\n] return 0;
. return yytext[0];
%%

int yywrap()
{
    return 1;
}
```

evaluate.y:

```
%{
    #include<stdio.h>
    int flag=0;

}%
%token NUMBER

%left '+' '-'
%left '*' '/' '%'
%left '(' ')'
%%
ArithmeticExpression: E {
    printf("\nResult=%d\n", $$);
    return 0;
}
E: E '+' E { $$ = $1 + $3; }
| E '-' E { $$ = $1 - $3; }
| E '*' E { $$ = $1 * $3; }
| E '/' E { $$ = $1 / $3; }
| E '%' E { $$ = $1 % $3; }
| '(' E ')' { $$ = $2; }
| NUMBER { $$ = $1; }
;
%%

void main()
{
    printf("\nEnter Any Arithmetic Expression which can have operations Addition,
Subtraction, Multiplication, Divison, Modulus and Round brackets:\n");
    yyparse();
    if(flag==0)
        printf("\nEntered arithmetic expression is Valid\n\n");
}

void yyerror()
{
    printf("\nEntered arithmetic expression is Invalid\n\n");
    flag=1;
}
```

OUTPUT:

```
[student@fedora 280]$ vi 280_ex7.l
[student@fedora 280]$ vi 280_ex7.y
[student@fedora 280]$ lex 280_ex7.l
[student@fedora 280]$ yacc -d 280_ex7.y
[student@fedora 280]$ cc lex.yy.c y. tab.c
[student@fedora 280]$ ./a/out

Enter any Arithmetic Expression which can have appratiers addition,subtraction,multiplication,division,modulus and round bracelets:
2+3

Result=5

Entered arithmetic expression is valid

[student@fedora 280]$ ./a/out

Enter any Arithmetic Expression which can have appratiers addition,subtraction, multiplication,division,modulus and round bracelets:
2+3

Result=5

Entered arithmetic expression is valid
```

RESULT:

Ex No: 8

Date:

GENERATE THREE ADDRESS CODES

AIM:

To generate three address code using C program.

ALGORITHM:

- Get address code sequence.
- Determine current location of 3 using address (for 1st operand).
- If the current location does not already exist, generate move (B, O).
- Update address of A (for 2nd operand).
- If the current value of B and () is null, exist.
- If they generate operator () A, 3 ADPR.
- Store the move instruction in memory.

PROGRAM:

```
#include<stdio.h>
#include<string.h>
#include<ctype.h>
typedef struct
{
char var[10]; int alive;
}
regist;
regist preg[10];
void substring(char exp[],int st,int end)
{
int i,j=0;
char dup[10]="";
for(i=st;i<end;i++)
dup[j++]=exp[i];
dup[j]='0';

strcpy(exp,dup);
}

int getregister(char var[])
{
int i; for(i=0;i<10;i++)
{
if(preg[i].alive==0)
```

```

{
strcpy(preg[i].var,var);
break;
}
}
return(i);
}
void getvar(char exp[],char v[])
{
int i,j=0;
char var[10]="";
for(i=0;exp[i]!='\0';i++)
if(isalpha(exp[i]))
var[j++]=exp[i];
else
break;
strcpy(v,var);
}
void main()
{
char basic[10][10],var[10][10],fstr[10],op;
int i,j,k,reg,vc,flag=0;
printf("\nEnter the Three Address Code:\n");

for(i=0;;i++)
{
gets(basic[i]);
if(strcmp(basic[i],"exit")==0)
break;
}
printf("\nThe Equivalent Assembly Code is:\n");
for(j=0;j<i;j++)
{
getvar(basic[j],var[vc++]);
strcpy(fstr,var[vc-1]);
substring(basic[j],strlen(var[vc-1])+1,strlen(basic[j]));
getvar(basic[j],var[vc++]);
reg=getregister(var[vc-1]);
if(preg[reg].alive==0)
{
printf("\nMov R%d,%s",reg,var[vc-1]);

```

```

preg[reg].alive=1;
}
op=basic[j][strlen(var[vc-1])];
substring(basic[j],strlen(var[vc-1])+1,strlen(basic[j]));
getvar(basic[j],var[vc++]);
switch(op)
{
case '+':
printf("\nAdd");
break; case '-':
printf("\nSub");
break;
case '*':
printf("\nMul");
break;
case '/':
printf("\nDiv");
break;
}

flag=1;
for(k=0;k<=reg;k++)
{
if(strcmp(preg[k].var,var[vc-1])==0)
{
printf("R%d, R%d",k,reg);
preg[k].alive=0;
flag=0;
break;
}
}
if(flag)
{
printf(" %s,R%d",var[vc-1],reg);
printf("\nMov %s,R%d",fstr,reg);
}
strcpy(preg[reg].var,var[vc-3]);
}
}

```

OUTPUT:

```
[student@fedora 280]$ vi 280_ex8.c
, [student@fedora 280]$ cc 280_ex8.c
[student@fedora 280]$ ./a/out

Enter the Three Address Code:
x=y+z
a=b*x
c=a-d
exit

The Equivalent Assembly Code is:

Mov R0,y
Add
z,R0
Mov X, R0
Mov R1,b
Mul R0, R1
Mov R0, a
Sub d, R0
Mov c,R0[student@fedora 280]
```

RESULT:

Ex No: 9

Date:

IMPLEMENT CODE OPTIMIZATION TECHNIQUES CONSTANT FOLDING

AIM:

To write a C program to implement Constant Folding (Code optimization Technique).

ALGORITHM:

- The desired header files are declared.
- The two file pointers are initialized one for reading the C program from the file and one for writing the converted program with constant folding.
- The file is read and checked if there are any digits or operands present.
- If there is, then the evaluations are to be computed in switch case and stored.
- Copy the stored data to another file.
- Print the copied data file.

PROGRAM:

```
#include<stdio.h>
#include<string.h>
void main() {
    char s[20];
    char flag[20]="//Constant";
    char result,equal,operator;
    double op1,op2,interrslt;
    int a,flag2=0;
    FILE *fp1,*fp2;
    fp1 = fopen("input.txt","r");
    fp2 = fopen("output.txt","w");
    fscanf(fp1,"%s",s);
    while(!feof(fp1)) {
        if(strcmp(s,flag)==0) {
            flag2 = 1;
        }
        if(flag2==1) {
            fscanf(fp1,"%s",s);
            result=s[0];
            equal=s[1];
            if(isdigit(s[2])&& isdigit(s[4])) {
                if(s[3]=='+'||s[3]=='-'||s[3]=='*'||s[3]=='/') {
                    operator=s[3];
                    switch(operator) {
                        case '+':
                            interrslt=(s[2]-48)+(s[4]-48);
                            break;
                        case '-':
                            interrslt=(s[2]-48)-(s[4]-48);
```

```

                                break;
case '*':
    interrslt=(s[2]-48)*(s[4]-48);
    break;
case '/':
    interrslt=(s[2]-48)/(s[4]-48);
    break;
default:
    interrslt = 0;
    break; }
fprintf(fp2,"/*Constant Folding*\n");
fprintf(fp2,"%c = %lf\n",result,interrslt);
flag2 = 0;
    }
} else {
    fprintf(fp2,"Not Optimized\n");
    fprintf(fp2,"%s\n",s);
}
} else {
    fprintf(fp2,"%s\n",s);
}
}
fscanf(fp1,"%s",s);
}
fclose(fp1);
fclose(fp2);
}

```

OUTPUT:

```

[student@fedora 280]$ vi input.txt
[student@fedora 280]$vi 280e9.c
[student@fedora 280]$cc 280e9.c
[student@fedora 280]$./a.out
[student@fedora 280]$vi output.txt

```

//output.txt

```

a=7
b=10
c=5
d=7

```

RESULT:

Ex No: 10

Date:

IMPLEMENT CODE OPTIMIZATION TECHNIQUES DEAD CODE AND COMMON SUB EXPRESSION ELIMINATION

AIM:

To write a C program to implement the dead code elimination and common sub expression elimination (code optimization) techniques.

ALGORITHM:

- Start
- Create the input file which contains three address code.
- Open the file in read mode.
- If the file pointer returns NULL, exit the program else go to 5.
- Scan the input symbol from left to right.
- Store the first expression in a string.
- Compare the string with the other expressions in the file.
- If there is a match, remove the expression from the input file.
- Perform these steps 5-8 for all the input symbols in the file.
- Scan the input symbol from the file from left to right.
- Get the operand before the operator from the three address code.
- Check whether the operand is used in any other expression in the three address code.
- If the operand is not used, then eliminate the complete expression from the three-address code else go to 14.
- Perform steps 11 to 13 for all the operands in the three address code till end of the file is reached.
- Stop.

PROGRAM:

```
#include<stdio.h>
#include<conio.h>
#include<string.h>

struct op
{
    char l;
    char r[20];
}
op[10], pr[10];

void main()
{
    int a, i, k, j, n, z = 0, m, q;
```

TAEJASHWAR R B - 210701280

```

char * p, * l;
char temp, t;
char * tem;
clrscr();
printf("enter no of values");
scanf("%d", & n);
for (i = 0; i < n; i++)
{
    printf("\tleft\t");
    op[i].l = getche();
    printf("\tright\t");
    scanf("%s", op[i].r);
}
printf("intermediate Code\n");
for (i = 0; i < n; i++)
{
    printf("%c=", op[i].l);
    printf("%s\n", op[i].r);
}
for (i = 0; i < n - 1; i++)
{
    temp = op[i].l;
    for (j = 0; j < n; j++)
    {
        p = strchr(op[j].r, temp);
        if (p)
        {
            pr[z].l = op[i].l;
            strcpy(pr[z].r, op[i].r);
            z++;
        }
    }
}
pr[z].l = op[n - 1].l;
strcpy(pr[z].r, op[n - 1].r);
z++;
printf("\nafter dead code elimination\n");
for (k = 0; k < z; k++)
{
    printf("%c\t=", pr[k].l);
    printf("%s\n", pr[k].r);
}

//sub expression elimination
for (m = 0; m < z; m++)
{
    tem = pr[m].r;
    for (j = m + 1; j < z; j++)
    {

```



```

    p = strstr(tem, pr[j].r);
    if (p)
    {
        t = pr[j].l;
        pr[j].l = pr[m].l;
        for (i = 0; i < z; i++)
        {
            l = strchr(pr[i].r, t);
            if (l) {
                a = l - pr[i].r;
                //printf("pos: %d",a);
                pr[i].r[a] = pr[m].l;
            }
        }
    }
}
}
}
printf("eliminate common expression\n");
for (i = 0; i < z; i++) {
    printf("%c\t=", pr[i].l);
    printf("%s\n", pr[i].r);
}
// duplicate production elimination

for (i = 0; i < z; i++)
{
    for (j = i + 1; j < z; j++)
    {
        q = strcmp(pr[i].r, pr[j].r);
        if ((pr[i].l == pr[j].l) && !q)

        {
            pr[i].l = '\0';
            strcpy(pr[i].r, "\0");
        }
    }
}
printf("optimized code");
for (i = 0; i < z; i++)
{
    if (pr[i].l != '\0') {
        printf("%c=", pr[i].l);
        printf("%s\n", pr[i].r);
    } } getch();
}

```

OUTPUT:

```
[student@fedora 280]$ vi e10.c
[student@fedora 280]$cc e10.c
[student@fedora 280]$./a.out
Enter number of values: 3
Enter left and right values:
    left: a
    right: 9
    left: b
    right: c+d
    left: f
    right: b+e

Intermediate Code:
a=9
b=c+d
f=b+e

Optimized Code:
b=c+d
f=b+e
```

RESULT:

For Index

1. IMPLEMENT CODE TO RECOGNIZE TOKENS IN C
2. IMPLEMENT A LEXICAL ANALYZER TO COUNT THE NUMBER OF WORDS USING LEX TOOL
3. DEVELOP A LEXICAL ANALYZER TO RECOGNIZE TOKENS USING LEX TOOL
4. DESIGN A DESK CALCULATOR USING LEX TOOL
5. RECOGNIZE AN ARITHMETIC EXPRESSION USING LEX AND YACC
6. RECOGNIZE A VALID VARIABLE WITH LETTERS AND DIGITS USING LEX AND YACC
7. EVALUATE EXPRESSION THAT TAKES DIGITS, *, + USING LEX AND YACC
8. GENERATE THREE ADDRESS CODES
9. IMPLEMENT CODE OPTIMIZATION TECHNIQUES CONSTANT FOLDING
10. IMPLEMENT CODE OPTIMIZATION TECHNIQUES DEAD CODE AND COMMON SUB EXPRESSION ELIMINATION