# Contents

1	Section 10.2															]	1										
	1.1	10.2.1																								1	1
	1.2	10.2.3																								1	1
	1.3	10.2.19																								2	2
	1 4	10 2 21																								6	2

# 1 Section 10.2

Laplace transform of the second derivative of a function

$$\mathcal{L}(f'') = s^2 \mathcal{L}(f) - sf(0) - f'(0) \tag{1}$$

## 1.1 10.2.1

Solve the following differential equation by Laplace transforms. The function is subject to the given conditions.

$$y'' + 64y = 0, y(0) = 0, y'(0) = 1$$

$$\mathcal{L}(y'') + 64\mathcal{L}(y) = \mathcal{L}(0)$$

$$[s^{2}\mathcal{L}(y) - sy(0) - y'(0)] + 64\mathcal{L}(y) = \mathcal{L}(0)$$

$$s^{2}\mathcal{L}(y) - 0 - 1 + 64\mathcal{L}(y) = \mathcal{L}(0)$$

$$\mathcal{L}(y)(s^{2} + 64) = 1$$

$$\mathcal{L}(y) = \frac{1}{s^{2} + 64}$$

$$y = \mathcal{L}^{-1}\left(\frac{1}{s^{2} + 64}\right)$$

$$y = \frac{1}{8}\sin(8t)$$

## 1.2 10.2.3

Solve the following differential equation by Laplace transforms. The function is subject to the given conditions.

$$y'' + 4y = 4, y(0) = 1, y'(0) = 2$$

$$\mathcal{L}(y'') + 4\mathcal{L}(y) = \mathcal{L}(4)$$

$$[s^{2}\mathcal{L}(y) - sy(0) - y'(0)] + 4\mathcal{L}(y) = \frac{4}{s}$$

$$\mathcal{L}(y)(s^{2} + 4) - s - 2 = \frac{4}{s}$$

$$\mathcal{L}(y) = \frac{s^{2} + 2s + 4}{s(s^{2} + 4)}$$

$$y = \mathcal{L}^{-1} \left( \frac{2}{s^2 + 4} \right) + \mathcal{L}^{-1} \left( \frac{1}{s} \right)$$
$$y(t) = \sin(2t) + 1$$

## 1.3 10.2.19

Find the inverse Laplace transform of the following function using the theorem of transforms of integrals.

 $F(s) = \frac{1}{s(s^2 + 9)}$ 

$$F(s) = \frac{1}{s(s^2 + 9)}$$

$$F(s) = \frac{1}{9} \left( \frac{1}{s} - \frac{s}{s^2 + 9} \right)$$

$$f(t) = \frac{1}{9} \left( \mathcal{L}^{-1} \left( \frac{1}{s} \right) - \mathcal{L}^{-1} \left( \frac{s}{s^2 + 9} \right) \right)$$

$$f(t) = \frac{1}{9} \left( 1 - \cos(3t) \right)$$

## 1.4 10.2.21

Find the inverse Laplace transform of the following function using the theorem of transforms of integrals.

$$F(s) = \frac{1}{s^2(s^2 + 36)}$$

$$F(s) = \frac{1}{s^2(s^2 + 36)}$$

$$F(s) = \frac{1}{36} \left( \frac{1}{s^2} - \frac{1}{s^2 + 36} \right)$$

$$f(t) = \frac{1}{36} \left( \mathcal{L}^{-1} \left( \frac{1}{t^2} \right) - \mathcal{L}^{-1} \left( \frac{1}{t^2 + 36} \right) \right)$$

$$f(t) = \frac{t}{36} - \frac{\sin(6t)}{216}$$