main.c

Run

```c
{
    {
    }
    blocks[n - 1].next = -1;
    printf("\nFirst Block = %d", blocks[0].blockNumber);
    printf("\nLast Block = %d\n", blocks[n - 1].blockNumber);
    printf("\nLinked Allocation:\n");
    for(i = 0; i < n; i++)
    {
        printf("Block %d -> %d\n",
               blocks[i].blockNumber,
               blocks[i].next);
    }
    printf("\nFile Block Sequence:\n");
    current = blocks[0].blockNumber;
    while(current != -1)
    {
        printf("%d", current);
        for(i = 0; i < n; i++)
        {
            if(blocks[i].blockNumber == current)
            {
                current = blocks[i].next;
                break;
            }
        }
        if(current != -1)
            printf(" -> ");
    }
    printf("\n");
    printf("\nEnter block number to search: ");
    scanf("%d", &search);
    current = blocks[0].blockNumber;
    while(current != -1)
    {
        if(current == search)
        {
            printf("Block %d found in the file\n", search);
            return 0;
        }

        for(i = 0; i < n; i++)
        {
            if(blocks[i].blockNumber == current)
            {
                current = blocks[i].next;
                break;
            }
        }
    }

    printf("Block %d not found in the file\n", search);

    return 0;
}
```

Output

```
Enter number of file blocks: 6
Enter the block numbers:
12
35
18
50
27
64

First Block = 12
Last Block = 64

Linked Allocation:
Block 12 -> 35
Block 35 -> 18
Block 18 -> 50
Block 50 -> 27
Block 27 -> 64
Block 64 -> -1

File Block Sequence:
12 -> 35 -> 18 -> 50 -> 27 -> 64

Enter block number to search: 50
Block 50 found in the file


=== Code Execution Successful ===
```

Microsoft Store