

main.c

Run

Output

```
1 #include <stdio.h>
2 struct Block
3 {
4     int block;
5     int next;
6 };
7 int main()
8 {
9     struct Block b[50];
10    int n, i;
11    printf("Enter number of file blocks: ");
12    scanf("%d", &n);
13    printf("Enter block numbers: ");
14    for(i = 0; i < n; i++)
15        scanf("%d", &b[i].block);
16    for(i = 0; i < n - 1; i++)
17        b[i].next = b[i + 1].block;
18    b[n - 1].next = -1;
19    printf("\nFirst Block = %d", b[0].block);
20    printf("\nLast Block = %d\n", b[n - 1].block);
21    printf("\nLinked Allocation:\n");
22    for(i = 0; i < n; i++)
23        printf("Block %d -> %d\n", b[i].block, b[i].next);
24    printf("\nFile Block Sequence:\n");
25    for(i = 0; i < n; i++)
26    {
27        printf("%d", b[i].block);
28        if(i < n - 1)
29            printf(" -> ");
30    }
31    return 0;
```

Enter number of file blocks: 6
Enter block numbers: 12 35 18 50 27 64

First Block = 12
Last Block = 64

Linked Allocation:
Block 12 -> 35
Block 35 -> 18
Block 18 -> 50
Block 50 -> 27
Block 27 -> 64
Block 64 -> -1

File Block Sequence:
12 -> 35 -> 18 -> 50 -> 27 -> 64

=== Code Execution Successful ===