JavaScript is disabled on your browser.

Frame Alert

This document is designed to be viewed using the frames feature. If you see this message, you are using a non-frame-capable web client. Link to Non-frame version.

All Classes

- AdminFilter
- AjouterProduitServlet
- AjouterSiteServlet
- AjouterStockServlet
- Categorie
- CategorieDao
- CategorieManager
- CategorieManager.CategorieManagerHolder
- ClientFilter
- ClientOrdersServlet
- Commande
- CommandeClientWS
- CommandeDao
- CommandeEtRetrait
- CommandeManager
- CommandeManager.CommandeManagerHolder
- ConnexionServlet
- Conso
- Conso.ConsoHolder
- ConsoSiteSurAnnee
- ConsoWS
- CoursierFilter
- DataSourceProvider
- DataSourceProvider.DataSourceProviderHolder
- DeconnexionServlet
- EncodingFilter
- Entree
- EntreeDao
- EntreeManager
- EntreeManager.EntreeManagerHolder
- ErreurServlet
- ExcelHelper
- GenericDao
- GenericTestDao
- IFormatDate
- ListeProduit
- ListSiteServlet
- Lot
- LotDao
- LotEtQuantite
- LotManager
- LotManager.LotManagerHolder
- MailHelper
- MailHelper.MailHelperHolder
- NewOrderServlet
- OrdersServlet
- Pages
- Produit

- ProduitDao
- ProduitEtQuantite
- ProduitManager
- ProduitManager.ProduitManagerHolder
- ProduitWS
- Retrait
- RetraitDao
- RetraitDaoTest
- RetraitManager
- RetraitManager.RetraitManagerHolder
- Site
- SiteDao
- SiteManager
- SiteManager.SiteManagerHolder
- Statut
- StockProduitServlet
- SyntheseConsommationServlet
- TemplateServlet
- TestCommandeDao
- TestLotDao
- TestProduitDao
- TestSiteDao
- TraiterServlet
- Utilisateur
- UtilisateurDao
- UtilisateurDaoTest
- UtilisateurManager
- UtilisateurManager.UtilisateurManagerHolder
- VoirProduitServlet

JavaScript is disabled on your browser.
Skip navigation links

Constant Field Values

Contents

projet.imanord.*

- projet.imanord.helper.MailHelper

Modifier and Type	Constant Field	Value
private static final java.lang.String	defaultRecipient	"vlivl@hotmail.fr"
private static final java.lang.String	senderString	"imastockprojet@gma

- projet.imanord.models.Pages

Modifier and Type	Constant Field	Value
public static final java.lang.String	AjouterProduit	"/admin/add-produ
public static final java.lang.String	AjouterSite	"/admin/add-site"
public static final java.lang.String	AjouterStock	"/coursier/ajoute
public static final java.lang.String	CommandesCoteClient	"/client/orders"
public static final java.lang.String	Connexion	"/public/connexic
public static final java.lang.String	Deconnexion	"/deconnexion"
public static final java.lang.String	DetailProduit	"/admin/product-d

```
public static final java.lang.String Erreur          "/public/erreur"
public static final java.lang.String ListSite         "/admin/list-site
public static final java.lang.String NewCommande       "/client/neworder
public static final java.lang.String StockProduit      "/coursier/stock-
public static final java.lang.String Synthese          "/coursier/synthe
public static final java.lang.String Traiter           "/coursier/traite
public static final java.lang.String VoirCommandes     "/coursier/orders
```

JavaScript is disabled on your browser.
Skip navigation links

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev
- Next

- Frames
- No Frames

- All Classes

Deprecated API

Contents

Skip navigation links

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev
- Next

- Frames
- No Frames

- All Classes

JavaScript is disabled on your browser.

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev
- Next

- Frames
- No Frames

- All Classes

How This API Document Is Organized

This API (Application Programming Interface) document has pages corresponding to the items in the navigation bar, described as follows.

- ## Overview

  The Overview page is the front page of this API document and provides a list of all packages with a summary for each. This page can also contain an overall description of the set of packages.

- ## Package

  Each package has a page that contains a list of its classes and interfaces, with a summary for each. This page can contain six categories:

  - Interfaces (italic)
  - Classes
  - Enums
  - Exceptions
  - Errors
  - Annotation Types

- ## Class/Interface

  Each class, interface, nested class and nested interface has its own separate page. Each of these pages has three sections consisting of a class/interface description, summary tables, and detailed member descriptions:

  - Class inheritance diagram

- Direct Subclasses
- All Known Subinterfaces
- All Known Implementing Classes
- Class/interface declaration
- Class/interface description
- Nested Class Summary
- Field Summary
- Constructor Summary
- Method Summary
- Field Detail
- Constructor Detail
- Method Detail

Each summary entry contains the first sentence from the detailed description for that item. The summary entries are alphabetical, while the detailed descriptions are in the order they appear in the source code. This preserves the logical groupings established by the programmer.

Annotation Type

Each annotation type has its own separate page with the following sections:

- Annotation Type declaration
- Annotation Type description
- Required Element Summary
- Optional Element Summary
- Element Detail

Enum

Each enum has its own separate page with the following sections:

- Enum declaration
- Enum description
- Enum Constant Summary
- Enum Constant Detail

Tree (Class Hierarchy)

There is a Class Hierarchy page for all packages, plus a hierarchy for each package. Each hierarchy page contains a list of classes and a list of interfaces. The classes are organized by inheritance structure starting with `java.lang.Object`. The interfaces do not inherit from `java.lang.Object`.

- When viewing the Overview page, clicking on "Tree" displays the hierarchy for all packages.
- When viewing a particular package, class or interface page, clicking "Tree" displays the hierarchy for only that package.

- ## **Deprecated API**

  The Deprecated API page lists all of the API that have been deprecated. A deprecated API is not recommended for use, generally due to improvements, and a replacement API is usually given. Deprecated APIs may be removed in future implementations.

- ## **Index**

  The Index contains an alphabetic list of all classes, interfaces, constructors, methods, and fields.

- ## **Prev/Next**

  These links take you to the next or previous class, interface, package, or related page.

- ## **Frames/No Frames**

  These links show and hide the HTML frames. All pages are available with or without frames.

- ## **All Classes**

  The All Classes link shows all classes and interfaces except non-static nested types.

- ## **Serialized Form**

  Each serializable or externalizable class has a description of its serialization fields and methods. This information is of interest to re-implementors, not to developers using the API. While there is no link in the navigation bar, you can get to this information by going to any serialized class and clicking "Serialized Form" in the "See also" section of the class description.

- ## **Constant Field Values**

  The Constant Field Values page lists the static final fields and their values.

This help file applies to API documentation generated using the standard doclet.

Skip navigation links

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev

- Next

- <u>Frames </u>
- <u>No Frames   </u>

- <u>All Classes   </u>

JavaScript is disabled on your browser.

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev
- Next

- Frames
- No Frames

- All Classes

Packages

Package	Description
projet.imanord.dao	
projet.imanord.helper	
projet.imanord.interfaces	
projet.imanord.managers	
projet.imanord.models	
projet.imanord.web.filters	
projet.imanord.web.servlets	
projet.imanord.web.servlets.admin	
projet.imanord.web.servlets.Client	
projet.imanord.web.servlets.coursier	
projet.imanord.web.servlets.publique	
projet.imanord.web.webservices	

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev

- Next

- Frames
- No Frames

- All Classes

JavaScript is disabled on your browser.

Skip navigation links

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev
- Next

- Frames
- No Frames

- All Classes

Hierarchy For All Packages

Package Hierarchies:

- projet.imanord.dao,
- projet.imanord.helper,
- projet.imanord.interfaces,
- projet.imanord.managers,
- projet.imanord.models,
- projet.imanord.web.filters,
- projet.imanord.web.servlets,
- projet.imanord.web.servlets.admin,
- projet.imanord.web.servlets.Client,
- projet.imanord.web.servlets.coursier,
- projet.imanord.web.servlets.publique,
- projet.imanord.web.webservices

Class Hierarchy

- java.lang.Object
  - projet.imanord.web.filters.AdminFilter (implements javax.servlet.Filter)
  - projet.imanord.models.Categorie
  - projet.imanord.managers.CategorieManager
  - projet.imanord.managers.CategorieManager.CategorieManagerHolder
  - projet.imanord.web.filters.ClientFilter (implements javax.servlet.Filter)
  - projet.imanord.models.Commande (implements projet.imanord.interfaces.IFormatDate)
  - projet.imanord.web.webservices.CommandeClientWS
  - projet.imanord.models.CommandeEtRetrait

- ♦ projet.imanord.managers.CommandeManager
- ♦ projet.imanord.managers.CommandeManager.CommandeManagerHolder
- ♦ projet.imanord.models.Conso
- ♦ projet.imanord.models.Conso.ConsoHolder
- ♦ projet.imanord.models.ConsoSiteSurAnnee
- ♦ projet.imanord.models.ConsoSiteSurAnnee.ConsoSiteMois
- ♦ projet.imanord.models.ConsoSiteSurAnnee.ConsoSiteMois.ConsoProduit
- ♦ projet.imanord.web.webservices.ConsoWS
- ♦ projet.imanord.web.filters.CoursierFilter (implements javax.servlet.Filter)
- ♦ projet.imanord.dao.DataSourceProvider
- ♦ projet.imanord.dao.DataSourceProvider.DataSourceProviderHolder
- ♦ projet.imanord.web.filters.EncodingFilter (implements javax.servlet.Filter)
- ♦ projet.imanord.models.Entree (implements projet.imanord.interfaces.IFormatDate)
- ♦ projet.imanord.managers.EntreeManager
- ♦ projet.imanord.managers.EntreeManager.EntreeManagerHolder
- ♦ projet.imanord.helper.ExcelHelper
- ♦ projet.imanord.dao.GenericDao
  - ◊ projet.imanord.dao.CategorieDao
  - ◊ projet.imanord.dao.CommandeDao
  - ◊ projet.imanord.dao.EntreeDao
  - ◊ projet.imanord.dao.LotDao
  - ◊ projet.imanord.dao.ProduitDao
  - ◊ projet.imanord.dao.RetraitDao
  - ◊ projet.imanord.dao.SiteDao
  - ◊ projet.imanord.dao.UtilisateurDao
- ♦ javax.servlet.GenericServlet (implements java.io.Serializable, javax.servlet.Servlet, javax.servlet.ServletConfig)
  - ◊ javax.servlet.http.HttpServlet
    - · projet.imanord.web.servlets.publique.DeconnexionServlet
    - · projet.imanord.web.servlets.publique.ErreurServlet
    - · projet.imanord.web.servlets.TemplateServlet
      - • projet.imanord.web.servlets.admin.AjouterProduitServlet
      - • projet.imanord.web.servlets.admin.AjouterSiteServlet
      - • projet.imanord.web.servlets.coursier.AjouterStockServlet
      - • projet.imanord.web.servlets.Client.ClientOrdersServlet
      - • projet.imanord.web.servlets.publique.ConnexionServlet
      - • projet.imanord.web.servlets.admin.ListSiteServlet
      - • projet.imanord.web.servlets.Client.NewOrderServlet
      - • projet.imanord.web.servlets.coursier.OrdersServlet
      - • projet.imanord.web.servlets.coursier.StockProduitServlet
      - • projet.imanord.web.servlets.admin.SyntheseConsommationServlet
      - • projet.imanord.web.servlets.coursier.TraiterServlet
      - • projet.imanord.web.servlets.admin.VoirProduitServlet
- ♦ projet.imanord.dao.GenericTestDao
  - ◊ projet.imanord.dao.RetraitDaoTest
  - ◊ projet.imanord.dao.TestCommandeDao
  - ◊ projet.imanord.dao.TestLotDao
  - ◊ projet.imanord.dao.TestProduitDao

- ◊ projet.imanord.dao.TestSiteDao
- ◊ projet.imanord.dao.UtilisateurDaoTest
- ♦ projet.imanord.models.ListeProduit
- ♦ projet.imanord.models.ListeProduit.ProduitDisplay
- ♦ projet.imanord.models.Lot (implements projet.imanord.interfaces.IFormatDate)
- ♦ projet.imanord.models.LotEtQuantite
- ♦ projet.imanord.managers.LotManager
- ♦ projet.imanord.managers.LotManager.LotManagerHolder
- ♦ projet.imanord.helper.MailHelper
- ♦ projet.imanord.helper.MailHelper.MailHelperHolder
- ♦ projet.imanord.models.Pages
- ♦ projet.imanord.models.Produit
- ♦ projet.imanord.models.ProduitEtQuantite
- ♦ projet.imanord.managers.ProduitManager
- ♦ projet.imanord.managers.ProduitManager.ProduitManagerHolder
- ♦ projet.imanord.web.webservices.ProduitWS
- ♦ projet.imanord.models.Retrait (implements projet.imanord.interfaces.IFormatDate)
- ♦ projet.imanord.managers.RetraitManager
- ♦ projet.imanord.managers.RetraitManager.RetraitManagerHolder
- ♦ projet.imanord.models.Site
- ♦ projet.imanord.managers.SiteManager
- ♦ projet.imanord.managers.SiteManager.SiteManagerHolder
- ♦ projet.imanord.models.Utilisateur
- ♦ projet.imanord.managers.UtilisateurManager
- ♦ projet.imanord.managers.UtilisateurManager.UtilisateurManagerHolder

Interface Hierarchy

- projet.imanord.interfaces.IFormatDate

Enum Hierarchy

- java.lang.Object
    - ♦ java.lang.Enum<E> (implements java.lang.Comparable<T>, java.io.Serializable)
        - ◊ projet.imanord.models.Statut

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev
- Next

- Frames
- No Frames

- All Classes

JavaScript is disabled on your browser.
Skip navigation links

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev
- Next

- Frames
- No Frames

- All Classes

Serialized Form

- **Package projet.imanord.web.servlets**

  - **Class projet.imanord.web.servlets.TemplateServlet extends javax.servlet.http.HttpServlet implements Serializable**

- **Package projet.imanord.web.servlets.admin**

  - **Class projet.imanord.web.servlets.admin.AjouterProduitServlet extends TemplateServlet implements Serializable**

  - **Class projet.imanord.web.servlets.admin.AjouterSiteServlet extends TemplateServlet implements Serializable**

  - **Class projet.imanord.web.servlets.admin.ListSiteServlet extends TemplateServlet implements Serializable**

  - **Class projet.imanord.web.servlets.admin.SyntheseConsommationServlet extends TemplateServlet implements Serializable**

- **Class projet.imanord.web.servlets.admin.VoirProduitServlet extends TemplateServlet implements Serializable**

- **Package projet.imanord.web.servlets.Client**

  - **Class projet.imanord.web.servlets.Client.ClientOrdersServlet extends TemplateServlet implements Serializable**

  - **Class projet.imanord.web.servlets.Client.NewOrderServlet extends TemplateServlet implements Serializable**

    ◊ **Serialized Fields**

      · **produitsParCat**

      ```
      java.util.List<E> produitsParCat
      ```

- **Package projet.imanord.web.servlets.coursier**

  - **Class projet.imanord.web.servlets.coursier.AjouterStockServlet extends TemplateServlet implements Serializable**

    ◊ **Serialized Fields**

      · **produitList**

      ```
      java.util.List<E> produitList
      ```
      · **produitsTrie**

      ```
      java.util.List<E> produitsTrie
      ```

  - **Class projet.imanord.web.servlets.coursier.OrdersServlet extends TemplateServlet implements Serializable**

  - **Class projet.imanord.web.servlets.coursier.StockProduitServlet extends TemplateServlet implements Serializable**

- ◆ **Class
  projet.imanord.web.servlets.coursier.TraiterServlet
  extends TemplateServlet implements Serializable**

  - ◊ **Serialized Fields**

    - · **commande**

      Commande commande

      la commande qu'on va traiter sur la Servlet
    - · **retraitSuggere**

      Retrait retraitSuggere

      le retrait de stock suggere en fonction des
      quantites disponibles et des dates de peremption

- **Package projet.imanord.web.servlets.publique**

  - ◆ **Class
    projet.imanord.web.servlets.publique.ConnexionServlet
    extends TemplateServlet implements Serializable**

  - ◆ **Class
    projet.imanord.web.servlets.publique.DeconnexionServlet
    extends javax.servlet.http.HttpServlet implements
    Serializable**

  - ◆ **Class
    projet.imanord.web.servlets.publique.ErreurServlet
    extends javax.servlet.http.HttpServlet implements
    Serializable**

- [Frames](#)
- [No Frames](#)

- [All Classes](#)