

Contractor As Drawn

7 storeys, 528 m² on a 3.96 × 25.00 m plot

Design Intent

A seven-storey Vietnamese tube house (trệt / lầu / tầng 2–5 / sân thượng) reconstructed from the contractor's own drawing set on a 3,960 × 25,000 mm plot, with the drawn core — a 3,005 mm U-return stair, a 1,500 × 1,600 lift and a light well — repeated identically on every level.

The ground floor runs garage → living room (P.KHÁCH) → stair core → WC → combined kitchen + dining (BẾP & ĂN); the mezzanine opens a double-height void over the garage and living room (declared as a storey void, not a fake room) with the family room (P.SINH HOẠT) at the rear; floors 2–4 repeat two bedrooms (one front with ensuite and balcony, one rear); floor 5 carries the altar room (P.THỜ); the roof terrace (SÂN THƯỢNG) opens front and rear with the lift plant room (Ồ KỸ THUẬT THANG MÁY) standing on the roof slab.

All departures from the drawing are ledgered in designs/contractor-as-drawn.fidelity.md: the stair shaft is enlarged to 3,005 × 4,000 mm to hold a Blondel-compliant U-return, the lift shaft is inferred (no shaft is labelled on the floor plans), and the roof glazing is represented by an open roof void over the stair rather than glass.

Room Schedule


Floor	Room	Type	Area (m²)
Ground	gara	garage	15.8
Ground	khach	living	19.0
Ground	stairwell	stairwell	12.0
Ground	hall_stair	hall	3.8
Ground	elevator	elevator	3.6
Ground	hall_elev	hall	3.5
Ground	wc_gf	wc	6.3
Ground	bep_an	kitchen	16.2
Mezzanine	stairwell	stairwell	12.0
Mezzanine	hall_stair	hall	3.8
Mezzanine	elevator	elevator	3.6
Mezzanine	hall_elev	hall	3.5
Mezzanine	sinh_hoat	living	22.6
Floor 2	ban_cong_f2	balcony	5.5
Floor 2	ngu_truoc_f2	bedroom	15.8
Floor 2	wc_truoc_f2	wc	3.1
Floor 2	hall_wc_f2	hall	3.2
Floor 2	hall_front_f2	hall	7.1
Floor 2	stairwell	stairwell	12.0
Floor 2	hall_stair	hall	3.8
Floor 2	elevator	elevator	3.6
Floor 2	hall_elev	hall	3.5
Floor 2	wc_sau_f2	wc	6.3
Floor 2	ngu_sau_f2	bedroom	16.2
Floor 3	ban_cong_f3	balcony	5.5
Floor 3	ngu_truoc_f3	bedroom	15.8
Floor 3	wc_truoc_f3	wc	3.1
Floor 3	hall_wc_f3	hall	3.2
Floor 3	hall_front_f3	hall	7.1
Floor 3	stairwell	stairwell	12.0
Floor 3	hall_stair	hall	3.8

Floor	Room	Type	Area (m²)
Floor 3	elevator	elevator	3.6
Floor 3	hall_elev	hall	3.5
Floor 3	wc_sau_f3	wc	6.3
Floor 3	ngu_sau_f3	bedroom	16.2
Floor 4	ban_cong_f4	balcony	5.5
Floor 4	ngu_truoc_f4	bedroom	15.8
Floor 4	wc_truoc_f4	wc	3.1
Floor 4	hall_wc_f4	hall	3.2
Floor 4	hall_front_f4	hall	7.1
Floor 4	stairwell	stairwell	12.0
Floor 4	hall_stair	hall	3.8
Floor 4	elevator	elevator	3.6
Floor 4	hall_elev	hall	3.5
Floor 4	wc_sau_f4	wc	6.3
Floor 4	ngu_sau_f4	bedroom	16.2
Floor 5	ban_cong_f5	balcony	5.5
Floor 5	tho_f5	living	15.8
Floor 5	hall_front_f5	hall	6.7
Floor 5	wc_truoc_f5	wc	3.8
Floor 5	stairwell	stairwell	12.0
Floor 5	hall_stair	hall	3.8
Floor 5	elevator	elevator	3.6
Floor 5	hall_elev	hall	3.5
Floor 5	wc_sau_f5	wc	6.3
Floor 5	ngu_sau_f5	bedroom	16.2
Roof Terrace	san_thuong_truoc	terrace	34.8
Roof Terrace	stairwell	stairwell	12.0
Roof Terrace	hall_stair	hall	3.8
Roof Terrace	elevator	elevator	3.6
Roof Terrace	hall_elev	hall	3.5
Roof Terrace	san_thuong_sau	terrace	22.6


Floor Totals

Ground	80.2 m²
Mezzanine	45.5 m²
Floor 2	80.1 m²
Floor 3	80.1 m²
Floor 4	80.1 m²
Floor 5	77.2 m²
Roof Terrace	80.3 m²


Ground — Floor Plan




Mezzanine — Floor Plan




Floor 2 — Floor Plan




Floor 3 — Floor Plan




Floor 4 — Floor Plan




Floor 5 — Floor Plan




Roof Terrace — Floor Plan




North Elevation




South Elevation




East Elevation




West Elevation




long — Long Section



cross_bed — Cross Section



Renders



Renders



Renders




Renders



Renders



Renders



Renders



Requirements for the Architect

- Confirm the inferred lift shaft (2,000 × 1,800 mm, byte-identical on all levels) against the unlabelled walled void on the drawing.
- Confirm the enlarged stair shaft (3,005 × 4,000 mm) — the drawn 3,005 × 3,200 shaft cannot hold a U-return at the 3,800 mm storey height.
- Confirm the reconstructed programme room-by-room against the sheets (see designs/contractor-as-drawn.measurements.md).

Door & Window Schedule

ID	Floor	Type	Width	Sill	Head	Between
F0_O000	0	door	900	0	2100	NƠI ĐỂ XE / P.KHÁCH
F0_O001	0	door	900	0	2100	P.KHÁCH / THANG
F0_O002	0	door	900	0	2100	P.KHÁCH / HÀNH LANG
F0_O003	0	door	900	0	2100	THANG / HÀNH LANG
F0_O004	0	door	900	0	2100	THANG / THANG MÁY
F0_O005	0	door	900	0	2100	THANG / HÀNH LANG
F0_O006	0	door	900	0	2100	HÀNH LANG / THANG MÁY
F0_O007	0	door	900	0	2100	THANG MÁY / HÀNH LANG
F0_O008	0	door	900	0	2100	THANG MÁY / WC
F0_O009	0	door	900	0	2100	HÀNH LANG / WC
F0_O010	0	door	900	0	2100	WC / P. ĂN + BẾP
F0_O011	0	door	2500	0	2100	NƠI ĐỂ XE / exterior
F0_O012	0	window	1500	900	2100	P.KHÁCH / exterior
F0_O013	0	window	1500	900	2100	P. ĂN + BẾP / exterior
F1_O000	1	door	900	0	2100	THANG / HÀNH LANG
F1_O001	1	door	900	0	2100	THANG / THANG MÁY
F1_O002	1	door	900	0	2100	THANG / HÀNH LANG
F1_O003	1	door	900	0	2100	HÀNH LANG / THANG MÁY
F1_O004	1	door	900	0	2100	THANG MÁY / HÀNH LANG
F1_O005	1	door	900	0	2100	THANG MÁY / P.SINH HOẠT
F1_O006	1	door	900	0	2100	HÀNH LANG / P.SINH HOẠT
F1_O007	1	window	1500	900	2100	P.SINH HOẠT / exterior
F2_O000	2	door	900	0	2100	BAN CÔNG / P.NGỦ
F2_O001	2	window	1400	900	2100	BAN CÔNG / P.NGỦ
F2_O002	2	door	900	0	2100	P.NGỦ / WC
F2_O003	2	door	900	0	2100	P.NGỦ / HÀNH LANG
F2_O004	2	door	900	0	2100	WC / HÀNH LANG
F2_O005	2	door	900	0	2100	WC / HÀNH LANG
F2_O006	2	door	900	0	2100	HÀNH LANG / HÀNH LANG
F2_O007	2	door	900	0	2100	HÀNH LANG / THANG
F2_O008	2	door	900	0	2100	HÀNH LANG / HÀNH LANG
F2_O009	2	door	900	0	2100	THANG / HÀNH LANG
F2_O010	2	door	900	0	2100	THANG / THANG MÁY
F2_O011	2	door	900	0	2100	THANG / HÀNH LANG
F2_O012	2	door	900	0	2100	HÀNH LANG / THANG MÁY
F2_O013	2	door	900	0	2100	THANG MÁY / HÀNH LANG
F2_O014	2	door	900	0	2100	THANG MÁY / WC
F2_O015	2	door	900	0	2100	HÀNH LANG / WC
F2_O016	2	door	900	0	2100	WC / P.NGỦ
F2_O017	2	window	1500	900	2100	P.NGỦ / exterior
F3_O000	3	door	900	0	2100	BAN CÔNG / P.NGỦ
F3_O001	3	window	1400	900	2100	BAN CÔNG / P.NGỦ

ID	Floor	Type	Width	Sill	Head	Between
F3_O010	3	door	900	0	2100	THANG / THANG MÁY
F3_O011	3	door	900	0	2100	THANG / HÀNH LANG
F3_O012	3	door	900	0	2100	HÀNH LANG / THANG MÁY
F3_O013	3	door	900	0	2100	THANG MÁY / HÀNH LANG
F3_O014	3	door	900	0	2100	THANG MÁY / WC
F3_O015	3	door	900	0	2100	HÀNH LANG / WC
F3_O016	3	door	900	0	2100	WC / P.NGỦ
F3_O017	3	window	1500	900	2100	P.NGỦ / exterior
F4_O000	4	door	900	0	2100	BAN CÔNG / P.NGỦ
F4_O001	4	window	1400	900	2100	BAN CÔNG / P.NGỦ
F4_O002	4	door	900	0	2100	P.NGỦ / WC
F4_O003	4	door	900	0	2100	P.NGỦ / HÀNH LANG
F4_O004	4	door	900	0	2100	WC / HÀNH LANG
F4_O005	4	door	900	0	2100	WC / HÀNH LANG
F4_O006	4	door	900	0	2100	HÀNH LANG / HÀNH LANG
F4_O007	4	door	900	0	2100	HÀNH LANG / THANG
F4_O008	4	door	900	0	2100	HÀNH LANG / HÀNH LANG
F4_O009	4	door	900	0	2100	THANG / HÀNH LANG
F4_O010	4	door	900	0	2100	THANG / THANG MÁY
F4_O011	4	door	900	0	2100	THANG / HÀNH LANG
F4_O012	4	door	900	0	2100	HÀNH LANG / THANG MÁY
F4_O013	4	door	900	0	2100	THANG MÁY / HÀNH LANG
F4_O014	4	door	900	0	2100	THANG MÁY / WC
F4_O015	4	door	900	0	2100	HÀNH LANG / WC
F4_O016	4	door	900	0	2100	WC / P.NGỦ
F4_O017	4	window	1500	900	2100	P.NGỦ / exterior
F5_O000	5	door	900	0	2100	BAN CÔNG / P.THỜ
F5_O001	5	window	1400	900	2100	BAN CÔNG / P.THỜ
F5_O002	5	door	900	0	2100	HÀNH LANG / WC
F5_O003	5	door	900	0	2100	P.THỜ / HÀNH LANG
F5_O004	5	door	900	0	2100	HÀNH LANG / THANG
F5_O005	5	door	900	0	2100	THANG / HÀNH LANG
F5_O006	5	door	900	0	2100	THANG / THANG MÁY
F5_O007	5	door	900	0	2100	THANG / HÀNH LANG
F5_O008	5	door	900	0	2100	HÀNH LANG / THANG MÁY
F5_O009	5	door	900	0	2100	THANG MÁY / HÀNH LANG
F5_O010	5	door	900	0	2100	THANG MÁY / WC
F5_O011	5	door	900	0	2100	HÀNH LANG / WC
F5_O012	5	door	900	0	2100	WC / P.NGỦ
F5_O013	5	window	1500	900	2100	P.NGỦ / exterior
F6_O000	6	door	900	0	2100	SÂN THƯỢNG / THANG
F6_O001	6	door	900	0	2100	SÂN THƯỢNG / HÀNH LANG

Quantity Take-Off

Storey	GFA (m²)	Ext. wall (m)	Partition wall (m)	Doors	Windows
Ground	80.4	41.0	6.7	12	2
Mezzanine	45.5	23.6	6.3	7	1
Floor 2	80.4	41.0	8.7	16	2
Floor 3	80.4	41.0	8.7	16	2
Floor 4	80.4	41.0	8.7	16	2
Floor 5	77.4	41.6	8.7	12	2
Roof Terrace	80.4	41.0	6.5	9	0
Built envelope (W x D m)	4.0	20.3	0.0		
Total	524.9	270.2	54.3	88	11

Handover Files

The following machine-readable files accompany this brief:

- contractor-as-drawn.json (source spec, JSON)
- contractor-as-drawn_f0.dxf (Ground, CAD/DXF)
- contractor-as-drawn_f1.dxf (Mezzanine, CAD/DXF)
- contractor-as-drawn_f2.dxf (Floor 2, CAD/DXF)
- contractor-as-drawn_f3.dxf (Floor 3, CAD/DXF)
- contractor-as-drawn_f4.dxf (Floor 4, CAD/DXF)
- contractor-as-drawn_f5.dxf (Floor 5, CAD/DXF)
- contractor-as-drawn_f6.dxf (Roof Terrace, CAD/DXF)