PACTA + TRISK: Transition-Risk Analytics for Vietnamese Banks

Agenda

The Problem | Our Approach | Case Study | Next Steps

Our Solution: Three-Layer Compliance & Risk Stack

allotrope PARTNERS

Layer	Tool	Purpose
1. Measure	PCAF	GHG inventory
	PACTA	Portfolio alignment
3. Stress	TRISK	Borrower stress
	IFRS S2	Board reporting
	Develop at least one case study knowledge product to disseminate key lessons and targeted insights from the GHG assessment, net zero transition roadmap, and SLL support	In Progress

PACTA: Portfolio Alignment Assessment

Develop portfolio alignment reports using open-source R packages

Market-share method for power and automotive

SDA method for cement and steel emission intensity

43 loans, 25 trillion VND synthetic portfolio across power, automotive, cement, steel, and coal mining sectors

Custom PDP8 scenario from Vietnam Power Development Plan 8

Company-level results enable borrower-specific engagement

Scenario comparison: PDP8 vs IEA NZE vs Vietnam NDC

1,500+ institutions globally



Time to first results: 1-3 months

The Challenge: Decision 263 & Transition Risk

3 SLL Support

THE CHALLENGE

Decisic ... ermal power, steel, and cement from 2025. Banks must assess borrower transition risk, but lack analytical tools to quantify portfolio alignment or borrower-level financial stress under Paris-aligned scenarios.

WHAT BANKS NEED

Vietr ... tack that measures portfolio alignment with PDP8/NDC targets, quantifies borrower-level NPV and PD impact under transition scenarios, and produces disclosure-ready outputs for IFRS S2 and TCFD.

TRISK: Borrower-Level Transition Stress Testing

Quantify borrower-level NPV and PD impact under transition scenarios

Power: Coal-heavy borrowers show -12% to -18% NPV change

Cement: BF/BOF mills face -8% to -14% NPV impact

Steel: EAF routes outperform BF/BOF by 6-10pp

Priority ranking: alignment gap + NPV change + exposure

Covers all three Decision 263 sectors



Open-source R package (trisk.model) on CRAN

Engagement Offer & 2026 Roadmap

Phase 1: Data intake and loanbook normalization (BYOL)

Phase 2: PACTA portfolio alignment with real borrower data

Phase 3: TRISK stress testing and borrower ranking

Phase 4: IFRS S2 disclosure package and board-ready report

Timeline: 6-9 months from data receipt to final deliverables.

All analytics are open-source with no licensing fees.

We welcome the opportunity to discuss how this analytics stack can support your bank's transition-risk management and Decision 263 compliance.

allotrope
PARTNERS

Tung Ho, tah@allotropepartners.com
Hang Tran, httt@allotropepartners.com
Allotrope VC | GTB Vietnam

Case Study: Vietnam Bank Demo - Power Sector Alignment

Metric	Value
Portfolio	43 loans, ~$1B USD synthetic
Power Mix	Coal 28%, Gas 12%, Hydro 10%, Solar 8%, Wind 5%
PDP8 Target	Coal phase-down, renewables 3x by 2030
Gap	Coal +28% above target; renewables -15% below
Key Equipment	Feed grinders, mixers, conveyors, pelletizers
Tariff Structure	Time-of-Use Industrial rates
Existing RE/BESS	3,221 kWp rooftop solar; No BESS
Main Challenges	High solar energy curtailment



Case Study: TRISK Borrower Stress Rankings

TRISK ranks borrowers by financial stress severity. Coal-heavy names (Vinh Tan, Duyen Hai, Mong Duong) show highest NPV decline and PD increase. Renewable-focused borrowers (Trung Nam, BIM) benefit from transition tailwinds.

Illustrative / synthetic data - not actual portfolio results.





Priority Score (Top 10)



Case Study: Key Findings & Takeaways

Coal Stranded Risk

28% of portfolio coal capacity exceeds PDP8 phase-down trajectory. BOT plants face cliff-edge decline post-PPA expiry (~2035).

Renewables Gap

Renewables buildout is 15% below 2030 target. Solar and wind capacity must triple to align with PDP8.

Borrower Heterogeneity

NPV impact ranges from -18% (coal-heavy) to +8% (renewable-focused). One-size engagement fails.

Decision 263 Readiness

Three-layer stack (PCAF, PACTA, TRISK) addresses all Decision 263 requirements: inventory, quotas, and reduction plans.

Interactive Exploration

Live dashboard with Scenario Builder lets bank teams explore levers in real time. Downloadable HTML reports and CSV exports.

Compliance Value: Decision 263 / TCFD / ISSB







Danh mục 5: Chất thải phát sinh trong quá trình hoạt động | Category 5: Waste Generated in Operations

1. Phát thải từ xử lý chất thải rắn sinh hoạt

Nội dung | Content	Đơn vị | Unit	Số liệu | Data	Ghi chú | Note
Tổng số lượng nhân sự Total number of employees	người person	26.433	
Số ngày hoạt động trong năm Number of operating days in a year	ngày day	365	
Chỉ số phát sinh chất thải rắn sinh hoạt bình quân đầu người tại khu vực đô thị Việt Nam Average per capita generation rate of municipal solid waste in urban areas of Vietnam	kg/người/ngày kg/person/day	1,08	Báo cáo hiện trạng quốc gia (2019) Quản lý chất thải rắn sinh hoạt | National Status Report (2019) on Household Solid Waste Management
Tổng lượng chất thải rắn sinh hoạt trong năm Total amount of domestic solid waste in a year	tấn ton	10.420	

Thành phần chất thải sinh hoạt | Components of domestic waste	Tỷ trọng | Percentage	Trọng lượng | Weight (t)	Ghi chú | Note	Phương án xử lý: Tái chế Treatment option: Recycling	
				tCO2e/t	tCO2e
1. Chất thải có khả năng phân hủy sinh học (thực phẩm và chất thải hữu cơ) Biodegradable waste (food and organic waste)	57,45%	5.986	Theo thống kê Báo cáo hiện trạng quốc gia (2019) Quản lý chất thải rắn sinh hoạt - Bảng 2.2 và 2.6 | According to the National Status Report (2019) on		
2. Chất thải có khả năng tái chế Recyclable waste	17,00%	1.771			
Giấy và bìa các-tông *Paper and cardboard*	*4,65%*	485		0,00468568	2,270
Nhựa và ni-lông *Plastics and nylon*	*8,60%*	896		0,00468568	4,199
Kim loại *Metals*	*2,50%*	260		0,00468568	1,221
Thủy tinh và sành sứ *Glass and ceramics*	*1,25%*	130		0,00468568	0,610
3. Chất thải có khả năng cháy Combustible waste	4,15%	432			

Tuyên bố MTTN | Disclaimer · Hướng dẫn & TLTK | Instruction · Scope 3_Loại 5 | Cat 5

Cement & Steel SDA: Emission intensity vs. 2030 NDC targets

Live Dashboard: Interactive Portfolio Exploration





TRISK Risk: Borrower stress rankings with sensitivity controls