

## Work Register to Operational at 100,000 Users

Every item of work between the application today and a service run with a partner bank that can carry 100,000 members, with its owner, priority, phase and status.

Reference HQ-IN-02. 5 October 2026.

### Scope

10,511 items: 2,618 done, 35 partly done and 7,858 open. The 1,039 items of 28 September keep their numbers; 84 of them were rewritten in place where a decision of 29 September to 5 October overturned or closed them. Sections AA to AP, items 1,040 to 10,511, come from ten passes over the plan, set out under Method.

Statuses were read from the code as it stood on 5 October 2026: 123 endpoints in seventeen route files, of which 116 require sign in, 67 check their input against a schema, 56 write the audit log, 29 use a database transaction and 12 accept an idempotency key, with 19 lists still unbounded; 39 database models; and the 30 pages of the web application. A status of Done means the code already does it.

Each item has one owner. Claude holds the work in code, content and documents that can be done in a session. The chairman holds decisions and commercial steps. The bank, counsel, the partners, the translator, the tester, the auditor and the tax adviser hold their own items. Priority P0 is legal exposure or a blocker of the meeting with the bank, P1 is needed for the first members, P2 for public launch and P3 for scale.

Claude's 6,914 open items fall into 81 phases. A phase holds at most 100 items and at most 100 effort points, a small item counting 1, a medium item 3 and a large item 8, so that one phase fits one Claude Pro usage window. The Phase column gives the phase of each of Claude's items and the milestone, H1 to H6, of everyone else's; 979 items are held by people other than Claude.

| Owner       | Items | Not done |
|-------------|-------|----------|
| Claude      | 9,488 | 6,914    |
| Chairman    | 236   | 192      |
| Bank        | 99    | 99       |
| Counsel     | 65    | 65       |
| Partner     | 53    | 53       |
| Translator  | 536   | 536      |
| Tester      | 16    | 16       |
| Auditor     | 11    | 11       |
| Tax adviser | 7     | 7        |

### Decisions

The decisions taken since 28 September, as recorded in section AA.

| #    | Decision                                                                                                                                         | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 1040 | Bank route kept with Mashreq Bank Pakistan first; Raqami Islamic Digital Bank pursued in parallel, with no exclusivity preference (29 September) | Done   |
| 1041 | Presenter and signatory: Taha Kayani, Founder, Halqa; the chairman is 17 (29 and 30 September)                                                   | Done   |
| 1042 | Due date for salary circles: the 8th of the month (29 September); closes item 956                                                                | Done   |
| 1043 | Points: 1 point = Rs 1; points for paying on time never more than half of Halqa's fee on that instalment (29 September); closes item 860         | Done   |

| #    | Decision                                                                                                                                                                                                                         | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 1044 | Price of a turn capped at 100 per cent of the pot (29 September); closes item 893                                                                                                                                                | Done   |
| 1045 | Hyper fee Rs 15 a day on both designs (29 September); the takaful or insurance part, Rs 135 or Rs 151.67 a day in the design of 29 September, is set by the operator and named without an amount (30 September); closes item 953 | Done   |
| 1046 | No Shariah or non Shariah labels in decks or documents (29 September)                                                                                                                                                            | Done   |
| 1047 | No Halqa cover and no bank guarantee: only takaful or insurance from a licensed operator chosen by the bank (29 September); closes item 923                                                                                      | Done   |
| 1048 | Fixed cost counted as technical only: about Rs 61,000 a month for hosting, database, monitoring, mail and the developer account (30 September)                                                                                   | Done   |
| 1049 | Fee of Rs 85 on every monthly instalment: the running cost of one payment, at most Rs 35, plus Rs 50 (30 September); closes item 945                                                                                             | Done   |
| 1050 | PSP service fee of 1.5 per cent on wallet and card payments only; none on the bank's direct debit (5 October)                                                                                                                    | Done   |
| 1051 | Takaful or insurance fee named without an amount and kept outside the fee and Halqa's income (30 September)                                                                                                                      | Done   |
| 1052 | Partner decks: the version 5 boxes and wording, logos in place of names, all text black, charts drawn as shapes; icon tiles rejected as informal (30 September)                                                                  | Done   |
| 1053 | Work register: phases of about 100 items, one Claude Pro usage window each, with items at the finest level (5 October)                                                                                                           | Done   |
| 1054 | Company not incorporated and TASDEEQ not contacted, as confirmed on 29 September; both remain open, as items 476 and 459                                                                                                         | Open   |
| 1055 | Mashreq meeting date not fixed (5 October); phase 1 starts the corrections and the application                                                                                                                                   | Open   |

## Method

The register was built in ten passes. Each pass asked one question of the whole plan, read the sources named below, and added the items the answer required. Items already present were not added again; where a new section breaks an older item into parts, its preamble names the older item.

| Pass | Question                                                                                        | Sources                                                                                                                                                               | Sections              | Items |
|------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------|
| 1    | What has changed since 28 September?                                                            | The chairman's decisions of 29 September to 5 October, the master context, the code as read on 5 October                                                              | Rewrites in place, AA | 121   |
| 2    | What does the State Bank require of a bank's service provider and of a bank's digital channels? | State Bank circulars on outsourcing, cloud, technology governance, onboarding, digital channels, fraud, complaints, conduct, key facts, payments and cyber security   | AB                    | 148   |
| 3    | What does every screen need in each of its states?                                              | The 30 pages of the web application, the screens still missing, Easypaisa, JazzCash, SadaPay, NayaPay, Raqami, Mashreq NEO, Money Fellows and Hakbah                  | AC                    | 3,733 |
| 4    | What rule, message and language does every field need?                                          | The forms of the web application and the onboarding framework                                                                                                         | AD                    | 394   |
| 5    | What does every endpoint and every record need?                                                 | The 123 endpoints in seventeen route files and the 39 database models, read on 5 October                                                                              | AE, AF                | 2,423 |
| 6    | What does every connection to a partner need?                                                   | The operations of the bank, the PSP, NADRA through the bank, TASDEEQ and the message providers                                                                        | AG                    | 692   |
| 7    | What must every member be told, and when?                                                       | The alert rules for digital channels, the complaint rules and WhatsApp pricing                                                                                        | AH                    | 705   |
| 8    | What proves each rule?                                                                          | The engines of the interface service and the journeys a member takes                                                                                                  | AI                    | 230   |
| 9    | What will a bank's security review and the application stores ask to see?                       | OWASP MASVS 2.1, ISO/IEC 27001:2022 Annex A, the card industry rules and WCAG 2.2                                                                                     | AJ, AK                | 210   |
| 10   | What does a regulated company run on, and what do other finance applications do?                | Bank practice in governance, risk and continuity; service levels and runbooks as large technology companies keep them; the two banks; features of eleven applications | AL to AP              | 812   |

## Phases

Phases run in order. A phase with a gate starts only when that milestone is reached: H2 when the bank opens its interface documents and test environment, H3 when the PSP, TASDEEQ and the message providers do. Until then the next phase without a gate is taken. Phase 1 starts with the corrections and the application. Checks name how the end of a phase is shown: Build, the interface service tests and the web build pass, and every changed screen is reached in the preview; Tests, the new tests run in the suite and pass; Documents, each document is filed in HALQA CORPORATE in the house style; Partners, each connection passes against the provider's test environment; Controls, each control is shown working, with evidence kept for the bank's review. Every phase also ends with the statuses in this register, the master context and the memory brought up to date.

| Phase | Title                                                       | Gate | Items | Points | P0 | P1 | P2 | P3 | Sub-sections                                                                                                                                                  | Checks                               |
|-------|-------------------------------------------------------------|------|-------|--------|----|----|----|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
|       | Corrections, the application and the documents for the bank |      |       |        |    |    |    |    |                                                                                                                                                               |                                      |
| 1     | Ten minutes to an account; removals; models to remove       |      | 58    | 100    | 58 |    |    |    | E (23), AQ6 (10), AF1 (9), AA2 (5), C3 (3), Y1 (3), AQ1 (2), AQ2 (2), F (1)                                                                                   | Build, Documents                     |
| 2     | Checks on kept endpoints; new endpoints                     |      | 76    | 100    | 76 |    |    |    | AE4 (45), AE3 (17), AF2 (3), Y5 (3), AF3 (3), AE5 (2), AF1 (1), C5 (1), G (1)                                                                                 | Build, Documents, Controls           |
| 3     | Checks on kept models; states of existing screens           |      | 86    | 100    | 86 |    |    |    | AF3 (49), AC1 (32), AF5 (5)                                                                                                                                   | Build, Documents, Controls           |
| 4     | Screen states: onboarding                                   |      | 97    | 97     | 97 |    |    |    | AC2 (89), AC1 (8)                                                                                                                                             | Build                                |
| 5     | Screen states: onboarding and identity, part 1              |      | 97    | 97     | 97 |    |    |    | AC3 (75), AC2 (22)                                                                                                                                            | Build                                |
| 6     | Screen states: identity and accounts and payment routes     |      | 97    | 97     | 97 |    |    |    | AC4 (80), AC3 (17)                                                                                                                                            | Build                                |
| 7     | Screen states: circles                                      |      | 97    | 97     | 97 |    |    |    | AC5 (92), AC4 (5)                                                                                                                                             | Build                                |
| 8     | Screen states: circles and money                            |      | 97    | 97     | 97 |    |    |    | AC7 (79), AC5 (18)                                                                                                                                            | Build                                |
| 9     | Screen states: money and key facts and complaints           |      | 97    | 97     | 97 |    |    |    | AC7 (78), AC16 (13), AC9 (3), AC10 (3)                                                                                                                        | Build                                |
| 10    | Screen states: device security                              |      | 97    | 99     | 97 |    |    |    | AC17 (58), AD1 (8), AD4 (7), AD6 (5), AC16 (4), AD2 (4), AD3 (4), AC19 (3), AD9 (2), AD10 (2)                                                                 | Build                                |
| 11    | Security; drafts for counsel                                |      | 57    | 100    | 57 |    |    |    | AL8 (11), M (6), AB5 (6), K (5), Z1 (5), AJ5 (3), AB6 (3), AB9 (3), AB14 (3), L (2), AB4 (2), AB11 (2), S2 (2), AQ3 (1), AJ4 (1), AB2 (1), AB10 (1)           | Build, Documents, Partners, Controls |
| 12    | Tests: collection                                           |      | 96    | 100    | 96 |    |    |    | AI7 (18), AG9 (10), AI8 (8), AG10 (8), AH3 (7), AH2 (6), AI4 (6), AI9 (6), AI14 (6), AI16 (6), AH1 (4), AH4 (3), AH5 (2), AH9 (2), AI2 (2), AH11 (1), AI3 (1) | Tests, Documents, Partners           |
| 13    | Ten minutes to an account; fee rules; screens               |      | 67    | 100    | 3  | 64 |    |    | AQ6 (17), C1 (14), F (12), AE2 (9), AA2 (4), AQ1 (3), C2 (3), AG10 (2), AQ2 (2), AM1 (1)                                                                      | Build, Tests, Documents, Partners    |
| 14    | Screens                                                     |      | 83    | 100    |    | 83 |    |    | C5 (64), C2 (13), Y5 (6)                                                                                                                                      | Build, Tests                         |
| 15    | Product changes; collection; missing screens                |      | 82    | 100    |    | 82 |    |    | G (37), D (27), Y6 (7), X1 (7), Y5 (4)                                                                                                                        | Build, Documents, Partners, Controls |
| 16    | Missing screens                                             |      | 97    | 97     |    | 97 |    |    | D (97)                                                                                                                                                        | Build                                |
| 17    | Checks on kept endpoints                                    |      | 97    | 99     |    | 97 |    |    | AE3 (88), D (6), AE4 (3)                                                                                                                                      | Build                                |

| Phase | Title                                                            | Gate | Items | Points | P0 | P1 | P2 | P3 | Sub-sections                                                                                                                                        | Checks                                      |
|-------|------------------------------------------------------------------|------|-------|--------|----|----|----|----|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| 18    | New endpoints, part 1                                            |      | 78    | 100    |    | 78 |    |    | AE4 (78)                                                                                                                                            | Build                                       |
| 19    | New endpoints, part 2                                            |      | 78    | 98     |    | 78 |    |    | AE4 (78)                                                                                                                                            | Build                                       |
| 20    | New endpoints; checks on kept models; new models                 |      | 84    | 100    |    | 84 |    |    | AF3 (34), AF4 (33), AE4 (13), AE5 (4)                                                                                                               | Build, Tests                                |
| 21    | New models                                                       |      | 78    | 100    |    | 78 |    |    | AF4 (78)                                                                                                                                            | Build                                       |
| 22    | New models; states of existing screens                           |      | 88    | 100    |    | 88 |    |    | AC1 (44), AF4 (43), AF5 (1)                                                                                                                         | Build, Controls                             |
| 23    | States of existing screens                                       |      | 97    | 97     |    | 97 |    |    | AC1 (97)                                                                                                                                            | Build                                       |
| 24    | States of existing screens; screen states: onboarding, part 1    |      | 97    | 97     |    | 97 |    |    | AC2 (76), AC1 (21)                                                                                                                                  | Build                                       |
| 25    | Screen states: onboarding and identity, part 2                   |      | 97    | 97     |    | 97 |    |    | AC3 (71), AC2 (23), AC4 (3)                                                                                                                         | Build                                       |
| 26    | Screen states: accounts and payment routes                       |      | 97    | 97     |    | 97 |    |    | AC4 (97)                                                                                                                                            | Build                                       |
| 27    | Screen states: accounts and payment routes and circles           |      | 97    | 97     |    | 97 |    |    | AC4 (57), AC5 (40)                                                                                                                                  | Build                                       |
| 28    | Screen states: circles and host                                  |      | 97    | 97     |    | 97 |    |    | AC6 (54), AC5 (43)                                                                                                                                  | Build                                       |
| 29    | Screen states: host and money                                    |      | 97    | 97     |    | 97 |    |    | AC6 (72), AC7 (25)                                                                                                                                  | Build                                       |
| 30    | Screen states: money and recovery, part 1                        |      | 97    | 97     |    | 97 |    |    | AC8 (59), AC7 (38)                                                                                                                                  | Build                                       |
| 31    | Screen states: recovery and leaving a circle                     |      | 97    | 97     |    | 97 |    |    | AC9 (60), AC8 (37)                                                                                                                                  | Build                                       |
| 32    | Screen states: leaving a circle and takaful or insurance         |      | 97    | 97     |    | 97 |    |    | AC11 (68), AC9 (29)                                                                                                                                 | Build                                       |
| 33    | Screen states: support and settings                              |      | 97    | 97     |    | 97 |    |    | AC13 (58), AC14 (34), AC11 (5)                                                                                                                      | Build                                       |
| 34    | Screen states: settings and key facts and complaints             |      | 97    | 97     |    | 97 |    |    | AC16 (49), AC14 (34), AD1 (8), AD3 (5), AD2 (1)                                                                                                     | Build                                       |
| 35    | Fields: support and settings; security; security review          |      | 88    | 100    |    | 88 |    |    | M (23), AJ1 (18), AD9 (12), AD4 (9), AQ3 (8), AD7 (5), AD5 (4), AQ5 (4), AD10 (2), AD3 (1), AD6 (1), AQ4 (1)                                        | Build, Tests, Documents, Partners, Controls |
| 36    | Security review; platform                                        |      | 74    | 100    |    | 74 |    |    | L (35), AB3 (8), AJ1 (6), AB2 (6), AB1 (4), AB4 (4), AJ2 (3), AJ5 (3), AJ4 (2), AJ6 (2), AB5 (1)                                                    | Build, Tests, Documents, Controls           |
| 37    | Partner bank; bank meeting and documents; answers for the bank   |      | 81    | 100    |    | 81 |    |    | AO3 (16), Z2 (13), S3 (8), AB8 (7), AB16 (5), AB6 (4), AB7 (4), AB9 (4), AB14 (4), AB11 (3), AB13 (3), AO1 (3), AB10 (2), AB12 (2), S5 (2), AB5 (1) | Build, Documents, Controls                  |
| 38    | Answers for the bank; governance: policies; drafts for counsel   |      | 94    | 100    |    | 94 |    |    | AO3 (29), AL8 (20), AL1 (18), AL4 (18), H (6), AL6 (2), AL5 (1)                                                                                     | Build, Documents, Controls                  |
| 39    | Credit data                                                      |      | 82    | 100    |    | 82 |    |    | J (14), AI5 (7), AI6 (7), AH5 (6), AI12 (6), AH7 (5), AI13 (5), AI15 (5), H (4), AH1 (4), AH3 (4), AH9 (4), AI19 (4), AH4 (3), AH6 (3), AH11 (1)    | Build, Tests, Documents                     |
| 40    | Journey tests; security tests                                    |      | 38    | 100    |    | 38 |    |    | AI19 (31), AI21 (7)                                                                                                                                 | Tests                                       |
| 41    | Security tests; testing; partner connections: push notifications |      | 76    | 100    |    | 76 |    |    | AG7 (30), N (24), AI21 (13), AG9 (8), AI22 (1)                                                                                                      | Build, Tests, Documents, Partners, Controls |

| Phase | Title                                                                          | Gate | Items | Points | P0 | P1 | P2 | P3 | Sub-sections                                                                       | Checks                                      |
|-------|--------------------------------------------------------------------------------|------|-------|--------|----|----|----|----|------------------------------------------------------------------------------------|---------------------------------------------|
| 42    | Partner connections: liveness service; bank integration; operations            |      | 75    | 81     |    | 75 |    |    | T7 (16), AG9 (12), R (12), AG10 (10), AM1 (10), T8 (7), AG11 (5), AK2 (2), AP1 (1) | Build, Documents, Partners, Controls        |
|       | Work on the bank's interfaces                                                  |      |       |        |    |    |    |    |                                                                                    |                                             |
| 43    | Partner connections: partner bank, part 1                                      | H2   | 79    | 95     | 79 |    |    |    | AG1 (79)                                                                           | Partners                                    |
| 44    | Partner connections: partner bank, part 2                                      | H2   | 79    | 95     | 79 |    |    |    | AG1 (71), AE4 (8)                                                                  | Build, Partners                             |
| 45    | New endpoints, part 3                                                          | H2   | 75    | 95     | 75 |    |    |    | AE4 (75)                                                                           | Build                                       |
| 46    | New endpoints; screen states: bank account                                     | H2   | 79    | 91     | 79 |    |    |    | AE4 (45), AC15 (34)                                                                | Build                                       |
| 47    | Screen states: bank account; partner connections: partner bank                 | H2   | 79    | 91     | 18 | 61 |    |    | AG1 (61), AC15 (12), AC18 (6)                                                      | Build, Partners                             |
| 48    | Partner connections: partner bank and NADRA through the bank; bank integration | H2   | 75    | 95     |    | 75 |    |    | AG1 (29), T1 (11), AG3 (10), T2 (10), T3 (8), T4 (7)                               | Build, Partners, Controls                   |
| 49    | Bank integration; new models                                                   | H2   | 73    | 95     |    | 73 |    |    | AF4 (56), T5 (7), T6 (6), T4 (3), U (1)                                            | Build, Tests, Documents, Partners, Controls |
| 50    | Collection with the bank; screen states: bank account                          | H2   | 78    | 88     |    | 78 |    |    | AC15 (41), U (29), X2 (8)                                                          | Build, Tests, Documents, Partners           |
|       | Work on the partners' interfaces                                               |      |       |        |    |    |    |    |                                                                                    |                                             |
| 51    | Partner connections: SMS provider and PSP                                      | H3   | 80    | 96     | 10 | 70 |    |    | AG2 (70), AG6 (10)                                                                 | Partners                                    |
| 52    | Partner connections: PSP, TASDEEQ and WhatsApp provider                        | H3   | 80    | 96     |    | 80 |    |    | AG4 (40), AG2 (20), AG5 (20)                                                       | Partners                                    |
| 53    | Partner connections: WhatsApp provider; new models; new endpoints              | H3   | 76    | 96     |    | 76 |    |    | AE4 (35), AF4 (21), AG5 (10), AG6 (10)                                             | Build, Partners                             |
| 54    | New endpoints; screen states: credit history                                   | H3   | 78    | 92     |    | 78 |    |    | AE4 (36), AC22 (34), X3 (8)                                                        | Build                                       |
|       | Public launch                                                                  |      |       |        |    |    |    |    |                                                                                    |                                             |
| 55    | Screens; product changes; new endpoints                                        |      | 90    | 100    |    |    | 90 |    | AE4 (43), C6 (28), Y4 (8), Y2 (4), Y7 (4), AQ1 (1), AQ6 (1), Y3 (1)                | Build, Documents, Controls                  |
| 56    | New endpoints, part 4                                                          |      | 80    | 100    |    |    | 80 |    | AE4 (80)                                                                           | Build                                       |
| 57    | New endpoints; new models; states of existing screens                          |      | 91    | 100    |    |    | 91 |    | AE4 (33), AC1 (32), AF4 (22), AF5 (3), AE5 (1)                                     | Build, Documents, Controls                  |
| 58    | States of existing screens; screen states: onboarding, part 2                  |      | 95    | 95     |    |    | 95 |    | AC1 (60), AC2 (26), AC3 (9)                                                        | Build                                       |
| 59    | Screen states: identity, accounts and payment routes and circles               |      | 95    | 95     |    |    | 95 |    | AC5 (41), AC4 (32), AC3 (15), AC6 (7)                                              | Build                                       |
| 60    | Screen states: host                                                            |      | 95    | 95     |    |    | 95 |    | AC6 (95)                                                                           | Build                                       |
| 61    | Screen states: money and recovery, part 2                                      |      | 95    | 95     |    |    | 95 |    | AC7 (62), AC8 (32), AC6 (1)                                                        | Build                                       |
| 62    | Screen states: leaving a circle and rewards                                    |      | 95    | 95     |    |    | 95 |    | AC10 (79), AC9 (12), AC11 (3), AC8 (1)                                             | Build                                       |

| Phase | Title                                                                          | Gate | Items | Points | P0 | P1 | P2 | P3 | Sub-sections                                                                                                                                                                                                              | Checks                                      |
|-------|--------------------------------------------------------------------------------|------|-------|--------|----|----|----|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| 63    | Screen states: savings at the bank and support                                 |      | 95    | 95     |    |    | 95 |    | AC12 (66), AC13 (19), AC11 (7), AC14 (3)                                                                                                                                                                                  | Build                                       |
| 64    | Screen states: turn market                                                     |      | 95    | 95     |    |    | 95 |    | AC19 (74), AC16 (8), AC17 (8), AC14 (5)                                                                                                                                                                                   | Build                                       |
| 65    | Screen states: turn market and Hyper                                           |      | 95    | 95     |    |    | 95 |    | AC19 (54), AC23 (41)                                                                                                                                                                                                      | Build                                       |
| 66    | Screen states: Hyper; administration console                                   |      | 95    | 95     |    |    | 95 |    | AC24 (68), AC23 (27)                                                                                                                                                                                                      | Build                                       |
| 67    | Administration console                                                         |      | 95    | 99     |    |    | 95 |    | AC24 (67), AD8 (8), AQ4 (7), AD9 (6), AD5 (2), AD6 (2), AQ3 (2), AD7 (1)                                                                                                                                                  | Build, Documents                            |
| 68    | Governance: policies and risk management                                       |      | 94    | 100    |    |    | 94 |    | AL1 (32), AL2 (18), Z3 (7), AB3 (5), AQ4 (4), S6 (4), AB2 (3), AJ2 (2), AB4 (2), AB7 (2), AO2 (2), AQ5 (1), AJ5 (1), AJ6 (1), AB1 (1), AB5 (1), AB6 (1), AB8 (1), AB9 (1), AB11 (1), AB13 (1), AB14 (1), AB16 (1), S4 (1) | Build, Tests, Documents, Controls           |
| 69    | Governance: risk management, model risk and finance                            |      | 95    | 95     |    |    | 95 |    | AL2 (40), AL3 (27), AL5 (16), AL4 (12)                                                                                                                                                                                    | Documents                                   |
| 70    | Governance: suppliers; messages: points, marketplace and turns                 |      | 90    | 98     |    |    | 90 |    | AL7 (23), AH8 (11), AL8 (10), AI10 (10), AI11 (10), AI18 (6), AH10 (4), AL5 (3), AH5 (3), AH9 (3), AI20 (3), AL6 (1), AH1 (1), AH6 (1), AH11 (1)                                                                          | Tests, Documents                            |
| 71    | Partner connections: push notifications and email; turn market                 |      | 65    | 99     |    |    | 65 |    | AG8 (20), W (13), AG7 (10), AG10 (10), AI20 (9), AI22 (3)                                                                                                                                                                 | Build, Tests, Documents, Partners           |
| 72    | Visual system; content; measurement                                            |      | 86    | 100    |    |    | 86 |    | A (22), O (20), P (12), W (10), B (8), I (7), AM2 (5), AK2 (1), AM1 (1)                                                                                                                                                   | Build, Tests, Documents, Partners, Controls |
| 73    | Operations: data, measures and reports; distribution; growth                   |      | 92    | 92     |    |    | 92 |    | AM4 (34), AN1 (24), Q (15), AM2 (8), AN2 (5), AM3 (2), AN3 (2), AP1 (2)                                                                                                                                                   | Build, Tests, Documents, Controls           |
|       | Public launch on the bank's interfaces                                         |      |       |        |    |    |    |    |                                                                                                                                                                                                                           |                                             |
| 74    | Partner connections: partner bank and NADRA through the bank; new endpoints    | H2   | 81    | 93     |    |    | 81 |    | AG1 (40), AE4 (23), AG3 (10), AF4 (8)                                                                                                                                                                                     | Build, Partners                             |
| 75    | Points and marketplace; screen states: bank account and points and marketplace | H2   | 85    | 93     |    |    | 85 |    | AC18 (56), AC15 (14), V1 (12), AE4 (3)                                                                                                                                                                                    | Build, Documents                            |
| 76    | Screen states: points and marketplace, part 1                                  | H2   | 88    | 88     |    |    | 88 |    | AC18 (88)                                                                                                                                                                                                                 | Build                                       |
| 77    | Screen states: points and marketplace, part 2                                  | H2   | 86    | 86     |    |    | 86 |    | AC18 (74), AC20 (8), AC21 (4)                                                                                                                                                                                             | Build                                       |
|       | Public launch on the partners' interfaces                                      |      |       |        |    |    |    |    |                                                                                                                                                                                                                           |                                             |
| 78    | Partner connections: WhatsApp provider and SMS provider; new endpoints         | H3   | 64    | 76     |    |    | 64 |    | AG5 (20), AE4 (18), AG6 (10), V2 (9), AC22 (4), AF4 (3)                                                                                                                                                                   | Build, Documents, Partners                  |
|       | Scale                                                                          |      |       |        |    |    |    |    |                                                                                                                                                                                                                           |                                             |
| 79    | Governance: policies and model risk                                            |      | 55    | 59     |    |    |    | 55 | AL1 (28), AL3 (9), AL7 (4), C5 (3), Y3 (3), Y5 (2), L (2), AC1 (1), AD9 (1), AJ6 (1), AB14 (1)                                                                                                                            | Build, Documents, Partners, Controls        |
| 80    | Governance: suppliers                                                          |      | 57    | 57     |    |    |    | 57 | AL7 (42), AP1 (6), AN2 (3), AL8 (2), AI22 (1), AM1 (1), AM3 (1), Q (1)                                                                                                                                                    | Build, Tests, Documents                     |

| Phase | Title                                             | Gate | Items | Points | P0 | P1 | P2 | P3 | Sub-sections         | Checks |
|-------|---------------------------------------------------|------|-------|--------|----|----|----|----|----------------------|--------|
|       | Scale on the bank's interfaces                    |      |       |        |    |    |    |    |                      |        |
| 81    | Screen states: asset financing and members abroad | H2   | 78    | 78     |    |    |    | 78 | AC20 (60), AC21 (18) | Build  |

## Milestones

Items held by people other than Claude, by the milestone they belong to. The P0 column lists the item numbers that are legal exposure or block the meeting with the bank.

| Milestone               | Scope                                                                                                                                                    | Items | Not done | Owners                                                                                           | P0 not done                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| H1, Company and counsel | The company incorporated, its board and shareholding settled, counsel engaged and the opinions and reviews that come before any agreement.               | 81    | 72       | Chairman 13, Counsel 59                                                                          | 476, 477, 478, 479, 481, 483, 484, 485, 486, 487, 488, 489, 495, 496, 667, 668, 669, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 693, 694, 695, 696, 697, 700, 702, 1054, 9909, 9914, 10461                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| H2, Bank agreement      | Heads of terms and the services agreement signed, the bank's approvals obtained, and its interface documents and test environment opened to Halqa.       | 105   | 102      | Chairman 25, Bank 77                                                                             | 480, 482, 497, 666, 670, 671, 672, 673, 674, 685, 686, 688, 689, 690, 691, 692, 698, 699, 1011, 1013, 1061, 1077, 1089, 1114, 1136, 1170, 7780, 7791, 7802, 7813, 7835, 7879, 7890, 7912, 7923, 7934, 7945, 7956, 7967, 8022, 8033, 8456, 8457, 10337, 10343, 10358, 10453                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| H3, Partners            | The PSP, TASDEEQ, the WhatsApp and SMS providers and the takaful or insurance operator chosen by the bank, each under agreement with a test environment. | 58    | 56       | Chairman 9, Partner 47                                                                           | 1065, 8308, 8462, 8463, 8505, 8516, 8527, 8618, 8629, 8638, 8657, 8676, 8696, 8724, 8735, 8746, 8843, 8854, 9099                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| H4, Pilot readiness     | Penetration test passed, translations done, policies approved, store accounts and declarations in place, and the testers' and auditors' work complete.   | 629   | 629      | Chairman 34, Bank 20, Counsel 6, Partner 6, Translator 529, Tester 16, Auditor 11, Tax adviser 7 | 1165, 1398, 1543, 1575, 1790, 1807, 1825, 1845, 1865, 1885, 1905, 1945, 2061, 2080, 2100, 2120, 2138, 2154, 2387, 2411, 2427, 2491, 2507, 2521, 2611, 2631, 2645, 2663, 2683, 2702, 2760, 3040, 3066, 3084, 3100, 3114, 3132, 3176, 3192, 3206, 3278, 3290, 3988, 4004, 4020, 4034, 4102, 4180, 4200, 4214, 4230, 4959, 4963, 4967, 4970, 4973, 4977, 4981, 4985, 4989, 5025, 5029, 5033, 5037, 5041, 5069, 5073, 5077, 5085, 5125, 5129, 5133, 5137, 5141, 5145, 5149, 5177, 5181, 5185, 5189, 5197, 5333, 5337, 8469, 8500, 8502, 8504, 8511, 8513, 8515, 8522, 8524, 8526, 8555, 8557, 8559, 8565, 8567, 8573, 8575, 8577, 8583, 8585, 8587, 8593, 8595, 8597, 8603, 8605, 8607, 8613, 8615, 8617, 8624, 8626, 8628, 8635, 8637, 8644, 8646, 8652, 8654, 8656, 8671, 8673, 8675, 8691, 8693, 8695, 8719, 8721, 8723, 8730, 8732, 8734, 8741, 8743, 8745, 8838, 8840, 8842, 8849, 8851, 8853, 9086, 9088, 9094, 9096, 9098 |
| H5, Launch              | The public launch with the bank: store listings, announcement, campaigns and the host programme.                                                         | 100   | 84       | Chairman 84                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| H6, Scale               | Work for later stages: members abroad, asset financing and growth beyond the first year.                                                                 | 50    | 36       | Chairman 27, Bank 2, Translator 7                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



## Sources

| Source                                                                                                                                                                             | Used in                             | Link                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| State Bank of Pakistan, Framework for Risk Management in Outsourcing Arrangements by Financial Institutions, BPRD Circular No. 06 of 2017, revised by BPRD Circular No. 06 of 2019 | AB1                                 | <a href="https://www.sbp.org.pk/bprd/2017/C6.htm">https://www.sbp.org.pk/bprd/2017/C6.htm</a> , <a href="https://www.sbp.org.pk/bprd/2019/C6.htm">https://www.sbp.org.pk/bprd/2019/C6.htm</a>                                                                         |
| State Bank of Pakistan, Framework on Outsourcing to Cloud Service Providers, BPRD Circular No. 01 of 2023                                                                          | AB2 and the hosting question in AA2 | <a href="https://www.sbp.org.pk/bprd/2023/C1-Annex-A.pdf">https://www.sbp.org.pk/bprd/2023/C1-Annex-A.pdf</a>                                                                                                                                                         |
| State Bank of Pakistan, Enterprise Technology Governance and Risk Management Framework, BPRD Circular No. 05 of 2017                                                               | AB3                                 | <a href="https://www.sbp.org.pk/bprd/2017/C5.htm">https://www.sbp.org.pk/bprd/2017/C5.htm</a>                                                                                                                                                                         |
| State Bank of Pakistan, Consolidated Customer Onboarding Framework, BPRD Circular No. 01 of 2025                                                                                   | AB4                                 | <a href="https://www.sbp.org.pk/bprd/2025/C1-Consolidated-Customer-Onboarding-Framework.pdf">https://www.sbp.org.pk/bprd/2025/C1-Consolidated-Customer-Onboarding-Framework.pdf</a>                                                                                   |
| State Bank of Pakistan, PSP&OD Circular No. 01 of 2024 on the security of digital channels                                                                                         | AB5, AH2                            | <a href="https://www.sbp.org.pk/psd/2024/C1.htm">https://www.sbp.org.pk/psd/2024/C1.htm</a>                                                                                                                                                                           |
| State Bank of Pakistan, BPRD Circular No. 04 of 2023 on digital fraud                                                                                                              | AB6                                 | <a href="https://www.sbp.org.pk/bprd/2023/C4.htm">https://www.sbp.org.pk/bprd/2023/C4.htm</a>                                                                                                                                                                         |
| State Bank of Pakistan, BC&CPD Circular Letter No. 02 of 2021 on complaint handling                                                                                                | AB7, AH9                            | <a href="https://www.sbp.org.pk/cpd/2021/CL2.htm">https://www.sbp.org.pk/cpd/2021/CL2.htm</a>                                                                                                                                                                         |
| State Bank of Pakistan, BC&CPD Circular No. 02 of 2016 and Circular No. 02 of 2020 on key fact statements                                                                          | AB9                                 | <a href="https://www.sbp.org.pk/cpd/2016/C2.htm">https://www.sbp.org.pk/cpd/2016/C2.htm</a> , <a href="https://www.sbp.org.pk/cpd/2020/C2.htm">https://www.sbp.org.pk/cpd/2020/C2.htm</a>                                                                             |
| State Bank of Pakistan, Licensing and Regulatory Framework for Digital Banks, BPRD Circular No. 01 of 2022                                                                         | AO2                                 | <a href="https://www.sbp.org.pk/bprd/2022/C1.htm">https://www.sbp.org.pk/bprd/2022/C1.htm</a>                                                                                                                                                                         |
| State Bank of Pakistan, PSP&OD Circular No. 04 of 2023 and the Raast person to merchant service                                                                                    | AB11                                | <a href="https://www.sbp.org.pk/psd/2023/C4.htm">https://www.sbp.org.pk/psd/2023/C4.htm</a>                                                                                                                                                                           |
| State Bank of Pakistan, BSD-1 Circular No. 01 of 2024 and CRMD Circular Letter No. 01 of 2026                                                                                      | AB13                                | <a href="https://www.sbp.org.pk/bsd-1/2024/C1.htm">https://www.sbp.org.pk/bsd-1/2024/C1.htm</a> , <a href="https://www.sbp.org.pk/CRMD/2026/CL01.htm">https://www.sbp.org.pk/CRMD/2026/CL01.htm</a>                                                                   |
| State Bank of Pakistan, AML, CFT and CPF Regulations under section 6A(2) of the Anti Money Laundering Act 2010                                                                     | AB10                                |                                                                                                                                                                                                                                                                       |
| OWASP Mobile Application Security Verification Standard, version 2.1                                                                                                               | AJ1                                 | <a href="https://mas.owasp.org/MASVS/">https://mas.owasp.org/MASVS/</a>                                                                                                                                                                                               |
| ISO/IEC 27001:2022, Annex A                                                                                                                                                        | AJ3                                 |                                                                                                                                                                                                                                                                       |
| W3C, Web Content Accessibility Guidelines 2.2                                                                                                                                      | AK1                                 | <a href="https://www.w3.org/TR/WCAG22/">https://www.w3.org/TR/WCAG22/</a>                                                                                                                                                                                             |
| Google Play policy on personal loan applications in Pakistan, reported July 2023                                                                                                   | AB16                                | <a href="https://propakistani.pk/2023/07/18/google-introduces-strict-policy-against-loans-apps-in-pakistan/amp/">https://propakistani.pk/2023/07/18/google-introduces-strict-policy-against-loans-apps-in-pakistan/amp/</a>                                           |
| Meta, WhatsApp Business Platform pricing                                                                                                                                           | AA2, item 847                       | <a href="https://developers.facebook.com/documentation/business-messaging/whatsapp/pricing">https://developers.facebook.com/documentation/business-messaging/whatsapp/pricing</a>                                                                                     |
| Raqami Islamic Digital Bank: products, questions and profit rates                                                                                                                  | AO2                                 | <a href="https://raqamidigital.com/products/">https://raqamidigital.com/products/</a> , <a href="https://raqamidigital.com/faqs/">https://raqamidigital.com/faqs/</a> , <a href="https://raqamidigital.com/profit-rates/">https://raqamidigital.com/profit-rates/</a> |
| Mashreq Bank Pakistan: NEO, its schedule of charges and the account for non resident Pakistanis                                                                                    | AO1                                 | <a href="https://www.mashreq.com/en/pk/neo/">https://www.mashreq.com/en/pk/neo/</a> , <a href="https://www.mashreq.com/en/uae/neo/accounts/non-resident-pakistan-account">https://www.mashreq.com/en/uae/neo/accounts/non-resident-pakistan-account</a>               |
| Money Fellows                                                                                                                                                                      | AP1                                 | <a href="https://moneyfellows.com/en-us/how-it-works/">https://moneyfellows.com/en-us/how-it-works/</a>                                                                                                                                                               |
| Hakbah                                                                                                                                                                             | AP1                                 | <a href="https://hakbah.sa/faq/?lang=en">https://hakbah.sa/faq/?lang=en</a>                                                                                                                                                                                           |
| Esusu                                                                                                                                                                              | AP1                                 | <a href="https://www.esusurent.com/about">https://www.esusurent.com/about</a>                                                                                                                                                                                         |
| JazzCash schedule of charges                                                                                                                                                       | AP1                                 | <a href="https://www.jazzcash.com.pk/schedule-of-charges-soc/">https://www.jazzcash.com.pk/schedule-of-charges-soc/</a>                                                                                                                                               |
| NayaPay schedule of charges                                                                                                                                                        | AP1                                 | <a href="https://www.nayapay.com/soc">https://www.nayapay.com/soc</a>                                                                                                                                                                                                 |

| Source                                                                                           | Used in    | Link                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SadaPay, as described by Profit                                                                  | AP1        | <a href="https://profit.pakistantoday.com.pk/2023/07/02/fast-dependable-and-easy-to-use-can-sadapay-revolutionize-the-fintech-landscape-in-pakistan/">https://profit.pakistantoday.com.pk/2023/07/02/fast-dependable-and-easy-to-use-can-sadapay-revolutionize-the-fintech-landscape-in-pakistan/</a> |
| Easypaisa, store listing                                                                         | AP1        | <a href="https://apps.apple.com/pk/app/easypaisa-a-digital-bank/id1227725092">https://apps.apple.com/pk/app/easypaisa-a-digital-bank/id1227725092</a>                                                                                                                                                 |
| Halqa code as read on 5 October 2026: route files, schema and screens of halqa-api and halqa-web | AC, AE, AF |                                                                                                                                                                                                                                                                                                       |

## Status by Section

| Section                            | Items | Done | Partly done | Open | Claude | Others |
|------------------------------------|-------|------|-------------|------|--------|--------|
| A. Visual System                   | 34    | 12   | 15          | 7    | 34     | 0      |
| B. Navigation                      | 22    | 14   | 6           | 2    | 22     | 0      |
| C. Screens                         | 155   | 26   | 3           | 126  | 155    | 0      |
| D. Missing Screens                 | 130   | 0    | 0           | 130  | 130    | 0      |
| E. Removals                        | 29    | 6    | 0           | 23   | 29     | 0      |
| F. Additions                       | 18    | 5    | 0           | 13   | 18     | 0      |
| G. Collection                      | 43    | 1    | 0           | 42   | 39     | 4      |
| H. Takaful or Insurance            | 15    | 0    | 0           | 15   | 10     | 5      |
| I. Savings                         | 12    | 0    | 0           | 12   | 7      | 5      |
| J. Credit Data                     | 17    | 0    | 0           | 17   | 14     | 3      |
| K. Registrations and Governance    | 22    | 0    | 0           | 22   | 5      | 17     |
| L. Platform and Scale              | 40    | 0    | 1           | 39   | 39     | 1      |
| M. Security                        | 30    | 0    | 0           | 30   | 29     | 1      |
| N. Testing and Release             | 24    | 0    | 1           | 23   | 24     | 0      |
| O. Content and Accessibility       | 24    | 1    | 0           | 23   | 21     | 3      |
| P. Measurement                     | 14    | 1    | 2           | 11   | 13     | 1      |
| Q. Distribution                    | 20    | 0    | 0           | 20   | 16     | 4      |
| R. Operations                      | 16    | 0    | 0           | 16   | 12     | 4      |
| S. Partner Bank                    | 78    | 0    | 0           | 78   | 17     | 61     |
| T. Bank Integration                | 85    | 0    | 0           | 85   | 75     | 10     |
| U. Collection with the Bank        | 30    | 0    | 0           | 30   | 30     | 0      |
| V. Points and Marketplace          | 32    | 1    | 0           | 31   | 21     | 11     |
| W. Turn Market                     | 25    | 1    | 0           | 24   | 23     | 2      |
| X. Credit and Takaful or Insurance | 29    | 1    | 0           | 28   | 24     | 5      |

| Section                                                  | Items  | Done  | Partly done | Open  | Claude | Others |
|----------------------------------------------------------|--------|-------|-------------|-------|--------|--------|
| Y. Product Changes                                       | 61     | 4     | 0           | 57    | 47     | 14     |
| Z. Bank Meeting and Documents                            | 34     | 7     | 2           | 25    | 32     | 2      |
| AA. Decisions and Work since 28 September                | 37     | 23    | 0           | 14    | 18     | 19     |
| AB. Regulatory Compliance through the Partner Bank       | 148    | 0     | 0           | 148   | 105    | 43     |
| AC. Screen States and Checks                             | 3,733  | 252   | 0           | 3,481 | 3,533  | 200    |
| AD. Fields                                               | 394    | 196   | 1           | 197   | 296    | 98     |
| AE. Interface Service Endpoints                          | 1,866  | 1,128 | 0           | 738   | 1,865  | 1      |
| AF. Database Records                                     | 557    | 185   | 1           | 371   | 557    | 0      |
| AG. Connections to Partners                              | 692    | 0     | 0           | 692   | 635    | 57     |
| AH. Messages to Members                                  | 705    | 412   | 1           | 292   | 491    | 214    |
| AI. Tests                                                | 230    | 49    | 1           | 180   | 230    | 0      |
| AJ. Security Review                                      | 148    | 93    | 0           | 55    | 114    | 34     |
| AK. Accessibility                                        | 62     | 56    | 0           | 6     | 59     | 3      |
| AL. Governance, Risk and the Company                     | 438    | 0     | 0           | 438   | 337    | 101    |
| AM. Operations                                           | 231    | 125   | 0           | 106   | 188    | 43     |
| AN. Growth and Brand                                     | 56     | 0     | 0           | 56    | 34     | 22     |
| AO. The Two Banks                                        | 68     | 0     | 0           | 68    | 50     | 18     |
| AP. Features Measured against Other Finance Applications | 19     | 4     | 0           | 15    | 9      | 10     |
| AQ. Eligibility, Security, Host Pay and Speed            | 88     | 15    | 1           | 72    | 81     | 7      |
| Total                                                    | 10,511 | 2,618 | 35          | 7,858 | 9,488  | 1,023  |

## A. Visual System

The application already carries a bright green ramp in its stylesheet. It is not applied consistently, five competing accent themes sit beside it, and the supporting material was drawn in a different palette entirely. This section makes one palette govern everything.

| #  | Item                                                                                                                                                   | Where                             | Owner  | Pri | Phase | Status      |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|--------|-----|-------|-------------|
| 1  | Adopt the bright green ramp as the only brand palette, across the application, the maps, the deck and every document                                   | index.css                         | Claude | P2  |       | Done        |
| 2  | Retire the pine, sand, clay, indigo and plum accent themes, which dilute the brand and triple the visual QA surface                                    | index.css:569                     | Claude | P2  |       | Done        |
| 3  | Remove the accent picker from the appearance screen and reduce it to light and dark                                                                    | AppearancePage.tsx                | Claude | P2  | 72    | Open        |
| 4  | Publish the token set as the single source of truth: ramp, neutrals, status, radii, elevation, spacing                                                 | new tokens.css                    | Claude | P2  |       | Done        |
| 5  | Replace every hard coded colour literal in components with a token reference                                                                           | 40 components                     | Claude | P2  | 72    | Open        |
| 6  | Define three named elevations and delete every one off shadow value                                                                                    | six stylesheets                   | Claude | P2  | 72    | Partly done |
| 7  | Define one spacing scale and remove every off scale margin and padding                                                                                 | six stylesheets                   | Claude | P2  | 72    | Partly done |
| 8  | Define a type scale with named roles and remove every one off font size                                                                                | six stylesheets                   | Claude | P2  | 72    | Partly done |
| 9  | Select and self host one display typeface rather than relying on the system stack, which renders differently on every handset                          | index.css:47                      | Claude | P2  |       | Done        |
| 10 | Select and self host an Urdu typeface that sets Nastaliq correctly                                                                                     | index.css                         | Claude | P2  |       | Done        |
| 11 | Subset and preload both typefaces so the first paint does not shift                                                                                    | index.html                        | Claude | P2  | 72    | Partly done |
| 12 | Normalise every icon to one family, one stroke weight and one grid size                                                                                | components                        | Claude | P2  | 72    | Open        |
| 13 | Replace the mascot with a flat brand device, or remove it; in its present form it overlaps content on the home, committees, credit and account screens | RafaBot.tsx                       | Claude | P2  |       | Done        |
| 14 | Give the assistant a fixed entry point in the header rather than a floating character                                                                  | RafaBot.tsx                       | Claude | P2  | 72    | Partly done |
| 15 | Redraw the green header as a defined surface with a controlled edge rather than a slab carrying a stray lighter circle                                 | index.css:53                      | Claude | P2  |       | Done        |
| 16 | Make the header treatment identical on every screen that uses one                                                                                      | HomePage, CreditPage, ProfilePage | Claude | P2  | 72    | Partly done |
| 17 | Replace the blue credit score ring, which clashes with the brand, with the brand ramp                                                                  | CreditPage.tsx, ProfilePage.tsx   | Claude | P2  |       | Done        |
| 18 | Stop the score ring being clipped by the header edge on the account screen                                                                             | ProfilePage.tsx                   | Claude | P2  |       | Done        |
| 19 | Replace the red outgoing arrows in the activity list, which read as errors, with a neutral treatment                                                   | HomePage.tsx                      | Claude | P2  |       | Done        |
| 20 | Establish a status colour convention and document it: success, warning, failure, information                                                           | tokens                            | Claude | P2  |       | Done        |
| 21 | Define one card component with a fixed radius, padding, border and elevation, and route every surface through it                                       | ui.tsx                            | Claude | P2  | 72    | Partly done |
| 22 | Stop nesting grey tiles inside white cards, which produces a muddy surface                                                                             | CreditPage.tsx                    | Claude | P2  | 72    | Open        |
| 23 | Define one list row component with a title, an optional subtitle, an optional leading icon and an optional trailing control                            | ui.tsx                            | Claude | P2  | 72    | Partly done |
| 24 | Make every list row either carry a subtitle or not, rather than mixing the two in one list                                                             | ProfilePage.tsx                   | Claude | P2  | 72    | Open        |

| #  | Item                                                                                                   | Where         | Owner  | Pri | Phase | Status      |
|----|--------------------------------------------------------------------------------------------------------|---------------|--------|-----|-------|-------------|
| 25 | Define one button component with primary, secondary, tertiary and destructive variants and three sizes | ui.tsx        | Claude | P2  | 72    | Partly done |
| 26 | Define one form field component with label, hint, error and disabled states                            | ui.tsx        | Claude | P2  | 72    | Partly done |
| 27 | Define one badge component and stop badges overlapping the tile above them                             | HomePage.tsx  | Claude | P2  | 72    | Partly done |
| 28 | Define a skeleton for every card, list and chart; the application presently carries five in total      | ui.tsx        | Claude | P2  | 72    | Partly done |
| 29 | Define an empty state component with an illustration slot, a sentence and an action                    | ui.tsx        | Claude | P2  | 72    | Partly done |
| 30 | Define an error state component with a reason and a retry                                              | ui.tsx        | Claude | P2  | 72    | Partly done |
| 31 | Add a dark theme and honour the system preference                                                      | tokens        | Claude | P2  | 72    | Partly done |
| 32 | Add a reduced motion preference and honour it in every transition                                      | tokens        | Claude | P2  |       | Done        |
| 33 | Produce a one page visual specification for anyone building a new screen                               | documentation | Claude | P2  | 72    | Open        |
| 34 | Fold the five stylesheets that accumulated outside the system into the token set and delete them       | styles-*.css  | Claude | P2  | 72    | Open        |

## B. Navigation

Three different navigation patterns are presently in use and the floating controls collide with content and with one another.

| #  | Item                                                                                                                                  | Where                   | Owner  | Pri | Phase | Status      |
|----|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------|-----|-------|-------------|
| 35 | Settle one navigation pattern: a large left aligned page title, a back affordance where one applies, and at most two trailing actions | all pages               | Claude | P2  | 72    | Partly done |
| 36 | Remove the centred bare title bar used on the committees screen                                                                       | CirclesPage.tsx         | Claude | P2  |       | Done        |
| 37 | Remove the grey circle back button used on the credit screen and adopt the standard affordance                                        | CreditPage.tsx          | Claude | P2  |       | Done        |
| 38 | Stop the join button overlapping the start a committee button on the committees screen                                                | CirclesPage.tsx         | Claude | P2  |       | Done        |
| 39 | Stop the join button label being cut off at the bottom of the viewport                                                                | Shell.tsx               | Claude | P2  |       | Done        |
| 40 | Decide whether joining is a tab, a floating button or a grid action; at present it is all three                                       | Shell.tsx, HomePage.tsx | Claude | P2  |       | Done        |
| 41 | Remove the vault tab while the surface is withdrawn                                                                                   | Shell.tsx               | Claude | P2  |       | Done        |
| 42 | Reduce the tab bar to four destinations and give each a filled and an outline state                                                   | Shell.tsx               | Claude | P2  |       | Done        |
| 43 | Add a search entry point to the home header, which both reference applications carry                                                  | HomePage.tsx            | Claude | P2  |       | Done        |
| 44 | Add a notifications entry point with an unread count that clears on read                                                              | HomePage.tsx            | Claude | P2  | 72    | Partly done |
| 45 | Respect the safe area inset at the bottom on handsets with a gesture bar                                                              | index.css               | Claude | P2  |       | Done        |
| 46 | Respect the safe area inset at the top on handsets with a notch                                                                       | index.css               | Claude | P2  |       | Done        |
| 47 | Give every screen a working hardware back behaviour                                                                                   | App.tsx                 | Claude | P2  | 72    | Partly done |
| 48 | Preserve scroll position when returning to a list                                                                                     | App.tsx                 | Claude | P2  | 72    | Open        |
| 49 | Add a page transition that communicates depth rather than a hard swap                                                                 | App.tsx                 | Claude | P2  |       | Done        |
| 50 | Add a loading indicator for navigation between lazy boundaries                                                                        | App.tsx                 | Claude | P2  |       | Done        |

| #  | Item                                                                                      | Where                      | Owner  | Pri | Phase | Status      |
|----|-------------------------------------------------------------------------------------------|----------------------------|--------|-----|-------|-------------|
| 51 | Give every one of the twenty eight screens a deep link that restores its full state       | App.tsx                    | Claude | P2  |       | Done        |
| 52 | Fix the committee deep link, which presently shows an unending loading indicator          | App.tsx, CommitteePage.tsx | Claude | P2  |       | Done        |
| 53 | Add a context line inside a committee so the member knows which circle they are in        | CommitteePage.tsx          | Claude | P2  | 72    | Open        |
| 54 | Add a bottom sheet component and use it for secondary actions rather than navigating away | ui.tsx                     | Claude | P2  | 72    | Partly done |
| 55 | Add a modal component with focus trapping and an escape route                             | ui.tsx                     | Claude | P2  | 72    | Partly done |
| 56 | Add a confirmation pattern for destructive actions, with the consequence stated           | ui.tsx                     | Claude | P2  | 72    | Partly done |

## C. Screens

Every screen except Home is rebuilt to the standard of the JazzCash, Easypaisa and SadaPay applications, studied from their own store screenshots on 23 September 2026. The audit behind this section was made on 24 September 2026 by opening every screen of the running application at phone width: 28 screens, the five committee tabs, the sign-in and sign-up screens, and the 25 components that render inside them. Home is the one screen kept as it stands. Sign up and sign in are redesigned from nothing. Part C1 applies to every screen and is checked on each one as it is rebuilt; parts C3 and C4 are done first, because C3 is a legal exposure and C4 is a screen that does not open.

### C1. Common Rules

| #  | Item                                                                                                                                                                                                                                                                                       | Where                                                                                                                    | Owner  | Pri | Phase | Status |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|--------|-----|-------|--------|
| 57 | No bezels: no bordered or framed container around a section, and never a card inside a card. Surfaces are separated by fill and space                                                                                                                                                      | all screens                                                                                                              | Claude | P1  | 13    | Open   |
| 58 | No rounded pill or badge shapes, under the standing design rule. Buttons, chips, filters and status labels use square or lightly rounded corners; status is an icon, a colour and a word. The component set built on 23 September uses pill buttons and pill badges and is corrected first | system.css, all screens                                                                                                  | Claude | P1  |       | Done   |
| 59 | No emojis in any screen, share text or notification. The country flag in the number field is the one the app shows today; the API's document verification page carries two symbols                                                                                                         | PhoneInput.tsx:13, halqa-api/src/app.ts:106                                                                              | Claude | P1  | 13    | Open   |
| 60 | No playful or self-referential copy: the assistant's greeting lines, exclamation marks, the tab title "Committee savings, made rewarding", the sign-in slogan, and the error screen's "not a ledger one"                                                                                   | RafaBot.tsx, rafa-knowledge.ts, index.html, AuthPage.tsx, ErrorBoundary.tsx                                              | Claude | P1  | 13    | Open   |
| 61 | No over-explaining: at most one line of supporting text under a title. Every explanatory paragraph is cut, or moved behind a single How it works link                                                                                                                                      | all screens                                                                                                              | Claude | P1  | 13    | Open   |
| 62 | No list-of-rows navigation. A screen whose job is to send the member somewhere becomes an icon grid and cards, in the manner of the JazzCash and Easypaisa inner pages. Rows stay only where the content is itself a ledger: payments, members, turns                                      | ProfilePage, SettingsPage, VerifyPage, ReferPage, FeesPage, AutoPayPage                                                  | Claude | P1  | 13    | Open   |
| 63 | No eyebrow labels above titles and no capitalised section labels; nine files carry them                                                                                                                                                                                                    | AgreementGate, Appearance, CnicCapture, CollectionOrder, ExitSheet, JoinSheet, AuthPage, CommitteePage, CreateCirclePage | Claude | P1  | 13    | Open   |
| 64 | No stack of equal-weight panels. A screen opens with its one answer, then the evidence, then the actions. The committee's first tab stacks six panels                                                                                                                                      | CommitteePage.tsx:79                                                                                                     | Claude | P1  | 13    | Open   |

| #  | Item                                                                                                                                                                                                                         | Where                                                      | Owner  | Pri | Phase | Status |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|--------|-----|-------|--------|
| 65 | No decorative circles on any header, hero or band                                                                                                                                                                            | AuthPage, RewardsPage, VaultPage, HyperPage, CommitteePage | Claude | P1  | 13    | Open   |
| 66 | No off-brand colour on a surface: the orange streak card, the blue status chip, the blue information rule                                                                                                                    | RewardsPage, CommitteePage, MarketplacePage                | Claude | P1  | 13    | Open   |
| 67 | No raw undefined, NaN or null on screen. Seen on Rewards (Points NaN, Longest run undefined, NaN to go) and on the committee Safety tab (score undefined against every member). Every number and name passes through a guard | format.ts, RewardsPage, ProtectionCenter                   | Claude | P1  | 13    | Open   |
| 68 | No segmented control that wraps to two lines; the committee tabs do                                                                                                                                                          | CommitteePage                                              | Claude | P1  | 13    | Open   |
| 69 | Row actions (Remove, Make default, Remind) open in a sheet from the row, instead of sitting as buttons under every row                                                                                                       | CardsPage, ProtectionCenter                                | Claude | P1  | 13    | Open   |
| 70 | No truncated title in a header; the committee name is cut to "Gulshan ..."                                                                                                                                                   | CommitteePage                                              | Claude | P1  | 13    | Open   |
| 71 | Every screen checked in dark mode as it is rebuilt, since the older stylesheets hard code white                                                                                                                              | all screens                                                | Claude | P1  | 13    | Open   |

## C2. Sign Up and Sign In

The individual onboarding and identity screens are listed in section D. This part sets the flow and the standard they are built to.

| #  | Item                                                                                                                                                                                                         | Where                 | Owner  | Pri | Phase | Status |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 72 | Remove the demo credentials printed on the sign-in screen. The line has no environment guard, so "+92 300 1234567 · halqa123" is on the live page for anyone                                                 | AuthPage.tsx:538      | Claude | P1  | 13    | Open   |
| 73 | Welcome screen: the mark, one line, and two actions, Create account and Sign in. No slogan, no capitalised strapline, no paragraph                                                                           | AuthPage              | Claude | P1  | 13    | Open   |
| 74 | Remove the green marketing banner that fills 40 per cent of every sign-in and sign-up screen                                                                                                                 | AuthPage              | Claude | P1  | 13    | Open   |
| 75 | Sign in with phone number and PIN, as the wallets do. No password                                                                                                                                            | AuthPage              | Claude | P1  | 14    | Open   |
| 76 | Cut sign-up from ten steps to five: phone, code, name, CNIC, PIN. Address, work, bank account and review move to verification after the account exists, where they open seats rather than block entry        | AuthPage.tsx:48       | Claude | P1  | 14    | Open   |
| 77 | Drop the password step. The PIN is the credential on the device and a phone code recovers it                                                                                                                 | AuthPage              | Claude | P1  | 14    | Open   |
| 78 | The question is the heading of each step, not "Step 1 of 10"; progress is a thin bar only                                                                                                                    | AuthPage.tsx:542      | Claude | P1  | 14    | Open   |
| 79 | Phone entry: +92 fixed, numeric keypad, digits grouped as they are typed, no flag                                                                                                                            | PhoneInput.tsx        | Claude | P1  | 14    | Open   |
| 80 | Code entry: six boxes, automatic advance, paste from the SMS, resend with a visible countdown, and a change number link                                                                                      | AuthPage, otp step    | Claude | P1  | 14    | Open   |
| 81 | PIN set and confirm on a full screen numeric keypad of its own, matching the unlock screen                                                                                                                   | AuthPage, PinLock     | Claude | P1  | 14    | Open   |
| 82 | CNIC step opens the camera capture first and typing second                                                                                                                                                   | AuthPage, CnicCapture | Claude | P1  | 14    | Open   |
| 83 | Remove the card-within-a-card frame around every step                                                                                                                                                        | AuthPage              | Claude | P1  | 14    | Open   |
| 84 | Remove the nine-link website footer (Cookie Policy, Ad Choices, Advertising and the rest) from sign in; its links also run together with no spaces. Terms and privacy become one line under the final button | LegalFooter.tsx       | Claude | P1  | 14    | Open   |
| 85 | One specific error per field, shown under that field, and a retry on network failure                                                                                                                         | AuthPage              | Claude | P1  | 14    | Open   |

| #  | Item                                                                                                                     | Where    | Owner  | Pri | Phase | Status |
|----|--------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 86 | Forgotten PIN: phone code, then a new PIN                                                                                | AuthPage | Claude | P1  | 14    | Open   |
| 87 | Sign-up tested end to end against a staging API, since it cannot be tested on production without creating a real account | testing  | Claude | P1  | 14    | Open   |

### C3. Retired Terms

These screens tell a member things the Legal Position says Halqa does not do. They are fixed before anything else in section C.

| #   | Item                                                                                                                                                                                                                                                                    | Where                                 | Owner  | Pri | Phase | Status |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------|-----|-------|--------|
| 88  | Hyper shows "30 days · 7 collect a day · 210 members" and "Rs 500 a day for 30 days". Replace with the two fixed configurations and the three way split                                                                                                                 | HyperPage.tsx                         | Claude | P0  |       | Done   |
| 89  | Hyper entry checks ask for "Daily earnings, or a vault balance" with a "Vault minimum Rs 15,000". Remove the vault                                                                                                                                                      | HyperPage.tsx                         | Claude | P0  |       | Done   |
| 90  | Fees lists an early turn fee that "goes to the other members" and turn selling at "whatever the buyer bids". Remove the early turn fee; restate turn selling as the turn market of section W, priced in points and capped at 100 per cent of the pot (D9, 29 September) | FeesPage.tsx                          | Claude | P0  |       | Done   |
| 91  | Fees does not list the service fee at all. Add the flat fee of Rs 85 on every monthly instalment, the 1.5 per cent PSP service fee on wallet and card payments, the takaful or insurance fee by name, and the Hyper split of Rs 15 a day                                | FeesPage.tsx                          | Claude | P0  |       | Done   |
| 92  | Pay says "No charge to contribute. Raast is instant and free." State the Rs 85 fee on every payment, and the 1.5 per cent PSP service fee when a wallet or card is used                                                                                                 | PayPage.tsx                           | Claude | P0  |       | Done   |
| 93  | The committee screen carries a chip reading "Turn pricing · 1% early fee → late bonus". Remove it from every circle                                                                                                                                                     | ui.tsx TurnPricingChip, CommitteePage | Claude | P0  |       | Done   |
| 94  | The committee Safety tab shows "Payout holdback 15%: On", "Deposit held" and "Payout held back". Remove them                                                                                                                                                            | ProtectionCenter.tsx                  | Claude | P0  |       | Done   |
| 95  | The committee Safety tab shows "Credit-weighted turns: On". That ordering was replaced by score bands; remove it                                                                                                                                                        | ProtectionCenter.tsx                  | Claude | P0  |       | Done   |
| 96  | The turn marketplace says Buy a turn, for sale, bid, and List one of my turns. Restate it for the turn market of section W: an asking price in points, offers, the seller choosing, host approval, and the price capped at 100 per cent of the pot (D9, 29 September)   | MarketplacePage.tsx, HomePage.tsx     | Claude | P0  |       | Done   |
| 97  | The vault is still reachable by link, showing a "Recorded balance" earning "11.19% a year" and "Cover a missed instalment, settled from this balance". Make it unreachable; savings move to the bank savings screen (D12)                                               | VaultPage.tsx, App.tsx                | Claude | P0  | 1     | Open   |
| 98  | Save for something promises the member will "own it outright" at Halqa's "Rs 50 a month". Hold it behind its flag until the bank's financing product is agreed (D13)                                                                                                    | AssetPage.tsx                         | Claude | P0  | 1     | Open   |
| 99  | About states "What a member pays Halqa: Rs 0" and calls Halqa "a record that cannot be argued with". State the Rs 85 fee and remove the record framing                                                                                                                  | AboutPage.tsx                         | Claude | P0  |       | Done   |
| 100 | Remove every remaining use of record, recorded or recording to describe what Halqa is                                                                                                                                                                                   | all screens                           | Claude | P0  | 1     | Open   |

### C4. Screen Failures

| #   | Item                                                                                                              | Where              | Owner  | Pri | Phase | Status |
|-----|-------------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 101 | Support crashes on open with "Something broke on this screen": it reads tickets.length from an unchecked response | SupportPage.tsx:62 | Claude | P1  |       | Done   |



| #   | Item                                                                                                                                                                                      | Where                 | Owner  | Pri | Phase | Status |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 102 | Statement crashes on open: it reads totals.paidInPaisa from an unchecked response                                                                                                         | StatementPage.tsx:68  | Claude | P1  |       | Done   |
| 103 | Limits crashes on open                                                                                                                                                                    | LimitsPage.tsx:36     | Claude | P1  |       | Done   |
| 104 | Devices crashes on open                                                                                                                                                                   | DevicesPage.tsx:31    | Claude | P1  |       | Done   |
| 105 | Preview mode has no data for these four endpoints, which is what exposes the missing guards. Add it, since preview is the mode used for demonstrations                                    | preview.ts            | Claude | P1  |       | Done   |
| 106 | Every bottom sheet closed the instant it opened: the back-button handler re-armed on each render and fired its own history entry. Rewritten so a sheet closes only on a real back gesture | lib/back.ts           | Claude | P1  |       | Done   |
| 107 | The tab bar stood seven pixels clear of the bottom edge because two stylesheets set different heights. One height token now governs both                                                  | tokens.css, index.css | Claude | P1  |       | Done   |
| 108 | Rupee amounts broke across lines and read as "Rs215,000" where a narrow space was dropped. A normal non-breaking space is used                                                            | lib/format.ts         | Claude | P1  |       | Done   |

## C5. Individual Screens

| #   | Item                                                                                                              | Where           | Owner  | Pri | Phase | Status      |
|-----|-------------------------------------------------------------------------------------------------------------------|-----------------|--------|-----|-------|-------------|
| 109 | Home: fix the truncated due in figure, which reads 2 days, 23 and stops                                           | HomePage.tsx    | Claude | P1  | 14    | Open        |
| 110 | Home: replace total recorded with a phrase that names the figure                                                  | HomePage.tsx    | Claude | P1  |       | Done        |
| 111 | Home: state what the member owes next, and when, as the first thing on the screen                                 | HomePage.tsx    | Claude | P1  | 14    | Open        |
| 112 | Home: search field in the header, as both reference applications carry                                            | HomePage.tsx    | Claude | P1  |       | Done        |
| 113 | Home: customisable action grid with an edit control, as JazzCash does                                             | HomePage.tsx    | Claude | P3  | 79    | Open        |
| 114 | Home: reduce the grid to actions used weekly and move the rest behind a More tile                                 | HomePage.tsx    | Claude | P1  | 14    | Open        |
| 115 | Home: every grid tile the same icon size, label length and tap target                                             | HomePage.tsx    | Claude | P1  | 14    | Open        |
| 116 | Home: New and Popular badges inside the tile bounds, and then replaced, since badges fall under the standing rule | HomePage.tsx    | Claude | P1  | 14    | Partly done |
| 117 | Home: activity grouped by date                                                                                    | HomePage.tsx    | Claude | P1  | 14    | Open        |
| 118 | Home: each activity row opens its receipt                                                                         | HomePage.tsx    | Claude | P1  | 14    | Open        |
| 119 | Home: circles held as a horizontal card carousel rather than stacked cards                                        | HomePage.tsx    | Claude | P3  | 79    | Open        |
| 120 | Home: pull to refresh                                                                                             | HomePage.tsx    | Claude | P1  | 14    | Open        |
| 121 | Home: a skeleton for every block rather than a full screen spinner                                                | HomePage.tsx    | Claude | P1  | 14    | Open        |
| 122 | Committees: design the single item case, which leaves half the screen empty                                       | CirclesPage.tsx | Claude | P1  | 14    | Open        |
| 123 | Committees: committee cards at full contrast; they read as disabled                                               | CirclesPage.tsx | Claude | P1  |       | Done        |
| 124 | Committees: search across the circles held                                                                        | CirclesPage.tsx | Claude | P1  | 14    | Open        |
| 125 | Committees: filters for status, cadence and role                                                                  | CirclesPage.tsx | Claude | P1  | 14    | Open        |
| 126 | Committees: sort by next due date, amount and name                                                                | CirclesPage.tsx | Claude | P1  | 14    | Open        |

| #   | Item                                                                                                                                                                                          | Where                 | Owner  | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 127 | Committees: design the Discover tab, an unstyled list today                                                                                                                                   | CirclesPage.tsx       | Claude | P1  | 14    | Open   |
| 128 | Committees: design the zero circles empty state                                                                                                                                               | CirclesPage.tsx       | Claude | P1  | 14    | Open   |
| 129 | Committee: header uses a grey circle back button, cuts the name to "Gulshan ..." and carries a Member view pill. Rebuild on the standard page header                                          | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 130 | Committee: in preview the hero says "Your turn is 1 of 12" while the order below shows the member at turn 3, and reads "Turn 4 of 2". Confirm against production data and correct the formula | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 131 | Committee: the Running status sits in a blue pill                                                                                                                                             | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 132 | Committee: the loading state that never resolved when a circle is opened by link                                                                                                              | CommitteePage.tsx     | Claude | P1  |       | Done   |
| 133 | Committee: replace the six second polling loop with a subscription, or lengthen it with backoff                                                                                               | CommitteePage.tsx:261 | Claude | P1  | 14    | Open   |
| 134 | Committee: a clear payment state per member, with a filter for unpaid                                                                                                                         | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 135 | Committee: the member's own position and next due date above everything else                                                                                                                  | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 136 | Committee: chat in its own tab rather than a section in a long scroll                                                                                                                         | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 137 | Committee: an unread marker on the chat tab                                                                                                                                                   | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 138 | Committee: a members tab with standing, seat and payment history                                                                                                                              | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 139 | Committee: a rules tab restating the configuration the member agreed to                                                                                                                       | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 140 | Committee, turns tab: six stacked panels become one hero, the turn strip, and the members grid                                                                                                | CommitteePage.tsx:79  | Claude | P1  | 14    | Open   |
| 141 | Committee, safety tab: a list of fourteen switches becomes three cards: what protects this circle, what happens when someone is late, and the member's own standing                           | ProtectionCenter.tsx  | Claude | P1  | 14    | Open   |
| 142 | Committee, payments tab: rebuilt to the rules                                                                                                                                                 | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 143 | Committee, messages tab: a chat layout in the manner of the wallets                                                                                                                           | CommitteePage.tsx     | Claude | P1  | 14    | Open   |
| 144 | Credit report: remove the assistant bubble that covered the affordability section                                                                                                             | CreditPage.tsx        | Claude | P1  |       | Done   |
| 145 | Credit report: last three instalments labelled with dates and amounts                                                                                                                         | CreditPage.tsx        | Claude | P1  | 14    | Open   |
| 146 | Credit report: score chart with an axis, dates and a readable scale                                                                                                                           | CreditPage.tsx        | Claude | P1  | 14    | Open   |
| 147 | Credit report: each score factor explained with the member's own figures                                                                                                                      | CreditPage.tsx        | Claude | P1  | 14    | Open   |
| 148 | Credit report: internal score and any bureau figure separated and labelled                                                                                                                    | CreditPage.tsx        | Claude | P1  | 14    | Open   |
| 149 | Credit report: the stat strip of three grey tiles inside a white card                                                                                                                         | CreditPage.tsx        | Claude | P1  | 14    | Open   |
| 150 | Account: rebuilt as a grid of tiles under three headings, in place of the long list                                                                                                           | ProfilePage.tsx       | Claude | P1  | 14    | Open   |
| 151 | Account: the credit report control in the header as a real button                                                                                                                             | ProfilePage.tsx       | Claude | P1  | 14    | Open   |
| 152 | Account: a sign out control, absent today                                                                                                                                                     | ProfilePage.tsx       | Claude | P1  | 14    | Open   |
| 153 | Create a circle: uses its own header (a Back text link, an eyebrow, a small title) instead of the standard one                                                                                | CreateCirclePage.tsx  | Claude | P1  | 14    | Open   |
| 154 | Create a circle: the step chips are pills and the third is cut off                                                                                                                            | CreateCirclePage.tsx  | Claude | P1  | 14    | Open   |
| 155 | Create a circle: "Give the circle a name first" shows before the member has typed anything                                                                                                    | CreateCirclePage.tsx  | Claude | P1  | 14    | Open   |

| #   | Item                                                                                                                                                                                        | Where                             | Owner  | Pri | Phase | Status      |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|--------|-----|-------|-------------|
| 156 | Create a circle: full cost of the configuration, every fee included, before commitment                                                                                                      | CreateCirclePage.tsx              | Claude | P0  | 2     | Open        |
| 157 | Create a circle: validate each step before the next opens                                                                                                                                   | CreateCirclePage.tsx              | Claude | P1  | 14    | Open        |
| 158 | Create a circle: live preview of the schedule as the configuration changes                                                                                                                  | CreateCirclePage.tsx              | Claude | P1  | 14    | Open        |
| 159 | Pay: the amount reads "Rs 10000", unformatted, with Rs sitting below the figure                                                                                                             | PayPage.tsx                       | Claude | P1  | 14    | Open        |
| 160 | Pay: half the screen is empty; the rail choice or a keypad belongs there                                                                                                                    | PayPage.tsx                       | Claude | P1  | 14    | Open        |
| 161 | Pay: the parts of the payment shown before the member confirms: the instalment, the Rs 85 fee, the PSP service fee where a wallet or card is used, and the takaful or insurance fee by name | PayPage.tsx                       | Claude | P0  |       | Done        |
| 162 | Pay: the 1.5 per cent PSP service fee shown with its rupee amount before a wallet or card is chosen, and no charge shown on the bank's direct debit (5 October)                             | PayPage.tsx                       | Claude | P0  |       | Done        |
| 163 | Pay: pending, settled and failed states, with a reason on failure                                                                                                                           | PayPage.tsx                       | Claude | P1  | 14    | Open        |
| 164 | Schedule: in preview shows Nothing due while Home shows an instalment due in two days. Confirm against production data                                                                      | SchedulePage.tsx                  | Claude | P1  | 14    | Open        |
| 165 | Schedule: a calendar as well as a list                                                                                                                                                      | SchedulePage.tsx                  | Claude | P3  | 79    | Open        |
| 166 | Statement: exportable as a file                                                                                                                                                             | StatementPage.tsx                 | Claude | P1  | 14    | Open        |
| 167 | Rewards: the orange streak card, the grey tiles inside a white card, and reward titles cut mid-word. Rebuild as a progress hero and a grid of reward tiles                                  | RewardsPage.tsx                   | Claude | P1  | 14    | Open        |
| 168 | Hyper: rebuild as the two configuration cards side by side, with the entry checks as one compact progress figure                                                                            | HyperPage.tsx                     | Claude | P1  | 14    | Partly done |
| 169 | Activity: keep it as a ledger, and group each day's rows in one card instead of one card per row                                                                                            | ActivityPage.tsx                  | Claude | P1  | 14    | Open        |
| 170 | Payment methods: Remove and Make default buttons under every account move into a sheet; the buttons are pills                                                                               | CardsPage.tsx                     | Claude | P1  | 14    | Open        |
| 171 | Verification: a progress figure and a grid of checks in place of two lists; remove the capitalised VERIFIED label                                                                           | VerifyPage.tsx                    | Claude | P1  | 14    | Open        |
| 172 | Settings: a grid in place of the list; the footer links run together with no spaces                                                                                                         | SettingsPage.tsx, LegalFooter.tsx | Claude | P1  | 14    | Open        |
| 173 | Appearance: remove the accent colour picker, a dead control since the themes were retired                                                                                                   | Appearance.tsx                    | Claude | P1  | 14    | Open        |
| 174 | Appearance: the photo control renders as a letter and a broken icon                                                                                                                         | Appearance.tsx                    | Claude | P1  | 14    | Open        |
| 175 | Appearance: two titles on one screen (Look and feel, then Appearance and personalisation); theme and language chosen from pills                                                             | Appearance.tsx                    | Claude | P1  | 14    | Open        |
| 176 | Notifications: Mark everything read has its tick on a line of its own; groups are ordered oldest first                                                                                      | NoticesPage.tsx                   | Claude | P1  | 14    | Open        |
| 177 | Invite: the capitalised YOUR CODE label; the bottom button sits behind the tab bar                                                                                                          | ReferPage.tsx                     | Claude | P1  | 14    | Open        |
| 178 | Auto-pay: the capitalised COLLECTED AUTOMATICALLY label                                                                                                                                     | AutoPayPage.tsx                   | Claude | P1  | 14    | Open        |
| 179 | Turn marketplace: grey tiles inside a white card, and a blue information rule                                                                                                               | MarketplacePage.tsx               | Claude | P1  | 14    | Open        |
| 180 | Vault: no header and no back control                                                                                                                                                        | VaultPage.tsx                     | Claude | P1  | 14    | Open        |
| 181 | About: essay paragraphs become three short facts and one link                                                                                                                               | AboutPage.tsx                     | Claude | P1  | 14    | Open        |
| 182 | Error screen: one line and a retry, in place of "Something broke on this screen, your data is safe, this is a display error, not a ledger one"                                              | ErrorBoundary.tsx                 | Claude | P1  | 14    | Open        |

| #   | Item                             | Where          | Owner  | Pri | Phase | Status |
|-----|----------------------------------|----------------|--------|-----|-------|--------|
| 183 | Search: kept; checked against C1 | SearchPage.tsx | Claude | P1  | 14    | Open   |

## C6. Components

Each is rebuilt to the rules in C1.

| #   | Item                                                                                                                | Where                                            | Owner  | Pri | Phase | Status      |
|-----|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|--------|-----|-------|-------------|
| 184 | Turns you can take: layout rewritten on 23 September; its style is not yet applied and its copy still over-explains | SeatEligibility.tsx                              | Claude | P2  | 55    | Partly done |
| 185 | Circle eligibility                                                                                                  | GroupCredit                                      | Claude | P2  | 55    | Open        |
| 186 | What you would still owe                                                                                            | ForwardLiability.tsx                             | Claude | P2  | 55    | Open        |
| 187 | Exit votes                                                                                                          | ExitVotes.tsx                                    | Claude | P2  | 55    | Open        |
| 188 | Collection order                                                                                                    | CollectionOrder.tsx                              | Claude | P2  | 55    | Open        |
| 189 | Confirming window                                                                                                   | ConfirmingWindow.tsx                             | Claude | P2  | 55    | Open        |
| 190 | Affordability                                                                                                       | Affordability.tsx                                | Claude | P2  | 55    | Open        |
| 191 | Score simulator                                                                                                     | ScoreSimulator.tsx                               | Claude | P2  | 55    | Open        |
| 192 | Fee schedule                                                                                                        | FeeSchedule.tsx                                  | Claude | P2  | 55    | Open        |
| 193 | Collection calendar                                                                                                 | CollectionCalendar.tsx                           | Claude | P2  | 55    | Open        |
| 194 | Join by code                                                                                                        | JoinByCode.tsx                                   | Claude | P2  | 55    | Open        |
| 195 | Join sheet                                                                                                          | JoinSheet.tsx                                    | Claude | P2  | 55    | Open        |
| 196 | Exit sheet                                                                                                          | ExitSheet.tsx                                    | Claude | P2  | 55    | Open        |
| 197 | Agreements list                                                                                                     | MyAgreements.tsx                                 | Claude | P2  | 55    | Open        |
| 198 | Weekly undertaking overlay                                                                                          | AgreementGate.tsx                                | Claude | P2  | 55    | Open        |
| 199 | Protection centre                                                                                                   | ProtectionCenter.tsx                             | Claude | P2  | 55    | Open        |
| 200 | Risk console                                                                                                        | RiskConsole.tsx                                  | Claude | P2  | 55    | Open        |
| 201 | Invite share                                                                                                        | InviteShare.tsx                                  | Claude | P2  | 55    | Open        |
| 202 | Host card                                                                                                           | HostCard.tsx                                     | Claude | P2  | 55    | Open        |
| 203 | Linked accounts and their manager                                                                                   | LinkedAccounts.tsx,<br>LinkedAccountsManager.tsx | Claude | P2  | 55    | Open        |
| 204 | Add a payment source                                                                                                | AddSource.tsx                                    | Claude | P2  | 55    | Open        |
| 205 | CNIC capture                                                                                                        | CnicCapture.tsx                                  | Claude | P2  | 55    | Open        |
| 206 | PIN lock                                                                                                            | PinLock.tsx                                      | Claude | P2  | 55    | Open        |
| 207 | Receipt                                                                                                             | Receipt.tsx                                      | Claude | P2  | 55    | Open        |
| 208 | Growth and projection charts                                                                                        | PersonalGrowthChart.tsx,<br>ProjectionChart.tsx  | Claude | P2  | 55    | Open        |

| #   | Item                   | Where             | Owner  | Pri | Phase | Status |
|-----|------------------------|-------------------|--------|-----|-------|--------|
| 209 | Member status          | MemberStatus.tsx  | Claude | P2  | 55    | Open   |
| 210 | Committee photo prompt | CommitteePage.tsx | Claude | P2  | 55    | Open   |
| 211 | The assistant panel    | RafaBot.tsx       | Claude | P2  | 55    | Open   |

## D. Missing Screens

The application presently carries twenty eight screens. Every item below is a screen a member, a host or an administrator needs and cannot reach, because it was never built or because it exists only as a section inside another screen.

| #   | Item                                                                  | Where      | Owner  | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------|------------|--------|-----|-------|--------|
| 212 | Welcome and what the product is, shown before the number is asked for | Onboarding | Claude | P1  | 15    | Open   |
| 213 | Phone number entry, with the reason for the request stated            | Onboarding | Claude | P1  | 15    | Open   |
| 214 | Passcode entry, with resend, a timer and a change number route        | Onboarding | Claude | P1  | 15    | Open   |
| 215 | Set the application PIN                                               | Onboarding | Claude | P1  | 15    | Open   |
| 216 | Confirm the application PIN                                           | Onboarding | Claude | P1  | 15    | Open   |
| 217 | Forgotten PIN recovery                                                | Onboarding | Claude | P1  | 15    | Open   |
| 218 | Biometric enrolment offer                                             | Onboarding | Claude | P1  | 15    | Open   |
| 219 | Name and date of birth capture                                        | Onboarding | Claude | P1  | 15    | Open   |
| 220 | Address and city capture                                              | Onboarding | Claude | P1  | 15    | Open   |
| 221 | Occupation and employer capture                                       | Onboarding | Claude | P1  | 15    | Open   |
| 222 | Income declaration, with the reason it is asked                       | Onboarding | Claude | P1  | 15    | Open   |
| 223 | Income verification upload                                            | Onboarding | Claude | P1  | 15    | Open   |
| 224 | Income verification status and outcome                                | Onboarding | Claude | P1  | 15    | Open   |
| 225 | CNIC front capture with an alignment guide                            | Identity   | Claude | P1  | 15    | Open   |
| 226 | CNIC back capture with an alignment guide                             | Identity   | Claude | P1  | 15    | Open   |
| 227 | CNIC manual entry fallback                                            | Identity   | Claude | P1  | 15    | Open   |
| 228 | CNIC review and confirm before submission                             | Identity   | Claude | P1  | 15    | Open   |
| 229 | Identity check in progress                                            | Identity   | Claude | P1  | 15    | Open   |
| 230 | Identity check failed, with the reason and the next step              | Identity   | Claude | P1  | 15    | Open   |
| 231 | Liveness capture instructions                                         | Identity   | Claude | P1  | 15    | Open   |
| 232 | Liveness capture                                                      | Identity   | Claude | P1  | 15    | Open   |
| 233 | Verification levels: what each one opens                              | Identity   | Claude | P1  | 15    | Open   |
| 234 | Bureau instruction, on a screen of its own                            | Identity   | Claude | P1  | 15    | Open   |

| #   | Item                                                               | Where              | Owner  | Pri | Phase | Status |
|-----|--------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 235 | Bureau instruction confirmation and record                         | Identity           | Claude | P1  | 15    | Open   |
| 236 | Adverse action disclosure pack                                     | Identity           | Claude | P1  | 15    | Open   |
| 237 | Linked accounts list                                               | Accounts and rails | Claude | P1  | 15    | Open   |
| 238 | Add a bank account                                                 | Accounts and rails | Claude | P1  | 15    | Open   |
| 239 | Add a wallet account                                               | Accounts and rails | Claude | P1  | 16    | Open   |
| 240 | Account title verification in progress                             | Accounts and rails | Claude | P1  | 16    | Open   |
| 241 | Account title mismatch, with the route to correct it               | Accounts and rails | Claude | P1  | 16    | Open   |
| 242 | Set the default collection account                                 | Accounts and rails | Claude | P1  | 16    | Open   |
| 243 | Remove a linked account, with the consequences stated              | Accounts and rails | Claude | P1  | 16    | Open   |
| 244 | Collection mandate explainer                                       | Accounts and rails | Claude | P1  | 16    | Open   |
| 245 | Authorise a collection mandate                                     | Accounts and rails | Claude | P1  | 16    | Open   |
| 246 | Mandate authorised confirmation                                    | Accounts and rails | Claude | P1  | 16    | Open   |
| 247 | Mandate list, one row per circle                                   | Accounts and rails | Claude | P1  | 16    | Open   |
| 248 | Vary a mandate ceiling                                             | Accounts and rails | Claude | P1  | 16    | Open   |
| 249 | Cancel a mandate, with the consequences stated                     | Accounts and rails | Claude | P1  | 16    | Open   |
| 250 | Mandate cancelled confirmation                                     | Accounts and rails | Claude | P1  | 16    | Open   |
| 251 | Mandate collection failed, with the reason and the manual route    | Accounts and rails | Claude | P1  | 16    | Open   |
| 252 | Advance notice of a differing amount                               | Accounts and rails | Claude | P1  | 16    | Open   |
| 253 | Circle templates, for a member who does not know what to configure | Circles            | Claude | P1  | 16    | Open   |
| 254 | Cadence chooser, with a plain explanation of each                  | Circles            | Claude | P1  | 16    | Open   |
| 255 | Roster size chooser, with the pot shown live                       | Circles            | Claude | P1  | 16    | Open   |
| 256 | Seat chooser, with each unavailable seat carrying its reason       | Circles            | Claude | P1  | 16    | Open   |
| 257 | Join sheet as a screen of its own                                  | Circles            | Claude | P1  | 16    | Open   |
| 258 | Split disclosure: what each part of the payment is for             | Circles            | Claude | P1  | 16    | Open   |
| 259 | Mutual guarantee signing                                           | Circles            | Claude | P1  | 16    | Open   |
| 260 | Undertaking signing                                                | Circles            | Claude | P1  | 16    | Open   |
| 261 | Signature capture                                                  | Circles            | Claude | P1  | 16    | Open   |
| 262 | Agreement archive                                                  | Circles            | Claude | P1  | 16    | Open   |
| 263 | Confirming window countdown                                        | Circles            | Claude | P1  | 16    | Open   |
| 264 | Withdraw before start                                              | Circles            | Claude | P1  | 16    | Open   |
| 265 | Waiting list position                                              | Circles            | Claude | P1  | 16    | Open   |

| #   | Item                                                                   | Where | Owner  | Pri | Phase | Status |
|-----|------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 266 | Host admission queue                                                   | Host  | Claude | P1  | 16    | Open   |
| 267 | Applicant detail, with standing and related accounts                   | Host  | Claude | P1  | 16    | Open   |
| 268 | Admission decision record                                              | Host  | Claude | P1  | 16    | Open   |
| 269 | Roster fill request to Halqa                                           | Host  | Claude | P1  | 16    | Open   |
| 270 | Collection order assignment                                            | Host  | Claude | P1  | 16    | Open   |
| 271 | Circle policy settings                                                 | Host  | Claude | P1  | 16    | Open   |
| 272 | Circle risk band explainer                                             | Host  | Claude | P1  | 16    | Open   |
| 273 | Mandate coverage across the roster                                     | Host  | Claude | P1  | 16    | Open   |
| 274 | Reminder composer                                                      | Host  | Claude | P1  | 16    | Open   |
| 275 | Removal against the published test                                     | Host  | Claude | P1  | 16    | Open   |
| 276 | Member vote on a removal                                               | Host  | Claude | P1  | 16    | Open   |
| 277 | Host accountability record                                             | Host  | Claude | P1  | 16    | Open   |
| 278 | Circle dissolution                                                     | Host  | Claude | P1  | 16    | Open   |
| 279 | Payment method chooser                                                 | Money | Claude | P1  | 16    | Open   |
| 280 | Payment confirmation with the full split                               | Money | Claude | P1  | 16    | Open   |
| 281 | Payment pending                                                        | Money | Claude | P1  | 16    | Open   |
| 282 | Payment failed, with the reason                                        | Money | Claude | P1  | 16    | Open   |
| 283 | Receipt detail                                                         | Money | Claude | P1  | 16    | Open   |
| 284 | Receipt share                                                          | Money | Claude | P1  | 16    | Open   |
| 285 | Dispute a payment                                                      | Money | Claude | P1  | 16    | Open   |
| 286 | Dispute status                                                         | Money | Claude | P1  | 16    | Open   |
| 287 | Payout destination confirmation                                        | Money | Claude | P1  | 16    | Open   |
| 288 | Payout released                                                        | Money | Claude | P1  | 16    | Open   |
| 289 | Payout receipt                                                         | Money | Claude | P1  | 16    | Open   |
| 290 | Shortfall explanation on a payout                                      | Money | Claude | P1  | 16    | Open   |
| 291 | Set off explanation where a member collects and owes in the same round | Money | Claude | P1  | 16    | Open   |
| 292 | Partial payment record                                                 | Money | Claude | P1  | 16    | Open   |
| 293 | Arrears position, stated as owed to the round                          | Money | Claude | P1  | 16    | Open   |
| 294 | Fee schedule, the whole grid                                           | Money | Claude | P1  | 16    | Open   |
| 295 | The fee applied to this circle                                         | Money | Claude | P1  | 16    | Open   |
| 296 | Discount eligibility: cheque, income, income account                   | Money | Claude | P1  | 16    | Open   |

| #   | Item                                                                                                                                  | Where    | Owner  | Pri | Phase | Status |
|-----|---------------------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 297 | Guarantee cheque registration                                                                                                         | Money    | Claude | P1  | 16    | Open   |
| 298 | Late notice, step one                                                                                                                 | Recovery | Claude | P1  | 16    | Open   |
| 299 | Late notice, step two                                                                                                                 | Recovery | Claude | P1  | 16    | Open   |
| 300 | Late notice, step three                                                                                                               | Recovery | Claude | P1  | 16    | Open   |
| 301 | Hardship declaration                                                                                                                  | Recovery | Claude | P1  | 16    | Open   |
| 302 | Revised date agreement                                                                                                                | Recovery | Claude | P1  | 16    | Open   |
| 303 | Cure confirmation                                                                                                                     | Recovery | Claude | P1  | 16    | Open   |
| 304 | Restitution arithmetic                                                                                                                | Recovery | Claude | P1  | 16    | Open   |
| 305 | Recovery case status                                                                                                                  | Recovery | Claude | P1  | 16    | Open   |
| 306 | Write off record                                                                                                                      | Recovery | Claude | P1  | 16    | Open   |
| 307 | Exit ladder chooser                                                                                                                   | Exit     | Claude | P1  | 16    | Open   |
| 308 | Exit sheet with the arithmetic                                                                                                        | Exit     | Claude | P1  | 16    | Open   |
| 309 | Exit cooling window                                                                                                                   | Exit     | Claude | P1  | 16    | Open   |
| 310 | Exit confirmation with PIN and face                                                                                                   | Exit     | Claude | P1  | 16    | Open   |
| 311 | Seat transfer to a replacement                                                                                                        | Exit     | Claude | P1  | 16    | Open   |
| 312 | Guarantee release                                                                                                                     | Exit     | Claude | P1  | 16    | Open   |
| 313 | Points ledger, with the reason for each entry                                                                                         | Rewards  | Claude | P1  | 16    | Open   |
| 314 | Waiver ledger                                                                                                                         | Rewards  | Claude | P1  | 16    | Open   |
| 315 | Redemption against a future fee                                                                                                       | Rewards  | Claude | P1  | 16    | Open   |
| 316 | Points redeemed in the Halqa marketplace for goods from partner merchants and exchanged with the bank's rewards; no cash out (D4, D9) | Rewards  | Claude | P1  | 16    | Open   |
| 317 | Referral invitation and status                                                                                                        | Rewards  | Claude | P1  | 16    | Open   |
| 318 | Takaful or insurance explainer, naming the operator the bank chose; never called Halqa cover                                          | Takaful  | Claude | P1  | 16    | Open   |
| 319 | Takaful or insurance fee shown and accepted at joining as the operator's product                                                      | Takaful  | Claude | P1  | 16    | Open   |
| 320 | Takaful or insurance certificate issued by the operator                                                                               | Takaful  | Claude | P1  | 16    | Open   |
| 321 | Claim lodged with the operator, with the payment record attached as evidence                                                          | Takaful  | Claude | P1  | 16    | Open   |
| 322 | Claim status from the operator, visible to the member                                                                                 | Takaful  | Claude | P1  | 16    | Open   |
| 323 | Savings explainer for the bank's short term savings product, named as the bank's (D12)                                                | Savings  | Claude | P1  | 16    | Open   |
| 324 | Savings subscription                                                                                                                  | Savings  | Claude | P1  | 16    | Open   |
| 325 | Savings holding                                                                                                                       | Savings  | Claude | P1  | 16    | Open   |
| 326 | Savings redemption                                                                                                                    | Savings  | Claude | P1  | 16    | Open   |



| #   | Item                                              | Where          | Owner  | Pri | Phase | Status |
|-----|---------------------------------------------------|----------------|--------|-----|-------|--------|
| 327 | Help centre index                                 | Support        | Claude | P1  | 16    | Open   |
| 328 | Help article                                      | Support        | Claude | P1  | 16    | Open   |
| 329 | Contact support                                   | Support        | Claude | P1  | 16    | Open   |
| 330 | Complaint record                                  | Support        | Claude | P1  | 16    | Open   |
| 331 | Service status                                    | Support        | Claude | P1  | 16    | Open   |
| 332 | Devices and sessions                              | Settings       | Claude | P1  | 16    | Open   |
| 333 | Notification preferences                          | Settings       | Claude | P1  | 16    | Open   |
| 334 | Language chooser                                  | Settings       | Claude | P1  | 16    | Open   |
| 335 | Data export request                               | Settings       | Claude | P1  | 16    | Open   |
| 336 | Account closure                                   | Settings       | Claude | P1  | 17    | Open   |
| 337 | Administrative console: circles at risk           | Administration | Claude | P1  | 17    | Open   |
| 338 | Administrative console: reconciliation exceptions | Administration | Claude | P1  | 17    | Open   |
| 339 | Administrative console: identity queue            | Administration | Claude | P1  | 17    | Open   |
| 340 | Administrative console: dispute queue             | Administration | Claude | P1  | 17    | Open   |
| 341 | Administrative console: mandate failures          | Administration | Claude | P1  | 17    | Open   |

## E. Removals

Each construct below implements the previous design and must be gone before the services agreement with the payment partner is executed.

| #   | Item                                                                                                                                                                                                                                                                                                                    | Where                      | Owner  | Pri | Phase | Status |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|--------|-----|-------|--------|
| 342 | Set SIMPLE_MODE to true to withdraw the vault and the earning engines; the turn market returns in its new form under section W (D9)                                                                                                                                                                                     | halqa-web/src/config.ts:21 | Claude | P0  | 1     | Open   |
| 343 | Replace the turn premium ledger entry from buyer to seller with a points transfer through the points ledger (D9)                                                                                                                                                                                                        | routes/exchange.ts:156     | Claude | P0  | 1     | Open   |
| 344 | Replace the ten per cent marketplace fee on the premium with the exchange fee in the fee schedule (D5, D9)                                                                                                                                                                                                              | routes/exchange.ts:157     | Claude | P0  | 1     | Open   |
| 345 | Re-express premiumPaisa as an asking price in points (D9)                                                                                                                                                                                                                                                               | routes/exchange.ts:69      | Claude | P0  | 1     | Open   |
| 346 | Restore competitive offers on listings, priced in points, the seller choosing (D9)                                                                                                                                                                                                                                      | routes/exchange.ts:95      | Claude | P0  | 1     | Open   |
| 347 | Keep a ceiling on the price of a turn as a share of the pot, as protection for buyers (D9)                                                                                                                                                                                                                              | routes/exchange.ts:84      | Claude | P0  |       | Done   |
| 348 | Keep the swap at no price as an option on every tier, beside priced turns (D9)                                                                                                                                                                                                                                          | routes/exchange.ts         | Claude | P0  | 1     | Open   |
| 349 | Turn market between members: a turn listed with an asking price in points, offers, the price agreed by the two members, the buyer's credit band checked, host approval and the exchange fee (D7, D9). No Shariah or non Shariah label; the bank's Shariah board decides whether it is offered through an Islamic window | lib/turn-swap.ts           | Claude | P0  | 1     | Open   |
| 350 | Points ledger for the bank's stored value: append only entries for issue, purchase with money, transfer between members, redemption in the marketplace and lapse; no cash out (D4, D9)                                                                                                                                  | new lib/points-ledger.ts   | Claude | P0  | 1     | Open   |

| #   | Item                                                                                                                                                                                                                                                                              | Where                                                                                         | Owner  | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------|-----|-------|--------|
| 351 | Asset committees financed by the partner bank first, with the modaraba lease kept as the alternative (D13)                                                                                                                                                                        | lib/asset-committee.ts                                                                        | Claude | P0  | 1     | Open   |
| 352 | Remove earlyFeeBps from the create schema and every dependent branch, fourteen occurrences                                                                                                                                                                                        | routes/committees.ts                                                                          | Claude | P0  | 1     | Open   |
| 353 | Remove the engine copy describing an early fee paid to other members                                                                                                                                                                                                              | routes/committees.ts:326                                                                      | Claude | P0  | 1     | Open   |
| 354 | Remove dividendPooled and the patience weighted split between members                                                                                                                                                                                                             | routes/committees.ts,<br>schema.prisma                                                        | Claude | P0  | 1     | Open   |
| 355 | Remove prizeDrawEnabled from the schema, the create route and round processing                                                                                                                                                                                                    | schema.prisma:357,<br>routes/committees.ts:203                                                | Claude | P0  | 1     | Open   |
| 356 | Remove CREDIT_WEIGHTED from the circle creation route, whose default is still credit weighted ordering. Keep the ballot (RANDOM_BALLOT) beside the host's fixed order and selection, drawn only among the seats each member's score band allows (presentation edit, 30 September) | routes/committees.ts:197                                                                      | Claude | P0  | 1     | Open   |
| 357 | Repurpose the time value engine to size the points and waivers owed to later seats. It still computes an early fee charged to early seats and credited to later ones                                                                                                              | lib/time-value.ts                                                                             | Claude | P0  | 1     | Open   |
| 358 | Delete bidAprBps                                                                                                                                                                                                                                                                  | lib/hyper.ts:109                                                                              | Claude | P0  |       | Done   |
| 359 | Delete MAX_APR_BPS                                                                                                                                                                                                                                                                | lib/hyper.ts:59                                                                               | Claude | P0  |       | Done   |
| 360 | Delete MAX_DAY_ONE_PAISA                                                                                                                                                                                                                                                          | lib/hyper.ts:61                                                                               | Claude | P0  |       | Done   |
| 361 | Rewrite the hyper header comment, which presently describes a priced advance and an annualised ceiling                                                                                                                                                                            | lib/hyper.ts:1                                                                                | Claude | P0  | 1     | Open   |
| 362 | Re-express the Hyper seat price as the flat fee of Rs 15 a day payable to Halqa, with the takaful or insurance part set by the operator, rather than a bid between members (29 and 30 September)                                                                                  | lib/hyper.ts                                                                                  | Claude | P0  |       | Done   |
| 363 | Unmount the vault route; savings move to the partner bank's short term savings account (D12)                                                                                                                                                                                      | app.ts:139                                                                                    | Claude | P0  | 1     | Open   |
| 364 | Stop populating accruedYieldPaisa on security deposits                                                                                                                                                                                                                            | schema.prisma:504,<br>routes/protection.ts                                                    | Claude | P0  | 1     | Open   |
| 365 | Stop creating payout holdbacks                                                                                                                                                                                                                                                    | schema.prisma:521                                                                             | Claude | P0  | 1     | Open   |
| 366 | Delete the float sweep and the mudarib fee; any return on balances is the bank's, shared with Halqa and paid to members as an end of circle reward (D4, D5)                                                                                                                       | lib/sukoon.ts:23                                                                              | Claude | P0  | 1     | Open   |
| 367 | Remove the vault auto cover path from the delinquency pass                                                                                                                                                                                                                        | services/delinquency.ts                                                                       | Claude | P0  | 1     | Open   |
| 368 | Remove rate and cover copy from six front end files                                                                                                                                                                                                                               | rafa-knowledge.ts, format.ts,<br>HyperPage.tsx, ProfilePage.tsx,<br>VaultPage.tsx, preview.ts | Claude | P0  | 1     | Open   |
| 369 | Remove the Halqa cover facility from the fee book                                                                                                                                                                                                                                 | lib/fee-book.ts                                                                               | Claude | P0  |       | Done   |
| 370 | Confine asset committee code behind a flag until the bank's financing product is agreed (D13)                                                                                                                                                                                     | lib/asset-committee.ts,<br>AssetPage.tsx                                                      | Claude | P0  | 1     | Open   |

## F. Additions

| #   | Item                                                                                                                                                                                                                 | Where                | Owner  | Pri | Phase | Status |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 371 | Flat member fee of Rs 85 on every monthly instalment, the same for every seat: the running cost of one payment, at most Rs 35, plus Rs 50; charged by the partner bank, with Halqa paid its share (D5, 30 September) | lib/fee-book.ts      | Claude | P0  |       | Done   |
| 372 | Correct the per instalment fee constant, which presently stands at Rs 50, to Rs 85; the grid of Rs 100 to Rs 500 is withdrawn (30 September)                                                                         | lib/fee-book.ts      | Claude | P0  |       | Done   |
| 373 | Flat fee rule on the daily cadence, asserted in code so a graded fee cannot be configured there                                                                                                                      | lib/hyper.ts         | Claude | P1  |       | Done   |
| 374 | Split engine: contribution, takaful or insurance fee, the Rs 85 fee and the PSP service fee where it applies, each to its own ledger account                                                                         | new lib/split.ts     | Claude | P0  | 1     | Open   |
| 375 | Assert identity one at creation: pot equals contribution multiplied by the number of rounds                                                                                                                          | routes/committees.ts | Claude | P1  | 13    | Open   |
| 376 | Assert identity two at creation: roster equals members collecting each period multiplied by the number of periods                                                                                                    | routes/committees.ts | Claude | P1  | 13    | Open   |
| 377 | Points ledger, issued by Halqa, as compensation to later seats                                                                                                                                                       | new model            | Claude | P1  | 13    | Open   |
| 378 | Fee waiver credit, issued by Halqa, as compensation to later seats                                                                                                                                                   | new model            | Claude | P1  | 13    | Open   |
| 379 | Redemption path for points against fees and in the Halqa marketplace (D4)                                                                                                                                            | routes/rewards.ts    | Claude | P1  | 13    | Open   |
| 380 | Host required on every circle, including daily cadence circles                                                                                                                                                       | routes/committees.ts | Claude | P1  | 13    | Open   |
| 381 | Host accountability record: who admitted each member to the roster                                                                                                                                                   | new model            | Claude | P1  | 13    | Open   |
| 382 | Fee display that states the flat fee in rupees and never a rate; the PSP service fee of 1.5 per cent is the one rate shown, always with its rupee amount                                                             | components           | Claude | P0  |       | Done   |
| 383 | Bureau consent capture as a separate screen naming the bureau and the request                                                                                                                                        | new page             | Claude | P1  | 13    | Open   |
| 384 | Bureau consent record hashed and timestamped on the pattern of the undertaking                                                                                                                                       | routes/agreements.ts | Claude | P1  | 13    | Open   |
| 385 | Adverse action pack: the report relied on, the bureau name, address and telephone number, the statutory summary of rights and a statement that the bureau did not decide                                             | new page             | Claude | P1  | 13    | Open   |
| 386 | Review and gate member visible credit scores inside a circle                                                                                                                                                         | CommitteePage.tsx    | Claude | P1  | 13    | Open   |
| 387 | Fee schedule surface stating every charge before a member commits                                                                                                                                                    | FeesPage.tsx         | Claude | P1  |       | Done   |
| 388 | Correct the discount constants to eighty per cent for a cheque and fifty per cent for verified income, checked against the Rs 85 fee, and a mandatory income account on unknown committees and Hyper                 | lib/discounts.ts     | Claude | P1  | 13    | Open   |

## G. Collection

| #   | Item                                                                                                                                                                                                                                              | Where                   | Owner  | Pri | Phase | Status |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 389 | Implement tier one: payment by card, wallet or Raast Request to Pay through Safepay, one approval each time, with each part settled to its owner (HQ-CP-09)                                                                                       | lib/payment-provider.ts | Claude | P1  | 15    | Open   |
| 390 | Implement tier two, the auto debit: a saved debit card charged by Safepay as a merchant initiated payment, mandatory on unknown committees and Hyper, with a second saved card tried once when the first is declined for lack of funds (HQ-CP-02) | lib/auto-debit.ts       | Claude | P1  | 15    | Open   |

| #   | Item                                                                                                                                                                                                                                                                                                                        | Where                               | Owner  | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|--------|-----|-------|--------|
| 391 | Card saving through Safepay: Safepay's own card page in the application, the card bank's 3-D Secure check, and only the customer and token references stored (HQ-CP-02)                                                                                                                                                     | new lib/safepay-cards.ts            | Claude | P1  | 15    | Open   |
| 392 | Charges scheduled as merchant initiated payments on the saved card, never above one instalment, each settled into the collecting member's account at the partner bank with the takaful or insurance fee and the Rs 85 fee posted separately (D3)                                                                            | lib/auto-debit.ts                   | Claude | P1  | 15    | Open   |
| 393 | Webhook receiver: signature and time stamp verified, messages older than five minutes or already received rejected, outcome written to the ledger in one transaction                                                                                                                                                        | new routes/partner-webhook.ts       | Claude | P1  | 15    | Open   |
| 394 | Wallet limit check at seat allocation: a pot that would take the collecting member's wallet past its monthly limit is paid to their bank account instead (EMI Regulations 2023, para 14.II(a))                                                                                                                              | lib/payout.ts                       | Claude | P1  | 15    | Open   |
| 395 | Card disputes: an evidence pack for each dispute, and a dispute after collection treated as a default after collection (HQ-CP-02)                                                                                                                                                                                           | new lib/disputes.ts                 | Claude | P1  | 15    | Open   |
| 396 | Income account verification: title inquiry, statement integrity checks and the salary pattern score, with documentary proof verifying on the same day and observation kept only as the fallback (5 October); the Hyper daily income floor of Rs 1,000 on at least five days of every week for eight weeks stands (HQ-MF-03) | lib/salary-pattern.ts               | Claude | P1  | 15    | Open   |
| 397 | Implement tier three: the member sends over Raast to the collecting member's Raast ID shown in the application, matched by its reference. Cash and bank transfers stay recorded against a reference and confirmed by the host                                                                                               | new send screen, routes/payments.ts | Claude | P1  | 15    | Open   |
| 398 | Member fee charged by the partner bank with each instalment, and Halqa paid its share under the partnership (D5)                                                                                                                                                                                                            | lib/fee-collection.ts               | Claude | P1  | 15    | Open   |
| 399 | Assign each day's Hyper payers to that day's collectors, so every payer pays one collector directly and no pool exists                                                                                                                                                                                                      | new lib/hyper-assign.ts             | Claude | P1  | 15    | Open   |
| 400 | Select the tier automatically by cadence, instalment size and the member own history                                                                                                                                                                                                                                        | new lib/collection-policy.ts        | Claude | P1  | 15    | Open   |
| 401 | Mandate register: account, ceiling, cadence, the text authorised, the time and the address                                                                                                                                                                                                                                  | new model                           | Claude | P1  | 15    | Open   |
| 402 | Mandate authorisation flow, with the terms stated on their own screen                                                                                                                                                                                                                                                       | new page                            | Claude | P1  | 15    | Open   |
| 403 | Mandate cancellation inside the application, effective without a call or a form                                                                                                                                                                                                                                             | new page                            | Claude | P1  | 15    | Open   |
| 404 | Advance notice where an amount will differ from the amount stated at authorisation                                                                                                                                                                                                                                          | new job                             | Claude | P1  | 15    | Open   |
| 405 | Confirmation to the member of every collection taken under a mandate                                                                                                                                                                                                                                                        | new job                             | Claude | P1  | 15    | Open   |
| 406 | Daily mandate run, sharded, idempotent and resumable                                                                                                                                                                                                                                                                        | new job                             | Claude | P1  | 15    | Open   |
| 407 | Retry policy for a failed mandate collection, with a stated schedule and a ceiling on attempts                                                                                                                                                                                                                              | new job                             | Claude | P1  | 15    | Open   |
| 408 | Reason codes for every failure, mapped to a sentence the member understands                                                                                                                                                                                                                                                 | new lib                             | Claude | P1  | 15    | Open   |
| 409 | Arrears recorded against the round, never as a negative balance held by Halqa                                                                                                                                                                                                                                               | routes/payments.ts                  | Claude | P1  | 15    | Open   |
| 410 | Assertion in code that no member balance can be created                                                                                                                                                                                                                                                                     | routes/payments.ts                  | Claude | P1  | 15    | Open   |
| 411 | Reconciliation against the partner's settlement report, on a schedule                                                                                                                                                                                                                                                       | new job                             | Claude | P1  | 15    | Open   |
| 412 | Exception queue for reconciliation breaks                                                                                                                                                                                                                                                                                   | new admin page                      | Claude | P1  | 15    | Open   |
| 413 | Refund and reversal path through the same rail, with the ledger entry reversed with it                                                                                                                                                                                                                                      | routes/payments.ts                  | Claude | P1  | 15    | Open   |
| 414 | Dispute suspends the mandate while it is open                                                                                                                                                                                                                                                                               | routes/payments.ts                  | Claude | P1  | 15    | Open   |
| 415 | Idempotency key on every settlement, enforced at the database level                                                                                                                                                                                                                                                         | schema.prisma                       | Claude | P1  | 15    | Open   |

| #   | Item                                                                                                                                                                                                  | Where                   | Owner    | Pri | Phase | Status |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------|-----|-------|--------|
| 416 | Signed callback verification on every provider confirmation                                                                                                                                           | routes/payments.ts      | Claude   | P1  | 15    | Open   |
| 417 | Circuit breaker on persistent provider failure, directing members to another rail                                                                                                                     | lib/payment-provider.ts | Claude   | P1  | 15    | Open   |
| 418 | Title inquiry before an account anchors collection                                                                                                                                                    | lib/payment-provider.ts | Claude   | P1  | 15    | Open   |
| 419 | Rail cost display before a charged rail is chosen: the 1.5 per cent PSP service fee on wallet and card, with its rupee amount                                                                         | PayPage.tsx             | Claude   | P0  |       | Done   |
| 420 | Rail selection policy documented against instalment size: the PSP service fee of 1.5 per cent is paid by the member on wallet and card payments only, and none on the bank's direct debit (5 October) | documentation           | Claude   | P0  | 2     | Open   |
| 421 | Consolidated daily notice on the daily cadence, one message rather than one per member per day                                                                                                        | new job                 | Claude   | P1  | 15    | Open   |
| 422 | Merchant agreement with Safepay kept for tier one card and wallet payments and the card auto debit, settling each contribution into the collecting member's account at the partner bank (D3)          | commercial              | Chairman | P1  | H2    | Open   |
| 423 | Fallback: contributions moved between members' accounts at the partner bank, with Safepay limited to card and wallet payments (D2, D3)                                                                | commercial              | Chairman | P1  | H2    | Open   |
| 424 | Mandate facility added to that agreement as a commercial term                                                                                                                                         | commercial              | Chairman | P1  | H4    | Open   |
| 425 | Sandbox integration completed and signed off                                                                                                                                                          | integration             | Claude   | P1  | 15    | Open   |
| 426 | Production credentials held in the managed secret store                                                                                                                                               | infrastructure          | Claude   | P1  | 15    | Open   |
| 427 | Live rail enabled behind a flag, with a staged rollout                                                                                                                                                | lib/payment-provider.ts | Claude   | P1  | 15    | Open   |
| 428 | Settlement account opened in the company name for fee revenue only                                                                                                                                    | commercial              | Chairman | P1  | H4    | Open   |
| 429 | Daily settlement report ingested automatically rather than by hand                                                                                                                                    | new job                 | Claude   | P1  | 15    | Open   |
| 430 | Payment operations runbook written and rehearsed                                                                                                                                                      | documentation           | Claude   | P1  | 15    | Open   |
| 431 | Remove the live branch that throws not implemented once the rail is connected                                                                                                                         | lib/payment-provider.ts | Claude   | P1  | 15    | Open   |

## H. Takaful or Insurance

Takaful or insurance from a licensed operator chosen by the bank is the only protection against default. Halqa holds no cover of its own and promises no payment (29 September).

| #   | Item                                                                                                                                                                                                                                                         | Where        | Owner    | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|-----|-------|--------|
| 432 | Only if the bank asks Halqa to act as agent: written agency agreement with the operator the bank chooses, under section 96(2) of the Insurance Ordinance 2000, with Halqa in the operator's register of agents under section 98; otherwise no agency is held | commercial   | Chairman | P1  | H2    | Open   |
| 433 | Only if an agency is held (item 432): the agreement checked against regulation 4 of the Corporate Insurance Agents Regulations 2020, and staff who sell takaful or insurance certified under regulation 22                                                   | legal        | Counsel  | P1  | H1    | Open   |
| 434 | Takaful or insurance product for circles between strangers and Hyper, chosen and priced by the bank with its operator; the stress case pricing of HQ-MF-05 offered as evidence                                                                               | commercial   | Chairman | P1  | H2    | Open   |
| 435 | Product terms agreed: what is covered, what is excluded, and how it is priced                                                                                                                                                                                | commercial   | Chairman | P1  | H4    | Open   |
| 436 | Takaful or insurance fee taken as a fixed part of every payment on the circles that carry it                                                                                                                                                                 | lib/split.ts | Claude   | P1  | 38    | Open   |

| #   | Item                                                                                                                                                                         | Where        | Owner   | Pri | Phase | Status |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------|-----|-------|--------|
| 437 | Takaful or insurance fee remitted to the operator, or for takaful to the participants risk fund, and never held by Halqa                                                     | lib/split.ts | Claude  | P1  | 38    | Open   |
| 438 | Separate ledger account for the risk fund, reconciled separately                                                                                                             | ledger       | Claude  | P1  | 38    | Open   |
| 439 | Takaful or insurance mandatory on every circle between strangers and on Hyper, its fee named before commitment; optional on known circles                                    | new page     | Claude  | P1  | 38    | Open   |
| 440 | Takaful or insurance certificate issued to the member by the operator                                                                                                        | new page     | Claude  | P1  | 38    | Open   |
| 441 | Claim submission with the payment record attached as evidence                                                                                                                | new page     | Claude  | P1  | 38    | Open   |
| 442 | Claim status visible to the member and to the host                                                                                                                           | new page     | Claude  | P1  | 39    | Open   |
| 443 | Any commission from the operator, if the bank shares it, recorded as revenue and disclosed to the member; not counted in Halqa's income in the business model (30 September) | ledger       | Claude  | P1  | 39    | Open   |
| 444 | Surplus and deficit treatment documented for the member: surplus belongs to participants, deficit is met by an operator advance                                              | content      | Claude  | P1  | 39    | Open   |
| 445 | Assertion in code that Halqa never promises to pay on another member loss                                                                                                    | review       | Claude  | P1  | 39    | Open   |
| 446 | Counsel review of any agency arrangement before takaful or insurance is offered through Halqa                                                                                | legal        | Counsel | P1  | H1    | Open   |

## I. Savings

The savings product built on a trustee and an asset manager is retired. Savings now sit in the partner bank's own short term product (D12).

| #   | Item                                                                                                                                           | Where       | Owner    | Pri | Phase | Status |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|-----|-------|--------|
| 447 | Savings through the partner bank's short term savings account for the gap of about seven days between salary and the due date on the 8th (D12) | bank        | Bank     | P2  | H4    | Open   |
| 448 | Bank savings product agreed: profit calculated on the daily balance for money held a few days                                                  | commercial  | Chairman | P2  | H5    | Open   |
| 449 | Salary credited to the member's account at the partner bank moves to the short term savings product until the due date                         | integration | Claude   | P2  | 72    | Open   |
| 450 | Automatic transfer from savings to the committee debit on the due date                                                                         | integration | Claude   | P2  | 72    | Open   |
| 451 | Profit on the savings product credited by the bank to the member's account                                                                     | bank        | Bank     | P2  | H4    | Open   |
| 452 | Savings screen showing the bank's product, its rate and its terms, stated as the bank's product                                                | new page    | Claude   | P2  | 72    | Open   |
| 453 | No return earned by Halqa on any member's money; all balances held and remunerated by the bank                                                 | legal       | Counsel  | P2  | H4    | Open   |
| 454 | Halqa's share of bank income recorded as revenue under the partnership agreement (D5)                                                          | ledger      | Claude   | P2  | 72    | Open   |
| 455 | Retire the trustee and fund distribution structure from every document and screen                                                              | documents   | Claude   | P2  | 72    | Open   |
| 456 | Rates stated as the bank's published rates, never promised by Halqa                                                                            | content     | Claude   | P2  | 72    | Open   |
| 457 | Electronic Transactions Ordinance section 31(1)(c) checked: no circle constituted as an express trust on an electronic signature               | legal       | Counsel  | P2  | H4    | Open   |
| 458 | Vault route replaced by the bank savings screen                                                                                                | app.ts      | Claude   | P2  | 72    | Open   |

## J. Credit Data

| #   | Item                                                                                                                                                                                                                                                                                                                                                                                                       | Where                     | Owner    | Pri | Phase | Status |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------|-----|-------|--------|
| 459 | Subscriber agreement with TASDEEQ, with DataCheck as the alternate                                                                                                                                                                                                                                                                                                                                         | commercial                | Chairman | P1  | H3    | Open   |
| 460 | Bureau consent step agreed with TASDEEQ, so the instruction reaches the bureau from the member. No electronic power of attorney is relied on, since the Electronic Transactions Ordinance 2002 excludes it at section 31(1)(b)                                                                                                                                                                             | legal                     | Counsel  | P1  | H1    | Open   |
| 461 | Bureau request made only on a member instruction, enforced in code                                                                                                                                                                                                                                                                                                                                         | new lib                   | Claude   | P1  | 39    | Open   |
| 462 | Instruction record hashed, timestamped and addressed                                                                                                                                                                                                                                                                                                                                                       | routes/agreements.ts      | Claude   | P1  | 39    | Open   |
| 463 | Bureau report stored separately from the internal score and on its own scale                                                                                                                                                                                                                                                                                                                               | schema.prisma             | Claude   | P1  | 39    | Open   |
| 464 | Adverse action obligation implemented before any score based restriction operates                                                                                                                                                                                                                                                                                                                          | new page                  | Claude   | P1  | 39    | Open   |
| 465 | Disclosure limits reviewed: bureau derived information not shown to other members                                                                                                                                                                                                                                                                                                                          | CommitteePage.tsx         | Claude   | P1  | 39    | Open   |
| 466 | Dispute route to the bureau correction process, with the entry marked while open                                                                                                                                                                                                                                                                                                                           | new page                  | Claude   | P1  | 39    | Open   |
| 467 | Internal score explained to the member in terms of their own record                                                                                                                                                                                                                                                                                                                                        | CreditPage.tsx            | Claude   | P1  | 39    | Open   |
| 468 | Score bands documented and applied only to which seats may be claimed                                                                                                                                                                                                                                                                                                                                      | lib/score-bands.ts        | Claude   | P1  | 39    | Open   |
| 469 | Credit reporting from launch day one: committee payment records reported through TASDEEQ or directly by the partner bank, the bank deciding (D11)                                                                                                                                                                                                                                                          | section X                 | Claude   | P1  | 39    | Open   |
| 470 | Reporting to the State Bank's credit information bureau by the partner bank, if it reports directly (D11)                                                                                                                                                                                                                                                                                                  | bank                      | Bank     | P1  | H2    | Open   |
| 471 | Affordability gate rebuilt to the five tests of the Affordability Model (HQ-MF-02), on unknown committees and Hyper only: a third of verified income, 40 per cent with TASDEEQ reported loans, and weighted load and forward liability from the fourth committee. Affordability is unchanged by the ruling of 5 October: security opens a seat, it never excuses a member who cannot afford the instalment | lib/affordability.ts      | Claude   | P1  | 39    | Open   |
| 472 | Identity confidence score combining the name, face, address, account, phone and job checks, setting levels 1 to 3 (HQ-MF-04)                                                                                                                                                                                                                                                                               | new lib/identity-score.ts | Claude   | P1  | 39    | Open   |
| 473 | Exposure summed across every circle held                                                                                                                                                                                                                                                                                                                                                                   | lib/exposure-score.ts     | Claude   | P1  | 39    | Open   |
| 474 | Forward liability measured at the point of seat selection                                                                                                                                                                                                                                                                                                                                                  | lib/forward-liability.ts  | Claude   | P1  | 39    | Open   |
| 475 | New member seat rights set by the matrix of section AQ2: real bureau history and a good score open any seat, a thin record opens the middle seats, no record opens the last seats, and one clean circle opens the rest (5 October); the blanket confinement to the final seats until two clean circles is withdrawn                                                                                        | lib/score-bands.ts        | Claude   | P1  | 39    | Open   |

## K. Registrations and Governance

| #   | Item                                                                                                    | Where        | Owner    | Pri | Phase | Status |
|-----|---------------------------------------------------------------------------------------------------------|--------------|----------|-----|-------|--------|
| 476 | SECP incorporation as a private limited company through eZfile, with the registered office in Islamabad | registration | Chairman | P0  | H1    | Open   |
| 477 | Memorandum object clause drafted to the restructured model                                              | legal        | Counsel  | P0  | H1    | Open   |
| 478 | National Tax Number from the Federal Board of Revenue                                                   | registration | Chairman | P0  | H1    | Open   |

| #   | Item                                                                                                                                                                                                                                                                                                                  | Where                | Owner    | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------|-----|-------|--------|
| 479 | Sales tax registration in the Islamabad Capital Territory; IT enabled services at 15 per cent, the classification confirmed by a tax adviser                                                                                                                                                                          | registration         | Chairman | P0  | H1    | Open   |
| 480 | Company account at the partner bank for Halqa's own revenue                                                                                                                                                                                                                                                           | commercial           | Chairman | P0  | H2    | Open   |
| 481 | Trademark filing with the Intellectual Property Organisation                                                                                                                                                                                                                                                          | registration         | Chairman | P0  | H1    | Open   |
| 482 | NADRA checks: the bank's own at account opening; Halqa's Verisys agreement only for checks the bank does not share (D10)                                                                                                                                                                                              | commercial           | Chairman | P0  | H2    | Open   |
| 483 | Member undertaking reviewed by counsel: the sum owed stated after each round, enforceable by civil suit; the summary procedure of Order XXXVII applies only to a guarantee cheque                                                                                                                                     | legal                | Counsel  | P0  | H1    | Open   |
| 484 | Mutual guarantee reviewed by counsel as a separate member to member instrument                                                                                                                                                                                                                                        | legal                | Counsel  | P0  | H1    | Open   |
| 485 | Collection mandate text reviewed by counsel, stating amount, cadence, ceiling and cancellation                                                                                                                                                                                                                        | legal                | Counsel  | P0  | H1    | Open   |
| 486 | Arbitration clause naming the dispute route before a dispute arises                                                                                                                                                                                                                                                   | legal                | Counsel  | P0  | H1    | Open   |
| 487 | No custody clause stating that Halqa holds no member money: all balances sit with the partner bank                                                                                                                                                                                                                    | legal                | Counsel  | P0  | H1    | Open   |
| 488 | Member agreement, privacy, cookies, advertising, community and fees, versioned together                                                                                                                                                                                                                               | legal                | Counsel  | P0  | H1    | Open   |
| 489 | Written opinion of counsel on limb twelve of the financial institution definition                                                                                                                                                                                                                                     | legal                | Counsel  | P0  | H1    | Open   |
| 490 | Confirmation that no product surface proposes a payment determined by the drawing of a lot; the ballot sets only the order of turns, and every member receives the same pot                                                                                                                                           | review               | Claude   | P0  | 11    | Open   |
| 491 | Data protection position documented, including where records sit                                                                                                                                                                                                                                                      | documentation        | Claude   | P0  | 11    | Open   |
| 492 | Record retention schedule for identity and transaction records                                                                                                                                                                                                                                                        | documentation        | Claude   | P0  | 11    | Open   |
| 493 | Complaints procedure published                                                                                                                                                                                                                                                                                        | documentation        | Claude   | P0  | 11    | Open   |
| 494 | Terms acceptance recorded with the version, the hash, the address and the time                                                                                                                                                                                                                                        | routes/agreements.ts | Claude   | P0  | 11    | Open   |
| 495 | Board and shareholding settled before the first external agreement: the chairman's father as director and first chief executive, with a second adult director or as a single member company, and Taha Kayani's shares held as counsel advises until Taha Kayani is 18 (Companies Act 2017, sections 153, 154 and 186) | corporate            | Counsel  | P0  | H1    | Open   |
| 496 | Insurance for the company itself: directors and officers, professional liability and cyber, at the level the bank requires, separate from the members' takaful or insurance                                                                                                                                           | commercial           | Chairman | P0  | H1    | Open   |
| 497 | Regulatory position under the partner bank: product approvals obtained by the bank and Halqa assessed under the bank's outsourcing framework (D15)                                                                                                                                                                    | documentation        | Bank     | P0  | H2    | Open   |

## L. Platform and Scale

| #   | Item                                                                                                                                                                            | Where             | Owner  | Pri | Phase | Status      |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------|-----|-------|-------------|
| 498 | Create the migration history; the project presently has no migrations directory at all                                                                                          | prisma/migrations | Claude | P0  | 11    | Open        |
| 499 | Apply to production the additive SQL for the two user columns that exist in code and not in production. The SQL is written, at prisma/additive-2026-07-23-locality-jobtitle.sql | prisma            | Claude | P0  | 11    | Partly done |



| #   | Item                                                                                                                          | Where                   | Owner  | Pri | Phase | Status |
|-----|-------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 500 | Adopt a migrate deploy step in the release pipeline rather than pushing the schema                                            | pipeline                | Claude | P1  | 36    | Open   |
| 501 | Bound every unbounded query: 50 of the 62 findMany calls in the API fetch without a limit, 21 of them in routes/committees.ts | halqa-api/src           | Claude | P1  | 36    | Open   |
| 502 | Add cursor pagination to every list endpoint                                                                                  | halqa-api/src/routes    | Claude | P1  | 36    | Open   |
| 503 | Add an index for every list query and every foreign key that drives one                                                       | prisma/schema.prisma    | Claude | P1  | 36    | Open   |
| 504 | Review every N plus one query introduced by nested includes                                                                   | halqa-api/src           | Claude | P1  | 36    | Open   |
| 505 | Add a connection pool sized for the serverless execution model                                                                | prisma                  | Claude | P1  | 36    | Open   |
| 506 | Move the delinquency sweep to a sharded job rather than one pass                                                              | services/delinquency.ts | Claude | P1  | 36    | Open   |
| 507 | Move payouts to a queue with retry and a dead letter path                                                                     | new queue               | Claude | P1  | 36    | Open   |
| 508 | Move notifications to a queue with rate limiting per member                                                                   | new queue               | Claude | P1  | 36    | Open   |
| 509 | Add idempotency to every job so a retry cannot double process                                                                 | jobs                    | Claude | P1  | 36    | Open   |
| 510 | Add a scheduled job monitor that alerts when a run is missed                                                                  | monitoring              | Claude | P1  | 36    | Open   |
| 511 | Add caching for reference data rather than fetching it per request                                                            | halqa-api/src           | Claude | P1  | 36    | Open   |
| 512 | Add a read path that does not touch the primary for heavy list views                                                          | infrastructure          | Claude | P1  | 36    | Open   |
| 513 | Load test the collection path at one hundred thousand members and a daily cadence                                             | testing                 | Claude | P1  | 36    | Open   |
| 514 | Load test the round close and payout path at the same scale                                                                   | testing                 | Claude | P1  | 36    | Open   |
| 515 | Measure and record the cost per member per month at that scale                                                                | documentation           | Claude | P1  | 36    | Open   |
| 516 | Confirm the serverless execution ceiling is not reached by any job                                                            | infrastructure          | Claude | P1  | 36    | Open   |
| 517 | Add point in time recovery and an independent nightly copy                                                                    | infrastructure          | Claude | P1  | 36    | Open   |
| 518 | Rehearse a restore and record how long it takes                                                                               | operations              | Claude | P1  | 36    | Open   |
| 519 | Add structured logging with a request identifier carried end to end                                                           | halqa-api/src           | Claude | P1  | 36    | Open   |
| 520 | Add error monitoring with alerting to a named person; there is presently none                                                 | infrastructure          | Claude | P1  | 36    | Open   |
| 521 | Add performance monitoring on the payment and payout paths                                                                    | infrastructure          | Claude | P1  | 36    | Open   |
| 522 | Add uptime monitoring on the application, the API and the rails                                                               | infrastructure          | Claude | P1  | 36    | Open   |
| 523 | Add a public status page                                                                                                      | infrastructure          | Claude | P1  | 36    | Open   |
| 524 | Add a staging environment with its own database                                                                               | infrastructure          | Claude | P1  | 36    | Open   |
| 525 | Add a documented rollback procedure                                                                                           | operations              | Claude | P1  | 36    | Open   |
| 526 | Add a feature flag service so a surface can be withdrawn without a deploy                                                     | infrastructure          | Claude | P1  | 36    | Open   |
| 527 | Review the region placement of the database against the users it serves                                                       | infrastructure          | Claude | P1  | 36    | Open   |
| 528 | Add a data export job that produces a member record in full                                                                   | new job                 | Claude | P1  | 36    | Open   |
| 529 | Add a data deletion job that honours a closure request                                                                        | new job                 | Claude | P1  | 36    | Open   |

| #   | Item                                                                                       | Where          | Owner  | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 530 | Add an append only audit log, retained separately from the application database            | infrastructure | Claude | P1  | 36    | Open   |
| 531 | Add a double entry assertion that debits equal credits, run on a schedule                  | new job        | Claude | P1  | 36    | Open   |
| 532 | Add a ledger integrity check against the settlement report                                 | new job        | Claude | P1  | 36    | Open   |
| 533 | Add a bundle size budget and enforce it in the build                                       | pipeline       | Claude | P1  | 36    | Open   |
| 534 | Measure and improve first contentful paint on a low end handset                            | halqa-web      | Claude | P1  | 36    | Open   |
| 535 | Add an offline path for reading a schedule and a receipt                                   | halqa-web      | Claude | P3  | 79    | Open   |
| 536 | Add a service worker with a considered cache policy                                        | halqa-web      | Claude | P3  | 79    | Open   |
| 537 | Confirm the application works on a two gigabyte handset over a third generation connection | testing        | Tester | P1  | H4    | Open   |

## M. Security

| #   | Item                                                                                                                                                                                                     | Where                    | Owner  | Pri | Phase | Status |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 538 | Correct the permissions policy header, which sets camera and geolocation to none and so breaks CNIC capture and the home location pin in production (confirmed against the live headers on 24 September) | halqa-web/vercel.json:11 | Claude | P0  | 11    | Open   |
| 539 | Review the content security policy and remove any unsafe directive                                                                                                                                       | halqa-web/vercel.json    | Claude | P1  | 35    | Open   |
| 540 | Confirm strict transport security across the domain                                                                                                                                                      | halqa-web/vercel.json    | Claude | P1  | 35    | Open   |
| 541 | Confirm the cross origin policy admits only the application origins                                                                                                                                      | halqa-api/src/app.ts     | Claude | P1  | 35    | Open   |
| 542 | Rate limit every route, per member and per address, tighter on authentication                                                                                                                            | halqa-api/src            | Claude | P1  | 35    | Open   |
| 543 | Add a bot challenge before an account is created                                                                                                                                                         | routes/auth.ts           | Claude | P1  | 35    | Open   |
| 544 | Add signup velocity limits per device and per address                                                                                                                                                    | routes/auth.ts           | Claude | P1  | 35    | Open   |
| 545 | Confirm every route checks membership, hosting or ownership before acting                                                                                                                                | halqa-api/src/routes     | Claude | P0  | 11    | Open   |
| 546 | Confirm every request is validated against a schema before reaching business logic                                                                                                                       | halqa-api/src/routes     | Claude | P0  | 11    | Open   |
| 547 | Confirm internal fields never reach the client                                                                                                                                                           | halqa-api/src            | Claude | P0  | 11    | Open   |
| 548 | Move every credential into a managed store and rotate on a schedule                                                                                                                                      | infrastructure           | Claude | P0  | 11    | Open   |
| 549 | Encrypt identity images at rest and log every access                                                                                                                                                     | infrastructure           | Claude | P1  | 35    | Open   |
| 550 | Confirm rail tokens are held by the partner and never stored by Halqa                                                                                                                                    | lib/payment-provider.ts  | Claude | P1  | 35    | Open   |
| 551 | Add server side session revocation and a device list the member controls                                                                                                                                 | routes/auth.ts           | Claude | P1  | 35    | Open   |
| 552 | Add step up authentication before a payout destination is changed                                                                                                                                        | routes/account.ts        | Claude | P1  | 35    | Open   |
| 553 | Add step up authentication before a mandate is authorised                                                                                                                                                | new route                | Claude | P1  | 35    | Open   |
| 554 | Add anomaly detection on collection destination changes                                                                                                                                                  | new job                  | Claude | P1  | 35    | Open   |
| 555 | Separate administrative access from application access, in named accounts                                                                                                                                | infrastructure           | Claude | P1  | 35    | Open   |
| 556 | Require two factor authentication on hosting, database and domain accounts                                                                                                                               | infrastructure           | Claude | P0  | 11    | Open   |

| #   | Item                                                                                                                                        | Where         | Owner    | Pri | Phase | Status |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|-----|-------|--------|
| 557 | Add dependency scanning to the build and fail on high severity                                                                              | pipeline      | Claude   | P1  | 35    | Open   |
| 558 | Add secret scanning across the repository and its history                                                                                   | pipeline      | Claude   | P1  | 35    | Open   |
| 559 | Add static analysis for injection and authorisation defects                                                                                 | pipeline      | Claude   | P1  | 35    | Open   |
| 560 | Commission a penetration test before real money moves                                                                                       | external      | Chairman | P1  | H4    | Open   |
| 561 | Write an incident response plan with a named owner                                                                                          | documentation | Claude   | P1  | 35    | Open   |
| 562 | Write a breach notification procedure                                                                                                       | documentation | Claude   | P1  | 35    | Open   |
| 563 | Add a vulnerability disclosure route                                                                                                        | documentation | Claude   | P1  | 35    | Open   |
| 564 | Sanctions and politically exposed person screening done by the bank at onboarding and continuously; Halqa acts on the bank's result at once | new lib       | Claude   | P1  | 35    | Open   |
| 565 | Ongoing monitoring of patterns against the declared profile done by the bank on Halqa's data feed (item 698)                                | new job       | Claude   | P1  | 35    | Open   |
| 566 | Add fraud rules for repeated identity submissions and unusual account linking                                                               | new lib       | Claude   | P1  | 35    | Open   |
| 567 | Suspicious activity escalated to the bank's compliance officer; the suspicious transaction report is the bank's to make                     | new job       | Claude   | P1  | 35    | Open   |

## N. Testing and Release

| #   | Item                                                                                             | Where           | Owner  | Pri | Phase | Status      |
|-----|--------------------------------------------------------------------------------------------------|-----------------|--------|-----|-------|-------------|
| 568 | Extend the API test suite to the routes; the 18 test files in the service cover the engines only | halqa-api/tests | Claude | P1  | 41    | Partly done |
| 569 | Unit test the split engine against both hyper configurations                                     | testing         | Claude | P1  | 41    | Open        |
| 570 | Unit test the two identities and confirm a breaking configuration is refused                     | testing         | Claude | P1  | 41    | Open        |
| 571 | Unit test the fee grid at every band                                                             | testing         | Claude | P1  | 41    | Open        |
| 572 | Unit test the discount grid, including that discounts do not stack                               | testing         | Claude | P1  | 41    | Open        |
| 573 | Unit test the threshold engine at green, amber and red                                           | testing         | Claude | P1  | 41    | Open        |
| 574 | Unit test the exit ladder arithmetic                                                             | testing         | Claude | P1  | 41    | Open        |
| 575 | Unit test the delinquency ladder at each step                                                    | testing         | Claude | P1  | 41    | Open        |
| 576 | Unit test set off where a member collects and owes in the same round                             | testing         | Claude | P1  | 41    | Open        |
| 577 | Unit test idempotency on settlement                                                              | testing         | Claude | P1  | 41    | Open        |
| 578 | Integration test the whole collection path against the partner's sandbox                         | testing         | Claude | P1  | 41    | Open        |
| 579 | Integration test the payout path                                                                 | testing         | Claude | P1  | 41    | Open        |
| 580 | Integration test mandate authorisation, variation and cancellation                               | testing         | Claude | P1  | 41    | Open        |
| 581 | End to end test the twenty most common member journeys                                           | testing         | Claude | P1  | 41    | Open        |
| 582 | End to end test the host journeys                                                                | testing         | Claude | P1  | 41    | Open        |
| 583 | Visual regression test every screen at three widths                                              | testing         | Claude | P1  | 41    | Open        |

| #   | Item                                                                               | Where         | Owner  | Pri | Phase | Status |
|-----|------------------------------------------------------------------------------------|---------------|--------|-----|-------|--------|
| 584 | Accessibility test every screen against the published criteria                     | testing       | Claude | P1  | 41    | Open   |
| 585 | Add type checking, linting and tests as required checks on every change            | pipeline      | Claude | P1  | 41    | Open   |
| 586 | Add a preview deployment for every change                                          | pipeline      | Claude | P1  | 41    | Open   |
| 587 | Add a release checklist and require sign off                                       | process       | Claude | P1  | 41    | Open   |
| 588 | Add a staged rollout mechanism                                                     | pipeline      | Claude | P1  | 41    | Open   |
| 589 | Add a kill switch for the collection job                                           | operations    | Claude | P1  | 41    | Open   |
| 590 | Record a manual test script for the journeys automation does not cover             | documentation | Claude | P1  | 41    | Open   |
| 591 | Run the full suite against production data shapes before the first live collection | testing       | Claude | P1  | 41    | Open   |

## O. Content and Accessibility

| #   | Item                                                                                            | Where            | Owner      | Pri | Phase | Status |
|-----|-------------------------------------------------------------------------------------------------|------------------|------------|-----|-------|--------|
| 592 | Write every screen in plain language for a member with no financial background                  | content          | Claude     | P2  | 72    | Open   |
| 593 | Remove every term that implies Halqa holds money                                                | content          | Claude     | P2  | 72    | Open   |
| 594 | Remove every term that implies a rate, a return or an advance                                   | content          | Claude     | P2  | 72    | Open   |
| 595 | Write the Urdu translation of every string, by a translator rather than by machine              | content          | Translator | P2  | H4    | Open   |
| 596 | Add a language chooser and remember the choice                                                  | SettingsPage.tsx | Claude     | P2  | 72    | Open   |
| 597 | Confirm the layout holds when a string is twice as long                                         | testing          | Claude     | P2  | 72    | Open   |
| 598 | Write the error message for every failure reason, in both languages                             | content          | Claude     | P2  | 72    | Open   |
| 599 | Write the empty state for every list, in both languages                                         | content          | Claude     | P2  | 72    | Open   |
| 600 | Write the help article for every feature                                                        | content          | Claude     | P2  | 72    | Open   |
| 601 | Write the onboarding explanation of what a committee is                                         | content          | Claude     | P2  | 72    | Open   |
| 602 | Write the explanation of the three way split                                                    | content          | Claude     | P2  | 72    | Open   |
| 603 | Write the explanation of the mandate and how to cancel it                                       | content          | Claude     | P2  | 72    | Open   |
| 604 | Write the explanation of the fee and why it is flat                                             | content          | Claude     | P2  | 72    | Open   |
| 605 | Write the explanation of the takaful or insurance and who provides it; never called Halqa cover | content          | Claude     | P2  | 72    | Open   |
| 606 | Write the explanation of the credit score and what moves it                                     | content          | Claude     | P2  | 72    | Open   |
| 607 | Give every interactive element an accessible name                                               | components       | Claude     | P2  | 72    | Open   |
| 608 | Give every image and icon alternative text or an explicit hidden marking                        | components       | Claude     | P2  | 72    | Open   |
| 609 | Confirm every tap target meets the minimum size                                                 | components       | Claude     | P2  | 72    | Open   |
| 610 | Confirm colour is never the only carrier of meaning                                             | components       | Claude     | P2  | 72    | Open   |
| 611 | Confirm contrast on every text and control against the background                               | components       | Claude     | P2  |       | Done   |

| #   | Item                                                              | Where            | Owner  | Pri | Phase | Status |
|-----|-------------------------------------------------------------------|------------------|--------|-----|-------|--------|
| 612 | Add a visible focus state to every interactive element            | components       | Claude | P2  | 72    | Open   |
| 613 | Confirm the application is usable with a screen reader end to end | testing          | Tester | P2  | H4    | Open   |
| 614 | Confirm the application is usable at the largest system text size | testing          | Tester | P2  | H4    | Open   |
| 615 | Add a text size preference inside the application                 | SettingsPage.tsx | Claude | P2  | 72    | Open   |

## P. Measurement

| #   | Item                                                                                                    | Where          | Owner    | Pri | Phase | Status      |
|-----|---------------------------------------------------------------------------------------------------------|----------------|----------|-----|-------|-------------|
| 616 | Add product analytics with a defined event taxonomy                                                     | infrastructure | Claude   | P2  | 72    | Partly done |
| 617 | Instrument the signup funnel end to end                                                                 | analytics      | Claude   | P2  | 72    | Partly done |
| 618 | Instrument the identity verification funnel                                                             | analytics      | Claude   | P2  | 72    | Open        |
| 619 | Instrument circle creation and join                                                                     | analytics      | Claude   | P2  | 72    | Open        |
| 620 | Instrument mandate authorisation                                                                        | analytics      | Claude   | P2  | 72    | Open        |
| 621 | Instrument collection success by rail and by tier                                                       | analytics      | Claude   | P2  | 72    | Open        |
| 622 | Instrument first payment failure and recovery                                                           | analytics      | Claude   | P2  | 72    | Open        |
| 623 | Instrument default by circle, by cadence and by seat                                                    | analytics      | Claude   | P2  | 72    | Open        |
| 624 | Instrument the threshold bands across live circles                                                      | analytics      | Claude   | P2  | 72    | Open        |
| 625 | Build the operating dashboard: signups, active circles, collection rate, mandate coverage, default rate | admin          | Claude   | P2  | 72    | Open        |
| 626 | Build the risk dashboard: expected loss against the takaful or insurance limit, per circle              | admin          | Claude   | P2  | 72    | Open        |
| 627 | Build the finance dashboard: fee revenue, rail cost, commission, net                                    | admin          | Claude   | P2  | 72    | Open        |
| 628 | Define the weekly review and who attends it                                                             | process        | Chairman | P2  | H5    | Open        |
| 629 | Confirm no analytics event carries personal data into a third party                                     | review         | Claude   | P2  |       | Done        |

## Q. Distribution

| #   | Item                                                                                                               | Where        | Owner    | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------------------------------------------|--------------|----------|-----|-------|--------|
| 630 | Decide between a wrapped web application and a native build, and record the reason                                 | decision     | Chairman | P2  | H5    | Open   |
| 631 | Register an Apple developer account in the company name                                                            | registration | Chairman | P2  | H5    | Open   |
| 632 | Register a Google Play developer account in the company name                                                       | registration | Chairman | P2  | H5    | Open   |
| 633 | Complete Apple financial services declarations                                                                     | compliance   | Claude   | P2  | 73    | Open   |
| 634 | Complete Google Play financial services declarations, which are strict for Pakistani lending adjacent applications | compliance   | Claude   | P2  | 73    | Open   |
| 635 | Prepare the data safety declaration honestly against what is actually collected                                    | compliance   | Claude   | P2  | 73    | Open   |
| 636 | Prepare the privacy policy at a public address                                                                     | content      | Claude   | P2  | 73    | Open   |

| #   | Item                                                                              | Where          | Owner  | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 637 | Prepare the account deletion route required by both stores                        | compliance     | Claude | P2  | 73    | Open   |
| 638 | Produce the application icon at every required size                               | design         | Claude | P2  | 73    | Open   |
| 639 | Produce store screenshots at every required size, in both languages               | design         | Claude | P2  | 73    | Open   |
| 640 | Write the store listing in both languages                                         | content        | Claude | P2  | 73    | Open   |
| 641 | Produce a preview video                                                           | design         | Claude | P3  | 80    | Open   |
| 642 | Set up staged rollout and a rollback path on both stores                          | operations     | Claude | P2  | 73    | Open   |
| 643 | Set up crash reporting on the released build                                      | infrastructure | Claude | P2  | 73    | Open   |
| 644 | Set up a forced update mechanism for a critical fix                               | infrastructure | Claude | P2  | 73    | Open   |
| 645 | Confirm the build runs on the oldest supported operating system version           | testing        | Tester | P2  | H4    | Open   |
| 646 | Confirm deep links open the application rather than the browser                   | testing        | Claude | P2  | 73    | Open   |
| 647 | Confirm push notification permission is requested at a sensible moment            | testing        | Claude | P2  | 73    | Open   |
| 648 | Prepare the review response process for store reviews                             | process        | Claude | P2  | 73    | Open   |
| 649 | Prepare for the first store rejection, which is likely on a financial application | process        | Claude | P2  | 73    | Open   |

## R. Operations

| #   | Item                                                                        | Where         | Owner    | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------|---------------|----------|-----|-------|--------|
| 650 | Staff a support channel with a stated response time                         | operations    | Chairman | P1  | H4    | Open   |
| 651 | Write the runbook for a failed collection run                               | documentation | Claude   | P1  | 42    | Open   |
| 652 | Write the runbook for a failed payout                                       | documentation | Claude   | P1  | 42    | Open   |
| 653 | Write the runbook for a partner outage                                      | documentation | Claude   | P1  | 42    | Open   |
| 654 | Write the runbook for a reconciliation break                                | documentation | Claude   | P1  | 42    | Open   |
| 655 | Write the runbook for a disputed collection                                 | documentation | Claude   | P1  | 42    | Open   |
| 656 | Write the runbook for a circle that crosses the threshold                   | documentation | Claude   | P1  | 42    | Open   |
| 657 | Write the escalation path and who is on it                                  | documentation | Claude   | P1  | 42    | Open   |
| 658 | Define the hardship path and who may grant it                               | process       | Chairman | P1  | H4    | Open   |
| 659 | Define the write off authority and its ceiling                              | process       | Chairman | P1  | H4    | Open   |
| 660 | Define the removal review, so a host decision can be appealed               | process       | Claude   | P1  | 42    | Open   |
| 661 | Train whoever answers support on what Halqa may and may not say about money | process       | Chairman | P1  | H4    | Open   |
| 662 | Confirm no process permits a collections telephone call                     | review        | Claude   | P1  | 42    | Open   |
| 663 | Confirm no process permits contacting a third party about a member debt     | review        | Claude   | P1  | 42    | Open   |
| 664 | Record every complaint with its outcome                                     | operations    | Claude   | P1  | 42    | Open   |

| #   | Item                                                        | Where   | Owner  | Pri | Phase | Status |
|-----|-------------------------------------------------------------|---------|--------|-----|-------|--------|
| 665 | Review the register itself monthly against what has shipped | process | Claude | P1  | 42    | Open   |

## S. Partner Bank

The commercial, legal and governance work of the partnership with the bank (D1, D15).

### S1. Agreement

| #   | Item                                                                                                                                                                           | Where      | Owner    | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 666 | Heads of terms with the partner bank, Mashreq Bank Pakistan first and Raqami Islamic Digital Bank in parallel: roles, exclusivity, member fee, profit share, data and branding | commercial | Chairman | P0  | H2    | Open   |
| 667 | Services agreement stating Halqa as the system and the bank as the licensed holder and mover of money (D15)                                                                    | legal      | Counsel  | P0  | H1    | Open   |
| 668 | Schedule of functions: each function assigned to Halqa or to the bank, with the owner of every record                                                                          | legal      | Counsel  | P0  | H1    | Open   |
| 669 | Service levels: availability of the bank's interfaces, response times, incident notice periods                                                                                 | legal      | Counsel  | P0  | H1    | Open   |
| 670 | Member fee charged by the bank, with the share of income paid to Halqa and the formula for it (D5)                                                                             | commercial | Chairman | P0  | H2    | Open   |
| 671 | Profit share on committee balances paid to Halqa monthly, with the bank's calculation shown line by line                                                                       | commercial | Chairman | P0  | H2    | Open   |
| 672 | Minimum monthly amount to Halqa during the pilot, covering its operating cost                                                                                                  | commercial | Chairman | P0  | H2    | Open   |
| 673 | Exclusivity for committee accounts for an agreed period, tied to pilot and launch dates                                                                                        | commercial | Chairman | P0  | H2    | Open   |
| 674 | Branding: Halqa is the brand the member uses; the bank is named as the holder of money on payment screens and receipts                                                         | commercial | Chairman | P0  | H2    | Open   |
| 675 | Data clause: purposes, member consent, retention, deletion, and use limited to the partnership                                                                                 | legal      | Counsel  | P0  | H1    | Open   |
| 676 | Intellectual property: Halqa owns the committee engine, the models and the interface; the bank owns account data                                                               | legal      | Counsel  | P0  | H1    | Open   |
| 677 | Liability: the bank for account and payment errors; Halqa for committee rules and calculations                                                                                 | legal      | Counsel  | P0  | H1    | Open   |
| 678 | Exit: migration of accounts and committee records if the partnership ends, with no member losing money or history                                                              | legal      | Counsel  | P0  | H1    | Open   |
| 679 | Business continuity duties of both parties                                                                                                                                     | legal      | Counsel  | P0  | H1    | Open   |
| 680 | Audit rights of the bank and of the State Bank over Halqa's systems and records                                                                                                | legal      | Counsel  | P0  | H1    | Open   |
| 681 | Complaints routed between the bank's complaint unit and Halqa's support, with stated timelines                                                                                 | legal      | Counsel  | P0  | H1    | Open   |
| 682 | Confidentiality agreement signed before the first technical session                                                                                                            | legal      | Counsel  | P0  | H1    | Open   |
| 683 | Governing law and dispute resolution                                                                                                                                           | legal      | Counsel  | P0  | H1    | Open   |
| 684 | Change control: product rules changed only with both parties' approval                                                                                                         | legal      | Counsel  | P0  | H1    | Open   |
| 685 | Annual pricing review                                                                                                                                                          | commercial | Chairman | P0  | H2    | Open   |

## S2. Regulatory

| #   | Item                                                                                                                | Where      | Owner   | Pri | Phase | Status |
|-----|---------------------------------------------------------------------------------------------------------------------|------------|---------|-----|-------|--------|
| 686 | The bank's board approval of the arrangement under the State Bank's framework for outsourcing                       | bank       | Bank    | P0  | H2    | Open   |
| 687 | Halqa's pack for the bank's outsourcing assessment: company, ownership, finances, security and continuity           | documents  | Claude  | P0  | 11    | Open   |
| 688 | Whether committee accounts need State Bank approval or notice as a new product                                      | bank       | Bank    | P0  | H2    | Open   |
| 689 | Limits that apply to a digital retail bank during the pilot and the transition phase                                | bank       | Bank    | P0  | H2    | Open   |
| 690 | Shariah board approval of the committee product for the Islamic window                                              | bank       | Bank    | P0  | H2    | Open   |
| 691 | Shariah board ruling on the end of circle reward paid in points (D4)                                                | bank       | Bank    | P0  | H2    | Open   |
| 692 | Shariah board ruling on the turn market; Halqa's own materials carry no Shariah or non Shariah label (29 September) | bank       | Bank    | P0  | H2    | Open   |
| 693 | Opinion of counsel on Halqa as the bank's service provider, and on section 84 of the Companies Act now resolved     | legal      | Counsel | P0  | H1    | Open   |
| 694 | Opinion of counsel on points bought with money and redeemed with merchants as the bank's stored value (D4, D9)      | legal      | Counsel | P0  | H1    | Open   |
| 695 | Opinion of counsel on the turn market under the SECP rules for peer to peer lending (D9)                            | legal      | Counsel | P0  | H1    | Open   |
| 696 | Opinion of counsel on credit reporting from day one, through TASDEEQ or the bank (D11)                              | legal      | Counsel | P0  | H1    | Open   |
| 697 | Virtual Assets Act 2026 position restated: points as the bank's rupee denominated stored value                      | legal      | Counsel | P0  | H1    | Open   |
| 698 | Money laundering: the bank's programme applied to committee flows, with Halqa's data feed for monitoring            | compliance | Bank    | P0  | H2    | Open   |
| 699 | Consumer protection: the bank's fair treatment rules applied to committee products; disclosures agreed              | compliance | Bank    | P0  | H2    | Open   |
| 700 | Data protection: which party controls each record and where it is kept                                              | compliance | Counsel | P0  | H1    | Open   |
| 701 | Record retention aligned with the bank: ten years for identity and transaction records                              | compliance | Claude  | P0  | 11    | Open   |

## S3. Due Diligence

| #   | Item                                                                                                                                         | Where      | Owner    | Pri | Phase | Status |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 702 | Company incorporated before any agreement, with the registered office in Islamabad                                                           | corporate  | Chairman | P0  | H1    | Open   |
| 703 | Management accounts, shareholding and funding plan for the bank's review                                                                     | finance    | Claude   | P1  | 37    | Open   |
| 704 | Information security questionnaire answered                                                                                                  | security   | Claude   | P1  | 37    | Open   |
| 705 | Independent penetration test, with every finding fixed                                                                                       | security   | Tester   | P1  | H4    | Open   |
| 706 | Business continuity and disaster recovery plan, tested                                                                                       | security   | Claude   | P1  | 37    | Open   |
| 707 | Vetting policy for staff and contractors, including the software house                                                                       | governance | Claude   | P1  | 37    | Open   |
| 708 | Policies: information security, data protection, acceptable use, incident response, vendor management                                        | governance | Claude   | P1  | 37    | Open   |
| 709 | The document set and its verification method offered as evidence of Halqa's models                                                           | documents  | Claude   | P1  | 37    | Open   |
| 710 | Demonstration environment with test data only, for the bank                                                                                  | technology | Claude   | P1  | 37    | Open   |
| 711 | Fallback banks prepared with contacts: Meezan Bank, BankIslami, JS Bank, Bank Alfalah (D1); Raqami is pursued in parallel since 29 September | commercial | Chairman | P1  | H2    | Open   |



| #   | Item                                       | Where     | Owner  | Pri | Phase | Status |
|-----|--------------------------------------------|-----------|--------|-----|-------|--------|
| 712 | Pitch pack adaptable to each fallback bank | documents | Claude | P1  | 37    | Open   |

#### S4. Governance

| #   | Item                                                                               | Where      | Owner    | Pri | Phase | Status |
|-----|------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 713 | Partnership steering committee with members from both sides, meeting monthly       | governance | Chairman | P2  | H5    | Open   |
| 714 | Joint risk review of arrears, complaints and fraud each month                      | governance | Chairman | P2  | H5    | Open   |
| 715 | Joint product committee for every rule change                                      | governance | Chairman | P2  | H5    | Open   |
| 716 | Monthly report to the bank: members, balances, collections, arrears, complaints    | reporting  | Claude   | P2  | 68    | Open   |
| 717 | Pilot measures agreed in advance, with the decision rule for scaling               | reporting  | Chairman | P2  | H5    | Open   |
| 718 | Named contacts on both sides for operations, technology, compliance and escalation | governance | Chairman | P2  | H5    | Open   |

#### S5. Member Terms

| #   | Item                                                                                                     | Where                | Owner      | Pri | Phase | Status |
|-----|----------------------------------------------------------------------------------------------------------|----------------------|------------|-----|-------|--------|
| 719 | Member agreement rewritten for three parties: the member, Halqa and the bank                             | legal                | Counsel    | P1  | H1    | Open   |
| 720 | Privacy policy rewritten: which records Halqa holds and which the bank holds                             | legal                | Counsel    | P1  | H1    | Open   |
| 721 | Direct debit mandate terms in the bank's form, shown inside Halqa                                        | legal                | Counsel    | P1  | H1    | Open   |
| 722 | Points terms: issue, purchase, transfer as the price of a turn, redemption, expiry and no cash out       | legal                | Counsel    | P1  | H1    | Open   |
| 723 | Marketplace terms: the merchant as seller, delivery, returns and refunds in points                       | legal                | Counsel    | P1  | H1    | Open   |
| 724 | Turn market terms: listing, offers, price ceiling, host approval, cooling off and cancellation           | legal                | Counsel    | P1  | H1    | Open   |
| 725 | Takaful or insurance terms in the operator's form, as the only protection against default (29 September) | legal                | Counsel    | P1  | H1    | Open   |
| 726 | Credit reporting consent, naming the reporting route the bank chooses                                    | legal                | Counsel    | P1  | H1    | Open   |
| 727 | Savings product terms in the bank's form                                                                 | legal                | Counsel    | P1  | H1    | Open   |
| 728 | Terms for members abroad using accounts for non resident Pakistanis                                      | legal                | Counsel    | P1  | H1    | Open   |
| 729 | Experimental terms for Hyper                                                                             | legal                | Counsel    | P1  | H1    | Open   |
| 730 | Complaints procedure covering both Halqa and the bank                                                    | legal                | Counsel    | P1  | H1    | Open   |
| 731 | Every member document translated into Urdu and checked by a translator                                   | content              | Translator | P1  | H4    | Open   |
| 732 | Versioning of every member document, with acceptance recorded                                            | routes/agreements.ts | Claude     | P1  | 37    | Open   |
| 733 | Summary of key terms on one screen before each commitment                                                | new page             | Claude     | P1  | 37    | Open   |

#### S6. Finance

| #   | Item                                                                                                | Where   | Owner  | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------------------------|---------|--------|-----|-------|--------|
| 734 | Halqa's share of bank income recognised as revenue each month, with the bank's statement as support | finance | Claude | P2  | 68    | Open   |

| #   | Item                                                                  | Where     | Owner       | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------|-----------|-------------|-----|-------|--------|
| 735 | Invoices to the bank for Halqa's share and service fees               | finance   | Claude      | P2  | 68    | Open   |
| 736 | Sales tax on services to the bank checked with a tax adviser          | tax       | Tax adviser | P2  | H4    | Open   |
| 737 | Withholding tax on payments from the bank recorded                    | tax       | Tax adviser | P2  | H4    | Open   |
| 738 | Bookkeeping system set up for the company                             | finance   | Chairman    | P2  | H1    | Open   |
| 739 | Monthly management accounts                                           | finance   | Claude      | P2  | 68    | Open   |
| 740 | Budget and runway to the end of the pilot                             | finance   | Claude      | P2  | 68    | Open   |
| 741 | Funding plan: investors approached with the bank partnership in place | finance   | Chairman    | P2  | H5    | Open   |
| 742 | Shareholding record kept current                                      | corporate | Chairman    | P2  | H1    | Open   |
| 743 | Annual audit arranged                                                 | finance   | Chairman    | P2  | H5    | Open   |

## T. Bank Integration

The technical connection between Halqa and the bank (D2, D3, D4, D14).

### T1. Accounts

| #   | Item                                                                                                                                  | Where                    | Owner  | Pri | Phase | Status |
|-----|---------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 744 | Account opening inside the Halqa application through the bank's own screens or kit, returning an account reference (D2)               | new lib/bank-accounts.ts | Claude | P1  | 48    | Open   |
| 745 | Account status kept in step: pending, active, restricted, closed                                                                      | lib/bank-accounts.ts     | Claude | P1  | 48    | Open   |
| 746 | Linking an existing account at the partner bank                                                                                       | lib/bank-accounts.ts     | Claude | P1  | 48    | Open   |
| 747 | Return link from the bank's screens to Halqa after account opening                                                                    | app                      | Claude | P1  | 48    | Open   |
| 748 | Rejected account openings: the reason shown and tier one payment methods offered                                                      | new page                 | Claude | P1  | 48    | Open   |
| 749 | Age of 18 or over checked by both parties                                                                                             | lib/bank-accounts.ts     | Claude | P1  | 48    | Open   |
| 750 | Accounts for non resident Pakistanis opened from the bank's UAE application (D14); Mashreq only, since Raqami onboards residents only | integration              | Claude | P1  | 48    | Open   |
| 751 | One designated committee account for a member with several accounts                                                                   | lib/bank-accounts.ts     | Claude | P1  | 48    | Open   |
| 752 | Account title inquiry before any payout                                                                                               | lib/payout.ts            | Claude | P1  | 48    | Open   |
| 753 | Balance of the committee account shown in Halqa                                                                                       | new page                 | Claude | P1  | 48    | Open   |
| 754 | Account closure blocked while the member owes a circle                                                                                | lib/bank-accounts.ts     | Claude | P1  | 48    | Open   |
| 755 | Dormant account handling agreed with the bank                                                                                         | bank                     | Bank   | P1  | H2    | Open   |

## T2. Payments

| #   | Item                                                                                                               | Where                    | Owner  | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 756 | Internal transfer from payer to collector inside the bank                                                          | new lib/bank-payments.ts | Claude | P1  | 48    | Open   |
| 757 | Each part posted in one transaction: contribution, takaful or insurance fee, the Rs 85 fee and any PSP service fee | lib/split.ts             | Claude | P1  | 48    | Open   |
| 758 | Raast Request to Pay issued by the bank for members paying from other banks                                        | lib/bank-payments.ts     | Claude | P1  | 48    | Open   |
| 759 | 1LINK 1BILL bill numbers issued through the bank as a tier one option                                              | lib/bank-payments.ts     | Claude | P1  | 48    | Open   |
| 760 | Payout credited to the collector's account on the payout date                                                      | lib/payout.ts            | Claude | P1  | 48    | Open   |
| 761 | Interbank payout where a member's payout account is at another bank                                                | lib/payout.ts            | Claude | P1  | 48    | Open   |
| 762 | Arrears taken from the late member's pot and paid by the bank to members left short                                | lib/arrears.ts           | Claude | P1  | 48    | Open   |
| 763 | Refund and reversal through the bank, with the ledger reversed                                                     | routes/payments.ts       | Claude | P1  | 48    | Open   |
| 764 | Idempotency key on every instruction to the bank                                                                   | lib/bank-payments.ts     | Claude | P1  | 48    | Open   |
| 765 | Cut off times, value dates, weekends and holidays agreed                                                           | bank                     | Bank   | P1  | H2    | Open   |
| 766 | Transfer limits per member and per day agreed with the bank                                                        | bank                     | Bank   | P1  | H2    | Open   |
| 767 | Hyper daily batch: up to 400 debits and 8 or 15 credits a day, within the bank's rate limits                       | lib/hyper.ts             | Claude | P1  | 48    | Open   |

## T3. Direct Debit Mandate

| #   | Item                                                                                                         | Where                   | Owner  | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 768 | Direct debit mandate on the member's account at the bank, authorised in Halqa with the bank's own check (D3) | new lib/bank-mandate.ts | Claude | P1  | 48    | Open   |
| 769 | Mandate reference, amount ceiling of one instalment and cadence stored                                       | schema.prisma           | Claude | P1  | 48    | Open   |
| 770 | Debit on salary credit where the bank supports it, within the payday window                                  | lib/bank-mandate.ts     | Claude | P1  | 48    | Open   |
| 771 | Mandate cancellation reflected both ways at once                                                             | lib/bank-mandate.ts     | Claude | P1  | 48    | Open   |
| 772 | Mandate status events from the bank                                                                          | routes/bank-webhook.ts  | Claude | P1  | 48    | Open   |
| 773 | Mandate terms screen in English and Urdu                                                                     | new page                | Claude | P1  | 48    | Open   |
| 774 | Mandate for Hyper: one debit a day at the fixed time                                                         | lib/bank-mandate.ts     | Claude | P1  | 48    | Open   |
| 775 | Mandate records kept as evidence under the Payment Systems and Electronic Fund Transfers Act 2007            | ledger                  | Claude | P1  | 48    | Open   |

## T4. Messages and Security

| #   | Item                                                                     | Where                      | Owner  | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------|----------------------------|--------|-----|-------|--------|
| 776 | Signed webhooks from the bank for every event, verified before any write | new routes/bank-webhook.ts | Claude | P1  | 48    | Open   |
| 777 | Mutual TLS between Halqa and the bank                                    | infrastructure             | Claude | P1  | 48    | Open   |
| 778 | Key storage in a managed vault, with rotation                            | infrastructure             | Claude | P1  | 48    | Open   |
| 779 | Allow lists for the bank's addresses                                     | infrastructure             | Claude | P1  | 48    | Open   |
| 780 | Rate limits and retries with backoff                                     | lib/bank-client.ts         | Claude | P1  | 48    | Open   |

| #   | Item                                                          | Where                  | Owner  | Pri | Phase | Status |
|-----|---------------------------------------------------------------|------------------------|--------|-----|-------|--------|
| 781 | Versioned message schemas                                     | lib/bank-client.ts     | Claude | P1  | 48    | Open   |
| 782 | Replay protection by time stamp and message identifier        | routes/bank-webhook.ts | Claude | P1  | 48    | Open   |
| 783 | Logs of every request and response, with personal data masked | infrastructure         | Claude | P1  | 49    | Open   |
| 784 | Timeouts and a fallback screen when the bank does not answer  | app                    | Claude | P1  | 49    | Open   |
| 785 | Circuit breaker that pauses instructions during a bank outage | lib/bank-client.ts     | Claude | P1  | 49    | Open   |

## T5. Reconciliation and Reporting

| #   | Item                                                                                                              | Where                | Owner  | Pri | Phase | Status |
|-----|-------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 786 | Daily statement from the bank ingested automatically                                                              | new job              | Claude | P1  | 49    | Open   |
| 787 | Matching engine: every ledger entry to a bank entry                                                               | new lib/reconcile.ts | Claude | P1  | 49    | Open   |
| 788 | Breaks held and investigated; payouts on an affected circle paused                                                | new admin page       | Claude | P1  | 49    | Open   |
| 789 | Monthly statement of the bank's income on committee balances and Halqa's share (D5)                               | bank                 | Bank   | P1  | H2    | Open   |
| 790 | Reward calculation: profit on each member's committee balance over the circle (D4)                                | new lib/rewards.ts   | Claude | P1  | 49    | Open   |
| 791 | Reward credited as points at 1 point per rupee at the end of the circle (D4)                                      | lib/rewards.ts       | Claude | P1  | 49    | Open   |
| 792 | Fee statement for members, showing the Rs 85 fee, the PSP service fee where paid and the takaful or insurance fee | new page             | Claude | P1  | 49    | Open   |
| 793 | Monthly report pack generated for the bank                                                                        | new job              | Claude | P1  | 49    | Open   |

## T6. Environments

| #   | Item                                                                    | Where          | Owner  | Pri | Phase | Status |
|-----|-------------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 794 | Access to the bank's test environment                                   | bank           | Bank   | P1  | H2    | Open   |
| 795 | Test data set covering every circle type and failure case               | tests          | Claude | P1  | 49    | Open   |
| 796 | Acceptance testing signed off by both parties                           | integration    | Bank   | P1  | H2    | Open   |
| 797 | Production cut over plan with a rollback                                | integration    | Claude | P1  | 49    | Open   |
| 798 | Monitoring dashboards for the bank connection                           | infrastructure | Claude | P1  | 49    | Open   |
| 799 | Alerts on failed instructions, webhook gaps and reconciliation breaks   | infrastructure | Claude | P1  | 49    | Open   |
| 800 | Run book for bank outages and delayed statements                        | documentation  | Claude | P1  | 49    | Open   |
| 801 | Contract tests that fail the build if the bank's message format changes | tests          | Claude | P1  | 49    | Open   |

## T7. Security for the Bank

| #   | Item                                                                                 | Where          | Owner  | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 802 | Encryption of data in transit and at rest, with keys in a managed vault              | infrastructure | Claude | P1  | 42    | Open   |
| 803 | Region for hosting and data chosen to meet the bank's rules on data kept in Pakistan | infrastructure | Claude | P1  | 42    | Open   |

| #   | Item                                                                                    | Where          | Owner    | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------------|----------------|----------|-----|-------|--------|
| 804 | Assessment of each supplier: Vercel, Supabase, Amazon Web Services, Meta, Safepay       | governance     | Claude   | P1  | 42    | Open   |
| 805 | Data processing agreements with each supplier                                           | legal          | Counsel  | P1  | H1    | Open   |
| 806 | Card data kept outside Halqa's systems, so card industry rules apply only to Safepay    | security       | Claude   | P1  | 42    | Open   |
| 807 | Privileged access with two factor sign in and an audit trail                            | security       | Claude   | P1  | 42    | Open   |
| 808 | Access reviews every quarter                                                            | security       | Chairman | P1  | H2    | Open   |
| 809 | Central security logs kept and watched                                                  | security       | Claude   | P1  | 42    | Open   |
| 810 | Monthly vulnerability scans with fixes on a stated timetable                            | security       | Claude   | P1  | 42    | Open   |
| 811 | Code review, dependency scanning and secret scanning on every change                    | pipeline       | Claude   | P1  | 42    | Open   |
| 812 | Mobile application hardening: certificate pinning, rooted device checks, device binding | app            | Claude   | P1  | 42    | Open   |
| 813 | Session limits and sign out on a new device                                             | app            | Claude   | P1  | 42    | Open   |
| 814 | Backups encrypted, with a restore tested each quarter                                   | infrastructure | Claude   | P1  | 42    | Open   |
| 815 | Recovery targets agreed with the bank for time and data loss                            | infrastructure | Bank     | P1  | H2    | Open   |
| 816 | Incident response plan with notice to the bank within agreed hours                      | security       | Claude   | P1  | 42    | Open   |
| 817 | Breach notice to members and regulators as the law requires                             | security       | Claude   | P1  | 42    | Open   |
| 818 | Protection against denial of service and a web application firewall                     | infrastructure | Claude   | P1  | 42    | Open   |
| 819 | Security training for everyone with access                                              | governance     | Chairman | P1  | H2    | Open   |
| 820 | Route for outside researchers to report weaknesses                                      | security       | Claude   | P1  | 42    | Open   |
| 821 | Security readiness report for the bank before the pilot                                 | documents      | Claude   | P1  | 42    | Open   |

## T8. Data

| #   | Item                                                                               | Where              | Owner  | Pri | Phase | Status |
|-----|------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 822 | Data store for reporting, separate from the live database                          | infrastructure     | Claude | P1  | 42    | Open   |
| 823 | Measures for the bank: accounts opened, balances, collections, arrears, complaints | reporting          | Claude | P1  | 42    | Open   |
| 824 | Cohort reports by circle type and month of joining                                 | reporting          | Claude | P1  | 42    | Open   |
| 825 | Default analysis after collection, by band and by circle type                      | reporting          | Claude | P1  | 42    | Open   |
| 826 | Credit score calibrated against actual outcomes each quarter                       | lib/score-bands.ts | Claude | P1  | 42    | Open   |
| 827 | Reports shared with the bank without names where names are not needed              | reporting          | Claude | P1  | 42    | Open   |
| 828 | Deletion of data when retention periods end                                        | infrastructure     | Claude | P1  | 42    | Open   |

## U. Collection with the Bank

The three collection tiers and the payment companies stay; the bank's direct debit mandate is added (D3).

| #   | Item                                                                                                | Where                    | Owner  | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 829 | Keep tier one unchanged: card, wallet or Raast approval through Safepay (D3)                        | lib/payment-provider.ts  | Claude | P1  | 49    | Open   |
| 830 | Keep tier two unchanged: the card auto debit through Safepay, now beside the bank mandate (D3)      | lib/auto-debit.ts        | Claude | P1  | 50    | Open   |
| 831 | Keep tier three unchanged: manual Raast to the collector, matched by reference (D3)                 | routes/payments.ts       | Claude | P1  | 50    | Open   |
| 832 | Add the bank's direct debit mandate as the first automatic method for partner bank accounts (D3)    | lib/collection-policy.ts | Claude | P1  | 50    | Open   |
| 833 | Tier selection order: bank mandate, then saved card, then approval, then manual                     | lib/collection-policy.ts | Claude | P1  | 50    | Open   |
| 834 | Payday window run on the bank mandate: first attempt on the payday, then each morning, five at most | lib/bank-mandate.ts      | Claude | P1  | 50    | Open   |
| 835 | Retry schedule on the bank mandate, with the reason given at each decline                           | lib/bank-mandate.ts      | Claude | P1  | 50    | Open   |
| 836 | Decline reasons from the bank mapped to sentences a member understands                              | lib/reason-codes.ts      | Claude | P1  | 50    | Open   |
| 837 | Second method tried once on the last attempt where the member has one                               | lib/collection-policy.ts | Claude | P1  | 50    | Open   |
| 838 | Role of each operator documented: the bank, 1LINK, Raast, Safepay                                   | documentation            | Claude | P1  | 50    | Open   |
| 839 | Cost of each method to the member and to Halqa compared and shown                                   | documentation            | Claude | P1  | 50    | Open   |
| 840 | Settlement of card and wallet payments into partner bank accounts through Safepay                   | integration              | Claude | P1  | 50    | Open   |
| 841 | Card disputes still handled through Safepay's dispute process                                       | lib/disputes.ts          | Claude | P1  | 50    | Open   |
| 842 | Salary account moved to the partner bank offered with a lower fee                                   | new page                 | Claude | P1  | 50    | Open   |
| 843 | Members without a partner bank account kept on tier one to three                                    | lib/collection-policy.ts | Claude | P1  | 50    | Open   |
| 844 | Hyper collection only by bank mandate or saved card                                                 | lib/hyper.ts             | Claude | P1  | 50    | Open   |
| 845 | Evening notice before each attempt removed where the member chose fewer messages                    | lib/notices.ts           | Claude | P1  | 50    | Open   |
| 846 | Push notices inside the application used before WhatsApp to cut message cost                        | lib/notices.ts           | Claude | P1  | 50    | Open   |
| 847 | WhatsApp message count per member per month monitored against the Business Model                    | reporting                | Claude | P1  | 50    | Open   |
| 848 | Mandate and card both cancelled when a member leaves after their final instalment                   | lib/collection-policy.ts | Claude | P1  | 50    | Open   |
| 849 | Collection calendar screen showing every attempt planned                                            | new page                 | Claude | P1  | 50    | Open   |
| 850 | Reconciliation of Safepay settlements against partner bank credits                                  | lib/reconcile.ts         | Claude | P1  | 50    | Open   |
| 851 | Fees for card payments shown before the member chooses a card                                       | PayPage.tsx              | Claude | P1  | 50    | Open   |
| 852 | Instalment advance payment accepted into the member's committee account                             | routes/payments.ts       | Claude | P1  | 50    | Open   |
| 853 | Partial payment of an instalment recorded, the balance still due                                    | routes/payments.ts       | Claude | P1  | 50    | Open   |
| 854 | Payment by a verified family member into the member's committee account, recorded as such           | routes/payments.ts       | Claude | P1  | 50    | Open   |
| 855 | Tests for each method, each failure and each retry                                                  | tests                    | Claude | P1  | 50    | Open   |
| 856 | Collection design document rewritten around the bank (HQ-CP-09)                                     | documents                | Claude | P1  | 50    | Open   |
| 857 | Auto Debit document rewritten with the bank mandate first (HQ-CP-02)                                | documents                | Claude | P1  | 50    | Open   |

| #   | Item                                                                                 | Where  | Owner  | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------------|--------|--------|-----|-------|--------|
| 858 | Safepay email redrafted: cards and wallets only, settlement to partner bank accounts | drafts | Claude | P1  | 50    | Open   |

## V. Points and Marketplace

Points as the bank's stored value, the end of circle reward and the marketplace (D4, D9).

### V1. Points

| #   | Item                                                                                                                                  | Where                      | Owner    | Pri | Phase | Status |
|-----|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------|-----|-------|--------|
| 859 | Points issued as the partner bank's rupee denominated stored value, under its licence (D4, D9)                                        | bank                       | Bank     | P2  | H4    | Open   |
| 860 | Point value decided: 1 point = Rs 1 everywhere (29 September)                                                                         | decision                   | Chairman | P2  |       | Done   |
| 861 | End of circle reward: the profit on the member's committee balance, credited as points at 1 point per rupee (D4)                      | lib/rewards.ts             | Claude   | P2  | 75    | Open   |
| 862 | Reward shown during the circle as an estimate and confirmed at the end                                                                | new page                   | Claude   | P2  | 75    | Open   |
| 863 | Points bought with money from the member's account at the bank (D9); Mashreq only, not offered through Raqami                         | new lib/points-purchase.ts | Claude   | P2  | 75    | Open   |
| 864 | Purchase limits per day and per month agreed with the bank                                                                            | bank                       | Bank     | P2  | H4    | Open   |
| 865 | Points balance and history screen                                                                                                     | new page                   | Claude   | P2  | 75    | Open   |
| 866 | Points for paying on time capped at half of Halqa's fee on that instalment, at most Rs 42.50 with the Rs 85 fee (29 and 30 September) | lib/rewards.ts             | Claude   | P2  | 75    | Open   |
| 867 | Host and referral points kept                                                                                                         | lib/rewards.ts             | Claude   | P2  | 75    | Open   |
| 868 | Transfer of points between members only as the price of a turn                                                                        | lib/points-ledger.ts       | Claude   | P2  | 75    | Open   |
| 869 | No cash out of points to any account                                                                                                  | lib/points-ledger.ts       | Claude   | P2  | 75    | Open   |
| 870 | Expiry rule for unused points stated before purchase                                                                                  | content                    | Claude   | P2  | 75    | Open   |
| 871 | Points frozen while a member is in default                                                                                            | lib/points-ledger.ts       | Claude   | P2  | 75    | Open   |
| 872 | Points liability reported to the bank monthly                                                                                         | reporting                  | Claude   | P2  | 75    | Open   |
| 873 | Fraud controls: purchase velocity, device checks, unusual transfers                                                                   | new lib/points-risk.ts     | Claude   | P2  | 75    | Open   |
| 874 | Points terms and conditions drafted with the bank                                                                                     | legal                      | Counsel  | P2  | H4    | Open   |

### V2. Marketplace

| #   | Item                                                                                         | Where      | Owner    | Pri | Phase | Status |
|-----|----------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 875 | Halqa marketplace inside the application: catalogue, cart, order and tracking (D4)           | new pages  | Claude   | P2  | 78    | Open   |
| 876 | Merchant onboarding: agreement, catalogue feed, prices, delivery and returns                 | commercial | Chairman | P2  | H5    | Open   |
| 877 | E-commerce partners approached: Daraz and other Pakistani marketplaces                       | commercial | Chairman | P2  | H5    | Open   |
| 878 | Gold coins from a certified refiner as a catalogue line                                      | commercial | Chairman | P3  | H6    | Open   |
| 879 | Bank rewards joined: points exchanged with the partner bank's own rewards and card discounts | bank       | Bank     | P2  | H4    | Open   |

| #   | Item                                                                                                                  | Where                | Owner       | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------------------------------------------|----------------------|-------------|-----|-------|--------|
| 880 | Merchant settlement in rupees by the bank for points redeemed                                                         | bank                 | Bank        | P2  | H4    | Open   |
| 881 | Commission from merchants recorded as Halqa revenue                                                                   | ledger               | Claude      | P2  | 78    | Open   |
| 882 | Returns and refunds credited back as points                                                                           | lib/points-ledger.ts | Claude      | P2  | 78    | Open   |
| 883 | Delivery status from merchants shown in the application                                                               | integration          | Claude      | P2  | 78    | Open   |
| 884 | Sales tax and withholding on marketplace sales handled by merchants and confirmed by a tax adviser                    | tax                  | Tax adviser | P2  | H4    | Open   |
| 885 | Consumer protection disclosures for marketplace orders                                                                | content              | Claude      | P2  | 78    | Open   |
| 886 | Catalogue rules: no loans, no lottery, no prohibited goods                                                            | content              | Claude      | P2  | 78    | Open   |
| 887 | Search and categories in the marketplace                                                                              | new page             | Claude      | P2  | 78    | Open   |
| 888 | Order support routed to the merchant with Halqa as first contact                                                      | operations           | Claude      | P2  | 78    | Open   |
| 889 | Marketplace reporting: orders, redemptions, returns, merchant payments                                                | reporting            | Claude      | P2  | 78    | Open   |
| 890 | Rewarded advertisements considered only as fees only points, since Google requires rewards that cannot be transferred | decision             | Chairman    | P3  | H6    | Open   |

## W. Turn Market

Buying and selling turns between members (D9).

| #   | Item                                                                                                                                                 | Where                    | Owner    | Pri | Phase | Status |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|----------|-----|-------|--------|
| 891 | Turn listed for sale with an asking price in points (D9)                                                                                             | lib/turn-swap.ts         | Claude   | P2  | 71    | Open   |
| 892 | Offers and counter offers; competing offers allowed; the seller chooses                                                                              | lib/turn-swap.ts         | Claude   | P2  | 71    | Open   |
| 893 | Ceiling on the price of a turn decided: 100 per cent of the pot (29 September)                                                                       | decision                 | Chairman | P2  |       | Done   |
| 894 | Buyer's credit band must allow the earlier turn (D7)                                                                                                 | lib/score-bands.ts       | Claude   | P2  | 71    | Open   |
| 895 | Forward liability check on the buyer before acceptance                                                                                               | lib/forward-liability.ts | Claude   | P2  | 71    | Open   |
| 896 | Affordability recheck on the buyer                                                                                                                   | lib/affordability.ts     | Claude   | P2  | 71    | Open   |
| 897 | Host approval of each trade                                                                                                                          | new page                 | Claude   | P2  | 71    | Open   |
| 898 | Trade settled in one transaction: turns swapped, points moved, fee charged                                                                           | lib/turn-swap.ts         | Claude   | P2  | 71    | Open   |
| 899 | Points bought with money at the moment of purchase if the buyer is short                                                                             | lib/points-purchase.ts   | Claude   | P2  | 71    | Open   |
| 900 | Exchange fee in the fee schedule (D5)                                                                                                                | lib/fee-book.ts          | Claude   | P2  | 71    | Open   |
| 901 | Cost of an earlier turn shown to the buyer in rupees and as a share of the pot                                                                       | new page                 | Claude   | P2  | 71    | Open   |
| 902 | No Shariah or non Shariah label on the turn market (29 September); the bank's Shariah board decides whether it is offered through the Islamic window | content                  | Claude   | P2  | 71    | Open   |
| 903 | Turn market kept out of Hyper and asset committees                                                                                                   | lib/turn-swap.ts         | Claude   | P2  | 71    | Open   |
| 904 | Price history for each circle shown to members                                                                                                       | new page                 | Claude   | P2  | 71    | Open   |



| #   | Item                                                                           | Where                | Owner   | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------|----------------------|---------|-----|-------|--------|
| 905 | Controls against collusion and trades between linked accounts                  | new lib/turn-risk.ts | Claude  | P2  | 72    | Open   |
| 906 | Cooling off period on a trade before it settles                                | lib/turn-swap.ts     | Claude  | P2  | 72    | Open   |
| 907 | Dispute route for a failed trade                                               | new page             | Claude  | P2  | 72    | Open   |
| 908 | Trade cancelled if either member defaults before settlement                    | lib/turn-swap.ts     | Claude  | P2  | 72    | Open   |
| 909 | Seller's later turn and new obligations shown before listing                   | new page             | Claude  | P2  | 72    | Open   |
| 910 | Maximum number of trades per member per circle                                 | lib/turn-swap.ts     | Claude  | P2  | 72    | Open   |
| 911 | Notifications to both members and the host at each step                        | lib/notices.ts       | Claude  | P2  | 72    | Open   |
| 912 | Reporting of trades to the bank                                                | reporting            | Claude  | P2  | 72    | Open   |
| 913 | Tests for every trade path and failure                                         | tests                | Claude  | P2  | 72    | Open   |
| 914 | Seat Exchange and Points document rewritten for the new turn market (HQ-CP-04) | documents            | Claude  | P2  | 72    | Open   |
| 915 | Opinion of counsel on the turn market before launch                            | legal                | Counsel | P2  | H4    | Open   |

## X. Credit and Takaful or Insurance

Mandatory credit bands, takaful or insurance chosen by the bank, and credit reporting from day one (D7, D11). There is no Halqa cover and no bank guarantee (29 September).

### X1. Credit Bands

| #   | Item                                                                                                                                                                                                          | Where              | Owner  | Pri | Phase | Status |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 916 | Credit bands mandatory on every circle, with no exception (D7), except where security under section AQ3 makes the pot recoverable and the member's score is not low on substantial credit factors (5 October) | lib/score-bands.ts | Claude | P1  | 15    | Open   |
| 917 | Early seat bands mandatory: a band that does not allow an early seat cannot take one, unless security under section AQ3 covers the pot (5 October)                                                            | lib/score-bands.ts | Claude | P1  | 15    | Open   |
| 918 | Bands enforced at joining, at every turn trade and at every host change                                                                                                                                       | lib/score-bands.ts | Claude | P1  | 15    | Open   |
| 919 | Host override removed                                                                                                                                                                                         | lib/score-bands.ts | Claude | P1  | 15    | Open   |
| 920 | New members placed by the matrix of section AQ2 rather than confined to the final seats; one clean circle, known or unknown, opens the first positions (5 October)                                            | lib/score-bands.ts | Claude | P1  | 15    | Open   |
| 921 | Band rules published to members                                                                                                                                                                               | content            | Claude | P1  | 15    | Open   |
| 922 | Band changes recalculated after each circle                                                                                                                                                                   | new job            | Claude | P1  | 15    | Open   |

### X2. Takaful or Insurance through the Bank

| #   | Item                                                                                                                     | Where        | Owner  | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------------------------------------------------|--------------|--------|-----|-------|--------|
| 923 | Bank guarantee option withdrawn: default protection is only takaful or insurance from a licensed operator (29 September) | decision     | Claude | P1  |       | Done   |
| 924 | Insurance through the bank's own insurer or insurance partner, the bank choosing                                         | presentation | Claude | P1  | 50    | Open   |

| #   | Item                                                                                             | Where        | Owner  | Pri | Phase | Status |
|-----|--------------------------------------------------------------------------------------------------|--------------|--------|-----|-------|--------|
| 925 | Takaful through an operator the bank chooses, with Halqa as agent only if the bank asks          | presentation | Claude | P1  | 50    | Open   |
| 926 | Pricing evidence from the Takaful Pricing Model (HQ-MF-05) for the operator the bank chooses     | documents    | Claude | P1  | 50    | Open   |
| 927 | Claims process for each option                                                                   | documents    | Claude | P1  | 50    | Open   |
| 928 | Data feed of defaults after collection for the chosen option                                     | integration  | Claude | P1  | 50    | Open   |
| 929 | Takaful or insurance fee named to the member before joining, with no promise of payment by Halqa | new page     | Claude | P1  | 50    | Open   |
| 930 | Operator's certificate issued to the member                                                      | new page     | Claude | P1  | 50    | Open   |
| 931 | Claim status from the operator visible to the member and the host                                | new page     | Claude | P1  | 50    | Open   |

### X3. Credit Reporting from Day One

| #   | Item                                                                       | Where                    | Owner    | Pri | Phase | Status |
|-----|----------------------------------------------------------------------------|--------------------------|----------|-----|-------|--------|
| 932 | Reporting from launch day one, non negotiable (D11)                        | decision                 | Chairman | P1  | H5    | Open   |
| 933 | Option one: reporting through TASDEEQ as a furnisher of data               | commercial               | Chairman | P1  | H3    | Open   |
| 934 | Option two: the partner bank reports directly to the bureaus               | bank                     | Bank     | P1  | H2    | Open   |
| 935 | The bank decides between the two options                                   | presentation             | Bank     | P1  | H2    | Open   |
| 936 | Data set: obligation, instalment, due dates, payments, arrears and closure | new lib/bureau-report.ts | Claude   | P1  | 54    | Open   |
| 937 | Member consent to reporting at joining                                     | new page                 | Claude   | P1  | 54    | Open   |
| 938 | Monthly submission with checks before sending                              | new job                  | Claude   | P1  | 54    | Open   |
| 939 | Corrections and disputes handled within stated times                       | new page                 | Claude   | P1  | 54    | Open   |
| 940 | Notice to a member before a first adverse report                           | lib/notices.ts           | Claude   | P1  | 54    | Open   |
| 941 | Reports kept for audit                                                     | ledger                   | Claude   | P1  | 54    | Open   |
| 942 | Credit history screen for the member, showing what was reported            | CreditPage.tsx           | Claude   | P1  | 54    | Open   |
| 943 | Credit Bureaus Act 2015 requirements checked for the chosen route          | legal                    | Counsel  | P1  | H1    | Open   |
| 944 | TASDEEQ report on joining kept for admission, on the member's instruction  | lib/bureau.ts            | Claude   | P1  | 54    | Open   |

## Y. Product Changes

Fees, Hyper, savings, assets, members abroad, the computational methods and the application build (D5, D8, D10, D12 to D14, D16).

### Y1. Fees

| #   | Item                                                                                                                            | Where    | Owner  | Pri | Phase | Status |
|-----|---------------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 945 | Member fee set at Rs 85 a monthly instalment, the running cost plus Rs 50; the takaful or insurance fee separate (30 September) | decision | Claude | P0  |       | Done   |

| #   | Item                                                                                                                                                                                                                                                              | Where            | Owner  | Pri | Phase | Status |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------|-----|-------|--------|
| 946 | Business Model and Unit Costs rebuilt on the Rs 85 fee: contribution about Rs 50 a member a month before the host's commission of 10 per cent of circle profit (5 October), technical cost about Rs 61,000 a month, break even about 1,220 members (30 September) | documents        | Claude | P0  | 1     | Open   |
| 947 | Total cost per instalment shown: the Rs 85 fee, the takaful or insurance fee and, on wallet or card, the 1.5 per cent PSP service fee                                                                                                                             | new page         | Claude | P0  |       | Done   |
| 948 | Discounts for a guarantee cheque and a verified payslip kept                                                                                                                                                                                                      | lib/discounts.ts | Claude | P0  | 1     | Open   |
| 949 | Lower fee for members whose salary is paid into the partner bank                                                                                                                                                                                                  | lib/discounts.ts | Claude | P0  | 1     | Open   |

## Y2. Hyper

| #   | Item                                                                                                                                                           | Where         | Owner    | Pri | Phase | Status |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|-----|-------|--------|
| 950 | Hyper kept as designed and labelled Experimental on every screen and document (D8)                                                                             | HyperPage.tsx | Claude   | P2  | 55    | Open   |
| 951 | Experimental terms: limits, disclosures and the right to stop a circle                                                                                         | legal         | Counsel  | P2  | H4    | Open   |
| 952 | Hyper only on partner bank accounts or saved cards                                                                                                             | lib/hyper.ts  | Claude   | P2  | 55    | Open   |
| 953 | Hyper fee decided: Rs 15 a day on both designs (29 September); the takaful or insurance part is set by the operator and named without an amount (30 September) | decision      | Chairman | P2  |       | Done   |
| 954 | Stress index and hard stop kept                                                                                                                                | lib/hyper.ts  | Claude   | P2  | 55    | Open   |
| 955 | Hyper report to the bank daily                                                                                                                                 | reporting     | Claude   | P2  | 55    | Open   |

## Y3. Savings, Assets and Members Abroad

| #   | Item                                                                                                           | Where                  | Owner    | Pri | Phase | Status |
|-----|----------------------------------------------------------------------------------------------------------------|------------------------|----------|-----|-------|--------|
| 956 | Due date for salary circles decided: the 8th of the month (29 September)                                       | decision               | Chairman | P2  |       | Done   |
| 957 | Short term savings between salary and the 8th, through the bank (D12)                                          | section I              | Claude   | P2  | 55    | Open   |
| 958 | Asset financing by the bank: catalogue, application, the bank's credit decision and repayment by mandate (D13) | lib/asset-committee.ts | Claude   | P3  | 79    | Open   |
| 959 | Dealer network for motorcycles and appliances agreed with the bank                                             | commercial             | Chairman | P3  | H6    | Open   |
| 960 | Members in the UAE joining through the bank's accounts for non resident Pakistanis (D14); Mashreq only         | integration            | Claude   | P3  | 79    | Open   |
| 961 | Committees across the UAE and Pakistan: contributions in rupees from the member's account                      | lib/committees.ts      | Claude   | P3  | 79    | Open   |

## Y4. Computational Methods

| #   | Item                                                                                                                                                                                          | Where                 | Owner  | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 962 | Income account model run on the partner bank's statement data with the member's consent (D10), which verifies on the same day for a member whose salary already reaches that bank (5 October) | lib/salary-pattern.ts | Claude | P2  | 55    | Open   |
| 963 | Affordability model kept                                                                                                                                                                      | lib/affordability.ts  | Claude | P2  | 55    | Open   |
| 964 | Identity confidence score using the bank's verification plus Halqa's checks                                                                                                                   | lib/identity-score.ts | Claude | P2  | 55    | Open   |
| 965 | Exposure across all circles and forward liability kept                                                                                                                                        | lib/exposure-score.ts | Claude | P2  | 55    | Open   |

| #   | Item                                    | Where                | Owner  | Pri | Phase | Status |
|-----|-----------------------------------------|----------------------|--------|-----|-------|--------|
| 966 | Credit score and bands kept             | lib/score-bands.ts   | Claude | P2  | 55    | Open   |
| 967 | Takaful or insurance pricing model kept | lib/cover-pricing.ts | Claude | P2  | 55    | Open   |
| 968 | Hyper default threshold model kept      | lib/hyper.ts         | Claude | P2  | 55    | Open   |
| 969 | Each model's inputs listed for the bank | documents            | Claude | P2  | 55    | Open   |

## Y5. Application Build

| #   | Item                                                                              | Where          | Owner      | Pri | Phase | Status |
|-----|-----------------------------------------------------------------------------------|----------------|------------|-----|-------|--------|
| 970 | Build the application with every new and updated feature (D16)                    | app            | Claude     | P1  | 14    | Open   |
| 971 | Account opening journey at the bank                                               | new pages      | Claude     | P1  | 14    | Open   |
| 972 | Mandate journey                                                                   | new pages      | Claude     | P1  | 14    | Open   |
| 973 | Rewards and points screens                                                        | new pages      | Claude     | P1  | 14    | Open   |
| 974 | Marketplace screens                                                               | new pages      | Claude     | P1  | 14    | Open   |
| 975 | Turn market screens                                                               | new pages      | Claude     | P1  | 14    | Open   |
| 976 | Savings screen                                                                    | new page       | Claude     | P1  | 15    | Open   |
| 977 | Asset financing screens                                                           | new pages      | Claude     | P3  | 79    | Open   |
| 978 | Members abroad journey                                                            | new pages      | Claude     | P3  | 79    | Open   |
| 979 | Credit history and reporting screens                                              | new pages      | Claude     | P1  | 15    | Open   |
| 980 | Experimental label on Hyper                                                       | HyperPage.tsx  | Claude     | P1  | 15    | Open   |
| 981 | Every payment screen and receipt naming the bank as holder of money               | components     | Claude     | P1  | 15    | Open   |
| 982 | Features that conflict with the plan removed before any bank sees the application | app            | Claude     | P0  | 2     | Open   |
| 983 | Demonstration accounts removed from the production database                       | database       | Claude     | P0  | 2     | Open   |
| 984 | Database password changed                                                         | infrastructure | Claude     | P0  | 2     | Open   |
| 985 | Urdu for every new screen                                                         | content        | Translator | P1  | H4    | Open   |

## Y6. Operations

| #   | Item                                                                                           | Where             | Owner    | Pri | Phase | Status |
|-----|------------------------------------------------------------------------------------------------|-------------------|----------|-----|-------|--------|
| 986 | Support model with the bank: who answers which question, and how a question moves between them | operations        | Chairman | P1  | H2    | Open   |
| 987 | Support scripts for account opening, mandates, rewards, marketplace and turn trades            | operations        | Claude   | P1  | 15    | Open   |
| 988 | Answers in the application guide updated for the bank model                                    | rafa-knowledge.ts | Claude   | P1  | 15    | Open   |
| 989 | Collections work queue for arrears, with steps and times                                       | new admin page    | Claude   | P1  | 15    | Open   |
| 990 | Fraud review queue for points purchases and turn trades                                        | new admin page    | Claude   | P1  | 15    | Open   |
| 991 | Host guide for the bank model                                                                  | content           | Claude   | P1  | 15    | Open   |

| #   | Item                                                                 | Where      | Owner    | Pri | Phase | Status |
|-----|----------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 992 | Training for hosts on the new rules                                  | operations | Claude   | P1  | 15    | Open   |
| 993 | Daily operations check: collections, payouts, reconciliation, alerts | operations | Chairman | P1  | H4    | Open   |
| 994 | Weekly review of complaints with the bank                            | operations | Chairman | P1  | H2    | Open   |
| 995 | Service measures published to members                                | content    | Claude   | P1  | 15    | Open   |

## Y7. Launch and Growth

| #    | Item                                                                          | Where        | Owner    | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------|--------------|----------|-----|-------|--------|
| 996  | Joint launch announcement with the bank                                       | marketing    | Chairman | P2  | H5    | Open   |
| 997  | Joining offer: lower fee for members who open an account at the bank          | marketing    | Chairman | P2  | H5    | Open   |
| 998  | Host programme to bring existing committees onto Halqa                        | marketing    | Chairman | P2  | H5    | Open   |
| 999  | Referral points kept for the launch                                           | marketing    | Claude   | P2  | 55    | Open   |
| 1000 | Campaign for women savers in Urdu and English                                 | marketing    | Chairman | P2  | H5    | Open   |
| 1001 | Campaign for Pakistanis in the UAE with the bank's UAE team; Mashreq only     | marketing    | Chairman | P3  | H6    | Open   |
| 1002 | Application store listing updated to name the bank and the Islamic window     | distribution | Claude   | P2  | 55    | Open   |
| 1003 | Google Play financial features declaration stating that Halqa offers no loans | distribution | Claude   | P2  | 55    | Open   |
| 1004 | Launch measures dashboard for the chairman and the bank                       | reporting    | Claude   | P2  | 55    | Open   |
| 1005 | Press material approved by the bank before release                            | marketing    | Chairman | P2  | H5    | Open   |

## Z. Bank Meeting and Documents

The presentation, the documents and the work paused on 28 September.

### Z1. Bank Meeting

| #    | Item                                                                                                                                                    | Where        | Owner    | Pri | Phase | Status      |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|-----|-------|-------------|
| 1006 | Presentation for the bank: Mashreq version 7 and Raqami version 5 built and filed (30 September); import into Google Slides and check every slide there | presentation | Claude   | P0  | 11    | Partly done |
| 1007 | Takaful or insurance shown as the only default protection, chosen by the bank (built in the decks, 30 September)                                        | presentation | Claude   | P0  |       | Done        |
| 1008 | Credit reporting slide: TASDEEQ or the bank, the bank deciding (D11), built in the decks                                                                | presentation | Claude   | P0  |       | Done        |
| 1009 | Economics slide for the bank with stated assumptions: the Revenue and Business Model slide, built                                                       | presentation | Claude   | P0  |       | Done        |
| 1010 | No pilot, timeline or requests slide (removed 29 September); the pilot is discussed in the meeting                                                      | presentation | Claude   | P0  |       | Done        |
| 1011 | Rehearsal of the presentation with timing                                                                                                               | meeting      | Chairman | P0  | H2    | Open        |
| 1012 | Questions the bank may ask, with answers prepared                                                                                                       | meeting      | Claude   | P0  | 11    | Open        |
| 1013 | Printed copies and a copy on a phone                                                                                                                    | meeting      | Chairman | P0  | H2    | Open        |

| #    | Item                                                    | Where     | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------|-----------|--------|-----|-------|--------|
| 1014 | Note of thanks to the mentor after the introduction     | drafts    | Claude | P0  | 11    | Open   |
| 1015 | Follow up email to the bank within a day of the meeting | drafts    | Claude | P0  | 11    | Open   |
| 1016 | Data room with the document set for the bank            | documents | Claude | P0  | 11    | Open   |

## 22. Documents

| #    | Item                                                                                                                                 | Where       | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 1017 | Oraan (HQ-RS-01)                                                                                                                     | Google Docs | Claude | P1  |       | Done   |
| 1018 | Bank Partnership Revisions (HQ-BK-01)                                                                                                | Google Docs | Claude | P1  |       | Done   |
| 1019 | Partner Bank Proposition (HQ-BK-02)                                                                                                  | Google Docs | Claude | P1  |       | Done   |
| 1020 | Revisions and Proposition updated to record the chairman's decisions of 28 September                                                 | Google Docs | Claude | P1  | 37    | Open   |
| 1021 | Legal Position rewritten for the bank (HQ-LG-01)                                                                                     | documents   | Claude | P1  | 37    | Open   |
| 1022 | Business Model and Unit Costs rebuilt: the Rs 85 fee, the PSP service fee, technical only fixed cost and the profit share (HQ-CP-03) | documents   | Claude | P1  | 37    | Open   |
| 1023 | Default Prevention updated: bank mandate first and takaful or insurance only (HQ-CP-05)                                              | documents   | Claude | P1  | 37    | Open   |
| 1024 | Hyper Committee labelled Experimental, bank accounts added, stale references removed (HQ-CP-08)                                      | documents   | Claude | P1  | 37    | Open   |
| 1025 | Asset Committees: bank financing first (HQ-CP-01)                                                                                    | documents   | Claude | P1  | 37    | Open   |
| 1026 | Complete Feature and Process List updated for D1 to D16 (HQ-CP-07)                                                                   | documents   | Claude | P1  | 37    | Open   |
| 1027 | Registrations and Licences Required updated for the bank (HQ-LD-01)                                                                  | documents   | Claude | P1  | 37    | Open   |
| 1028 | Income account model updated for partner bank statements (HQ-MF-03, HQ-MI-03)                                                        | documents   | Claude | P1  | 37    | Open   |
| 1029 | Maps rebuilt with the bank at the centre of every money route                                                                        | maps        | Claude | P1  | 37    | Open   |
| 1030 | Transaction routes map drawn as routes that connect, not lists                                                                       | maps        | Claude | P1  | 37    | Open   |
| 1031 | Master deck rebuilt for the bank model                                                                                               | deck        | Claude | P1  | 37    | Open   |
| 1032 | Every document rebuilt and verified, then synced to HALQA CORPORATE                                                                  | documents   | Claude | P1  | 37    | Open   |

## 23. Work Paused on 28 September

| #    | Item                                                                                                                                              | Where     | Owner  | Pri | Phase | Status      |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|-----|-------|-------------|
| 1033 | Business Model: every cost explained, including cloud per member and the statement check                                                          | documents | Claude | P2  | 68    | Open        |
| 1034 | Business Model: figures in brackets explained                                                                                                     | documents | Claude | P2  | 68    | Open        |
| 1035 | Business Model: no staff except counsel; a software house for one to two weeks                                                                    | documents | Claude | P2  | 68    | Open        |
| 1036 | Business Model: software cost table each month, with a table by number of members; the technical cost model of 30 September is the starting point | documents | Claude | P2  | 68    | Partly done |
| 1037 | Business Model: three week Google Ads campaign priced                                                                                             | documents | Claude | P2  | 68    | Open        |

| #    | Item                                                                    | Where     | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------|-----------|--------|-----|-------|--------|
| 1038 | Payday window written into the documents and built                      | documents | Claude | P2  | 68    | Open   |
| 1039 | Payment by a family member for another member, designed without lending | documents | Claude | P2  | 68    | Open   |

## AA. Decisions and Work since 28 September

### AA1. Decisions

Each decision is the chairman's, with its date. Items of revision 6 that they overturned are rewritten in place below and keep their sections.

| #    | Item                                                                                                                                                                                                                             | Where    | Owner    | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|-----|-------|--------|
| 1040 | Bank route kept with Mashreq Bank Pakistan first; Raqami Islamic Digital Bank pursued in parallel, with no exclusivity preference (29 September)                                                                                 | decision | Chairman | P0  |       | Done   |
| 1041 | Presenter and signatory: Taha Kayani, Founder, Halqa; the chairman is 17 (29 and 30 September)                                                                                                                                   | decision | Chairman | P0  |       | Done   |
| 1042 | Due date for salary circles: the 8th of the month (29 September); closes item 956                                                                                                                                                | decision | Chairman | P0  |       | Done   |
| 1043 | Points: 1 point = Rs 1; points for paying on time never more than half of Halqa's fee on that instalment (29 September); closes item 860                                                                                         | decision | Chairman | P0  |       | Done   |
| 1044 | Price of a turn capped at 100 per cent of the pot (29 September); closes item 893                                                                                                                                                | decision | Chairman | P0  |       | Done   |
| 1045 | Hyper fee Rs 15 a day on both designs (29 September); the takaful or insurance part, Rs 135 or Rs 151.67 a day in the design of 29 September, is set by the operator and named without an amount (30 September); closes item 953 | decision | Chairman | P0  |       | Done   |
| 1046 | No Shariah or non Shariah labels in decks or documents (29 September)                                                                                                                                                            | decision | Chairman | P0  |       | Done   |
| 1047 | No Halqa cover and no bank guarantee: only takaful or insurance from a licensed operator chosen by the bank (29 September); closes item 923                                                                                      | decision | Chairman | P0  |       | Done   |
| 1048 | Fixed cost counted as technical only: about Rs 61,000 a month for hosting, database, monitoring, mail and the developer account (30 September)                                                                                   | decision | Chairman | P0  |       | Done   |
| 1049 | Fee of Rs 85 on every monthly instalment: the running cost of one payment, at most Rs 35, plus Rs 50 (30 September); closes item 945                                                                                             | decision | Chairman | P0  |       | Done   |
| 1050 | PSP service fee of 1.5 per cent on wallet and card payments only; none on the bank's direct debit (5 October)                                                                                                                    | decision | Chairman | P0  |       | Done   |
| 1051 | Takaful or insurance fee named without an amount and kept outside the fee and Halqa's income (30 September)                                                                                                                      | decision | Chairman | P0  |       | Done   |
| 1052 | Partner decks: the version 5 boxes and wording, logos in place of names, all text black, charts drawn as shapes; icon tiles rejected as informal (30 September)                                                                  | decision | Chairman | P0  |       | Done   |
| 1053 | Work register: phases of about 100 items, one Claude Pro usage window each, with items at the finest level (5 October)                                                                                                           | register | Chairman | P0  |       | Done   |
| 1054 | Company not incorporated and TASDEEQ not contacted, as confirmed on 29 September; both remain open, as items 476 and 459                                                                                                         | status   | Chairman | P0  | H1    | Open   |
| 1055 | Mashreq meeting date not fixed (5 October); phase 1 starts the corrections and the application                                                                                                                                   | status   | Chairman | P1  | H2    | Open   |

## AA2. Follow Up

| #    | Item                                                                                                                                                                                                                                                                                                                                                                                                                                 | Where                                | Owner    | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------|-----|-------|--------|
| 1056 | Replace the old surname with Kayani in every document, deck, script and preview data set, including the two screenshot scripts that rename the preview user                                                                                                                                                                                                                                                                          | documents, shoot scripts             | Claude   | P0  | 1     | Open   |
| 1057 | Remove the word cover where it describes protection by Halqa from every screen, notice, help answer and preview string: ProtectionCenter, FeesPage, HyperPage, rafa-knowledge.ts, preview.ts                                                                                                                                                                                                                                         | halqa-web                            | Claude   | P0  | 1     | Open   |
| 1058 | Show the PSP service fee only when the member chooses a wallet or a card, and never on the bank's direct debit                                                                                                                                                                                                                                                                                                                       | PayPage.tsx, lib/fee-book.ts         | Claude   | P1  | 13    | Open   |
| 1059 | Send Hyper's daily reminders by free push notification rather than WhatsApp, since at Rs 15 a day a WhatsApp message on every daily payment makes Hyper lose money (30 September)                                                                                                                                                                                                                                                    | lib/notices.ts                       | Claude   | P1  | 13    | Open   |
| 1060 | Raqami: no points bought with money and no turn market priced in money; anything its Shariah board cannot approve is not offered through Raqami                                                                                                                                                                                                                                                                                      | product                              | Chairman | P1  | H2    | Open   |
| 1061 | Confirm with the bank whether hosting in Singapore (Vercel sin1, Supabase on AWS ap-southeast-1) is acceptable under the State Bank's cloud framework, which requires State Bank approval for a bank's material workloads on an offshore cloud, or whether an onshore provider is required                                                                                                                                           | bank                                 | Bank     | P0  | H2    | Open   |
| 1062 | Update the master context and memory after every change to this register                                                                                                                                                                                                                                                                                                                                                             | HANDOVER                             | Claude   | P1  | 13    | Open   |
| 1063 | Wire the ballot to an endpoint: lib/parchi.ts holds the whole commit and reveal ceremony, the seat constrained draw and the public verification, and no route calls any of it, so no circle has ever drawn its seats. Needs the sealed seed stored against the circle, a tap endpoint, a draw endpoint that refuses an unseatable circle, and the proof published to every member                                                    | routes/committees.ts, lib/parchi.ts  | Claude   | P1  | 13    | Open   |
| 1064 | Carry the security route into the database: creditStanding and the pledged security amount are read by lib/score-bands.ts through standingOf and exist on no table, so every member is read as having a record too thin to score. Needs the additive columns and the bank's hold on the member's own savings                                                                                                                         | prisma/schema.prisma                 | Claude   | P0  | 1     | Open   |
| 1065 | Confirm the interim reading of the seat matrix while no bureau is connected: with TASDEEQ not contacted nobody has a bureau record, so read strictly every member sits in the last seats and no circle can fill its early ones. The code treats a member Halqa holds a score for as having a record too thin to score, which opens the middle seats, and one clean committee opens the rest (BUREAU_CONNECTED in lib/score-bands.ts) | product                              | Chairman | P0  | H3    | Open   |
| 1066 | Production migration for the schema work of 6 October: 42 indexes, 34 delete rules and three status columns moved from free text to an enum. The indexes and the delete rules are additive and safe; the three enum columns are not, because an enum column is dropped and recreated, so they need their own additive SQL written and applied before any deploy. Nothing is deployed until this exists                               | prisma/schema.prisma, additive SQL   | Claude   | P0  | 1     | Open   |
| 1067 | Remove the spawn score of 700 given to every new account: it is Halqa's own number, not a bureau's, and while it stands a member with no history reads as creditworthy                                                                                                                                                                                                                                                               | routes/auth.ts, prisma/schema.prisma | Claude   | P0  | 1     | Open   |

## AA3. Work Done

| #    | Item                                                                              | Where           | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------|-----------------|--------|-----|-------|--------|
| 1068 | Oraan research document built on the chairman's own edited version (28 September) | Google Docs     | Claude | P1  |       | Done   |
| 1069 | Complete position deck of 81 slides filed separately (29 September)               | 01 Presentation | Claude | P2  |       | Done   |
| 1070 | Master context created as the cold start brief, version controlled (29 September) | HANDOVER        | Claude | P1  |       | Done   |



| #    | Item                                                                                                                                                                            | Where                    | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 1071 | Mashreq presentation rebuilt through versions 2 to 7, the chairman's own edits applied (29 and 30 September)                                                                    | 01 Presentation          | Claude | P1  |       | Done   |
| 1072 | Raqami presentation built and rebuilt through versions 1 to 5 in Raqami's colours (29 and 30 September)                                                                         | 01 Presentation          | Claude | P1  |       | Done   |
| 1073 | Technical only cost model with verified prices (30 September)                                                                                                                   | scratchpad tech_costs.py | Claude | P1  |       | Done   |
| 1074 | Generated application screens in the application's own kit for screens not yet built: account opening, consent, types, full cost, Hyper, payment methods, points (30 September) | shots_v5                 | Claude | P2  |       | Done   |
| 1075 | Full cost screen regenerated with the Rs 85 fee, the PSP service fee and the takaful or insurance fee by name (30 September)                                                    | shots_v5                 | Claude | P2  |       | Done   |
| 1076 | Work register of 5 October: verified against the code and the decisions, extended in ten passes, and divided into phases                                                        | 07 Internal              | Claude | P1  |       | Done   |

## AB. Regulatory Compliance through the Partner Bank

Each item maps a requirement that applies to the bank, or to Halqa as its service provider, to the work that meets it. The bank's compliance function confirms the final list.

### AB1. Outsourcing

Halqa is assessed as the bank's service provider (BPRD Circular 06 of 2017, revised 2019).

| #    | Item                                                                                                                                                       | Where         | Owner   | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------|-----|-------|--------|
| 1077 | The bank's materiality assessment of the Halqa arrangement under its outsourcing framework (BPRD Circular 06 of 2017, revised by Circular 06 of 2019)      | bank          | Bank    | P0  | H2    | Open   |
| 1078 | List of Halqa's own suppliers with what each processes: Vercel, Supabase, Amazon Web Services, Meta, Safepay, Google, Sentry, Resend, the domain registrar | documentation | Claude  | P1  | 36    | Open   |
| 1079 | No further subcontracting of a material function without the bank's written consent                                                                        | legal         | Counsel | P1  | H1    | Open   |
| 1080 | Exit plan behind the clause of item 678: return of every record, transfer to another provider or to the bank, within a stated period                       | documentation | Claude  | P1  | 36    | Open   |
| 1081 | Concentration statement: Halqa depends on one bank and the bank on one committee provider, with mitigations                                                | documentation | Claude  | P1  | 36    | Open   |
| 1082 | Root cause report to the bank within the agreed days after each incident notice of item 816                                                                | documentation | Claude  | P1  | 36    | Open   |
| 1083 | Annual review of the arrangement by the bank                                                                                                               | bank          | Bank    | P2  | H4    | Open   |
| 1084 | Halqa entered in the bank's register of outsourcing arrangements                                                                                           | bank          | Bank    | P2  | H4    | Open   |
| 1085 | Confirmation that no function reserved to the bank is outsourced to Halqa, including the account opening and due diligence decision                        | legal         | Counsel | P1  | H1    | Open   |
| 1086 | Quarterly report to the bank's outsourcing unit: service measures, incidents, security measures, changes, suppliers                                        | reporting     | Claude  | P2  | 68    | Open   |
| 1087 | Sign off of the arrangement's risk assessment by the bank's risk function                                                                                  | bank          | Bank    | P1  | H2    | Open   |

## AB2. Cloud

State Bank criteria for cloud outsourcing (January 2023): for banks, material workloads on an offshore provider need approval; Halqa is hosted in Singapore today.

| #    | Item                                                                                                                    | Where          | Owner   | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|----------------|---------|-----|-------|--------|
| 1088 | Workload inventory: every Halqa system, what it does and what data it holds                                             | infrastructure | Claude  | P0  | 11    | Open   |
| 1089 | Each workload classified with the bank as material or non material under the State Bank's cloud criteria (January 2023) | bank           | Bank    | P0  | H2    | Open   |
| 1090 | Onshore hosting options compared: providers in Pakistan, cost, effort and the services each lacks                       | infrastructure | Claude  | P1  | 36    | Open   |
| 1091 | Migration plan if onshore hosting is required: database, interface service, files, backups, monitoring                  | infrastructure | Claude  | P1  | 36    | Open   |
| 1092 | No lock in: data export format documented and an export to another provider rehearsed                                   | infrastructure | Claude  | P2  | 68    | Open   |
| 1093 | Audit rights over the cloud providers for the bank and the State Bank, through Halqa's contracts                        | legal          | Counsel | P1  | H1    | Open   |
| 1094 | Provider assurance reports collected and kept: SOC 2 and ISO 27001 for each provider                                    | governance     | Claude  | P1  | 36    | Open   |
| 1095 | Logging of cloud console activity retained and reviewed                                                                 | security       | Claude  | P1  | 36    | Open   |
| 1096 | Shared responsibility matrix for each provider                                                                          | governance     | Claude  | P1  | 36    | Open   |
| 1097 | Region pinned for every service, including error monitoring, email and analytics                                        | infrastructure | Claude  | P1  | 36    | Open   |
| 1098 | Annual review of the cloud arrangements against the criteria                                                            | governance     | Claude  | P2  | 68    | Open   |
| 1099 | Provider status pages monitored with alerts                                                                             | infrastructure | Claude  | P2  | 68    | Open   |

## AB3. Technology Governance

Enterprise Technology Governance and Risk Management Framework (BPRD Circular 05 of 2017), applied through the bank.

| #    | Item                                                                                                                                                                                                     | Where          | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 1100 | Technology governance roles written down: owner of systems, owner of data, owner of security, under the bank's Enterprise Technology Governance and Risk Management Framework (BPRD Circular 05 of 2017) | governance     | Claude | P1  | 36    | Open   |
| 1101 | Technology strategy for the partnership: architecture, suppliers, growth to 100,000 members                                                                                                              | documentation  | Claude | P2  | 68    | Open   |
| 1102 | Technology risk assessment, refreshed each quarter for the bank's board reporting                                                                                                                        | governance     | Claude | P1  | 36    | Open   |
| 1103 | Change management procedure: request, review, approval, test, release, record                                                                                                                            | process        | Claude | P1  | 36    | Open   |
| 1104 | Project management record for every integration with the bank                                                                                                                                            | process        | Claude | P2  | 68    | Open   |
| 1105 | Secure development life cycle documented: design review, code review, tests, scans, release approval                                                                                                     | process        | Claude | P1  | 36    | Open   |
| 1106 | System acquisition checklist for any new supplier or library                                                                                                                                             | process        | Claude | P2  | 68    | Open   |
| 1107 | Information technology operations manual: jobs, schedules, monitoring, backups, restores                                                                                                                 | documentation  | Claude | P2  | 68    | Open   |
| 1108 | Capacity plan for 100,000 members: database, jobs, messages, bank calls                                                                                                                                  | infrastructure | Claude | P2  | 68    | Open   |
| 1109 | Patch management: dependencies updated on a schedule, urgent fixes within stated days                                                                                                                    | process        | Claude | P1  | 36    | Open   |
| 1110 | Configuration management: every environment's settings recorded and reviewed                                                                                                                             | infrastructure | Claude | P1  | 36    | Open   |
| 1111 | Asset inventory: domains, accounts, keys, devices, licences, with owners                                                                                                                                 | governance     | Claude | P1  | 36    | Open   |

| #    | Item                                                                              | Where    | Owner   | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------|----------|---------|-----|-------|--------|
| 1112 | Logging and monitoring standard: what is logged, where, for how long, who reviews | security | Claude  | P1  | 36    | Open   |
| 1113 | Independent technology audit of Halqa before the pilot, if the bank requires it   | external | Auditor | P2  | H4    | Open   |

#### AB4. Customer Onboarding

Consolidated Customer Onboarding Framework (BPRD Circular 01 of 2025).

| #    | Item                                                                                                                                     | Where                 | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 1114 | Biometric verification by the bank as the primary method under the Consolidated Customer Onboarding Framework (BPRD Circular 01 of 2025) | bank                  | Bank   | P0  | H2    | Open   |
| 1115 | Fallback order agreed: Verisys with the CNIC and mobile number pairing and a code, then Verisys with a debit block, then a branch        | bank                  | Bank   | P1  | H2    | Open   |
| 1116 | Each fallback step shown in Halqa's journey in plain words, with what the member must do next                                            | app                   | Claude | P1  | 36    | Open   |
| 1117 | Route for members abroad holding a NICOP or POC, for Mashreq's accounts for non resident Pakistanis                                      | bank                  | Bank   | P2  | H4    | Open   |
| 1118 | Route for senior citizens and for members with disabilities, where the framework allows Verisys instead                                  | bank                  | Bank   | P2  | H4    | Open   |
| 1119 | Evidence pack for the bank's annual audit of digital onboarding: journey, logs, error rates                                              | reporting             | Claude | P2  | 68    | Open   |
| 1120 | No biometric template stored by Halqa                                                                                                    | security              | Claude | P0  | 11    | Open   |
| 1121 | Halqa's own liveness check used only where the bank does not share its result                                                            | lib/identity-score.ts | Claude | P1  | 36    | Open   |
| 1122 | Joining a circle blocked until the bank confirms the account is verified and active                                                      | lib/bank-accounts.ts  | Claude | P0  | 11    | Open   |
| 1123 | CNIC expiry tracked: renewal requested before expiry, joining paused after it                                                            | lib/identity-score.ts | Claude | P1  | 36    | Open   |
| 1124 | Change of mobile number: re-pairing with the CNIC at the bank before Halqa updates its record                                            | bank                  | Bank   | P1  | H2    | Open   |
| 1125 | Onboarding funnel report for the bank: started, verified, failed, abandoned, by step                                                     | reporting             | Claude | P2  | 68    | Open   |
| 1126 | Name match between the CNIC, the bank account title and the Halqa profile, with the 0.90 and 0.80 thresholds                             | lib/identity-score.ts | Claude | P1  | 36    | Open   |

#### AB5. Digital Channel Security

PSP&OD Circular 01 of 2024, in force from 1 January 2025.

| #    | Item                                                                                                                                                                                                       | Where           | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|-----|-------|--------|
| 1127 | Transaction PIN, separate from the unlock PIN, for every financial action in Halqa: authorising a mandate, buying points, changing the payout account, accepting a turn trade (PSP&OD Circular 01 of 2024) | routes/auth.ts  | Claude | P0  | 11    | Open   |
| 1128 | Alerts for financial events by push and in the application that the member cannot switch off                                                                                                               | lib/notices.ts  | Claude | P0  | 11    | Open   |
| 1129 | Complete log of every alert sent, kept for disputes and claims                                                                                                                                             | schema.prisma   | Claude | P0  | 11    | Open   |
| 1130 | Device binding: one bound device per member, bound at first sign in                                                                                                                                        | routes/auth.ts  | Claude | P0  | 11    | Open   |
| 1131 | Two hour cooling off after a device change: no mandate authorisation, payout change or points purchase                                                                                                     | lib/security.ts | Claude | P0  | 11    | Open   |
| 1132 | No SMS code used to authorise a financial action where the bank uses a transaction PIN                                                                                                                     | routes/auth.ts  | Claude | P1  | 36    | Open   |

| #    | Item                                                                                                                                          | Where      | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------|--------|-----|-------|--------|
| 1133 | Screen capture blocked on the PIN, CNIC, account and receipt screens in the native build                                                      | native     | Claude | P1  | 37    | Open   |
| 1134 | Emulator detection before financial actions in the native build                                                                               | native     | Claude | P2  | 68    | Open   |
| 1135 | Fraud reports routed to the bank the same day, so the bank's liability framework (BPRD Circular 04 of 2023) is not triggered by Halqa's delay | operations | Claude | P0  | 11    | Open   |
| 1136 | The bank's mobile application security baseline obtained, so Halqa's application meets it                                                     | bank       | Bank   | P0  | H2    | Open   |

## AB6. Digital Fraud

BPRD Circular 04 of 2023 on digital fraud.

| #    | Item                                                                                                                          | Where                    | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 1137 | Security advice to members inside the application: Halqa never asks for a PIN or a code                                       | content                  | Claude | P0  | 11    | Open   |
| 1138 | Fraud signals sent to the bank's fraud unit: device changes, many accounts on one device, rapid joins, payout account changes | new lib/fraud-signals.ts | Claude | P1  | 37    | Open   |
| 1139 | Block request from the member passed to the bank immediately, with a reference returned                                       | new route                | Claude | P0  | 11    | Open   |
| 1140 | Dispute raised in the application reaches the bank the same day                                                               | routes/disputes.ts       | Claude | P0  | 11    | Open   |
| 1141 | Warning before a payout account change: who may be asking and why                                                             | content                  | Claude | P1  | 37    | Open   |
| 1142 | Monthly fraud report to the bank: cases, losses, time to block                                                                | reporting                | Claude | P2  | 68    | Open   |
| 1143 | Payouts to accounts opened in the last few days held for review                                                               | lib/payout.ts            | Claude | P1  | 37    | Open   |
| 1144 | Limit on circles joined per member per day                                                                                    | lib/score-bands.ts       | Claude | P1  | 37    | Open   |

## AB7. Complaints

BC&CPD Circular Letter 02 of 2021 on the consumer grievance mechanism.

| #    | Item                                                                                                                                                              | Where          | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 1145 | Complaint intake inside the application with categories agreed with the bank                                                                                      | new page       | Claude | P1  | 37    | Open   |
| 1146 | Turnaround to the bank's rules: 3 working days for simple matters, 7 for others, all within 15 days, and fraud within 30 days (BC&CPD Circular Letter 02 of 2021) | process        | Claude | P1  | 37    | Open   |
| 1147 | Account and payment complaints handed to the bank's complaint unit, with the member told                                                                          | operations     | Claude | P1  | 37    | Open   |
| 1148 | Root cause review for any complaint category that repeats                                                                                                         | process        | Claude | P2  | 68    | Open   |
| 1149 | Complaints between hosts and members handled under the host rules, apart from service complaints                                                                  | process        | Claude | P1  | 37    | Open   |
| 1150 | Complaint turnaround dashboard                                                                                                                                    | new admin page | Claude | P2  | 68    | Open   |

## AB8. Conduct

Conduct Assessment Framework and fair treatment of customers.

| #    | Item                                                                                               | Where             | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------|-------------------|--------|-----|-------|--------|
| 1151 | Product approval paper for the committee product with its conduct risks, for the bank's committee  | documentation     | Claude | P1  | 37    | Open   |
| 1152 | Evidence of fair pricing: one flat fee for every seat, no rate, no charge for an early turn        | documentation     | Claude | P1  | 37    | Open   |
| 1153 | Members needing more help: first time users, older members, Urdu readers; a support route for each | process           | Claude | P1  | 37    | Open   |
| 1154 | Rewards for hosting tied to circles completed cleanly, never to the number recruited               | lib/rewards.ts    | Claude | P1  | 37    | Open   |
| 1155 | 24 hours to withdraw at no cost after joining                                                      | lib/agreements.ts | Claude | P1  | 37    | Open   |
| 1156 | Input to the bank's annual conduct self assessment under its Conduct Assessment Framework          | reporting         | Claude | P2  | 68    | Open   |
| 1157 | Marketing material approved by the bank before use                                                 | bank              | Bank   | P2  | H4    | Open   |
| 1158 | Plain statement of what happens when someone stops paying, shown before joining                    | content           | Claude | P1  | 37    | Open   |
| 1159 | Host code of conduct: admission, reminders, removal, no pressure and no public shaming             | content           | Claude | P1  | 37    | Open   |

## AB9. Key Fact Statement

| #    | Item                                                                                                                                                                                                     | Where                | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------|-----|-------|--------|
| 1160 | Key fact statement for the committee product in the bank's format (BC&CPD Circulars 2 of 2016 and 02 of 2020)                                                                                            | content              | Claude     | P0  | 11    | Open   |
| 1161 | Key fact statement contents: instalment, members, order of turns, the Rs 85 fee, the PSP service fee on wallet and card, the takaful or insurance fee by name, late charges, points, leaving, complaints | content              | Claude     | P0  | 11    | Open   |
| 1162 | Key fact statement shown before commitment and accepted in the application                                                                                                                               | new page             | Claude     | P0  | 11    | Open   |
| 1163 | Accepted key fact statement kept with the member's agreement and a copy given to the member                                                                                                              | routes/agreements.ts | Claude     | P1  | 37    | Open   |
| 1164 | Key fact statement available on the website and in the application at all times                                                                                                                          | content              | Claude     | P1  | 37    | Open   |
| 1165 | Key fact statement in Urdu                                                                                                                                                                               | content              | Translator | P0  | H4    | Open   |
| 1166 | Key fact statement versioned, with notice to members of any change                                                                                                                                       | routes/agreements.ts | Claude     | P1  | 37    | Open   |
| 1167 | Key fact statement for Hyper, marked experimental                                                                                                                                                        | content              | Claude     | P1  | 37    | Open   |
| 1168 | Key fact statement for buying points with money (Mashreq)                                                                                                                                                | content              | Claude     | P2  | 68    | Open   |
| 1169 | Key fact statement of the bank's savings product used between payday and the 8th                                                                                                                         | bank                 | Bank       | P1  | H2    | Open   |

## AB10. Money Laundering and Sanctions

The bank's AML, CFT and CPF regulations under section 6A(2) of the Anti Money Laundering Act 2010.

| #    | Item                                                                                                                                                    | Where         | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|-----|-------|--------|
| 1170 | Customer due diligence by the bank on every member before any circle                                                                                    | bank          | Bank   | P0  | H2    | Open   |
| 1171 | Committee typologies agreed with the bank: circular payments, many circles for one person, payouts to third parties, structuring into small instalments | documentation | Claude | P1  | 37    | Open   |

| #    | Item                                                                                  | Where                | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 1172 | A member the bank flags is blocked from joining, paying out and trading turns at once | lib/bank-accounts.ts | Claude | P0  | 11    | Open   |
| 1173 | No message that could tip off a member under review                                   | content              | Claude | P1  | 37    | Open   |
| 1174 | Hosts screened like members                                                           | bank                 | Bank   | P1  | H2    | Open   |
| 1175 | Politically exposed persons handled under the bank's enhanced due diligence           | bank                 | Bank   | P1  | H2    | Open   |
| 1176 | Source of funds questions agreed for the large circles at Rs 25,000 an instalment     | bank                 | Bank   | P2  | H4    | Open   |
| 1177 | Annual money laundering risk assessment of the committee product                      | bank                 | Bank   | P2  | H4    | Open   |

#### AB11. Payments

| #    | Item                                                                                                                                                       | Where                   | Owner    | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------|-----|-------|--------|
| 1178 | Check that no automatic debit runs without a recorded mandate; item 775 keeps the records under the Payment Systems and Electronic Fund Transfers Act 2007 | lib/bank-mandate.ts     | Claude   | P0  | 11    | Open   |
| 1179 | Raast request to pay costs the payer nothing, as the State Bank requires for P2M payments                                                                  | lib/bank-payments.ts    | Claude   | P1  | 37    | Open   |
| 1180 | Raast request to pay supported for paying now and for paying later                                                                                         | lib/bank-payments.ts    | Claude   | P1  | 37    | Open   |
| 1181 | Raast QR for paying a collector directly                                                                                                                   | new component           | Claude   | P2  | 68    | Open   |
| 1182 | Wallet limits respected for payouts to wallets, under the EMI regulations of 2023                                                                          | lib/payout.ts           | Claude   | P1  | 37    | Open   |
| 1183 | Payments initiated only through licensed entities: the bank and the PSP                                                                                    | lib/payment-provider.ts | Claude   | P0  | 11    | Open   |
| 1184 | The PSP's licence and its scope recorded and checked each year                                                                                             | commercial              | Chairman | P1  | H3    | Open   |
| 1185 | Halqa's merchant category agreed with the PSP                                                                                                              | commercial              | Chairman | P2  | H5    | Open   |

#### AB12. Shariah Governance

For the Islamic window at Mashreq and for Raqami.

| #    | Item                                                                                                         | Where   | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------|---------|--------|-----|-------|--------|
| 1186 | Late charges on Raqami circles paid to charity, recorded and reported                                        | ledger  | Claude | P1  | 37    | Open   |
| 1187 | Takaful only for Raqami, no conventional insurance                                                           | bank    | Bank   | P1  | H2    | Open   |
| 1188 | Annual Shariah audit of the product by the bank                                                              | bank    | Bank   | P2  | H4    | Open   |
| 1189 | No Shariah label in Halqa's own materials; the bank's own approval statement only where the bank requires it | content | Claude | P1  | 37    | Open   |
| 1190 | Fee documented as ujrah for service on Raqami circles                                                        | bank    | Bank   | P1  | H2    | Open   |

#### AB13. Cyber Security

| #    | Item                                                                                                                                                         | Where    | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 1191 | Halqa's security programme mapped to the bank's cyber resilience requirements under the State Bank's Cyber Shield strategy (CRMD Circular Letter 01 of 2026) | security | Claude | P1  | 37    | Open   |
| 1192 | Threat intelligence sources followed and logged                                                                                                              | security | Claude | P2  | 68    | Open   |

| #    | Item                                                                                     | Where      | Owner    | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 1193 | Security event logging to the bank's standard                                            | security   | Claude   | P1  | 37    | Open   |
| 1194 | Penetration test repeated each year after the first (item 705), with every finding fixed | external   | Tester   | P2  | H4    | Open   |
| 1195 | Red team exercise if the bank requires one                                               | bank       | Bank     | P3  | H6    | Open   |
| 1196 | Phishing exercise for everyone with access                                               | governance | Chairman | P3  | H6    | Open   |
| 1197 | Secure configuration baselines for every service                                         | security   | Claude   | P1  | 37    | Open   |

#### AB14. Data Protection

| #    | Item                                                                                                       | Where          | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 1198 | Consent record for each purpose, with the time, the version and the address                                | schema.prisma  | Claude | P0  | 11    | Open   |
| 1199 | Transfer of data to Singapore disclosed and consented, and accepted by the bank                            | content        | Claude | P0  | 11    | Open   |
| 1200 | Requests from members to see, correct or delete their data, with stated times                              | new page       | Claude | P1  | 37    | Open   |
| 1201 | Review of every field collected against the purpose it serves                                              | review         | Claude | P1  | 37    | Open   |
| 1202 | Personal Data Protection Bill watched, since Pakistan has no data protection law in force; readiness noted | documentation  | Claude | P3  | 79    | Open   |
| 1203 | Prevention of Electronic Crimes Act 2016 considered in the security controls                               | documentation  | Claude | P2  | 68    | Open   |
| 1204 | No data collected from anyone under 18                                                                     | routes/auth.ts | Claude | P1  | 37    | Open   |
| 1205 | Location as a one time pin only, never tracked                                                             | app            | Claude | P1  | 37    | Open   |
| 1206 | No access to contacts, photos or call logs                                                                 | app            | Claude | P0  | 11    | Open   |

#### AB15. Company Filings

| #    | Item                                                                              | Where     | Owner       | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------|-----------|-------------|-----|-------|--------|
| 1207 | Statutory registers kept: members, directors, charges, beneficial owners          | corporate | Chairman    | P1  | H1    | Open   |
| 1208 | Board meetings held and minuted, with resolutions filed where required            | corporate | Chairman    | P1  | H4    | Open   |
| 1209 | Annual return filed with the SECP each year                                       | corporate | Chairman    | P2  | H5    | Open   |
| 1210 | Financial statements prepared, audited and filed each year                        | finance   | Chairman    | P2  | H5    | Open   |
| 1211 | Income tax return filed each year                                                 | tax       | Tax adviser | P2  | H4    | Open   |
| 1212 | Withholding tax deducted and statements filed                                     | tax       | Tax adviser | P2  | H4    | Open   |
| 1213 | Sales tax returns on services filed each month in the Islamabad Capital Territory | tax       | Tax adviser | P2  | H4    | Open   |
| 1214 | Beneficial ownership declaration filed                                            | corporate | Chairman    | P1  | H4    | Open   |
| 1215 | Registered office notice kept current                                             | corporate | Chairman    | P3  | H6    | Open   |
| 1216 | Compliance calendar with every filing date and owner                              | corporate | Chairman    | P1  | H4    | Open   |
| 1217 | Directors' duties briefing for the board                                          | P2        | Counsel     | P1  | H1    | Open   |

## AB16. Application Stores

| #    | Item                                                                              | Where        | Owner    | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------|--------------|----------|-----|-------|--------|
| 1218 | Target platform version kept current for Google Play                              | native       | Claude   | P2  | 68    | Open   |
| 1219 | Permission declarations for the camera, used for CNIC capture only                | compliance   | Claude   | P1  | 37    | Open   |
| 1220 | Apple privacy labels answered from the data inventory                             | compliance   | Claude   | P1  | 37    | Open   |
| 1221 | No tracking across other companies' applications, so no tracking prompt is needed | review       | Claude   | P1  | 37    | Open   |
| 1222 | Review notes for both stores explaining the partner bank and test accounts        | distribution | Claude   | P1  | 37    | Open   |
| 1223 | Store screenshots free of real member data                                        | design       | Claude   | P1  | 37    | Open   |
| 1224 | Store contact details and support address in the company's name                   | distribution | Chairman | P1  | H5    | Open   |

## AC. Screen States and Checks

Every screen, with one item for each state it must show and each check it must pass: loading, empty, error, offline, dark mode, Urdu and right to left, large text, narrow handsets, screen readers, contrast, events and tests. Building the screen itself is its own item in sections C, D and Y.

### AC1. Screens That Exist

The 27 pages kept in the application today, the committee page counted by its tabs, each with every state it needs. Deep links already work on every one (item 51). The vault and the scheme terminal are withdrawn; Save for something is held.

| #    | Item                                                                                                      | Where        | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------|--------------|------------|-----|-------|--------|
| 1225 | Home: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | HomePage.tsx | Claude     | P1  | 22    | Open   |
| 1226 | Home: error state with the reason in plain words and a retry                                              | HomePage.tsx | Claude     | P1  | 22    | Open   |
| 1227 | Home: offline state showing the last data held and when it was fetched, with actions disabled             | HomePage.tsx | Claude     | P1  | 22    | Open   |
| 1228 | Home: deep link restores the screen with its state                                                        | HomePage.tsx | Claude     | P1  |       | Done   |
| 1229 | Home: empty state: a member with no circles: Start a committee and Join with a code                       | HomePage.tsx | Claude     | P1  | 22    | Open   |
| 1230 | Home: checked in dark mode, with no hard coded white or black                                             | HomePage.tsx | Claude     | P1  |       | Done   |
| 1231 | Home: Urdu text for every string, by a translator                                                         | HomePage.tsx | Translator | P1  | H4    | Open   |
| 1232 | Home: right to left layout checked with the Urdu text                                                     | HomePage.tsx | Claude     | P1  | 22    | Open   |
| 1233 | Home: usable at the largest system text size, with nothing cut off                                        | HomePage.tsx | Claude     | P1  |       | Done   |
| 1234 | Home: usable at 320 pixels wide                                                                           | HomePage.tsx | Claude     | P1  |       | Done   |
| 1235 | Home: every control named for screen readers, in a logical focus order                                    | HomePage.tsx | Claude     | P1  |       | Done   |
| 1236 | Home: contrast of every text and control checked                                                          | HomePage.tsx | Claude     | P1  |       | Done   |
| 1237 | Home: screen view and main action recorded, with no personal data in the events                           | HomePage.tsx | Claude     | P2  |       | Done   |
| 1238 | Home: component test of every state                                                                       | HomePage.tsx | Claude     | P1  | 22    | Open   |
| 1239 | Home: end to end test of its main path                                                                    | HomePage.tsx | Claude     | P1  | 22    | Open   |



| #    | Item                                                                                                                      | Where             | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|-------------------|------------|-----|-------|--------|
| 1240 | Home: visual regression snapshot at three widths                                                                          | HomePage.tsx      | Claude     | P2  | 57    | Open   |
| 1241 | Home: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels              | HomePage.tsx      | Claude     | P1  |       | Done   |
| 1242 | Committees: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card           | CirclesPage.tsx   | Claude     | P1  | 22    | Open   |
| 1243 | Committees: loading skeleton in the final layout, never a full screen spinner                                             | CirclesPage.tsx   | Claude     | P1  | 22    | Open   |
| 1244 | Committees: error state with the reason in plain words and a retry                                                        | CirclesPage.tsx   | Claude     | P1  | 22    | Open   |
| 1245 | Committees: offline state showing the last data held and when it was fetched, with actions disabled                       | CirclesPage.tsx   | Claude     | P1  | 22    | Open   |
| 1246 | Committees: deep link restores the screen with its state                                                                  | CirclesPage.tsx   | Claude     | P1  |       | Done   |
| 1247 | Committees: pull to refresh                                                                                               | CirclesPage.tsx   | Claude     | P1  | 22    | Open   |
| 1248 | Committees: pages loaded as the member scrolls, with an end of list marker                                                | CirclesPage.tsx   | Claude     | P1  | 22    | Open   |
| 1249 | Committees: checked in dark mode, with no hard coded white or black                                                       | CirclesPage.tsx   | Claude     | P1  |       | Done   |
| 1250 | Committees: Urdu text for every string, by a translator                                                                   | CirclesPage.tsx   | Translator | P1  | H4    | Open   |
| 1251 | Committees: right to left layout checked with the Urdu text                                                               | CirclesPage.tsx   | Claude     | P1  | 22    | Open   |
| 1252 | Committees: usable at the largest system text size, with nothing cut off                                                  | CirclesPage.tsx   | Claude     | P1  |       | Done   |
| 1253 | Committees: usable at 320 pixels wide                                                                                     | CirclesPage.tsx   | Claude     | P1  |       | Done   |
| 1254 | Committees: every control named for screen readers, in a logical focus order                                              | CirclesPage.tsx   | Claude     | P1  |       | Done   |
| 1255 | Committees: contrast of every text and control checked                                                                    | CirclesPage.tsx   | Claude     | P1  |       | Done   |
| 1256 | Committees: screen view and main action recorded, with no personal data in the events                                     | CirclesPage.tsx   | Claude     | P2  |       | Done   |
| 1257 | Committees: component test of every state                                                                                 | CirclesPage.tsx   | Claude     | P1  | 22    | Open   |
| 1258 | Committees: end to end test of its main path                                                                              | CirclesPage.tsx   | Claude     | P1  | 22    | Open   |
| 1259 | Committees: visual regression snapshot at three widths                                                                    | CirclesPage.tsx   | Claude     | P2  | 57    | Open   |
| 1260 | Committees: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels        | CirclesPage.tsx   | Claude     | P1  |       | Done   |
| 1261 | Committee, turns tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1262 | Committee, turns tab: loading skeleton in the final layout, never a full screen spinner                                   | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1263 | Committee, turns tab: error state with the reason in plain words and a retry                                              | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1264 | Committee, turns tab: offline state showing the last data held and when it was fetched, with actions disabled             | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1265 | Committee, turns tab: deep link restores the screen with its state                                                        | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1266 | Committee, turns tab: not found and no access states, each with a route back                                              | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1267 | Committee, turns tab: checked in dark mode, with no hard coded white or black                                             | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1268 | Committee, turns tab: Urdu text for every string, by a translator                                                         | CommitteePage.tsx | Translator | P1  | H4    | Open   |
| 1269 | Committee, turns tab: right to left layout checked with the Urdu text                                                     | CommitteePage.tsx | Claude     | P1  | 22    | Open   |

| #    | Item                                                                                                                            | Where             | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|-----|-------|--------|
| 1270 | Committee, turns tab: usable at the largest system text size, with nothing cut off                                              | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1271 | Committee, turns tab: usable at 320 pixels wide                                                                                 | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1272 | Committee, turns tab: every control named for screen readers, in a logical focus order                                          | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1273 | Committee, turns tab: contrast of every text and control checked                                                                | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1274 | Committee, turns tab: screen view and main action recorded, with no personal data in the events                                 | CommitteePage.tsx | Claude     | P2  |       | Done   |
| 1275 | Committee, turns tab: component test of every state                                                                             | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1276 | Committee, turns tab: end to end test of its main path                                                                          | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1277 | Committee, turns tab: visual regression snapshot at three widths                                                                | CommitteePage.tsx | Claude     | P2  | 57    | Open   |
| 1278 | Committee, turns tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels    | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1279 | Committee, payments tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1280 | Committee, payments tab: loading skeleton in the final layout, never a full screen spinner                                      | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1281 | Committee, payments tab: error state with the reason in plain words and a retry                                                 | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1282 | Committee, payments tab: offline state showing the last data held and when it was fetched, with actions disabled                | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1283 | Committee, payments tab: deep link restores the screen with its state                                                           | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1284 | Committee, payments tab: not found and no access states, each with a route back                                                 | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1285 | Committee, payments tab: checked in dark mode, with no hard coded white or black                                                | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1286 | Committee, payments tab: Urdu text for every string, by a translator                                                            | CommitteePage.tsx | Translator | P1  | H4    | Open   |
| 1287 | Committee, payments tab: right to left layout checked with the Urdu text                                                        | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1288 | Committee, payments tab: usable at the largest system text size, with nothing cut off                                           | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1289 | Committee, payments tab: usable at 320 pixels wide                                                                              | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1290 | Committee, payments tab: every control named for screen readers, in a logical focus order                                       | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1291 | Committee, payments tab: contrast of every text and control checked                                                             | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1292 | Committee, payments tab: screen view and main action recorded, with no personal data in the events                              | CommitteePage.tsx | Claude     | P2  |       | Done   |
| 1293 | Committee, payments tab: component test of every state                                                                          | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1294 | Committee, payments tab: end to end test of its main path                                                                       | CommitteePage.tsx | Claude     | P1  | 22    | Open   |
| 1295 | Committee, payments tab: visual regression snapshot at three widths                                                             | CommitteePage.tsx | Claude     | P2  | 57    | Open   |
| 1296 | Committee, payments tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | CommitteePage.tsx | Claude     | P1  |       | Done   |
| 1297 | Committee, members tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | CommitteePage.tsx | Claude     | P1  | 22    | Open   |

| #    | Item                                                                                                                           | Where                | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------------------|------------|-----|-------|--------|
| 1298 | Committee, members tab: loading skeleton in the final layout, never a full screen spinner                                      | CommitteePage.tsx    | Claude     | P1  | 22    | Open   |
| 1299 | Committee, members tab: error state with the reason in plain words and a retry                                                 | CommitteePage.tsx    | Claude     | P1  | 22    | Open   |
| 1300 | Committee, members tab: offline state showing the last data held and when it was fetched, with actions disabled                | CommitteePage.tsx    | Claude     | P1  | 22    | Open   |
| 1301 | Committee, members tab: deep link restores the screen with its state                                                           | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1302 | Committee, members tab: not found and no access states, each with a route back                                                 | CommitteePage.tsx    | Claude     | P1  | 22    | Open   |
| 1303 | Committee, members tab: checked in dark mode, with no hard coded white or black                                                | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1304 | Committee, members tab: Urdu text for every string, by a translator                                                            | CommitteePage.tsx    | Translator | P1  | H4    | Open   |
| 1305 | Committee, members tab: right to left layout checked with the Urdu text                                                        | CommitteePage.tsx    | Claude     | P1  | 22    | Open   |
| 1306 | Committee, members tab: usable at the largest system text size, with nothing cut off                                           | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1307 | Committee, members tab: usable at 320 pixels wide                                                                              | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1308 | Committee, members tab: every control named for screen readers, in a logical focus order                                       | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1309 | Committee, members tab: contrast of every text and control checked                                                             | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1310 | Committee, members tab: screen view and main action recorded, with no personal data in the events                              | CommitteePage.tsx    | Claude     | P2  |       | Done   |
| 1311 | Committee, members tab: component test of every state                                                                          | CommitteePage.tsx    | Claude     | P1  | 22    | Open   |
| 1312 | Committee, members tab: end to end test of its main path                                                                       | CommitteePage.tsx    | Claude     | P1  | 22    | Open   |
| 1313 | Committee, members tab: visual regression snapshot at three widths                                                             | CommitteePage.tsx    | Claude     | P2  | 57    | Open   |
| 1314 | Committee, members tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1315 | Committee, safety tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | ProtectionCenter.tsx | Claude     | P1  | 22    | Open   |
| 1316 | Committee, safety tab: loading skeleton in the final layout, never a full screen spinner                                       | ProtectionCenter.tsx | Claude     | P1  | 22    | Open   |
| 1317 | Committee, safety tab: error state with the reason in plain words and a retry                                                  | ProtectionCenter.tsx | Claude     | P1  | 22    | Open   |
| 1318 | Committee, safety tab: offline state showing the last data held and when it was fetched, with actions disabled                 | ProtectionCenter.tsx | Claude     | P1  | 22    | Open   |
| 1319 | Committee, safety tab: deep link restores the screen with its state                                                            | ProtectionCenter.tsx | Claude     | P1  |       | Done   |
| 1320 | Committee, safety tab: not found and no access states, each with a route back                                                  | ProtectionCenter.tsx | Claude     | P1  | 23    | Open   |
| 1321 | Committee, safety tab: checked in dark mode, with no hard coded white or black                                                 | ProtectionCenter.tsx | Claude     | P1  |       | Done   |
| 1322 | Committee, safety tab: Urdu text for every string, by a translator                                                             | ProtectionCenter.tsx | Translator | P1  | H4    | Open   |
| 1323 | Committee, safety tab: right to left layout checked with the Urdu text                                                         | ProtectionCenter.tsx | Claude     | P1  | 23    | Open   |
| 1324 | Committee, safety tab: usable at the largest system text size, with nothing cut off                                            | ProtectionCenter.tsx | Claude     | P1  |       | Done   |
| 1325 | Committee, safety tab: usable at 320 pixels wide                                                                               | ProtectionCenter.tsx | Claude     | P1  |       | Done   |
| 1326 | Committee, safety tab: every control named for screen readers, in a logical focus order                                        | ProtectionCenter.tsx | Claude     | P1  |       | Done   |

| #    | Item                                                                                                                            | Where                | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|----------------------|------------|-----|-------|--------|
| 1327 | Committee, safety tab: contrast of every text and control checked                                                               | ProtectionCenter.tsx | Claude     | P1  |       | Done   |
| 1328 | Committee, safety tab: screen view and main action recorded, with no personal data in the events                                | ProtectionCenter.tsx | Claude     | P2  |       | Done   |
| 1329 | Committee, safety tab: component test of every state                                                                            | ProtectionCenter.tsx | Claude     | P1  | 23    | Open   |
| 1330 | Committee, safety tab: end to end test of its main path                                                                         | ProtectionCenter.tsx | Claude     | P1  | 23    | Open   |
| 1331 | Committee, safety tab: visual regression snapshot at three widths                                                               | ProtectionCenter.tsx | Claude     | P2  | 57    | Open   |
| 1332 | Committee, safety tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels   | ProtectionCenter.tsx | Claude     | P1  |       | Done   |
| 1333 | Committee, messages tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1334 | Committee, messages tab: loading skeleton in the final layout, never a full screen spinner                                      | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1335 | Committee, messages tab: error state with the reason in plain words and a retry                                                 | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1336 | Committee, messages tab: offline state showing the last data held and when it was fetched, with actions disabled                | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1337 | Committee, messages tab: deep link restores the screen with its state                                                           | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1338 | Committee, messages tab: pull to refresh                                                                                        | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1339 | Committee, messages tab: empty state: no messages yet, with a first message prompt                                              | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1340 | Committee, messages tab: pages loaded as the member scrolls, with an end of list marker                                         | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1341 | Committee, messages tab: checked in dark mode, with no hard coded white or black                                                | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1342 | Committee, messages tab: Urdu text for every string, by a translator                                                            | CommitteePage.tsx    | Translator | P1  | H4    | Open   |
| 1343 | Committee, messages tab: right to left layout checked with the Urdu text                                                        | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1344 | Committee, messages tab: usable at the largest system text size, with nothing cut off                                           | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1345 | Committee, messages tab: usable at 320 pixels wide                                                                              | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1346 | Committee, messages tab: every control named for screen readers, in a logical focus order                                       | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1347 | Committee, messages tab: contrast of every text and control checked                                                             | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1348 | Committee, messages tab: screen view and main action recorded, with no personal data in the events                              | CommitteePage.tsx    | Claude     | P2  |       | Done   |
| 1349 | Committee, messages tab: component test of every state                                                                          | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1350 | Committee, messages tab: end to end test of its main path                                                                       | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1351 | Committee, messages tab: visual regression snapshot at three widths                                                             | CommitteePage.tsx    | Claude     | P2  | 57    | Open   |
| 1352 | Committee, messages tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1353 | Committee, rules tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card       | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1354 | Committee, rules tab: deep link opens it directly                                                                               | CommitteePage.tsx    | Claude     | P1  |       | Done   |

| #    | Item                                                                                                                         | Where                | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------------------|------------|-----|-------|--------|
| 1355 | Committee, rules tab: checked in dark mode, with no hard coded white or black                                                | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1356 | Committee, rules tab: Urdu text for every string, by a translator                                                            | CommitteePage.tsx    | Translator | P1  | H4    | Open   |
| 1357 | Committee, rules tab: right to left layout checked with the Urdu text                                                        | CommitteePage.tsx    | Claude     | P1  | 23    | Open   |
| 1358 | Committee, rules tab: usable at the largest system text size, with nothing cut off                                           | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1359 | Committee, rules tab: usable at 320 pixels wide                                                                              | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1360 | Committee, rules tab: every control named for screen readers, in a logical focus order                                       | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1361 | Committee, rules tab: contrast of every text and control checked                                                             | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1362 | Committee, rules tab: screen view and main action recorded, with no personal data in the events                              | CommitteePage.tsx    | Claude     | P2  |       | Done   |
| 1363 | Committee, rules tab: visual regression snapshot at three widths                                                             | CommitteePage.tsx    | Claude     | P2  | 57    | Open   |
| 1364 | Committee, rules tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | CommitteePage.tsx    | Claude     | P1  |       | Done   |
| 1365 | Create a circle: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1366 | Create a circle: each field checked as it is typed, with one specific message under the field (fields in section AD)         | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1367 | Create a circle: submitting state: the button busy and a second tap ignored                                                  | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1368 | Create a circle: a refusal from the server shown with the reason and what to change                                          | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1369 | Create a circle: offline: submission held back with a message, and entered data kept                                         | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1370 | Create a circle: the keyboard never hides the focused field or the main button                                               | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1371 | Create a circle: leaving with unsaved changes asks for confirmation                                                          | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1372 | Create a circle: success state stating what happened and what comes next                                                     | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1373 | Create a circle: checked in dark mode, with no hard coded white or black                                                     | CreateCirclePage.tsx | Claude     | P1  |       | Done   |
| 1374 | Create a circle: Urdu text for every string, by a translator                                                                 | CreateCirclePage.tsx | Translator | P1  | H4    | Open   |
| 1375 | Create a circle: right to left layout checked with the Urdu text                                                             | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1376 | Create a circle: usable at the largest system text size, with nothing cut off                                                | CreateCirclePage.tsx | Claude     | P1  |       | Done   |
| 1377 | Create a circle: usable at 320 pixels wide                                                                                   | CreateCirclePage.tsx | Claude     | P1  |       | Done   |
| 1378 | Create a circle: every control named for screen readers, in a logical focus order                                            | CreateCirclePage.tsx | Claude     | P1  |       | Done   |
| 1379 | Create a circle: contrast of every text and control checked                                                                  | CreateCirclePage.tsx | Claude     | P1  |       | Done   |
| 1380 | Create a circle: screen view and main action recorded, with no personal data in the events                                   | CreateCirclePage.tsx | Claude     | P2  |       | Done   |
| 1381 | Create a circle: component test of every state                                                                               | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1382 | Create a circle: end to end test of its main path                                                                            | CreateCirclePage.tsx | Claude     | P1  | 23    | Open   |
| 1383 | Create a circle: visual regression snapshot at three widths                                                                  | CreateCirclePage.tsx | Claude     | P2  | 57    | Open   |
| 1384 | Create a circle: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels      | CreateCirclePage.tsx | Claude     | P1  |       | Done   |

| #    | Item                                                                                                          | Where            | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------|------------------|------------|-----|-------|--------|
| 1385 | Pay: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card      | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1386 | Pay: each field checked as it is typed, with one specific message under the field (fields in section AD)      | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1387 | Pay: submitting state: the button busy and a second tap ignored                                               | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1388 | Pay: a refusal from the server shown with the reason and what to change                                       | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1389 | Pay: offline: submission held back with a message, and entered data kept                                      | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1390 | Pay: the keyboard never hides the focused field or the main button                                            | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1391 | Pay: leaving with unsaved changes asks for confirmation                                                       | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1392 | Pay: success state stating what happened and what comes next                                                  | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1393 | Pay: transaction PIN required before the action                                                               | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1394 | Pay: refused during the two hour cooling off after a device change, with the time remaining                   | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1395 | Pay: one request per confirmation, carried by an idempotency key                                              | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1396 | Pay: receipt after completion, saved to Activity                                                              | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1397 | Pay: checked in dark mode, with no hard coded white or black                                                  | PayPage.tsx      | Claude     | P0  |       | Done   |
| 1398 | Pay: Urdu text for every string, by a translator                                                              | PayPage.tsx      | Translator | P0  | H4    | Open   |
| 1399 | Pay: right to left layout checked with the Urdu text                                                          | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1400 | Pay: usable at the largest system text size, with nothing cut off                                             | PayPage.tsx      | Claude     | P0  |       | Done   |
| 1401 | Pay: usable at 320 pixels wide                                                                                | PayPage.tsx      | Claude     | P0  |       | Done   |
| 1402 | Pay: every control named for screen readers, in a logical focus order                                         | PayPage.tsx      | Claude     | P0  |       | Done   |
| 1403 | Pay: contrast of every text and control checked                                                               | PayPage.tsx      | Claude     | P0  |       | Done   |
| 1404 | Pay: screen view and main action recorded, with no personal data in the events                                | PayPage.tsx      | Claude     | P2  |       | Done   |
| 1405 | Pay: component test of every state                                                                            | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1406 | Pay: end to end test of its main path                                                                         | PayPage.tsx      | Claude     | P0  | 3     | Open   |
| 1407 | Pay: visual regression snapshot at three widths                                                               | PayPage.tsx      | Claude     | P2  | 57    | Open   |
| 1408 | Pay: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels   | PayPage.tsx      | Claude     | P0  |       | Done   |
| 1409 | Schedule: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | SchedulePage.tsx | Claude     | P1  | 23    | Open   |
| 1410 | Schedule: loading skeleton in the final layout, never a full screen spinner                                   | SchedulePage.tsx | Claude     | P1  | 23    | Open   |
| 1411 | Schedule: error state with the reason in plain words and a retry                                              | SchedulePage.tsx | Claude     | P1  | 23    | Open   |
| 1412 | Schedule: offline state showing the last data held and when it was fetched, with actions disabled             | SchedulePage.tsx | Claude     | P1  | 23    | Open   |
| 1413 | Schedule: deep link restores the screen with its state                                                        | SchedulePage.tsx | Claude     | P1  |       | Done   |
| 1414 | Schedule: pull to refresh                                                                                     | SchedulePage.tsx | Claude     | P1  | 23    | Open   |
| 1415 | Schedule: empty state: nothing due, with the next due date                                                    | SchedulePage.tsx | Claude     | P1  | 23    | Open   |

| #    | Item                                                                                                             | Where            | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------|------------------|------------|-----|-------|--------|
| 1416 | Schedule: pages loaded as the member scrolls, with an end of list marker                                         | SchedulePage.tsx | Claude     | P1  | 23    | Open   |
| 1417 | Schedule: checked in dark mode, with no hard coded white or black                                                | SchedulePage.tsx | Claude     | P1  |       | Done   |
| 1418 | Schedule: Urdu text for every string, by a translator                                                            | SchedulePage.tsx | Translator | P1  | H4    | Open   |
| 1419 | Schedule: right to left layout checked with the Urdu text                                                        | SchedulePage.tsx | Claude     | P1  | 23    | Open   |
| 1420 | Schedule: usable at the largest system text size, with nothing cut off                                           | SchedulePage.tsx | Claude     | P1  |       | Done   |
| 1421 | Schedule: usable at 320 pixels wide                                                                              | SchedulePage.tsx | Claude     | P1  |       | Done   |
| 1422 | Schedule: every control named for screen readers, in a logical focus order                                       | SchedulePage.tsx | Claude     | P1  |       | Done   |
| 1423 | Schedule: contrast of every text and control checked                                                             | SchedulePage.tsx | Claude     | P1  |       | Done   |
| 1424 | Schedule: screen view and main action recorded, with no personal data in the events                              | SchedulePage.tsx | Claude     | P2  |       | Done   |
| 1425 | Schedule: component test of every state                                                                          | SchedulePage.tsx | Claude     | P1  | 23    | Open   |
| 1426 | Schedule: end to end test of its main path                                                                       | SchedulePage.tsx | Claude     | P1  | 23    | Open   |
| 1427 | Schedule: visual regression snapshot at three widths                                                             | SchedulePage.tsx | Claude     | P2  | 57    | Open   |
| 1428 | Schedule: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | SchedulePage.tsx | Claude     | P1  |       | Done   |
| 1429 | Activity: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | ActivityPage.tsx | Claude     | P1  | 23    | Open   |
| 1430 | Activity: loading skeleton in the final layout, never a full screen spinner                                      | ActivityPage.tsx | Claude     | P1  | 23    | Open   |
| 1431 | Activity: error state with the reason in plain words and a retry                                                 | ActivityPage.tsx | Claude     | P1  | 23    | Open   |
| 1432 | Activity: offline state showing the last data held and when it was fetched, with actions disabled                | ActivityPage.tsx | Claude     | P1  | 23    | Open   |
| 1433 | Activity: deep link restores the screen with its state                                                           | ActivityPage.tsx | Claude     | P1  |       | Done   |
| 1434 | Activity: pull to refresh                                                                                        | ActivityPage.tsx | Claude     | P1  | 23    | Open   |
| 1435 | Activity: empty state: no activity yet                                                                           | ActivityPage.tsx | Claude     | P1  | 23    | Open   |
| 1436 | Activity: pages loaded as the member scrolls, with an end of list marker                                         | ActivityPage.tsx | Claude     | P1  | 23    | Open   |
| 1437 | Activity: search within the list                                                                                 | ActivityPage.tsx | Claude     | P1  | 23    | Open   |
| 1438 | Activity: filters: paid, received, due and date                                                                  | ActivityPage.tsx | Claude     | P1  | 23    | Open   |
| 1439 | Activity: checked in dark mode, with no hard coded white or black                                                | ActivityPage.tsx | Claude     | P1  |       | Done   |
| 1440 | Activity: Urdu text for every string, by a translator                                                            | ActivityPage.tsx | Translator | P1  | H4    | Open   |
| 1441 | Activity: right to left layout checked with the Urdu text                                                        | ActivityPage.tsx | Claude     | P1  | 23    | Open   |
| 1442 | Activity: usable at the largest system text size, with nothing cut off                                           | ActivityPage.tsx | Claude     | P1  |       | Done   |
| 1443 | Activity: usable at 320 pixels wide                                                                              | ActivityPage.tsx | Claude     | P1  |       | Done   |
| 1444 | Activity: every control named for screen readers, in a logical focus order                                       | ActivityPage.tsx | Claude     | P1  |       | Done   |
| 1445 | Activity: contrast of every text and control checked                                                             | ActivityPage.tsx | Claude     | P1  |       | Done   |
| 1446 | Activity: screen view and main action recorded, with no personal data in the events                              | ActivityPage.tsx | Claude     | P2  |       | Done   |

| #    | Item                                                                                                               | Where             | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------|-------------------|------------|-----|-------|--------|
| 1447 | Activity: component test of every state                                                                            | ActivityPage.tsx  | Claude     | P1  | 23    | Open   |
| 1448 | Activity: end to end test of its main path                                                                         | ActivityPage.tsx  | Claude     | P1  | 23    | Open   |
| 1449 | Activity: visual regression snapshot at three widths                                                               | ActivityPage.tsx  | Claude     | P2  | 57    | Open   |
| 1450 | Activity: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels   | ActivityPage.tsx  | Claude     | P1  |       | Done   |
| 1451 | Statement: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1452 | Statement: loading skeleton in the final layout, never a full screen spinner                                       | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1453 | Statement: error state with the reason in plain words and a retry                                                  | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1454 | Statement: offline state showing the last data held and when it was fetched, with actions disabled                 | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1455 | Statement: deep link restores the screen with its state                                                            | StatementPage.tsx | Claude     | P1  |       | Done   |
| 1456 | Statement: pull to refresh                                                                                         | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1457 | Statement: empty state: no payments in the chosen dates                                                            | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1458 | Statement: pages loaded as the member scrolls, with an end of list marker                                          | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1459 | Statement: filters: date range                                                                                     | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1460 | Statement: checked in dark mode, with no hard coded white or black                                                 | StatementPage.tsx | Claude     | P1  |       | Done   |
| 1461 | Statement: Urdu text for every string, by a translator                                                             | StatementPage.tsx | Translator | P1  | H4    | Open   |
| 1462 | Statement: right to left layout checked with the Urdu text                                                         | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1463 | Statement: usable at the largest system text size, with nothing cut off                                            | StatementPage.tsx | Claude     | P1  |       | Done   |
| 1464 | Statement: usable at 320 pixels wide                                                                               | StatementPage.tsx | Claude     | P1  |       | Done   |
| 1465 | Statement: every control named for screen readers, in a logical focus order                                        | StatementPage.tsx | Claude     | P1  |       | Done   |
| 1466 | Statement: contrast of every text and control checked                                                              | StatementPage.tsx | Claude     | P1  |       | Done   |
| 1467 | Statement: screen view and main action recorded, with no personal data in the events                               | StatementPage.tsx | Claude     | P2  |       | Done   |
| 1468 | Statement: component test of every state                                                                           | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1469 | Statement: end to end test of its main path                                                                        | StatementPage.tsx | Claude     | P1  | 23    | Open   |
| 1470 | Statement: visual regression snapshot at three widths                                                              | StatementPage.tsx | Claude     | P2  | 57    | Open   |
| 1471 | Statement: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | StatementPage.tsx | Claude     | P1  |       | Done   |
| 1472 | Credit report: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | CreditPage.tsx    | Claude     | P1  | 23    | Open   |
| 1473 | Credit report: loading skeleton in the final layout, never a full screen spinner                                   | CreditPage.tsx    | Claude     | P1  | 23    | Open   |
| 1474 | Credit report: error state with the reason in plain words and a retry                                              | CreditPage.tsx    | Claude     | P1  | 23    | Open   |
| 1475 | Credit report: offline state showing the last data held and when it was fetched, with actions disabled             | CreditPage.tsx    | Claude     | P1  | 23    | Open   |
| 1476 | Credit report: deep link restores the screen with its state                                                        | CreditPage.tsx    | Claude     | P1  |       | Done   |
| 1477 | Credit report: not found and no access states, each with a route back                                              | CreditPage.tsx    | Claude     | P1  | 23    | Open   |



| #    | Item                                                                                                                  | Where            | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|------------------|------------|-----|-------|--------|
| 1478 | Credit report: checked in dark mode, with no hard coded white or black                                                | CreditPage.tsx   | Claude     | P1  |       | Done   |
| 1479 | Credit report: Urdu text for every string, by a translator                                                            | CreditPage.tsx   | Translator | P1  | H4    | Open   |
| 1480 | Credit report: right to left layout checked with the Urdu text                                                        | CreditPage.tsx   | Claude     | P1  | 23    | Open   |
| 1481 | Credit report: usable at the largest system text size, with nothing cut off                                           | CreditPage.tsx   | Claude     | P1  |       | Done   |
| 1482 | Credit report: usable at 320 pixels wide                                                                              | CreditPage.tsx   | Claude     | P1  |       | Done   |
| 1483 | Credit report: every control named for screen readers, in a logical focus order                                       | CreditPage.tsx   | Claude     | P1  |       | Done   |
| 1484 | Credit report: contrast of every text and control checked                                                             | CreditPage.tsx   | Claude     | P1  |       | Done   |
| 1485 | Credit report: screen view and main action recorded, with no personal data in the events                              | CreditPage.tsx   | Claude     | P2  |       | Done   |
| 1486 | Credit report: component test of every state                                                                          | CreditPage.tsx   | Claude     | P1  | 23    | Open   |
| 1487 | Credit report: end to end test of its main path                                                                       | CreditPage.tsx   | Claude     | P1  | 23    | Open   |
| 1488 | Credit report: visual regression snapshot at three widths                                                             | CreditPage.tsx   | Claude     | P2  | 57    | Open   |
| 1489 | Credit report: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | CreditPage.tsx   | Claude     | P1  |       | Done   |
| 1490 | Account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | ProfilePage.tsx  | Claude     | P1  | 23    | Open   |
| 1491 | Account: deep link opens it directly                                                                                  | ProfilePage.tsx  | Claude     | P1  |       | Done   |
| 1492 | Account: checked in dark mode, with no hard coded white or black                                                      | ProfilePage.tsx  | Claude     | P1  |       | Done   |
| 1493 | Account: Urdu text for every string, by a translator                                                                  | ProfilePage.tsx  | Translator | P1  | H4    | Open   |
| 1494 | Account: right to left layout checked with the Urdu text                                                              | ProfilePage.tsx  | Claude     | P1  | 23    | Open   |
| 1495 | Account: usable at the largest system text size, with nothing cut off                                                 | ProfilePage.tsx  | Claude     | P1  |       | Done   |
| 1496 | Account: usable at 320 pixels wide                                                                                    | ProfilePage.tsx  | Claude     | P1  |       | Done   |
| 1497 | Account: every control named for screen readers, in a logical focus order                                             | ProfilePage.tsx  | Claude     | P1  |       | Done   |
| 1498 | Account: contrast of every text and control checked                                                                   | ProfilePage.tsx  | Claude     | P1  |       | Done   |
| 1499 | Account: screen view and main action recorded, with no personal data in the events                                    | ProfilePage.tsx  | Claude     | P2  |       | Done   |
| 1500 | Account: visual regression snapshot at three widths                                                                   | ProfilePage.tsx  | Claude     | P2  | 57    | Open   |
| 1501 | Account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels       | ProfilePage.tsx  | Claude     | P1  |       | Done   |
| 1502 | Settings: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | SettingsPage.tsx | Claude     | P1  | 23    | Open   |
| 1503 | Settings: deep link opens it directly                                                                                 | SettingsPage.tsx | Claude     | P1  |       | Done   |
| 1504 | Settings: checked in dark mode, with no hard coded white or black                                                     | SettingsPage.tsx | Claude     | P1  |       | Done   |
| 1505 | Settings: Urdu text for every string, by a translator                                                                 | SettingsPage.tsx | Translator | P1  | H4    | Open   |
| 1506 | Settings: right to left layout checked with the Urdu text                                                             | SettingsPage.tsx | Claude     | P1  | 23    | Open   |
| 1507 | Settings: usable at the largest system text size, with nothing cut off                                                | SettingsPage.tsx | Claude     | P1  |       | Done   |
| 1508 | Settings: usable at 320 pixels wide                                                                                   | SettingsPage.tsx | Claude     | P1  |       | Done   |

| #    | Item                                                                                                               | Where              | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------|--------------------|------------|-----|-------|--------|
| 1509 | Settings: every control named for screen readers, in a logical focus order                                         | SettingsPage.tsx   | Claude     | P1  |       | Done   |
| 1510 | Settings: contrast of every text and control checked                                                               | SettingsPage.tsx   | Claude     | P1  |       | Done   |
| 1511 | Settings: screen view and main action recorded, with no personal data in the events                                | SettingsPage.tsx   | Claude     | P2  |       | Done   |
| 1512 | Settings: visual regression snapshot at three widths                                                               | SettingsPage.tsx   | Claude     | P2  | 57    | Open   |
| 1513 | Settings: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels   | SettingsPage.tsx   | Claude     | P1  |       | Done   |
| 1514 | Appearance: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1515 | Appearance: each field checked as it is typed, with one specific message under the field (fields in section AD)    | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1516 | Appearance: submitting state: the button busy and a second tap ignored                                             | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1517 | Appearance: a refusal from the server shown with the reason and what to change                                     | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1518 | Appearance: offline: submission held back with a message, and entered data kept                                    | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1519 | Appearance: the keyboard never hides the focused field or the main button                                          | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1520 | Appearance: leaving with unsaved changes asks for confirmation                                                     | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1521 | Appearance: success state stating what happened and what comes next                                                | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1522 | Appearance: checked in dark mode, with no hard coded white or black                                                | AppearancePage.tsx | Claude     | P2  |       | Done   |
| 1523 | Appearance: Urdu text for every string, by a translator                                                            | AppearancePage.tsx | Translator | P2  | H4    | Open   |
| 1524 | Appearance: right to left layout checked with the Urdu text                                                        | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1525 | Appearance: usable at the largest system text size, with nothing cut off                                           | AppearancePage.tsx | Claude     | P2  |       | Done   |
| 1526 | Appearance: usable at 320 pixels wide                                                                              | AppearancePage.tsx | Claude     | P2  |       | Done   |
| 1527 | Appearance: every control named for screen readers, in a logical focus order                                       | AppearancePage.tsx | Claude     | P2  |       | Done   |
| 1528 | Appearance: contrast of every text and control checked                                                             | AppearancePage.tsx | Claude     | P2  |       | Done   |
| 1529 | Appearance: screen view and main action recorded, with no personal data in the events                              | AppearancePage.tsx | Claude     | P2  |       | Done   |
| 1530 | Appearance: component test of every state                                                                          | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1531 | Appearance: end to end test of its main path                                                                       | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1532 | Appearance: visual regression snapshot at three widths                                                             | AppearancePage.tsx | Claude     | P2  | 57    | Open   |
| 1533 | Appearance: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | AppearancePage.tsx | Claude     | P2  |       | Done   |
| 1534 | Devices: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card       | DevicesPage.tsx    | Claude     | P0  | 3     | Open   |
| 1535 | Devices: loading skeleton in the final layout, never a full screen spinner                                         | DevicesPage.tsx    | Claude     | P0  | 3     | Open   |
| 1536 | Devices: error state with the reason in plain words and a retry                                                    | DevicesPage.tsx    | Claude     | P0  | 3     | Open   |
| 1537 | Devices: offline state showing the last data held and when it was fetched, with actions disabled                   | DevicesPage.tsx    | Claude     | P0  | 3     | Open   |
| 1538 | Devices: deep link restores the screen with its state                                                              | DevicesPage.tsx    | Claude     | P0  |       | Done   |
| 1539 | Devices: pull to refresh                                                                                           | DevicesPage.tsx    | Claude     | P0  | 3     | Open   |

| #    | Item                                                                                                            | Where           | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 1540 | Devices: empty state: only this device                                                                          | DevicesPage.tsx | Claude     | P0  | 3     | Open   |
| 1541 | Devices: pages loaded as the member scrolls, with an end of list marker                                         | DevicesPage.tsx | Claude     | P0  | 3     | Open   |
| 1542 | Devices: checked in dark mode, with no hard coded white or black                                                | DevicesPage.tsx | Claude     | P0  |       | Done   |
| 1543 | Devices: Urdu text for every string, by a translator                                                            | DevicesPage.tsx | Translator | P0  | H4    | Open   |
| 1544 | Devices: right to left layout checked with the Urdu text                                                        | DevicesPage.tsx | Claude     | P0  | 3     | Open   |
| 1545 | Devices: usable at the largest system text size, with nothing cut off                                           | DevicesPage.tsx | Claude     | P0  |       | Done   |
| 1546 | Devices: usable at 320 pixels wide                                                                              | DevicesPage.tsx | Claude     | P0  |       | Done   |
| 1547 | Devices: every control named for screen readers, in a logical focus order                                       | DevicesPage.tsx | Claude     | P0  |       | Done   |
| 1548 | Devices: contrast of every text and control checked                                                             | DevicesPage.tsx | Claude     | P0  |       | Done   |
| 1549 | Devices: screen view and main action recorded, with no personal data in the events                              | DevicesPage.tsx | Claude     | P2  |       | Done   |
| 1550 | Devices: component test of every state                                                                          | DevicesPage.tsx | Claude     | P0  | 3     | Open   |
| 1551 | Devices: end to end test of its main path                                                                       | DevicesPage.tsx | Claude     | P0  | 3     | Open   |
| 1552 | Devices: visual regression snapshot at three widths                                                             | DevicesPage.tsx | Claude     | P2  | 57    | Open   |
| 1553 | Devices: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | DevicesPage.tsx | Claude     | P0  |       | Done   |
| 1554 | Limits: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | LimitsPage.tsx  | Claude     | P2  | 57    | Open   |
| 1555 | Limits: loading skeleton in the final layout, never a full screen spinner                                       | LimitsPage.tsx  | Claude     | P2  | 57    | Open   |
| 1556 | Limits: error state with the reason in plain words and a retry                                                  | LimitsPage.tsx  | Claude     | P2  | 57    | Open   |
| 1557 | Limits: offline state showing the last data held and when it was fetched, with actions disabled                 | LimitsPage.tsx  | Claude     | P2  | 58    | Open   |
| 1558 | Limits: deep link restores the screen with its state                                                            | LimitsPage.tsx  | Claude     | P2  |       | Done   |
| 1559 | Limits: not found and no access states, each with a route back                                                  | LimitsPage.tsx  | Claude     | P2  | 58    | Open   |
| 1560 | Limits: checked in dark mode, with no hard coded white or black                                                 | LimitsPage.tsx  | Claude     | P2  |       | Done   |
| 1561 | Limits: Urdu text for every string, by a translator                                                             | LimitsPage.tsx  | Translator | P2  | H4    | Open   |
| 1562 | Limits: right to left layout checked with the Urdu text                                                         | LimitsPage.tsx  | Claude     | P2  | 58    | Open   |
| 1563 | Limits: usable at the largest system text size, with nothing cut off                                            | LimitsPage.tsx  | Claude     | P2  |       | Done   |
| 1564 | Limits: usable at 320 pixels wide                                                                               | LimitsPage.tsx  | Claude     | P2  |       | Done   |
| 1565 | Limits: every control named for screen readers, in a logical focus order                                        | LimitsPage.tsx  | Claude     | P2  |       | Done   |
| 1566 | Limits: contrast of every text and control checked                                                              | LimitsPage.tsx  | Claude     | P2  |       | Done   |
| 1567 | Limits: screen view and main action recorded, with no personal data in the events                               | LimitsPage.tsx  | Claude     | P2  |       | Done   |
| 1568 | Limits: component test of every state                                                                           | LimitsPage.tsx  | Claude     | P2  | 58    | Open   |
| 1569 | Limits: end to end test of its main path                                                                        | LimitsPage.tsx  | Claude     | P2  | 58    | Open   |
| 1570 | Limits: visual regression snapshot at three widths                                                              | LimitsPage.tsx  | Claude     | P2  | 58    | Open   |

| #    | Item                                                                                                                 | Where          | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|----------------|------------|-----|-------|--------|
| 1571 | Limits: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels       | LimitsPage.tsx | Claude     | P2  |       | Done   |
| 1572 | Fees: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card            | FeesPage.tsx   | Claude     | P0  | 3     | Open   |
| 1573 | Fees: deep link opens it directly                                                                                    | FeesPage.tsx   | Claude     | P0  |       | Done   |
| 1574 | Fees: checked in dark mode, with no hard coded white or black                                                        | FeesPage.tsx   | Claude     | P0  |       | Done   |
| 1575 | Fees: Urdu text for every string, by a translator                                                                    | FeesPage.tsx   | Translator | P0  | H4    | Open   |
| 1576 | Fees: right to left layout checked with the Urdu text                                                                | FeesPage.tsx   | Claude     | P0  | 3     | Open   |
| 1577 | Fees: usable at the largest system text size, with nothing cut off                                                   | FeesPage.tsx   | Claude     | P0  |       | Done   |
| 1578 | Fees: usable at 320 pixels wide                                                                                      | FeesPage.tsx   | Claude     | P0  |       | Done   |
| 1579 | Fees: every control named for screen readers, in a logical focus order                                               | FeesPage.tsx   | Claude     | P0  |       | Done   |
| 1580 | Fees: contrast of every text and control checked                                                                     | FeesPage.tsx   | Claude     | P0  |       | Done   |
| 1581 | Fees: screen view and main action recorded, with no personal data in the events                                      | FeesPage.tsx   | Claude     | P2  |       | Done   |
| 1582 | Fees: visual regression snapshot at three widths                                                                     | FeesPage.tsx   | Claude     | P2  | 58    | Open   |
| 1583 | Fees: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels         | FeesPage.tsx   | Claude     | P0  |       | Done   |
| 1584 | Payment methods: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | CardsPage.tsx  | Claude     | P1  | 23    | Open   |
| 1585 | Payment methods: loading skeleton in the final layout, never a full screen spinner                                   | CardsPage.tsx  | Claude     | P1  | 23    | Open   |
| 1586 | Payment methods: error state with the reason in plain words and a retry                                              | CardsPage.tsx  | Claude     | P1  | 23    | Open   |
| 1587 | Payment methods: offline state showing the last data held and when it was fetched, with actions disabled             | CardsPage.tsx  | Claude     | P1  | 23    | Open   |
| 1588 | Payment methods: deep link restores the screen with its state                                                        | CardsPage.tsx  | Claude     | P1  |       | Done   |
| 1589 | Payment methods: pull to refresh                                                                                     | CardsPage.tsx  | Claude     | P1  | 23    | Open   |
| 1590 | Payment methods: empty state: no payment method: Add a bank account or wallet                                        | CardsPage.tsx  | Claude     | P1  | 23    | Open   |
| 1591 | Payment methods: pages loaded as the member scrolls, with an end of list marker                                      | CardsPage.tsx  | Claude     | P1  | 23    | Open   |
| 1592 | Payment methods: checked in dark mode, with no hard coded white or black                                             | CardsPage.tsx  | Claude     | P1  |       | Done   |
| 1593 | Payment methods: Urdu text for every string, by a translator                                                         | CardsPage.tsx  | Translator | P1  | H4    | Open   |
| 1594 | Payment methods: right to left layout checked with the Urdu text                                                     | CardsPage.tsx  | Claude     | P1  | 23    | Open   |
| 1595 | Payment methods: usable at the largest system text size, with nothing cut off                                        | CardsPage.tsx  | Claude     | P1  |       | Done   |
| 1596 | Payment methods: usable at 320 pixels wide                                                                           | CardsPage.tsx  | Claude     | P1  |       | Done   |
| 1597 | Payment methods: every control named for screen readers, in a logical focus order                                    | CardsPage.tsx  | Claude     | P1  |       | Done   |
| 1598 | Payment methods: contrast of every text and control checked                                                          | CardsPage.tsx  | Claude     | P1  |       | Done   |
| 1599 | Payment methods: screen view and main action recorded, with no personal data in the events                           | CardsPage.tsx  | Claude     | P2  |       | Done   |
| 1600 | Payment methods: component test of every state                                                                       | CardsPage.tsx  | Claude     | P1  | 23    | Open   |
| 1601 | Payment methods: end to end test of its main path                                                                    | CardsPage.tsx  | Claude     | P1  | 23    | Open   |

| #    | Item                                                                                                                    | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 1602 | Payment methods: visual regression snapshot at three widths                                                             | CardsPage.tsx   | Claude     | P2  | 58    | Open   |
| 1603 | Payment methods: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | CardsPage.tsx   | Claude     | P1  |       | Done   |
| 1604 | Auto-pay: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card           | AutoPayPage.tsx | Claude     | P1  | 23    | Open   |
| 1605 | Auto-pay: loading skeleton in the final layout, never a full screen spinner                                             | AutoPayPage.tsx | Claude     | P1  | 23    | Open   |
| 1606 | Auto-pay: error state with the reason in plain words and a retry                                                        | AutoPayPage.tsx | Claude     | P1  | 23    | Open   |
| 1607 | Auto-pay: offline state showing the last data held and when it was fetched, with actions disabled                       | AutoPayPage.tsx | Claude     | P1  | 23    | Open   |
| 1608 | Auto-pay: deep link restores the screen with its state                                                                  | AutoPayPage.tsx | Claude     | P1  |       | Done   |
| 1609 | Auto-pay: not found and no access states, each with a route back                                                        | AutoPayPage.tsx | Claude     | P1  | 23    | Open   |
| 1610 | Auto-pay: checked in dark mode, with no hard coded white or black                                                       | AutoPayPage.tsx | Claude     | P1  |       | Done   |
| 1611 | Auto-pay: Urdu text for every string, by a translator                                                                   | AutoPayPage.tsx | Translator | P1  | H4    | Open   |
| 1612 | Auto-pay: right to left layout checked with the Urdu text                                                               | AutoPayPage.tsx | Claude     | P1  | 23    | Open   |
| 1613 | Auto-pay: usable at the largest system text size, with nothing cut off                                                  | AutoPayPage.tsx | Claude     | P1  |       | Done   |
| 1614 | Auto-pay: usable at 320 pixels wide                                                                                     | AutoPayPage.tsx | Claude     | P1  |       | Done   |
| 1615 | Auto-pay: every control named for screen readers, in a logical focus order                                              | AutoPayPage.tsx | Claude     | P1  |       | Done   |
| 1616 | Auto-pay: contrast of every text and control checked                                                                    | AutoPayPage.tsx | Claude     | P1  |       | Done   |
| 1617 | Auto-pay: screen view and main action recorded, with no personal data in the events                                     | AutoPayPage.tsx | Claude     | P2  |       | Done   |
| 1618 | Auto-pay: component test of every state                                                                                 | AutoPayPage.tsx | Claude     | P1  | 23    | Open   |
| 1619 | Auto-pay: end to end test of its main path                                                                              | AutoPayPage.tsx | Claude     | P1  | 23    | Open   |
| 1620 | Auto-pay: visual regression snapshot at three widths                                                                    | AutoPayPage.tsx | Claude     | P2  | 58    | Open   |
| 1621 | Auto-pay: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels        | AutoPayPage.tsx | Claude     | P1  |       | Done   |
| 1622 | Verification: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card       | VerifyPage.tsx  | Claude     | P1  | 23    | Open   |
| 1623 | Verification: loading skeleton in the final layout, never a full screen spinner                                         | VerifyPage.tsx  | Claude     | P1  | 23    | Open   |
| 1624 | Verification: error state with the reason in plain words and a retry                                                    | VerifyPage.tsx  | Claude     | P1  | 23    | Open   |
| 1625 | Verification: offline state showing the last data held and when it was fetched, with actions disabled                   | VerifyPage.tsx  | Claude     | P1  | 23    | Open   |
| 1626 | Verification: deep link restores the screen with its state                                                              | VerifyPage.tsx  | Claude     | P1  |       | Done   |
| 1627 | Verification: not found and no access states, each with a route back                                                    | VerifyPage.tsx  | Claude     | P1  | 23    | Open   |
| 1628 | Verification: checked in dark mode, with no hard coded white or black                                                   | VerifyPage.tsx  | Claude     | P1  |       | Done   |
| 1629 | Verification: Urdu text for every string, by a translator                                                               | VerifyPage.tsx  | Translator | P1  | H4    | Open   |
| 1630 | Verification: right to left layout checked with the Urdu text                                                           | VerifyPage.tsx  | Claude     | P1  | 23    | Open   |
| 1631 | Verification: usable at the largest system text size, with nothing cut off                                              | VerifyPage.tsx  | Claude     | P1  |       | Done   |

| #    | Item                                                                                                                 | Where           | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 1632 | Verification: usable at 320 pixels wide                                                                              | VerifyPage.tsx  | Claude     | P1  |       | Done   |
| 1633 | Verification: every control named for screen readers, in a logical focus order                                       | VerifyPage.tsx  | Claude     | P1  |       | Done   |
| 1634 | Verification: contrast of every text and control checked                                                             | VerifyPage.tsx  | Claude     | P1  |       | Done   |
| 1635 | Verification: screen view and main action recorded, with no personal data in the events                              | VerifyPage.tsx  | Claude     | P2  |       | Done   |
| 1636 | Verification: component test of every state                                                                          | VerifyPage.tsx  | Claude     | P1  | 23    | Open   |
| 1637 | Verification: end to end test of its main path                                                                       | VerifyPage.tsx  | Claude     | P1  | 24    | Open   |
| 1638 | Verification: visual regression snapshot at three widths                                                             | VerifyPage.tsx  | Claude     | P2  | 58    | Open   |
| 1639 | Verification: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | VerifyPage.tsx  | Claude     | P1  |       | Done   |
| 1640 | Rewards: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | RewardsPage.tsx | Claude     | P2  | 58    | Open   |
| 1641 | Rewards: loading skeleton in the final layout, never a full screen spinner                                           | RewardsPage.tsx | Claude     | P2  | 58    | Open   |
| 1642 | Rewards: error state with the reason in plain words and a retry                                                      | RewardsPage.tsx | Claude     | P2  | 58    | Open   |
| 1643 | Rewards: offline state showing the last data held and when it was fetched, with actions disabled                     | RewardsPage.tsx | Claude     | P2  | 58    | Open   |
| 1644 | Rewards: deep link restores the screen with its state                                                                | RewardsPage.tsx | Claude     | P2  |       | Done   |
| 1645 | Rewards: not found and no access states, each with a route back                                                      | RewardsPage.tsx | Claude     | P2  | 58    | Open   |
| 1646 | Rewards: checked in dark mode, with no hard coded white or black                                                     | RewardsPage.tsx | Claude     | P2  |       | Done   |
| 1647 | Rewards: Urdu text for every string, by a translator                                                                 | RewardsPage.tsx | Translator | P2  | H4    | Open   |
| 1648 | Rewards: right to left layout checked with the Urdu text                                                             | RewardsPage.tsx | Claude     | P2  | 58    | Open   |
| 1649 | Rewards: usable at the largest system text size, with nothing cut off                                                | RewardsPage.tsx | Claude     | P2  |       | Done   |
| 1650 | Rewards: usable at 320 pixels wide                                                                                   | RewardsPage.tsx | Claude     | P2  |       | Done   |
| 1651 | Rewards: every control named for screen readers, in a logical focus order                                            | RewardsPage.tsx | Claude     | P2  |       | Done   |
| 1652 | Rewards: contrast of every text and control checked                                                                  | RewardsPage.tsx | Claude     | P2  |       | Done   |
| 1653 | Rewards: screen view and main action recorded, with no personal data in the events                                   | RewardsPage.tsx | Claude     | P2  |       | Done   |
| 1654 | Rewards: component test of every state                                                                               | RewardsPage.tsx | Claude     | P2  | 58    | Open   |
| 1655 | Rewards: end to end test of its main path                                                                            | RewardsPage.tsx | Claude     | P2  | 58    | Open   |
| 1656 | Rewards: visual regression snapshot at three widths                                                                  | RewardsPage.tsx | Claude     | P2  | 58    | Open   |
| 1657 | Rewards: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels      | RewardsPage.tsx | Claude     | P2  |       | Done   |
| 1658 | Invite: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | ReferPage.tsx   | Claude     | P2  | 58    | Open   |
| 1659 | Invite: deep link opens it directly                                                                                  | ReferPage.tsx   | Claude     | P2  |       | Done   |
| 1660 | Invite: share text in English and Urdu, with no emoji                                                                | ReferPage.tsx   | Claude     | P2  | 58    | Open   |
| 1661 | Invite: checked in dark mode, with no hard coded white or black                                                      | ReferPage.tsx   | Claude     | P2  |       | Done   |
| 1662 | Invite: Urdu text for every string, by a translator                                                                  | ReferPage.tsx   | Translator | P2  | H4    | Open   |

| #    | Item                                                                                                                  | Where           | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 1663 | Invite: right to left layout checked with the Urdu text                                                               | ReferPage.tsx   | Claude     | P2  | 58    | Open   |
| 1664 | Invite: usable at the largest system text size, with nothing cut off                                                  | ReferPage.tsx   | Claude     | P2  |       | Done   |
| 1665 | Invite: usable at 320 pixels wide                                                                                     | ReferPage.tsx   | Claude     | P2  |       | Done   |
| 1666 | Invite: every control named for screen readers, in a logical focus order                                              | ReferPage.tsx   | Claude     | P2  |       | Done   |
| 1667 | Invite: contrast of every text and control checked                                                                    | ReferPage.tsx   | Claude     | P2  |       | Done   |
| 1668 | Invite: screen view and main action recorded, with no personal data in the events                                     | ReferPage.tsx   | Claude     | P2  |       | Done   |
| 1669 | Invite: visual regression snapshot at three widths                                                                    | ReferPage.tsx   | Claude     | P2  | 58    | Open   |
| 1670 | Invite: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels        | ReferPage.tsx   | Claude     | P2  |       | Done   |
| 1671 | Notifications: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | NoticesPage.tsx | Claude     | P1  | 24    | Open   |
| 1672 | Notifications: loading skeleton in the final layout, never a full screen spinner                                      | NoticesPage.tsx | Claude     | P1  | 24    | Open   |
| 1673 | Notifications: error state with the reason in plain words and a retry                                                 | NoticesPage.tsx | Claude     | P1  | 24    | Open   |
| 1674 | Notifications: offline state showing the last data held and when it was fetched, with actions disabled                | NoticesPage.tsx | Claude     | P1  | 24    | Open   |
| 1675 | Notifications: deep link restores the screen with its state                                                           | NoticesPage.tsx | Claude     | P1  |       | Done   |
| 1676 | Notifications: pull to refresh                                                                                        | NoticesPage.tsx | Claude     | P1  | 24    | Open   |
| 1677 | Notifications: empty state: no notifications                                                                          | NoticesPage.tsx | Claude     | P1  | 24    | Open   |
| 1678 | Notifications: pages loaded as the member scrolls, with an end of list marker                                         | NoticesPage.tsx | Claude     | P1  | 24    | Open   |
| 1679 | Notifications: checked in dark mode, with no hard coded white or black                                                | NoticesPage.tsx | Claude     | P1  |       | Done   |
| 1680 | Notifications: Urdu text for every string, by a translator                                                            | NoticesPage.tsx | Translator | P1  | H4    | Open   |
| 1681 | Notifications: right to left layout checked with the Urdu text                                                        | NoticesPage.tsx | Claude     | P1  | 24    | Open   |
| 1682 | Notifications: usable at the largest system text size, with nothing cut off                                           | NoticesPage.tsx | Claude     | P1  |       | Done   |
| 1683 | Notifications: usable at 320 pixels wide                                                                              | NoticesPage.tsx | Claude     | P1  |       | Done   |
| 1684 | Notifications: every control named for screen readers, in a logical focus order                                       | NoticesPage.tsx | Claude     | P1  |       | Done   |
| 1685 | Notifications: contrast of every text and control checked                                                             | NoticesPage.tsx | Claude     | P1  |       | Done   |
| 1686 | Notifications: screen view and main action recorded, with no personal data in the events                              | NoticesPage.tsx | Claude     | P2  |       | Done   |
| 1687 | Notifications: component test of every state                                                                          | NoticesPage.tsx | Claude     | P1  | 24    | Open   |
| 1688 | Notifications: end to end test of its main path                                                                       | NoticesPage.tsx | Claude     | P1  | 24    | Open   |
| 1689 | Notifications: visual regression snapshot at three widths                                                             | NoticesPage.tsx | Claude     | P2  | 58    | Open   |
| 1690 | Notifications: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | NoticesPage.tsx | Claude     | P1  |       | Done   |
| 1691 | Support: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | SupportPage.tsx | Claude     | P1  | 24    | Open   |
| 1692 | Support: loading skeleton in the final layout, never a full screen spinner                                            | SupportPage.tsx | Claude     | P1  | 24    | Open   |
| 1693 | Support: error state with the reason in plain words and a retry                                                       | SupportPage.tsx | Claude     | P1  | 24    | Open   |

| #    | Item                                                                                                            | Where           | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 1694 | Support: offline state showing the last data held and when it was fetched, with actions disabled                | SupportPage.tsx | Claude     | P1  | 24    | Open   |
| 1695 | Support: deep link restores the screen with its state                                                           | SupportPage.tsx | Claude     | P1  |       | Done   |
| 1696 | Support: pull to refresh                                                                                        | SupportPage.tsx | Claude     | P1  | 24    | Open   |
| 1697 | Support: empty state: no requests: Contact support                                                              | SupportPage.tsx | Claude     | P1  | 24    | Open   |
| 1698 | Support: pages loaded as the member scrolls, with an end of list marker                                         | SupportPage.tsx | Claude     | P1  | 24    | Open   |
| 1699 | Support: checked in dark mode, with no hard coded white or black                                                | SupportPage.tsx | Claude     | P1  |       | Done   |
| 1700 | Support: Urdu text for every string, by a translator                                                            | SupportPage.tsx | Translator | P1  | H4    | Open   |
| 1701 | Support: right to left layout checked with the Urdu text                                                        | SupportPage.tsx | Claude     | P1  | 24    | Open   |
| 1702 | Support: usable at the largest system text size, with nothing cut off                                           | SupportPage.tsx | Claude     | P1  |       | Done   |
| 1703 | Support: usable at 320 pixels wide                                                                              | SupportPage.tsx | Claude     | P1  |       | Done   |
| 1704 | Support: every control named for screen readers, in a logical focus order                                       | SupportPage.tsx | Claude     | P1  |       | Done   |
| 1705 | Support: contrast of every text and control checked                                                             | SupportPage.tsx | Claude     | P1  |       | Done   |
| 1706 | Support: screen view and main action recorded, with no personal data in the events                              | SupportPage.tsx | Claude     | P2  |       | Done   |
| 1707 | Support: component test of every state                                                                          | SupportPage.tsx | Claude     | P1  | 24    | Open   |
| 1708 | Support: end to end test of its main path                                                                       | SupportPage.tsx | Claude     | P1  | 24    | Open   |
| 1709 | Support: visual regression snapshot at three widths                                                             | SupportPage.tsx | Claude     | P2  | 58    | Open   |
| 1710 | Support: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | SupportPage.tsx | Claude     | P1  |       | Done   |
| 1711 | Search: loading skeleton in the final layout, never a full screen spinner                                       | SearchPage.tsx  | Claude     | P2  | 58    | Open   |
| 1712 | Search: error state with the reason in plain words and a retry                                                  | SearchPage.tsx  | Claude     | P2  | 58    | Open   |
| 1713 | Search: offline state showing the last data held and when it was fetched, with actions disabled                 | SearchPage.tsx  | Claude     | P2  | 58    | Open   |
| 1714 | Search: deep link restores the screen with its state                                                            | SearchPage.tsx  | Claude     | P2  |       | Done   |
| 1715 | Search: pull to refresh                                                                                         | SearchPage.tsx  | Claude     | P2  | 58    | Open   |
| 1716 | Search: empty state: no results: what was searched and a suggestion                                             | SearchPage.tsx  | Claude     | P2  | 58    | Open   |
| 1717 | Search: pages loaded as the member scrolls, with an end of list marker                                          | SearchPage.tsx  | Claude     | P2  | 58    | Open   |
| 1718 | Search: checked in dark mode, with no hard coded white or black                                                 | SearchPage.tsx  | Claude     | P2  |       | Done   |
| 1719 | Search: Urdu text for every string, by a translator                                                             | SearchPage.tsx  | Translator | P2  | H4    | Open   |
| 1720 | Search: right to left layout checked with the Urdu text                                                         | SearchPage.tsx  | Claude     | P2  | 58    | Open   |
| 1721 | Search: usable at the largest system text size, with nothing cut off                                            | SearchPage.tsx  | Claude     | P2  |       | Done   |
| 1722 | Search: usable at 320 pixels wide                                                                               | SearchPage.tsx  | Claude     | P2  |       | Done   |
| 1723 | Search: every control named for screen readers, in a logical focus order                                        | SearchPage.tsx  | Claude     | P2  |       | Done   |
| 1724 | Search: contrast of every text and control checked                                                              | SearchPage.tsx  | Claude     | P2  |       | Done   |



| #    | Item                                                                                                             | Where               | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------|---------------------|------------|-----|-------|--------|
| 1725 | Search: screen view and main action recorded, with no personal data in the events                                | SearchPage.tsx      | Claude     | P2  |       | Done   |
| 1726 | Search: component test of every state                                                                            | SearchPage.tsx      | Claude     | P2  | 58    | Open   |
| 1727 | Search: end to end test of its main path                                                                         | SearchPage.tsx      | Claude     | P2  | 58    | Open   |
| 1728 | Search: visual regression snapshot at three widths                                                               | SearchPage.tsx      | Claude     | P2  | 58    | Open   |
| 1729 | Search: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels   | SearchPage.tsx      | Claude     | P2  |       | Done   |
| 1730 | Hyper: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card       | HyperPage.tsx       | Claude     | P2  | 58    | Open   |
| 1731 | Hyper: labelled Experimental at the top                                                                          | HyperPage.tsx       | Claude     | P2  | 58    | Open   |
| 1732 | Hyper: loading skeleton in the final layout, never a full screen spinner                                         | HyperPage.tsx       | Claude     | P2  | 58    | Open   |
| 1733 | Hyper: error state with the reason in plain words and a retry                                                    | HyperPage.tsx       | Claude     | P2  | 58    | Open   |
| 1734 | Hyper: offline state showing the last data held and when it was fetched, with actions disabled                   | HyperPage.tsx       | Claude     | P2  | 58    | Open   |
| 1735 | Hyper: deep link restores the screen with its state                                                              | HyperPage.tsx       | Claude     | P2  |       | Done   |
| 1736 | Hyper: not found and no access states, each with a route back                                                    | HyperPage.tsx       | Claude     | P2  | 58    | Open   |
| 1737 | Hyper: checked in dark mode, with no hard coded white or black                                                   | HyperPage.tsx       | Claude     | P2  |       | Done   |
| 1738 | Hyper: Urdu text for every string, by a translator                                                               | HyperPage.tsx       | Translator | P2  | H4    | Open   |
| 1739 | Hyper: right to left layout checked with the Urdu text                                                           | HyperPage.tsx       | Claude     | P2  | 58    | Open   |
| 1740 | Hyper: usable at the largest system text size, with nothing cut off                                              | HyperPage.tsx       | Claude     | P2  |       | Done   |
| 1741 | Hyper: usable at 320 pixels wide                                                                                 | HyperPage.tsx       | Claude     | P2  |       | Done   |
| 1742 | Hyper: every control named for screen readers, in a logical focus order                                          | HyperPage.tsx       | Claude     | P2  |       | Done   |
| 1743 | Hyper: contrast of every text and control checked                                                                | HyperPage.tsx       | Claude     | P2  |       | Done   |
| 1744 | Hyper: screen view and main action recorded, with no personal data in the events                                 | HyperPage.tsx       | Claude     | P2  |       | Done   |
| 1745 | Hyper: component test of every state                                                                             | HyperPage.tsx       | Claude     | P2  | 58    | Open   |
| 1746 | Hyper: end to end test of its main path                                                                          | HyperPage.tsx       | Claude     | P2  | 58    | Open   |
| 1747 | Hyper: visual regression snapshot at three widths                                                                | HyperPage.tsx       | Claude     | P2  | 58    | Open   |
| 1748 | Hyper: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels    | HyperPage.tsx       | Claude     | P2  |       | Done   |
| 1749 | Turn market: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |
| 1750 | Turn market: loading skeleton in the final layout, never a full screen spinner                                   | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |
| 1751 | Turn market: error state with the reason in plain words and a retry                                              | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |
| 1752 | Turn market: offline state showing the last data held and when it was fetched, with actions disabled             | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |
| 1753 | Turn market: deep link restores the screen with its state                                                        | MarketplacePage.tsx | Claude     | P2  |       | Done   |
| 1754 | Turn market: pull to refresh                                                                                     | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |
| 1755 | Turn market: empty state: no turns listed in the member's circles                                                | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |

| #    | Item                                                                                                                | Where               | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------|---------------------|------------|-----|-------|--------|
| 1756 | Turn market: pages loaded as the member scrolls, with an end of list marker                                         | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |
| 1757 | Turn market: checked in dark mode, with no hard coded white or black                                                | MarketplacePage.tsx | Claude     | P2  |       | Done   |
| 1758 | Turn market: Urdu text for every string, by a translator                                                            | MarketplacePage.tsx | Translator | P2  | H4    | Open   |
| 1759 | Turn market: right to left layout checked with the Urdu text                                                        | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |
| 1760 | Turn market: usable at the largest system text size, with nothing cut off                                           | MarketplacePage.tsx | Claude     | P2  |       | Done   |
| 1761 | Turn market: usable at 320 pixels wide                                                                              | MarketplacePage.tsx | Claude     | P2  |       | Done   |
| 1762 | Turn market: every control named for screen readers, in a logical focus order                                       | MarketplacePage.tsx | Claude     | P2  |       | Done   |
| 1763 | Turn market: contrast of every text and control checked                                                             | MarketplacePage.tsx | Claude     | P2  |       | Done   |
| 1764 | Turn market: screen view and main action recorded, with no personal data in the events                              | MarketplacePage.tsx | Claude     | P2  |       | Done   |
| 1765 | Turn market: component test of every state                                                                          | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |
| 1766 | Turn market: end to end test of its main path                                                                       | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |
| 1767 | Turn market: visual regression snapshot at three widths                                                             | MarketplacePage.tsx | Claude     | P2  | 58    | Open   |
| 1768 | Turn market: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | MarketplacePage.tsx | Claude     | P2  |       | Done   |
| 1769 | About: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | AboutPage.tsx       | Claude     | P2  | 58    | Open   |
| 1770 | About: deep link opens it directly                                                                                  | AboutPage.tsx       | Claude     | P2  |       | Done   |
| 1771 | About: checked in dark mode, with no hard coded white or black                                                      | AboutPage.tsx       | Claude     | P2  |       | Done   |
| 1772 | About: Urdu text for every string, by a translator                                                                  | AboutPage.tsx       | Translator | P2  | H4    | Open   |
| 1773 | About: right to left layout checked with the Urdu text                                                              | AboutPage.tsx       | Claude     | P2  | 58    | Open   |
| 1774 | About: usable at the largest system text size, with nothing cut off                                                 | AboutPage.tsx       | Claude     | P2  |       | Done   |
| 1775 | About: usable at 320 pixels wide                                                                                    | AboutPage.tsx       | Claude     | P2  |       | Done   |
| 1776 | About: every control named for screen readers, in a logical focus order                                             | AboutPage.tsx       | Claude     | P2  |       | Done   |
| 1777 | About: contrast of every text and control checked                                                                   | AboutPage.tsx       | Claude     | P2  |       | Done   |
| 1778 | About: screen view and main action recorded, with no personal data in the events                                    | AboutPage.tsx       | Claude     | P2  |       | Done   |
| 1779 | About: visual regression snapshot at three widths                                                                   | AboutPage.tsx       | Claude     | P2  | 58    | Open   |
| 1780 | About: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels       | AboutPage.tsx       | Claude     | P2  |       | Done   |
| 1781 | Sign in: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card        | AuthPage.tsx        | Claude     | P0  | 3     | Open   |
| 1782 | Sign in: each field checked as it is typed, with one specific message under the field (fields in section AD)        | AuthPage.tsx        | Claude     | P0  | 3     | Open   |
| 1783 | Sign in: submitting state: the button busy and a second tap ignored                                                 | AuthPage.tsx        | Claude     | P0  | 3     | Open   |
| 1784 | Sign in: a refusal from the server shown with the reason and what to change                                         | AuthPage.tsx        | Claude     | P0  | 3     | Open   |
| 1785 | Sign in: offline: submission held back with a message, and entered data kept                                        | AuthPage.tsx        | Claude     | P0  | 3     | Open   |
| 1786 | Sign in: the keyboard never hides the focused field or the main button                                              | AuthPage.tsx        | Claude     | P0  | 4     | Open   |

| #    | Item                                                                                                                              | Where            | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|------------------|------------|-----|-------|--------|
| 1787 | Sign in: leaving with unsaved changes asks for confirmation                                                                       | AuthPage.tsx     | Claude     | P0  | 4     | Open   |
| 1788 | Sign in: success state stating what happened and what comes next                                                                  | AuthPage.tsx     | Claude     | P0  | 4     | Open   |
| 1789 | Sign in: checked in dark mode, with no hard coded white or black                                                                  | AuthPage.tsx     | Claude     | P0  |       | Done   |
| 1790 | Sign in: Urdu text for every string, by a translator                                                                              | AuthPage.tsx     | Translator | P0  | H4    | Open   |
| 1791 | Sign in: right to left layout checked with the Urdu text                                                                          | AuthPage.tsx     | Claude     | P0  | 4     | Open   |
| 1792 | Sign in: usable at the largest system text size, with nothing cut off                                                             | AuthPage.tsx     | Claude     | P0  |       | Done   |
| 1793 | Sign in: usable at 320 pixels wide                                                                                                | AuthPage.tsx     | Claude     | P0  |       | Done   |
| 1794 | Sign in: every control named for screen readers, in a logical focus order                                                         | AuthPage.tsx     | Claude     | P0  |       | Done   |
| 1795 | Sign in: contrast of every text and control checked                                                                               | AuthPage.tsx     | Claude     | P0  |       | Done   |
| 1796 | Sign in: screen view and main action recorded, with no personal data in the events                                                | AuthPage.tsx     | Claude     | P2  |       | Done   |
| 1797 | Sign in: component test of every state                                                                                            | AuthPage.tsx     | Claude     | P0  | 4     | Open   |
| 1798 | Sign in: end to end test of its main path                                                                                         | AuthPage.tsx     | Claude     | P0  | 4     | Open   |
| 1799 | Sign in: visual regression snapshot at three widths                                                                               | AuthPage.tsx     | Claude     | P2  | 58    | Open   |
| 1800 | Sign in: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels                   | AuthPage.tsx     | Claude     | P0  |       | Done   |
| 1801 | Vault: no states are built; the screen is withdrawn and its route removed (D12)                                                   | VaultPage.tsx    | Claude     | P0  | 4     | Open   |
| 1802 | Where idle money sits (the scheme terminal of investment products): withdrawn with its route, since Halqa invests no member money | TerminalPage.tsx | Claude     | P0  | 4     | Open   |
| 1803 | Save for something: kept behind its flag; states built only when the bank's financing product is agreed (D13)                     | AssetPage.tsx    | Claude     | P3  | 79    | Open   |

## AC2. Missing Screens: Onboarding

| #    | Item                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 1804 | Welcome: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 4     | Open   |
| 1805 | Welcome: deep link opens it directly                                                                         | new page | Claude     | P0  | 4     | Open   |
| 1806 | Welcome: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P0  | 4     | Open   |
| 1807 | Welcome: Urdu text for every string, by a translator                                                         | new page | Translator | P0  | H4    | Open   |
| 1808 | Welcome: right to left layout checked with the Urdu text                                                     | new page | Claude     | P0  | 4     | Open   |
| 1809 | Welcome: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P0  | 4     | Open   |
| 1810 | Welcome: usable at 320 pixels wide                                                                           | new page | Claude     | P0  | 4     | Open   |
| 1811 | Welcome: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P0  | 4     | Open   |
| 1812 | Welcome: contrast of every text and control checked                                                          | new page | Claude     | P0  | 4     | Open   |
| 1813 | Welcome: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 58    | Open   |
| 1814 | Welcome: visual regression snapshot at three widths                                                          | new page | Claude     | P2  | 58    | Open   |

| #    | Item                                                                                                                       | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 1815 | Welcome: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels            | new page | Claude     | P0  | 4     | Open   |
| 1816 | Phone number entry: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P0  | 4     | Open   |
| 1817 | Phone number entry: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P0  | 4     | Open   |
| 1818 | Phone number entry: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P0  | 4     | Open   |
| 1819 | Phone number entry: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P0  | 4     | Open   |
| 1820 | Phone number entry: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P0  | 4     | Open   |
| 1821 | Phone number entry: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P0  | 4     | Open   |
| 1822 | Phone number entry: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P0  | 4     | Open   |
| 1823 | Phone number entry: success state stating what happened and what comes next                                                | new page | Claude     | P0  | 4     | Open   |
| 1824 | Phone number entry: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 4     | Open   |
| 1825 | Phone number entry: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 1826 | Phone number entry: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 4     | Open   |
| 1827 | Phone number entry: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 4     | Open   |
| 1828 | Phone number entry: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 4     | Open   |
| 1829 | Phone number entry: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 4     | Open   |
| 1830 | Phone number entry: contrast of every text and control checked                                                             | new page | Claude     | P0  | 4     | Open   |
| 1831 | Phone number entry: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 58    | Open   |
| 1832 | Phone number entry: component test of every state                                                                          | new page | Claude     | P0  | 4     | Open   |
| 1833 | Phone number entry: end to end test of its main path                                                                       | new page | Claude     | P0  | 4     | Open   |
| 1834 | Phone number entry: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 58    | Open   |
| 1835 | Phone number entry: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 4     | Open   |
| 1836 | Passcode entry: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card        | new page | Claude     | P0  | 4     | Open   |
| 1837 | Passcode entry: each field checked as it is typed, with one specific message under the field (fields in section AD)        | new page | Claude     | P0  | 4     | Open   |
| 1838 | Passcode entry: submitting state: the button busy and a second tap ignored                                                 | new page | Claude     | P0  | 4     | Open   |
| 1839 | Passcode entry: a refusal from the server shown with the reason and what to change                                         | new page | Claude     | P0  | 4     | Open   |
| 1840 | Passcode entry: offline: submission held back with a message, and entered data kept                                        | new page | Claude     | P0  | 4     | Open   |
| 1841 | Passcode entry: the keyboard never hides the focused field or the main button                                              | new page | Claude     | P0  | 4     | Open   |
| 1842 | Passcode entry: leaving with unsaved changes asks for confirmation                                                         | new page | Claude     | P0  | 4     | Open   |
| 1843 | Passcode entry: success state stating what happened and what comes next                                                    | new page | Claude     | P0  | 4     | Open   |

| #    | Item                                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 1844 | Passcode entry: checked in dark mode, with no hard coded white or black                                                      | new page | Claude     | P0  | 4     | Open   |
| 1845 | Passcode entry: Urdu text for every string, by a translator                                                                  | new page | Translator | P0  | H4    | Open   |
| 1846 | Passcode entry: right to left layout checked with the Urdu text                                                              | new page | Claude     | P0  | 4     | Open   |
| 1847 | Passcode entry: usable at the largest system text size, with nothing cut off                                                 | new page | Claude     | P0  | 4     | Open   |
| 1848 | Passcode entry: usable at 320 pixels wide                                                                                    | new page | Claude     | P0  | 4     | Open   |
| 1849 | Passcode entry: every control named for screen readers, in a logical focus order                                             | new page | Claude     | P0  | 4     | Open   |
| 1850 | Passcode entry: contrast of every text and control checked                                                                   | new page | Claude     | P0  | 4     | Open   |
| 1851 | Passcode entry: screen view and main action recorded, with no personal data in the events                                    | new page | Claude     | P2  | 58    | Open   |
| 1852 | Passcode entry: component test of every state                                                                                | new page | Claude     | P0  | 4     | Open   |
| 1853 | Passcode entry: end to end test of its main path                                                                             | new page | Claude     | P0  | 4     | Open   |
| 1854 | Passcode entry: visual regression snapshot at three widths                                                                   | new page | Claude     | P2  | 58    | Open   |
| 1855 | Passcode entry: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels       | new page | Claude     | P0  | 4     | Open   |
| 1856 | Set the application PIN: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 4     | Open   |
| 1857 | Set the application PIN: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P0  | 4     | Open   |
| 1858 | Set the application PIN: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P0  | 4     | Open   |
| 1859 | Set the application PIN: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P0  | 4     | Open   |
| 1860 | Set the application PIN: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P0  | 4     | Open   |
| 1861 | Set the application PIN: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P0  | 4     | Open   |
| 1862 | Set the application PIN: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P0  | 4     | Open   |
| 1863 | Set the application PIN: success state stating what happened and what comes next                                             | new page | Claude     | P0  | 4     | Open   |
| 1864 | Set the application PIN: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P0  | 4     | Open   |
| 1865 | Set the application PIN: Urdu text for every string, by a translator                                                         | new page | Translator | P0  | H4    | Open   |
| 1866 | Set the application PIN: right to left layout checked with the Urdu text                                                     | new page | Claude     | P0  | 4     | Open   |
| 1867 | Set the application PIN: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P0  | 4     | Open   |
| 1868 | Set the application PIN: usable at 320 pixels wide                                                                           | new page | Claude     | P0  | 4     | Open   |
| 1869 | Set the application PIN: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P0  | 4     | Open   |
| 1870 | Set the application PIN: contrast of every text and control checked                                                          | new page | Claude     | P0  | 4     | Open   |
| 1871 | Set the application PIN: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 58    | Open   |
| 1872 | Set the application PIN: component test of every state                                                                       | new page | Claude     | P0  | 4     | Open   |

| #    | Item                                                                                                                                | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 1873 | Set the application PIN: end to end test of its main path                                                                           | new page | Claude     | P0  | 4     | Open   |
| 1874 | Set the application PIN: visual regression snapshot at three widths                                                                 | new page | Claude     | P2  | 58    | Open   |
| 1875 | Set the application PIN: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels     | new page | Claude     | P0  | 4     | Open   |
| 1876 | Confirm the application PIN: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P0  | 4     | Open   |
| 1877 | Confirm the application PIN: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P0  | 4     | Open   |
| 1878 | Confirm the application PIN: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P0  | 4     | Open   |
| 1879 | Confirm the application PIN: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P0  | 4     | Open   |
| 1880 | Confirm the application PIN: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P0  | 4     | Open   |
| 1881 | Confirm the application PIN: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P0  | 4     | Open   |
| 1882 | Confirm the application PIN: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P0  | 4     | Open   |
| 1883 | Confirm the application PIN: success state stating what happened and what comes next                                                | new page | Claude     | P0  | 4     | Open   |
| 1884 | Confirm the application PIN: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 4     | Open   |
| 1885 | Confirm the application PIN: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 1886 | Confirm the application PIN: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 4     | Open   |
| 1887 | Confirm the application PIN: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 4     | Open   |
| 1888 | Confirm the application PIN: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 4     | Open   |
| 1889 | Confirm the application PIN: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 4     | Open   |
| 1890 | Confirm the application PIN: contrast of every text and control checked                                                             | new page | Claude     | P0  | 4     | Open   |
| 1891 | Confirm the application PIN: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 58    | Open   |
| 1892 | Confirm the application PIN: component test of every state                                                                          | new page | Claude     | P0  | 4     | Open   |
| 1893 | Confirm the application PIN: end to end test of its main path                                                                       | new page | Claude     | P0  | 4     | Open   |
| 1894 | Confirm the application PIN: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 58    | Open   |
| 1895 | Confirm the application PIN: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 4     | Open   |
| 1896 | Forgotten PIN recovery: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | new page | Claude     | P0  | 4     | Open   |
| 1897 | Forgotten PIN recovery: each field checked as it is typed, with one specific message under the field (fields in section AD)         | new page | Claude     | P0  | 4     | Open   |
| 1898 | Forgotten PIN recovery: submitting state: the button busy and a second tap ignored                                                  | new page | Claude     | P0  | 4     | Open   |
| 1899 | Forgotten PIN recovery: a refusal from the server shown with the reason and what to change                                          | new page | Claude     | P0  | 4     | Open   |

| #    | Item                                                                                                                           | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 1900 | Forgotten PIN recovery: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P0  | 4     | Open   |
| 1901 | Forgotten PIN recovery: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P0  | 4     | Open   |
| 1902 | Forgotten PIN recovery: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P0  | 4     | Open   |
| 1903 | Forgotten PIN recovery: success state stating what happened and what comes next                                                | new page | Claude     | P0  | 4     | Open   |
| 1904 | Forgotten PIN recovery: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 4     | Open   |
| 1905 | Forgotten PIN recovery: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 1906 | Forgotten PIN recovery: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 4     | Open   |
| 1907 | Forgotten PIN recovery: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 4     | Open   |
| 1908 | Forgotten PIN recovery: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 4     | Open   |
| 1909 | Forgotten PIN recovery: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 5     | Open   |
| 1910 | Forgotten PIN recovery: contrast of every text and control checked                                                             | new page | Claude     | P0  | 5     | Open   |
| 1911 | Forgotten PIN recovery: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 58    | Open   |
| 1912 | Forgotten PIN recovery: component test of every state                                                                          | new page | Claude     | P0  | 5     | Open   |
| 1913 | Forgotten PIN recovery: end to end test of its main path                                                                       | new page | Claude     | P0  | 5     | Open   |
| 1914 | Forgotten PIN recovery: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 58    | Open   |
| 1915 | Forgotten PIN recovery: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 5     | Open   |
| 1916 | Biometric enrolment offer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 24    | Open   |
| 1917 | Biometric enrolment offer: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 24    | Open   |
| 1918 | Biometric enrolment offer: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P1  | 24    | Open   |
| 1919 | Biometric enrolment offer: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P1  | 24    | Open   |
| 1920 | Biometric enrolment offer: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P1  | 24    | Open   |
| 1921 | Biometric enrolment offer: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P1  | 24    | Open   |
| 1922 | Biometric enrolment offer: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P1  | 24    | Open   |
| 1923 | Biometric enrolment offer: success state stating what happened and what comes next                                             | new page | Claude     | P1  | 24    | Open   |
| 1924 | Biometric enrolment offer: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 24    | Open   |
| 1925 | Biometric enrolment offer: Urdu text for every string, by a translator                                                         | new page | Translator | P1  | H4    | Open   |
| 1926 | Biometric enrolment offer: right to left layout checked with the Urdu text                                                     | new page | Claude     | P1  | 24    | Open   |
| 1927 | Biometric enrolment offer: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P1  | 24    | Open   |
| 1928 | Biometric enrolment offer: usable at 320 pixels wide                                                                           | new page | Claude     | P1  | 24    | Open   |

| #    | Item                                                                                                                              | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 1929 | Biometric enrolment offer: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 24    | Open   |
| 1930 | Biometric enrolment offer: contrast of every text and control checked                                                             | new page | Claude     | P1  | 24    | Open   |
| 1931 | Biometric enrolment offer: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 58    | Open   |
| 1932 | Biometric enrolment offer: component test of every state                                                                          | new page | Claude     | P1  | 24    | Open   |
| 1933 | Biometric enrolment offer: end to end test of its main path                                                                       | new page | Claude     | P1  | 24    | Open   |
| 1934 | Biometric enrolment offer: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 58    | Open   |
| 1935 | Biometric enrolment offer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 24    | Open   |
| 1936 | Name and date of birth: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card       | new page | Claude     | P0  | 5     | Open   |
| 1937 | Name and date of birth: each field checked as it is typed, with one specific message under the field (fields in section AD)       | new page | Claude     | P0  | 5     | Open   |
| 1938 | Name and date of birth: submitting state: the button busy and a second tap ignored                                                | new page | Claude     | P0  | 5     | Open   |
| 1939 | Name and date of birth: a refusal from the server shown with the reason and what to change                                        | new page | Claude     | P0  | 5     | Open   |
| 1940 | Name and date of birth: offline: submission held back with a message, and entered data kept                                       | new page | Claude     | P0  | 5     | Open   |
| 1941 | Name and date of birth: the keyboard never hides the focused field or the main button                                             | new page | Claude     | P0  | 5     | Open   |
| 1942 | Name and date of birth: leaving with unsaved changes asks for confirmation                                                        | new page | Claude     | P0  | 5     | Open   |
| 1943 | Name and date of birth: success state stating what happened and what comes next                                                   | new page | Claude     | P0  | 5     | Open   |
| 1944 | Name and date of birth: checked in dark mode, with no hard coded white or black                                                   | new page | Claude     | P0  | 5     | Open   |
| 1945 | Name and date of birth: Urdu text for every string, by a translator                                                               | new page | Translator | P0  | H4    | Open   |
| 1946 | Name and date of birth: right to left layout checked with the Urdu text                                                           | new page | Claude     | P0  | 5     | Open   |
| 1947 | Name and date of birth: usable at the largest system text size, with nothing cut off                                              | new page | Claude     | P0  | 5     | Open   |
| 1948 | Name and date of birth: usable at 320 pixels wide                                                                                 | new page | Claude     | P0  | 5     | Open   |
| 1949 | Name and date of birth: every control named for screen readers, in a logical focus order                                          | new page | Claude     | P0  | 5     | Open   |
| 1950 | Name and date of birth: contrast of every text and control checked                                                                | new page | Claude     | P0  | 5     | Open   |
| 1951 | Name and date of birth: screen view and main action recorded, with no personal data in the events                                 | new page | Claude     | P2  | 58    | Open   |
| 1952 | Name and date of birth: component test of every state                                                                             | new page | Claude     | P0  | 5     | Open   |
| 1953 | Name and date of birth: end to end test of its main path                                                                          | new page | Claude     | P0  | 5     | Open   |
| 1954 | Name and date of birth: visual regression snapshot at three widths                                                                | new page | Claude     | P2  | 58    | Open   |
| 1955 | Name and date of birth: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels    | new page | Claude     | P0  | 5     | Open   |
| 1956 | Address and city: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card             | new page | Claude     | P1  | 24    | Open   |



| #    | Item                                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 1957 | Address and city: each field checked as it is typed, with one specific message under the field (fields in section AD)        | new page | Claude     | P1  | 24    | Open   |
| 1958 | Address and city: submitting state: the button busy and a second tap ignored                                                 | new page | Claude     | P1  | 24    | Open   |
| 1959 | Address and city: a refusal from the server shown with the reason and what to change                                         | new page | Claude     | P1  | 24    | Open   |
| 1960 | Address and city: offline: submission held back with a message, and entered data kept                                        | new page | Claude     | P1  | 24    | Open   |
| 1961 | Address and city: the keyboard never hides the focused field or the main button                                              | new page | Claude     | P1  | 24    | Open   |
| 1962 | Address and city: leaving with unsaved changes asks for confirmation                                                         | new page | Claude     | P1  | 24    | Open   |
| 1963 | Address and city: success state stating what happened and what comes next                                                    | new page | Claude     | P1  | 24    | Open   |
| 1964 | Address and city: checked in dark mode, with no hard coded white or black                                                    | new page | Claude     | P1  | 24    | Open   |
| 1965 | Address and city: Urdu text for every string, by a translator                                                                | new page | Translator | P1  | H4    | Open   |
| 1966 | Address and city: right to left layout checked with the Urdu text                                                            | new page | Claude     | P1  | 24    | Open   |
| 1967 | Address and city: usable at the largest system text size, with nothing cut off                                               | new page | Claude     | P1  | 24    | Open   |
| 1968 | Address and city: usable at 320 pixels wide                                                                                  | new page | Claude     | P1  | 24    | Open   |
| 1969 | Address and city: every control named for screen readers, in a logical focus order                                           | new page | Claude     | P1  | 24    | Open   |
| 1970 | Address and city: contrast of every text and control checked                                                                 | new page | Claude     | P1  | 24    | Open   |
| 1971 | Address and city: screen view and main action recorded, with no personal data in the events                                  | new page | Claude     | P2  | 58    | Open   |
| 1972 | Address and city: component test of every state                                                                              | new page | Claude     | P1  | 24    | Open   |
| 1973 | Address and city: end to end test of its main path                                                                           | new page | Claude     | P1  | 24    | Open   |
| 1974 | Address and city: visual regression snapshot at three widths                                                                 | new page | Claude     | P2  | 58    | Open   |
| 1975 | Address and city: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels     | new page | Claude     | P1  | 24    | Open   |
| 1976 | Occupation and employer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 24    | Open   |
| 1977 | Occupation and employer: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 24    | Open   |
| 1978 | Occupation and employer: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P1  | 24    | Open   |
| 1979 | Occupation and employer: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P1  | 24    | Open   |
| 1980 | Occupation and employer: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P1  | 24    | Open   |
| 1981 | Occupation and employer: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P1  | 24    | Open   |
| 1982 | Occupation and employer: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P1  | 24    | Open   |
| 1983 | Occupation and employer: success state stating what happened and what comes next                                             | new page | Claude     | P1  | 24    | Open   |
| 1984 | Occupation and employer: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 24    | Open   |
| 1985 | Occupation and employer: Urdu text for every string, by a translator                                                         | new page | Translator | P1  | H4    | Open   |

| #    | Item                                                                                                                            | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 1986 | Occupation and employer: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 24    | Open   |
| 1987 | Occupation and employer: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 24    | Open   |
| 1988 | Occupation and employer: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 24    | Open   |
| 1989 | Occupation and employer: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 24    | Open   |
| 1990 | Occupation and employer: contrast of every text and control checked                                                             | new page | Claude     | P1  | 24    | Open   |
| 1991 | Occupation and employer: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 58    | Open   |
| 1992 | Occupation and employer: component test of every state                                                                          | new page | Claude     | P1  | 24    | Open   |
| 1993 | Occupation and employer: end to end test of its main path                                                                       | new page | Claude     | P1  | 24    | Open   |
| 1994 | Occupation and employer: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 58    | Open   |
| 1995 | Occupation and employer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 24    | Open   |
| 1996 | Income declaration: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | new page | Claude     | P1  | 24    | Open   |
| 1997 | Income declaration: each field checked as it is typed, with one specific message under the field (fields in section AD)         | new page | Claude     | P1  | 24    | Open   |
| 1998 | Income declaration: submitting state: the button busy and a second tap ignored                                                  | new page | Claude     | P1  | 24    | Open   |
| 1999 | Income declaration: a refusal from the server shown with the reason and what to change                                          | new page | Claude     | P1  | 24    | Open   |
| 2000 | Income declaration: offline: submission held back with a message, and entered data kept                                         | new page | Claude     | P1  | 24    | Open   |
| 2001 | Income declaration: the keyboard never hides the focused field or the main button                                               | new page | Claude     | P1  | 24    | Open   |
| 2002 | Income declaration: leaving with unsaved changes asks for confirmation                                                          | new page | Claude     | P1  | 24    | Open   |
| 2003 | Income declaration: success state stating what happened and what comes next                                                     | new page | Claude     | P1  | 24    | Open   |
| 2004 | Income declaration: checked in dark mode, with no hard coded white or black                                                     | new page | Claude     | P1  | 24    | Open   |
| 2005 | Income declaration: Urdu text for every string, by a translator                                                                 | new page | Translator | P1  | H4    | Open   |
| 2006 | Income declaration: right to left layout checked with the Urdu text                                                             | new page | Claude     | P1  | 24    | Open   |
| 2007 | Income declaration: usable at the largest system text size, with nothing cut off                                                | new page | Claude     | P1  | 24    | Open   |
| 2008 | Income declaration: usable at 320 pixels wide                                                                                   | new page | Claude     | P1  | 24    | Open   |
| 2009 | Income declaration: every control named for screen readers, in a logical focus order                                            | new page | Claude     | P1  | 24    | Open   |
| 2010 | Income declaration: contrast of every text and control checked                                                                  | new page | Claude     | P1  | 24    | Open   |
| 2011 | Income declaration: screen view and main action recorded, with no personal data in the events                                   | new page | Claude     | P2  | 58    | Open   |
| 2012 | Income declaration: component test of every state                                                                               | new page | Claude     | P1  | 24    | Open   |
| 2013 | Income declaration: end to end test of its main path                                                                            | new page | Claude     | P1  | 24    | Open   |
| 2014 | Income declaration: visual regression snapshot at three widths                                                                  | new page | Claude     | P2  | 58    | Open   |

| #    | Item                                                                                                                               | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2015 | Income declaration: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels         | new page | Claude     | P1  | 24    | Open   |
| 2016 | Income verification upload: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 24    | Open   |
| 2017 | Income verification upload: the reason for the camera stated before the system asks                                                | new page | Claude     | P1  | 24    | Open   |
| 2018 | Income verification upload: camera refused: how to allow it in settings, and a typed route where one exists                        | new page | Claude     | P1  | 24    | Open   |
| 2019 | Income verification upload: guide frame and live hints while capturing                                                             | new page | Claude     | P1  | 24    | Open   |
| 2020 | Income verification upload: low light and glare detected, with advice                                                              | new page | Claude     | P1  | 24    | Open   |
| 2021 | Income verification upload: review and retake before submission                                                                    | new page | Claude     | P1  | 24    | Open   |
| 2022 | Income verification upload: upload progress and a retry on failure                                                                 | new page | Claude     | P1  | 24    | Open   |
| 2023 | Income verification upload: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 24    | Open   |
| 2024 | Income verification upload: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2025 | Income verification upload: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 25    | Open   |
| 2026 | Income verification upload: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 25    | Open   |
| 2027 | Income verification upload: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 25    | Open   |
| 2028 | Income verification upload: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 25    | Open   |
| 2029 | Income verification upload: contrast of every text and control checked                                                             | new page | Claude     | P1  | 25    | Open   |
| 2030 | Income verification upload: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 58    | Open   |
| 2031 | Income verification upload: component test of every state                                                                          | new page | Claude     | P1  | 25    | Open   |
| 2032 | Income verification upload: end to end test of its main path                                                                       | new page | Claude     | P1  | 25    | Open   |
| 2033 | Income verification upload: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 58    | Open   |
| 2034 | Income verification upload: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 25    | Open   |
| 2035 | Income verification status: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 25    | Open   |
| 2036 | Income verification status: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P1  | 25    | Open   |
| 2037 | Income verification status: error state with the reason in plain words and a retry                                                 | new page | Claude     | P1  | 25    | Open   |
| 2038 | Income verification status: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P1  | 25    | Open   |
| 2039 | Income verification status: deep link restores the screen with its state                                                           | new page | Claude     | P1  | 25    | Open   |
| 2040 | Income verification status: not found and no access states, each with a route back                                                 | new page | Claude     | P1  | 25    | Open   |
| 2041 | Income verification status: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 25    | Open   |
| 2042 | Income verification status: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |

| #    | Item                                                                                                                               | Where    | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 2043 | Income verification status: right to left layout checked with the Urdu text                                                        | new page | Claude | P1  | 25    | Open   |
| 2044 | Income verification status: usable at the largest system text size, with nothing cut off                                           | new page | Claude | P1  | 25    | Open   |
| 2045 | Income verification status: usable at 320 pixels wide                                                                              | new page | Claude | P1  | 25    | Open   |
| 2046 | Income verification status: every control named for screen readers, in a logical focus order                                       | new page | Claude | P1  | 25    | Open   |
| 2047 | Income verification status: contrast of every text and control checked                                                             | new page | Claude | P1  | 25    | Open   |
| 2048 | Income verification status: screen view and main action recorded, with no personal data in the events                              | new page | Claude | P2  | 58    | Open   |
| 2049 | Income verification status: component test of every state                                                                          | new page | Claude | P1  | 25    | Open   |
| 2050 | Income verification status: end to end test of its main path                                                                       | new page | Claude | P1  | 25    | Open   |
| 2051 | Income verification status: visual regression snapshot at three widths                                                             | new page | Claude | P2  | 58    | Open   |
| 2052 | Income verification status: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude | P1  | 25    | Open   |

### AC3. Missing Screens: Identity

| #    | Item                                                                                                                    | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2053 | CNIC front capture: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 5     | Open   |
| 2054 | CNIC front capture: the reason for the camera stated before the system asks                                             | new page | Claude     | P0  | 5     | Open   |
| 2055 | CNIC front capture: camera refused: how to allow it in settings, and a typed route where one exists                     | new page | Claude     | P0  | 5     | Open   |
| 2056 | CNIC front capture: guide frame and live hints while capturing                                                          | new page | Claude     | P0  | 5     | Open   |
| 2057 | CNIC front capture: low light and glare detected, with advice                                                           | new page | Claude     | P0  | 5     | Open   |
| 2058 | CNIC front capture: review and retake before submission                                                                 | new page | Claude     | P0  | 5     | Open   |
| 2059 | CNIC front capture: upload progress and a retry on failure                                                              | new page | Claude     | P0  | 5     | Open   |
| 2060 | CNIC front capture: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P0  | 5     | Open   |
| 2061 | CNIC front capture: Urdu text for every string, by a translator                                                         | new page | Translator | P0  | H4    | Open   |
| 2062 | CNIC front capture: right to left layout checked with the Urdu text                                                     | new page | Claude     | P0  | 5     | Open   |
| 2063 | CNIC front capture: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P0  | 5     | Open   |
| 2064 | CNIC front capture: usable at 320 pixels wide                                                                           | new page | Claude     | P0  | 5     | Open   |
| 2065 | CNIC front capture: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P0  | 5     | Open   |
| 2066 | CNIC front capture: contrast of every text and control checked                                                          | new page | Claude     | P0  | 5     | Open   |
| 2067 | CNIC front capture: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 58    | Open   |
| 2068 | CNIC front capture: component test of every state                                                                       | new page | Claude     | P0  | 5     | Open   |
| 2069 | CNIC front capture: end to end test of its main path                                                                    | new page | Claude     | P0  | 5     | Open   |
| 2070 | CNIC front capture: visual regression snapshot at three widths                                                          | new page | Claude     | P2  | 58    | Open   |

| #    | Item                                                                                                                       | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2071 | CNIC front capture: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 5     | Open   |
| 2072 | CNIC back capture: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P0  | 5     | Open   |
| 2073 | CNIC back capture: the reason for the camera stated before the system asks                                                 | new page | Claude     | P0  | 5     | Open   |
| 2074 | CNIC back capture: camera refused: how to allow it in settings, and a typed route where one exists                         | new page | Claude     | P0  | 5     | Open   |
| 2075 | CNIC back capture: guide frame and live hints while capturing                                                              | new page | Claude     | P0  | 5     | Open   |
| 2076 | CNIC back capture: low light and glare detected, with advice                                                               | new page | Claude     | P0  | 5     | Open   |
| 2077 | CNIC back capture: review and retake before submission                                                                     | new page | Claude     | P0  | 5     | Open   |
| 2078 | CNIC back capture: upload progress and a retry on failure                                                                  | new page | Claude     | P0  | 5     | Open   |
| 2079 | CNIC back capture: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P0  | 5     | Open   |
| 2080 | CNIC back capture: Urdu text for every string, by a translator                                                             | new page | Translator | P0  | H4    | Open   |
| 2081 | CNIC back capture: right to left layout checked with the Urdu text                                                         | new page | Claude     | P0  | 5     | Open   |
| 2082 | CNIC back capture: usable at the largest system text size, with nothing cut off                                            | new page | Claude     | P0  | 5     | Open   |
| 2083 | CNIC back capture: usable at 320 pixels wide                                                                               | new page | Claude     | P0  | 5     | Open   |
| 2084 | CNIC back capture: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P0  | 5     | Open   |
| 2085 | CNIC back capture: contrast of every text and control checked                                                              | new page | Claude     | P0  | 5     | Open   |
| 2086 | CNIC back capture: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 58    | Open   |
| 2087 | CNIC back capture: component test of every state                                                                           | new page | Claude     | P0  | 5     | Open   |
| 2088 | CNIC back capture: end to end test of its main path                                                                        | new page | Claude     | P0  | 5     | Open   |
| 2089 | CNIC back capture: visual regression snapshot at three widths                                                              | new page | Claude     | P2  | 58    | Open   |
| 2090 | CNIC back capture: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | new page | Claude     | P0  | 5     | Open   |
| 2091 | CNIC manual entry: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P0  | 5     | Open   |
| 2092 | CNIC manual entry: each field checked as it is typed, with one specific message under the field (fields in section AD)     | new page | Claude     | P0  | 5     | Open   |
| 2093 | CNIC manual entry: submitting state: the button busy and a second tap ignored                                              | new page | Claude     | P0  | 5     | Open   |
| 2094 | CNIC manual entry: a refusal from the server shown with the reason and what to change                                      | new page | Claude     | P0  | 5     | Open   |
| 2095 | CNIC manual entry: offline: submission held back with a message, and entered data kept                                     | new page | Claude     | P0  | 5     | Open   |
| 2096 | CNIC manual entry: the keyboard never hides the focused field or the main button                                           | new page | Claude     | P0  | 5     | Open   |
| 2097 | CNIC manual entry: leaving with unsaved changes asks for confirmation                                                      | new page | Claude     | P0  | 5     | Open   |
| 2098 | CNIC manual entry: success state stating what happened and what comes next                                                 | new page | Claude     | P0  | 5     | Open   |
| 2099 | CNIC manual entry: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P0  | 5     | Open   |

| #    | Item                                                                                                                               | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2100 | CNIC manual entry: Urdu text for every string, by a translator                                                                     | new page | Translator | P0  | H4    | Open   |
| 2101 | CNIC manual entry: right to left layout checked with the Urdu text                                                                 | new page | Claude     | P0  | 5     | Open   |
| 2102 | CNIC manual entry: usable at the largest system text size, with nothing cut off                                                    | new page | Claude     | P0  | 5     | Open   |
| 2103 | CNIC manual entry: usable at 320 pixels wide                                                                                       | new page | Claude     | P0  | 5     | Open   |
| 2104 | CNIC manual entry: every control named for screen readers, in a logical focus order                                                | new page | Claude     | P0  | 5     | Open   |
| 2105 | CNIC manual entry: contrast of every text and control checked                                                                      | new page | Claude     | P0  | 5     | Open   |
| 2106 | CNIC manual entry: screen view and main action recorded, with no personal data in the events                                       | new page | Claude     | P2  | 58    | Open   |
| 2107 | CNIC manual entry: component test of every state                                                                                   | new page | Claude     | P0  | 5     | Open   |
| 2108 | CNIC manual entry: end to end test of its main path                                                                                | new page | Claude     | P0  | 5     | Open   |
| 2109 | CNIC manual entry: visual regression snapshot at three widths                                                                      | new page | Claude     | P2  | 58    | Open   |
| 2110 | CNIC manual entry: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels          | new page | Claude     | P0  | 5     | Open   |
| 2111 | CNIC review before submission: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 5     | Open   |
| 2112 | CNIC review before submission: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P0  | 5     | Open   |
| 2113 | CNIC review before submission: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P0  | 5     | Open   |
| 2114 | CNIC review before submission: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P0  | 5     | Open   |
| 2115 | CNIC review before submission: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P0  | 5     | Open   |
| 2116 | CNIC review before submission: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P0  | 5     | Open   |
| 2117 | CNIC review before submission: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P0  | 5     | Open   |
| 2118 | CNIC review before submission: success state stating what happened and what comes next                                             | new page | Claude     | P0  | 5     | Open   |
| 2119 | CNIC review before submission: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P0  | 5     | Open   |
| 2120 | CNIC review before submission: Urdu text for every string, by a translator                                                         | new page | Translator | P0  | H4    | Open   |
| 2121 | CNIC review before submission: right to left layout checked with the Urdu text                                                     | new page | Claude     | P0  | 5     | Open   |
| 2122 | CNIC review before submission: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P0  | 5     | Open   |
| 2123 | CNIC review before submission: usable at 320 pixels wide                                                                           | new page | Claude     | P0  | 5     | Open   |
| 2124 | CNIC review before submission: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P0  | 5     | Open   |
| 2125 | CNIC review before submission: contrast of every text and control checked                                                          | new page | Claude     | P0  | 5     | Open   |
| 2126 | CNIC review before submission: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 58    | Open   |
| 2127 | CNIC review before submission: component test of every state                                                                       | new page | Claude     | P0  | 5     | Open   |
| 2128 | CNIC review before submission: end to end test of its main path                                                                    | new page | Claude     | P0  | 5     | Open   |

| #    | Item                                                                                                                                  | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2129 | CNIC review before submission: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 58    | Open   |
| 2130 | CNIC review before submission: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 5     | Open   |
| 2131 | Identity check in progress: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card       | new page | Claude     | P0  | 5     | Open   |
| 2132 | Identity check in progress: loading skeleton in the final layout, never a full screen spinner                                         | new page | Claude     | P0  | 5     | Open   |
| 2133 | Identity check in progress: error state with the reason in plain words and a retry                                                    | new page | Claude     | P0  | 5     | Open   |
| 2134 | Identity check in progress: offline state showing the last data held and when it was fetched, with actions disabled                   | new page | Claude     | P0  | 5     | Open   |
| 2135 | Identity check in progress: deep link restores the screen with its state                                                              | new page | Claude     | P0  | 5     | Open   |
| 2136 | Identity check in progress: not found and no access states, each with a route back                                                    | new page | Claude     | P0  | 5     | Open   |
| 2137 | Identity check in progress: checked in dark mode, with no hard coded white or black                                                   | new page | Claude     | P0  | 5     | Open   |
| 2138 | Identity check in progress: Urdu text for every string, by a translator                                                               | new page | Translator | P0  | H4    | Open   |
| 2139 | Identity check in progress: right to left layout checked with the Urdu text                                                           | new page | Claude     | P0  | 5     | Open   |
| 2140 | Identity check in progress: usable at the largest system text size, with nothing cut off                                              | new page | Claude     | P0  | 5     | Open   |
| 2141 | Identity check in progress: usable at 320 pixels wide                                                                                 | new page | Claude     | P0  | 6     | Open   |
| 2142 | Identity check in progress: every control named for screen readers, in a logical focus order                                          | new page | Claude     | P0  | 6     | Open   |
| 2143 | Identity check in progress: contrast of every text and control checked                                                                | new page | Claude     | P0  | 6     | Open   |
| 2144 | Identity check in progress: screen view and main action recorded, with no personal data in the events                                 | new page | Claude     | P2  | 58    | Open   |
| 2145 | Identity check in progress: component test of every state                                                                             | new page | Claude     | P0  | 6     | Open   |
| 2146 | Identity check in progress: end to end test of its main path                                                                          | new page | Claude     | P0  | 6     | Open   |
| 2147 | Identity check in progress: visual regression snapshot at three widths                                                                | new page | Claude     | P2  | 59    | Open   |
| 2148 | Identity check in progress: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels    | new page | Claude     | P0  | 6     | Open   |
| 2149 | Identity check failed: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card            | new page | Claude     | P0  | 6     | Open   |
| 2150 | Identity check failed: every figure and reference shown matches the ledger                                                            | new page | Claude     | P0  | 6     | Open   |
| 2151 | Identity check failed: the next step offered                                                                                          | new page | Claude     | P0  | 6     | Open   |
| 2152 | Identity check failed: share as an image or a PDF with account numbers masked                                                         | new page | Claude     | P0  | 6     | Open   |
| 2153 | Identity check failed: checked in dark mode, with no hard coded white or black                                                        | new page | Claude     | P0  | 6     | Open   |
| 2154 | Identity check failed: Urdu text for every string, by a translator                                                                    | new page | Translator | P0  | H4    | Open   |
| 2155 | Identity check failed: right to left layout checked with the Urdu text                                                                | new page | Claude     | P0  | 6     | Open   |
| 2156 | Identity check failed: usable at the largest system text size, with nothing cut off                                                   | new page | Claude     | P0  | 6     | Open   |

| #    | Item                                                                                                                          | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2157 | Identity check failed: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 6     | Open   |
| 2158 | Identity check failed: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 6     | Open   |
| 2159 | Identity check failed: contrast of every text and control checked                                                             | new page | Claude     | P0  | 6     | Open   |
| 2160 | Identity check failed: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2161 | Identity check failed: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2162 | Identity check failed: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 6     | Open   |
| 2163 | Liveness instructions: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 25    | Open   |
| 2164 | Liveness instructions: deep link opens it directly                                                                            | new page | Claude     | P1  | 25    | Open   |
| 2165 | Liveness instructions: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 25    | Open   |
| 2166 | Liveness instructions: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2167 | Liveness instructions: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 25    | Open   |
| 2168 | Liveness instructions: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 25    | Open   |
| 2169 | Liveness instructions: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 25    | Open   |
| 2170 | Liveness instructions: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 25    | Open   |
| 2171 | Liveness instructions: contrast of every text and control checked                                                             | new page | Claude     | P1  | 25    | Open   |
| 2172 | Liveness instructions: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2173 | Liveness instructions: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2174 | Liveness instructions: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 25    | Open   |
| 2175 | Liveness capture: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | new page | Claude     | P1  | 25    | Open   |
| 2176 | Liveness capture: the reason for the camera stated before the system asks                                                     | new page | Claude     | P1  | 25    | Open   |
| 2177 | Liveness capture: camera refused: how to allow it in settings, and a typed route where one exists                             | new page | Claude     | P1  | 25    | Open   |
| 2178 | Liveness capture: guide frame and live hints while capturing                                                                  | new page | Claude     | P1  | 25    | Open   |
| 2179 | Liveness capture: low light and glare detected, with advice                                                                   | new page | Claude     | P1  | 25    | Open   |
| 2180 | Liveness capture: review and retake before submission                                                                         | new page | Claude     | P1  | 25    | Open   |
| 2181 | Liveness capture: upload progress and a retry on failure                                                                      | new page | Claude     | P1  | 25    | Open   |
| 2182 | Liveness capture: checked in dark mode, with no hard coded white or black                                                     | new page | Claude     | P1  | 25    | Open   |
| 2183 | Liveness capture: Urdu text for every string, by a translator                                                                 | new page | Translator | P1  | H4    | Open   |
| 2184 | Liveness capture: right to left layout checked with the Urdu text                                                             | new page | Claude     | P1  | 25    | Open   |
| 2185 | Liveness capture: usable at the largest system text size, with nothing cut off                                                | new page | Claude     | P1  | 25    | Open   |



| #    | Item                                                                                                                        | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2186 | Liveness capture: usable at 320 pixels wide                                                                                 | new page | Claude     | P1  | 25    | Open   |
| 2187 | Liveness capture: every control named for screen readers, in a logical focus order                                          | new page | Claude     | P1  | 25    | Open   |
| 2188 | Liveness capture: contrast of every text and control checked                                                                | new page | Claude     | P1  | 25    | Open   |
| 2189 | Liveness capture: screen view and main action recorded, with no personal data in the events                                 | new page | Claude     | P2  | 59    | Open   |
| 2190 | Liveness capture: component test of every state                                                                             | new page | Claude     | P1  | 25    | Open   |
| 2191 | Liveness capture: end to end test of its main path                                                                          | new page | Claude     | P1  | 25    | Open   |
| 2192 | Liveness capture: visual regression snapshot at three widths                                                                | new page | Claude     | P2  | 59    | Open   |
| 2193 | Liveness capture: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels    | new page | Claude     | P1  | 25    | Open   |
| 2194 | Verification levels: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 25    | Open   |
| 2195 | Verification levels: deep link opens it directly                                                                            | new page | Claude     | P1  | 25    | Open   |
| 2196 | Verification levels: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 25    | Open   |
| 2197 | Verification levels: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2198 | Verification levels: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 25    | Open   |
| 2199 | Verification levels: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 25    | Open   |
| 2200 | Verification levels: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 25    | Open   |
| 2201 | Verification levels: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 25    | Open   |
| 2202 | Verification levels: contrast of every text and control checked                                                             | new page | Claude     | P1  | 25    | Open   |
| 2203 | Verification levels: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2204 | Verification levels: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2205 | Verification levels: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 25    | Open   |
| 2206 | Bureau instruction: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P1  | 25    | Open   |
| 2207 | Bureau instruction: each field checked as it is typed, with one specific message under the field (fields in section AD)     | new page | Claude     | P1  | 25    | Open   |
| 2208 | Bureau instruction: submitting state: the button busy and a second tap ignored                                              | new page | Claude     | P1  | 25    | Open   |
| 2209 | Bureau instruction: a refusal from the server shown with the reason and what to change                                      | new page | Claude     | P1  | 25    | Open   |
| 2210 | Bureau instruction: offline: submission held back with a message, and entered data kept                                     | new page | Claude     | P1  | 25    | Open   |
| 2211 | Bureau instruction: the keyboard never hides the focused field or the main button                                           | new page | Claude     | P1  | 25    | Open   |
| 2212 | Bureau instruction: leaving with unsaved changes asks for confirmation                                                      | new page | Claude     | P1  | 25    | Open   |
| 2213 | Bureau instruction: success state stating what happened and what comes next                                                 | new page | Claude     | P1  | 25    | Open   |
| 2214 | Bureau instruction: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P1  | 25    | Open   |

| #    | Item                                                                                                                                    | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2215 | Bureau instruction: Urdu text for every string, by a translator                                                                         | new page | Translator | P1  | H4    | Open   |
| 2216 | Bureau instruction: right to left layout checked with the Urdu text                                                                     | new page | Claude     | P1  | 25    | Open   |
| 2217 | Bureau instruction: usable at the largest system text size, with nothing cut off                                                        | new page | Claude     | P1  | 25    | Open   |
| 2218 | Bureau instruction: usable at 320 pixels wide                                                                                           | new page | Claude     | P1  | 25    | Open   |
| 2219 | Bureau instruction: every control named for screen readers, in a logical focus order                                                    | new page | Claude     | P1  | 25    | Open   |
| 2220 | Bureau instruction: contrast of every text and control checked                                                                          | new page | Claude     | P1  | 25    | Open   |
| 2221 | Bureau instruction: screen view and main action recorded, with no personal data in the events                                           | new page | Claude     | P2  | 59    | Open   |
| 2222 | Bureau instruction: component test of every state                                                                                       | new page | Claude     | P1  | 25    | Open   |
| 2223 | Bureau instruction: end to end test of its main path                                                                                    | new page | Claude     | P1  | 25    | Open   |
| 2224 | Bureau instruction: visual regression snapshot at three widths                                                                          | new page | Claude     | P2  | 59    | Open   |
| 2225 | Bureau instruction: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels              | new page | Claude     | P1  | 25    | Open   |
| 2226 | Bureau instruction confirmation: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 25    | Open   |
| 2227 | Bureau instruction confirmation: every figure and reference shown matches the ledger                                                    | new page | Claude     | P1  | 25    | Open   |
| 2228 | Bureau instruction confirmation: the next step offered                                                                                  | new page | Claude     | P1  | 25    | Open   |
| 2229 | Bureau instruction confirmation: share as an image or a PDF with account numbers masked                                                 | new page | Claude     | P1  | 25    | Open   |
| 2230 | Bureau instruction confirmation: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 25    | Open   |
| 2231 | Bureau instruction confirmation: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2232 | Bureau instruction confirmation: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 25    | Open   |
| 2233 | Bureau instruction confirmation: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 25    | Open   |
| 2234 | Bureau instruction confirmation: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 25    | Open   |
| 2235 | Bureau instruction confirmation: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 25    | Open   |
| 2236 | Bureau instruction confirmation: contrast of every text and control checked                                                             | new page | Claude     | P1  | 25    | Open   |
| 2237 | Bureau instruction confirmation: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2238 | Bureau instruction confirmation: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2239 | Bureau instruction confirmation: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 25    | Open   |
| 2240 | Adverse action disclosure: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | new page | Claude     | P1  | 25    | Open   |
| 2241 | Adverse action disclosure: deep link opens it directly                                                                                  | new page | Claude     | P1  | 25    | Open   |
| 2242 | Adverse action disclosure: checked in dark mode, with no hard coded white or black                                                      | new page | Claude     | P1  | 25    | Open   |

| #    | Item                                                                                                                              | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2243 | Adverse action disclosure: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2244 | Adverse action disclosure: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 25    | Open   |
| 2245 | Adverse action disclosure: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 25    | Open   |
| 2246 | Adverse action disclosure: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 25    | Open   |
| 2247 | Adverse action disclosure: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 25    | Open   |
| 2248 | Adverse action disclosure: contrast of every text and control checked                                                             | new page | Claude     | P1  | 25    | Open   |
| 2249 | Adverse action disclosure: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2250 | Adverse action disclosure: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2251 | Adverse action disclosure: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 25    | Open   |

#### AC4. Missing Screens: Accounts and payment routes

| #    | Item                                                                                                                 | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2252 | Linked accounts: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 25    | Open   |
| 2253 | Linked accounts: loading skeleton in the final layout, never a full screen spinner                                   | new page | Claude     | P1  | 25    | Open   |
| 2254 | Linked accounts: error state with the reason in plain words and a retry                                              | new page | Claude     | P1  | 25    | Open   |
| 2255 | Linked accounts: offline state showing the last data held and when it was fetched, with actions disabled             | new page | Claude     | P1  | 26    | Open   |
| 2256 | Linked accounts: deep link restores the screen with its state                                                        | new page | Claude     | P1  | 26    | Open   |
| 2257 | Linked accounts: pull to refresh                                                                                     | new page | Claude     | P1  | 26    | Open   |
| 2258 | Linked accounts: empty state: the reason and one action                                                              | new page | Claude     | P1  | 26    | Open   |
| 2259 | Linked accounts: pages loaded as the member scrolls, with an end of list marker                                      | new page | Claude     | P1  | 26    | Open   |
| 2260 | Linked accounts: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 26    | Open   |
| 2261 | Linked accounts: Urdu text for every string, by a translator                                                         | new page | Translator | P1  | H4    | Open   |
| 2262 | Linked accounts: right to left layout checked with the Urdu text                                                     | new page | Claude     | P1  | 26    | Open   |
| 2263 | Linked accounts: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P1  | 26    | Open   |
| 2264 | Linked accounts: usable at 320 pixels wide                                                                           | new page | Claude     | P1  | 26    | Open   |
| 2265 | Linked accounts: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P1  | 26    | Open   |
| 2266 | Linked accounts: contrast of every text and control checked                                                          | new page | Claude     | P1  | 26    | Open   |
| 2267 | Linked accounts: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 59    | Open   |
| 2268 | Linked accounts: component test of every state                                                                       | new page | Claude     | P1  | 26    | Open   |
| 2269 | Linked accounts: end to end test of its main path                                                                    | new page | Claude     | P1  | 26    | Open   |
| 2270 | Linked accounts: visual regression snapshot at three widths                                                          | new page | Claude     | P2  | 59    | Open   |

| #    | Item                                                                                                                       | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2271 | Linked accounts: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels    | new page | Claude     | P1  | 26    | Open   |
| 2272 | Add a bank account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 26    | Open   |
| 2273 | Add a bank account: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P1  | 26    | Open   |
| 2274 | Add a bank account: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P1  | 26    | Open   |
| 2275 | Add a bank account: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P1  | 26    | Open   |
| 2276 | Add a bank account: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P1  | 26    | Open   |
| 2277 | Add a bank account: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P1  | 26    | Open   |
| 2278 | Add a bank account: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P1  | 26    | Open   |
| 2279 | Add a bank account: success state stating what happened and what comes next                                                | new page | Claude     | P1  | 26    | Open   |
| 2280 | Add a bank account: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 26    | Open   |
| 2281 | Add a bank account: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2282 | Add a bank account: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 26    | Open   |
| 2283 | Add a bank account: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 26    | Open   |
| 2284 | Add a bank account: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 26    | Open   |
| 2285 | Add a bank account: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 26    | Open   |
| 2286 | Add a bank account: contrast of every text and control checked                                                             | new page | Claude     | P1  | 26    | Open   |
| 2287 | Add a bank account: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2288 | Add a bank account: component test of every state                                                                          | new page | Claude     | P1  | 26    | Open   |
| 2289 | Add a bank account: end to end test of its main path                                                                       | new page | Claude     | P1  | 26    | Open   |
| 2290 | Add a bank account: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2291 | Add a bank account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 26    | Open   |
| 2292 | Add a wallet account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card  | new page | Claude     | P1  | 26    | Open   |
| 2293 | Add a wallet account: each field checked as it is typed, with one specific message under the field (fields in section AD)  | new page | Claude     | P1  | 26    | Open   |
| 2294 | Add a wallet account: submitting state: the button busy and a second tap ignored                                           | new page | Claude     | P1  | 26    | Open   |
| 2295 | Add a wallet account: a refusal from the server shown with the reason and what to change                                   | new page | Claude     | P1  | 26    | Open   |
| 2296 | Add a wallet account: offline: submission held back with a message, and entered data kept                                  | new page | Claude     | P1  | 26    | Open   |
| 2297 | Add a wallet account: the keyboard never hides the focused field or the main button                                        | new page | Claude     | P1  | 26    | Open   |
| 2298 | Add a wallet account: leaving with unsaved changes asks for confirmation                                                   | new page | Claude     | P1  | 26    | Open   |
| 2299 | Add a wallet account: success state stating what happened and what comes next                                              | new page | Claude     | P1  | 26    | Open   |

| #    | Item                                                                                                                                 | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2300 | Add a wallet account: checked in dark mode, with no hard coded white or black                                                        | new page | Claude     | P1  | 26    | Open   |
| 2301 | Add a wallet account: Urdu text for every string, by a translator                                                                    | new page | Translator | P1  | H4    | Open   |
| 2302 | Add a wallet account: right to left layout checked with the Urdu text                                                                | new page | Claude     | P1  | 26    | Open   |
| 2303 | Add a wallet account: usable at the largest system text size, with nothing cut off                                                   | new page | Claude     | P1  | 26    | Open   |
| 2304 | Add a wallet account: usable at 320 pixels wide                                                                                      | new page | Claude     | P1  | 26    | Open   |
| 2305 | Add a wallet account: every control named for screen readers, in a logical focus order                                               | new page | Claude     | P1  | 26    | Open   |
| 2306 | Add a wallet account: contrast of every text and control checked                                                                     | new page | Claude     | P1  | 26    | Open   |
| 2307 | Add a wallet account: screen view and main action recorded, with no personal data in the events                                      | new page | Claude     | P2  | 59    | Open   |
| 2308 | Add a wallet account: component test of every state                                                                                  | new page | Claude     | P1  | 26    | Open   |
| 2309 | Add a wallet account: end to end test of its main path                                                                               | new page | Claude     | P1  | 26    | Open   |
| 2310 | Add a wallet account: visual regression snapshot at three widths                                                                     | new page | Claude     | P2  | 59    | Open   |
| 2311 | Add a wallet account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels         | new page | Claude     | P1  | 26    | Open   |
| 2312 | Account title check in progress: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 26    | Open   |
| 2313 | Account title check in progress: loading skeleton in the final layout, never a full screen spinner                                   | new page | Claude     | P1  | 26    | Open   |
| 2314 | Account title check in progress: error state with the reason in plain words and a retry                                              | new page | Claude     | P1  | 26    | Open   |
| 2315 | Account title check in progress: offline state showing the last data held and when it was fetched, with actions disabled             | new page | Claude     | P1  | 26    | Open   |
| 2316 | Account title check in progress: deep link restores the screen with its state                                                        | new page | Claude     | P1  | 26    | Open   |
| 2317 | Account title check in progress: not found and no access states, each with a route back                                              | new page | Claude     | P1  | 26    | Open   |
| 2318 | Account title check in progress: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 26    | Open   |
| 2319 | Account title check in progress: Urdu text for every string, by a translator                                                         | new page | Translator | P1  | H4    | Open   |
| 2320 | Account title check in progress: right to left layout checked with the Urdu text                                                     | new page | Claude     | P1  | 26    | Open   |
| 2321 | Account title check in progress: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P1  | 26    | Open   |
| 2322 | Account title check in progress: usable at 320 pixels wide                                                                           | new page | Claude     | P1  | 26    | Open   |
| 2323 | Account title check in progress: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P1  | 26    | Open   |
| 2324 | Account title check in progress: contrast of every text and control checked                                                          | new page | Claude     | P1  | 26    | Open   |
| 2325 | Account title check in progress: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 59    | Open   |
| 2326 | Account title check in progress: component test of every state                                                                       | new page | Claude     | P1  | 26    | Open   |
| 2327 | Account title check in progress: end to end test of its main path                                                                    | new page | Claude     | P1  | 26    | Open   |
| 2328 | Account title check in progress: visual regression snapshot at three widths                                                          | new page | Claude     | P2  | 59    | Open   |

| #    | Item                                                                                                                                    | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2329 | Account title check in progress: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 26    | Open   |
| 2330 | Account title mismatch: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card             | new page | Claude     | P1  | 26    | Open   |
| 2331 | Account title mismatch: every figure and reference shown matches the ledger                                                             | new page | Claude     | P1  | 26    | Open   |
| 2332 | Account title mismatch: the next step offered                                                                                           | new page | Claude     | P1  | 26    | Open   |
| 2333 | Account title mismatch: share as an image or a PDF with account numbers masked                                                          | new page | Claude     | P1  | 26    | Open   |
| 2334 | Account title mismatch: checked in dark mode, with no hard coded white or black                                                         | new page | Claude     | P1  | 26    | Open   |
| 2335 | Account title mismatch: Urdu text for every string, by a translator                                                                     | new page | Translator | P1  | H4    | Open   |
| 2336 | Account title mismatch: right to left layout checked with the Urdu text                                                                 | new page | Claude     | P1  | 26    | Open   |
| 2337 | Account title mismatch: usable at the largest system text size, with nothing cut off                                                    | new page | Claude     | P1  | 26    | Open   |
| 2338 | Account title mismatch: usable at 320 pixels wide                                                                                       | new page | Claude     | P1  | 26    | Open   |
| 2339 | Account title mismatch: every control named for screen readers, in a logical focus order                                                | new page | Claude     | P1  | 26    | Open   |
| 2340 | Account title mismatch: contrast of every text and control checked                                                                      | new page | Claude     | P1  | 26    | Open   |
| 2341 | Account title mismatch: screen view and main action recorded, with no personal data in the events                                       | new page | Claude     | P2  | 59    | Open   |
| 2342 | Account title mismatch: visual regression snapshot at three widths                                                                      | new page | Claude     | P2  | 59    | Open   |
| 2343 | Account title mismatch: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels          | new page | Claude     | P1  | 26    | Open   |
| 2344 | Set the default collection account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 26    | Open   |
| 2345 | Set the default collection account: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 26    | Open   |
| 2346 | Set the default collection account: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P1  | 26    | Open   |
| 2347 | Set the default collection account: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P1  | 26    | Open   |
| 2348 | Set the default collection account: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P1  | 26    | Open   |
| 2349 | Set the default collection account: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P1  | 26    | Open   |
| 2350 | Set the default collection account: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P1  | 26    | Open   |
| 2351 | Set the default collection account: success state stating what happened and what comes next                                             | new page | Claude     | P1  | 26    | Open   |
| 2352 | Set the default collection account: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 26    | Open   |
| 2353 | Set the default collection account: Urdu text for every string, by a translator                                                         | new page | Translator | P1  | H4    | Open   |
| 2354 | Set the default collection account: right to left layout checked with the Urdu text                                                     | new page | Claude     | P1  | 26    | Open   |
| 2355 | Set the default collection account: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P1  | 26    | Open   |

| #    | Item                                                                                                                                       | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2356 | Set the default collection account: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 26    | Open   |
| 2357 | Set the default collection account: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 26    | Open   |
| 2358 | Set the default collection account: contrast of every text and control checked                                                             | new page | Claude     | P1  | 26    | Open   |
| 2359 | Set the default collection account: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2360 | Set the default collection account: component test of every state                                                                          | new page | Claude     | P1  | 26    | Open   |
| 2361 | Set the default collection account: end to end test of its main path                                                                       | new page | Claude     | P1  | 26    | Open   |
| 2362 | Set the default collection account: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2363 | Set the default collection account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 26    | Open   |
| 2364 | Remove a linked account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card               | new page | Claude     | P1  | 26    | Open   |
| 2365 | Remove a linked account: each field checked as it is typed, with one specific message under the field (fields in section AD)               | new page | Claude     | P1  | 26    | Open   |
| 2366 | Remove a linked account: submitting state: the button busy and a second tap ignored                                                        | new page | Claude     | P1  | 26    | Open   |
| 2367 | Remove a linked account: a refusal from the server shown with the reason and what to change                                                | new page | Claude     | P1  | 26    | Open   |
| 2368 | Remove a linked account: offline: submission held back with a message, and entered data kept                                               | new page | Claude     | P1  | 26    | Open   |
| 2369 | Remove a linked account: the keyboard never hides the focused field or the main button                                                     | new page | Claude     | P1  | 26    | Open   |
| 2370 | Remove a linked account: leaving with unsaved changes asks for confirmation                                                                | new page | Claude     | P1  | 27    | Open   |
| 2371 | Remove a linked account: success state stating what happened and what comes next                                                           | new page | Claude     | P1  | 27    | Open   |
| 2372 | Remove a linked account: checked in dark mode, with no hard coded white or black                                                           | new page | Claude     | P1  | 27    | Open   |
| 2373 | Remove a linked account: Urdu text for every string, by a translator                                                                       | new page | Translator | P1  | H4    | Open   |
| 2374 | Remove a linked account: right to left layout checked with the Urdu text                                                                   | new page | Claude     | P1  | 27    | Open   |
| 2375 | Remove a linked account: usable at the largest system text size, with nothing cut off                                                      | new page | Claude     | P1  | 27    | Open   |
| 2376 | Remove a linked account: usable at 320 pixels wide                                                                                         | new page | Claude     | P1  | 27    | Open   |
| 2377 | Remove a linked account: every control named for screen readers, in a logical focus order                                                  | new page | Claude     | P1  | 27    | Open   |
| 2378 | Remove a linked account: contrast of every text and control checked                                                                        | new page | Claude     | P1  | 27    | Open   |
| 2379 | Remove a linked account: screen view and main action recorded, with no personal data in the events                                         | new page | Claude     | P2  | 59    | Open   |
| 2380 | Remove a linked account: component test of every state                                                                                     | new page | Claude     | P1  | 27    | Open   |
| 2381 | Remove a linked account: end to end test of its main path                                                                                  | new page | Claude     | P1  | 27    | Open   |
| 2382 | Remove a linked account: visual regression snapshot at three widths                                                                        | new page | Claude     | P2  | 59    | Open   |
| 2383 | Remove a linked account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels            | new page | Claude     | P1  | 27    | Open   |

| #    | Item                                                                                                                      | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2384 | Mandate explainer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P0  | 6     | Open   |
| 2385 | Mandate explainer: deep link opens it directly                                                                            | new page | Claude     | P0  | 6     | Open   |
| 2386 | Mandate explainer: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 6     | Open   |
| 2387 | Mandate explainer: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 2388 | Mandate explainer: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 6     | Open   |
| 2389 | Mandate explainer: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 6     | Open   |
| 2390 | Mandate explainer: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 6     | Open   |
| 2391 | Mandate explainer: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 6     | Open   |
| 2392 | Mandate explainer: contrast of every text and control checked                                                             | new page | Claude     | P0  | 6     | Open   |
| 2393 | Mandate explainer: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2394 | Mandate explainer: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2395 | Mandate explainer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 6     | Open   |
| 2396 | Authorise a mandate: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card  | new page | Claude     | P0  | 6     | Open   |
| 2397 | Authorise a mandate: each field checked as it is typed, with one specific message under the field (fields in section AD)  | new page | Claude     | P0  | 6     | Open   |
| 2398 | Authorise a mandate: submitting state: the button busy and a second tap ignored                                           | new page | Claude     | P0  | 6     | Open   |
| 2399 | Authorise a mandate: a refusal from the server shown with the reason and what to change                                   | new page | Claude     | P0  | 6     | Open   |
| 2400 | Authorise a mandate: offline: submission held back with a message, and entered data kept                                  | new page | Claude     | P0  | 6     | Open   |
| 2401 | Authorise a mandate: the keyboard never hides the focused field or the main button                                        | new page | Claude     | P0  | 6     | Open   |
| 2402 | Authorise a mandate: leaving with unsaved changes asks for confirmation                                                   | new page | Claude     | P0  | 6     | Open   |
| 2403 | Authorise a mandate: success state stating what happened and what comes next                                              | new page | Claude     | P0  | 6     | Open   |
| 2404 | Authorise a mandate: review step showing every amount before confirmation: the amount and every charge                    | new page | Claude     | P0  | 6     | Open   |
| 2405 | Authorise a mandate: transaction PIN required before the action                                                           | new page | Claude     | P0  | 6     | Open   |
| 2406 | Authorise a mandate: refused during the two hour cooling off after a device change, with the time remaining               | new page | Claude     | P0  | 6     | Open   |
| 2407 | Authorise a mandate: one request per confirmation, carried by an idempotency key                                          | new page | Claude     | P0  | 6     | Open   |
| 2408 | Authorise a mandate: receipt after completion, saved to Activity                                                          | new page | Claude     | P0  | 6     | Open   |
| 2409 | Authorise a mandate: amounts shown as Rs with thousands grouped and no stray decimals                                     | new page | Claude     | P0  | 6     | Open   |
| 2410 | Authorise a mandate: checked in dark mode, with no hard coded white or black                                              | new page | Claude     | P0  | 6     | Open   |
| 2411 | Authorise a mandate: Urdu text for every string, by a translator                                                          | new page | Translator | P0  | H4    | Open   |
| 2412 | Authorise a mandate: right to left layout checked with the Urdu text                                                      | new page | Claude     | P0  | 6     | Open   |



| #    | Item                                                                                                                        | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2413 | Authorise a mandate: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 6     | Open   |
| 2414 | Authorise a mandate: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 6     | Open   |
| 2415 | Authorise a mandate: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 6     | Open   |
| 2416 | Authorise a mandate: contrast of every text and control checked                                                             | new page | Claude     | P0  | 6     | Open   |
| 2417 | Authorise a mandate: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2418 | Authorise a mandate: component test of every state                                                                          | new page | Claude     | P0  | 6     | Open   |
| 2419 | Authorise a mandate: end to end test of its main path                                                                       | new page | Claude     | P0  | 6     | Open   |
| 2420 | Authorise a mandate: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2421 | Authorise a mandate: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 6     | Open   |
| 2422 | Mandate authorised: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P0  | 6     | Open   |
| 2423 | Mandate authorised: every figure and reference shown matches the ledger                                                     | new page | Claude     | P0  | 6     | Open   |
| 2424 | Mandate authorised: the next step offered                                                                                   | new page | Claude     | P0  | 6     | Open   |
| 2425 | Mandate authorised: share as an image or a PDF with account numbers masked                                                  | new page | Claude     | P0  | 6     | Open   |
| 2426 | Mandate authorised: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P0  | 6     | Open   |
| 2427 | Mandate authorised: Urdu text for every string, by a translator                                                             | new page | Translator | P0  | H4    | Open   |
| 2428 | Mandate authorised: right to left layout checked with the Urdu text                                                         | new page | Claude     | P0  | 6     | Open   |
| 2429 | Mandate authorised: usable at the largest system text size, with nothing cut off                                            | new page | Claude     | P0  | 6     | Open   |
| 2430 | Mandate authorised: usable at 320 pixels wide                                                                               | new page | Claude     | P0  | 6     | Open   |
| 2431 | Mandate authorised: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P0  | 6     | Open   |
| 2432 | Mandate authorised: contrast of every text and control checked                                                              | new page | Claude     | P0  | 6     | Open   |
| 2433 | Mandate authorised: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 59    | Open   |
| 2434 | Mandate authorised: visual regression snapshot at three widths                                                              | new page | Claude     | P2  | 59    | Open   |
| 2435 | Mandate authorised: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | new page | Claude     | P0  | 6     | Open   |
| 2436 | Mandates: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card               | new page | Claude     | P1  | 27    | Open   |
| 2437 | Mandates: loading skeleton in the final layout, never a full screen spinner                                                 | new page | Claude     | P1  | 27    | Open   |
| 2438 | Mandates: error state with the reason in plain words and a retry                                                            | new page | Claude     | P1  | 27    | Open   |
| 2439 | Mandates: offline state showing the last data held and when it was fetched, with actions disabled                           | new page | Claude     | P1  | 27    | Open   |
| 2440 | Mandates: deep link restores the screen with its state                                                                      | new page | Claude     | P1  | 27    | Open   |
| 2441 | Mandates: pull to refresh                                                                                                   | new page | Claude     | P1  | 27    | Open   |

| #    | Item                                                                                                                          | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2442 | Mandates: empty state: the reason and one action                                                                              | new page | Claude     | P1  | 27    | Open   |
| 2443 | Mandates: pages loaded as the member scrolls, with an end of list marker                                                      | new page | Claude     | P1  | 27    | Open   |
| 2444 | Mandates: checked in dark mode, with no hard coded white or black                                                             | new page | Claude     | P1  | 27    | Open   |
| 2445 | Mandates: Urdu text for every string, by a translator                                                                         | new page | Translator | P1  | H4    | Open   |
| 2446 | Mandates: right to left layout checked with the Urdu text                                                                     | new page | Claude     | P1  | 27    | Open   |
| 2447 | Mandates: usable at the largest system text size, with nothing cut off                                                        | new page | Claude     | P1  | 27    | Open   |
| 2448 | Mandates: usable at 320 pixels wide                                                                                           | new page | Claude     | P1  | 27    | Open   |
| 2449 | Mandates: every control named for screen readers, in a logical focus order                                                    | new page | Claude     | P1  | 27    | Open   |
| 2450 | Mandates: contrast of every text and control checked                                                                          | new page | Claude     | P1  | 27    | Open   |
| 2451 | Mandates: screen view and main action recorded, with no personal data in the events                                           | new page | Claude     | P2  | 59    | Open   |
| 2452 | Mandates: component test of every state                                                                                       | new page | Claude     | P1  | 27    | Open   |
| 2453 | Mandates: end to end test of its main path                                                                                    | new page | Claude     | P1  | 27    | Open   |
| 2454 | Mandates: visual regression snapshot at three widths                                                                          | new page | Claude     | P2  | 59    | Open   |
| 2455 | Mandates: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels              | new page | Claude     | P1  | 27    | Open   |
| 2456 | Change a mandate ceiling: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 27    | Open   |
| 2457 | Change a mandate ceiling: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 27    | Open   |
| 2458 | Change a mandate ceiling: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P1  | 27    | Open   |
| 2459 | Change a mandate ceiling: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P1  | 27    | Open   |
| 2460 | Change a mandate ceiling: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P1  | 27    | Open   |
| 2461 | Change a mandate ceiling: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P1  | 27    | Open   |
| 2462 | Change a mandate ceiling: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P1  | 27    | Open   |
| 2463 | Change a mandate ceiling: success state stating what happened and what comes next                                             | new page | Claude     | P1  | 27    | Open   |
| 2464 | Change a mandate ceiling: review step showing every amount before confirmation: the amount and every charge                   | new page | Claude     | P1  | 27    | Open   |
| 2465 | Change a mandate ceiling: transaction PIN required before the action                                                          | new page | Claude     | P0  | 6     | Open   |
| 2466 | Change a mandate ceiling: refused during the two hour cooling off after a device change, with the time remaining              | new page | Claude     | P0  | 6     | Open   |
| 2467 | Change a mandate ceiling: one request per confirmation, carried by an idempotency key                                         | new page | Claude     | P0  | 6     | Open   |
| 2468 | Change a mandate ceiling: receipt after completion, saved to Activity                                                         | new page | Claude     | P1  | 27    | Open   |
| 2469 | Change a mandate ceiling: amounts shown as Rs with thousands grouped and no stray decimals                                    | new page | Claude     | P1  | 27    | Open   |
| 2470 | Change a mandate ceiling: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 27    | Open   |

| #    | Item                                                                                                                             | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2471 | Change a mandate ceiling: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2472 | Change a mandate ceiling: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 27    | Open   |
| 2473 | Change a mandate ceiling: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 27    | Open   |
| 2474 | Change a mandate ceiling: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 27    | Open   |
| 2475 | Change a mandate ceiling: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 27    | Open   |
| 2476 | Change a mandate ceiling: contrast of every text and control checked                                                             | new page | Claude     | P1  | 27    | Open   |
| 2477 | Change a mandate ceiling: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2478 | Change a mandate ceiling: component test of every state                                                                          | new page | Claude     | P1  | 27    | Open   |
| 2479 | Change a mandate ceiling: end to end test of its main path                                                                       | new page | Claude     | P1  | 27    | Open   |
| 2480 | Change a mandate ceiling: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2481 | Change a mandate ceiling: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 27    | Open   |
| 2482 | Cancel a mandate: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card            | new page | Claude     | P0  | 6     | Open   |
| 2483 | Cancel a mandate: each field checked as it is typed, with one specific message under the field (fields in section AD)            | new page | Claude     | P0  | 6     | Open   |
| 2484 | Cancel a mandate: submitting state: the button busy and a second tap ignored                                                     | new page | Claude     | P0  | 6     | Open   |
| 2485 | Cancel a mandate: a refusal from the server shown with the reason and what to change                                             | new page | Claude     | P0  | 6     | Open   |
| 2486 | Cancel a mandate: offline: submission held back with a message, and entered data kept                                            | new page | Claude     | P0  | 6     | Open   |
| 2487 | Cancel a mandate: the keyboard never hides the focused field or the main button                                                  | new page | Claude     | P0  | 6     | Open   |
| 2488 | Cancel a mandate: leaving with unsaved changes asks for confirmation                                                             | new page | Claude     | P0  | 6     | Open   |
| 2489 | Cancel a mandate: success state stating what happened and what comes next                                                        | new page | Claude     | P0  | 6     | Open   |
| 2490 | Cancel a mandate: checked in dark mode, with no hard coded white or black                                                        | new page | Claude     | P0  | 6     | Open   |
| 2491 | Cancel a mandate: Urdu text for every string, by a translator                                                                    | new page | Translator | P0  | H4    | Open   |
| 2492 | Cancel a mandate: right to left layout checked with the Urdu text                                                                | new page | Claude     | P0  | 6     | Open   |
| 2493 | Cancel a mandate: usable at the largest system text size, with nothing cut off                                                   | new page | Claude     | P0  | 6     | Open   |
| 2494 | Cancel a mandate: usable at 320 pixels wide                                                                                      | new page | Claude     | P0  | 6     | Open   |
| 2495 | Cancel a mandate: every control named for screen readers, in a logical focus order                                               | new page | Claude     | P0  | 6     | Open   |
| 2496 | Cancel a mandate: contrast of every text and control checked                                                                     | new page | Claude     | P0  | 6     | Open   |
| 2497 | Cancel a mandate: screen view and main action recorded, with no personal data in the events                                      | new page | Claude     | P2  | 59    | Open   |
| 2498 | Cancel a mandate: component test of every state                                                                                  | new page | Claude     | P0  | 6     | Open   |
| 2499 | Cancel a mandate: end to end test of its main path                                                                               | new page | Claude     | P0  | 6     | Open   |
| 2500 | Cancel a mandate: visual regression snapshot at three widths                                                                     | new page | Claude     | P2  | 59    | Open   |

| #    | Item                                                                                                                           | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2501 | Cancel a mandate: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels       | new page | Claude     | P0  | 6     | Open   |
| 2502 | Mandate cancelled: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | new page | Claude     | P0  | 6     | Open   |
| 2503 | Mandate cancelled: every figure and reference shown matches the ledger                                                         | new page | Claude     | P0  | 6     | Open   |
| 2504 | Mandate cancelled: the next step offered                                                                                       | new page | Claude     | P0  | 6     | Open   |
| 2505 | Mandate cancelled: share as an image or a PDF with account numbers masked                                                      | new page | Claude     | P0  | 6     | Open   |
| 2506 | Mandate cancelled: checked in dark mode, with no hard coded white or black                                                     | new page | Claude     | P0  | 6     | Open   |
| 2507 | Mandate cancelled: Urdu text for every string, by a translator                                                                 | new page | Translator | P0  | H4    | Open   |
| 2508 | Mandate cancelled: right to left layout checked with the Urdu text                                                             | new page | Claude     | P0  | 6     | Open   |
| 2509 | Mandate cancelled: usable at the largest system text size, with nothing cut off                                                | new page | Claude     | P0  | 6     | Open   |
| 2510 | Mandate cancelled: usable at 320 pixels wide                                                                                   | new page | Claude     | P0  | 6     | Open   |
| 2511 | Mandate cancelled: every control named for screen readers, in a logical focus order                                            | new page | Claude     | P0  | 6     | Open   |
| 2512 | Mandate cancelled: contrast of every text and control checked                                                                  | new page | Claude     | P0  | 6     | Open   |
| 2513 | Mandate cancelled: screen view and main action recorded, with no personal data in the events                                   | new page | Claude     | P2  | 59    | Open   |
| 2514 | Mandate cancelled: visual regression snapshot at three widths                                                                  | new page | Claude     | P2  | 59    | Open   |
| 2515 | Mandate cancelled: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels      | new page | Claude     | P0  | 6     | Open   |
| 2516 | Mandate collection failed: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 6     | Open   |
| 2517 | Mandate collection failed: every figure and reference shown matches the ledger                                                 | new page | Claude     | P0  | 6     | Open   |
| 2518 | Mandate collection failed: the next step offered                                                                               | new page | Claude     | P0  | 6     | Open   |
| 2519 | Mandate collection failed: share as an image or a PDF with account numbers masked                                              | new page | Claude     | P0  | 6     | Open   |
| 2520 | Mandate collection failed: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P0  | 6     | Open   |
| 2521 | Mandate collection failed: Urdu text for every string, by a translator                                                         | new page | Translator | P0  | H4    | Open   |
| 2522 | Mandate collection failed: right to left layout checked with the Urdu text                                                     | new page | Claude     | P0  | 6     | Open   |
| 2523 | Mandate collection failed: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P0  | 7     | Open   |
| 2524 | Mandate collection failed: usable at 320 pixels wide                                                                           | new page | Claude     | P0  | 7     | Open   |
| 2525 | Mandate collection failed: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P0  | 7     | Open   |
| 2526 | Mandate collection failed: contrast of every text and control checked                                                          | new page | Claude     | P0  | 7     | Open   |
| 2527 | Mandate collection failed: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 59    | Open   |
| 2528 | Mandate collection failed: visual regression snapshot at three widths                                                          | new page | Claude     | P2  | 59    | Open   |

| #    | Item                                                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2529 | Mandate collection failed: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels            | new page | Claude     | P0  | 7     | Open   |
| 2530 | Advance notice of a different amount: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 27    | Open   |
| 2531 | Advance notice of a different amount: deep link opens it directly                                                                            | new page | Claude     | P1  | 27    | Open   |
| 2532 | Advance notice of a different amount: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 27    | Open   |
| 2533 | Advance notice of a different amount: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2534 | Advance notice of a different amount: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 27    | Open   |
| 2535 | Advance notice of a different amount: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 27    | Open   |
| 2536 | Advance notice of a different amount: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 27    | Open   |
| 2537 | Advance notice of a different amount: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 27    | Open   |
| 2538 | Advance notice of a different amount: contrast of every text and control checked                                                             | new page | Claude     | P1  | 27    | Open   |
| 2539 | Advance notice of a different amount: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2540 | Advance notice of a different amount: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2541 | Advance notice of a different amount: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 27    | Open   |

#### AC5. Missing Screens: Circles

| #    | Item                                                                                                                  | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2542 | Circle templates: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 27    | Open   |
| 2543 | Circle templates: loading skeleton in the final layout, never a full screen spinner                                   | new page | Claude     | P1  | 27    | Open   |
| 2544 | Circle templates: error state with the reason in plain words and a retry                                              | new page | Claude     | P1  | 27    | Open   |
| 2545 | Circle templates: offline state showing the last data held and when it was fetched, with actions disabled             | new page | Claude     | P1  | 27    | Open   |
| 2546 | Circle templates: deep link restores the screen with its state                                                        | new page | Claude     | P1  | 27    | Open   |
| 2547 | Circle templates: pull to refresh                                                                                     | new page | Claude     | P1  | 27    | Open   |
| 2548 | Circle templates: empty state: the reason and one action                                                              | new page | Claude     | P1  | 27    | Open   |
| 2549 | Circle templates: pages loaded as the member scrolls, with an end of list marker                                      | new page | Claude     | P1  | 27    | Open   |
| 2550 | Circle templates: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 27    | Open   |
| 2551 | Circle templates: Urdu text for every string, by a translator                                                         | new page | Translator | P1  | H4    | Open   |
| 2552 | Circle templates: right to left layout checked with the Urdu text                                                     | new page | Claude     | P1  | 27    | Open   |
| 2553 | Circle templates: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P1  | 27    | Open   |
| 2554 | Circle templates: usable at 320 pixels wide                                                                           | new page | Claude     | P1  | 27    | Open   |

| #    | Item                                                                                                                     | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2555 | Circle templates: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 27    | Open   |
| 2556 | Circle templates: contrast of every text and control checked                                                             | new page | Claude     | P1  | 27    | Open   |
| 2557 | Circle templates: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2558 | Circle templates: component test of every state                                                                          | new page | Claude     | P1  | 27    | Open   |
| 2559 | Circle templates: end to end test of its main path                                                                       | new page | Claude     | P1  | 27    | Open   |
| 2560 | Circle templates: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2561 | Circle templates: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 27    | Open   |
| 2562 | Cadence chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P1  | 27    | Open   |
| 2563 | Cadence chooser: each field checked as it is typed, with one specific message under the field (fields in section AD)     | new page | Claude     | P1  | 27    | Open   |
| 2564 | Cadence chooser: submitting state: the button busy and a second tap ignored                                              | new page | Claude     | P1  | 27    | Open   |
| 2565 | Cadence chooser: a refusal from the server shown with the reason and what to change                                      | new page | Claude     | P1  | 27    | Open   |
| 2566 | Cadence chooser: offline: submission held back with a message, and entered data kept                                     | new page | Claude     | P1  | 27    | Open   |
| 2567 | Cadence chooser: the keyboard never hides the focused field or the main button                                           | new page | Claude     | P1  | 27    | Open   |
| 2568 | Cadence chooser: leaving with unsaved changes asks for confirmation                                                      | new page | Claude     | P1  | 27    | Open   |
| 2569 | Cadence chooser: success state stating what happened and what comes next                                                 | new page | Claude     | P1  | 27    | Open   |
| 2570 | Cadence chooser: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P1  | 27    | Open   |
| 2571 | Cadence chooser: Urdu text for every string, by a translator                                                             | new page | Translator | P1  | H4    | Open   |
| 2572 | Cadence chooser: right to left layout checked with the Urdu text                                                         | new page | Claude     | P1  | 27    | Open   |
| 2573 | Cadence chooser: usable at the largest system text size, with nothing cut off                                            | new page | Claude     | P1  | 27    | Open   |
| 2574 | Cadence chooser: usable at 320 pixels wide                                                                               | new page | Claude     | P1  | 27    | Open   |
| 2575 | Cadence chooser: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P1  | 27    | Open   |
| 2576 | Cadence chooser: contrast of every text and control checked                                                              | new page | Claude     | P1  | 27    | Open   |
| 2577 | Cadence chooser: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 59    | Open   |
| 2578 | Cadence chooser: component test of every state                                                                           | new page | Claude     | P1  | 27    | Open   |
| 2579 | Cadence chooser: end to end test of its main path                                                                        | new page | Claude     | P1  | 27    | Open   |
| 2580 | Cadence chooser: visual regression snapshot at three widths                                                              | new page | Claude     | P2  | 59    | Open   |
| 2581 | Cadence chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | new page | Claude     | P1  | 27    | Open   |
| 2582 | Roster size chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 27    | Open   |
| 2583 | Roster size chooser: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 27    | Open   |

| #    | Item                                                                                                                        | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2584 | Roster size chooser: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P1  | 27    | Open   |
| 2585 | Roster size chooser: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P1  | 27    | Open   |
| 2586 | Roster size chooser: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P1  | 27    | Open   |
| 2587 | Roster size chooser: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P1  | 27    | Open   |
| 2588 | Roster size chooser: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P1  | 28    | Open   |
| 2589 | Roster size chooser: success state stating what happened and what comes next                                                | new page | Claude     | P1  | 28    | Open   |
| 2590 | Roster size chooser: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 28    | Open   |
| 2591 | Roster size chooser: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2592 | Roster size chooser: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 28    | Open   |
| 2593 | Roster size chooser: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 28    | Open   |
| 2594 | Roster size chooser: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 28    | Open   |
| 2595 | Roster size chooser: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 28    | Open   |
| 2596 | Roster size chooser: contrast of every text and control checked                                                             | new page | Claude     | P1  | 28    | Open   |
| 2597 | Roster size chooser: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2598 | Roster size chooser: component test of every state                                                                          | new page | Claude     | P1  | 28    | Open   |
| 2599 | Roster size chooser: end to end test of its main path                                                                       | new page | Claude     | P1  | 28    | Open   |
| 2600 | Roster size chooser: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2601 | Roster size chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 28    | Open   |
| 2602 | Seat chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card           | new page | Claude     | P0  | 7     | Open   |
| 2603 | Seat chooser: each field checked as it is typed, with one specific message under the field (fields in section AD)           | new page | Claude     | P0  | 7     | Open   |
| 2604 | Seat chooser: submitting state: the button busy and a second tap ignored                                                    | new page | Claude     | P0  | 7     | Open   |
| 2605 | Seat chooser: a refusal from the server shown with the reason and what to change                                            | new page | Claude     | P0  | 7     | Open   |
| 2606 | Seat chooser: offline: submission held back with a message, and entered data kept                                           | new page | Claude     | P0  | 7     | Open   |
| 2607 | Seat chooser: the keyboard never hides the focused field or the main button                                                 | new page | Claude     | P0  | 7     | Open   |
| 2608 | Seat chooser: leaving with unsaved changes asks for confirmation                                                            | new page | Claude     | P0  | 7     | Open   |
| 2609 | Seat chooser: success state stating what happened and what comes next                                                       | new page | Claude     | P0  | 7     | Open   |
| 2610 | Seat chooser: checked in dark mode, with no hard coded white or black                                                       | new page | Claude     | P0  | 7     | Open   |
| 2611 | Seat chooser: Urdu text for every string, by a translator                                                                   | new page | Translator | P0  | H4    | Open   |
| 2612 | Seat chooser: right to left layout checked with the Urdu text                                                               | new page | Claude     | P0  | 7     | Open   |
| 2613 | Seat chooser: usable at the largest system text size, with nothing cut off                                                  | new page | Claude     | P0  | 7     | Open   |

| #    | Item                                                                                                                  | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2614 | Seat chooser: usable at 320 pixels wide                                                                               | new page | Claude     | P0  | 7     | Open   |
| 2615 | Seat chooser: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P0  | 7     | Open   |
| 2616 | Seat chooser: contrast of every text and control checked                                                              | new page | Claude     | P0  | 7     | Open   |
| 2617 | Seat chooser: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 59    | Open   |
| 2618 | Seat chooser: component test of every state                                                                           | new page | Claude     | P0  | 7     | Open   |
| 2619 | Seat chooser: end to end test of its main path                                                                        | new page | Claude     | P0  | 7     | Open   |
| 2620 | Seat chooser: visual regression snapshot at three widths                                                              | new page | Claude     | P2  | 59    | Open   |
| 2621 | Seat chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | new page | Claude     | P0  | 7     | Open   |
| 2622 | Join a circle: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P0  | 7     | Open   |
| 2623 | Join a circle: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P0  | 7     | Open   |
| 2624 | Join a circle: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P0  | 7     | Open   |
| 2625 | Join a circle: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P0  | 7     | Open   |
| 2626 | Join a circle: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P0  | 7     | Open   |
| 2627 | Join a circle: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P0  | 7     | Open   |
| 2628 | Join a circle: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P0  | 7     | Open   |
| 2629 | Join a circle: success state stating what happened and what comes next                                                | new page | Claude     | P0  | 7     | Open   |
| 2630 | Join a circle: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 7     | Open   |
| 2631 | Join a circle: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 2632 | Join a circle: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 7     | Open   |
| 2633 | Join a circle: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 7     | Open   |
| 2634 | Join a circle: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 7     | Open   |
| 2635 | Join a circle: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 7     | Open   |
| 2636 | Join a circle: contrast of every text and control checked                                                             | new page | Claude     | P0  | 7     | Open   |
| 2637 | Join a circle: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2638 | Join a circle: component test of every state                                                                          | new page | Claude     | P0  | 7     | Open   |
| 2639 | Join a circle: end to end test of its main path                                                                       | new page | Claude     | P0  | 7     | Open   |
| 2640 | Join a circle: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2641 | Join a circle: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 7     | Open   |
| 2642 | Split disclosure: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 7     | Open   |
| 2643 | Split disclosure: deep link opens it directly                                                                         | new page | Claude     | P0  | 7     | Open   |
| 2644 | Split disclosure: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P0  | 7     | Open   |



| #    | Item                                                                                                                             | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2645 | Split disclosure: Urdu text for every string, by a translator                                                                    | new page | Translator | P0  | H4    | Open   |
| 2646 | Split disclosure: right to left layout checked with the Urdu text                                                                | new page | Claude     | P0  | 7     | Open   |
| 2647 | Split disclosure: usable at the largest system text size, with nothing cut off                                                   | new page | Claude     | P0  | 7     | Open   |
| 2648 | Split disclosure: usable at 320 pixels wide                                                                                      | new page | Claude     | P0  | 7     | Open   |
| 2649 | Split disclosure: every control named for screen readers, in a logical focus order                                               | new page | Claude     | P0  | 7     | Open   |
| 2650 | Split disclosure: contrast of every text and control checked                                                                     | new page | Claude     | P0  | 7     | Open   |
| 2651 | Split disclosure: screen view and main action recorded, with no personal data in the events                                      | new page | Claude     | P2  | 59    | Open   |
| 2652 | Split disclosure: visual regression snapshot at three widths                                                                     | new page | Claude     | P2  | 59    | Open   |
| 2653 | Split disclosure: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels         | new page | Claude     | P0  | 7     | Open   |
| 2654 | Mutual guarantee signing: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P0  | 7     | Open   |
| 2655 | Mutual guarantee signing: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P0  | 7     | Open   |
| 2656 | Mutual guarantee signing: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P0  | 7     | Open   |
| 2657 | Mutual guarantee signing: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P0  | 7     | Open   |
| 2658 | Mutual guarantee signing: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P0  | 7     | Open   |
| 2659 | Mutual guarantee signing: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P0  | 7     | Open   |
| 2660 | Mutual guarantee signing: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P0  | 7     | Open   |
| 2661 | Mutual guarantee signing: success state stating what happened and what comes next                                                | new page | Claude     | P0  | 7     | Open   |
| 2662 | Mutual guarantee signing: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 7     | Open   |
| 2663 | Mutual guarantee signing: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 2664 | Mutual guarantee signing: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 7     | Open   |
| 2665 | Mutual guarantee signing: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 7     | Open   |
| 2666 | Mutual guarantee signing: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 7     | Open   |
| 2667 | Mutual guarantee signing: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 7     | Open   |
| 2668 | Mutual guarantee signing: contrast of every text and control checked                                                             | new page | Claude     | P0  | 7     | Open   |
| 2669 | Mutual guarantee signing: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2670 | Mutual guarantee signing: component test of every state                                                                          | new page | Claude     | P0  | 7     | Open   |
| 2671 | Mutual guarantee signing: end to end test of its main path                                                                       | new page | Claude     | P0  | 7     | Open   |
| 2672 | Mutual guarantee signing: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2673 | Mutual guarantee signing: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 7     | Open   |

| #    | Item                                                                                                                        | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2674 | Undertaking signing: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P0  | 7     | Open   |
| 2675 | Undertaking signing: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P0  | 7     | Open   |
| 2676 | Undertaking signing: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P0  | 7     | Open   |
| 2677 | Undertaking signing: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P0  | 7     | Open   |
| 2678 | Undertaking signing: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P0  | 7     | Open   |
| 2679 | Undertaking signing: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P0  | 7     | Open   |
| 2680 | Undertaking signing: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P0  | 7     | Open   |
| 2681 | Undertaking signing: success state stating what happened and what comes next                                                | new page | Claude     | P0  | 7     | Open   |
| 2682 | Undertaking signing: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 7     | Open   |
| 2683 | Undertaking signing: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 2684 | Undertaking signing: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 7     | Open   |
| 2685 | Undertaking signing: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 7     | Open   |
| 2686 | Undertaking signing: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 7     | Open   |
| 2687 | Undertaking signing: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 7     | Open   |
| 2688 | Undertaking signing: contrast of every text and control checked                                                             | new page | Claude     | P0  | 7     | Open   |
| 2689 | Undertaking signing: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2690 | Undertaking signing: component test of every state                                                                          | new page | Claude     | P0  | 7     | Open   |
| 2691 | Undertaking signing: end to end test of its main path                                                                       | new page | Claude     | P0  | 7     | Open   |
| 2692 | Undertaking signing: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2693 | Undertaking signing: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 7     | Open   |
| 2694 | Signature capture: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card      | new page | Claude     | P0  | 7     | Open   |
| 2695 | Signature capture: the reason for the camera stated before the system asks                                                  | new page | Claude     | P0  | 7     | Open   |
| 2696 | Signature capture: camera refused: how to allow it in settings, and a typed route where one exists                          | new page | Claude     | P0  | 7     | Open   |
| 2697 | Signature capture: guide frame and live hints while capturing                                                               | new page | Claude     | P0  | 7     | Open   |
| 2698 | Signature capture: low light and glare detected, with advice                                                                | new page | Claude     | P0  | 7     | Open   |
| 2699 | Signature capture: review and retake before submission                                                                      | new page | Claude     | P0  | 7     | Open   |
| 2700 | Signature capture: upload progress and a retry on failure                                                                   | new page | Claude     | P0  | 7     | Open   |
| 2701 | Signature capture: checked in dark mode, with no hard coded white or black                                                  | new page | Claude     | P0  | 7     | Open   |
| 2702 | Signature capture: Urdu text for every string, by a translator                                                              | new page | Translator | P0  | H4    | Open   |

| #    | Item                                                                                                                      | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2703 | Signature capture: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 7     | Open   |
| 2704 | Signature capture: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 7     | Open   |
| 2705 | Signature capture: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 7     | Open   |
| 2706 | Signature capture: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 7     | Open   |
| 2707 | Signature capture: contrast of every text and control checked                                                             | new page | Claude     | P0  | 7     | Open   |
| 2708 | Signature capture: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2709 | Signature capture: component test of every state                                                                          | new page | Claude     | P0  | 7     | Open   |
| 2710 | Signature capture: end to end test of its main path                                                                       | new page | Claude     | P0  | 7     | Open   |
| 2711 | Signature capture: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2712 | Signature capture: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 8     | Open   |
| 2713 | Agreement archive: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 28    | Open   |
| 2714 | Agreement archive: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P1  | 28    | Open   |
| 2715 | Agreement archive: error state with the reason in plain words and a retry                                                 | new page | Claude     | P1  | 28    | Open   |
| 2716 | Agreement archive: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P1  | 28    | Open   |
| 2717 | Agreement archive: deep link restores the screen with its state                                                           | new page | Claude     | P1  | 28    | Open   |
| 2718 | Agreement archive: pull to refresh                                                                                        | new page | Claude     | P1  | 28    | Open   |
| 2719 | Agreement archive: empty state: the reason and one action                                                                 | new page | Claude     | P1  | 28    | Open   |
| 2720 | Agreement archive: pages loaded as the member scrolls, with an end of list marker                                         | new page | Claude     | P1  | 28    | Open   |
| 2721 | Agreement archive: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 28    | Open   |
| 2722 | Agreement archive: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2723 | Agreement archive: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 28    | Open   |
| 2724 | Agreement archive: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 28    | Open   |
| 2725 | Agreement archive: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 28    | Open   |
| 2726 | Agreement archive: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 28    | Open   |
| 2727 | Agreement archive: contrast of every text and control checked                                                             | new page | Claude     | P1  | 28    | Open   |
| 2728 | Agreement archive: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2729 | Agreement archive: component test of every state                                                                          | new page | Claude     | P1  | 28    | Open   |
| 2730 | Agreement archive: end to end test of its main path                                                                       | new page | Claude     | P1  | 28    | Open   |
| 2731 | Agreement archive: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |

| #    | Item                                                                                                                                | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2732 | Agreement archive: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels           | new page | Claude     | P1  | 28    | Open   |
| 2733 | Confirming window countdown: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 28    | Open   |
| 2734 | Confirming window countdown: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P1  | 28    | Open   |
| 2735 | Confirming window countdown: error state with the reason in plain words and a retry                                                 | new page | Claude     | P1  | 28    | Open   |
| 2736 | Confirming window countdown: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P1  | 28    | Open   |
| 2737 | Confirming window countdown: deep link restores the screen with its state                                                           | new page | Claude     | P1  | 28    | Open   |
| 2738 | Confirming window countdown: not found and no access states, each with a route back                                                 | new page | Claude     | P1  | 28    | Open   |
| 2739 | Confirming window countdown: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 28    | Open   |
| 2740 | Confirming window countdown: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2741 | Confirming window countdown: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 28    | Open   |
| 2742 | Confirming window countdown: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 28    | Open   |
| 2743 | Confirming window countdown: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 28    | Open   |
| 2744 | Confirming window countdown: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 28    | Open   |
| 2745 | Confirming window countdown: contrast of every text and control checked                                                             | new page | Claude     | P1  | 28    | Open   |
| 2746 | Confirming window countdown: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2747 | Confirming window countdown: component test of every state                                                                          | new page | Claude     | P1  | 28    | Open   |
| 2748 | Confirming window countdown: end to end test of its main path                                                                       | new page | Claude     | P1  | 28    | Open   |
| 2749 | Confirming window countdown: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2750 | Confirming window countdown: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 28    | Open   |
| 2751 | Withdraw before the start: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card      | new page | Claude     | P0  | 8     | Open   |
| 2752 | Withdraw before the start: each field checked as it is typed, with one specific message under the field (fields in section AD)      | new page | Claude     | P0  | 8     | Open   |
| 2753 | Withdraw before the start: submitting state: the button busy and a second tap ignored                                               | new page | Claude     | P0  | 8     | Open   |
| 2754 | Withdraw before the start: a refusal from the server shown with the reason and what to change                                       | new page | Claude     | P0  | 8     | Open   |
| 2755 | Withdraw before the start: offline: submission held back with a message, and entered data kept                                      | new page | Claude     | P0  | 8     | Open   |
| 2756 | Withdraw before the start: the keyboard never hides the focused field or the main button                                            | new page | Claude     | P0  | 8     | Open   |
| 2757 | Withdraw before the start: leaving with unsaved changes asks for confirmation                                                       | new page | Claude     | P0  | 8     | Open   |
| 2758 | Withdraw before the start: success state stating what happened and what comes next                                                  | new page | Claude     | P0  | 8     | Open   |

| #    | Item                                                                                                                              | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2759 | Withdraw before the start: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 8     | Open   |
| 2760 | Withdraw before the start: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 2761 | Withdraw before the start: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 8     | Open   |
| 2762 | Withdraw before the start: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 8     | Open   |
| 2763 | Withdraw before the start: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 8     | Open   |
| 2764 | Withdraw before the start: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 8     | Open   |
| 2765 | Withdraw before the start: contrast of every text and control checked                                                             | new page | Claude     | P0  | 8     | Open   |
| 2766 | Withdraw before the start: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2767 | Withdraw before the start: component test of every state                                                                          | new page | Claude     | P0  | 8     | Open   |
| 2768 | Withdraw before the start: end to end test of its main path                                                                       | new page | Claude     | P0  | 8     | Open   |
| 2769 | Withdraw before the start: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2770 | Withdraw before the start: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 8     | Open   |
| 2771 | Waiting list position: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card        | new page | Claude     | P2  | 59    | Open   |
| 2772 | Waiting list position: loading skeleton in the final layout, never a full screen spinner                                          | new page | Claude     | P2  | 59    | Open   |
| 2773 | Waiting list position: error state with the reason in plain words and a retry                                                     | new page | Claude     | P2  | 59    | Open   |
| 2774 | Waiting list position: offline state showing the last data held and when it was fetched, with actions disabled                    | new page | Claude     | P2  | 59    | Open   |
| 2775 | Waiting list position: deep link restores the screen with its state                                                               | new page | Claude     | P2  | 59    | Open   |
| 2776 | Waiting list position: not found and no access states, each with a route back                                                     | new page | Claude     | P2  | 59    | Open   |
| 2777 | Waiting list position: checked in dark mode, with no hard coded white or black                                                    | new page | Claude     | P2  | 59    | Open   |
| 2778 | Waiting list position: Urdu text for every string, by a translator                                                                | new page | Translator | P2  | H4    | Open   |
| 2779 | Waiting list position: right to left layout checked with the Urdu text                                                            | new page | Claude     | P2  | 59    | Open   |
| 2780 | Waiting list position: usable at the largest system text size, with nothing cut off                                               | new page | Claude     | P2  | 59    | Open   |
| 2781 | Waiting list position: usable at 320 pixels wide                                                                                  | new page | Claude     | P2  | 59    | Open   |
| 2782 | Waiting list position: every control named for screen readers, in a logical focus order                                           | new page | Claude     | P2  | 59    | Open   |
| 2783 | Waiting list position: contrast of every text and control checked                                                                 | new page | Claude     | P2  | 59    | Open   |
| 2784 | Waiting list position: screen view and main action recorded, with no personal data in the events                                  | new page | Claude     | P2  | 59    | Open   |
| 2785 | Waiting list position: component test of every state                                                                              | new page | Claude     | P2  | 59    | Open   |
| 2786 | Waiting list position: end to end test of its main path                                                                           | new page | Claude     | P2  | 59    | Open   |
| 2787 | Waiting list position: visual regression snapshot at three widths                                                                 | new page | Claude     | P2  | 59    | Open   |

| #    | Item                                                                                                                          | Where    | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 2788 | Waiting list position: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude | P2  | 59    | Open   |

#### AC6. Missing Screens: Host

| #    | Item                                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2789 | Host admission queue: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 28    | Open   |
| 2790 | Host admission queue: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P1  | 28    | Open   |
| 2791 | Host admission queue: error state with the reason in plain words and a retry                                                 | new page | Claude     | P1  | 28    | Open   |
| 2792 | Host admission queue: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P1  | 28    | Open   |
| 2793 | Host admission queue: deep link restores the screen with its state                                                           | new page | Claude     | P1  | 28    | Open   |
| 2794 | Host admission queue: pull to refresh                                                                                        | new page | Claude     | P1  | 28    | Open   |
| 2795 | Host admission queue: empty state: the reason and one action                                                                 | new page | Claude     | P1  | 28    | Open   |
| 2796 | Host admission queue: pages loaded as the member scrolls, with an end of list marker                                         | new page | Claude     | P1  | 28    | Open   |
| 2797 | Host admission queue: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 28    | Open   |
| 2798 | Host admission queue: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2799 | Host admission queue: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 28    | Open   |
| 2800 | Host admission queue: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 28    | Open   |
| 2801 | Host admission queue: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 28    | Open   |
| 2802 | Host admission queue: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 28    | Open   |
| 2803 | Host admission queue: contrast of every text and control checked                                                             | new page | Claude     | P1  | 28    | Open   |
| 2804 | Host admission queue: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2805 | Host admission queue: component test of every state                                                                          | new page | Claude     | P1  | 28    | Open   |
| 2806 | Host admission queue: end to end test of its main path                                                                       | new page | Claude     | P1  | 28    | Open   |
| 2807 | Host admission queue: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2808 | Host admission queue: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 28    | Open   |
| 2809 | Applicant detail: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card        | new page | Claude     | P1  | 28    | Open   |
| 2810 | Applicant detail: loading skeleton in the final layout, never a full screen spinner                                          | new page | Claude     | P1  | 28    | Open   |
| 2811 | Applicant detail: error state with the reason in plain words and a retry                                                     | new page | Claude     | P1  | 28    | Open   |
| 2812 | Applicant detail: offline state showing the last data held and when it was fetched, with actions disabled                    | new page | Claude     | P1  | 28    | Open   |
| 2813 | Applicant detail: deep link restores the screen with its state                                                               | new page | Claude     | P1  | 28    | Open   |

| #    | Item                                                                                                                              | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2814 | Applicant detail: not found and no access states, each with a route back                                                          | new page | Claude     | P1  | 28    | Open   |
| 2815 | Applicant detail: checked in dark mode, with no hard coded white or black                                                         | new page | Claude     | P1  | 28    | Open   |
| 2816 | Applicant detail: Urdu text for every string, by a translator                                                                     | new page | Translator | P1  | H4    | Open   |
| 2817 | Applicant detail: right to left layout checked with the Urdu text                                                                 | new page | Claude     | P1  | 28    | Open   |
| 2818 | Applicant detail: usable at the largest system text size, with nothing cut off                                                    | new page | Claude     | P1  | 28    | Open   |
| 2819 | Applicant detail: usable at 320 pixels wide                                                                                       | new page | Claude     | P1  | 28    | Open   |
| 2820 | Applicant detail: every control named for screen readers, in a logical focus order                                                | new page | Claude     | P1  | 28    | Open   |
| 2821 | Applicant detail: contrast of every text and control checked                                                                      | new page | Claude     | P1  | 28    | Open   |
| 2822 | Applicant detail: screen view and main action recorded, with no personal data in the events                                       | new page | Claude     | P2  | 59    | Open   |
| 2823 | Applicant detail: component test of every state                                                                                   | new page | Claude     | P1  | 28    | Open   |
| 2824 | Applicant detail: end to end test of its main path                                                                                | new page | Claude     | P1  | 28    | Open   |
| 2825 | Applicant detail: visual regression snapshot at three widths                                                                      | new page | Claude     | P2  | 59    | Open   |
| 2826 | Applicant detail: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels          | new page | Claude     | P1  | 28    | Open   |
| 2827 | Admission decision record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 28    | Open   |
| 2828 | Admission decision record: every figure and reference shown matches the ledger                                                    | new page | Claude     | P1  | 28    | Open   |
| 2829 | Admission decision record: the next step offered                                                                                  | new page | Claude     | P1  | 28    | Open   |
| 2830 | Admission decision record: share as an image or a PDF with account numbers masked                                                 | new page | Claude     | P1  | 28    | Open   |
| 2831 | Admission decision record: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 28    | Open   |
| 2832 | Admission decision record: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2833 | Admission decision record: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 28    | Open   |
| 2834 | Admission decision record: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 28    | Open   |
| 2835 | Admission decision record: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 28    | Open   |
| 2836 | Admission decision record: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 28    | Open   |
| 2837 | Admission decision record: contrast of every text and control checked                                                             | new page | Claude     | P1  | 28    | Open   |
| 2838 | Admission decision record: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 59    | Open   |
| 2839 | Admission decision record: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 59    | Open   |
| 2840 | Admission decision record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 28    | Open   |
| 2841 | Roster fill request: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | new page | Claude     | P2  | 59    | Open   |
| 2842 | Roster fill request: each field checked as it is typed, with one specific message under the field (fields in section AD)          | new page | Claude     | P2  | 60    | Open   |

| #    | Item                                                                                                                                               | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2843 | Roster fill request: submitting state: the button busy and a second tap ignored                                                                    | new page | Claude     | P2  | 60    | Open   |
| 2844 | Roster fill request: a refusal from the server shown with the reason and what to change                                                            | new page | Claude     | P2  | 60    | Open   |
| 2845 | Roster fill request: offline: submission held back with a message, and entered data kept                                                           | new page | Claude     | P2  | 60    | Open   |
| 2846 | Roster fill request: the keyboard never hides the focused field or the main button                                                                 | new page | Claude     | P2  | 60    | Open   |
| 2847 | Roster fill request: leaving with unsaved changes asks for confirmation                                                                            | new page | Claude     | P2  | 60    | Open   |
| 2848 | Roster fill request: success state stating what happened and what comes next                                                                       | new page | Claude     | P2  | 60    | Open   |
| 2849 | Roster fill request: checked in dark mode, with no hard coded white or black                                                                       | new page | Claude     | P2  | 60    | Open   |
| 2850 | Roster fill request: Urdu text for every string, by a translator                                                                                   | new page | Translator | P2  | H4    | Open   |
| 2851 | Roster fill request: right to left layout checked with the Urdu text                                                                               | new page | Claude     | P2  | 60    | Open   |
| 2852 | Roster fill request: usable at the largest system text size, with nothing cut off                                                                  | new page | Claude     | P2  | 60    | Open   |
| 2853 | Roster fill request: usable at 320 pixels wide                                                                                                     | new page | Claude     | P2  | 60    | Open   |
| 2854 | Roster fill request: every control named for screen readers, in a logical focus order                                                              | new page | Claude     | P2  | 60    | Open   |
| 2855 | Roster fill request: contrast of every text and control checked                                                                                    | new page | Claude     | P2  | 60    | Open   |
| 2856 | Roster fill request: screen view and main action recorded, with no personal data in the events                                                     | new page | Claude     | P2  | 60    | Open   |
| 2857 | Roster fill request: component test of every state                                                                                                 | new page | Claude     | P2  | 60    | Open   |
| 2858 | Roster fill request: end to end test of its main path                                                                                              | new page | Claude     | P2  | 60    | Open   |
| 2859 | Roster fill request: visual regression snapshot at three widths                                                                                    | new page | Claude     | P2  | 60    | Open   |
| 2860 | Roster fill request: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels                        | new page | Claude     | P2  | 60    | Open   |
| 2861 | Order of turns assignment, fixed or by ballot: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 28    | Open   |
| 2862 | Order of turns assignment, fixed or by ballot: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 28    | Open   |
| 2863 | Order of turns assignment, fixed or by ballot: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P1  | 28    | Open   |
| 2864 | Order of turns assignment, fixed or by ballot: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P1  | 28    | Open   |
| 2865 | Order of turns assignment, fixed or by ballot: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P1  | 28    | Open   |
| 2866 | Order of turns assignment, fixed or by ballot: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P1  | 28    | Open   |
| 2867 | Order of turns assignment, fixed or by ballot: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P1  | 28    | Open   |
| 2868 | Order of turns assignment, fixed or by ballot: success state stating what happened and what comes next                                             | new page | Claude     | P1  | 28    | Open   |
| 2869 | Order of turns assignment, fixed or by ballot: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 28    | Open   |
| 2870 | Order of turns assignment, fixed or by ballot: Urdu text for every string, by a translator                                                         | new page | Translator | P1  | H4    | Open   |
| 2871 | Order of turns assignment, fixed or by ballot: right to left layout checked with the Urdu text                                                     | new page | Claude     | P1  | 28    | Open   |



| #    | Item                                                                                                                                                  | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2872 | Order of turns assignment, fixed or by ballot: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 28    | Open   |
| 2873 | Order of turns assignment, fixed or by ballot: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 29    | Open   |
| 2874 | Order of turns assignment, fixed or by ballot: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 29    | Open   |
| 2875 | Order of turns assignment, fixed or by ballot: contrast of every text and control checked                                                             | new page | Claude     | P1  | 29    | Open   |
| 2876 | Order of turns assignment, fixed or by ballot: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 60    | Open   |
| 2877 | Order of turns assignment, fixed or by ballot: component test of every state                                                                          | new page | Claude     | P1  | 29    | Open   |
| 2878 | Order of turns assignment, fixed or by ballot: end to end test of its main path                                                                       | new page | Claude     | P1  | 29    | Open   |
| 2879 | Order of turns assignment, fixed or by ballot: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 60    | Open   |
| 2880 | Order of turns assignment, fixed or by ballot: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 29    | Open   |
| 2881 | Circle policy settings: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                           | new page | Claude     | P1  | 29    | Open   |
| 2882 | Circle policy settings: each field checked as it is typed, with one specific message under the field (fields in section AD)                           | new page | Claude     | P1  | 29    | Open   |
| 2883 | Circle policy settings: submitting state: the button busy and a second tap ignored                                                                    | new page | Claude     | P1  | 29    | Open   |
| 2884 | Circle policy settings: a refusal from the server shown with the reason and what to change                                                            | new page | Claude     | P1  | 29    | Open   |
| 2885 | Circle policy settings: offline: submission held back with a message, and entered data kept                                                           | new page | Claude     | P1  | 29    | Open   |
| 2886 | Circle policy settings: the keyboard never hides the focused field or the main button                                                                 | new page | Claude     | P1  | 29    | Open   |
| 2887 | Circle policy settings: leaving with unsaved changes asks for confirmation                                                                            | new page | Claude     | P1  | 29    | Open   |
| 2888 | Circle policy settings: success state stating what happened and what comes next                                                                       | new page | Claude     | P1  | 29    | Open   |
| 2889 | Circle policy settings: checked in dark mode, with no hard coded white or black                                                                       | new page | Claude     | P1  | 29    | Open   |
| 2890 | Circle policy settings: Urdu text for every string, by a translator                                                                                   | new page | Translator | P1  | H4    | Open   |
| 2891 | Circle policy settings: right to left layout checked with the Urdu text                                                                               | new page | Claude     | P1  | 29    | Open   |
| 2892 | Circle policy settings: usable at the largest system text size, with nothing cut off                                                                  | new page | Claude     | P1  | 29    | Open   |
| 2893 | Circle policy settings: usable at 320 pixels wide                                                                                                     | new page | Claude     | P1  | 29    | Open   |
| 2894 | Circle policy settings: every control named for screen readers, in a logical focus order                                                              | new page | Claude     | P1  | 29    | Open   |
| 2895 | Circle policy settings: contrast of every text and control checked                                                                                    | new page | Claude     | P1  | 29    | Open   |
| 2896 | Circle policy settings: screen view and main action recorded, with no personal data in the events                                                     | new page | Claude     | P2  | 60    | Open   |
| 2897 | Circle policy settings: component test of every state                                                                                                 | new page | Claude     | P1  | 29    | Open   |
| 2898 | Circle policy settings: end to end test of its main path                                                                                              | new page | Claude     | P1  | 29    | Open   |
| 2899 | Circle policy settings: visual regression snapshot at three widths                                                                                    | new page | Claude     | P2  | 60    | Open   |

| #    | Item                                                                                                                                    | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2900 | Circle policy settings: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels          | new page | Claude     | P1  | 29    | Open   |
| 2901 | Circle risk band explainer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | new page | Claude     | P2  | 60    | Open   |
| 2902 | Circle risk band explainer: deep link opens it directly                                                                                 | new page | Claude     | P2  | 60    | Open   |
| 2903 | Circle risk band explainer: checked in dark mode, with no hard coded white or black                                                     | new page | Claude     | P2  | 60    | Open   |
| 2904 | Circle risk band explainer: Urdu text for every string, by a translator                                                                 | new page | Translator | P2  | H4    | Open   |
| 2905 | Circle risk band explainer: right to left layout checked with the Urdu text                                                             | new page | Claude     | P2  | 60    | Open   |
| 2906 | Circle risk band explainer: usable at the largest system text size, with nothing cut off                                                | new page | Claude     | P2  | 60    | Open   |
| 2907 | Circle risk band explainer: usable at 320 pixels wide                                                                                   | new page | Claude     | P2  | 60    | Open   |
| 2908 | Circle risk band explainer: every control named for screen readers, in a logical focus order                                            | new page | Claude     | P2  | 60    | Open   |
| 2909 | Circle risk band explainer: contrast of every text and control checked                                                                  | new page | Claude     | P2  | 60    | Open   |
| 2910 | Circle risk band explainer: screen view and main action recorded, with no personal data in the events                                   | new page | Claude     | P2  | 60    | Open   |
| 2911 | Circle risk band explainer: visual regression snapshot at three widths                                                                  | new page | Claude     | P2  | 60    | Open   |
| 2912 | Circle risk band explainer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels      | new page | Claude     | P2  | 60    | Open   |
| 2913 | Mandate coverage across the roster: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 29    | Open   |
| 2914 | Mandate coverage across the roster: loading skeleton in the final layout, never a full screen spinner                                   | new page | Claude     | P1  | 29    | Open   |
| 2915 | Mandate coverage across the roster: error state with the reason in plain words and a retry                                              | new page | Claude     | P1  | 29    | Open   |
| 2916 | Mandate coverage across the roster: offline state showing the last data held and when it was fetched, with actions disabled             | new page | Claude     | P1  | 29    | Open   |
| 2917 | Mandate coverage across the roster: deep link restores the screen with its state                                                        | new page | Claude     | P1  | 29    | Open   |
| 2918 | Mandate coverage across the roster: not found and no access states, each with a route back                                              | new page | Claude     | P1  | 29    | Open   |
| 2919 | Mandate coverage across the roster: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 29    | Open   |
| 2920 | Mandate coverage across the roster: Urdu text for every string, by a translator                                                         | new page | Translator | P1  | H4    | Open   |
| 2921 | Mandate coverage across the roster: right to left layout checked with the Urdu text                                                     | new page | Claude     | P1  | 29    | Open   |
| 2922 | Mandate coverage across the roster: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P1  | 29    | Open   |
| 2923 | Mandate coverage across the roster: usable at 320 pixels wide                                                                           | new page | Claude     | P1  | 29    | Open   |
| 2924 | Mandate coverage across the roster: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P1  | 29    | Open   |
| 2925 | Mandate coverage across the roster: contrast of every text and control checked                                                          | new page | Claude     | P1  | 29    | Open   |
| 2926 | Mandate coverage across the roster: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 60    | Open   |

| #    | Item                                                                                                                                       | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2927 | Mandate coverage across the roster: component test of every state                                                                          | new page | Claude     | P1  | 29    | Open   |
| 2928 | Mandate coverage across the roster: end to end test of its main path                                                                       | new page | Claude     | P1  | 29    | Open   |
| 2929 | Mandate coverage across the roster: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 60    | Open   |
| 2930 | Mandate coverage across the roster: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 29    | Open   |
| 2931 | Reminder composer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                     | new page | Claude     | P2  | 60    | Open   |
| 2932 | Reminder composer: each field checked as it is typed, with one specific message under the field (fields in section AD)                     | new page | Claude     | P2  | 60    | Open   |
| 2933 | Reminder composer: submitting state: the button busy and a second tap ignored                                                              | new page | Claude     | P2  | 60    | Open   |
| 2934 | Reminder composer: a refusal from the server shown with the reason and what to change                                                      | new page | Claude     | P2  | 60    | Open   |
| 2935 | Reminder composer: offline: submission held back with a message, and entered data kept                                                     | new page | Claude     | P2  | 60    | Open   |
| 2936 | Reminder composer: the keyboard never hides the focused field or the main button                                                           | new page | Claude     | P2  | 60    | Open   |
| 2937 | Reminder composer: leaving with unsaved changes asks for confirmation                                                                      | new page | Claude     | P2  | 60    | Open   |
| 2938 | Reminder composer: success state stating what happened and what comes next                                                                 | new page | Claude     | P2  | 60    | Open   |
| 2939 | Reminder composer: checked in dark mode, with no hard coded white or black                                                                 | new page | Claude     | P2  | 60    | Open   |
| 2940 | Reminder composer: Urdu text for every string, by a translator                                                                             | new page | Translator | P2  | H4    | Open   |
| 2941 | Reminder composer: right to left layout checked with the Urdu text                                                                         | new page | Claude     | P2  | 60    | Open   |
| 2942 | Reminder composer: usable at the largest system text size, with nothing cut off                                                            | new page | Claude     | P2  | 60    | Open   |
| 2943 | Reminder composer: usable at 320 pixels wide                                                                                               | new page | Claude     | P2  | 60    | Open   |
| 2944 | Reminder composer: every control named for screen readers, in a logical focus order                                                        | new page | Claude     | P2  | 60    | Open   |
| 2945 | Reminder composer: contrast of every text and control checked                                                                              | new page | Claude     | P2  | 60    | Open   |
| 2946 | Reminder composer: screen view and main action recorded, with no personal data in the events                                               | new page | Claude     | P2  | 60    | Open   |
| 2947 | Reminder composer: component test of every state                                                                                           | new page | Claude     | P2  | 60    | Open   |
| 2948 | Reminder composer: end to end test of its main path                                                                                        | new page | Claude     | P2  | 60    | Open   |
| 2949 | Reminder composer: visual regression snapshot at three widths                                                                              | new page | Claude     | P2  | 60    | Open   |
| 2950 | Reminder composer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels                  | new page | Claude     | P2  | 60    | Open   |
| 2951 | Removal against the published test: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 29    | Open   |
| 2952 | Removal against the published test: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P1  | 29    | Open   |
| 2953 | Removal against the published test: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P1  | 29    | Open   |

| #    | Item                                                                                                                                       | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2954 | Removal against the published test: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P1  | 29    | Open   |
| 2955 | Removal against the published test: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P1  | 29    | Open   |
| 2956 | Removal against the published test: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P1  | 29    | Open   |
| 2957 | Removal against the published test: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P1  | 29    | Open   |
| 2958 | Removal against the published test: success state stating what happened and what comes next                                                | new page | Claude     | P1  | 29    | Open   |
| 2959 | Removal against the published test: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 29    | Open   |
| 2960 | Removal against the published test: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 2961 | Removal against the published test: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 29    | Open   |
| 2962 | Removal against the published test: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 29    | Open   |
| 2963 | Removal against the published test: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 29    | Open   |
| 2964 | Removal against the published test: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 29    | Open   |
| 2965 | Removal against the published test: contrast of every text and control checked                                                             | new page | Claude     | P1  | 29    | Open   |
| 2966 | Removal against the published test: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 60    | Open   |
| 2967 | Removal against the published test: component test of every state                                                                          | new page | Claude     | P1  | 29    | Open   |
| 2968 | Removal against the published test: end to end test of its main path                                                                       | new page | Claude     | P1  | 29    | Open   |
| 2969 | Removal against the published test: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 60    | Open   |
| 2970 | Removal against the published test: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 29    | Open   |
| 2971 | Member vote on a removal: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card              | new page | Claude     | P1  | 29    | Open   |
| 2972 | Member vote on a removal: each field checked as it is typed, with one specific message under the field (fields in section AD)              | new page | Claude     | P1  | 29    | Open   |
| 2973 | Member vote on a removal: submitting state: the button busy and a second tap ignored                                                       | new page | Claude     | P1  | 29    | Open   |
| 2974 | Member vote on a removal: a refusal from the server shown with the reason and what to change                                               | new page | Claude     | P1  | 29    | Open   |
| 2975 | Member vote on a removal: offline: submission held back with a message, and entered data kept                                              | new page | Claude     | P1  | 29    | Open   |
| 2976 | Member vote on a removal: the keyboard never hides the focused field or the main button                                                    | new page | Claude     | P1  | 29    | Open   |
| 2977 | Member vote on a removal: leaving with unsaved changes asks for confirmation                                                               | new page | Claude     | P1  | 29    | Open   |
| 2978 | Member vote on a removal: success state stating what happened and what comes next                                                          | new page | Claude     | P1  | 29    | Open   |
| 2979 | Member vote on a removal: checked in dark mode, with no hard coded white or black                                                          | new page | Claude     | P1  | 29    | Open   |
| 2980 | Member vote on a removal: Urdu text for every string, by a translator                                                                      | new page | Translator | P1  | H4    | Open   |
| 2981 | Member vote on a removal: right to left layout checked with the Urdu text                                                                  | new page | Claude     | P1  | 29    | Open   |
| 2982 | Member vote on a removal: usable at the largest system text size, with nothing cut off                                                     | new page | Claude     | P1  | 29    | Open   |

| #    | Item                                                                                                                               | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 2983 | Member vote on a removal: usable at 320 pixels wide                                                                                | new page | Claude     | P1  | 29    | Open   |
| 2984 | Member vote on a removal: every control named for screen readers, in a logical focus order                                         | new page | Claude     | P1  | 29    | Open   |
| 2985 | Member vote on a removal: contrast of every text and control checked                                                               | new page | Claude     | P1  | 29    | Open   |
| 2986 | Member vote on a removal: screen view and main action recorded, with no personal data in the events                                | new page | Claude     | P2  | 60    | Open   |
| 2987 | Member vote on a removal: component test of every state                                                                            | new page | Claude     | P1  | 29    | Open   |
| 2988 | Member vote on a removal: end to end test of its main path                                                                         | new page | Claude     | P1  | 29    | Open   |
| 2989 | Member vote on a removal: visual regression snapshot at three widths                                                               | new page | Claude     | P2  | 60    | Open   |
| 2990 | Member vote on a removal: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels   | new page | Claude     | P1  | 29    | Open   |
| 2991 | Host accountability record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P2  | 60    | Open   |
| 2992 | Host accountability record: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P2  | 60    | Open   |
| 2993 | Host accountability record: error state with the reason in plain words and a retry                                                 | new page | Claude     | P2  | 60    | Open   |
| 2994 | Host accountability record: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P2  | 60    | Open   |
| 2995 | Host accountability record: deep link restores the screen with its state                                                           | new page | Claude     | P2  | 60    | Open   |
| 2996 | Host accountability record: pull to refresh                                                                                        | new page | Claude     | P2  | 60    | Open   |
| 2997 | Host accountability record: empty state: the reason and one action                                                                 | new page | Claude     | P2  | 60    | Open   |
| 2998 | Host accountability record: pages loaded as the member scrolls, with an end of list marker                                         | new page | Claude     | P2  | 60    | Open   |
| 2999 | Host accountability record: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 60    | Open   |
| 3000 | Host accountability record: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 3001 | Host accountability record: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 60    | Open   |
| 3002 | Host accountability record: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 60    | Open   |
| 3003 | Host accountability record: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 60    | Open   |
| 3004 | Host accountability record: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 60    | Open   |
| 3005 | Host accountability record: contrast of every text and control checked                                                             | new page | Claude     | P2  | 60    | Open   |
| 3006 | Host accountability record: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 60    | Open   |
| 3007 | Host accountability record: component test of every state                                                                          | new page | Claude     | P2  | 60    | Open   |
| 3008 | Host accountability record: end to end test of its main path                                                                       | new page | Claude     | P2  | 60    | Open   |
| 3009 | Host accountability record: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 60    | Open   |
| 3010 | Host accountability record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 60    | Open   |
| 3011 | Circle dissolution: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card            | new page | Claude     | P2  | 60    | Open   |

| #    | Item                                                                                                                       | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3012 | Circle dissolution: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P2  | 60    | Open   |
| 3013 | Circle dissolution: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P2  | 60    | Open   |
| 3014 | Circle dissolution: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P2  | 60    | Open   |
| 3015 | Circle dissolution: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P2  | 60    | Open   |
| 3016 | Circle dissolution: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P2  | 60    | Open   |
| 3017 | Circle dissolution: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P2  | 60    | Open   |
| 3018 | Circle dissolution: success state stating what happened and what comes next                                                | new page | Claude     | P2  | 60    | Open   |
| 3019 | Circle dissolution: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 60    | Open   |
| 3020 | Circle dissolution: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 3021 | Circle dissolution: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 60    | Open   |
| 3022 | Circle dissolution: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 60    | Open   |
| 3023 | Circle dissolution: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 60    | Open   |
| 3024 | Circle dissolution: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 60    | Open   |
| 3025 | Circle dissolution: contrast of every text and control checked                                                             | new page | Claude     | P2  | 60    | Open   |
| 3026 | Circle dissolution: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 60    | Open   |
| 3027 | Circle dissolution: component test of every state                                                                          | new page | Claude     | P2  | 60    | Open   |
| 3028 | Circle dissolution: end to end test of its main path                                                                       | new page | Claude     | P2  | 60    | Open   |
| 3029 | Circle dissolution: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 60    | Open   |
| 3030 | Circle dissolution: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 61    | Open   |

#### AC7. Missing Screens: Money

| #    | Item                                                                                                                        | Where    | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 3031 | Payment method chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude | P0  | 8     | Open   |
| 3032 | Payment method chooser: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude | P0  | 8     | Open   |
| 3033 | Payment method chooser: submitting state: the button busy and a second tap ignored                                          | new page | Claude | P0  | 8     | Open   |
| 3034 | Payment method chooser: a refusal from the server shown with the reason and what to change                                  | new page | Claude | P0  | 8     | Open   |
| 3035 | Payment method chooser: offline: submission held back with a message, and entered data kept                                 | new page | Claude | P0  | 8     | Open   |
| 3036 | Payment method chooser: the keyboard never hides the focused field or the main button                                       | new page | Claude | P0  | 8     | Open   |
| 3037 | Payment method chooser: leaving with unsaved changes asks for confirmation                                                  | new page | Claude | P0  | 8     | Open   |

| #    | Item                                                                                                                                          | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3038 | Payment method chooser: success state stating what happened and what comes next                                                               | new page | Claude     | P0  | 8     | Open   |
| 3039 | Payment method chooser: checked in dark mode, with no hard coded white or black                                                               | new page | Claude     | P0  | 8     | Open   |
| 3040 | Payment method chooser: Urdu text for every string, by a translator                                                                           | new page | Translator | P0  | H4    | Open   |
| 3041 | Payment method chooser: right to left layout checked with the Urdu text                                                                       | new page | Claude     | P0  | 8     | Open   |
| 3042 | Payment method chooser: usable at the largest system text size, with nothing cut off                                                          | new page | Claude     | P0  | 8     | Open   |
| 3043 | Payment method chooser: usable at 320 pixels wide                                                                                             | new page | Claude     | P0  | 8     | Open   |
| 3044 | Payment method chooser: every control named for screen readers, in a logical focus order                                                      | new page | Claude     | P0  | 8     | Open   |
| 3045 | Payment method chooser: contrast of every text and control checked                                                                            | new page | Claude     | P0  | 8     | Open   |
| 3046 | Payment method chooser: screen view and main action recorded, with no personal data in the events                                             | new page | Claude     | P2  | 61    | Open   |
| 3047 | Payment method chooser: component test of every state                                                                                         | new page | Claude     | P0  | 8     | Open   |
| 3048 | Payment method chooser: end to end test of its main path                                                                                      | new page | Claude     | P0  | 8     | Open   |
| 3049 | Payment method chooser: visual regression snapshot at three widths                                                                            | new page | Claude     | P2  | 61    | Open   |
| 3050 | Payment method chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels                | new page | Claude     | P0  | 8     | Open   |
| 3051 | Payment confirmation with the full split: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 8     | Open   |
| 3052 | Payment confirmation with the full split: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P0  | 8     | Open   |
| 3053 | Payment confirmation with the full split: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P0  | 8     | Open   |
| 3054 | Payment confirmation with the full split: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P0  | 8     | Open   |
| 3055 | Payment confirmation with the full split: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P0  | 8     | Open   |
| 3056 | Payment confirmation with the full split: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P0  | 8     | Open   |
| 3057 | Payment confirmation with the full split: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P0  | 8     | Open   |
| 3058 | Payment confirmation with the full split: success state stating what happened and what comes next                                             | new page | Claude     | P0  | 8     | Open   |
| 3059 | Payment confirmation with the full split: review step showing every amount before confirmation: the amount and every charge                   | new page | Claude     | P0  | 8     | Open   |
| 3060 | Payment confirmation with the full split: transaction PIN required before the action                                                          | new page | Claude     | P0  | 8     | Open   |
| 3061 | Payment confirmation with the full split: refused during the two hour cooling off after a device change, with the time remaining              | new page | Claude     | P0  | 8     | Open   |
| 3062 | Payment confirmation with the full split: one request per confirmation, carried by an idempotency key                                         | new page | Claude     | P0  | 8     | Open   |
| 3063 | Payment confirmation with the full split: receipt after completion, saved to Activity                                                         | new page | Claude     | P0  | 8     | Open   |
| 3064 | Payment confirmation with the full split: amounts shown as Rs with thousands grouped and no stray decimals                                    | new page | Claude     | P0  | 8     | Open   |

| #    | Item                                                                                                                                             | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3065 | Payment confirmation with the full split: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 8     | Open   |
| 3066 | Payment confirmation with the full split: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 3067 | Payment confirmation with the full split: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 8     | Open   |
| 3068 | Payment confirmation with the full split: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 8     | Open   |
| 3069 | Payment confirmation with the full split: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 8     | Open   |
| 3070 | Payment confirmation with the full split: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 8     | Open   |
| 3071 | Payment confirmation with the full split: contrast of every text and control checked                                                             | new page | Claude     | P0  | 8     | Open   |
| 3072 | Payment confirmation with the full split: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 61    | Open   |
| 3073 | Payment confirmation with the full split: component test of every state                                                                          | new page | Claude     | P0  | 8     | Open   |
| 3074 | Payment confirmation with the full split: end to end test of its main path                                                                       | new page | Claude     | P0  | 8     | Open   |
| 3075 | Payment confirmation with the full split: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3076 | Payment confirmation with the full split: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 8     | Open   |
| 3077 | Payment pending: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                             | new page | Claude     | P0  | 8     | Open   |
| 3078 | Payment pending: loading skeleton in the final layout, never a full screen spinner                                                               | new page | Claude     | P0  | 8     | Open   |
| 3079 | Payment pending: error state with the reason in plain words and a retry                                                                          | new page | Claude     | P0  | 8     | Open   |
| 3080 | Payment pending: offline state showing the last data held and when it was fetched, with actions disabled                                         | new page | Claude     | P0  | 8     | Open   |
| 3081 | Payment pending: deep link restores the screen with its state                                                                                    | new page | Claude     | P0  | 8     | Open   |
| 3082 | Payment pending: not found and no access states, each with a route back                                                                          | new page | Claude     | P0  | 8     | Open   |
| 3083 | Payment pending: checked in dark mode, with no hard coded white or black                                                                         | new page | Claude     | P0  | 8     | Open   |
| 3084 | Payment pending: Urdu text for every string, by a translator                                                                                     | new page | Translator | P0  | H4    | Open   |
| 3085 | Payment pending: right to left layout checked with the Urdu text                                                                                 | new page | Claude     | P0  | 8     | Open   |
| 3086 | Payment pending: usable at the largest system text size, with nothing cut off                                                                    | new page | Claude     | P0  | 8     | Open   |
| 3087 | Payment pending: usable at 320 pixels wide                                                                                                       | new page | Claude     | P0  | 8     | Open   |
| 3088 | Payment pending: every control named for screen readers, in a logical focus order                                                                | new page | Claude     | P0  | 8     | Open   |
| 3089 | Payment pending: contrast of every text and control checked                                                                                      | new page | Claude     | P0  | 8     | Open   |
| 3090 | Payment pending: screen view and main action recorded, with no personal data in the events                                                       | new page | Claude     | P2  | 61    | Open   |
| 3091 | Payment pending: component test of every state                                                                                                   | new page | Claude     | P0  | 8     | Open   |
| 3092 | Payment pending: end to end test of its main path                                                                                                | new page | Claude     | P0  | 8     | Open   |
| 3093 | Payment pending: visual regression snapshot at three widths                                                                                      | new page | Claude     | P2  | 61    | Open   |



| #    | Item                                                                                                                    | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3094 | Payment pending: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 8     | Open   |
| 3095 | Payment failed: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P0  | 8     | Open   |
| 3096 | Payment failed: every figure and reference shown matches the ledger                                                     | new page | Claude     | P0  | 8     | Open   |
| 3097 | Payment failed: the next step offered                                                                                   | new page | Claude     | P0  | 8     | Open   |
| 3098 | Payment failed: share as an image or a PDF with account numbers masked                                                  | new page | Claude     | P0  | 8     | Open   |
| 3099 | Payment failed: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P0  | 8     | Open   |
| 3100 | Payment failed: Urdu text for every string, by a translator                                                             | new page | Translator | P0  | H4    | Open   |
| 3101 | Payment failed: right to left layout checked with the Urdu text                                                         | new page | Claude     | P0  | 8     | Open   |
| 3102 | Payment failed: usable at the largest system text size, with nothing cut off                                            | new page | Claude     | P0  | 8     | Open   |
| 3103 | Payment failed: usable at 320 pixels wide                                                                               | new page | Claude     | P0  | 8     | Open   |
| 3104 | Payment failed: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P0  | 8     | Open   |
| 3105 | Payment failed: contrast of every text and control checked                                                              | new page | Claude     | P0  | 8     | Open   |
| 3106 | Payment failed: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 61    | Open   |
| 3107 | Payment failed: visual regression snapshot at three widths                                                              | new page | Claude     | P2  | 61    | Open   |
| 3108 | Payment failed: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | new page | Claude     | P0  | 8     | Open   |
| 3109 | Receipt: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card            | new page | Claude     | P0  | 8     | Open   |
| 3110 | Receipt: every figure and reference shown matches the ledger                                                            | new page | Claude     | P0  | 8     | Open   |
| 3111 | Receipt: the next step offered                                                                                          | new page | Claude     | P0  | 8     | Open   |
| 3112 | Receipt: share as an image or a PDF with account numbers masked                                                         | new page | Claude     | P0  | 8     | Open   |
| 3113 | Receipt: checked in dark mode, with no hard coded white or black                                                        | new page | Claude     | P0  | 8     | Open   |
| 3114 | Receipt: Urdu text for every string, by a translator                                                                    | new page | Translator | P0  | H4    | Open   |
| 3115 | Receipt: right to left layout checked with the Urdu text                                                                | new page | Claude     | P0  | 8     | Open   |
| 3116 | Receipt: usable at the largest system text size, with nothing cut off                                                   | new page | Claude     | P0  | 8     | Open   |
| 3117 | Receipt: usable at 320 pixels wide                                                                                      | new page | Claude     | P0  | 8     | Open   |
| 3118 | Receipt: every control named for screen readers, in a logical focus order                                               | new page | Claude     | P0  | 8     | Open   |
| 3119 | Receipt: contrast of every text and control checked                                                                     | new page | Claude     | P0  | 8     | Open   |
| 3120 | Receipt: screen view and main action recorded, with no personal data in the events                                      | new page | Claude     | P2  | 61    | Open   |
| 3121 | Receipt: visual regression snapshot at three widths                                                                     | new page | Claude     | P2  | 61    | Open   |
| 3122 | Receipt: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels         | new page | Claude     | P0  | 8     | Open   |
| 3123 | Dispute a payment: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card  | new page | Claude     | P0  | 8     | Open   |

| #    | Item                                                                                                                      | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3124 | Dispute a payment: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P0  | 8     | Open   |
| 3125 | Dispute a payment: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P0  | 9     | Open   |
| 3126 | Dispute a payment: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P0  | 9     | Open   |
| 3127 | Dispute a payment: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P0  | 9     | Open   |
| 3128 | Dispute a payment: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P0  | 9     | Open   |
| 3129 | Dispute a payment: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P0  | 9     | Open   |
| 3130 | Dispute a payment: success state stating what happened and what comes next                                                | new page | Claude     | P0  | 9     | Open   |
| 3131 | Dispute a payment: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 9     | Open   |
| 3132 | Dispute a payment: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 3133 | Dispute a payment: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 9     | Open   |
| 3134 | Dispute a payment: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 9     | Open   |
| 3135 | Dispute a payment: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 9     | Open   |
| 3136 | Dispute a payment: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 9     | Open   |
| 3137 | Dispute a payment: contrast of every text and control checked                                                             | new page | Claude     | P0  | 9     | Open   |
| 3138 | Dispute a payment: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 61    | Open   |
| 3139 | Dispute a payment: component test of every state                                                                          | new page | Claude     | P0  | 9     | Open   |
| 3140 | Dispute a payment: end to end test of its main path                                                                       | new page | Claude     | P0  | 9     | Open   |
| 3141 | Dispute a payment: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3142 | Dispute a payment: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 9     | Open   |
| 3143 | Dispute status: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card       | new page | Claude     | P1  | 29    | Open   |
| 3144 | Dispute status: loading skeleton in the final layout, never a full screen spinner                                         | new page | Claude     | P1  | 29    | Open   |
| 3145 | Dispute status: error state with the reason in plain words and a retry                                                    | new page | Claude     | P1  | 29    | Open   |
| 3146 | Dispute status: offline state showing the last data held and when it was fetched, with actions disabled                   | new page | Claude     | P1  | 29    | Open   |
| 3147 | Dispute status: deep link restores the screen with its state                                                              | new page | Claude     | P1  | 29    | Open   |
| 3148 | Dispute status: not found and no access states, each with a route back                                                    | new page | Claude     | P1  | 29    | Open   |
| 3149 | Dispute status: checked in dark mode, with no hard coded white or black                                                   | new page | Claude     | P1  | 29    | Open   |
| 3150 | Dispute status: Urdu text for every string, by a translator                                                               | new page | Translator | P1  | H4    | Open   |
| 3151 | Dispute status: right to left layout checked with the Urdu text                                                           | new page | Claude     | P1  | 29    | Open   |
| 3152 | Dispute status: usable at the largest system text size, with nothing cut off                                              | new page | Claude     | P1  | 29    | Open   |
| 3153 | Dispute status: usable at 320 pixels wide                                                                                 | new page | Claude     | P1  | 29    | Open   |

| #    | Item                                                                                                                                 | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3154 | Dispute status: every control named for screen readers, in a logical focus order                                                     | new page | Claude     | P1  | 29    | Open   |
| 3155 | Dispute status: contrast of every text and control checked                                                                           | new page | Claude     | P1  | 29    | Open   |
| 3156 | Dispute status: screen view and main action recorded, with no personal data in the events                                            | new page | Claude     | P2  | 61    | Open   |
| 3157 | Dispute status: component test of every state                                                                                        | new page | Claude     | P1  | 29    | Open   |
| 3158 | Dispute status: end to end test of its main path                                                                                     | new page | Claude     | P1  | 29    | Open   |
| 3159 | Dispute status: visual regression snapshot at three widths                                                                           | new page | Claude     | P2  | 61    | Open   |
| 3160 | Dispute status: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels               | new page | Claude     | P1  | 29    | Open   |
| 3161 | Payout destination confirmation: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 9     | Open   |
| 3162 | Payout destination confirmation: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P0  | 9     | Open   |
| 3163 | Payout destination confirmation: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P0  | 9     | Open   |
| 3164 | Payout destination confirmation: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P0  | 9     | Open   |
| 3165 | Payout destination confirmation: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P0  | 9     | Open   |
| 3166 | Payout destination confirmation: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P0  | 9     | Open   |
| 3167 | Payout destination confirmation: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P0  | 9     | Open   |
| 3168 | Payout destination confirmation: success state stating what happened and what comes next                                             | new page | Claude     | P0  | 9     | Open   |
| 3169 | Payout destination confirmation: review step showing every amount before confirmation: the amount and every charge                   | new page | Claude     | P0  | 9     | Open   |
| 3170 | Payout destination confirmation: transaction PIN required before the action                                                          | new page | Claude     | P0  | 9     | Open   |
| 3171 | Payout destination confirmation: refused during the two hour cooling off after a device change, with the time remaining              | new page | Claude     | P0  | 9     | Open   |
| 3172 | Payout destination confirmation: one request per confirmation, carried by an idempotency key                                         | new page | Claude     | P0  | 9     | Open   |
| 3173 | Payout destination confirmation: receipt after completion, saved to Activity                                                         | new page | Claude     | P0  | 9     | Open   |
| 3174 | Payout destination confirmation: amounts shown as Rs with thousands grouped and no stray decimals                                    | new page | Claude     | P0  | 9     | Open   |
| 3175 | Payout destination confirmation: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P0  | 9     | Open   |
| 3176 | Payout destination confirmation: Urdu text for every string, by a translator                                                         | new page | Translator | P0  | H4    | Open   |
| 3177 | Payout destination confirmation: right to left layout checked with the Urdu text                                                     | new page | Claude     | P0  | 9     | Open   |
| 3178 | Payout destination confirmation: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P0  | 9     | Open   |
| 3179 | Payout destination confirmation: usable at 320 pixels wide                                                                           | new page | Claude     | P0  | 9     | Open   |
| 3180 | Payout destination confirmation: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P0  | 9     | Open   |
| 3181 | Payout destination confirmation: contrast of every text and control checked                                                          | new page | Claude     | P0  | 9     | Open   |

| #    | Item                                                                                                                                    | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3182 | Payout destination confirmation: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 61    | Open   |
| 3183 | Payout destination confirmation: component test of every state                                                                          | new page | Claude     | P0  | 9     | Open   |
| 3184 | Payout destination confirmation: end to end test of its main path                                                                       | new page | Claude     | P0  | 9     | Open   |
| 3185 | Payout destination confirmation: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3186 | Payout destination confirmation: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 9     | Open   |
| 3187 | Payout released: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                    | new page | Claude     | P0  | 9     | Open   |
| 3188 | Payout released: every figure and reference shown matches the ledger                                                                    | new page | Claude     | P0  | 9     | Open   |
| 3189 | Payout released: the next step offered                                                                                                  | new page | Claude     | P0  | 9     | Open   |
| 3190 | Payout released: share as an image or a PDF with account numbers masked                                                                 | new page | Claude     | P0  | 9     | Open   |
| 3191 | Payout released: checked in dark mode, with no hard coded white or black                                                                | new page | Claude     | P0  | 9     | Open   |
| 3192 | Payout released: Urdu text for every string, by a translator                                                                            | new page | Translator | P0  | H4    | Open   |
| 3193 | Payout released: right to left layout checked with the Urdu text                                                                        | new page | Claude     | P0  | 9     | Open   |
| 3194 | Payout released: usable at the largest system text size, with nothing cut off                                                           | new page | Claude     | P0  | 9     | Open   |
| 3195 | Payout released: usable at 320 pixels wide                                                                                              | new page | Claude     | P0  | 9     | Open   |
| 3196 | Payout released: every control named for screen readers, in a logical focus order                                                       | new page | Claude     | P0  | 9     | Open   |
| 3197 | Payout released: contrast of every text and control checked                                                                             | new page | Claude     | P0  | 9     | Open   |
| 3198 | Payout released: screen view and main action recorded, with no personal data in the events                                              | new page | Claude     | P2  | 61    | Open   |
| 3199 | Payout released: visual regression snapshot at three widths                                                                             | new page | Claude     | P2  | 61    | Open   |
| 3200 | Payout released: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels                 | new page | Claude     | P0  | 9     | Open   |
| 3201 | Payout receipt: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                     | new page | Claude     | P0  | 9     | Open   |
| 3202 | Payout receipt: every figure and reference shown matches the ledger                                                                     | new page | Claude     | P0  | 9     | Open   |
| 3203 | Payout receipt: the next step offered                                                                                                   | new page | Claude     | P0  | 9     | Open   |
| 3204 | Payout receipt: share as an image or a PDF with account numbers masked                                                                  | new page | Claude     | P0  | 9     | Open   |
| 3205 | Payout receipt: checked in dark mode, with no hard coded white or black                                                                 | new page | Claude     | P0  | 9     | Open   |
| 3206 | Payout receipt: Urdu text for every string, by a translator                                                                             | new page | Translator | P0  | H4    | Open   |
| 3207 | Payout receipt: right to left layout checked with the Urdu text                                                                         | new page | Claude     | P0  | 9     | Open   |
| 3208 | Payout receipt: usable at the largest system text size, with nothing cut off                                                            | new page | Claude     | P0  | 9     | Open   |
| 3209 | Payout receipt: usable at 320 pixels wide                                                                                               | new page | Claude     | P0  | 9     | Open   |
| 3210 | Payout receipt: every control named for screen readers, in a logical focus order                                                        | new page | Claude     | P0  | 9     | Open   |
| 3211 | Payout receipt: contrast of every text and control checked                                                                              | new page | Claude     | P0  | 9     | Open   |

| #    | Item                                                                                                                                      | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3212 | Payout receipt: screen view and main action recorded, with no personal data in the events                                                 | new page | Claude     | P2  | 61    | Open   |
| 3213 | Payout receipt: visual regression snapshot at three widths                                                                                | new page | Claude     | P2  | 61    | Open   |
| 3214 | Payout receipt: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels                    | new page | Claude     | P0  | 9     | Open   |
| 3215 | Shortfall explanation on a payout: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 29    | Open   |
| 3216 | Shortfall explanation on a payout: deep link opens it directly                                                                            | new page | Claude     | P1  | 29    | Open   |
| 3217 | Shortfall explanation on a payout: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 29    | Open   |
| 3218 | Shortfall explanation on a payout: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3219 | Shortfall explanation on a payout: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 29    | Open   |
| 3220 | Shortfall explanation on a payout: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 29    | Open   |
| 3221 | Shortfall explanation on a payout: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 29    | Open   |
| 3222 | Shortfall explanation on a payout: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 29    | Open   |
| 3223 | Shortfall explanation on a payout: contrast of every text and control checked                                                             | new page | Claude     | P1  | 29    | Open   |
| 3224 | Shortfall explanation on a payout: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 61    | Open   |
| 3225 | Shortfall explanation on a payout: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3226 | Shortfall explanation on a payout: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 29    | Open   |
| 3227 | Set off explanation: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                  | new page | Claude     | P1  | 29    | Open   |
| 3228 | Set off explanation: deep link opens it directly                                                                                          | new page | Claude     | P1  | 30    | Open   |
| 3229 | Set off explanation: checked in dark mode, with no hard coded white or black                                                              | new page | Claude     | P1  | 30    | Open   |
| 3230 | Set off explanation: Urdu text for every string, by a translator                                                                          | new page | Translator | P1  | H4    | Open   |
| 3231 | Set off explanation: right to left layout checked with the Urdu text                                                                      | new page | Claude     | P1  | 30    | Open   |
| 3232 | Set off explanation: usable at the largest system text size, with nothing cut off                                                         | new page | Claude     | P1  | 30    | Open   |
| 3233 | Set off explanation: usable at 320 pixels wide                                                                                            | new page | Claude     | P1  | 30    | Open   |
| 3234 | Set off explanation: every control named for screen readers, in a logical focus order                                                     | new page | Claude     | P1  | 30    | Open   |
| 3235 | Set off explanation: contrast of every text and control checked                                                                           | new page | Claude     | P1  | 30    | Open   |
| 3236 | Set off explanation: screen view and main action recorded, with no personal data in the events                                            | new page | Claude     | P2  | 61    | Open   |
| 3237 | Set off explanation: visual regression snapshot at three widths                                                                           | new page | Claude     | P2  | 61    | Open   |
| 3238 | Set off explanation: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels               | new page | Claude     | P1  | 30    | Open   |
| 3239 | Partial payment record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card               | new page | Claude     | P1  | 30    | Open   |

| #    | Item                                                                                                                           | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3240 | Partial payment record: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P1  | 30    | Open   |
| 3241 | Partial payment record: error state with the reason in plain words and a retry                                                 | new page | Claude     | P1  | 30    | Open   |
| 3242 | Partial payment record: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P1  | 30    | Open   |
| 3243 | Partial payment record: deep link restores the screen with its state                                                           | new page | Claude     | P1  | 30    | Open   |
| 3244 | Partial payment record: not found and no access states, each with a route back                                                 | new page | Claude     | P1  | 30    | Open   |
| 3245 | Partial payment record: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 30    | Open   |
| 3246 | Partial payment record: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3247 | Partial payment record: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 30    | Open   |
| 3248 | Partial payment record: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 30    | Open   |
| 3249 | Partial payment record: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 30    | Open   |
| 3250 | Partial payment record: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 30    | Open   |
| 3251 | Partial payment record: contrast of every text and control checked                                                             | new page | Claude     | P1  | 30    | Open   |
| 3252 | Partial payment record: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 61    | Open   |
| 3253 | Partial payment record: component test of every state                                                                          | new page | Claude     | P1  | 30    | Open   |
| 3254 | Partial payment record: end to end test of its main path                                                                       | new page | Claude     | P1  | 30    | Open   |
| 3255 | Partial payment record: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3256 | Partial payment record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 30    | Open   |
| 3257 | Arrears position: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | new page | Claude     | P1  | 30    | Open   |
| 3258 | Arrears position: loading skeleton in the final layout, never a full screen spinner                                            | new page | Claude     | P1  | 30    | Open   |
| 3259 | Arrears position: error state with the reason in plain words and a retry                                                       | new page | Claude     | P1  | 30    | Open   |
| 3260 | Arrears position: offline state showing the last data held and when it was fetched, with actions disabled                      | new page | Claude     | P1  | 30    | Open   |
| 3261 | Arrears position: deep link restores the screen with its state                                                                 | new page | Claude     | P1  | 30    | Open   |
| 3262 | Arrears position: not found and no access states, each with a route back                                                       | new page | Claude     | P1  | 30    | Open   |
| 3263 | Arrears position: checked in dark mode, with no hard coded white or black                                                      | new page | Claude     | P1  | 30    | Open   |
| 3264 | Arrears position: Urdu text for every string, by a translator                                                                  | new page | Translator | P1  | H4    | Open   |
| 3265 | Arrears position: right to left layout checked with the Urdu text                                                              | new page | Claude     | P1  | 30    | Open   |
| 3266 | Arrears position: usable at the largest system text size, with nothing cut off                                                 | new page | Claude     | P1  | 30    | Open   |
| 3267 | Arrears position: usable at 320 pixels wide                                                                                    | new page | Claude     | P1  | 30    | Open   |
| 3268 | Arrears position: every control named for screen readers, in a logical focus order                                             | new page | Claude     | P1  | 30    | Open   |
| 3269 | Arrears position: contrast of every text and control checked                                                                   | new page | Claude     | P1  | 30    | Open   |

| #    | Item                                                                                                                               | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3270 | Arrears position: screen view and main action recorded, with no personal data in the events                                        | new page | Claude     | P2  | 61    | Open   |
| 3271 | Arrears position: component test of every state                                                                                    | new page | Claude     | P1  | 30    | Open   |
| 3272 | Arrears position: end to end test of its main path                                                                                 | new page | Claude     | P1  | 30    | Open   |
| 3273 | Arrears position: visual regression snapshot at three widths                                                                       | new page | Claude     | P2  | 61    | Open   |
| 3274 | Arrears position: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels           | new page | Claude     | P1  | 30    | Open   |
| 3275 | Fee schedule: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                  | new page | Claude     | P0  | 9     | Open   |
| 3276 | Fee schedule: deep link opens it directly                                                                                          | new page | Claude     | P0  | 9     | Open   |
| 3277 | Fee schedule: checked in dark mode, with no hard coded white or black                                                              | new page | Claude     | P0  | 9     | Open   |
| 3278 | Fee schedule: Urdu text for every string, by a translator                                                                          | new page | Translator | P0  | H4    | Open   |
| 3279 | Fee schedule: right to left layout checked with the Urdu text                                                                      | new page | Claude     | P0  | 9     | Open   |
| 3280 | Fee schedule: usable at the largest system text size, with nothing cut off                                                         | new page | Claude     | P0  | 9     | Open   |
| 3281 | Fee schedule: usable at 320 pixels wide                                                                                            | new page | Claude     | P0  | 9     | Open   |
| 3282 | Fee schedule: every control named for screen readers, in a logical focus order                                                     | new page | Claude     | P0  | 9     | Open   |
| 3283 | Fee schedule: contrast of every text and control checked                                                                           | new page | Claude     | P0  | 9     | Open   |
| 3284 | Fee schedule: screen view and main action recorded, with no personal data in the events                                            | new page | Claude     | P2  | 61    | Open   |
| 3285 | Fee schedule: visual regression snapshot at three widths                                                                           | new page | Claude     | P2  | 61    | Open   |
| 3286 | Fee schedule: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels               | new page | Claude     | P0  | 9     | Open   |
| 3287 | Fee applied to this circle: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P0  | 9     | Open   |
| 3288 | Fee applied to this circle: deep link opens it directly                                                                            | new page | Claude     | P0  | 9     | Open   |
| 3289 | Fee applied to this circle: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 9     | Open   |
| 3290 | Fee applied to this circle: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 3291 | Fee applied to this circle: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 9     | Open   |
| 3292 | Fee applied to this circle: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 9     | Open   |
| 3293 | Fee applied to this circle: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 9     | Open   |
| 3294 | Fee applied to this circle: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 9     | Open   |
| 3295 | Fee applied to this circle: contrast of every text and control checked                                                             | new page | Claude     | P0  | 9     | Open   |
| 3296 | Fee applied to this circle: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 61    | Open   |
| 3297 | Fee applied to this circle: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3298 | Fee applied to this circle: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 9     | Open   |

| #    | Item                                                                                                                               | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3299 | Discount eligibility: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | new page | Claude     | P2  | 61    | Open   |
| 3300 | Discount eligibility: deep link opens it directly                                                                                  | new page | Claude     | P2  | 61    | Open   |
| 3301 | Discount eligibility: checked in dark mode, with no hard coded white or black                                                      | new page | Claude     | P2  | 61    | Open   |
| 3302 | Discount eligibility: Urdu text for every string, by a translator                                                                  | new page | Translator | P2  | H4    | Open   |
| 3303 | Discount eligibility: right to left layout checked with the Urdu text                                                              | new page | Claude     | P2  | 61    | Open   |
| 3304 | Discount eligibility: usable at the largest system text size, with nothing cut off                                                 | new page | Claude     | P2  | 61    | Open   |
| 3305 | Discount eligibility: usable at 320 pixels wide                                                                                    | new page | Claude     | P2  | 61    | Open   |
| 3306 | Discount eligibility: every control named for screen readers, in a logical focus order                                             | new page | Claude     | P2  | 61    | Open   |
| 3307 | Discount eligibility: contrast of every text and control checked                                                                   | new page | Claude     | P2  | 61    | Open   |
| 3308 | Discount eligibility: screen view and main action recorded, with no personal data in the events                                    | new page | Claude     | P2  | 61    | Open   |
| 3309 | Discount eligibility: visual regression snapshot at three widths                                                                   | new page | Claude     | P2  | 61    | Open   |
| 3310 | Discount eligibility: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels       | new page | Claude     | P2  | 61    | Open   |
| 3311 | Guarantee cheque registration: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P2  | 61    | Open   |
| 3312 | Guarantee cheque registration: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P2  | 61    | Open   |
| 3313 | Guarantee cheque registration: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P2  | 61    | Open   |
| 3314 | Guarantee cheque registration: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P2  | 61    | Open   |
| 3315 | Guarantee cheque registration: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P2  | 61    | Open   |
| 3316 | Guarantee cheque registration: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P2  | 61    | Open   |
| 3317 | Guarantee cheque registration: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P2  | 61    | Open   |
| 3318 | Guarantee cheque registration: success state stating what happened and what comes next                                             | new page | Claude     | P2  | 61    | Open   |
| 3319 | Guarantee cheque registration: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P2  | 61    | Open   |
| 3320 | Guarantee cheque registration: Urdu text for every string, by a translator                                                         | new page | Translator | P2  | H4    | Open   |
| 3321 | Guarantee cheque registration: right to left layout checked with the Urdu text                                                     | new page | Claude     | P2  | 61    | Open   |
| 3322 | Guarantee cheque registration: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P2  | 61    | Open   |
| 3323 | Guarantee cheque registration: usable at 320 pixels wide                                                                           | new page | Claude     | P2  | 61    | Open   |
| 3324 | Guarantee cheque registration: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P2  | 61    | Open   |
| 3325 | Guarantee cheque registration: contrast of every text and control checked                                                          | new page | Claude     | P2  | 61    | Open   |
| 3326 | Guarantee cheque registration: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 61    | Open   |
| 3327 | Guarantee cheque registration: component test of every state                                                                       | new page | Claude     | P2  | 61    | Open   |



| #    | Item                                                                                                                                  | Where    | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 3328 | Guarantee cheque registration: end to end test of its main path                                                                       | new page | Claude | P2  | 61    | Open   |
| 3329 | Guarantee cheque registration: visual regression snapshot at three widths                                                             | new page | Claude | P2  | 61    | Open   |
| 3330 | Guarantee cheque registration: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude | P2  | 61    | Open   |

#### AC8. Missing Screens: Recovery

| #    | Item                                                                                                                            | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3331 | Late notice, first step: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 30    | Open   |
| 3332 | Late notice, first step: deep link opens it directly                                                                            | new page | Claude     | P1  | 30    | Open   |
| 3333 | Late notice, first step: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 30    | Open   |
| 3334 | Late notice, first step: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3335 | Late notice, first step: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 30    | Open   |
| 3336 | Late notice, first step: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 30    | Open   |
| 3337 | Late notice, first step: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 30    | Open   |
| 3338 | Late notice, first step: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 30    | Open   |
| 3339 | Late notice, first step: contrast of every text and control checked                                                             | new page | Claude     | P1  | 30    | Open   |
| 3340 | Late notice, first step: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 61    | Open   |
| 3341 | Late notice, first step: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3342 | Late notice, first step: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 30    | Open   |
| 3343 | Late notice, second step: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card   | new page | Claude     | P1  | 30    | Open   |
| 3344 | Late notice, second step: deep link opens it directly                                                                           | new page | Claude     | P1  | 30    | Open   |
| 3345 | Late notice, second step: checked in dark mode, with no hard coded white or black                                               | new page | Claude     | P1  | 30    | Open   |
| 3346 | Late notice, second step: Urdu text for every string, by a translator                                                           | new page | Translator | P1  | H4    | Open   |
| 3347 | Late notice, second step: right to left layout checked with the Urdu text                                                       | new page | Claude     | P1  | 30    | Open   |
| 3348 | Late notice, second step: usable at the largest system text size, with nothing cut off                                          | new page | Claude     | P1  | 30    | Open   |
| 3349 | Late notice, second step: usable at 320 pixels wide                                                                             | new page | Claude     | P1  | 30    | Open   |
| 3350 | Late notice, second step: every control named for screen readers, in a logical focus order                                      | new page | Claude     | P1  | 30    | Open   |
| 3351 | Late notice, second step: contrast of every text and control checked                                                            | new page | Claude     | P1  | 30    | Open   |
| 3352 | Late notice, second step: screen view and main action recorded, with no personal data in the events                             | new page | Claude     | P2  | 61    | Open   |

| #    | Item                                                                                                                             | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3353 | Late notice, second step: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3354 | Late notice, second step: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 30    | Open   |
| 3355 | Late notice, third step: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P1  | 30    | Open   |
| 3356 | Late notice, third step: deep link opens it directly                                                                             | new page | Claude     | P1  | 30    | Open   |
| 3357 | Late notice, third step: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P1  | 30    | Open   |
| 3358 | Late notice, third step: Urdu text for every string, by a translator                                                             | new page | Translator | P1  | H4    | Open   |
| 3359 | Late notice, third step: right to left layout checked with the Urdu text                                                         | new page | Claude     | P1  | 30    | Open   |
| 3360 | Late notice, third step: usable at the largest system text size, with nothing cut off                                            | new page | Claude     | P1  | 30    | Open   |
| 3361 | Late notice, third step: usable at 320 pixels wide                                                                               | new page | Claude     | P1  | 30    | Open   |
| 3362 | Late notice, third step: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P1  | 30    | Open   |
| 3363 | Late notice, third step: contrast of every text and control checked                                                              | new page | Claude     | P1  | 30    | Open   |
| 3364 | Late notice, third step: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 61    | Open   |
| 3365 | Late notice, third step: visual regression snapshot at three widths                                                              | new page | Claude     | P2  | 61    | Open   |
| 3366 | Late notice, third step: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | new page | Claude     | P1  | 30    | Open   |
| 3367 | Hardship declaration: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card        | new page | Claude     | P1  | 30    | Open   |
| 3368 | Hardship declaration: each field checked as it is typed, with one specific message under the field (fields in section AD)        | new page | Claude     | P1  | 30    | Open   |
| 3369 | Hardship declaration: submitting state: the button busy and a second tap ignored                                                 | new page | Claude     | P1  | 30    | Open   |
| 3370 | Hardship declaration: a refusal from the server shown with the reason and what to change                                         | new page | Claude     | P1  | 30    | Open   |
| 3371 | Hardship declaration: offline: submission held back with a message, and entered data kept                                        | new page | Claude     | P1  | 30    | Open   |
| 3372 | Hardship declaration: the keyboard never hides the focused field or the main button                                              | new page | Claude     | P1  | 30    | Open   |
| 3373 | Hardship declaration: leaving with unsaved changes asks for confirmation                                                         | new page | Claude     | P1  | 30    | Open   |
| 3374 | Hardship declaration: success state stating what happened and what comes next                                                    | new page | Claude     | P1  | 30    | Open   |
| 3375 | Hardship declaration: checked in dark mode, with no hard coded white or black                                                    | new page | Claude     | P1  | 30    | Open   |
| 3376 | Hardship declaration: Urdu text for every string, by a translator                                                                | new page | Translator | P1  | H4    | Open   |
| 3377 | Hardship declaration: right to left layout checked with the Urdu text                                                            | new page | Claude     | P1  | 30    | Open   |
| 3378 | Hardship declaration: usable at the largest system text size, with nothing cut off                                               | new page | Claude     | P1  | 30    | Open   |
| 3379 | Hardship declaration: usable at 320 pixels wide                                                                                  | new page | Claude     | P1  | 30    | Open   |
| 3380 | Hardship declaration: every control named for screen readers, in a logical focus order                                           | new page | Claude     | P1  | 30    | Open   |

| #    | Item                                                                                                                           | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3381 | Hardship declaration: contrast of every text and control checked                                                               | new page | Claude     | P1  | 30    | Open   |
| 3382 | Hardship declaration: screen view and main action recorded, with no personal data in the events                                | new page | Claude     | P2  | 61    | Open   |
| 3383 | Hardship declaration: component test of every state                                                                            | new page | Claude     | P1  | 30    | Open   |
| 3384 | Hardship declaration: end to end test of its main path                                                                         | new page | Claude     | P1  | 30    | Open   |
| 3385 | Hardship declaration: visual regression snapshot at three widths                                                               | new page | Claude     | P2  | 61    | Open   |
| 3386 | Hardship declaration: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels   | new page | Claude     | P1  | 30    | Open   |
| 3387 | Revised date agreement: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 30    | Open   |
| 3388 | Revised date agreement: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P1  | 30    | Open   |
| 3389 | Revised date agreement: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P1  | 30    | Open   |
| 3390 | Revised date agreement: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P1  | 30    | Open   |
| 3391 | Revised date agreement: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P1  | 30    | Open   |
| 3392 | Revised date agreement: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P1  | 30    | Open   |
| 3393 | Revised date agreement: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P1  | 30    | Open   |
| 3394 | Revised date agreement: success state stating what happened and what comes next                                                | new page | Claude     | P1  | 30    | Open   |
| 3395 | Revised date agreement: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 30    | Open   |
| 3396 | Revised date agreement: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3397 | Revised date agreement: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 30    | Open   |
| 3398 | Revised date agreement: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 30    | Open   |
| 3399 | Revised date agreement: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 30    | Open   |
| 3400 | Revised date agreement: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 30    | Open   |
| 3401 | Revised date agreement: contrast of every text and control checked                                                             | new page | Claude     | P1  | 30    | Open   |
| 3402 | Revised date agreement: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 61    | Open   |
| 3403 | Revised date agreement: component test of every state                                                                          | new page | Claude     | P1  | 30    | Open   |
| 3404 | Revised date agreement: end to end test of its main path                                                                       | new page | Claude     | P1  | 31    | Open   |
| 3405 | Revised date agreement: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3406 | Revised date agreement: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 31    | Open   |
| 3407 | Cure confirmation: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | new page | Claude     | P1  | 31    | Open   |
| 3408 | Cure confirmation: every figure and reference shown matches the ledger                                                         | new page | Claude     | P1  | 31    | Open   |

| #    | Item                                                                                                                           | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3409 | Cure confirmation: the next step offered                                                                                       | new page | Claude     | P1  | 31    | Open   |
| 3410 | Cure confirmation: share as an image or a PDF with account numbers masked                                                      | new page | Claude     | P1  | 31    | Open   |
| 3411 | Cure confirmation: checked in dark mode, with no hard coded white or black                                                     | new page | Claude     | P1  | 31    | Open   |
| 3412 | Cure confirmation: Urdu text for every string, by a translator                                                                 | new page | Translator | P1  | H4    | Open   |
| 3413 | Cure confirmation: right to left layout checked with the Urdu text                                                             | new page | Claude     | P1  | 31    | Open   |
| 3414 | Cure confirmation: usable at the largest system text size, with nothing cut off                                                | new page | Claude     | P1  | 31    | Open   |
| 3415 | Cure confirmation: usable at 320 pixels wide                                                                                   | new page | Claude     | P1  | 31    | Open   |
| 3416 | Cure confirmation: every control named for screen readers, in a logical focus order                                            | new page | Claude     | P1  | 31    | Open   |
| 3417 | Cure confirmation: contrast of every text and control checked                                                                  | new page | Claude     | P1  | 31    | Open   |
| 3418 | Cure confirmation: screen view and main action recorded, with no personal data in the events                                   | new page | Claude     | P2  | 61    | Open   |
| 3419 | Cure confirmation: visual regression snapshot at three widths                                                                  | new page | Claude     | P2  | 61    | Open   |
| 3420 | Cure confirmation: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels      | new page | Claude     | P1  | 31    | Open   |
| 3421 | Restitution arithmetic: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 31    | Open   |
| 3422 | Restitution arithmetic: deep link opens it directly                                                                            | new page | Claude     | P1  | 31    | Open   |
| 3423 | Restitution arithmetic: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 31    | Open   |
| 3424 | Restitution arithmetic: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3425 | Restitution arithmetic: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 31    | Open   |
| 3426 | Restitution arithmetic: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 31    | Open   |
| 3427 | Restitution arithmetic: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 31    | Open   |
| 3428 | Restitution arithmetic: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 31    | Open   |
| 3429 | Restitution arithmetic: contrast of every text and control checked                                                             | new page | Claude     | P1  | 31    | Open   |
| 3430 | Restitution arithmetic: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 61    | Open   |
| 3431 | Restitution arithmetic: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3432 | Restitution arithmetic: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 31    | Open   |
| 3433 | Recovery case status: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card      | new page | Claude     | P1  | 31    | Open   |
| 3434 | Recovery case status: loading skeleton in the final layout, never a full screen spinner                                        | new page | Claude     | P1  | 31    | Open   |
| 3435 | Recovery case status: error state with the reason in plain words and a retry                                                   | new page | Claude     | P1  | 31    | Open   |
| 3436 | Recovery case status: offline state showing the last data held and when it was fetched, with actions disabled                  | new page | Claude     | P1  | 31    | Open   |

| #    | Item                                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3437 | Recovery case status: deep link restores the screen with its state                                                           | new page | Claude     | P1  | 31    | Open   |
| 3438 | Recovery case status: not found and no access states, each with a route back                                                 | new page | Claude     | P1  | 31    | Open   |
| 3439 | Recovery case status: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 31    | Open   |
| 3440 | Recovery case status: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3441 | Recovery case status: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 31    | Open   |
| 3442 | Recovery case status: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 31    | Open   |
| 3443 | Recovery case status: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 31    | Open   |
| 3444 | Recovery case status: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 31    | Open   |
| 3445 | Recovery case status: contrast of every text and control checked                                                             | new page | Claude     | P1  | 31    | Open   |
| 3446 | Recovery case status: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 61    | Open   |
| 3447 | Recovery case status: component test of every state                                                                          | new page | Claude     | P1  | 31    | Open   |
| 3448 | Recovery case status: end to end test of its main path                                                                       | new page | Claude     | P1  | 31    | Open   |
| 3449 | Recovery case status: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 61    | Open   |
| 3450 | Recovery case status: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 31    | Open   |
| 3451 | Write off record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card        | new page | Claude     | P2  | 61    | Open   |
| 3452 | Write off record: loading skeleton in the final layout, never a full screen spinner                                          | new page | Claude     | P2  | 61    | Open   |
| 3453 | Write off record: error state with the reason in plain words and a retry                                                     | new page | Claude     | P2  | 61    | Open   |
| 3454 | Write off record: offline state showing the last data held and when it was fetched, with actions disabled                    | new page | Claude     | P2  | 61    | Open   |
| 3455 | Write off record: deep link restores the screen with its state                                                               | new page | Claude     | P2  | 61    | Open   |
| 3456 | Write off record: not found and no access states, each with a route back                                                     | new page | Claude     | P2  | 61    | Open   |
| 3457 | Write off record: checked in dark mode, with no hard coded white or black                                                    | new page | Claude     | P2  | 61    | Open   |
| 3458 | Write off record: Urdu text for every string, by a translator                                                                | new page | Translator | P2  | H4    | Open   |
| 3459 | Write off record: right to left layout checked with the Urdu text                                                            | new page | Claude     | P2  | 61    | Open   |
| 3460 | Write off record: usable at the largest system text size, with nothing cut off                                               | new page | Claude     | P2  | 61    | Open   |
| 3461 | Write off record: usable at 320 pixels wide                                                                                  | new page | Claude     | P2  | 61    | Open   |
| 3462 | Write off record: every control named for screen readers, in a logical focus order                                           | new page | Claude     | P2  | 61    | Open   |
| 3463 | Write off record: contrast of every text and control checked                                                                 | new page | Claude     | P2  | 61    | Open   |
| 3464 | Write off record: screen view and main action recorded, with no personal data in the events                                  | new page | Claude     | P2  | 61    | Open   |
| 3465 | Write off record: component test of every state                                                                              | new page | Claude     | P2  | 61    | Open   |
| 3466 | Write off record: end to end test of its main path                                                                           | new page | Claude     | P2  | 61    | Open   |

| #    | Item                                                                                                                     | Where    | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 3467 | Write off record: visual regression snapshot at three widths                                                             | new page | Claude | P2  | 61    | Open   |
| 3468 | Write off record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude | P2  | 62    | Open   |

#### AC9. Missing Screens: Leaving a circle

| #    | Item                                                                                                                        | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3469 | Exit ladder chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 31    | Open   |
| 3470 | Exit ladder chooser: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P1  | 31    | Open   |
| 3471 | Exit ladder chooser: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P1  | 31    | Open   |
| 3472 | Exit ladder chooser: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P1  | 31    | Open   |
| 3473 | Exit ladder chooser: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P1  | 31    | Open   |
| 3474 | Exit ladder chooser: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P1  | 31    | Open   |
| 3475 | Exit ladder chooser: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P1  | 31    | Open   |
| 3476 | Exit ladder chooser: success state stating what happened and what comes next                                                | new page | Claude     | P1  | 31    | Open   |
| 3477 | Exit ladder chooser: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 31    | Open   |
| 3478 | Exit ladder chooser: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3479 | Exit ladder chooser: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 31    | Open   |
| 3480 | Exit ladder chooser: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 31    | Open   |
| 3481 | Exit ladder chooser: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 31    | Open   |
| 3482 | Exit ladder chooser: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 31    | Open   |
| 3483 | Exit ladder chooser: contrast of every text and control checked                                                             | new page | Claude     | P1  | 31    | Open   |
| 3484 | Exit ladder chooser: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 62    | Open   |
| 3485 | Exit ladder chooser: component test of every state                                                                          | new page | Claude     | P1  | 31    | Open   |
| 3486 | Exit ladder chooser: end to end test of its main path                                                                       | new page | Claude     | P1  | 31    | Open   |
| 3487 | Exit ladder chooser: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 62    | Open   |
| 3488 | Exit ladder chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 31    | Open   |
| 3489 | Exit arithmetic: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card        | new page | Claude     | P1  | 31    | Open   |
| 3490 | Exit arithmetic: deep link opens it directly                                                                                | new page | Claude     | P1  | 31    | Open   |
| 3491 | Exit arithmetic: checked in dark mode, with no hard coded white or black                                                    | new page | Claude     | P1  | 31    | Open   |
| 3492 | Exit arithmetic: Urdu text for every string, by a translator                                                                | new page | Translator | P1  | H4    | Open   |
| 3493 | Exit arithmetic: right to left layout checked with the Urdu text                                                            | new page | Claude     | P1  | 31    | Open   |

| #    | Item                                                                                                                                     | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3494 | Exit arithmetic: usable at the largest system text size, with nothing cut off                                                            | new page | Claude     | P1  | 31    | Open   |
| 3495 | Exit arithmetic: usable at 320 pixels wide                                                                                               | new page | Claude     | P1  | 31    | Open   |
| 3496 | Exit arithmetic: every control named for screen readers, in a logical focus order                                                        | new page | Claude     | P1  | 31    | Open   |
| 3497 | Exit arithmetic: contrast of every text and control checked                                                                              | new page | Claude     | P1  | 31    | Open   |
| 3498 | Exit arithmetic: screen view and main action recorded, with no personal data in the events                                               | new page | Claude     | P2  | 62    | Open   |
| 3499 | Exit arithmetic: visual regression snapshot at three widths                                                                              | new page | Claude     | P2  | 62    | Open   |
| 3500 | Exit arithmetic: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels                  | new page | Claude     | P1  | 31    | Open   |
| 3501 | Exit cooling window: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                 | new page | Claude     | P1  | 31    | Open   |
| 3502 | Exit cooling window: loading skeleton in the final layout, never a full screen spinner                                                   | new page | Claude     | P1  | 31    | Open   |
| 3503 | Exit cooling window: error state with the reason in plain words and a retry                                                              | new page | Claude     | P1  | 31    | Open   |
| 3504 | Exit cooling window: offline state showing the last data held and when it was fetched, with actions disabled                             | new page | Claude     | P1  | 31    | Open   |
| 3505 | Exit cooling window: deep link restores the screen with its state                                                                        | new page | Claude     | P1  | 31    | Open   |
| 3506 | Exit cooling window: not found and no access states, each with a route back                                                              | new page | Claude     | P1  | 31    | Open   |
| 3507 | Exit cooling window: checked in dark mode, with no hard coded white or black                                                             | new page | Claude     | P1  | 31    | Open   |
| 3508 | Exit cooling window: Urdu text for every string, by a translator                                                                         | new page | Translator | P1  | H4    | Open   |
| 3509 | Exit cooling window: right to left layout checked with the Urdu text                                                                     | new page | Claude     | P1  | 31    | Open   |
| 3510 | Exit cooling window: usable at the largest system text size, with nothing cut off                                                        | new page | Claude     | P1  | 31    | Open   |
| 3511 | Exit cooling window: usable at 320 pixels wide                                                                                           | new page | Claude     | P1  | 31    | Open   |
| 3512 | Exit cooling window: every control named for screen readers, in a logical focus order                                                    | new page | Claude     | P1  | 31    | Open   |
| 3513 | Exit cooling window: contrast of every text and control checked                                                                          | new page | Claude     | P1  | 31    | Open   |
| 3514 | Exit cooling window: screen view and main action recorded, with no personal data in the events                                           | new page | Claude     | P2  | 62    | Open   |
| 3515 | Exit cooling window: component test of every state                                                                                       | new page | Claude     | P1  | 31    | Open   |
| 3516 | Exit cooling window: end to end test of its main path                                                                                    | new page | Claude     | P1  | 31    | Open   |
| 3517 | Exit cooling window: visual regression snapshot at three widths                                                                          | new page | Claude     | P2  | 62    | Open   |
| 3518 | Exit cooling window: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels              | new page | Claude     | P1  | 31    | Open   |
| 3519 | Exit confirmation with PIN and face: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 31    | Open   |
| 3520 | Exit confirmation with PIN and face: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 31    | Open   |
| 3521 | Exit confirmation with PIN and face: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P1  | 31    | Open   |

| #    | Item                                                                                                                                        | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3522 | Exit confirmation with PIN and face: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P1  | 31    | Open   |
| 3523 | Exit confirmation with PIN and face: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P1  | 31    | Open   |
| 3524 | Exit confirmation with PIN and face: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P1  | 31    | Open   |
| 3525 | Exit confirmation with PIN and face: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P1  | 31    | Open   |
| 3526 | Exit confirmation with PIN and face: success state stating what happened and what comes next                                                | new page | Claude     | P1  | 31    | Open   |
| 3527 | Exit confirmation with PIN and face: review step showing every amount before confirmation: the amount and every charge                      | new page | Claude     | P1  | 31    | Open   |
| 3528 | Exit confirmation with PIN and face: transaction PIN required before the action                                                             | new page | Claude     | P0  | 9     | Open   |
| 3529 | Exit confirmation with PIN and face: refused during the two hour cooling off after a device change, with the time remaining                 | new page | Claude     | P0  | 9     | Open   |
| 3530 | Exit confirmation with PIN and face: one request per confirmation, carried by an idempotency key                                            | new page | Claude     | P0  | 9     | Open   |
| 3531 | Exit confirmation with PIN and face: receipt after completion, saved to Activity                                                            | new page | Claude     | P1  | 31    | Open   |
| 3532 | Exit confirmation with PIN and face: amounts shown as Rs with thousands grouped and no stray decimals                                       | new page | Claude     | P1  | 31    | Open   |
| 3533 | Exit confirmation with PIN and face: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 31    | Open   |
| 3534 | Exit confirmation with PIN and face: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3535 | Exit confirmation with PIN and face: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 31    | Open   |
| 3536 | Exit confirmation with PIN and face: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 31    | Open   |
| 3537 | Exit confirmation with PIN and face: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 31    | Open   |
| 3538 | Exit confirmation with PIN and face: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 31    | Open   |
| 3539 | Exit confirmation with PIN and face: contrast of every text and control checked                                                             | new page | Claude     | P1  | 31    | Open   |
| 3540 | Exit confirmation with PIN and face: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 62    | Open   |
| 3541 | Exit confirmation with PIN and face: component test of every state                                                                          | new page | Claude     | P1  | 31    | Open   |
| 3542 | Exit confirmation with PIN and face: end to end test of its main path                                                                       | new page | Claude     | P1  | 31    | Open   |
| 3543 | Exit confirmation with PIN and face: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 62    | Open   |
| 3544 | Exit confirmation with PIN and face: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 32    | Open   |
| 3545 | Seat transfer to a replacement: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | new page | Claude     | P1  | 32    | Open   |
| 3546 | Seat transfer to a replacement: each field checked as it is typed, with one specific message under the field (fields in section AD)         | new page | Claude     | P1  | 32    | Open   |
| 3547 | Seat transfer to a replacement: submitting state: the button busy and a second tap ignored                                                  | new page | Claude     | P1  | 32    | Open   |
| 3548 | Seat transfer to a replacement: a refusal from the server shown with the reason and what to change                                          | new page | Claude     | P1  | 32    | Open   |



| #    | Item                                                                                                                                   | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3549 | Seat transfer to a replacement: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P1  | 32    | Open   |
| 3550 | Seat transfer to a replacement: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P1  | 32    | Open   |
| 3551 | Seat transfer to a replacement: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P1  | 32    | Open   |
| 3552 | Seat transfer to a replacement: success state stating what happened and what comes next                                                | new page | Claude     | P1  | 32    | Open   |
| 3553 | Seat transfer to a replacement: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 32    | Open   |
| 3554 | Seat transfer to a replacement: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3555 | Seat transfer to a replacement: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 32    | Open   |
| 3556 | Seat transfer to a replacement: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 32    | Open   |
| 3557 | Seat transfer to a replacement: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 32    | Open   |
| 3558 | Seat transfer to a replacement: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 32    | Open   |
| 3559 | Seat transfer to a replacement: contrast of every text and control checked                                                             | new page | Claude     | P1  | 32    | Open   |
| 3560 | Seat transfer to a replacement: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 62    | Open   |
| 3561 | Seat transfer to a replacement: component test of every state                                                                          | new page | Claude     | P1  | 32    | Open   |
| 3562 | Seat transfer to a replacement: end to end test of its main path                                                                       | new page | Claude     | P1  | 32    | Open   |
| 3563 | Seat transfer to a replacement: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 62    | Open   |
| 3564 | Seat transfer to a replacement: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 32    | Open   |
| 3565 | Guarantee release: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                 | new page | Claude     | P1  | 32    | Open   |
| 3566 | Guarantee release: every figure and reference shown matches the ledger                                                                 | new page | Claude     | P1  | 32    | Open   |
| 3567 | Guarantee release: the next step offered                                                                                               | new page | Claude     | P1  | 32    | Open   |
| 3568 | Guarantee release: share as an image or a PDF with account numbers masked                                                              | new page | Claude     | P1  | 32    | Open   |
| 3569 | Guarantee release: checked in dark mode, with no hard coded white or black                                                             | new page | Claude     | P1  | 32    | Open   |
| 3570 | Guarantee release: Urdu text for every string, by a translator                                                                         | new page | Translator | P1  | H4    | Open   |
| 3571 | Guarantee release: right to left layout checked with the Urdu text                                                                     | new page | Claude     | P1  | 32    | Open   |
| 3572 | Guarantee release: usable at the largest system text size, with nothing cut off                                                        | new page | Claude     | P1  | 32    | Open   |
| 3573 | Guarantee release: usable at 320 pixels wide                                                                                           | new page | Claude     | P1  | 32    | Open   |
| 3574 | Guarantee release: every control named for screen readers, in a logical focus order                                                    | new page | Claude     | P1  | 32    | Open   |
| 3575 | Guarantee release: contrast of every text and control checked                                                                          | new page | Claude     | P1  | 32    | Open   |
| 3576 | Guarantee release: screen view and main action recorded, with no personal data in the events                                           | new page | Claude     | P2  | 62    | Open   |
| 3577 | Guarantee release: visual regression snapshot at three widths                                                                          | new page | Claude     | P2  | 62    | Open   |

| #    | Item                                                                                                                      | Where    | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 3578 | Guarantee release: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude | P1  | 32    | Open   |

#### AC10. Missing Screens: Rewards

| #    | Item                                                                                                                  | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3579 | Points ledger: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P2  | 62    | Open   |
| 3580 | Points ledger: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P2  | 62    | Open   |
| 3581 | Points ledger: error state with the reason in plain words and a retry                                                 | new page | Claude     | P2  | 62    | Open   |
| 3582 | Points ledger: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P2  | 62    | Open   |
| 3583 | Points ledger: deep link restores the screen with its state                                                           | new page | Claude     | P2  | 62    | Open   |
| 3584 | Points ledger: pull to refresh                                                                                        | new page | Claude     | P2  | 62    | Open   |
| 3585 | Points ledger: empty state: the reason and one action                                                                 | new page | Claude     | P2  | 62    | Open   |
| 3586 | Points ledger: pages loaded as the member scrolls, with an end of list marker                                         | new page | Claude     | P2  | 62    | Open   |
| 3587 | Points ledger: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 62    | Open   |
| 3588 | Points ledger: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 3589 | Points ledger: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 62    | Open   |
| 3590 | Points ledger: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 62    | Open   |
| 3591 | Points ledger: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 62    | Open   |
| 3592 | Points ledger: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 62    | Open   |
| 3593 | Points ledger: contrast of every text and control checked                                                             | new page | Claude     | P2  | 62    | Open   |
| 3594 | Points ledger: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 62    | Open   |
| 3595 | Points ledger: component test of every state                                                                          | new page | Claude     | P2  | 62    | Open   |
| 3596 | Points ledger: end to end test of its main path                                                                       | new page | Claude     | P2  | 62    | Open   |
| 3597 | Points ledger: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 62    | Open   |
| 3598 | Points ledger: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 62    | Open   |
| 3599 | Fee waivers: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card      | new page | Claude     | P2  | 62    | Open   |
| 3600 | Fee waivers: loading skeleton in the final layout, never a full screen spinner                                        | new page | Claude     | P2  | 62    | Open   |
| 3601 | Fee waivers: error state with the reason in plain words and a retry                                                   | new page | Claude     | P2  | 62    | Open   |
| 3602 | Fee waivers: offline state showing the last data held and when it was fetched, with actions disabled                  | new page | Claude     | P2  | 62    | Open   |
| 3603 | Fee waivers: deep link restores the screen with its state                                                             | new page | Claude     | P2  | 62    | Open   |
| 3604 | Fee waivers: pull to refresh                                                                                          | new page | Claude     | P2  | 62    | Open   |
| 3605 | Fee waivers: empty state: the reason and one action                                                                   | new page | Claude     | P2  | 62    | Open   |

| #    | Item                                                                                                                             | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3606 | Fee waivers: pages loaded as the member scrolls, with an end of list marker                                                      | new page | Claude     | P2  | 62    | Open   |
| 3607 | Fee waivers: checked in dark mode, with no hard coded white or black                                                             | new page | Claude     | P2  | 62    | Open   |
| 3608 | Fee waivers: Urdu text for every string, by a translator                                                                         | new page | Translator | P2  | H4    | Open   |
| 3609 | Fee waivers: right to left layout checked with the Urdu text                                                                     | new page | Claude     | P2  | 62    | Open   |
| 3610 | Fee waivers: usable at the largest system text size, with nothing cut off                                                        | new page | Claude     | P2  | 62    | Open   |
| 3611 | Fee waivers: usable at 320 pixels wide                                                                                           | new page | Claude     | P2  | 62    | Open   |
| 3612 | Fee waivers: every control named for screen readers, in a logical focus order                                                    | new page | Claude     | P2  | 62    | Open   |
| 3613 | Fee waivers: contrast of every text and control checked                                                                          | new page | Claude     | P2  | 62    | Open   |
| 3614 | Fee waivers: screen view and main action recorded, with no personal data in the events                                           | new page | Claude     | P2  | 62    | Open   |
| 3615 | Fee waivers: component test of every state                                                                                       | new page | Claude     | P2  | 62    | Open   |
| 3616 | Fee waivers: end to end test of its main path                                                                                    | new page | Claude     | P2  | 62    | Open   |
| 3617 | Fee waivers: visual regression snapshot at three widths                                                                          | new page | Claude     | P2  | 62    | Open   |
| 3618 | Fee waivers: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels              | new page | Claude     | P2  | 62    | Open   |
| 3619 | Redeem points against a fee: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P2  | 62    | Open   |
| 3620 | Redeem points against a fee: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P2  | 62    | Open   |
| 3621 | Redeem points against a fee: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P2  | 62    | Open   |
| 3622 | Redeem points against a fee: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P2  | 62    | Open   |
| 3623 | Redeem points against a fee: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P2  | 62    | Open   |
| 3624 | Redeem points against a fee: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P2  | 62    | Open   |
| 3625 | Redeem points against a fee: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P2  | 62    | Open   |
| 3626 | Redeem points against a fee: success state stating what happened and what comes next                                             | new page | Claude     | P2  | 62    | Open   |
| 3627 | Redeem points against a fee: review step showing every amount before confirmation: the amount and every charge                   | new page | Claude     | P2  | 62    | Open   |
| 3628 | Redeem points against a fee: transaction PIN required before the action                                                          | new page | Claude     | P0  | 9     | Open   |
| 3629 | Redeem points against a fee: refused during the two hour cooling off after a device change, with the time remaining              | new page | Claude     | P0  | 9     | Open   |
| 3630 | Redeem points against a fee: one request per confirmation, carried by an idempotency key                                         | new page | Claude     | P0  | 9     | Open   |
| 3631 | Redeem points against a fee: receipt after completion, saved to Activity                                                         | new page | Claude     | P2  | 62    | Open   |
| 3632 | Redeem points against a fee: amounts shown as Rs with thousands grouped and no stray decimals                                    | new page | Claude     | P2  | 62    | Open   |
| 3633 | Redeem points against a fee: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P2  | 62    | Open   |
| 3634 | Redeem points against a fee: Urdu text for every string, by a translator                                                         | new page | Translator | P2  | H4    | Open   |

| #    | Item                                                                                                                                | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3635 | Redeem points against a fee: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 62    | Open   |
| 3636 | Redeem points against a fee: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 62    | Open   |
| 3637 | Redeem points against a fee: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 62    | Open   |
| 3638 | Redeem points against a fee: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 62    | Open   |
| 3639 | Redeem points against a fee: contrast of every text and control checked                                                             | new page | Claude     | P2  | 62    | Open   |
| 3640 | Redeem points against a fee: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 62    | Open   |
| 3641 | Redeem points against a fee: component test of every state                                                                          | new page | Claude     | P2  | 62    | Open   |
| 3642 | Redeem points against a fee: end to end test of its main path                                                                       | new page | Claude     | P2  | 62    | Open   |
| 3643 | Redeem points against a fee: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 62    | Open   |
| 3644 | Redeem points against a fee: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 62    | Open   |
| 3645 | Referral invitations: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card           | new page | Claude     | P2  | 62    | Open   |
| 3646 | Referral invitations: loading skeleton in the final layout, never a full screen spinner                                             | new page | Claude     | P2  | 62    | Open   |
| 3647 | Referral invitations: error state with the reason in plain words and a retry                                                        | new page | Claude     | P2  | 62    | Open   |
| 3648 | Referral invitations: offline state showing the last data held and when it was fetched, with actions disabled                       | new page | Claude     | P2  | 62    | Open   |
| 3649 | Referral invitations: deep link restores the screen with its state                                                                  | new page | Claude     | P2  | 62    | Open   |
| 3650 | Referral invitations: pull to refresh                                                                                               | new page | Claude     | P2  | 62    | Open   |
| 3651 | Referral invitations: empty state: the reason and one action                                                                        | new page | Claude     | P2  | 62    | Open   |
| 3652 | Referral invitations: pages loaded as the member scrolls, with an end of list marker                                                | new page | Claude     | P2  | 62    | Open   |
| 3653 | Referral invitations: checked in dark mode, with no hard coded white or black                                                       | new page | Claude     | P2  | 62    | Open   |
| 3654 | Referral invitations: Urdu text for every string, by a translator                                                                   | new page | Translator | P2  | H4    | Open   |
| 3655 | Referral invitations: right to left layout checked with the Urdu text                                                               | new page | Claude     | P2  | 62    | Open   |
| 3656 | Referral invitations: usable at the largest system text size, with nothing cut off                                                  | new page | Claude     | P2  | 62    | Open   |
| 3657 | Referral invitations: usable at 320 pixels wide                                                                                     | new page | Claude     | P2  | 62    | Open   |
| 3658 | Referral invitations: every control named for screen readers, in a logical focus order                                              | new page | Claude     | P2  | 62    | Open   |
| 3659 | Referral invitations: contrast of every text and control checked                                                                    | new page | Claude     | P2  | 62    | Open   |
| 3660 | Referral invitations: screen view and main action recorded, with no personal data in the events                                     | new page | Claude     | P2  | 62    | Open   |
| 3661 | Referral invitations: component test of every state                                                                                 | new page | Claude     | P2  | 62    | Open   |
| 3662 | Referral invitations: end to end test of its main path                                                                              | new page | Claude     | P2  | 62    | Open   |
| 3663 | Referral invitations: visual regression snapshot at three widths                                                                    | new page | Claude     | P2  | 62    | Open   |

| #    | Item                                                                                                                         | Where    | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 3664 | Referral invitations: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude | P2  | 62    | Open   |

#### AC11. Missing Screens: Takaful or insurance

| #    | Item                                                                                                                                   | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3665 | Takaful or insurance explainer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 32    | Open   |
| 3666 | Takaful or insurance explainer: deep link opens it directly                                                                            | new page | Claude     | P1  | 32    | Open   |
| 3667 | Takaful or insurance explainer: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 32    | Open   |
| 3668 | Takaful or insurance explainer: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3669 | Takaful or insurance explainer: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 32    | Open   |
| 3670 | Takaful or insurance explainer: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 32    | Open   |
| 3671 | Takaful or insurance explainer: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 32    | Open   |
| 3672 | Takaful or insurance explainer: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 32    | Open   |
| 3673 | Takaful or insurance explainer: contrast of every text and control checked                                                             | new page | Claude     | P1  | 32    | Open   |
| 3674 | Takaful or insurance explainer: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 62    | Open   |
| 3675 | Takaful or insurance explainer: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 62    | Open   |
| 3676 | Takaful or insurance explainer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 32    | Open   |
| 3677 | Takaful or insurance acceptance: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card   | new page | Claude     | P1  | 32    | Open   |
| 3678 | Takaful or insurance acceptance: each field checked as it is typed, with one specific message under the field (fields in section AD)   | new page | Claude     | P1  | 32    | Open   |
| 3679 | Takaful or insurance acceptance: submitting state: the button busy and a second tap ignored                                            | new page | Claude     | P1  | 32    | Open   |
| 3680 | Takaful or insurance acceptance: a refusal from the server shown with the reason and what to change                                    | new page | Claude     | P1  | 32    | Open   |
| 3681 | Takaful or insurance acceptance: offline: submission held back with a message, and entered data kept                                   | new page | Claude     | P1  | 32    | Open   |
| 3682 | Takaful or insurance acceptance: the keyboard never hides the focused field or the main button                                         | new page | Claude     | P1  | 32    | Open   |
| 3683 | Takaful or insurance acceptance: leaving with unsaved changes asks for confirmation                                                    | new page | Claude     | P1  | 32    | Open   |
| 3684 | Takaful or insurance acceptance: success state stating what happened and what comes next                                               | new page | Claude     | P1  | 32    | Open   |
| 3685 | Takaful or insurance acceptance: checked in dark mode, with no hard coded white or black                                               | new page | Claude     | P1  | 32    | Open   |
| 3686 | Takaful or insurance acceptance: Urdu text for every string, by a translator                                                           | new page | Translator | P1  | H4    | Open   |
| 3687 | Takaful or insurance acceptance: right to left layout checked with the Urdu text                                                       | new page | Claude     | P1  | 32    | Open   |
| 3688 | Takaful or insurance acceptance: usable at the largest system text size, with nothing cut off                                          | new page | Claude     | P1  | 32    | Open   |

| #    | Item                                                                                                                                     | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3689 | Takaful or insurance acceptance: usable at 320 pixels wide                                                                               | new page | Claude     | P1  | 32    | Open   |
| 3690 | Takaful or insurance acceptance: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P1  | 32    | Open   |
| 3691 | Takaful or insurance acceptance: contrast of every text and control checked                                                              | new page | Claude     | P1  | 32    | Open   |
| 3692 | Takaful or insurance acceptance: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 62    | Open   |
| 3693 | Takaful or insurance acceptance: component test of every state                                                                           | new page | Claude     | P1  | 32    | Open   |
| 3694 | Takaful or insurance acceptance: end to end test of its main path                                                                        | new page | Claude     | P1  | 32    | Open   |
| 3695 | Takaful or insurance acceptance: visual regression snapshot at three widths                                                              | new page | Claude     | P2  | 63    | Open   |
| 3696 | Takaful or insurance acceptance: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | new page | Claude     | P1  | 32    | Open   |
| 3697 | Takaful or insurance certificate: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 32    | Open   |
| 3698 | Takaful or insurance certificate: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P1  | 32    | Open   |
| 3699 | Takaful or insurance certificate: error state with the reason in plain words and a retry                                                 | new page | Claude     | P1  | 32    | Open   |
| 3700 | Takaful or insurance certificate: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P1  | 32    | Open   |
| 3701 | Takaful or insurance certificate: deep link restores the screen with its state                                                           | new page | Claude     | P1  | 32    | Open   |
| 3702 | Takaful or insurance certificate: not found and no access states, each with a route back                                                 | new page | Claude     | P1  | 32    | Open   |
| 3703 | Takaful or insurance certificate: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 32    | Open   |
| 3704 | Takaful or insurance certificate: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3705 | Takaful or insurance certificate: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 32    | Open   |
| 3706 | Takaful or insurance certificate: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 32    | Open   |
| 3707 | Takaful or insurance certificate: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 32    | Open   |
| 3708 | Takaful or insurance certificate: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 32    | Open   |
| 3709 | Takaful or insurance certificate: contrast of every text and control checked                                                             | new page | Claude     | P1  | 32    | Open   |
| 3710 | Takaful or insurance certificate: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 63    | Open   |
| 3711 | Takaful or insurance certificate: component test of every state                                                                          | new page | Claude     | P1  | 32    | Open   |
| 3712 | Takaful or insurance certificate: end to end test of its main path                                                                       | new page | Claude     | P1  | 32    | Open   |
| 3713 | Takaful or insurance certificate: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 63    | Open   |
| 3714 | Takaful or insurance certificate: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 32    | Open   |
| 3715 | Claim lodged: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                        | new page | Claude     | P1  | 32    | Open   |
| 3716 | Claim lodged: each field checked as it is typed, with one specific message under the field (fields in section AD)                        | new page | Claude     | P1  | 32    | Open   |
| 3717 | Claim lodged: submitting state: the button busy and a second tap ignored                                                                 | new page | Claude     | P1  | 32    | Open   |

| #    | Item                                                                                                                 | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3718 | Claim lodged: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P1  | 32    | Open   |
| 3719 | Claim lodged: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P1  | 32    | Open   |
| 3720 | Claim lodged: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P1  | 32    | Open   |
| 3721 | Claim lodged: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P1  | 32    | Open   |
| 3722 | Claim lodged: success state stating what happened and what comes next                                                | new page | Claude     | P1  | 32    | Open   |
| 3723 | Claim lodged: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 32    | Open   |
| 3724 | Claim lodged: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3725 | Claim lodged: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 32    | Open   |
| 3726 | Claim lodged: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 32    | Open   |
| 3727 | Claim lodged: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 32    | Open   |
| 3728 | Claim lodged: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 32    | Open   |
| 3729 | Claim lodged: contrast of every text and control checked                                                             | new page | Claude     | P1  | 32    | Open   |
| 3730 | Claim lodged: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 63    | Open   |
| 3731 | Claim lodged: component test of every state                                                                          | new page | Claude     | P1  | 32    | Open   |
| 3732 | Claim lodged: end to end test of its main path                                                                       | new page | Claude     | P1  | 32    | Open   |
| 3733 | Claim lodged: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 63    | Open   |
| 3734 | Claim lodged: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 32    | Open   |
| 3735 | Claim status: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 32    | Open   |
| 3736 | Claim status: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P1  | 32    | Open   |
| 3737 | Claim status: error state with the reason in plain words and a retry                                                 | new page | Claude     | P1  | 32    | Open   |
| 3738 | Claim status: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P1  | 32    | Open   |
| 3739 | Claim status: deep link restores the screen with its state                                                           | new page | Claude     | P1  | 32    | Open   |
| 3740 | Claim status: not found and no access states, each with a route back                                                 | new page | Claude     | P1  | 32    | Open   |
| 3741 | Claim status: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 32    | Open   |
| 3742 | Claim status: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3743 | Claim status: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 32    | Open   |
| 3744 | Claim status: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 32    | Open   |
| 3745 | Claim status: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 32    | Open   |
| 3746 | Claim status: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 33    | Open   |
| 3747 | Claim status: contrast of every text and control checked                                                             | new page | Claude     | P1  | 33    | Open   |
| 3748 | Claim status: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 63    | Open   |

| #    | Item                                                                                                                 | Where    | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 3749 | Claim status: component test of every state                                                                          | new page | Claude | P1  | 33    | Open   |
| 3750 | Claim status: end to end test of its main path                                                                       | new page | Claude | P1  | 33    | Open   |
| 3751 | Claim status: visual regression snapshot at three widths                                                             | new page | Claude | P2  | 63    | Open   |
| 3752 | Claim status: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude | P1  | 33    | Open   |

#### AC12. Missing Screens: Savings at the bank

| #    | Item                                                                                                                           | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3753 | Bank savings explainer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P2  | 63    | Open   |
| 3754 | Bank savings explainer: deep link opens it directly                                                                            | new page | Claude     | P2  | 63    | Open   |
| 3755 | Bank savings explainer: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 63    | Open   |
| 3756 | Bank savings explainer: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 3757 | Bank savings explainer: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 63    | Open   |
| 3758 | Bank savings explainer: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 63    | Open   |
| 3759 | Bank savings explainer: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 63    | Open   |
| 3760 | Bank savings explainer: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 63    | Open   |
| 3761 | Bank savings explainer: contrast of every text and control checked                                                             | new page | Claude     | P2  | 63    | Open   |
| 3762 | Bank savings explainer: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 63    | Open   |
| 3763 | Bank savings explainer: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 63    | Open   |
| 3764 | Bank savings explainer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 63    | Open   |
| 3765 | Bank savings subscription: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P2  | 63    | Open   |
| 3766 | Bank savings subscription: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P2  | 63    | Open   |
| 3767 | Bank savings subscription: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P2  | 63    | Open   |
| 3768 | Bank savings subscription: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P2  | 63    | Open   |
| 3769 | Bank savings subscription: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P2  | 63    | Open   |
| 3770 | Bank savings subscription: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P2  | 63    | Open   |
| 3771 | Bank savings subscription: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P2  | 63    | Open   |
| 3772 | Bank savings subscription: success state stating what happened and what comes next                                             | new page | Claude     | P2  | 63    | Open   |
| 3773 | Bank savings subscription: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P2  | 63    | Open   |



| #    | Item                                                                                                                              | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3774 | Bank savings subscription: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 3775 | Bank savings subscription: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 63    | Open   |
| 3776 | Bank savings subscription: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 63    | Open   |
| 3777 | Bank savings subscription: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 63    | Open   |
| 3778 | Bank savings subscription: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 63    | Open   |
| 3779 | Bank savings subscription: contrast of every text and control checked                                                             | new page | Claude     | P2  | 63    | Open   |
| 3780 | Bank savings subscription: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 63    | Open   |
| 3781 | Bank savings subscription: component test of every state                                                                          | new page | Claude     | P2  | 63    | Open   |
| 3782 | Bank savings subscription: end to end test of its main path                                                                       | new page | Claude     | P2  | 63    | Open   |
| 3783 | Bank savings subscription: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 63    | Open   |
| 3784 | Bank savings subscription: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 63    | Open   |
| 3785 | Bank savings holding: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card         | new page | Claude     | P2  | 63    | Open   |
| 3786 | Bank savings holding: loading skeleton in the final layout, never a full screen spinner                                           | new page | Claude     | P2  | 63    | Open   |
| 3787 | Bank savings holding: error state with the reason in plain words and a retry                                                      | new page | Claude     | P2  | 63    | Open   |
| 3788 | Bank savings holding: offline state showing the last data held and when it was fetched, with actions disabled                     | new page | Claude     | P2  | 63    | Open   |
| 3789 | Bank savings holding: deep link restores the screen with its state                                                                | new page | Claude     | P2  | 63    | Open   |
| 3790 | Bank savings holding: not found and no access states, each with a route back                                                      | new page | Claude     | P2  | 63    | Open   |
| 3791 | Bank savings holding: checked in dark mode, with no hard coded white or black                                                     | new page | Claude     | P2  | 63    | Open   |
| 3792 | Bank savings holding: Urdu text for every string, by a translator                                                                 | new page | Translator | P2  | H4    | Open   |
| 3793 | Bank savings holding: right to left layout checked with the Urdu text                                                             | new page | Claude     | P2  | 63    | Open   |
| 3794 | Bank savings holding: usable at the largest system text size, with nothing cut off                                                | new page | Claude     | P2  | 63    | Open   |
| 3795 | Bank savings holding: usable at 320 pixels wide                                                                                   | new page | Claude     | P2  | 63    | Open   |
| 3796 | Bank savings holding: every control named for screen readers, in a logical focus order                                            | new page | Claude     | P2  | 63    | Open   |
| 3797 | Bank savings holding: contrast of every text and control checked                                                                  | new page | Claude     | P2  | 63    | Open   |
| 3798 | Bank savings holding: screen view and main action recorded, with no personal data in the events                                   | new page | Claude     | P2  | 63    | Open   |
| 3799 | Bank savings holding: component test of every state                                                                               | new page | Claude     | P2  | 63    | Open   |
| 3800 | Bank savings holding: end to end test of its main path                                                                            | new page | Claude     | P2  | 63    | Open   |
| 3801 | Bank savings holding: visual regression snapshot at three widths                                                                  | new page | Claude     | P2  | 63    | Open   |
| 3802 | Bank savings holding: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels      | new page | Claude     | P2  | 63    | Open   |

| #    | Item                                                                                                                            | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3803 | Bank savings redemption: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P2  | 63    | Open   |
| 3804 | Bank savings redemption: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P2  | 63    | Open   |
| 3805 | Bank savings redemption: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P2  | 63    | Open   |
| 3806 | Bank savings redemption: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P2  | 63    | Open   |
| 3807 | Bank savings redemption: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P2  | 63    | Open   |
| 3808 | Bank savings redemption: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P2  | 63    | Open   |
| 3809 | Bank savings redemption: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P2  | 63    | Open   |
| 3810 | Bank savings redemption: success state stating what happened and what comes next                                                | new page | Claude     | P2  | 63    | Open   |
| 3811 | Bank savings redemption: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 63    | Open   |
| 3812 | Bank savings redemption: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 3813 | Bank savings redemption: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 63    | Open   |
| 3814 | Bank savings redemption: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 63    | Open   |
| 3815 | Bank savings redemption: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 63    | Open   |
| 3816 | Bank savings redemption: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 63    | Open   |
| 3817 | Bank savings redemption: contrast of every text and control checked                                                             | new page | Claude     | P2  | 63    | Open   |
| 3818 | Bank savings redemption: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 63    | Open   |
| 3819 | Bank savings redemption: component test of every state                                                                          | new page | Claude     | P2  | 63    | Open   |
| 3820 | Bank savings redemption: end to end test of its main path                                                                       | new page | Claude     | P2  | 63    | Open   |
| 3821 | Bank savings redemption: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 63    | Open   |
| 3822 | Bank savings redemption: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 63    | Open   |

### AC13. Missing Screens: Support

| #    | Item                                                                                                             | Where    | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 3823 | Help centre: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude | P1  | 33    | Open   |
| 3824 | Help centre: loading skeleton in the final layout, never a full screen spinner                                   | new page | Claude | P1  | 33    | Open   |
| 3825 | Help centre: error state with the reason in plain words and a retry                                              | new page | Claude | P1  | 33    | Open   |
| 3826 | Help centre: offline state showing the last data held and when it was fetched, with actions disabled             | new page | Claude | P1  | 33    | Open   |
| 3827 | Help centre: deep link restores the screen with its state                                                        | new page | Claude | P1  | 33    | Open   |
| 3828 | Help centre: pull to refresh                                                                                     | new page | Claude | P1  | 33    | Open   |

| #    | Item                                                                                                                 | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3829 | Help centre: empty state: the reason and one action                                                                  | new page | Claude     | P1  | 33    | Open   |
| 3830 | Help centre: pages loaded as the member scrolls, with an end of list marker                                          | new page | Claude     | P1  | 33    | Open   |
| 3831 | Help centre: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P1  | 33    | Open   |
| 3832 | Help centre: Urdu text for every string, by a translator                                                             | new page | Translator | P1  | H4    | Open   |
| 3833 | Help centre: right to left layout checked with the Urdu text                                                         | new page | Claude     | P1  | 33    | Open   |
| 3834 | Help centre: usable at the largest system text size, with nothing cut off                                            | new page | Claude     | P1  | 33    | Open   |
| 3835 | Help centre: usable at 320 pixels wide                                                                               | new page | Claude     | P1  | 33    | Open   |
| 3836 | Help centre: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P1  | 33    | Open   |
| 3837 | Help centre: contrast of every text and control checked                                                              | new page | Claude     | P1  | 33    | Open   |
| 3838 | Help centre: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 63    | Open   |
| 3839 | Help centre: component test of every state                                                                           | new page | Claude     | P1  | 33    | Open   |
| 3840 | Help centre: end to end test of its main path                                                                        | new page | Claude     | P1  | 33    | Open   |
| 3841 | Help centre: visual regression snapshot at three widths                                                              | new page | Claude     | P2  | 63    | Open   |
| 3842 | Help centre: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | new page | Claude     | P1  | 33    | Open   |
| 3843 | Help article: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 33    | Open   |
| 3844 | Help article: deep link opens it directly                                                                            | new page | Claude     | P1  | 33    | Open   |
| 3845 | Help article: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 33    | Open   |
| 3846 | Help article: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3847 | Help article: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 33    | Open   |
| 3848 | Help article: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 33    | Open   |
| 3849 | Help article: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 33    | Open   |
| 3850 | Help article: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 33    | Open   |
| 3851 | Help article: contrast of every text and control checked                                                             | new page | Claude     | P1  | 33    | Open   |
| 3852 | Help article: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 63    | Open   |
| 3853 | Help article: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 63    | Open   |
| 3854 | Help article: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 33    | Open   |
| 3855 | Contact support: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 33    | Open   |
| 3856 | Contact support: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 33    | Open   |
| 3857 | Contact support: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P1  | 33    | Open   |
| 3858 | Contact support: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P1  | 33    | Open   |
| 3859 | Contact support: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P1  | 33    | Open   |

| #    | Item                                                                                                                    | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3860 | Contact support: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P1  | 33    | Open   |
| 3861 | Contact support: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P1  | 33    | Open   |
| 3862 | Contact support: success state stating what happened and what comes next                                                | new page | Claude     | P1  | 33    | Open   |
| 3863 | Contact support: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 33    | Open   |
| 3864 | Contact support: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3865 | Contact support: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 33    | Open   |
| 3866 | Contact support: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 33    | Open   |
| 3867 | Contact support: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 33    | Open   |
| 3868 | Contact support: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 33    | Open   |
| 3869 | Contact support: contrast of every text and control checked                                                             | new page | Claude     | P1  | 33    | Open   |
| 3870 | Contact support: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 63    | Open   |
| 3871 | Contact support: component test of every state                                                                          | new page | Claude     | P1  | 33    | Open   |
| 3872 | Contact support: end to end test of its main path                                                                       | new page | Claude     | P1  | 33    | Open   |
| 3873 | Contact support: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 63    | Open   |
| 3874 | Contact support: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 33    | Open   |
| 3875 | Complaint record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card   | new page | Claude     | P1  | 33    | Open   |
| 3876 | Complaint record: loading skeleton in the final layout, never a full screen spinner                                     | new page | Claude     | P1  | 33    | Open   |
| 3877 | Complaint record: error state with the reason in plain words and a retry                                                | new page | Claude     | P1  | 33    | Open   |
| 3878 | Complaint record: offline state showing the last data held and when it was fetched, with actions disabled               | new page | Claude     | P1  | 33    | Open   |
| 3879 | Complaint record: deep link restores the screen with its state                                                          | new page | Claude     | P1  | 33    | Open   |
| 3880 | Complaint record: not found and no access states, each with a route back                                                | new page | Claude     | P1  | 33    | Open   |
| 3881 | Complaint record: checked in dark mode, with no hard coded white or black                                               | new page | Claude     | P1  | 33    | Open   |
| 3882 | Complaint record: Urdu text for every string, by a translator                                                           | new page | Translator | P1  | H4    | Open   |
| 3883 | Complaint record: right to left layout checked with the Urdu text                                                       | new page | Claude     | P1  | 33    | Open   |
| 3884 | Complaint record: usable at the largest system text size, with nothing cut off                                          | new page | Claude     | P1  | 33    | Open   |
| 3885 | Complaint record: usable at 320 pixels wide                                                                             | new page | Claude     | P1  | 33    | Open   |
| 3886 | Complaint record: every control named for screen readers, in a logical focus order                                      | new page | Claude     | P1  | 33    | Open   |
| 3887 | Complaint record: contrast of every text and control checked                                                            | new page | Claude     | P1  | 33    | Open   |
| 3888 | Complaint record: screen view and main action recorded, with no personal data in the events                             | new page | Claude     | P2  | 63    | Open   |
| 3889 | Complaint record: component test of every state                                                                         | new page | Claude     | P1  | 33    | Open   |

| #    | Item                                                                                                                     | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3890 | Complaint record: end to end test of its main path                                                                       | new page | Claude     | P1  | 33    | Open   |
| 3891 | Complaint record: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 63    | Open   |
| 3892 | Complaint record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 33    | Open   |
| 3893 | Service status: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card      | new page | Claude     | P2  | 63    | Open   |
| 3894 | Service status: deep link opens it directly                                                                              | new page | Claude     | P2  | 63    | Open   |
| 3895 | Service status: checked in dark mode, with no hard coded white or black                                                  | new page | Claude     | P2  | 63    | Open   |
| 3896 | Service status: Urdu text for every string, by a translator                                                              | new page | Translator | P2  | H4    | Open   |
| 3897 | Service status: right to left layout checked with the Urdu text                                                          | new page | Claude     | P2  | 63    | Open   |
| 3898 | Service status: usable at the largest system text size, with nothing cut off                                             | new page | Claude     | P2  | 63    | Open   |
| 3899 | Service status: usable at 320 pixels wide                                                                                | new page | Claude     | P2  | 63    | Open   |
| 3900 | Service status: every control named for screen readers, in a logical focus order                                         | new page | Claude     | P2  | 63    | Open   |
| 3901 | Service status: contrast of every text and control checked                                                               | new page | Claude     | P2  | 63    | Open   |
| 3902 | Service status: screen view and main action recorded, with no personal data in the events                                | new page | Claude     | P2  | 63    | Open   |
| 3903 | Service status: visual regression snapshot at three widths                                                               | new page | Claude     | P2  | 63    | Open   |
| 3904 | Service status: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels   | new page | Claude     | P2  | 63    | Open   |

#### AC14. Missing Screens: Settings

| #    | Item                                                                                                                          | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3905 | Notification preferences: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 33    | Open   |
| 3906 | Notification preferences: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 33    | Open   |
| 3907 | Notification preferences: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P1  | 33    | Open   |
| 3908 | Notification preferences: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P1  | 33    | Open   |
| 3909 | Notification preferences: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P1  | 33    | Open   |
| 3910 | Notification preferences: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P1  | 33    | Open   |
| 3911 | Notification preferences: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P1  | 33    | Open   |
| 3912 | Notification preferences: success state stating what happened and what comes next                                             | new page | Claude     | P1  | 33    | Open   |
| 3913 | Notification preferences: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 33    | Open   |
| 3914 | Notification preferences: Urdu text for every string, by a translator                                                         | new page | Translator | P1  | H4    | Open   |
| 3915 | Notification preferences: right to left layout checked with the Urdu text                                                     | new page | Claude     | P1  | 33    | Open   |

| #    | Item                                                                                                                             | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3916 | Notification preferences: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 33    | Open   |
| 3917 | Notification preferences: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 33    | Open   |
| 3918 | Notification preferences: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 33    | Open   |
| 3919 | Notification preferences: contrast of every text and control checked                                                             | new page | Claude     | P1  | 33    | Open   |
| 3920 | Notification preferences: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 63    | Open   |
| 3921 | Notification preferences: component test of every state                                                                          | new page | Claude     | P1  | 33    | Open   |
| 3922 | Notification preferences: end to end test of its main path                                                                       | new page | Claude     | P1  | 33    | Open   |
| 3923 | Notification preferences: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 63    | Open   |
| 3924 | Notification preferences: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 33    | Open   |
| 3925 | Language: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                    | new page | Claude     | P1  | 33    | Open   |
| 3926 | Language: each field checked as it is typed, with one specific message under the field (fields in section AD)                    | new page | Claude     | P1  | 33    | Open   |
| 3927 | Language: submitting state: the button busy and a second tap ignored                                                             | new page | Claude     | P1  | 33    | Open   |
| 3928 | Language: a refusal from the server shown with the reason and what to change                                                     | new page | Claude     | P1  | 33    | Open   |
| 3929 | Language: offline: submission held back with a message, and entered data kept                                                    | new page | Claude     | P1  | 33    | Open   |
| 3930 | Language: the keyboard never hides the focused field or the main button                                                          | new page | Claude     | P1  | 33    | Open   |
| 3931 | Language: leaving with unsaved changes asks for confirmation                                                                     | new page | Claude     | P1  | 33    | Open   |
| 3932 | Language: success state stating what happened and what comes next                                                                | new page | Claude     | P1  | 33    | Open   |
| 3933 | Language: checked in dark mode, with no hard coded white or black                                                                | new page | Claude     | P1  | 33    | Open   |
| 3934 | Language: Urdu text for every string, by a translator                                                                            | new page | Translator | P1  | H4    | Open   |
| 3935 | Language: right to left layout checked with the Urdu text                                                                        | new page | Claude     | P1  | 33    | Open   |
| 3936 | Language: usable at the largest system text size, with nothing cut off                                                           | new page | Claude     | P1  | 33    | Open   |
| 3937 | Language: usable at 320 pixels wide                                                                                              | new page | Claude     | P1  | 33    | Open   |
| 3938 | Language: every control named for screen readers, in a logical focus order                                                       | new page | Claude     | P1  | 33    | Open   |
| 3939 | Language: contrast of every text and control checked                                                                             | new page | Claude     | P1  | 33    | Open   |
| 3940 | Language: screen view and main action recorded, with no personal data in the events                                              | new page | Claude     | P2  | 63    | Open   |
| 3941 | Language: component test of every state                                                                                          | new page | Claude     | P1  | 33    | Open   |
| 3942 | Language: end to end test of its main path                                                                                       | new page | Claude     | P1  | 33    | Open   |
| 3943 | Language: visual regression snapshot at three widths                                                                             | new page | Claude     | P2  | 64    | Open   |
| 3944 | Language: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels                 | new page | Claude     | P1  | 33    | Open   |

| #    | Item                                                                                                                        | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3945 | Data export request: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 34    | Open   |
| 3946 | Data export request: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P1  | 34    | Open   |
| 3947 | Data export request: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P1  | 34    | Open   |
| 3948 | Data export request: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P1  | 34    | Open   |
| 3949 | Data export request: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P1  | 34    | Open   |
| 3950 | Data export request: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P1  | 34    | Open   |
| 3951 | Data export request: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P1  | 34    | Open   |
| 3952 | Data export request: success state stating what happened and what comes next                                                | new page | Claude     | P1  | 34    | Open   |
| 3953 | Data export request: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 34    | Open   |
| 3954 | Data export request: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3955 | Data export request: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 34    | Open   |
| 3956 | Data export request: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 34    | Open   |
| 3957 | Data export request: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 34    | Open   |
| 3958 | Data export request: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 34    | Open   |
| 3959 | Data export request: contrast of every text and control checked                                                             | new page | Claude     | P1  | 34    | Open   |
| 3960 | Data export request: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 64    | Open   |
| 3961 | Data export request: component test of every state                                                                          | new page | Claude     | P1  | 34    | Open   |
| 3962 | Data export request: end to end test of its main path                                                                       | new page | Claude     | P1  | 34    | Open   |
| 3963 | Data export request: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 64    | Open   |
| 3964 | Data export request: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 34    | Open   |
| 3965 | Account closure: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card        | new page | Claude     | P1  | 34    | Open   |
| 3966 | Account closure: each field checked as it is typed, with one specific message under the field (fields in section AD)        | new page | Claude     | P1  | 34    | Open   |
| 3967 | Account closure: submitting state: the button busy and a second tap ignored                                                 | new page | Claude     | P1  | 34    | Open   |
| 3968 | Account closure: a refusal from the server shown with the reason and what to change                                         | new page | Claude     | P1  | 34    | Open   |
| 3969 | Account closure: offline: submission held back with a message, and entered data kept                                        | new page | Claude     | P1  | 34    | Open   |
| 3970 | Account closure: the keyboard never hides the focused field or the main button                                              | new page | Claude     | P1  | 34    | Open   |
| 3971 | Account closure: leaving with unsaved changes asks for confirmation                                                         | new page | Claude     | P1  | 34    | Open   |
| 3972 | Account closure: success state stating what happened and what comes next                                                    | new page | Claude     | P1  | 34    | Open   |
| 3973 | Account closure: checked in dark mode, with no hard coded white or black                                                    | new page | Claude     | P1  | 34    | Open   |

| #    | Item                                                                                                                    | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3974 | Account closure: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 3975 | Account closure: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 34    | Open   |
| 3976 | Account closure: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 34    | Open   |
| 3977 | Account closure: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 34    | Open   |
| 3978 | Account closure: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 34    | Open   |
| 3979 | Account closure: contrast of every text and control checked                                                             | new page | Claude     | P1  | 34    | Open   |
| 3980 | Account closure: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 64    | Open   |
| 3981 | Account closure: component test of every state                                                                          | new page | Claude     | P1  | 34    | Open   |
| 3982 | Account closure: end to end test of its main path                                                                       | new page | Claude     | P1  | 34    | Open   |
| 3983 | Account closure: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 64    | Open   |
| 3984 | Account closure: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 34    | Open   |

#### AC15. Bank Route Screens: Bank account

| #    | Item                                                                                                                             | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 3985 | Open the bank account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card       | new page | Claude     | P0  | 46    | Open   |
| 3986 | Open the bank account: deep link opens it directly                                                                               | new page | Claude     | P0  | 46    | Open   |
| 3987 | Open the bank account: checked in dark mode, with no hard coded white or black                                                   | new page | Claude     | P0  | 46    | Open   |
| 3988 | Open the bank account: Urdu text for every string, by a translator                                                               | new page | Translator | P0  | H4    | Open   |
| 3989 | Open the bank account: right to left layout checked with the Urdu text                                                           | new page | Claude     | P0  | 46    | Open   |
| 3990 | Open the bank account: usable at the largest system text size, with nothing cut off                                              | new page | Claude     | P0  | 46    | Open   |
| 3991 | Open the bank account: usable at 320 pixels wide                                                                                 | new page | Claude     | P0  | 46    | Open   |
| 3992 | Open the bank account: every control named for screen readers, in a logical focus order                                          | new page | Claude     | P0  | 46    | Open   |
| 3993 | Open the bank account: contrast of every text and control checked                                                                | new page | Claude     | P0  | 46    | Open   |
| 3994 | Open the bank account: screen view and main action recorded, with no personal data in the events                                 | new page | Claude     | P2  | 75    | Open   |
| 3995 | Open the bank account: visual regression snapshot at three widths                                                                | new page | Claude     | P2  | 75    | Open   |
| 3996 | Open the bank account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels    | new page | Claude     | P0  | 46    | Open   |
| 3997 | Bank onboarding in progress: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 46    | Open   |
| 3998 | Bank onboarding in progress: loading skeleton in the final layout, never a full screen spinner                                   | new page | Claude     | P0  | 46    | Open   |
| 3999 | Bank onboarding in progress: error state with the reason in plain words and a retry                                              | new page | Claude     | P0  | 46    | Open   |



| #    | Item                                                                                                                                | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4000 | Bank onboarding in progress: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P0  | 46    | Open   |
| 4001 | Bank onboarding in progress: deep link restores the screen with its state                                                           | new page | Claude     | P0  | 46    | Open   |
| 4002 | Bank onboarding in progress: not found and no access states, each with a route back                                                 | new page | Claude     | P0  | 46    | Open   |
| 4003 | Bank onboarding in progress: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 46    | Open   |
| 4004 | Bank onboarding in progress: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 4005 | Bank onboarding in progress: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 46    | Open   |
| 4006 | Bank onboarding in progress: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 46    | Open   |
| 4007 | Bank onboarding in progress: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 46    | Open   |
| 4008 | Bank onboarding in progress: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 46    | Open   |
| 4009 | Bank onboarding in progress: contrast of every text and control checked                                                             | new page | Claude     | P0  | 46    | Open   |
| 4010 | Bank onboarding in progress: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 75    | Open   |
| 4011 | Bank onboarding in progress: component test of every state                                                                          | new page | Claude     | P0  | 46    | Open   |
| 4012 | Bank onboarding in progress: end to end test of its main path                                                                       | new page | Claude     | P0  | 46    | Open   |
| 4013 | Bank onboarding in progress: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 75    | Open   |
| 4014 | Bank onboarding in progress: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 46    | Open   |
| 4015 | Bank account opened: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card            | new page | Claude     | P0  | 46    | Open   |
| 4016 | Bank account opened: every figure and reference shown matches the ledger                                                            | new page | Claude     | P0  | 46    | Open   |
| 4017 | Bank account opened: the next step offered                                                                                          | new page | Claude     | P0  | 46    | Open   |
| 4018 | Bank account opened: share as an image or a PDF with account numbers masked                                                         | new page | Claude     | P0  | 46    | Open   |
| 4019 | Bank account opened: checked in dark mode, with no hard coded white or black                                                        | new page | Claude     | P0  | 46    | Open   |
| 4020 | Bank account opened: Urdu text for every string, by a translator                                                                    | new page | Translator | P0  | H4    | Open   |
| 4021 | Bank account opened: right to left layout checked with the Urdu text                                                                | new page | Claude     | P0  | 46    | Open   |
| 4022 | Bank account opened: usable at the largest system text size, with nothing cut off                                                   | new page | Claude     | P0  | 46    | Open   |
| 4023 | Bank account opened: usable at 320 pixels wide                                                                                      | new page | Claude     | P0  | 46    | Open   |
| 4024 | Bank account opened: every control named for screen readers, in a logical focus order                                               | new page | Claude     | P0  | 46    | Open   |
| 4025 | Bank account opened: contrast of every text and control checked                                                                     | new page | Claude     | P0  | 46    | Open   |
| 4026 | Bank account opened: screen view and main action recorded, with no personal data in the events                                      | new page | Claude     | P2  | 75    | Open   |
| 4027 | Bank account opened: visual regression snapshot at three widths                                                                     | new page | Claude     | P2  | 75    | Open   |
| 4028 | Bank account opened: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels         | new page | Claude     | P0  | 47    | Open   |

| #    | Item                                                                                                                                      | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4029 | Bank account refused: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                 | new page | Claude     | P0  | 47    | Open   |
| 4030 | Bank account refused: every figure and reference shown matches the ledger                                                                 | new page | Claude     | P0  | 47    | Open   |
| 4031 | Bank account refused: the next step offered                                                                                               | new page | Claude     | P0  | 47    | Open   |
| 4032 | Bank account refused: share as an image or a PDF with account numbers masked                                                              | new page | Claude     | P0  | 47    | Open   |
| 4033 | Bank account refused: checked in dark mode, with no hard coded white or black                                                             | new page | Claude     | P0  | 47    | Open   |
| 4034 | Bank account refused: Urdu text for every string, by a translator                                                                         | new page | Translator | P0  | H4    | Open   |
| 4035 | Bank account refused: right to left layout checked with the Urdu text                                                                     | new page | Claude     | P0  | 47    | Open   |
| 4036 | Bank account refused: usable at the largest system text size, with nothing cut off                                                        | new page | Claude     | P0  | 47    | Open   |
| 4037 | Bank account refused: usable at 320 pixels wide                                                                                           | new page | Claude     | P0  | 47    | Open   |
| 4038 | Bank account refused: every control named for screen readers, in a logical focus order                                                    | new page | Claude     | P0  | 47    | Open   |
| 4039 | Bank account refused: contrast of every text and control checked                                                                          | new page | Claude     | P0  | 47    | Open   |
| 4040 | Bank account refused: screen view and main action recorded, with no personal data in the events                                           | new page | Claude     | P2  | 75    | Open   |
| 4041 | Bank account refused: visual regression snapshot at three widths                                                                          | new page | Claude     | P2  | 75    | Open   |
| 4042 | Bank account refused: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels              | new page | Claude     | P0  | 47    | Open   |
| 4043 | Link an existing account at the bank: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 50    | Open   |
| 4044 | Link an existing account at the bank: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 50    | Open   |
| 4045 | Link an existing account at the bank: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P1  | 50    | Open   |
| 4046 | Link an existing account at the bank: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P1  | 50    | Open   |
| 4047 | Link an existing account at the bank: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P1  | 50    | Open   |
| 4048 | Link an existing account at the bank: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P1  | 50    | Open   |
| 4049 | Link an existing account at the bank: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P1  | 50    | Open   |
| 4050 | Link an existing account at the bank: success state stating what happened and what comes next                                             | new page | Claude     | P1  | 50    | Open   |
| 4051 | Link an existing account at the bank: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P1  | 50    | Open   |
| 4052 | Link an existing account at the bank: Urdu text for every string, by a translator                                                         | new page | Translator | P1  | H4    | Open   |
| 4053 | Link an existing account at the bank: right to left layout checked with the Urdu text                                                     | new page | Claude     | P1  | 50    | Open   |
| 4054 | Link an existing account at the bank: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P1  | 50    | Open   |
| 4055 | Link an existing account at the bank: usable at 320 pixels wide                                                                           | new page | Claude     | P1  | 50    | Open   |
| 4056 | Link an existing account at the bank: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P1  | 50    | Open   |

| #    | Item                                                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4057 | Link an existing account at the bank: contrast of every text and control checked                                                             | new page | Claude     | P1  | 50    | Open   |
| 4058 | Link an existing account at the bank: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 75    | Open   |
| 4059 | Link an existing account at the bank: component test of every state                                                                          | new page | Claude     | P1  | 50    | Open   |
| 4060 | Link an existing account at the bank: end to end test of its main path                                                                       | new page | Claude     | P1  | 50    | Open   |
| 4061 | Link an existing account at the bank: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 75    | Open   |
| 4062 | Link an existing account at the bank: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 50    | Open   |
| 4063 | Committee account balance: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card               | new page | Claude     | P1  | 50    | Open   |
| 4064 | Committee account balance: loading skeleton in the final layout, never a full screen spinner                                                 | new page | Claude     | P1  | 50    | Open   |
| 4065 | Committee account balance: error state with the reason in plain words and a retry                                                            | new page | Claude     | P1  | 50    | Open   |
| 4066 | Committee account balance: offline state showing the last data held and when it was fetched, with actions disabled                           | new page | Claude     | P1  | 50    | Open   |
| 4067 | Committee account balance: deep link restores the screen with its state                                                                      | new page | Claude     | P1  | 50    | Open   |
| 4068 | Committee account balance: not found and no access states, each with a route back                                                            | new page | Claude     | P1  | 50    | Open   |
| 4069 | Committee account balance: checked in dark mode, with no hard coded white or black                                                           | new page | Claude     | P1  | 50    | Open   |
| 4070 | Committee account balance: Urdu text for every string, by a translator                                                                       | new page | Translator | P1  | H4    | Open   |
| 4071 | Committee account balance: right to left layout checked with the Urdu text                                                                   | new page | Claude     | P1  | 50    | Open   |
| 4072 | Committee account balance: usable at the largest system text size, with nothing cut off                                                      | new page | Claude     | P1  | 50    | Open   |
| 4073 | Committee account balance: usable at 320 pixels wide                                                                                         | new page | Claude     | P1  | 50    | Open   |
| 4074 | Committee account balance: every control named for screen readers, in a logical focus order                                                  | new page | Claude     | P1  | 50    | Open   |
| 4075 | Committee account balance: contrast of every text and control checked                                                                        | new page | Claude     | P1  | 50    | Open   |
| 4076 | Committee account balance: screen view and main action recorded, with no personal data in the events                                         | new page | Claude     | P2  | 75    | Open   |
| 4077 | Committee account balance: component test of every state                                                                                     | new page | Claude     | P1  | 50    | Open   |
| 4078 | Committee account balance: end to end test of its main path                                                                                  | new page | Claude     | P1  | 50    | Open   |
| 4079 | Committee account balance: visual regression snapshot at three widths                                                                        | new page | Claude     | P2  | 75    | Open   |
| 4080 | Committee account balance: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels            | new page | Claude     | P1  | 50    | Open   |
| 4081 | Account restricted notice: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card               | new page | Claude     | P1  | 50    | Open   |
| 4082 | Account restricted notice: deep link opens it directly                                                                                       | new page | Claude     | P1  | 50    | Open   |
| 4083 | Account restricted notice: checked in dark mode, with no hard coded white or black                                                           | new page | Claude     | P1  | 50    | Open   |
| 4084 | Account restricted notice: Urdu text for every string, by a translator                                                                       | new page | Translator | P1  | H4    | Open   |

| #    | Item                                                                                                                              | Where    | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 4085 | Account restricted notice: right to left layout checked with the Urdu text                                                        | new page | Claude | P1  | 50    | Open   |
| 4086 | Account restricted notice: usable at the largest system text size, with nothing cut off                                           | new page | Claude | P1  | 50    | Open   |
| 4087 | Account restricted notice: usable at 320 pixels wide                                                                              | new page | Claude | P1  | 50    | Open   |
| 4088 | Account restricted notice: every control named for screen readers, in a logical focus order                                       | new page | Claude | P1  | 50    | Open   |
| 4089 | Account restricted notice: contrast of every text and control checked                                                             | new page | Claude | P1  | 50    | Open   |
| 4090 | Account restricted notice: screen view and main action recorded, with no personal data in the events                              | new page | Claude | P2  | 75    | Open   |
| 4091 | Account restricted notice: visual regression snapshot at three widths                                                             | new page | Claude | P2  | 75    | Open   |
| 4092 | Account restricted notice: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude | P1  | 50    | Open   |

#### AC16. Bank Route Screens: Key facts and complaints

| #    | Item                                                                                                                    | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4093 | Key fact statement: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 9     | Open   |
| 4094 | Key fact statement: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P0  | 9     | Open   |
| 4095 | Key fact statement: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P0  | 9     | Open   |
| 4096 | Key fact statement: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P0  | 9     | Open   |
| 4097 | Key fact statement: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P0  | 9     | Open   |
| 4098 | Key fact statement: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P0  | 9     | Open   |
| 4099 | Key fact statement: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P0  | 9     | Open   |
| 4100 | Key fact statement: success state stating what happened and what comes next                                             | new page | Claude     | P0  | 9     | Open   |
| 4101 | Key fact statement: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P0  | 9     | Open   |
| 4102 | Key fact statement: Urdu text for every string, by a translator                                                         | new page | Translator | P0  | H4    | Open   |
| 4103 | Key fact statement: right to left layout checked with the Urdu text                                                     | new page | Claude     | P0  | 9     | Open   |
| 4104 | Key fact statement: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P0  | 9     | Open   |
| 4105 | Key fact statement: usable at 320 pixels wide                                                                           | new page | Claude     | P0  | 9     | Open   |
| 4106 | Key fact statement: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P0  | 9     | Open   |
| 4107 | Key fact statement: contrast of every text and control checked                                                          | new page | Claude     | P0  | 10    | Open   |
| 4108 | Key fact statement: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 64    | Open   |
| 4109 | Key fact statement: component test of every state                                                                       | new page | Claude     | P0  | 10    | Open   |
| 4110 | Key fact statement: end to end test of its main path                                                                    | new page | Claude     | P0  | 10    | Open   |
| 4111 | Key fact statement: visual regression snapshot at three widths                                                          | new page | Claude     | P2  | 64    | Open   |

| #    | Item                                                                                                                       | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4112 | Key fact statement: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 10    | Open   |
| 4113 | Complaint form: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card        | new page | Claude     | P1  | 34    | Open   |
| 4114 | Complaint form: each field checked as it is typed, with one specific message under the field (fields in section AD)        | new page | Claude     | P1  | 34    | Open   |
| 4115 | Complaint form: submitting state: the button busy and a second tap ignored                                                 | new page | Claude     | P1  | 34    | Open   |
| 4116 | Complaint form: a refusal from the server shown with the reason and what to change                                         | new page | Claude     | P1  | 34    | Open   |
| 4117 | Complaint form: offline: submission held back with a message, and entered data kept                                        | new page | Claude     | P1  | 34    | Open   |
| 4118 | Complaint form: the keyboard never hides the focused field or the main button                                              | new page | Claude     | P1  | 34    | Open   |
| 4119 | Complaint form: leaving with unsaved changes asks for confirmation                                                         | new page | Claude     | P1  | 34    | Open   |
| 4120 | Complaint form: success state stating what happened and what comes next                                                    | new page | Claude     | P1  | 34    | Open   |
| 4121 | Complaint form: checked in dark mode, with no hard coded white or black                                                    | new page | Claude     | P1  | 34    | Open   |
| 4122 | Complaint form: Urdu text for every string, by a translator                                                                | new page | Translator | P1  | H4    | Open   |
| 4123 | Complaint form: right to left layout checked with the Urdu text                                                            | new page | Claude     | P1  | 34    | Open   |
| 4124 | Complaint form: usable at the largest system text size, with nothing cut off                                               | new page | Claude     | P1  | 34    | Open   |
| 4125 | Complaint form: usable at 320 pixels wide                                                                                  | new page | Claude     | P1  | 34    | Open   |
| 4126 | Complaint form: every control named for screen readers, in a logical focus order                                           | new page | Claude     | P1  | 34    | Open   |
| 4127 | Complaint form: contrast of every text and control checked                                                                 | new page | Claude     | P1  | 34    | Open   |
| 4128 | Complaint form: screen view and main action recorded, with no personal data in the events                                  | new page | Claude     | P2  | 64    | Open   |
| 4129 | Complaint form: component test of every state                                                                              | new page | Claude     | P1  | 34    | Open   |
| 4130 | Complaint form: end to end test of its main path                                                                           | new page | Claude     | P1  | 34    | Open   |
| 4131 | Complaint form: visual regression snapshot at three widths                                                                 | new page | Claude     | P2  | 64    | Open   |
| 4132 | Complaint form: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels     | new page | Claude     | P1  | 34    | Open   |
| 4133 | Complaints: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card            | new page | Claude     | P1  | 34    | Open   |
| 4134 | Complaints: loading skeleton in the final layout, never a full screen spinner                                              | new page | Claude     | P1  | 34    | Open   |
| 4135 | Complaints: error state with the reason in plain words and a retry                                                         | new page | Claude     | P1  | 34    | Open   |
| 4136 | Complaints: offline state showing the last data held and when it was fetched, with actions disabled                        | new page | Claude     | P1  | 34    | Open   |
| 4137 | Complaints: deep link restores the screen with its state                                                                   | new page | Claude     | P1  | 34    | Open   |
| 4138 | Complaints: pull to refresh                                                                                                | new page | Claude     | P1  | 34    | Open   |
| 4139 | Complaints: empty state: the reason and one action                                                                         | new page | Claude     | P1  | 34    | Open   |
| 4140 | Complaints: pages loaded as the member scrolls, with an end of list marker                                                 | new page | Claude     | P1  | 34    | Open   |
| 4141 | Complaints: checked in dark mode, with no hard coded white or black                                                        | new page | Claude     | P1  | 34    | Open   |

| #    | Item                                                                                                                     | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4142 | Complaints: Urdu text for every string, by a translator                                                                  | new page | Translator | P1  | H4    | Open   |
| 4143 | Complaints: right to left layout checked with the Urdu text                                                              | new page | Claude     | P1  | 34    | Open   |
| 4144 | Complaints: usable at the largest system text size, with nothing cut off                                                 | new page | Claude     | P1  | 34    | Open   |
| 4145 | Complaints: usable at 320 pixels wide                                                                                    | new page | Claude     | P1  | 34    | Open   |
| 4146 | Complaints: every control named for screen readers, in a logical focus order                                             | new page | Claude     | P1  | 34    | Open   |
| 4147 | Complaints: contrast of every text and control checked                                                                   | new page | Claude     | P1  | 34    | Open   |
| 4148 | Complaints: screen view and main action recorded, with no personal data in the events                                    | new page | Claude     | P2  | 64    | Open   |
| 4149 | Complaints: component test of every state                                                                                | new page | Claude     | P1  | 34    | Open   |
| 4150 | Complaints: end to end test of its main path                                                                             | new page | Claude     | P1  | 34    | Open   |
| 4151 | Complaints: visual regression snapshot at three widths                                                                   | new page | Claude     | P2  | 64    | Open   |
| 4152 | Complaints: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels       | new page | Claude     | P1  | 34    | Open   |
| 4153 | Complaint detail: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P1  | 34    | Open   |
| 4154 | Complaint detail: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P1  | 34    | Open   |
| 4155 | Complaint detail: error state with the reason in plain words and a retry                                                 | new page | Claude     | P1  | 34    | Open   |
| 4156 | Complaint detail: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P1  | 34    | Open   |
| 4157 | Complaint detail: deep link restores the screen with its state                                                           | new page | Claude     | P1  | 34    | Open   |
| 4158 | Complaint detail: not found and no access states, each with a route back                                                 | new page | Claude     | P1  | 34    | Open   |
| 4159 | Complaint detail: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 34    | Open   |
| 4160 | Complaint detail: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 4161 | Complaint detail: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 34    | Open   |
| 4162 | Complaint detail: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 34    | Open   |
| 4163 | Complaint detail: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 34    | Open   |
| 4164 | Complaint detail: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 34    | Open   |
| 4165 | Complaint detail: contrast of every text and control checked                                                             | new page | Claude     | P1  | 34    | Open   |
| 4166 | Complaint detail: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 64    | Open   |
| 4167 | Complaint detail: component test of every state                                                                          | new page | Claude     | P1  | 34    | Open   |
| 4168 | Complaint detail: end to end test of its main path                                                                       | new page | Claude     | P1  | 34    | Open   |
| 4169 | Complaint detail: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 64    | Open   |
| 4170 | Complaint detail: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 34    | Open   |

**AC17. Bank Route Screens: Device security**

| #    | Item                                                                                                                           | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4171 | Transaction PIN set up: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P0  | 10    | Open   |
| 4172 | Transaction PIN set up: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P0  | 10    | Open   |
| 4173 | Transaction PIN set up: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P0  | 10    | Open   |
| 4174 | Transaction PIN set up: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P0  | 10    | Open   |
| 4175 | Transaction PIN set up: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P0  | 10    | Open   |
| 4176 | Transaction PIN set up: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P0  | 10    | Open   |
| 4177 | Transaction PIN set up: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P0  | 10    | Open   |
| 4178 | Transaction PIN set up: success state stating what happened and what comes next                                                | new page | Claude     | P0  | 10    | Open   |
| 4179 | Transaction PIN set up: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 10    | Open   |
| 4180 | Transaction PIN set up: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 4181 | Transaction PIN set up: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 10    | Open   |
| 4182 | Transaction PIN set up: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 10    | Open   |
| 4183 | Transaction PIN set up: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 10    | Open   |
| 4184 | Transaction PIN set up: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 10    | Open   |
| 4185 | Transaction PIN set up: contrast of every text and control checked                                                             | new page | Claude     | P0  | 10    | Open   |
| 4186 | Transaction PIN set up: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 64    | Open   |
| 4187 | Transaction PIN set up: component test of every state                                                                          | new page | Claude     | P0  | 10    | Open   |
| 4188 | Transaction PIN set up: end to end test of its main path                                                                       | new page | Claude     | P0  | 10    | Open   |
| 4189 | Transaction PIN set up: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 64    | Open   |
| 4190 | Transaction PIN set up: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 10    | Open   |
| 4191 | Transaction PIN entry: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P0  | 10    | Open   |
| 4192 | Transaction PIN entry: each field checked as it is typed, with one specific message under the field (fields in section AD)     | new page | Claude     | P0  | 10    | Open   |
| 4193 | Transaction PIN entry: submitting state: the button busy and a second tap ignored                                              | new page | Claude     | P0  | 10    | Open   |
| 4194 | Transaction PIN entry: a refusal from the server shown with the reason and what to change                                      | new page | Claude     | P0  | 10    | Open   |
| 4195 | Transaction PIN entry: offline: submission held back with a message, and entered data kept                                     | new page | Claude     | P0  | 10    | Open   |
| 4196 | Transaction PIN entry: the keyboard never hides the focused field or the main button                                           | new page | Claude     | P0  | 10    | Open   |
| 4197 | Transaction PIN entry: leaving with unsaved changes asks for confirmation                                                      | new page | Claude     | P0  | 10    | Open   |

| #    | Item                                                                                                                                   | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4198 | Transaction PIN entry: success state stating what happened and what comes next                                                         | new page | Claude     | P0  | 10    | Open   |
| 4199 | Transaction PIN entry: checked in dark mode, with no hard coded white or black                                                         | new page | Claude     | P0  | 10    | Open   |
| 4200 | Transaction PIN entry: Urdu text for every string, by a translator                                                                     | new page | Translator | P0  | H4    | Open   |
| 4201 | Transaction PIN entry: right to left layout checked with the Urdu text                                                                 | new page | Claude     | P0  | 10    | Open   |
| 4202 | Transaction PIN entry: usable at the largest system text size, with nothing cut off                                                    | new page | Claude     | P0  | 10    | Open   |
| 4203 | Transaction PIN entry: usable at 320 pixels wide                                                                                       | new page | Claude     | P0  | 10    | Open   |
| 4204 | Transaction PIN entry: every control named for screen readers, in a logical focus order                                                | new page | Claude     | P0  | 10    | Open   |
| 4205 | Transaction PIN entry: contrast of every text and control checked                                                                      | new page | Claude     | P0  | 10    | Open   |
| 4206 | Transaction PIN entry: screen view and main action recorded, with no personal data in the events                                       | new page | Claude     | P2  | 64    | Open   |
| 4207 | Transaction PIN entry: component test of every state                                                                                   | new page | Claude     | P0  | 10    | Open   |
| 4208 | Transaction PIN entry: end to end test of its main path                                                                                | new page | Claude     | P0  | 10    | Open   |
| 4209 | Transaction PIN entry: visual regression snapshot at three widths                                                                      | new page | Claude     | P2  | 64    | Open   |
| 4210 | Transaction PIN entry: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels          | new page | Claude     | P0  | 10    | Open   |
| 4211 | New device registered: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card             | new page | Claude     | P0  | 10    | Open   |
| 4212 | New device registered: deep link opens it directly                                                                                     | new page | Claude     | P0  | 10    | Open   |
| 4213 | New device registered: checked in dark mode, with no hard coded white or black                                                         | new page | Claude     | P0  | 10    | Open   |
| 4214 | New device registered: Urdu text for every string, by a translator                                                                     | new page | Translator | P0  | H4    | Open   |
| 4215 | New device registered: right to left layout checked with the Urdu text                                                                 | new page | Claude     | P0  | 10    | Open   |
| 4216 | New device registered: usable at the largest system text size, with nothing cut off                                                    | new page | Claude     | P0  | 10    | Open   |
| 4217 | New device registered: usable at 320 pixels wide                                                                                       | new page | Claude     | P0  | 10    | Open   |
| 4218 | New device registered: every control named for screen readers, in a logical focus order                                                | new page | Claude     | P0  | 10    | Open   |
| 4219 | New device registered: contrast of every text and control checked                                                                      | new page | Claude     | P0  | 10    | Open   |
| 4220 | New device registered: screen view and main action recorded, with no personal data in the events                                       | new page | Claude     | P2  | 64    | Open   |
| 4221 | New device registered: visual regression snapshot at three widths                                                                      | new page | Claude     | P2  | 64    | Open   |
| 4222 | New device registered: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels          | new page | Claude     | P0  | 10    | Open   |
| 4223 | Cooling off after a device change: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P0  | 10    | Open   |
| 4224 | Cooling off after a device change: loading skeleton in the final layout, never a full screen spinner                                   | new page | Claude     | P0  | 10    | Open   |
| 4225 | Cooling off after a device change: error state with the reason in plain words and a retry                                              | new page | Claude     | P0  | 10    | Open   |



| #    | Item                                                                                                                                      | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4226 | Cooling off after a device change: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P0  | 10    | Open   |
| 4227 | Cooling off after a device change: deep link restores the screen with its state                                                           | new page | Claude     | P0  | 10    | Open   |
| 4228 | Cooling off after a device change: not found and no access states, each with a route back                                                 | new page | Claude     | P0  | 10    | Open   |
| 4229 | Cooling off after a device change: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P0  | 10    | Open   |
| 4230 | Cooling off after a device change: Urdu text for every string, by a translator                                                            | new page | Translator | P0  | H4    | Open   |
| 4231 | Cooling off after a device change: right to left layout checked with the Urdu text                                                        | new page | Claude     | P0  | 10    | Open   |
| 4232 | Cooling off after a device change: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P0  | 10    | Open   |
| 4233 | Cooling off after a device change: usable at 320 pixels wide                                                                              | new page | Claude     | P0  | 10    | Open   |
| 4234 | Cooling off after a device change: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P0  | 10    | Open   |
| 4235 | Cooling off after a device change: contrast of every text and control checked                                                             | new page | Claude     | P0  | 10    | Open   |
| 4236 | Cooling off after a device change: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 64    | Open   |
| 4237 | Cooling off after a device change: component test of every state                                                                          | new page | Claude     | P0  | 10    | Open   |
| 4238 | Cooling off after a device change: end to end test of its main path                                                                       | new page | Claude     | P0  | 10    | Open   |
| 4239 | Cooling off after a device change: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 64    | Open   |
| 4240 | Cooling off after a device change: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P0  | 10    | Open   |

#### AC18. Bank Route Screens: Points and marketplace

| #    | Item                                                                                                                            | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4241 | Points balance and history: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P2  | 75    | Open   |
| 4242 | Points balance and history: loading skeleton in the final layout, never a full screen spinner                                   | new page | Claude     | P2  | 75    | Open   |
| 4243 | Points balance and history: error state with the reason in plain words and a retry                                              | new page | Claude     | P2  | 75    | Open   |
| 4244 | Points balance and history: offline state showing the last data held and when it was fetched, with actions disabled             | new page | Claude     | P2  | 75    | Open   |
| 4245 | Points balance and history: deep link restores the screen with its state                                                        | new page | Claude     | P2  | 75    | Open   |
| 4246 | Points balance and history: pull to refresh                                                                                     | new page | Claude     | P2  | 75    | Open   |
| 4247 | Points balance and history: empty state: the reason and one action                                                              | new page | Claude     | P2  | 75    | Open   |
| 4248 | Points balance and history: pages loaded as the member scrolls, with an end of list marker                                      | new page | Claude     | P2  | 75    | Open   |
| 4249 | Points balance and history: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P2  | 75    | Open   |
| 4250 | Points balance and history: Urdu text for every string, by a translator                                                         | new page | Translator | P2  | H4    | Open   |
| 4251 | Points balance and history: right to left layout checked with the Urdu text                                                     | new page | Claude     | P2  | 75    | Open   |

| #    | Item                                                                                                                               | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4252 | Points balance and history: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 75    | Open   |
| 4253 | Points balance and history: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 75    | Open   |
| 4254 | Points balance and history: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 75    | Open   |
| 4255 | Points balance and history: contrast of every text and control checked                                                             | new page | Claude     | P2  | 75    | Open   |
| 4256 | Points balance and history: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 75    | Open   |
| 4257 | Points balance and history: component test of every state                                                                          | new page | Claude     | P2  | 75    | Open   |
| 4258 | Points balance and history: end to end test of its main path                                                                       | new page | Claude     | P2  | 75    | Open   |
| 4259 | Points balance and history: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 75    | Open   |
| 4260 | Points balance and history: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 75    | Open   |
| 4261 | Buy points (Mashreq): rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | new page | Claude     | P2  | 75    | Open   |
| 4262 | Buy points (Mashreq): each field checked as it is typed, with one specific message under the field (fields in section AD)          | new page | Claude     | P2  | 75    | Open   |
| 4263 | Buy points (Mashreq): submitting state: the button busy and a second tap ignored                                                   | new page | Claude     | P2  | 75    | Open   |
| 4264 | Buy points (Mashreq): a refusal from the server shown with the reason and what to change                                           | new page | Claude     | P2  | 75    | Open   |
| 4265 | Buy points (Mashreq): offline: submission held back with a message, and entered data kept                                          | new page | Claude     | P2  | 75    | Open   |
| 4266 | Buy points (Mashreq): the keyboard never hides the focused field or the main button                                                | new page | Claude     | P2  | 75    | Open   |
| 4267 | Buy points (Mashreq): leaving with unsaved changes asks for confirmation                                                           | new page | Claude     | P2  | 75    | Open   |
| 4268 | Buy points (Mashreq): success state stating what happened and what comes next                                                      | new page | Claude     | P2  | 75    | Open   |
| 4269 | Buy points (Mashreq): review step showing every amount before confirmation: the amount and every charge                            | new page | Claude     | P2  | 75    | Open   |
| 4270 | Buy points (Mashreq): transaction PIN required before the action                                                                   | new page | Claude     | P0  | 47    | Open   |
| 4271 | Buy points (Mashreq): refused during the two hour cooling off after a device change, with the time remaining                       | new page | Claude     | P0  | 47    | Open   |
| 4272 | Buy points (Mashreq): one request per confirmation, carried by an idempotency key                                                  | new page | Claude     | P0  | 47    | Open   |
| 4273 | Buy points (Mashreq): receipt after completion, saved to Activity                                                                  | new page | Claude     | P2  | 75    | Open   |
| 4274 | Buy points (Mashreq): amounts shown as Rs with thousands grouped and no stray decimals                                             | new page | Claude     | P2  | 75    | Open   |
| 4275 | Buy points (Mashreq): checked in dark mode, with no hard coded white or black                                                      | new page | Claude     | P2  | 75    | Open   |
| 4276 | Buy points (Mashreq): Urdu text for every string, by a translator                                                                  | new page | Translator | P2  | H4    | Open   |
| 4277 | Buy points (Mashreq): right to left layout checked with the Urdu text                                                              | new page | Claude     | P2  | 75    | Open   |
| 4278 | Buy points (Mashreq): usable at the largest system text size, with nothing cut off                                                 | new page | Claude     | P2  | 75    | Open   |
| 4279 | Buy points (Mashreq): usable at 320 pixels wide                                                                                    | new page | Claude     | P2  | 75    | Open   |
| 4280 | Buy points (Mashreq): every control named for screen readers, in a logical focus order                                             | new page | Claude     | P2  | 75    | Open   |

| #    | Item                                                                                                                            | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4281 | Buy points (Mashreq): contrast of every text and control checked                                                                | new page | Claude     | P2  | 75    | Open   |
| 4282 | Buy points (Mashreq): screen view and main action recorded, with no personal data in the events                                 | new page | Claude     | P2  | 75    | Open   |
| 4283 | Buy points (Mashreq): component test of every state                                                                             | new page | Claude     | P2  | 75    | Open   |
| 4284 | Buy points (Mashreq): end to end test of its main path                                                                          | new page | Claude     | P2  | 75    | Open   |
| 4285 | Buy points (Mashreq): visual regression snapshot at three widths                                                                | new page | Claude     | P2  | 75    | Open   |
| 4286 | Buy points (Mashreq): copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels    | new page | Claude     | P2  | 75    | Open   |
| 4287 | Points purchase receipt: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P2  | 75    | Open   |
| 4288 | Points purchase receipt: every figure and reference shown matches the ledger                                                    | new page | Claude     | P2  | 75    | Open   |
| 4289 | Points purchase receipt: the next step offered                                                                                  | new page | Claude     | P2  | 75    | Open   |
| 4290 | Points purchase receipt: share as an image or a PDF with account numbers masked                                                 | new page | Claude     | P2  | 75    | Open   |
| 4291 | Points purchase receipt: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 75    | Open   |
| 4292 | Points purchase receipt: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 4293 | Points purchase receipt: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 75    | Open   |
| 4294 | Points purchase receipt: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 75    | Open   |
| 4295 | Points purchase receipt: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 75    | Open   |
| 4296 | Points purchase receipt: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 75    | Open   |
| 4297 | Points purchase receipt: contrast of every text and control checked                                                             | new page | Claude     | P2  | 75    | Open   |
| 4298 | Points purchase receipt: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 75    | Open   |
| 4299 | Points purchase receipt: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 75    | Open   |
| 4300 | Points purchase receipt: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 75    | Open   |
| 4301 | Marketplace catalogue: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card      | new page | Claude     | P2  | 75    | Open   |
| 4302 | Marketplace catalogue: loading skeleton in the final layout, never a full screen spinner                                        | new page | Claude     | P2  | 75    | Open   |
| 4303 | Marketplace catalogue: error state with the reason in plain words and a retry                                                   | new page | Claude     | P2  | 76    | Open   |
| 4304 | Marketplace catalogue: offline state showing the last data held and when it was fetched, with actions disabled                  | new page | Claude     | P2  | 76    | Open   |
| 4305 | Marketplace catalogue: deep link restores the screen with its state                                                             | new page | Claude     | P2  | 76    | Open   |
| 4306 | Marketplace catalogue: pull to refresh                                                                                          | new page | Claude     | P2  | 76    | Open   |
| 4307 | Marketplace catalogue: empty state: the reason and one action                                                                   | new page | Claude     | P2  | 76    | Open   |
| 4308 | Marketplace catalogue: pages loaded as the member scrolls, with an end of list marker                                           | new page | Claude     | P2  | 76    | Open   |

| #    | Item                                                                                                                          | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4309 | Marketplace catalogue: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 76    | Open   |
| 4310 | Marketplace catalogue: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 4311 | Marketplace catalogue: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 76    | Open   |
| 4312 | Marketplace catalogue: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 76    | Open   |
| 4313 | Marketplace catalogue: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 76    | Open   |
| 4314 | Marketplace catalogue: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 76    | Open   |
| 4315 | Marketplace catalogue: contrast of every text and control checked                                                             | new page | Claude     | P2  | 76    | Open   |
| 4316 | Marketplace catalogue: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 76    | Open   |
| 4317 | Marketplace catalogue: component test of every state                                                                          | new page | Claude     | P2  | 76    | Open   |
| 4318 | Marketplace catalogue: end to end test of its main path                                                                       | new page | Claude     | P2  | 76    | Open   |
| 4319 | Marketplace catalogue: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 76    | Open   |
| 4320 | Marketplace catalogue: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 76    | Open   |
| 4321 | Marketplace category: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P2  | 76    | Open   |
| 4322 | Marketplace category: loading skeleton in the final layout, never a full screen spinner                                       | new page | Claude     | P2  | 76    | Open   |
| 4323 | Marketplace category: error state with the reason in plain words and a retry                                                  | new page | Claude     | P2  | 76    | Open   |
| 4324 | Marketplace category: offline state showing the last data held and when it was fetched, with actions disabled                 | new page | Claude     | P2  | 76    | Open   |
| 4325 | Marketplace category: deep link restores the screen with its state                                                            | new page | Claude     | P2  | 76    | Open   |
| 4326 | Marketplace category: pull to refresh                                                                                         | new page | Claude     | P2  | 76    | Open   |
| 4327 | Marketplace category: empty state: the reason and one action                                                                  | new page | Claude     | P2  | 76    | Open   |
| 4328 | Marketplace category: pages loaded as the member scrolls, with an end of list marker                                          | new page | Claude     | P2  | 76    | Open   |
| 4329 | Marketplace category: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P2  | 76    | Open   |
| 4330 | Marketplace category: Urdu text for every string, by a translator                                                             | new page | Translator | P2  | H4    | Open   |
| 4331 | Marketplace category: right to left layout checked with the Urdu text                                                         | new page | Claude     | P2  | 76    | Open   |
| 4332 | Marketplace category: usable at the largest system text size, with nothing cut off                                            | new page | Claude     | P2  | 76    | Open   |
| 4333 | Marketplace category: usable at 320 pixels wide                                                                               | new page | Claude     | P2  | 76    | Open   |
| 4334 | Marketplace category: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P2  | 76    | Open   |
| 4335 | Marketplace category: contrast of every text and control checked                                                              | new page | Claude     | P2  | 76    | Open   |
| 4336 | Marketplace category: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 76    | Open   |
| 4337 | Marketplace category: component test of every state                                                                           | new page | Claude     | P2  | 76    | Open   |

| #    | Item                                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4338 | Marketplace category: end to end test of its main path                                                                       | new page | Claude     | P2  | 76    | Open   |
| 4339 | Marketplace category: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 76    | Open   |
| 4340 | Marketplace category: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 76    | Open   |
| 4341 | Marketplace product: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P2  | 76    | Open   |
| 4342 | Marketplace product: loading skeleton in the final layout, never a full screen spinner                                       | new page | Claude     | P2  | 76    | Open   |
| 4343 | Marketplace product: error state with the reason in plain words and a retry                                                  | new page | Claude     | P2  | 76    | Open   |
| 4344 | Marketplace product: offline state showing the last data held and when it was fetched, with actions disabled                 | new page | Claude     | P2  | 76    | Open   |
| 4345 | Marketplace product: deep link restores the screen with its state                                                            | new page | Claude     | P2  | 76    | Open   |
| 4346 | Marketplace product: not found and no access states, each with a route back                                                  | new page | Claude     | P2  | 76    | Open   |
| 4347 | Marketplace product: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P2  | 76    | Open   |
| 4348 | Marketplace product: Urdu text for every string, by a translator                                                             | new page | Translator | P2  | H4    | Open   |
| 4349 | Marketplace product: right to left layout checked with the Urdu text                                                         | new page | Claude     | P2  | 76    | Open   |
| 4350 | Marketplace product: usable at the largest system text size, with nothing cut off                                            | new page | Claude     | P2  | 76    | Open   |
| 4351 | Marketplace product: usable at 320 pixels wide                                                                               | new page | Claude     | P2  | 76    | Open   |
| 4352 | Marketplace product: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P2  | 76    | Open   |
| 4353 | Marketplace product: contrast of every text and control checked                                                              | new page | Claude     | P2  | 76    | Open   |
| 4354 | Marketplace product: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 76    | Open   |
| 4355 | Marketplace product: component test of every state                                                                           | new page | Claude     | P2  | 76    | Open   |
| 4356 | Marketplace product: end to end test of its main path                                                                        | new page | Claude     | P2  | 76    | Open   |
| 4357 | Marketplace product: visual regression snapshot at three widths                                                              | new page | Claude     | P2  | 76    | Open   |
| 4358 | Marketplace product: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | new page | Claude     | P2  | 76    | Open   |
| 4359 | Cart: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                    | new page | Claude     | P2  | 76    | Open   |
| 4360 | Cart: each field checked as it is typed, with one specific message under the field (fields in section AD)                    | new page | Claude     | P2  | 76    | Open   |
| 4361 | Cart: submitting state: the button busy and a second tap ignored                                                             | new page | Claude     | P2  | 76    | Open   |
| 4362 | Cart: a refusal from the server shown with the reason and what to change                                                     | new page | Claude     | P2  | 76    | Open   |
| 4363 | Cart: offline: submission held back with a message, and entered data kept                                                    | new page | Claude     | P2  | 76    | Open   |
| 4364 | Cart: the keyboard never hides the focused field or the main button                                                          | new page | Claude     | P2  | 76    | Open   |
| 4365 | Cart: leaving with unsaved changes asks for confirmation                                                                     | new page | Claude     | P2  | 76    | Open   |
| 4366 | Cart: success state stating what happened and what comes next                                                                | new page | Claude     | P2  | 76    | Open   |

| #    | Item                                                                                                                      | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4367 | Cart: checked in dark mode, with no hard coded white or black                                                             | new page | Claude     | P2  | 76    | Open   |
| 4368 | Cart: Urdu text for every string, by a translator                                                                         | new page | Translator | P2  | H4    | Open   |
| 4369 | Cart: right to left layout checked with the Urdu text                                                                     | new page | Claude     | P2  | 76    | Open   |
| 4370 | Cart: usable at the largest system text size, with nothing cut off                                                        | new page | Claude     | P2  | 76    | Open   |
| 4371 | Cart: usable at 320 pixels wide                                                                                           | new page | Claude     | P2  | 76    | Open   |
| 4372 | Cart: every control named for screen readers, in a logical focus order                                                    | new page | Claude     | P2  | 76    | Open   |
| 4373 | Cart: contrast of every text and control checked                                                                          | new page | Claude     | P2  | 76    | Open   |
| 4374 | Cart: screen view and main action recorded, with no personal data in the events                                           | new page | Claude     | P2  | 76    | Open   |
| 4375 | Cart: component test of every state                                                                                       | new page | Claude     | P2  | 76    | Open   |
| 4376 | Cart: end to end test of its main path                                                                                    | new page | Claude     | P2  | 76    | Open   |
| 4377 | Cart: visual regression snapshot at three widths                                                                          | new page | Claude     | P2  | 76    | Open   |
| 4378 | Cart: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels              | new page | Claude     | P2  | 76    | Open   |
| 4379 | Checkout with points: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P2  | 76    | Open   |
| 4380 | Checkout with points: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P2  | 76    | Open   |
| 4381 | Checkout with points: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P2  | 76    | Open   |
| 4382 | Checkout with points: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P2  | 76    | Open   |
| 4383 | Checkout with points: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P2  | 76    | Open   |
| 4384 | Checkout with points: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P2  | 76    | Open   |
| 4385 | Checkout with points: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P2  | 76    | Open   |
| 4386 | Checkout with points: success state stating what happened and what comes next                                             | new page | Claude     | P2  | 76    | Open   |
| 4387 | Checkout with points: review step showing every amount before confirmation: the amount and every charge                   | new page | Claude     | P2  | 76    | Open   |
| 4388 | Checkout with points: transaction PIN required before the action                                                          | new page | Claude     | P0  | 47    | Open   |
| 4389 | Checkout with points: refused during the two hour cooling off after a device change, with the time remaining              | new page | Claude     | P0  | 47    | Open   |
| 4390 | Checkout with points: one request per confirmation, carried by an idempotency key                                         | new page | Claude     | P0  | 47    | Open   |
| 4391 | Checkout with points: receipt after completion, saved to Activity                                                         | new page | Claude     | P2  | 76    | Open   |
| 4392 | Checkout with points: amounts shown as Rs with thousands grouped and no stray decimals                                    | new page | Claude     | P2  | 76    | Open   |
| 4393 | Checkout with points: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P2  | 76    | Open   |
| 4394 | Checkout with points: Urdu text for every string, by a translator                                                         | new page | Translator | P2  | H4    | Open   |
| 4395 | Checkout with points: right to left layout checked with the Urdu text                                                     | new page | Claude     | P2  | 76    | Open   |
| 4396 | Checkout with points: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P2  | 76    | Open   |

| #    | Item                                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4397 | Checkout with points: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 76    | Open   |
| 4398 | Checkout with points: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 76    | Open   |
| 4399 | Checkout with points: contrast of every text and control checked                                                             | new page | Claude     | P2  | 77    | Open   |
| 4400 | Checkout with points: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 77    | Open   |
| 4401 | Checkout with points: component test of every state                                                                          | new page | Claude     | P2  | 77    | Open   |
| 4402 | Checkout with points: end to end test of its main path                                                                       | new page | Claude     | P2  | 77    | Open   |
| 4403 | Checkout with points: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 77    | Open   |
| 4404 | Checkout with points: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 77    | Open   |
| 4405 | Order placed: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card            | new page | Claude     | P2  | 77    | Open   |
| 4406 | Order placed: every figure and reference shown matches the ledger                                                            | new page | Claude     | P2  | 77    | Open   |
| 4407 | Order placed: the next step offered                                                                                          | new page | Claude     | P2  | 77    | Open   |
| 4408 | Order placed: share as an image or a PDF with account numbers masked                                                         | new page | Claude     | P2  | 77    | Open   |
| 4409 | Order placed: checked in dark mode, with no hard coded white or black                                                        | new page | Claude     | P2  | 77    | Open   |
| 4410 | Order placed: Urdu text for every string, by a translator                                                                    | new page | Translator | P2  | H4    | Open   |
| 4411 | Order placed: right to left layout checked with the Urdu text                                                                | new page | Claude     | P2  | 77    | Open   |
| 4412 | Order placed: usable at the largest system text size, with nothing cut off                                                   | new page | Claude     | P2  | 77    | Open   |
| 4413 | Order placed: usable at 320 pixels wide                                                                                      | new page | Claude     | P2  | 77    | Open   |
| 4414 | Order placed: every control named for screen readers, in a logical focus order                                               | new page | Claude     | P2  | 77    | Open   |
| 4415 | Order placed: contrast of every text and control checked                                                                     | new page | Claude     | P2  | 77    | Open   |
| 4416 | Order placed: screen view and main action recorded, with no personal data in the events                                      | new page | Claude     | P2  | 77    | Open   |
| 4417 | Order placed: visual regression snapshot at three widths                                                                     | new page | Claude     | P2  | 77    | Open   |
| 4418 | Order placed: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels         | new page | Claude     | P2  | 77    | Open   |
| 4419 | Order tracking: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | new page | Claude     | P2  | 77    | Open   |
| 4420 | Order tracking: loading skeleton in the final layout, never a full screen spinner                                            | new page | Claude     | P2  | 77    | Open   |
| 4421 | Order tracking: error state with the reason in plain words and a retry                                                       | new page | Claude     | P2  | 77    | Open   |
| 4422 | Order tracking: offline state showing the last data held and when it was fetched, with actions disabled                      | new page | Claude     | P2  | 77    | Open   |
| 4423 | Order tracking: deep link restores the screen with its state                                                                 | new page | Claude     | P2  | 77    | Open   |
| 4424 | Order tracking: not found and no access states, each with a route back                                                       | new page | Claude     | P2  | 77    | Open   |
| 4425 | Order tracking: checked in dark mode, with no hard coded white or black                                                      | new page | Claude     | P2  | 77    | Open   |
| 4426 | Order tracking: Urdu text for every string, by a translator                                                                  | new page | Translator | P2  | H4    | Open   |

| #    | Item                                                                                                                   | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4427 | Order tracking: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 77    | Open   |
| 4428 | Order tracking: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 77    | Open   |
| 4429 | Order tracking: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 77    | Open   |
| 4430 | Order tracking: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 77    | Open   |
| 4431 | Order tracking: contrast of every text and control checked                                                             | new page | Claude     | P2  | 77    | Open   |
| 4432 | Order tracking: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 77    | Open   |
| 4433 | Order tracking: component test of every state                                                                          | new page | Claude     | P2  | 77    | Open   |
| 4434 | Order tracking: end to end test of its main path                                                                       | new page | Claude     | P2  | 77    | Open   |
| 4435 | Order tracking: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 77    | Open   |
| 4436 | Order tracking: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 77    | Open   |
| 4437 | Orders: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card            | new page | Claude     | P2  | 77    | Open   |
| 4438 | Orders: loading skeleton in the final layout, never a full screen spinner                                              | new page | Claude     | P2  | 77    | Open   |
| 4439 | Orders: error state with the reason in plain words and a retry                                                         | new page | Claude     | P2  | 77    | Open   |
| 4440 | Orders: offline state showing the last data held and when it was fetched, with actions disabled                        | new page | Claude     | P2  | 77    | Open   |
| 4441 | Orders: deep link restores the screen with its state                                                                   | new page | Claude     | P2  | 77    | Open   |
| 4442 | Orders: pull to refresh                                                                                                | new page | Claude     | P2  | 77    | Open   |
| 4443 | Orders: empty state: the reason and one action                                                                         | new page | Claude     | P2  | 77    | Open   |
| 4444 | Orders: pages loaded as the member scrolls, with an end of list marker                                                 | new page | Claude     | P2  | 77    | Open   |
| 4445 | Orders: checked in dark mode, with no hard coded white or black                                                        | new page | Claude     | P2  | 77    | Open   |
| 4446 | Orders: Urdu text for every string, by a translator                                                                    | new page | Translator | P2  | H4    | Open   |
| 4447 | Orders: right to left layout checked with the Urdu text                                                                | new page | Claude     | P2  | 77    | Open   |
| 4448 | Orders: usable at the largest system text size, with nothing cut off                                                   | new page | Claude     | P2  | 77    | Open   |
| 4449 | Orders: usable at 320 pixels wide                                                                                      | new page | Claude     | P2  | 77    | Open   |
| 4450 | Orders: every control named for screen readers, in a logical focus order                                               | new page | Claude     | P2  | 77    | Open   |
| 4451 | Orders: contrast of every text and control checked                                                                     | new page | Claude     | P2  | 77    | Open   |
| 4452 | Orders: screen view and main action recorded, with no personal data in the events                                      | new page | Claude     | P2  | 77    | Open   |
| 4453 | Orders: component test of every state                                                                                  | new page | Claude     | P2  | 77    | Open   |
| 4454 | Orders: end to end test of its main path                                                                               | new page | Claude     | P2  | 77    | Open   |
| 4455 | Orders: visual regression snapshot at three widths                                                                     | new page | Claude     | P2  | 77    | Open   |
| 4456 | Orders: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels         | new page | Claude     | P2  | 77    | Open   |
| 4457 | Return request: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P2  | 77    | Open   |



| #    | Item                                                                                                                   | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4458 | Return request: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P2  | 77    | Open   |
| 4459 | Return request: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P2  | 77    | Open   |
| 4460 | Return request: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P2  | 77    | Open   |
| 4461 | Return request: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P2  | 77    | Open   |
| 4462 | Return request: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P2  | 77    | Open   |
| 4463 | Return request: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P2  | 77    | Open   |
| 4464 | Return request: success state stating what happened and what comes next                                                | new page | Claude     | P2  | 77    | Open   |
| 4465 | Return request: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 77    | Open   |
| 4466 | Return request: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 4467 | Return request: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 77    | Open   |
| 4468 | Return request: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 77    | Open   |
| 4469 | Return request: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 77    | Open   |
| 4470 | Return request: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 77    | Open   |
| 4471 | Return request: contrast of every text and control checked                                                             | new page | Claude     | P2  | 77    | Open   |
| 4472 | Return request: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 77    | Open   |
| 4473 | Return request: component test of every state                                                                          | new page | Claude     | P2  | 77    | Open   |
| 4474 | Return request: end to end test of its main path                                                                       | new page | Claude     | P2  | 77    | Open   |
| 4475 | Return request: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 77    | Open   |
| 4476 | Return request: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 77    | Open   |

#### AC19. Bank Route Screens: Turn market

| #    | Item                                                                                                                     | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4477 | Turn listing detail: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P2  | 64    | Open   |
| 4478 | Turn listing detail: loading skeleton in the final layout, never a full screen spinner                                   | new page | Claude     | P2  | 64    | Open   |
| 4479 | Turn listing detail: error state with the reason in plain words and a retry                                              | new page | Claude     | P2  | 64    | Open   |
| 4480 | Turn listing detail: offline state showing the last data held and when it was fetched, with actions disabled             | new page | Claude     | P2  | 64    | Open   |
| 4481 | Turn listing detail: deep link restores the screen with its state                                                        | new page | Claude     | P2  | 64    | Open   |
| 4482 | Turn listing detail: not found and no access states, each with a route back                                              | new page | Claude     | P2  | 64    | Open   |
| 4483 | Turn listing detail: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P2  | 64    | Open   |
| 4484 | Turn listing detail: Urdu text for every string, by a translator                                                         | new page | Translator | P2  | H4    | Open   |
| 4485 | Turn listing detail: right to left layout checked with the Urdu text                                                     | new page | Claude     | P2  | 64    | Open   |

| #    | Item                                                                                                                          | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4486 | Turn listing detail: usable at the largest system text size, with nothing cut off                                             | new page | Claude     | P2  | 64    | Open   |
| 4487 | Turn listing detail: usable at 320 pixels wide                                                                                | new page | Claude     | P2  | 64    | Open   |
| 4488 | Turn listing detail: every control named for screen readers, in a logical focus order                                         | new page | Claude     | P2  | 64    | Open   |
| 4489 | Turn listing detail: contrast of every text and control checked                                                               | new page | Claude     | P2  | 64    | Open   |
| 4490 | Turn listing detail: screen view and main action recorded, with no personal data in the events                                | new page | Claude     | P2  | 64    | Open   |
| 4491 | Turn listing detail: component test of every state                                                                            | new page | Claude     | P2  | 64    | Open   |
| 4492 | Turn listing detail: end to end test of its main path                                                                         | new page | Claude     | P2  | 64    | Open   |
| 4493 | Turn listing detail: visual regression snapshot at three widths                                                               | new page | Claude     | P2  | 64    | Open   |
| 4494 | Turn listing detail: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels   | new page | Claude     | P2  | 64    | Open   |
| 4495 | Create a turn listing: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P2  | 64    | Open   |
| 4496 | Create a turn listing: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P2  | 64    | Open   |
| 4497 | Create a turn listing: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P2  | 64    | Open   |
| 4498 | Create a turn listing: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P2  | 64    | Open   |
| 4499 | Create a turn listing: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P2  | 64    | Open   |
| 4500 | Create a turn listing: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P2  | 64    | Open   |
| 4501 | Create a turn listing: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P2  | 64    | Open   |
| 4502 | Create a turn listing: success state stating what happened and what comes next                                                | new page | Claude     | P2  | 64    | Open   |
| 4503 | Create a turn listing: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 64    | Open   |
| 4504 | Create a turn listing: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 4505 | Create a turn listing: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 64    | Open   |
| 4506 | Create a turn listing: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 64    | Open   |
| 4507 | Create a turn listing: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 64    | Open   |
| 4508 | Create a turn listing: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 64    | Open   |
| 4509 | Create a turn listing: contrast of every text and control checked                                                             | new page | Claude     | P2  | 64    | Open   |
| 4510 | Create a turn listing: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 64    | Open   |
| 4511 | Create a turn listing: component test of every state                                                                          | new page | Claude     | P2  | 64    | Open   |
| 4512 | Create a turn listing: end to end test of its main path                                                                       | new page | Claude     | P2  | 64    | Open   |
| 4513 | Create a turn listing: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 64    | Open   |
| 4514 | Create a turn listing: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 64    | Open   |

| #    | Item                                                                                                                  | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4515 | Make an offer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P2  | 64    | Open   |
| 4516 | Make an offer: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P2  | 64    | Open   |
| 4517 | Make an offer: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P2  | 64    | Open   |
| 4518 | Make an offer: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P2  | 64    | Open   |
| 4519 | Make an offer: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P2  | 64    | Open   |
| 4520 | Make an offer: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P2  | 64    | Open   |
| 4521 | Make an offer: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P2  | 64    | Open   |
| 4522 | Make an offer: success state stating what happened and what comes next                                                | new page | Claude     | P2  | 64    | Open   |
| 4523 | Make an offer: review step showing every amount before confirmation: the amount and every charge                      | new page | Claude     | P2  | 64    | Open   |
| 4524 | Make an offer: transaction PIN required before the action                                                             | new page | Claude     | P0  | 10    | Open   |
| 4525 | Make an offer: refused during the two hour cooling off after a device change, with the time remaining                 | new page | Claude     | P0  | 10    | Open   |
| 4526 | Make an offer: one request per confirmation, carried by an idempotency key                                            | new page | Claude     | P0  | 10    | Open   |
| 4527 | Make an offer: receipt after completion, saved to Activity                                                            | new page | Claude     | P2  | 64    | Open   |
| 4528 | Make an offer: amounts shown as Rs with thousands grouped and no stray decimals                                       | new page | Claude     | P2  | 64    | Open   |
| 4529 | Make an offer: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 64    | Open   |
| 4530 | Make an offer: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 4531 | Make an offer: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 64    | Open   |
| 4532 | Make an offer: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 64    | Open   |
| 4533 | Make an offer: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 64    | Open   |
| 4534 | Make an offer: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 64    | Open   |
| 4535 | Make an offer: contrast of every text and control checked                                                             | new page | Claude     | P2  | 64    | Open   |
| 4536 | Make an offer: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 64    | Open   |
| 4537 | Make an offer: component test of every state                                                                          | new page | Claude     | P2  | 64    | Open   |
| 4538 | Make an offer: end to end test of its main path                                                                       | new page | Claude     | P2  | 64    | Open   |
| 4539 | Make an offer: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 64    | Open   |
| 4540 | Make an offer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 64    | Open   |
| 4541 | Offers received: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card  | new page | Claude     | P2  | 64    | Open   |
| 4542 | Offers received: loading skeleton in the final layout, never a full screen spinner                                    | new page | Claude     | P2  | 64    | Open   |
| 4543 | Offers received: error state with the reason in plain words and a retry                                               | new page | Claude     | P2  | 64    | Open   |
| 4544 | Offers received: offline state showing the last data held and when it was fetched, with actions disabled              | new page | Claude     | P2  | 64    | Open   |
| 4545 | Offers received: deep link restores the screen with its state                                                         | new page | Claude     | P2  | 64    | Open   |

| #    | Item                                                                                                                          | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4546 | Offers received: pull to refresh                                                                                              | new page | Claude     | P2  | 64    | Open   |
| 4547 | Offers received: empty state: the reason and one action                                                                       | new page | Claude     | P2  | 64    | Open   |
| 4548 | Offers received: pages loaded as the member scrolls, with an end of list marker                                               | new page | Claude     | P2  | 64    | Open   |
| 4549 | Offers received: checked in dark mode, with no hard coded white or black                                                      | new page | Claude     | P2  | 64    | Open   |
| 4550 | Offers received: Urdu text for every string, by a translator                                                                  | new page | Translator | P2  | H4    | Open   |
| 4551 | Offers received: right to left layout checked with the Urdu text                                                              | new page | Claude     | P2  | 64    | Open   |
| 4552 | Offers received: usable at the largest system text size, with nothing cut off                                                 | new page | Claude     | P2  | 64    | Open   |
| 4553 | Offers received: usable at 320 pixels wide                                                                                    | new page | Claude     | P2  | 64    | Open   |
| 4554 | Offers received: every control named for screen readers, in a logical focus order                                             | new page | Claude     | P2  | 64    | Open   |
| 4555 | Offers received: contrast of every text and control checked                                                                   | new page | Claude     | P2  | 64    | Open   |
| 4556 | Offers received: screen view and main action recorded, with no personal data in the events                                    | new page | Claude     | P2  | 64    | Open   |
| 4557 | Offers received: component test of every state                                                                                | new page | Claude     | P2  | 64    | Open   |
| 4558 | Offers received: end to end test of its main path                                                                             | new page | Claude     | P2  | 65    | Open   |
| 4559 | Offers received: visual regression snapshot at three widths                                                                   | new page | Claude     | P2  | 65    | Open   |
| 4560 | Offers received: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels       | new page | Claude     | P2  | 65    | Open   |
| 4561 | Host approval of a trade: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P2  | 65    | Open   |
| 4562 | Host approval of a trade: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P2  | 65    | Open   |
| 4563 | Host approval of a trade: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P2  | 65    | Open   |
| 4564 | Host approval of a trade: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P2  | 65    | Open   |
| 4565 | Host approval of a trade: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P2  | 65    | Open   |
| 4566 | Host approval of a trade: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P2  | 65    | Open   |
| 4567 | Host approval of a trade: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P2  | 65    | Open   |
| 4568 | Host approval of a trade: success state stating what happened and what comes next                                             | new page | Claude     | P2  | 65    | Open   |
| 4569 | Host approval of a trade: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P2  | 65    | Open   |
| 4570 | Host approval of a trade: Urdu text for every string, by a translator                                                         | new page | Translator | P2  | H4    | Open   |
| 4571 | Host approval of a trade: right to left layout checked with the Urdu text                                                     | new page | Claude     | P2  | 65    | Open   |
| 4572 | Host approval of a trade: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P2  | 65    | Open   |
| 4573 | Host approval of a trade: usable at 320 pixels wide                                                                           | new page | Claude     | P2  | 65    | Open   |
| 4574 | Host approval of a trade: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P2  | 65    | Open   |

| #    | Item                                                                                                                             | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4575 | Host approval of a trade: contrast of every text and control checked                                                             | new page | Claude     | P2  | 65    | Open   |
| 4576 | Host approval of a trade: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 65    | Open   |
| 4577 | Host approval of a trade: component test of every state                                                                          | new page | Claude     | P2  | 65    | Open   |
| 4578 | Host approval of a trade: end to end test of its main path                                                                       | new page | Claude     | P2  | 65    | Open   |
| 4579 | Host approval of a trade: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 65    | Open   |
| 4580 | Host approval of a trade: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 65    | Open   |
| 4581 | Trade settled: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card               | new page | Claude     | P2  | 65    | Open   |
| 4582 | Trade settled: every figure and reference shown matches the ledger                                                               | new page | Claude     | P2  | 65    | Open   |
| 4583 | Trade settled: the next step offered                                                                                             | new page | Claude     | P2  | 65    | Open   |
| 4584 | Trade settled: share as an image or a PDF with account numbers masked                                                            | new page | Claude     | P2  | 65    | Open   |
| 4585 | Trade settled: checked in dark mode, with no hard coded white or black                                                           | new page | Claude     | P2  | 65    | Open   |
| 4586 | Trade settled: Urdu text for every string, by a translator                                                                       | new page | Translator | P2  | H4    | Open   |
| 4587 | Trade settled: right to left layout checked with the Urdu text                                                                   | new page | Claude     | P2  | 65    | Open   |
| 4588 | Trade settled: usable at the largest system text size, with nothing cut off                                                      | new page | Claude     | P2  | 65    | Open   |
| 4589 | Trade settled: usable at 320 pixels wide                                                                                         | new page | Claude     | P2  | 65    | Open   |
| 4590 | Trade settled: every control named for screen readers, in a logical focus order                                                  | new page | Claude     | P2  | 65    | Open   |
| 4591 | Trade settled: contrast of every text and control checked                                                                        | new page | Claude     | P2  | 65    | Open   |
| 4592 | Trade settled: screen view and main action recorded, with no personal data in the events                                         | new page | Claude     | P2  | 65    | Open   |
| 4593 | Trade settled: visual regression snapshot at three widths                                                                        | new page | Claude     | P2  | 65    | Open   |
| 4594 | Trade settled: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels            | new page | Claude     | P2  | 65    | Open   |
| 4595 | Trade history: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card               | new page | Claude     | P2  | 65    | Open   |
| 4596 | Trade history: loading skeleton in the final layout, never a full screen spinner                                                 | new page | Claude     | P2  | 65    | Open   |
| 4597 | Trade history: error state with the reason in plain words and a retry                                                            | new page | Claude     | P2  | 65    | Open   |
| 4598 | Trade history: offline state showing the last data held and when it was fetched, with actions disabled                           | new page | Claude     | P2  | 65    | Open   |
| 4599 | Trade history: deep link restores the screen with its state                                                                      | new page | Claude     | P2  | 65    | Open   |
| 4600 | Trade history: pull to refresh                                                                                                   | new page | Claude     | P2  | 65    | Open   |
| 4601 | Trade history: empty state: the reason and one action                                                                            | new page | Claude     | P2  | 65    | Open   |
| 4602 | Trade history: pages loaded as the member scrolls, with an end of list marker                                                    | new page | Claude     | P2  | 65    | Open   |
| 4603 | Trade history: checked in dark mode, with no hard coded white or black                                                           | new page | Claude     | P2  | 65    | Open   |
| 4604 | Trade history: Urdu text for every string, by a translator                                                                       | new page | Translator | P2  | H4    | Open   |

| #    | Item                                                                                                                  | Where    | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 4605 | Trade history: right to left layout checked with the Urdu text                                                        | new page | Claude | P2  | 65    | Open   |
| 4606 | Trade history: usable at the largest system text size, with nothing cut off                                           | new page | Claude | P2  | 65    | Open   |
| 4607 | Trade history: usable at 320 pixels wide                                                                              | new page | Claude | P2  | 65    | Open   |
| 4608 | Trade history: every control named for screen readers, in a logical focus order                                       | new page | Claude | P2  | 65    | Open   |
| 4609 | Trade history: contrast of every text and control checked                                                             | new page | Claude | P2  | 65    | Open   |
| 4610 | Trade history: screen view and main action recorded, with no personal data in the events                              | new page | Claude | P2  | 65    | Open   |
| 4611 | Trade history: component test of every state                                                                          | new page | Claude | P2  | 65    | Open   |
| 4612 | Trade history: end to end test of its main path                                                                       | new page | Claude | P2  | 65    | Open   |
| 4613 | Trade history: visual regression snapshot at three widths                                                             | new page | Claude | P2  | 65    | Open   |
| 4614 | Trade history: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude | P2  | 65    | Open   |

## AC20. Bank Route Screens: Asset financing

| #    | Item                                                                                                                 | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4615 | Asset catalogue: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P3  | 81    | Open   |
| 4616 | Asset catalogue: loading skeleton in the final layout, never a full screen spinner                                   | new page | Claude     | P3  | 81    | Open   |
| 4617 | Asset catalogue: error state with the reason in plain words and a retry                                              | new page | Claude     | P3  | 81    | Open   |
| 4618 | Asset catalogue: offline state showing the last data held and when it was fetched, with actions disabled             | new page | Claude     | P3  | 81    | Open   |
| 4619 | Asset catalogue: deep link restores the screen with its state                                                        | new page | Claude     | P3  | 81    | Open   |
| 4620 | Asset catalogue: pull to refresh                                                                                     | new page | Claude     | P3  | 81    | Open   |
| 4621 | Asset catalogue: empty state: the reason and one action                                                              | new page | Claude     | P3  | 81    | Open   |
| 4622 | Asset catalogue: pages loaded as the member scrolls, with an end of list marker                                      | new page | Claude     | P3  | 81    | Open   |
| 4623 | Asset catalogue: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P3  | 81    | Open   |
| 4624 | Asset catalogue: Urdu text for every string, by a translator                                                         | new page | Translator | P3  | H6    | Open   |
| 4625 | Asset catalogue: right to left layout checked with the Urdu text                                                     | new page | Claude     | P3  | 81    | Open   |
| 4626 | Asset catalogue: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P3  | 81    | Open   |
| 4627 | Asset catalogue: usable at 320 pixels wide                                                                           | new page | Claude     | P3  | 81    | Open   |
| 4628 | Asset catalogue: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P3  | 81    | Open   |
| 4629 | Asset catalogue: contrast of every text and control checked                                                          | new page | Claude     | P3  | 81    | Open   |
| 4630 | Asset catalogue: screen view and main action recorded, with no personal data in the events                           | new page | Claude     | P2  | 77    | Open   |
| 4631 | Asset catalogue: component test of every state                                                                       | new page | Claude     | P3  | 81    | Open   |
| 4632 | Asset catalogue: end to end test of its main path                                                                    | new page | Claude     | P3  | 81    | Open   |

| #    | Item                                                                                                                          | Where    | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4633 | Asset catalogue: visual regression snapshot at three widths                                                                   | new page | Claude     | P2  | 77    | Open   |
| 4634 | Asset catalogue: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels       | new page | Claude     | P3  | 81    | Open   |
| 4635 | Financing application: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P3  | 81    | Open   |
| 4636 | Financing application: each field checked as it is typed, with one specific message under the field (fields in section AD)    | new page | Claude     | P3  | 81    | Open   |
| 4637 | Financing application: submitting state: the button busy and a second tap ignored                                             | new page | Claude     | P3  | 81    | Open   |
| 4638 | Financing application: a refusal from the server shown with the reason and what to change                                     | new page | Claude     | P3  | 81    | Open   |
| 4639 | Financing application: offline: submission held back with a message, and entered data kept                                    | new page | Claude     | P3  | 81    | Open   |
| 4640 | Financing application: the keyboard never hides the focused field or the main button                                          | new page | Claude     | P3  | 81    | Open   |
| 4641 | Financing application: leaving with unsaved changes asks for confirmation                                                     | new page | Claude     | P3  | 81    | Open   |
| 4642 | Financing application: success state stating what happened and what comes next                                                | new page | Claude     | P3  | 81    | Open   |
| 4643 | Financing application: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P3  | 81    | Open   |
| 4644 | Financing application: Urdu text for every string, by a translator                                                            | new page | Translator | P3  | H6    | Open   |
| 4645 | Financing application: right to left layout checked with the Urdu text                                                        | new page | Claude     | P3  | 81    | Open   |
| 4646 | Financing application: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P3  | 81    | Open   |
| 4647 | Financing application: usable at 320 pixels wide                                                                              | new page | Claude     | P3  | 81    | Open   |
| 4648 | Financing application: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P3  | 81    | Open   |
| 4649 | Financing application: contrast of every text and control checked                                                             | new page | Claude     | P3  | 81    | Open   |
| 4650 | Financing application: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 77    | Open   |
| 4651 | Financing application: component test of every state                                                                          | new page | Claude     | P3  | 81    | Open   |
| 4652 | Financing application: end to end test of its main path                                                                       | new page | Claude     | P3  | 81    | Open   |
| 4653 | Financing application: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 77    | Open   |
| 4654 | Financing application: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P3  | 81    | Open   |
| 4655 | Financing decision: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card       | new page | Claude     | P3  | 81    | Open   |
| 4656 | Financing decision: every figure and reference shown matches the ledger                                                       | new page | Claude     | P3  | 81    | Open   |
| 4657 | Financing decision: the next step offered                                                                                     | new page | Claude     | P3  | 81    | Open   |
| 4658 | Financing decision: share as an image or a PDF with account numbers masked                                                    | new page | Claude     | P3  | 81    | Open   |
| 4659 | Financing decision: checked in dark mode, with no hard coded white or black                                                   | new page | Claude     | P3  | 81    | Open   |
| 4660 | Financing decision: Urdu text for every string, by a translator                                                               | new page | Translator | P3  | H6    | Open   |
| 4661 | Financing decision: right to left layout checked with the Urdu text                                                           | new page | Claude     | P3  | 81    | Open   |

| #    | Item                                                                                                                       | Where    | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4662 | Financing decision: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P3  | 81    | Open   |
| 4663 | Financing decision: usable at 320 pixels wide                                                                              | new page | Claude     | P3  | 81    | Open   |
| 4664 | Financing decision: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P3  | 81    | Open   |
| 4665 | Financing decision: contrast of every text and control checked                                                             | new page | Claude     | P3  | 81    | Open   |
| 4666 | Financing decision: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 77    | Open   |
| 4667 | Financing decision: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 77    | Open   |
| 4668 | Financing decision: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P3  | 81    | Open   |
| 4669 | Repayment schedule: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P3  | 81    | Open   |
| 4670 | Repayment schedule: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P3  | 81    | Open   |
| 4671 | Repayment schedule: error state with the reason in plain words and a retry                                                 | new page | Claude     | P3  | 81    | Open   |
| 4672 | Repayment schedule: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P3  | 81    | Open   |
| 4673 | Repayment schedule: deep link restores the screen with its state                                                           | new page | Claude     | P3  | 81    | Open   |
| 4674 | Repayment schedule: not found and no access states, each with a route back                                                 | new page | Claude     | P3  | 81    | Open   |
| 4675 | Repayment schedule: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P3  | 81    | Open   |
| 4676 | Repayment schedule: Urdu text for every string, by a translator                                                            | new page | Translator | P3  | H6    | Open   |
| 4677 | Repayment schedule: right to left layout checked with the Urdu text                                                        | new page | Claude     | P3  | 81    | Open   |
| 4678 | Repayment schedule: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P3  | 81    | Open   |
| 4679 | Repayment schedule: usable at 320 pixels wide                                                                              | new page | Claude     | P3  | 81    | Open   |
| 4680 | Repayment schedule: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P3  | 81    | Open   |
| 4681 | Repayment schedule: contrast of every text and control checked                                                             | new page | Claude     | P3  | 81    | Open   |
| 4682 | Repayment schedule: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 77    | Open   |
| 4683 | Repayment schedule: component test of every state                                                                          | new page | Claude     | P3  | 81    | Open   |
| 4684 | Repayment schedule: end to end test of its main path                                                                       | new page | Claude     | P3  | 81    | Open   |
| 4685 | Repayment schedule: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 77    | Open   |
| 4686 | Repayment schedule: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P3  | 81    | Open   |



## AC21. Bank Route Screens: Members abroad

| #    | Item                                                                                                                                                 | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4687 | Joining from the UAE (Mashreq): rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card                  | new page | Claude     | P3  | 81    | Open   |
| 4688 | Joining from the UAE (Mashreq): deep link opens it directly                                                                                          | new page | Claude     | P3  | 81    | Open   |
| 4689 | Joining from the UAE (Mashreq): checked in dark mode, with no hard coded white or black                                                              | new page | Claude     | P3  | 81    | Open   |
| 4690 | Joining from the UAE (Mashreq): Urdu text for every string, by a translator                                                                          | new page | Translator | P3  | H6    | Open   |
| 4691 | Joining from the UAE (Mashreq): right to left layout checked with the Urdu text                                                                      | new page | Claude     | P3  | 81    | Open   |
| 4692 | Joining from the UAE (Mashreq): usable at the largest system text size, with nothing cut off                                                         | new page | Claude     | P3  | 81    | Open   |
| 4693 | Joining from the UAE (Mashreq): usable at 320 pixels wide                                                                                            | new page | Claude     | P3  | 81    | Open   |
| 4694 | Joining from the UAE (Mashreq): every control named for screen readers, in a logical focus order                                                     | new page | Claude     | P3  | 81    | Open   |
| 4695 | Joining from the UAE (Mashreq): contrast of every text and control checked                                                                           | new page | Claude     | P3  | 81    | Open   |
| 4696 | Joining from the UAE (Mashreq): screen view and main action recorded, with no personal data in the events                                            | new page | Claude     | P2  | 77    | Open   |
| 4697 | Joining from the UAE (Mashreq): visual regression snapshot at three widths                                                                           | new page | Claude     | P2  | 77    | Open   |
| 4698 | Joining from the UAE (Mashreq): copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels               | new page | Claude     | P3  | 81    | Open   |
| 4699 | Opening the account from the UAE application: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P3  | 81    | Open   |
| 4700 | Opening the account from the UAE application: deep link opens it directly                                                                            | new page | Claude     | P3  | 81    | Open   |
| 4701 | Opening the account from the UAE application: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P3  | 81    | Open   |
| 4702 | Opening the account from the UAE application: Urdu text for every string, by a translator                                                            | new page | Translator | P3  | H6    | Open   |
| 4703 | Opening the account from the UAE application: right to left layout checked with the Urdu text                                                        | new page | Claude     | P3  | 81    | Open   |
| 4704 | Opening the account from the UAE application: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P3  | 81    | Open   |
| 4705 | Opening the account from the UAE application: usable at 320 pixels wide                                                                              | new page | Claude     | P3  | 81    | Open   |
| 4706 | Opening the account from the UAE application: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P3  | 81    | Open   |
| 4707 | Opening the account from the UAE application: contrast of every text and control checked                                                             | new page | Claude     | P3  | 81    | Open   |
| 4708 | Opening the account from the UAE application: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 77    | Open   |
| 4709 | Opening the account from the UAE application: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 77    | Open   |
| 4710 | Opening the account from the UAE application: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P3  | 81    | Open   |

**AC22. Bank Route Screens: Credit history**

| #    | Item                                                                                                                           | Where    | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4711 | Reported records: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card          | new page | Claude     | P1  | 54    | Open   |
| 4712 | Reported records: loading skeleton in the final layout, never a full screen spinner                                            | new page | Claude     | P1  | 54    | Open   |
| 4713 | Reported records: error state with the reason in plain words and a retry                                                       | new page | Claude     | P1  | 54    | Open   |
| 4714 | Reported records: offline state showing the last data held and when it was fetched, with actions disabled                      | new page | Claude     | P1  | 54    | Open   |
| 4715 | Reported records: deep link restores the screen with its state                                                                 | new page | Claude     | P1  | 54    | Open   |
| 4716 | Reported records: pull to refresh                                                                                              | new page | Claude     | P1  | 54    | Open   |
| 4717 | Reported records: empty state: the reason and one action                                                                       | new page | Claude     | P1  | 54    | Open   |
| 4718 | Reported records: pages loaded as the member scrolls, with an end of list marker                                               | new page | Claude     | P1  | 54    | Open   |
| 4719 | Reported records: checked in dark mode, with no hard coded white or black                                                      | new page | Claude     | P1  | 54    | Open   |
| 4720 | Reported records: Urdu text for every string, by a translator                                                                  | new page | Translator | P1  | H4    | Open   |
| 4721 | Reported records: right to left layout checked with the Urdu text                                                              | new page | Claude     | P1  | 54    | Open   |
| 4722 | Reported records: usable at the largest system text size, with nothing cut off                                                 | new page | Claude     | P1  | 54    | Open   |
| 4723 | Reported records: usable at 320 pixels wide                                                                                    | new page | Claude     | P1  | 54    | Open   |
| 4724 | Reported records: every control named for screen readers, in a logical focus order                                             | new page | Claude     | P1  | 54    | Open   |
| 4725 | Reported records: contrast of every text and control checked                                                                   | new page | Claude     | P1  | 54    | Open   |
| 4726 | Reported records: screen view and main action recorded, with no personal data in the events                                    | new page | Claude     | P2  | 78    | Open   |
| 4727 | Reported records: component test of every state                                                                                | new page | Claude     | P1  | 54    | Open   |
| 4728 | Reported records: end to end test of its main path                                                                             | new page | Claude     | P1  | 54    | Open   |
| 4729 | Reported records: visual regression snapshot at three widths                                                                   | new page | Claude     | P2  | 78    | Open   |
| 4730 | Reported records: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels       | new page | Claude     | P1  | 54    | Open   |
| 4731 | Dispute a reported record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P1  | 54    | Open   |
| 4732 | Dispute a reported record: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P1  | 54    | Open   |
| 4733 | Dispute a reported record: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P1  | 54    | Open   |
| 4734 | Dispute a reported record: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P1  | 54    | Open   |
| 4735 | Dispute a reported record: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P1  | 54    | Open   |
| 4736 | Dispute a reported record: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P1  | 54    | Open   |
| 4737 | Dispute a reported record: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P1  | 54    | Open   |
| 4738 | Dispute a reported record: success state stating what happened and what comes next                                             | new page | Claude     | P1  | 54    | Open   |

| #    | Item                                                                                                                              | Where    | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4739 | Dispute a reported record: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P1  | 54    | Open   |
| 4740 | Dispute a reported record: Urdu text for every string, by a translator                                                            | new page | Translator | P1  | H4    | Open   |
| 4741 | Dispute a reported record: right to left layout checked with the Urdu text                                                        | new page | Claude     | P1  | 54    | Open   |
| 4742 | Dispute a reported record: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P1  | 54    | Open   |
| 4743 | Dispute a reported record: usable at 320 pixels wide                                                                              | new page | Claude     | P1  | 54    | Open   |
| 4744 | Dispute a reported record: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P1  | 54    | Open   |
| 4745 | Dispute a reported record: contrast of every text and control checked                                                             | new page | Claude     | P1  | 54    | Open   |
| 4746 | Dispute a reported record: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 78    | Open   |
| 4747 | Dispute a reported record: component test of every state                                                                          | new page | Claude     | P1  | 54    | Open   |
| 4748 | Dispute a reported record: end to end test of its main path                                                                       | new page | Claude     | P1  | 54    | Open   |
| 4749 | Dispute a reported record: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 78    | Open   |
| 4750 | Dispute a reported record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P1  | 54    | Open   |

### AC23. Bank Route Screens: Hyper

| #    | Item                                                                                                                      | Where    | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4751 | Hyper design chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card | new page | Claude     | P2  | 65    | Open   |
| 4752 | Hyper design chooser: labelled Experimental at the top                                                                    | new page | Claude     | P2  | 65    | Open   |
| 4753 | Hyper design chooser: each field checked as it is typed, with one specific message under the field (fields in section AD) | new page | Claude     | P2  | 65    | Open   |
| 4754 | Hyper design chooser: submitting state: the button busy and a second tap ignored                                          | new page | Claude     | P2  | 65    | Open   |
| 4755 | Hyper design chooser: a refusal from the server shown with the reason and what to change                                  | new page | Claude     | P2  | 65    | Open   |
| 4756 | Hyper design chooser: offline: submission held back with a message, and entered data kept                                 | new page | Claude     | P2  | 65    | Open   |
| 4757 | Hyper design chooser: the keyboard never hides the focused field or the main button                                       | new page | Claude     | P2  | 65    | Open   |
| 4758 | Hyper design chooser: leaving with unsaved changes asks for confirmation                                                  | new page | Claude     | P2  | 65    | Open   |
| 4759 | Hyper design chooser: success state stating what happened and what comes next                                             | new page | Claude     | P2  | 65    | Open   |
| 4760 | Hyper design chooser: checked in dark mode, with no hard coded white or black                                             | new page | Claude     | P2  | 65    | Open   |
| 4761 | Hyper design chooser: Urdu text for every string, by a translator                                                         | new page | Translator | P2  | H4    | Open   |
| 4762 | Hyper design chooser: right to left layout checked with the Urdu text                                                     | new page | Claude     | P2  | 65    | Open   |
| 4763 | Hyper design chooser: usable at the largest system text size, with nothing cut off                                        | new page | Claude     | P2  | 65    | Open   |
| 4764 | Hyper design chooser: usable at 320 pixels wide                                                                           | new page | Claude     | P2  | 65    | Open   |
| 4765 | Hyper design chooser: every control named for screen readers, in a logical focus order                                    | new page | Claude     | P2  | 65    | Open   |

| #    | Item                                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4766 | Hyper design chooser: contrast of every text and control checked                                                             | new page | Claude     | P2  | 65    | Open   |
| 4767 | Hyper design chooser: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 65    | Open   |
| 4768 | Hyper design chooser: component test of every state                                                                          | new page | Claude     | P2  | 65    | Open   |
| 4769 | Hyper design chooser: end to end test of its main path                                                                       | new page | Claude     | P2  | 65    | Open   |
| 4770 | Hyper design chooser: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 65    | Open   |
| 4771 | Hyper design chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 65    | Open   |
| 4772 | Hyper daily payment: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card     | new page | Claude     | P2  | 65    | Open   |
| 4773 | Hyper daily payment: labelled Experimental at the top                                                                        | new page | Claude     | P2  | 65    | Open   |
| 4774 | Hyper daily payment: loading skeleton in the final layout, never a full screen spinner                                       | new page | Claude     | P2  | 65    | Open   |
| 4775 | Hyper daily payment: error state with the reason in plain words and a retry                                                  | new page | Claude     | P2  | 65    | Open   |
| 4776 | Hyper daily payment: offline state showing the last data held and when it was fetched, with actions disabled                 | new page | Claude     | P2  | 65    | Open   |
| 4777 | Hyper daily payment: deep link restores the screen with its state                                                            | new page | Claude     | P2  | 65    | Open   |
| 4778 | Hyper daily payment: not found and no access states, each with a route back                                                  | new page | Claude     | P2  | 65    | Open   |
| 4779 | Hyper daily payment: checked in dark mode, with no hard coded white or black                                                 | new page | Claude     | P2  | 65    | Open   |
| 4780 | Hyper daily payment: Urdu text for every string, by a translator                                                             | new page | Translator | P2  | H4    | Open   |
| 4781 | Hyper daily payment: right to left layout checked with the Urdu text                                                         | new page | Claude     | P2  | 65    | Open   |
| 4782 | Hyper daily payment: usable at the largest system text size, with nothing cut off                                            | new page | Claude     | P2  | 65    | Open   |
| 4783 | Hyper daily payment: usable at 320 pixels wide                                                                               | new page | Claude     | P2  | 65    | Open   |
| 4784 | Hyper daily payment: every control named for screen readers, in a logical focus order                                        | new page | Claude     | P2  | 65    | Open   |
| 4785 | Hyper daily payment: contrast of every text and control checked                                                              | new page | Claude     | P2  | 65    | Open   |
| 4786 | Hyper daily payment: screen view and main action recorded, with no personal data in the events                               | new page | Claude     | P2  | 65    | Open   |
| 4787 | Hyper daily payment: component test of every state                                                                           | new page | Claude     | P2  | 65    | Open   |
| 4788 | Hyper daily payment: end to end test of its main path                                                                        | new page | Claude     | P2  | 65    | Open   |
| 4789 | Hyper daily payment: visual regression snapshot at three widths                                                              | new page | Claude     | P2  | 65    | Open   |
| 4790 | Hyper daily payment: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels  | new page | Claude     | P2  | 65    | Open   |
| 4791 | Hyper collection day: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card    | new page | Claude     | P2  | 65    | Open   |
| 4792 | Hyper collection day: labelled Experimental at the top                                                                       | new page | Claude     | P2  | 65    | Open   |
| 4793 | Hyper collection day: loading skeleton in the final layout, never a full screen spinner                                      | new page | Claude     | P2  | 65    | Open   |

| #    | Item                                                                                                                         | Where    | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----|-------|--------|
| 4794 | Hyper collection day: error state with the reason in plain words and a retry                                                 | new page | Claude     | P2  | 66    | Open   |
| 4795 | Hyper collection day: offline state showing the last data held and when it was fetched, with actions disabled                | new page | Claude     | P2  | 66    | Open   |
| 4796 | Hyper collection day: deep link restores the screen with its state                                                           | new page | Claude     | P2  | 66    | Open   |
| 4797 | Hyper collection day: not found and no access states, each with a route back                                                 | new page | Claude     | P2  | 66    | Open   |
| 4798 | Hyper collection day: checked in dark mode, with no hard coded white or black                                                | new page | Claude     | P2  | 66    | Open   |
| 4799 | Hyper collection day: Urdu text for every string, by a translator                                                            | new page | Translator | P2  | H4    | Open   |
| 4800 | Hyper collection day: right to left layout checked with the Urdu text                                                        | new page | Claude     | P2  | 66    | Open   |
| 4801 | Hyper collection day: usable at the largest system text size, with nothing cut off                                           | new page | Claude     | P2  | 66    | Open   |
| 4802 | Hyper collection day: usable at 320 pixels wide                                                                              | new page | Claude     | P2  | 66    | Open   |
| 4803 | Hyper collection day: every control named for screen readers, in a logical focus order                                       | new page | Claude     | P2  | 66    | Open   |
| 4804 | Hyper collection day: contrast of every text and control checked                                                             | new page | Claude     | P2  | 66    | Open   |
| 4805 | Hyper collection day: screen view and main action recorded, with no personal data in the events                              | new page | Claude     | P2  | 66    | Open   |
| 4806 | Hyper collection day: component test of every state                                                                          | new page | Claude     | P2  | 66    | Open   |
| 4807 | Hyper collection day: end to end test of its main path                                                                       | new page | Claude     | P2  | 66    | Open   |
| 4808 | Hyper collection day: visual regression snapshot at three widths                                                             | new page | Claude     | P2  | 66    | Open   |
| 4809 | Hyper collection day: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels | new page | Claude     | P2  | 66    | Open   |
| 4810 | Hyper stopped: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card           | new page | Claude     | P2  | 66    | Open   |
| 4811 | Hyper stopped: labelled Experimental at the top                                                                              | new page | Claude     | P2  | 66    | Open   |
| 4812 | Hyper stopped: deep link opens it directly                                                                                   | new page | Claude     | P2  | 66    | Open   |
| 4813 | Hyper stopped: checked in dark mode, with no hard coded white or black                                                       | new page | Claude     | P2  | 66    | Open   |
| 4814 | Hyper stopped: Urdu text for every string, by a translator                                                                   | new page | Translator | P2  | H4    | Open   |
| 4815 | Hyper stopped: right to left layout checked with the Urdu text                                                               | new page | Claude     | P2  | 66    | Open   |
| 4816 | Hyper stopped: usable at the largest system text size, with nothing cut off                                                  | new page | Claude     | P2  | 66    | Open   |
| 4817 | Hyper stopped: usable at 320 pixels wide                                                                                     | new page | Claude     | P2  | 66    | Open   |
| 4818 | Hyper stopped: every control named for screen readers, in a logical focus order                                              | new page | Claude     | P2  | 66    | Open   |
| 4819 | Hyper stopped: contrast of every text and control checked                                                                    | new page | Claude     | P2  | 66    | Open   |
| 4820 | Hyper stopped: screen view and main action recorded, with no personal data in the events                                     | new page | Claude     | P2  | 66    | Open   |
| 4821 | Hyper stopped: visual regression snapshot at three widths                                                                    | new page | Claude     | P2  | 66    | Open   |
| 4822 | Hyper stopped: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels        | new page | Claude     | P2  | 66    | Open   |

## AC24. Administration Console

Pages for Halqa's own operations, used on a computer.

| #    | Item                                                                                                            | Where | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 4823 | Administration, circles at risk: laid out for a desktop screen                                                  | admin | Claude | P2  | 66    | Open   |
| 4824 | Administration, circles at risk: loading state                                                                  | admin | Claude | P2  | 66    | Open   |
| 4825 | Administration, circles at risk: error state with a retry                                                       | admin | Claude | P2  | 66    | Open   |
| 4826 | Administration, circles at risk: empty state                                                                    | admin | Claude | P2  | 66    | Open   |
| 4827 | Administration, circles at risk: filters and sorting                                                            | admin | Claude | P2  | 66    | Open   |
| 4828 | Administration, circles at risk: pages loaded in turn, with a count                                             | admin | Claude | P2  | 66    | Open   |
| 4829 | Administration, circles at risk: open only to named administrators, with every view and action logged           | admin | Claude | P2  | 66    | Open   |
| 4830 | Administration, circles at risk: export of the current view                                                     | admin | Claude | P2  | 66    | Open   |
| 4831 | Administration, circles at risk: end to end test                                                                | admin | Claude | P2  | 66    | Open   |
| 4832 | Administration, reconciliation exceptions: laid out for a desktop screen                                        | admin | Claude | P2  | 66    | Open   |
| 4833 | Administration, reconciliation exceptions: loading state                                                        | admin | Claude | P2  | 66    | Open   |
| 4834 | Administration, reconciliation exceptions: error state with a retry                                             | admin | Claude | P2  | 66    | Open   |
| 4835 | Administration, reconciliation exceptions: empty state                                                          | admin | Claude | P2  | 66    | Open   |
| 4836 | Administration, reconciliation exceptions: filters and sorting                                                  | admin | Claude | P2  | 66    | Open   |
| 4837 | Administration, reconciliation exceptions: pages loaded in turn, with a count                                   | admin | Claude | P2  | 66    | Open   |
| 4838 | Administration, reconciliation exceptions: open only to named administrators, with every view and action logged | admin | Claude | P2  | 66    | Open   |
| 4839 | Administration, reconciliation exceptions: export of the current view                                           | admin | Claude | P2  | 66    | Open   |
| 4840 | Administration, reconciliation exceptions: end to end test                                                      | admin | Claude | P2  | 66    | Open   |
| 4841 | Administration, identity queue: laid out for a desktop screen                                                   | admin | Claude | P2  | 66    | Open   |
| 4842 | Administration, identity queue: loading state                                                                   | admin | Claude | P2  | 66    | Open   |
| 4843 | Administration, identity queue: error state with a retry                                                        | admin | Claude | P2  | 66    | Open   |
| 4844 | Administration, identity queue: empty state                                                                     | admin | Claude | P2  | 66    | Open   |
| 4845 | Administration, identity queue: filters and sorting                                                             | admin | Claude | P2  | 66    | Open   |
| 4846 | Administration, identity queue: pages loaded in turn, with a count                                              | admin | Claude | P2  | 66    | Open   |
| 4847 | Administration, identity queue: open only to named administrators, with every view and action logged            | admin | Claude | P2  | 66    | Open   |
| 4848 | Administration, identity queue: export of the current view                                                      | admin | Claude | P2  | 66    | Open   |
| 4849 | Administration, identity queue: end to end test                                                                 | admin | Claude | P2  | 66    | Open   |
| 4850 | Administration, dispute queue: laid out for a desktop screen                                                    | admin | Claude | P2  | 66    | Open   |
| 4851 | Administration, dispute queue: loading state                                                                    | admin | Claude | P2  | 66    | Open   |

| #    | Item                                                                                                   | Where | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 4852 | Administration, dispute queue: error state with a retry                                                | admin | Claude | P2  | 66    | Open   |
| 4853 | Administration, dispute queue: empty state                                                             | admin | Claude | P2  | 66    | Open   |
| 4854 | Administration, dispute queue: filters and sorting                                                     | admin | Claude | P2  | 66    | Open   |
| 4855 | Administration, dispute queue: pages loaded in turn, with a count                                      | admin | Claude | P2  | 66    | Open   |
| 4856 | Administration, dispute queue: open only to named administrators, with every view and action logged    | admin | Claude | P2  | 66    | Open   |
| 4857 | Administration, dispute queue: export of the current view                                              | admin | Claude | P2  | 66    | Open   |
| 4858 | Administration, dispute queue: end to end test                                                         | admin | Claude | P2  | 66    | Open   |
| 4859 | Administration, mandate failures: laid out for a desktop screen                                        | admin | Claude | P2  | 66    | Open   |
| 4860 | Administration, mandate failures: loading state                                                        | admin | Claude | P2  | 66    | Open   |
| 4861 | Administration, mandate failures: error state with a retry                                             | admin | Claude | P2  | 66    | Open   |
| 4862 | Administration, mandate failures: empty state                                                          | admin | Claude | P2  | 66    | Open   |
| 4863 | Administration, mandate failures: filters and sorting                                                  | admin | Claude | P2  | 66    | Open   |
| 4864 | Administration, mandate failures: pages loaded in turn, with a count                                   | admin | Claude | P2  | 66    | Open   |
| 4865 | Administration, mandate failures: open only to named administrators, with every view and action logged | admin | Claude | P2  | 66    | Open   |
| 4866 | Administration, mandate failures: export of the current view                                           | admin | Claude | P2  | 66    | Open   |
| 4867 | Administration, mandate failures: end to end test                                                      | admin | Claude | P2  | 66    | Open   |
| 4868 | Administration, complaints queue: laid out for a desktop screen                                        | admin | Claude | P2  | 66    | Open   |
| 4869 | Administration, complaints queue: loading state                                                        | admin | Claude | P2  | 66    | Open   |
| 4870 | Administration, complaints queue: error state with a retry                                             | admin | Claude | P2  | 66    | Open   |
| 4871 | Administration, complaints queue: empty state                                                          | admin | Claude | P2  | 66    | Open   |
| 4872 | Administration, complaints queue: filters and sorting                                                  | admin | Claude | P2  | 66    | Open   |
| 4873 | Administration, complaints queue: pages loaded in turn, with a count                                   | admin | Claude | P2  | 66    | Open   |
| 4874 | Administration, complaints queue: open only to named administrators, with every view and action logged | admin | Claude | P2  | 66    | Open   |
| 4875 | Administration, complaints queue: export of the current view                                           | admin | Claude | P2  | 66    | Open   |
| 4876 | Administration, complaints queue: end to end test                                                      | admin | Claude | P2  | 66    | Open   |
| 4877 | Administration, fraud queue: laid out for a desktop screen                                             | admin | Claude | P2  | 66    | Open   |
| 4878 | Administration, fraud queue: loading state                                                             | admin | Claude | P2  | 66    | Open   |
| 4879 | Administration, fraud queue: error state with a retry                                                  | admin | Claude | P2  | 66    | Open   |
| 4880 | Administration, fraud queue: empty state                                                               | admin | Claude | P2  | 66    | Open   |
| 4881 | Administration, fraud queue: filters and sorting                                                       | admin | Claude | P2  | 66    | Open   |
| 4882 | Administration, fraud queue: pages loaded in turn, with a count                                        | admin | Claude | P2  | 66    | Open   |

| #    | Item                                                                                                     | Where | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 4883 | Administration, fraud queue: open only to named administrators, with every view and action logged        | admin | Claude | P2  | 66    | Open   |
| 4884 | Administration, fraud queue: export of the current view                                                  | admin | Claude | P2  | 66    | Open   |
| 4885 | Administration, fraud queue: end to end test                                                             | admin | Claude | P2  | 66    | Open   |
| 4886 | Administration, collections queue: laid out for a desktop screen                                         | admin | Claude | P2  | 66    | Open   |
| 4887 | Administration, collections queue: loading state                                                         | admin | Claude | P2  | 66    | Open   |
| 4888 | Administration, collections queue: error state with a retry                                              | admin | Claude | P2  | 66    | Open   |
| 4889 | Administration, collections queue: empty state                                                           | admin | Claude | P2  | 66    | Open   |
| 4890 | Administration, collections queue: filters and sorting                                                   | admin | Claude | P2  | 66    | Open   |
| 4891 | Administration, collections queue: pages loaded in turn, with a count                                    | admin | Claude | P2  | 67    | Open   |
| 4892 | Administration, collections queue: open only to named administrators, with every view and action logged  | admin | Claude | P2  | 67    | Open   |
| 4893 | Administration, collections queue: export of the current view                                            | admin | Claude | P2  | 67    | Open   |
| 4894 | Administration, collections queue: end to end test                                                       | admin | Claude | P2  | 67    | Open   |
| 4895 | Administration, marketplace orders: laid out for a desktop screen                                        | admin | Claude | P2  | 67    | Open   |
| 4896 | Administration, marketplace orders: loading state                                                        | admin | Claude | P2  | 67    | Open   |
| 4897 | Administration, marketplace orders: error state with a retry                                             | admin | Claude | P2  | 67    | Open   |
| 4898 | Administration, marketplace orders: empty state                                                          | admin | Claude | P2  | 67    | Open   |
| 4899 | Administration, marketplace orders: filters and sorting                                                  | admin | Claude | P2  | 67    | Open   |
| 4900 | Administration, marketplace orders: pages loaded in turn, with a count                                   | admin | Claude | P2  | 67    | Open   |
| 4901 | Administration, marketplace orders: open only to named administrators, with every view and action logged | admin | Claude | P2  | 67    | Open   |
| 4902 | Administration, marketplace orders: export of the current view                                           | admin | Claude | P2  | 67    | Open   |
| 4903 | Administration, marketplace orders: end to end test                                                      | admin | Claude | P2  | 67    | Open   |
| 4904 | Administration, points liability: laid out for a desktop screen                                          | admin | Claude | P2  | 67    | Open   |
| 4905 | Administration, points liability: loading state                                                          | admin | Claude | P2  | 67    | Open   |
| 4906 | Administration, points liability: error state with a retry                                               | admin | Claude | P2  | 67    | Open   |
| 4907 | Administration, points liability: empty state                                                            | admin | Claude | P2  | 67    | Open   |
| 4908 | Administration, points liability: filters and sorting                                                    | admin | Claude | P2  | 67    | Open   |
| 4909 | Administration, points liability: pages loaded in turn, with a count                                     | admin | Claude | P2  | 67    | Open   |
| 4910 | Administration, points liability: open only to named administrators, with every view and action logged   | admin | Claude | P2  | 67    | Open   |
| 4911 | Administration, points liability: export of the current view                                             | admin | Claude | P2  | 67    | Open   |
| 4912 | Administration, points liability: end to end test                                                        | admin | Claude | P2  | 67    | Open   |
| 4913 | Administration, reports to the bank: laid out for a desktop screen                                       | admin | Claude | P2  | 67    | Open   |



| #    | Item                                                                                                            | Where | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 4914 | Administration, reports to the bank: loading state                                                              | admin | Claude | P2  | 67    | Open   |
| 4915 | Administration, reports to the bank: error state with a retry                                                   | admin | Claude | P2  | 67    | Open   |
| 4916 | Administration, reports to the bank: empty state                                                                | admin | Claude | P2  | 67    | Open   |
| 4917 | Administration, reports to the bank: filters and sorting                                                        | admin | Claude | P2  | 67    | Open   |
| 4918 | Administration, reports to the bank: pages loaded in turn, with a count                                         | admin | Claude | P2  | 67    | Open   |
| 4919 | Administration, reports to the bank: open only to named administrators, with every view and action logged       | admin | Claude | P2  | 67    | Open   |
| 4920 | Administration, reports to the bank: export of the current view                                                 | admin | Claude | P2  | 67    | Open   |
| 4921 | Administration, reports to the bank: end to end test                                                            | admin | Claude | P2  | 67    | Open   |
| 4922 | Administration, partner connection status: laid out for a desktop screen                                        | admin | Claude | P2  | 67    | Open   |
| 4923 | Administration, partner connection status: loading state                                                        | admin | Claude | P2  | 67    | Open   |
| 4924 | Administration, partner connection status: error state with a retry                                             | admin | Claude | P2  | 67    | Open   |
| 4925 | Administration, partner connection status: empty state                                                          | admin | Claude | P2  | 67    | Open   |
| 4926 | Administration, partner connection status: filters and sorting                                                  | admin | Claude | P2  | 67    | Open   |
| 4927 | Administration, partner connection status: pages loaded in turn, with a count                                   | admin | Claude | P2  | 67    | Open   |
| 4928 | Administration, partner connection status: open only to named administrators, with every view and action logged | admin | Claude | P2  | 67    | Open   |
| 4929 | Administration, partner connection status: export of the current view                                           | admin | Claude | P2  | 67    | Open   |
| 4930 | Administration, partner connection status: end to end test                                                      | admin | Claude | P2  | 67    | Open   |
| 4931 | Administration, feature switches: laid out for a desktop screen                                                 | admin | Claude | P2  | 67    | Open   |
| 4932 | Administration, feature switches: loading state                                                                 | admin | Claude | P2  | 67    | Open   |
| 4933 | Administration, feature switches: error state with a retry                                                      | admin | Claude | P2  | 67    | Open   |
| 4934 | Administration, feature switches: empty state                                                                   | admin | Claude | P2  | 67    | Open   |
| 4935 | Administration, feature switches: filters and sorting                                                           | admin | Claude | P2  | 67    | Open   |
| 4936 | Administration, feature switches: pages loaded in turn, with a count                                            | admin | Claude | P2  | 67    | Open   |
| 4937 | Administration, feature switches: open only to named administrators, with every view and action logged          | admin | Claude | P2  | 67    | Open   |
| 4938 | Administration, feature switches: export of the current view                                                    | admin | Claude | P2  | 67    | Open   |
| 4939 | Administration, feature switches: end to end test                                                               | admin | Claude | P2  | 67    | Open   |
| 4940 | Administration, audit log viewer: laid out for a desktop screen                                                 | admin | Claude | P2  | 67    | Open   |
| 4941 | Administration, audit log viewer: loading state                                                                 | admin | Claude | P2  | 67    | Open   |
| 4942 | Administration, audit log viewer: error state with a retry                                                      | admin | Claude | P2  | 67    | Open   |
| 4943 | Administration, audit log viewer: empty state                                                                   | admin | Claude | P2  | 67    | Open   |
| 4944 | Administration, audit log viewer: filters and sorting                                                           | admin | Claude | P2  | 67    | Open   |

| #    | Item                                                                                                   | Where | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 4945 | Administration, audit log viewer: pages loaded in turn, with a count                                   | admin | Claude | P2  | 67    | Open   |
| 4946 | Administration, audit log viewer: open only to named administrators, with every view and action logged | admin | Claude | P2  | 67    | Open   |
| 4947 | Administration, audit log viewer: export of the current view                                           | admin | Claude | P2  | 67    | Open   |
| 4948 | Administration, audit log viewer: end to end test                                                      | admin | Claude | P2  | 67    | Open   |
| 4949 | Administration, member lookup: laid out for a desktop screen                                           | admin | Claude | P2  | 67    | Open   |
| 4950 | Administration, member lookup: loading state                                                           | admin | Claude | P2  | 67    | Open   |
| 4951 | Administration, member lookup: error state with a retry                                                | admin | Claude | P2  | 67    | Open   |
| 4952 | Administration, member lookup: empty state                                                             | admin | Claude | P2  | 67    | Open   |
| 4953 | Administration, member lookup: filters and sorting                                                     | admin | Claude | P2  | 67    | Open   |
| 4954 | Administration, member lookup: pages loaded in turn, with a count                                      | admin | Claude | P2  | 67    | Open   |
| 4955 | Administration, member lookup: open only to named administrators, with every view and action logged    | admin | Claude | P2  | 67    | Open   |
| 4956 | Administration, member lookup: export of the current view                                              | admin | Claude | P2  | 67    | Open   |
| 4957 | Administration, member lookup: end to end test                                                         | admin | Claude | P2  | 67    | Open   |

## AD. Fields

Each field a member or host fills in, with its rule and message, its Urdu text, its input set up and its tests.

### AD1. Sign up and sign in

| #    | Item                                                                                                                                                                                                                   | Where | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 4958 | Phone number entry, mobile number: rule: ten digits after a fixed +92, starting with 3; message: "Enter a mobile number like 300 1234567"                                                                              | field | Claude     | P0  |       | Done   |
| 4959 | Phone number entry, mobile number: Urdu label, hint and message, by a translator                                                                                                                                       | field | Translator | P0  | H4    | Open   |
| 4960 | Phone number entry, mobile number: input set up: numeric keypad, telephone autofill, grouped as typed                                                                                                                  | field | Claude     | P0  | 10    | Open   |
| 4961 | Phone number entry, mobile number: tests for a valid value, an invalid value and each boundary                                                                                                                         | tests | Claude     | P0  |       | Done   |
| 4962 | Passcode entry, code: rule: six digits, valid for five minutes, five attempts before a new code is needed; message: "That code is not right. Check the message or send a new one"                                      | field | Claude     | P0  |       | Done   |
| 4963 | Passcode entry, code: Urdu label, hint and message, by a translator                                                                                                                                                    | field | Translator | P0  | H4    | Open   |
| 4964 | Passcode entry, code: input set up: one time code autofill, numeric keypad, paste accepted                                                                                                                             | field | Claude     | P0  | 10    | Open   |
| 4965 | Passcode entry, code: tests for a valid value, an invalid value and each boundary                                                                                                                                      | tests | Claude     | P0  |       | Done   |
| 4966 | Set the application PIN, PIN: rule: six digits (the code accepts four to six today), refusing repeated and sequential digits such as 111111 and 123456; message: "Choose six digits that are not in a row or repeated" | field | Claude     | P0  |       | Done   |
| 4967 | Set the application PIN, PIN: Urdu label, hint and message, by a translator                                                                                                                                            | field | Translator | P0  | H4    | Open   |

| #    | Item                                                                                                                                                               | Where | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 4968 | Set the application PIN, PIN: tests for a valid value, an invalid value and each boundary                                                                          | tests | Claude     | P0  |       | Done   |
| 4969 | Confirm the application PIN, PIN again: rule: the same six digits as before; message: "The two PINs do not match. Try again"                                       | field | Claude     | P0  |       | Done   |
| 4970 | Confirm the application PIN, PIN again: Urdu label, hint and message, by a translator                                                                              | field | Translator | P0  | H4    | Open   |
| 4971 | Confirm the application PIN, PIN again: tests for a valid value, an invalid value and each boundary                                                                | tests | Claude     | P0  |       | Done   |
| 4972 | Forgotten PIN recovery, new PIN: rule: six digits, after a fresh code to the registered number; message: "Choose six digits that are not in a row or repeated"     | field | Claude     | P0  |       | Done   |
| 4973 | Forgotten PIN recovery, new PIN: Urdu label, hint and message, by a translator                                                                                     | field | Translator | P0  | H4    | Open   |
| 4974 | Forgotten PIN recovery, new PIN: input set up: full screen numeric keypad                                                                                          | field | Claude     | P0  | 10    | Open   |
| 4975 | Forgotten PIN recovery, new PIN: tests for a valid value, an invalid value and each boundary                                                                       | tests | Claude     | P0  |       | Done   |
| 4976 | Sign in, mobile number: rule: a registered number; message: "No account uses this number. Create an account instead"                                               | field | Claude     | P0  |       | Done   |
| 4977 | Sign in, mobile number: Urdu label, hint and message, by a translator                                                                                              | field | Translator | P0  | H4    | Open   |
| 4978 | Sign in, mobile number: input set up: numeric keypad, telephone autofill                                                                                           | field | Claude     | P0  | 10    | Open   |
| 4979 | Sign in, mobile number: tests for a valid value, an invalid value and each boundary                                                                                | tests | Claude     | P0  |       | Done   |
| 4980 | Sign in, PIN: rule: six digits, five attempts, then a wait of fifteen minutes and a code to unlock; message: "Wrong PIN. Attempts left: the number"                | field | Claude     | P0  |       | Done   |
| 4981 | Sign in, PIN: Urdu label, hint and message, by a translator                                                                                                        | field | Translator | P0  | H4    | Open   |
| 4982 | Sign in, PIN: input set up: full screen numeric keypad                                                                                                             | field | Claude     | P0  | 10    | Open   |
| 4983 | Sign in, PIN: tests for a valid value, an invalid value and each boundary                                                                                          | tests | Claude     | P0  |       | Done   |
| 4984 | Name and date of birth, full name: rule: as on the CNIC: letters, spaces and full stops, 3 to 60 characters; message: "Enter your name as it appears on your CNIC" | field | Claude     | P0  |       | Done   |
| 4985 | Name and date of birth, full name: Urdu label, hint and message, by a translator                                                                                   | field | Translator | P0  | H4    | Open   |
| 4986 | Name and date of birth, full name: input set up: name autofill, words capitalised                                                                                  | field | Claude     | P0  | 10    | Open   |
| 4987 | Name and date of birth, full name: tests for a valid value, an invalid value and each boundary                                                                     | tests | Claude     | P0  |       | Done   |
| 4988 | Name and date of birth, date of birth: rule: aged 18 or over today; message: "Halqa is for members aged 18 and over"                                               | field | Claude     | P0  |       | Done   |
| 4989 | Name and date of birth, date of birth: Urdu label, hint and message, by a translator                                                                               | field | Translator | P0  | H4    | Open   |
| 4990 | Name and date of birth, date of birth: input set up: date picker with typed entry                                                                                  | field | Claude     | P0  | 10    | Open   |
| 4991 | Name and date of birth, date of birth: tests for a valid value, an invalid value and each boundary                                                                 | tests | Claude     | P0  |       | Done   |
| 4992 | Address and city, address: rule: 5 to 120 characters; message: "Enter your home address"                                                                           | field | Claude     | P1  |       | Done   |
| 4993 | Address and city, address: Urdu label, hint and message, by a translator                                                                                           | field | Translator | P1  | H4    | Open   |
| 4994 | Address and city, address: input set up: street address autofill                                                                                                   | field | Claude     | P1  | 34    | Open   |

| #    | Item                                                                                                                                                                     | Where | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 4995 | Address and city, address: tests for a valid value, an invalid value and each boundary                                                                                   | tests | Claude     | P1  |       | Done   |
| 4996 | Address and city, city: rule: chosen from the list of cities; message: "Choose your city"                                                                                | field | Claude     | P1  |       | Done   |
| 4997 | Address and city, city: Urdu label, hint and message, by a translator                                                                                                    | field | Translator | P1  | H4    | Open   |
| 4998 | Address and city, city: input set up: searchable list                                                                                                                    | field | Claude     | P1  | 34    | Open   |
| 4999 | Address and city, city: tests for a valid value, an invalid value and each boundary                                                                                      | tests | Claude     | P1  |       | Done   |
| 5000 | Address and city, province: rule: chosen from the list, set from the city where possible; message: "Choose your province"                                                | field | Claude     | P1  |       | Done   |
| 5001 | Address and city, province: Urdu label, hint and message, by a translator                                                                                                | field | Translator | P1  | H4    | Open   |
| 5002 | Address and city, province: input set up: list                                                                                                                           | field | Claude     | P1  | 34    | Open   |
| 5003 | Address and city, province: tests for a valid value, an invalid value and each boundary                                                                                  | tests | Claude     | P1  |       | Done   |
| 5004 | Occupation and employer, occupation: rule: chosen from the list, with Other and a short description; message: "Choose your occupation"                                   | field | Claude     | P1  |       | Done   |
| 5005 | Occupation and employer, occupation: Urdu label, hint and message, by a translator                                                                                       | field | Translator | P1  | H4    | Open   |
| 5006 | Occupation and employer, occupation: input set up: searchable list                                                                                                       | field | Claude     | P1  | 34    | Open   |
| 5007 | Occupation and employer, occupation: tests for a valid value, an invalid value and each boundary                                                                         | tests | Claude     | P1  |       | Done   |
| 5008 | Occupation and employer, employer: rule: 2 to 80 characters, optional for the self employed; message: "Enter your employer's name"                                       | field | Claude     | P1  |       | Done   |
| 5009 | Occupation and employer, employer: Urdu label, hint and message, by a translator                                                                                         | field | Translator | P1  | H4    | Open   |
| 5010 | Occupation and employer, employer: input set up: organisation autofill                                                                                                   | field | Claude     | P1  | 34    | Open   |
| 5011 | Occupation and employer, employer: tests for a valid value, an invalid value and each boundary                                                                           | tests | Claude     | P1  |       | Done   |
| 5012 | Income declaration, monthly income: rule: whole rupees from Rs 1,000 to Rs 10,000,000; message: "Enter your monthly income in rupees"                                    | field | Claude     | P1  |       | Done   |
| 5013 | Income declaration, monthly income: Urdu label, hint and message, by a translator                                                                                        | field | Translator | P1  | H4    | Open   |
| 5014 | Income declaration, monthly income: input set up: numeric keypad, grouped as typed                                                                                       | field | Claude     | P1  | 34    | Open   |
| 5015 | Income declaration, monthly income: tests for a valid value, an invalid value and each boundary                                                                          | tests | Claude     | P1  |       | Done   |
| 5016 | Income declaration, income source: rule: salary, business, daily wages, remittance, pension or other; message: "Choose where your income comes from"                     | field | Claude     | P1  |       | Done   |
| 5017 | Income declaration, income source: Urdu label, hint and message, by a translator                                                                                         | field | Translator | P1  | H4    | Open   |
| 5018 | Income declaration, income source: input set up: single choice list                                                                                                      | field | Claude     | P1  | 34    | Open   |
| 5019 | Income declaration, income source: tests for a valid value, an invalid value and each boundary                                                                           | tests | Claude     | P1  |       | Done   |
| 5020 | Income verification upload, statement file: rule: PDF, JPG or PNG, at most 5 MB, covering the last three months; message: "Upload a statement for the last three months" | field | Claude     | P1  |       | Done   |
| 5021 | Income verification upload, statement file: Urdu label, hint and message, by a translator                                                                                | field | Translator | P1  | H4    | Open   |

| #    | Item                                                                                                                                                                                            | Where | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5022 | Income verification upload, statement file: input set up: file picker and camera                                                                                                                | field | Claude     | P1  | 34    | Open   |
| 5023 | Income verification upload, statement file: tests for a valid value, an invalid value and each boundary                                                                                         | tests | Claude     | P1  |       | Done   |
| 5024 | Bank account opening consent, consent to share data with the bank: rule: ticked before the bank's screens open; message: "Allow Halqa to share your details with the bank to open your account" | field | Claude     | P0  |       | Done   |
| 5025 | Bank account opening consent, consent to share data with the bank: Urdu label, hint and message, by a translator                                                                                | field | Translator | P0  | H4    | Open   |
| 5026 | Bank account opening consent, consent to share data with the bank: input set up: check box with the text beside it                                                                              | field | Claude     | P0  | 10    | Open   |
| 5027 | Bank account opening consent, consent to share data with the bank: tests for a valid value, an invalid value and each boundary                                                                  | tests | Claude     | P0  |       | Done   |

## AD2. Identity

| #    | Item                                                                                                                                                                | Where | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5028 | CNIC manual entry, CNIC number: rule: thirteen digits in the form 00000-0000000-0; message: "Enter the 13 digits on your CNIC"                                      | field | Claude     | P0  |       | Done   |
| 5029 | CNIC manual entry, CNIC number: Urdu label, hint and message, by a translator                                                                                       | field | Translator | P0  | H4    | Open   |
| 5030 | CNIC manual entry, CNIC number: input set up: numeric keypad, grouped as typed                                                                                      | field | Claude     | P0  | 10    | Open   |
| 5031 | CNIC manual entry, CNIC number: tests for a valid value, an invalid value and each boundary                                                                         | tests | Claude     | P0  |       | Done   |
| 5032 | CNIC manual entry, issue date: rule: before today; message: "Enter the date your CNIC was issued"                                                                   | field | Claude     | P0  |       | Done   |
| 5033 | CNIC manual entry, issue date: Urdu label, hint and message, by a translator                                                                                        | field | Translator | P0  | H4    | Open   |
| 5034 | CNIC manual entry, issue date: input set up: date picker                                                                                                            | field | Claude     | P0  | 10    | Open   |
| 5035 | CNIC manual entry, issue date: tests for a valid value, an invalid value and each boundary                                                                          | tests | Claude     | P0  |       | Done   |
| 5036 | CNIC manual entry, expiry date: rule: after today, or Lifetime; message: "Your CNIC has expired. Renew it before joining"                                           | field | Claude     | P0  |       | Done   |
| 5037 | CNIC manual entry, expiry date: Urdu label, hint and message, by a translator                                                                                       | field | Translator | P0  | H4    | Open   |
| 5038 | CNIC manual entry, expiry date: input set up: date picker with a Lifetime option                                                                                    | field | Claude     | P0  | 10    | Open   |
| 5039 | CNIC manual entry, expiry date: tests for a valid value, an invalid value and each boundary                                                                         | tests | Claude     | P0  |       | Done   |
| 5040 | CNIC review before submission, confirmation: rule: each read value confirmed or corrected; message: "Check each detail before you continue"                         | field | Claude     | P0  |       | Done   |
| 5041 | CNIC review before submission, confirmation: Urdu label, hint and message, by a translator                                                                          | field | Translator | P0  | H4    | Open   |
| 5042 | CNIC review before submission, confirmation: input set up: editable fields beside the captured image                                                                | field | Claude     | P0  | 10    | Open   |
| 5043 | CNIC review before submission, confirmation: tests for a valid value, an invalid value and each boundary                                                            | tests | Claude     | P0  |       | Done   |
| 5044 | Bureau instruction, instruction to the bureau: rule: ticked, naming the bureau and the purpose; message: "Allow Halqa to request your report from the bureau named" | field | Claude     | P1  |       | Done   |
| 5045 | Bureau instruction, instruction to the bureau: Urdu label, hint and message, by a translator                                                                        | field | Translator | P1  | H4    | Open   |

| #    | Item                                                                                                       | Where | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 5046 | Bureau instruction, instruction to the bureau: input set up: check box with the full text                  | field | Claude | P1  | 34    | Open   |
| 5047 | Bureau instruction, instruction to the bureau: tests for a valid value, an invalid value and each boundary | tests | Claude | P1  |       | Done   |

### AD3. Accounts and payment routes

| #    | Item                                                                                                                                                                                                                    | Where | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5048 | Add a bank account, bank: rule: chosen from the list of banks; message: "Choose your bank"                                                                                                                              | field | Claude     | P1  |       | Done   |
| 5049 | Add a bank account, bank: Urdu label, hint and message, by a translator                                                                                                                                                 | field | Translator | P1  | H4    | Open   |
| 5050 | Add a bank account, bank: input set up: searchable list                                                                                                                                                                 | field | Claude     | P1  | 34    | Open   |
| 5051 | Add a bank account, bank: tests for a valid value, an invalid value and each boundary                                                                                                                                   | tests | Claude     | P1  |       | Done   |
| 5052 | Add a bank account, IBAN: rule: PK, two check digits, four letters for the bank and sixteen digits, 24 characters, passing the IBAN check; message: "Enter the 24 character IBAN, for example PK36SCBL0000001123456702" | field | Claude     | P1  |       | Done   |
| 5053 | Add a bank account, IBAN: Urdu label, hint and message, by a translator                                                                                                                                                 | field | Translator | P1  | H4    | Open   |
| 5054 | Add a bank account, IBAN: input set up: upper case, grouped in fours, paste accepted                                                                                                                                    | field | Claude     | P1  | 34    | Open   |
| 5055 | Add a bank account, IBAN: tests for a valid value, an invalid value and each boundary                                                                                                                                   | tests | Claude     | P1  |       | Done   |
| 5056 | Add a wallet account, wallet provider: rule: chosen from the list of wallets; message: "Choose your wallet"                                                                                                             | field | Claude     | P1  |       | Done   |
| 5057 | Add a wallet account, wallet provider: Urdu label, hint and message, by a translator                                                                                                                                    | field | Translator | P1  | H4    | Open   |
| 5058 | Add a wallet account, wallet provider: input set up: list                                                                                                                                                               | field | Claude     | P1  | 34    | Open   |
| 5059 | Add a wallet account, wallet provider: tests for a valid value, an invalid value and each boundary                                                                                                                      | tests | Claude     | P1  |       | Done   |
| 5060 | Add a wallet account, wallet number: rule: a mobile number registered with that wallet; message: "Enter the mobile number of your wallet"                                                                               | field | Claude     | P1  |       | Done   |
| 5061 | Add a wallet account, wallet number: Urdu label, hint and message, by a translator                                                                                                                                      | field | Translator | P1  | H4    | Open   |
| 5062 | Add a wallet account, wallet number: input set up: numeric keypad                                                                                                                                                       | field | Claude     | P1  | 34    | Open   |
| 5063 | Add a wallet account, wallet number: tests for a valid value, an invalid value and each boundary                                                                                                                        | tests | Claude     | P1  |       | Done   |
| 5064 | Set the default collection account, default account: rule: one of the verified linked accounts; message: "Choose one account for collections"                                                                           | field | Claude     | P1  |       | Done   |
| 5065 | Set the default collection account, default account: Urdu label, hint and message, by a translator                                                                                                                      | field | Translator | P1  | H4    | Open   |
| 5066 | Set the default collection account, default account: input set up: single choice list                                                                                                                                   | field | Claude     | P1  | 34    | Open   |
| 5067 | Set the default collection account, default account: tests for a valid value, an invalid value and each boundary                                                                                                        | tests | Claude     | P1  |       | Done   |
| 5068 | Authorise a mandate, account: rule: a verified account at the partner bank; message: "Choose the account the instalment comes from"                                                                                     | field | Claude     | P0  |       | Done   |
| 5069 | Authorise a mandate, account: Urdu label, hint and message, by a translator                                                                                                                                             | field | Translator | P0  | H4    | Open   |
| 5070 | Authorise a mandate, account: input set up: single choice list                                                                                                                                                          | field | Claude     | P0  | 10    | Open   |

| #    | Item                                                                                                                                                                                              | Where | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5071 | Authorise a mandate, account: tests for a valid value, an invalid value and each boundary                                                                                                         | tests | Claude     | P0  |       | Done   |
| 5072 | Authorise a mandate, ceiling: rule: at most one instalment; message: "The ceiling cannot be more than one instalment"                                                                             | field | Claude     | P0  |       | Done   |
| 5073 | Authorise a mandate, ceiling: Urdu label, hint and message, by a translator                                                                                                                       | field | Translator | P0  | H4    | Open   |
| 5074 | Authorise a mandate, ceiling: input set up: read only, shown in rupees                                                                                                                            | field | Claude     | P0  | 10    | Open   |
| 5075 | Authorise a mandate, ceiling: tests for a valid value, an invalid value and each boundary                                                                                                         | tests | Claude     | P0  |       | Done   |
| 5076 | Authorise a mandate, consent: rule: ticked against the mandate terms; message: "Read and accept the mandate terms to continue"                                                                    | field | Claude     | P0  |       | Done   |
| 5077 | Authorise a mandate, consent: Urdu label, hint and message, by a translator                                                                                                                       | field | Translator | P0  | H4    | Open   |
| 5078 | Authorise a mandate, consent: input set up: check box with a link to the terms                                                                                                                    | field | Claude     | P0  | 10    | Open   |
| 5079 | Authorise a mandate, consent: tests for a valid value, an invalid value and each boundary                                                                                                         | tests | Claude     | P0  |       | Done   |
| 5080 | Change a mandate ceiling, new ceiling: rule: at least the instalment and at most one instalment of a larger circle the member holds; message: "The ceiling must cover one instalment and no more" | field | Claude     | P1  |       | Done   |
| 5081 | Change a mandate ceiling, new ceiling: Urdu label, hint and message, by a translator                                                                                                              | field | Translator | P1  | H4    | Open   |
| 5082 | Change a mandate ceiling, new ceiling: input set up: numeric keypad                                                                                                                               | field | Claude     | P1  | 35    | Open   |
| 5083 | Change a mandate ceiling, new ceiling: tests for a valid value, an invalid value and each boundary                                                                                                | tests | Claude     | P1  |       | Done   |
| 5084 | Cancel a mandate, confirmation: rule: the consequence read and confirmed; message: "Confirm that you will pay each instalment yourself"                                                           | field | Claude     | P0  |       | Done   |
| 5085 | Cancel a mandate, confirmation: Urdu label, hint and message, by a translator                                                                                                                     | field | Translator | P0  | H4    | Open   |
| 5086 | Cancel a mandate, confirmation: input set up: confirmation with the consequence stated                                                                                                            | field | Claude     | P0  | 10    | Open   |
| 5087 | Cancel a mandate, confirmation: tests for a valid value, an invalid value and each boundary                                                                                                       | tests | Claude     | P0  |       | Done   |

#### AD4. Circles

| #    | Item                                                                                                                                                         | Where | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5088 | Create a circle, circle name: rule: 3 to 40 characters, not used by the host's other active circles; message: "Give the circle a name of 3 to 40 characters" | field | Claude     | P1  |       | Done   |
| 5089 | Create a circle, circle name: Urdu label, hint and message, by a translator                                                                                  | field | Translator | P1  | H4    | Open   |
| 5090 | Create a circle, circle name: input set up: text, words capitalised                                                                                          | field | Claude     | P1  | 35    | Open   |
| 5091 | Create a circle, circle name: tests for a valid value, an invalid value and each boundary                                                                    | tests | Claude     | P1  |       | Done   |
| 5092 | Create a circle, circle type: rule: Known, Unknown, Large unknown, Asset, UAE family on Mashreq, or Hyper; message: "Choose the kind of circle"              | field | Claude     | P1  |       | Done   |
| 5093 | Create a circle, circle type: Urdu label, hint and message, by a translator                                                                                  | field | Translator | P1  | H4    | Open   |
| 5094 | Create a circle, circle type: input set up: cards to choose from                                                                                             | field | Claude     | P1  | 35    | Open   |

| #    | Item                                                                                                                                                                                                                                      | Where | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5095 | Create a circle, circle type: tests for a valid value, an invalid value and each boundary                                                                                                                                                 | tests | Claude     | P1  |       | Done   |
| 5096 | Create a circle, instalment: rule: within the type's range: Rs 2,000 to 10,000 for Known and Unknown, Rs 10,000 to 25,000 for Large unknown, in steps of Rs 500; message: "Choose an instalment within the range for this kind of circle" | field | Claude     | P1  |       | Done   |
| 5097 | Create a circle, instalment: Urdu label, hint and message, by a translator                                                                                                                                                                | field | Translator | P1  | H4    | Open   |
| 5098 | Create a circle, instalment: input set up: numeric keypad with the range shown                                                                                                                                                            | field | Claude     | P1  | 35    | Open   |
| 5099 | Create a circle, instalment: tests for a valid value, an invalid value and each boundary                                                                                                                                                  | tests | Claude     | P1  |       | Done   |
| 5100 | Create a circle, members: rule: within the type's range: 6 to 12 for Known, 12 for Unknown, 20 for Large unknown; message: "Choose the number of members for this kind of circle"                                                         | field | Claude     | P1  |       | Done   |
| 5101 | Create a circle, members: Urdu label, hint and message, by a translator                                                                                                                                                                   | field | Translator | P1  | H4    | Open   |
| 5102 | Create a circle, members: input set up: stepper                                                                                                                                                                                           | field | Claude     | P1  | 35    | Open   |
| 5103 | Create a circle, members: tests for a valid value, an invalid value and each boundary                                                                                                                                                     | tests | Claude     | P1  |       | Done   |
| 5104 | Create a circle, cadence: rule: monthly, or weekly for Known circles; message: "Choose how often members pay"                                                                                                                             | field | Claude     | P1  |       | Done   |
| 5105 | Create a circle, cadence: Urdu label, hint and message, by a translator                                                                                                                                                                   | field | Translator | P1  | H4    | Open   |
| 5106 | Create a circle, cadence: input set up: single choice                                                                                                                                                                                     | field | Claude     | P1  | 35    | Open   |
| 5107 | Create a circle, cadence: tests for a valid value, an invalid value and each boundary                                                                                                                                                     | tests | Claude     | P1  |       | Done   |
| 5108 | Create a circle, start month: rule: the next month or later; message: "Choose a start month from next month on"                                                                                                                           | field | Claude     | P1  |       | Done   |
| 5109 | Create a circle, start month: Urdu label, hint and message, by a translator                                                                                                                                                               | field | Translator | P1  | H4    | Open   |
| 5110 | Create a circle, start month: input set up: month picker                                                                                                                                                                                  | field | Claude     | P1  | 35    | Open   |
| 5111 | Create a circle, start month: tests for a valid value, an invalid value and each boundary                                                                                                                                                 | tests | Claude     | P1  |       | Done   |
| 5112 | Create a circle, due day: rule: the 8th of the month for salary circles; message: "Salary circles fall due on the 8th"                                                                                                                    | field | Claude     | P1  |       | Done   |
| 5113 | Create a circle, due day: Urdu label, hint and message, by a translator                                                                                                                                                                   | field | Translator | P1  | H4    | Open   |
| 5114 | Create a circle, due day: input set up: read only                                                                                                                                                                                         | field | Claude     | P1  | 35    | Open   |
| 5115 | Create a circle, due day: tests for a valid value, an invalid value and each boundary                                                                                                                                                     | tests | Claude     | P1  |       | Done   |
| 5116 | Create a circle, order of turns: rule: fixed by the host or by ballot, always inside the score bands; message: "Choose how the order of turns is set"                                                                                     | field | Claude     | P1  |       | Done   |
| 5117 | Create a circle, order of turns: Urdu label, hint and message, by a translator                                                                                                                                                            | field | Translator | P1  | H4    | Open   |
| 5118 | Create a circle, order of turns: input set up: single choice                                                                                                                                                                              | field | Claude     | P1  | 35    | Open   |
| 5119 | Create a circle, order of turns: tests for a valid value, an invalid value and each boundary                                                                                                                                              | tests | Claude     | P1  |       | Done   |
| 5120 | Create a circle, joining rule: rule: by invitation, with the host admitting each member; message: "Choose who may join"                                                                                                                   | field | Claude     | P1  |       | Done   |
| 5121 | Create a circle, joining rule: Urdu label, hint and message, by a translator                                                                                                                                                              | field | Translator | P1  | H4    | Open   |
| 5122 | Create a circle, joining rule: input set up: single choice                                                                                                                                                                                | field | Claude     | P1  | 35    | Open   |



| #    | Item                                                                                                                                                                     | Where | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5123 | Create a circle, joining rule: tests for a valid value, an invalid value and each boundary                                                                               | tests | Claude     | P1  |       | Done   |
| 5124 | Join a circle, invitation code: rule: HLQ and eight letters or digits; message: "Enter the code the host sent you"                                                       | field | Claude     | P0  |       | Done   |
| 5125 | Join a circle, invitation code: Urdu label, hint and message, by a translator                                                                                            | field | Translator | P0  | H4    | Open   |
| 5126 | Join a circle, invitation code: input set up: upper case, paste accepted, QR scan                                                                                        | field | Claude     | P0  | 10    | Open   |
| 5127 | Join a circle, invitation code: tests for a valid value, an invalid value and each boundary                                                                              | tests | Claude     | P0  |       | Done   |
| 5128 | Seat chooser, seat: rule: only seats open to the member's score band; new members the last three; message: "This seat needs a higher score; choose from the seats shown" | field | Claude     | P0  |       | Done   |
| 5129 | Seat chooser, seat: Urdu label, hint and message, by a translator                                                                                                        | field | Translator | P0  | H4    | Open   |
| 5130 | Seat chooser, seat: input set up: grid of seats with the reason on each closed one                                                                                       | field | Claude     | P0  | 10    | Open   |
| 5131 | Seat chooser, seat: tests for a valid value, an invalid value and each boundary                                                                                          | tests | Claude     | P0  |       | Done   |
| 5132 | Join a circle, undertaking acceptance: rule: ticked after the undertaking is shown in full; message: "Read and accept the undertaking to join"                           | field | Claude     | P0  |       | Done   |
| 5133 | Join a circle, undertaking acceptance: Urdu label, hint and message, by a translator                                                                                     | field | Translator | P0  | H4    | Open   |
| 5134 | Join a circle, undertaking acceptance: input set up: check box                                                                                                           | field | Claude     | P0  | 10    | Open   |
| 5135 | Join a circle, undertaking acceptance: tests for a valid value, an invalid value and each boundary                                                                       | tests | Claude     | P0  |       | Done   |
| 5136 | Join a circle, mutual guarantee acceptance: rule: ticked after the guarantee is shown in full; message: "Read and accept the guarantee to join"                          | field | Claude     | P0  |       | Done   |
| 5137 | Join a circle, mutual guarantee acceptance: Urdu label, hint and message, by a translator                                                                                | field | Translator | P0  | H4    | Open   |
| 5138 | Join a circle, mutual guarantee acceptance: input set up: check box                                                                                                      | field | Claude     | P0  | 10    | Open   |
| 5139 | Join a circle, mutual guarantee acceptance: tests for a valid value, an invalid value and each boundary                                                                  | tests | Claude     | P0  |       | Done   |
| 5140 | Join a circle, key fact statement acceptance: rule: ticked after the key fact statement is shown; message: "Read and accept the key facts to join"                       | field | Claude     | P0  |       | Done   |
| 5141 | Join a circle, key fact statement acceptance: Urdu label, hint and message, by a translator                                                                              | field | Translator | P0  | H4    | Open   |
| 5142 | Join a circle, key fact statement acceptance: input set up: check box                                                                                                    | field | Claude     | P0  | 10    | Open   |
| 5143 | Join a circle, key fact statement acceptance: tests for a valid value, an invalid value and each boundary                                                                | tests | Claude     | P0  |       | Done   |
| 5144 | Signature capture, signature: rule: drawn, not empty, with a minimum length of stroke; message: "Sign in the box"                                                        | field | Claude     | P0  |       | Done   |
| 5145 | Signature capture, signature: Urdu label, hint and message, by a translator                                                                                              | field | Translator | P0  | H4    | Open   |
| 5146 | Signature capture, signature: input set up: drawing pad with clear and done                                                                                              | field | Claude     | P0  | 10    | Open   |
| 5147 | Signature capture, signature: tests for a valid value, an invalid value and each boundary                                                                                | tests | Claude     | P0  |       | Done   |
| 5148 | Withdraw before the start, confirmation: rule: within 24 hours of joining and before the first round; message: "You can withdraw at no cost until the first round"       | field | Claude     | P0  |       | Done   |
| 5149 | Withdraw before the start, confirmation: Urdu label, hint and message, by a translator                                                                                   | field | Translator | P0  | H4    | Open   |

| #    | Item                                                                                                 | Where | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 5150 | Withdraw before the start, confirmation: input set up: confirmation                                  | field | Claude | P0  | 10    | Open   |
| 5151 | Withdraw before the start, confirmation: tests for a valid value, an invalid value and each boundary | tests | Claude | P0  |       | Done   |

#### AD5. Host

| #    | Item                                                                                                                                                                 | Where | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5152 | Applicant detail, admission decision: rule: admit or decline; a reason is required to decline; message: "Give a reason for declining"                                | field | Claude     | P1  |       | Done   |
| 5153 | Applicant detail, admission decision: Urdu label, hint and message, by a translator                                                                                  | field | Translator | P1  | H4    | Open   |
| 5154 | Applicant detail, admission decision: input set up: two buttons and a reason list                                                                                    | field | Claude     | P1  | 35    | Open   |
| 5155 | Applicant detail, admission decision: tests for a valid value, an invalid value and each boundary                                                                    | tests | Claude     | P1  |       | Done   |
| 5156 | Removal against the published test, reason: rule: one of the published removal grounds; message: "Choose the ground for removal"                                     | field | Claude     | P1  |       | Done   |
| 5157 | Removal against the published test, reason: Urdu label, hint and message, by a translator                                                                            | field | Translator | P1  | H4    | Open   |
| 5158 | Removal against the published test, reason: input set up: list                                                                                                       | field | Claude     | P1  | 35    | Open   |
| 5159 | Removal against the published test, reason: tests for a valid value, an invalid value and each boundary                                                              | tests | Claude     | P1  |       | Done   |
| 5160 | Member vote on a removal, vote: rule: for or against, once per member; message: "Choose for or against"                                                              | field | Claude     | P1  |       | Done   |
| 5161 | Member vote on a removal, vote: Urdu label, hint and message, by a translator                                                                                        | field | Translator | P1  | H4    | Open   |
| 5162 | Member vote on a removal, vote: input set up: two buttons                                                                                                            | field | Claude     | P1  | 35    | Open   |
| 5163 | Member vote on a removal, vote: tests for a valid value, an invalid value and each boundary                                                                          | tests | Claude     | P1  |       | Done   |
| 5164 | Reminder composer, message: rule: at most 300 characters and no other member's details; message: "Keep the reminder short and about the circle"                      | field | Claude     | P2  |       | Done   |
| 5165 | Reminder composer, message: Urdu label, hint and message, by a translator                                                                                            | field | Translator | P2  | H4    | Open   |
| 5166 | Reminder composer, message: input set up: text area with a counter                                                                                                   | field | Claude     | P2  | 67    | Open   |
| 5167 | Reminder composer, message: tests for a valid value, an invalid value and each boundary                                                                              | tests | Claude     | P2  |       | Done   |
| 5168 | Order of turns assignment, fixed or by ballot, order: rule: every seat filled once, inside the score bands; message: "Each seat needs one member allowed to take it" | field | Claude     | P1  |       | Done   |
| 5169 | Order of turns assignment, fixed or by ballot, order: Urdu label, hint and message, by a translator                                                                  | field | Translator | P1  | H4    | Open   |
| 5170 | Order of turns assignment, fixed or by ballot, order: input set up: drag to order, or run the ballot                                                                 | field | Claude     | P1  | 35    | Open   |
| 5171 | Order of turns assignment, fixed or by ballot, order: tests for a valid value, an invalid value and each boundary                                                    | tests | Claude     | P1  |       | Done   |
| 5172 | Circle dissolution, confirmation: rule: only before the first payout, with every member told; message: "A circle can be closed only before the first payout"         | field | Claude     | P2  |       | Done   |
| 5173 | Circle dissolution, confirmation: Urdu label, hint and message, by a translator                                                                                      | field | Translator | P2  | H4    | Open   |
| 5174 | Circle dissolution, confirmation: input set up: confirmation with PIN                                                                                                | field | Claude     | P2  | 67    | Open   |

| #    | Item                                                                                          | Where | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 5175 | Circle dissolution, confirmation: tests for a valid value, an invalid value and each boundary | tests | Claude | P2  |       | Done   |

#### AD6. Money

| #    | Item                                                                                                                                                            | Where | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5176 | Payment method chooser, method: rule: the bank's direct debit, a wallet or card through the PSP, Raast, or by hand; message: "Choose how to pay"                | field | Claude     | P0  |       | Done   |
| 5177 | Payment method chooser, method: Urdu label, hint and message, by a translator                                                                                   | field | Translator | P0  | H4    | Open   |
| 5178 | Payment method chooser, method: input set up: list with the charge beside each                                                                                  | field | Claude     | P0  | 10    | Open   |
| 5179 | Payment method chooser, method: tests for a valid value, an invalid value and each boundary                                                                     | tests | Claude     | P0  |       | Done   |
| 5180 | Pay, amount: rule: the instalment, or a part of it of at least Rs 500 where partial payment is allowed; message: "Pay at least Rs 500, or the whole instalment" | field | Claude     | P0  |       | Done   |
| 5181 | Pay, amount: Urdu label, hint and message, by a translator                                                                                                      | field | Translator | P0  | H4    | Open   |
| 5182 | Pay, amount: input set up: numeric keypad with the instalment prefilled                                                                                         | field | Claude     | P0  | 10    | Open   |
| 5183 | Pay, amount: tests for a valid value, an invalid value and each boundary                                                                                        | tests | Claude     | P0  |       | Done   |
| 5184 | Dispute a payment, reason: rule: chosen from the list; message: "Choose what went wrong"                                                                        | field | Claude     | P0  |       | Done   |
| 5185 | Dispute a payment, reason: Urdu label, hint and message, by a translator                                                                                        | field | Translator | P0  | H4    | Open   |
| 5186 | Dispute a payment, reason: input set up: list                                                                                                                   | field | Claude     | P0  | 10    | Open   |
| 5187 | Dispute a payment, reason: tests for a valid value, an invalid value and each boundary                                                                          | tests | Claude     | P0  |       | Done   |
| 5188 | Dispute a payment, details: rule: 10 to 1,000 characters; message: "Describe what happened in a few words"                                                      | field | Claude     | P0  |       | Done   |
| 5189 | Dispute a payment, details: Urdu label, hint and message, by a translator                                                                                       | field | Translator | P0  | H4    | Open   |
| 5190 | Dispute a payment, details: input set up: text area                                                                                                             | field | Claude     | P0  | 10    | Open   |
| 5191 | Dispute a payment, details: tests for a valid value, an invalid value and each boundary                                                                         | tests | Claude     | P0  |       | Done   |
| 5192 | Dispute a payment, attachment: rule: PDF, JPG or PNG, at most 5 MB; message: "Attach a file of 5 MB or less"                                                    | field | Claude     | P1  |       | Done   |
| 5193 | Dispute a payment, attachment: Urdu label, hint and message, by a translator                                                                                    | field | Translator | P1  | H4    | Open   |
| 5194 | Dispute a payment, attachment: input set up: file picker and camera                                                                                             | field | Claude     | P1  | 35    | Open   |
| 5195 | Dispute a payment, attachment: tests for a valid value, an invalid value and each boundary                                                                      | tests | Claude     | P1  |       | Done   |
| 5196 | Payout destination confirmation, account: rule: a verified account whose title matches the member; message: "Choose a verified account in your name"            | field | Claude     | P0  |       | Done   |
| 5197 | Payout destination confirmation, account: Urdu label, hint and message, by a translator                                                                         | field | Translator | P0  | H4    | Open   |
| 5198 | Payout destination confirmation, account: input set up: single choice list                                                                                      | field | Claude     | P0  | 10    | Open   |
| 5199 | Payout destination confirmation, account: tests for a valid value, an invalid value and each boundary                                                           | tests | Claude     | P0  |       | Done   |
| 5200 | Guarantee cheque registration, cheque number: rule: the digits on the cheque; message: "Enter the cheque number"                                                | field | Claude     | P2  |       | Done   |

| #    | Item                                                                                                                                                   | Where | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5201 | Guarantee cheque registration, cheque number: Urdu label, hint and message, by a translator                                                            | field | Translator | P2  | H4    | Open   |
| 5202 | Guarantee cheque registration, cheque number: input set up: numeric keypad                                                                             | field | Claude     | P2  | 67    | Open   |
| 5203 | Guarantee cheque registration, cheque number: tests for a valid value, an invalid value and each boundary                                              | tests | Claude     | P2  |       | Done   |
| 5204 | Guarantee cheque registration, cheque amount: rule: equal to the amount stated in the undertaking; message: "The cheque must be for the amount stated" | field | Claude     | P2  |       | Done   |
| 5205 | Guarantee cheque registration, cheque amount: Urdu label, hint and message, by a translator                                                            | field | Translator | P2  | H4    | Open   |
| 5206 | Guarantee cheque registration, cheque amount: input set up: read only                                                                                  | field | Claude     | P2  | 67    | Open   |
| 5207 | Guarantee cheque registration, cheque amount: tests for a valid value, an invalid value and each boundary                                              | tests | Claude     | P2  |       | Done   |

#### AD7. Recovery and leaving

| #    | Item                                                                                                                                             | Where | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5208 | Hardship declaration, reason: rule: chosen from the list, with Other; message: "Choose the reason"                                               | field | Claude     | P1  |       | Done   |
| 5209 | Hardship declaration, reason: Urdu label, hint and message, by a translator                                                                      | field | Translator | P1  | H4    | Open   |
| 5210 | Hardship declaration, reason: input set up: list                                                                                                 | field | Claude     | P1  | 35    | Open   |
| 5211 | Hardship declaration, reason: tests for a valid value, an invalid value and each boundary                                                        | tests | Claude     | P1  |       | Done   |
| 5212 | Hardship declaration, proposed date: rule: within 30 days; message: "Choose a date within 30 days"                                               | field | Claude     | P1  |       | Done   |
| 5213 | Hardship declaration, proposed date: Urdu label, hint and message, by a translator                                                               | field | Translator | P1  | H4    | Open   |
| 5214 | Hardship declaration, proposed date: input set up: date picker                                                                                   | field | Claude     | P1  | 35    | Open   |
| 5215 | Hardship declaration, proposed date: tests for a valid value, an invalid value and each boundary                                                 | tests | Claude     | P1  |       | Done   |
| 5216 | Revised date agreement, date: rule: one of the dates the plan allows; message: "Choose one of the dates offered"                                 | field | Claude     | P1  |       | Done   |
| 5217 | Revised date agreement, date: Urdu label, hint and message, by a translator                                                                      | field | Translator | P1  | H4    | Open   |
| 5218 | Revised date agreement, date: input set up: single choice                                                                                        | field | Claude     | P1  | 35    | Open   |
| 5219 | Revised date agreement, date: tests for a valid value, an invalid value and each boundary                                                        | tests | Claude     | P1  |       | Done   |
| 5220 | Exit ladder chooser, rung: rule: one of the rungs open to this member at this point in the circle; message: "Choose how you would like to leave" | field | Claude     | P1  |       | Done   |
| 5221 | Exit ladder chooser, rung: Urdu label, hint and message, by a translator                                                                         | field | Translator | P1  | H4    | Open   |
| 5222 | Exit ladder chooser, rung: input set up: cards with the arithmetic on each                                                                       | field | Claude     | P1  | 35    | Open   |
| 5223 | Exit ladder chooser, rung: tests for a valid value, an invalid value and each boundary                                                           | tests | Claude     | P1  |       | Done   |
| 5224 | Exit ladder chooser, reason: rule: chosen from the list; message: "Choose a reason"                                                              | field | Claude     | P2  |       | Done   |
| 5225 | Exit ladder chooser, reason: Urdu label, hint and message, by a translator                                                                       | field | Translator | P2  | H4    | Open   |
| 5226 | Exit ladder chooser, reason: input set up: list                                                                                                  | field | Claude     | P2  | 67    | Open   |
| 5227 | Exit ladder chooser, reason: tests for a valid value, an invalid value and each boundary                                                         | tests | Claude     | P2  |       | Done   |

| #    | Item                                                                                                                                                                       | Where | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5228 | Seat transfer to a replacement, replacement's number: rule: a registered member allowed to take the seat; message: "This member cannot take the seat; the reason is shown" | field | Claude     | P1  |       | Done   |
| 5229 | Seat transfer to a replacement, replacement's number: Urdu label, hint and message, by a translator                                                                        | field | Translator | P1  | H4    | Open   |
| 5230 | Seat transfer to a replacement, replacement's number: input set up: numeric keypad and contacts not used                                                                   | field | Claude     | P1  | 35    | Open   |
| 5231 | Seat transfer to a replacement, replacement's number: tests for a valid value, an invalid value and each boundary                                                          | tests | Claude     | P1  |       | Done   |

#### AD8. Rewards and marketplace

| #    | Item                                                                                                                                            | Where | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5232 | Redeem points against a fee, points: rule: at most the balance and at most the fee due; message: "You can use up to the number of points shown" | field | Claude     | P2  |       | Done   |
| 5233 | Redeem points against a fee, points: Urdu label, hint and message, by a translator                                                              | field | Translator | P2  | H4    | Open   |
| 5234 | Redeem points against a fee, points: input set up: numeric keypad                                                                               | field | Claude     | P2  | 67    | Open   |
| 5235 | Redeem points against a fee, points: tests for a valid value, an invalid value and each boundary                                                | tests | Claude     | P2  |       | Done   |
| 5236 | Buy points (Mashreq), amount: rule: within the daily and monthly limits agreed with the bank; message: "The most you can buy today is shown"    | field | Claude     | P2  |       | Done   |
| 5237 | Buy points (Mashreq), amount: Urdu label, hint and message, by a translator                                                                     | field | Translator | P2  | H4    | Open   |
| 5238 | Buy points (Mashreq), amount: input set up: numeric keypad                                                                                      | field | Claude     | P2  | 67    | Open   |
| 5239 | Buy points (Mashreq), amount: tests for a valid value, an invalid value and each boundary                                                       | tests | Claude     | P2  |       | Done   |
| 5240 | Cart, quantity: rule: one to the stock available; message: "Only the number shown is in stock"                                                  | field | Claude     | P2  |       | Done   |
| 5241 | Cart, quantity: Urdu label, hint and message, by a translator                                                                                   | field | Translator | P2  | H4    | Open   |
| 5242 | Cart, quantity: input set up: stepper                                                                                                           | field | Claude     | P2  | 67    | Open   |
| 5243 | Cart, quantity: tests for a valid value, an invalid value and each boundary                                                                     | tests | Claude     | P2  |       | Done   |
| 5244 | Checkout with points, delivery address: rule: 5 to 120 characters, with city; message: "Enter the delivery address"                             | field | Claude     | P2  |       | Done   |
| 5245 | Checkout with points, delivery address: Urdu label, hint and message, by a translator                                                           | field | Translator | P2  | H4    | Open   |
| 5246 | Checkout with points, delivery address: input set up: address autofill                                                                          | field | Claude     | P2  | 67    | Open   |
| 5247 | Checkout with points, delivery address: tests for a valid value, an invalid value and each boundary                                             | tests | Claude     | P2  |       | Done   |
| 5248 | Checkout with points, contact number: rule: a Pakistani mobile number; message: "Enter a mobile number for delivery"                            | field | Claude     | P2  |       | Done   |
| 5249 | Checkout with points, contact number: Urdu label, hint and message, by a translator                                                             | field | Translator | P2  | H4    | Open   |
| 5250 | Checkout with points, contact number: input set up: numeric keypad                                                                              | field | Claude     | P2  | 67    | Open   |
| 5251 | Checkout with points, contact number: tests for a valid value, an invalid value and each boundary                                               | tests | Claude     | P2  |       | Done   |
| 5252 | Return request, reason: rule: chosen from the merchant's list; message: "Choose the reason for the return"                                      | field | Claude     | P2  |       | Done   |

| #    | Item                                                                                                                                                            | Where | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5253 | Return request, reason: Urdu label, hint and message, by a translator                                                                                           | field | Translator | P2  | H4    | Open   |
| 5254 | Return request, reason: input set up: list                                                                                                                      | field | Claude     | P2  | 67    | Open   |
| 5255 | Return request, reason: tests for a valid value, an invalid value and each boundary                                                                             | tests | Claude     | P2  |       | Done   |
| 5256 | Create a turn listing, asking price in points: rule: at most 100 per cent of the pot; message: "The price cannot be more than the pot"                          | field | Claude     | P2  |       | Done   |
| 5257 | Create a turn listing, asking price in points: Urdu label, hint and message, by a translator                                                                    | field | Translator | P2  | H4    | Open   |
| 5258 | Create a turn listing, asking price in points: input set up: numeric keypad with the pot shown                                                                  | field | Claude     | P2  | 67    | Open   |
| 5259 | Create a turn listing, asking price in points: tests for a valid value, an invalid value and each boundary                                                      | tests | Claude     | P2  |       | Done   |
| 5260 | Make an offer, offer in points: rule: at most 100 per cent of the pot and at most the buyer's balance after any purchase; message: "Offer no more than the pot" | field | Claude     | P2  |       | Done   |
| 5261 | Make an offer, offer in points: Urdu label, hint and message, by a translator                                                                                   | field | Translator | P2  | H4    | Open   |
| 5262 | Make an offer, offer in points: input set up: numeric keypad                                                                                                    | field | Claude     | P2  | 67    | Open   |
| 5263 | Make an offer, offer in points: tests for a valid value, an invalid value and each boundary                                                                     | tests | Claude     | P2  |       | Done   |

#### AD9. Support and settings

| #    | Item                                                                                                                      | Where | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5264 | Contact support, category: rule: chosen from the list; message: "Choose a topic"                                          | field | Claude     | P1  |       | Done   |
| 5265 | Contact support, category: Urdu label, hint and message, by a translator                                                  | field | Translator | P1  | H4    | Open   |
| 5266 | Contact support, category: input set up: list                                                                             | field | Claude     | P1  | 35    | Open   |
| 5267 | Contact support, category: tests for a valid value, an invalid value and each boundary                                    | tests | Claude     | P1  |       | Done   |
| 5268 | Contact support, subject: rule: 5 to 80 characters; message: "Add a short subject"                                        | field | Claude     | P1  |       | Done   |
| 5269 | Contact support, subject: Urdu label, hint and message, by a translator                                                   | field | Translator | P1  | H4    | Open   |
| 5270 | Contact support, subject: input set up: text                                                                              | field | Claude     | P1  | 35    | Open   |
| 5271 | Contact support, subject: tests for a valid value, an invalid value and each boundary                                     | tests | Claude     | P1  |       | Done   |
| 5272 | Contact support, description: rule: 10 to 2,000 characters; message: "Describe the problem in a few words"                | field | Claude     | P1  |       | Done   |
| 5273 | Contact support, description: Urdu label, hint and message, by a translator                                               | field | Translator | P1  | H4    | Open   |
| 5274 | Contact support, description: input set up: text area                                                                     | field | Claude     | P1  | 35    | Open   |
| 5275 | Contact support, description: tests for a valid value, an invalid value and each boundary                                 | tests | Claude     | P1  |       | Done   |
| 5276 | Contact support, attachments: rule: at most three files of 5 MB each; message: "Attach up to three files of 5 MB or less" | field | Claude     | P2  |       | Done   |
| 5277 | Contact support, attachments: Urdu label, hint and message, by a translator                                               | field | Translator | P2  | H4    | Open   |
| 5278 | Contact support, attachments: input set up: file picker and camera                                                        | field | Claude     | P2  | 67    | Open   |

| #    | Item                                                                                                                                                 | Where | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5279 | Contact support, attachments: tests for a valid value, an invalid value and each boundary                                                            | tests | Claude     | P2  |       | Done   |
| 5280 | Complaint form, category: rule: the categories agreed with the bank; message: "Choose what the complaint is about"                                   | field | Claude     | P1  |       | Done   |
| 5281 | Complaint form, category: Urdu label, hint and message, by a translator                                                                              | field | Translator | P1  | H4    | Open   |
| 5282 | Complaint form, category: input set up: list                                                                                                         | field | Claude     | P1  | 35    | Open   |
| 5283 | Complaint form, category: tests for a valid value, an invalid value and each boundary                                                                | tests | Claude     | P1  |       | Done   |
| 5284 | Complaint form, description: rule: 10 to 2,000 characters; message: "Describe the complaint"                                                         | field | Claude     | P1  |       | Done   |
| 5285 | Complaint form, description: Urdu label, hint and message, by a translator                                                                           | field | Translator | P1  | H4    | Open   |
| 5286 | Complaint form, description: input set up: text area                                                                                                 | field | Claude     | P1  | 35    | Open   |
| 5287 | Complaint form, description: tests for a valid value, an invalid value and each boundary                                                             | tests | Claude     | P1  |       | Done   |
| 5288 | Dispute a reported record, record: rule: one of the member's reported records; message: "Choose the record"                                          | field | Claude     | P1  |       | Done   |
| 5289 | Dispute a reported record, record: Urdu label, hint and message, by a translator                                                                     | field | Translator | P1  | H4    | Open   |
| 5290 | Dispute a reported record, record: input set up: list                                                                                                | field | Claude     | P1  | 35    | Open   |
| 5291 | Dispute a reported record, record: tests for a valid value, an invalid value and each boundary                                                       | tests | Claude     | P1  |       | Done   |
| 5292 | Dispute a reported record, reason: rule: chosen from the list, with details; message: "Say what is wrong with the record"                            | field | Claude     | P1  |       | Done   |
| 5293 | Dispute a reported record, reason: Urdu label, hint and message, by a translator                                                                     | field | Translator | P1  | H4    | Open   |
| 5294 | Dispute a reported record, reason: input set up: list and text area                                                                                  | field | Claude     | P1  | 35    | Open   |
| 5295 | Dispute a reported record, reason: tests for a valid value, an invalid value and each boundary                                                       | tests | Claude     | P1  |       | Done   |
| 5296 | Notification preferences, each switch: rule: financial alerts locked on; marketing off by default; message: "Payment alerts stay on for your safety" | field | Claude     | P1  |       | Done   |
| 5297 | Notification preferences, each switch: Urdu label, hint and message, by a translator                                                                 | field | Translator | P1  | H4    | Open   |
| 5298 | Notification preferences, each switch: input set up: switches                                                                                        | field | Claude     | P1  | 35    | Open   |
| 5299 | Notification preferences, each switch: tests for a valid value, an invalid value and each boundary                                                   | tests | Claude     | P1  |       | Done   |
| 5300 | Language, language: rule: English or Urdu; message: "Choose a language"                                                                              | field | Claude     | P1  |       | Done   |
| 5301 | Language, language: Urdu label, hint and message, by a translator                                                                                    | field | Translator | P1  | H4    | Open   |
| 5302 | Language, language: input set up: single choice                                                                                                      | field | Claude     | P1  | 35    | Open   |
| 5303 | Language, language: tests for a valid value, an invalid value and each boundary                                                                      | tests | Claude     | P1  |       | Done   |
| 5304 | Appearance, theme: rule: system, light or dark; message: "Choose a theme"                                                                            | field | Claude     | P2  |       | Done   |
| 5305 | Appearance, theme: Urdu label, hint and message, by a translator                                                                                     | field | Translator | P2  | H4    | Open   |
| 5306 | Appearance, theme: input set up: single choice                                                                                                       | field | Claude     | P2  | 67    | Open   |
| 5307 | Appearance, theme: tests for a valid value, an invalid value and each boundary                                                                       | tests | Claude     | P2  |       | Done   |

| #    | Item                                                                                                                                                            | Where | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5308 | Appearance, text size: rule: four sizes; message: "Choose a text size"                                                                                          | field | Claude     | P2  |       | Done   |
| 5309 | Appearance, text size: Urdu label, hint and message, by a translator                                                                                            | field | Translator | P2  | H4    | Open   |
| 5310 | Appearance, text size: input set up: slider with a preview                                                                                                      | field | Claude     | P2  | 67    | Open   |
| 5311 | Appearance, text size: tests for a valid value, an invalid value and each boundary                                                                              | tests | Claude     | P2  |       | Done   |
| 5312 | Appearance, photo: rule: JPG or PNG, at most 5 MB, cropped to a square; message: "Choose a photo of 5 MB or less"                                               | field | Claude     | P3  |       | Done   |
| 5313 | Appearance, photo: Urdu label, hint and message, by a translator                                                                                                | field | Translator | P3  | H6    | Open   |
| 5314 | Appearance, photo: input set up: camera or gallery with a crop step                                                                                             | field | Claude     | P3  | 79    | Open   |
| 5315 | Appearance, photo: tests for a valid value, an invalid value and each boundary                                                                                  | tests | Claude     | P3  |       | Done   |
| 5316 | Data export request, format: rule: PDF or a spreadsheet; message: "Choose a format"                                                                             | field | Claude     | P1  |       | Done   |
| 5317 | Data export request, format: Urdu label, hint and message, by a translator                                                                                      | field | Translator | P1  | H4    | Open   |
| 5318 | Data export request, format: input set up: single choice                                                                                                        | field | Claude     | P1  | 35    | Open   |
| 5319 | Data export request, format: tests for a valid value, an invalid value and each boundary                                                                        | tests | Claude     | P1  |       | Done   |
| 5320 | Account closure, confirmation: rule: allowed only with no circle owed; PIN required; message: "Close every circle before closing the account"                   | field | Claude     | P1  |       | Done   |
| 5321 | Account closure, confirmation: Urdu label, hint and message, by a translator                                                                                    | field | Translator | P1  | H4    | Open   |
| 5322 | Account closure, confirmation: input set up: confirmation with PIN                                                                                              | field | Claude     | P1  | 35    | Open   |
| 5323 | Account closure, confirmation: tests for a valid value, an invalid value and each boundary                                                                      | tests | Claude     | P1  |       | Done   |
| 5324 | Search, query: rule: at least two characters; message: "Type at least two letters"                                                                              | field | Claude     | P2  |       | Done   |
| 5325 | Search, query: Urdu label, hint and message, by a translator                                                                                                    | field | Translator | P2  | H4    | Open   |
| 5326 | Search, query: input set up: search keyboard                                                                                                                    | field | Claude     | P2  | 67    | Open   |
| 5327 | Search, query: tests for a valid value, an invalid value and each boundary                                                                                      | tests | Claude     | P2  |       | Done   |
| 5328 | Statement, date range: rule: start before end, at most twelve months; message: "Choose dates within twelve months"                                              | field | Claude     | P1  |       | Done   |
| 5329 | Statement, date range: Urdu label, hint and message, by a translator                                                                                            | field | Translator | P1  | H4    | Open   |
| 5330 | Statement, date range: input set up: date range picker                                                                                                          | field | Claude     | P1  | 35    | Open   |
| 5331 | Statement, date range: tests for a valid value, an invalid value and each boundary                                                                              | tests | Claude     | P1  |       | Done   |
| 5332 | Transaction PIN set up, transaction PIN: rule: six digits, different from the application PIN; message: "Choose six digits different from your application PIN" | field | Claude     | P0  |       | Done   |
| 5333 | Transaction PIN set up, transaction PIN: Urdu label, hint and message, by a translator                                                                          | field | Translator | P0  | H4    | Open   |
| 5334 | Transaction PIN set up, transaction PIN: input set up: full screen numeric keypad                                                                               | field | Claude     | P0  | 10    | Open   |
| 5335 | Transaction PIN set up, transaction PIN: tests for a valid value, an invalid value and each boundary                                                            | tests | Claude     | P0  |       | Done   |
| 5336 | Transaction PIN entry, transaction PIN: rule: five attempts, then financial actions locked for fifteen minutes; message: "Wrong PIN. Attempts left: the number" | field | Claude     | P0  |       | Done   |



| #    | Item                                                                                                              | Where | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------|-------|------------|-----|-------|--------|
| 5337 | Transaction PIN entry, transaction PIN: Urdu label, hint and message, by a translator                             | field | Translator | P0  | H4    | Open   |
| 5338 | Transaction PIN entry, transaction PIN: input set up: full screen numeric keypad                                  | field | Claude     | P0  | 10    | Open   |
| 5339 | Transaction PIN entry, transaction PIN: tests for a valid value, an invalid value and each boundary               | tests | Claude     | P0  |       | Done   |
| 5340 | Hyper design chooser, design: rule: Design 1 or Design 2, with the daily amount shown; message: "Choose a design" | field | Claude     | P2  |       | Done   |
| 5341 | Hyper design chooser, design: Urdu label, hint and message, by a translator                                       | field | Translator | P2  | H4    | Open   |
| 5342 | Hyper design chooser, design: input set up: two cards                                                             | field | Claude     | P2  | 67    | Open   |
| 5343 | Hyper design chooser, design: tests for a valid value, an invalid value and each boundary                         | tests | Claude     | P2  |       | Done   |
| 5344 | Hyper design chooser, collection day: rule: one of the open days; message: "Choose a day that is still open"      | field | Claude     | P2  |       | Done   |
| 5345 | Hyper design chooser, collection day: Urdu label, hint and message, by a translator                               | field | Translator | P2  | H4    | Open   |
| 5346 | Hyper design chooser, collection day: input set up: calendar                                                      | field | Claude     | P2  | 67    | Open   |
| 5347 | Hyper design chooser, collection day: tests for a valid value, an invalid value and each boundary                 | tests | Claude     | P2  |       | Done   |

#### AD10. Rules in Code

| #    | Item                                                                                                                                                                           | Where                    | Owner  | Pri | Phase | Status      |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|-------------|
| 5348 | Create a circle: replace the creation schema's memberCap of 3 to 150, cadence presets, reinvestRatio, riskTolerance and depositCoverageBps with the six types and their limits | routes/committees.ts:185 | Claude | P0  | 10    | Open        |
| 5349 | Create a circle: remove the prototype limit of Rs 100,000,000 on a contribution and apply the type ranges                                                                      | routes/committees.ts:187 | Claude | P0  | 10    | Open        |
| 5350 | Sign up: the PIN rule tightened from any four to six digits to exactly six, with repeated and sequential digits refused                                                        | routes/auth.ts:75        | Claude | P1  | 35    | Open        |
| 5351 | One validation library shared by the application and the interface service, so a rule is written once                                                                          | lib/validate.ts          | Claude | P1  | 35    | Partly done |

## AE. Interface Service Endpoints

The 123 endpoints in seventeen route files, and the new ones the partnership needs.

### AE1. Endpoints to Remove

Endpoints that implement withdrawn designs: the vault, investment of member money, deposits held, Halqa cover and passwords.

| #    | Item                                                                                                                                                      | Where                    | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 5352 | POST /api/auth/change-password: remove the endpoint and its handler; sign in is by PIN; there is no password                                              | routes/auth.ts:282       | Claude | P0  |       | Done   |
| 5353 | GET /api/committees/:id/deposits: remove the endpoint and its handler; no deposits are held from members                                                  | routes/committees.ts:612 | Claude | P0  |       | Done   |
| 5354 | POST /api/committees/:id/deposits/:depositId/confirm: remove the endpoint and its handler; no deposits are held from members                              | routes/committees.ts:620 | Claude | P0  |       | Done   |
| 5355 | POST /api/committees/:id/default-cover/:paymentId: remove the endpoint and its handler; there is no Halqa cover; takaful or insurance only (29 September) | routes/committees.ts:646 | Claude | P0  |       | Done   |
| 5356 | POST /api/committees/:id/invest: remove the endpoint and its handler; Halqa invests no member money                                                       | routes/committees.ts:664 | Claude | P0  |       | Done   |

| #    | Item                                                                                                                                                     | Where                    | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 5357 | POST /api/committees/:id/liquidate: remove the endpoint and its handler; Halqa invests no member money                                                   | routes/committees.ts:692 | Claude | P0  |       | Done   |
| 5358 | GET /api/committees/:id/investments: remove the endpoint and its handler; Halqa invests no member money                                                  | routes/committees.ts:717 | Claude | P0  |       | Done   |
| 5359 | GET /api/partner/committees/:id/guarantee-fund: remove the endpoint and its handler; there is no guarantee fund; takaful or insurance only               | routes/partner.ts:115    | Claude | P0  |       | Done   |
| 5360 | GET /api/risk/catalog: remove the endpoint and its handler; the investment catalogue goes with the schemes                                               | routes/risk.ts:38        | Claude | P0  |       | Done   |
| 5361 | POST /api/risk/portfolio/optimize: remove the endpoint and its handler; there is no portfolio to optimise                                                | routes/risk.ts:45        | Claude | P0  |       | Done   |
| 5362 | GET /api/risk/committee/:id/profit-plan: remove the endpoint and its handler; no profit is planned from member money                                     | routes/risk.ts:138       | Claude | P0  |       | Done   |
| 5363 | GET /api/schemes: remove the endpoint and its handler; Halqa invests no member money, so the catalogue of twenty investment products goes                | routes/schemes.ts:19     | Claude | P0  |       | Done   |
| 5364 | GET /api/schemes/:id/projection: remove the endpoint and its handler; Halqa invests no member money, so the catalogue of twenty investment products goes | routes/schemes.ts:20     | Claude | P0  |       | Done   |
| 5365 | POST /api/schemes: remove the endpoint and its handler; Halqa invests no member money, so the catalogue of twenty investment products goes               | routes/schemes.ts:29     | Claude | P0  |       | Done   |
| 5366 | PATCH /api/schemes/:id: remove the endpoint and its handler; Halqa invests no member money, so the catalogue of twenty investment products goes          | routes/schemes.ts:39     | Claude | P0  |       | Done   |
| 5367 | DELETE /api/schemes/:id: remove the endpoint and its handler; Halqa invests no member money, so the catalogue of twenty investment products goes         | routes/schemes.ts:51     | Claude | P0  |       | Done   |
| 5368 | GET /api/vault: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)                                           | routes/vault.ts:120      | Claude | P0  |       | Done   |
| 5369 | POST /api/vault/allocation: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)                               | routes/vault.ts:143      | Claude | P0  |       | Done   |
| 5370 | POST /api/vault/toggle: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)                                   | routes/vault.ts:164      | Claude | P0  |       | Done   |
| 5371 | POST /api/vault/auto-cover: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)                               | routes/vault.ts:177      | Claude | P0  |       | Done   |
| 5372 | POST /api/vault/tier: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)                                     | routes/vault.ts:189      | Claude | P0  |       | Done   |
| 5373 | POST /api/vault/goal: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)                                     | routes/vault.ts:204      | Claude | P0  |       | Done   |
| 5374 | POST /api/vault/deposit: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)                                  | routes/vault.ts:225      | Claude | P0  |       | Done   |
| 5375 | POST /api/vault/withdraw: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)                                 | routes/vault.ts:249      | Claude | P0  |       | Done   |

## AE2. Endpoints to Rework

| #    | Item                                                                                                                                                 | Where                    | Owner    | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|----------|-----|-------|--------|
| 5376 | POST /api/committees/:id/payout: rework as a payout instruction to the bank, never a payment by Halqa                                                | routes/committees.ts:724 | Claude   | P1  | 13    | Open   |
| 5377 | GET /api/exchange: rework the listing in points (D9)                                                                                                 | routes/exchange.ts:13    | Claude   | P1  | 13    | Open   |
| 5378 | POST /api/exchange: rework the listing in points (D9)                                                                                                | routes/exchange.ts:65    | Claude   | P1  | 13    | Open   |
| 5379 | POST /api/exchange/:id/bid: rework the bid as an offer in points (D9)                                                                                | routes/exchange.ts:93    | Claude   | P1  | 13    | Open   |
| 5380 | POST /api/exchange/:id/bids/:bidId/accept: rework acceptance as a points transfer with host approval (D9)                                            | routes/exchange.ts:129   | Claude   | P1  | 13    | Open   |
| 5381 | POST /api/partner/kyc: rework as the bank's onboarding result received by signed webhook                                                             | routes/partner.ts:40     | Claude   | P1  | 13    | Open   |
| 5382 | POST /api/profile/passport: decision needed: the shareable credit passport and its public check, now that reporting runs through TASDEEQ or the bank | routes/profile.ts:58     | Chairman | P1  | H2    | Open   |
| 5383 | GET /api/profile/leads/summary: review: what it returns and who may see it                                                                           | routes/profile.ts:340    | Claude   | P1  | 13    | Open   |
| 5384 | POST /api/protection/delinquency/run: restrict to the scheduler and named administrators                                                             | routes/protection.ts:15  | Claude   | P1  | 13    | Open   |
| 5385 | POST /api/rewards/record: remove: rewards are issued only by the server from events, never recorded by the client                                    | routes/rewards.ts:111    | Claude   | P1  | 13    | Open   |

## AE3. Endpoints Kept

Each kept endpoint with every check it needs: items 501, 502, 542, 545, 546 and 547 broken down by endpoint. Done means the code already does it, as read on 5 October 2026.

| #    | Item                                                                                                                | Where                 | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 5386 | GET /api/account/statement: input checked against a schema before any logic                                         | routes/account.ts:27  | Claude | P1  |       | Done   |
| 5387 | GET /api/account/statement: sign in required                                                                        | routes/account.ts:27  | Claude | P0  |       | Done   |
| 5388 | GET /api/account/statement: access checked against membership, hosting or ownership of the record before acting     | routes/account.ts:27  | Claude | P1  |       | Done   |
| 5389 | GET /api/account/statement: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/account.ts:27  | Claude | P1  |       | Done   |
| 5390 | GET /api/account/statement: every list bounded with a limit and cursor pagination                                   | routes/account.ts:27  | Claude | P1  |       | Done   |
| 5391 | GET /api/account/statement: response carries no internal field and no other member's personal data                  | routes/account.ts:27  | Claude | P1  |       | Done   |
| 5392 | GET /api/account/statement: error responses use the shared error codes and plain messages                           | routes/account.ts:27  | Claude | P1  |       | Done   |
| 5393 | GET /api/account/statement: described in the interface specification with its request, response and errors          | routes/account.ts:27  | Claude | P2  |       | Done   |
| 5394 | GET /api/account/statement: integration test: success                                                               | routes/account.ts:27  | Claude | P1  |       | Done   |
| 5395 | GET /api/account/statement: integration test: refused for a member without access                                   | routes/account.ts:27  | Claude | P1  |       | Done   |
| 5396 | GET /api/account/statement: integration test: refused for invalid input                                             | routes/account.ts:27  | Claude | P1  |       | Done   |
| 5397 | GET /api/account/limits: input checked against a schema before any logic                                            | routes/account.ts:113 | Claude | P1  |       | Done   |
| 5398 | GET /api/account/limits: sign in required                                                                           | routes/account.ts:113 | Claude | P0  |       | Done   |
| 5399 | GET /api/account/limits: access checked against membership, hosting or ownership of the record before acting        | routes/account.ts:113 | Claude | P1  |       | Done   |
| 5400 | GET /api/account/limits: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place    | routes/account.ts:113 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                               | Where                 | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 5401 | GET /api/account/limits: every list bounded with a limit and cursor pagination                                                     | routes/account.ts:113 | Claude | P1  |       | Done   |
| 5402 | GET /api/account/limits: response carries no internal field and no other member's personal data                                    | routes/account.ts:113 | Claude | P1  |       | Done   |
| 5403 | GET /api/account/limits: error responses use the shared error codes and plain messages                                             | routes/account.ts:113 | Claude | P1  |       | Done   |
| 5404 | GET /api/account/limits: described in the interface specification with its request, response and errors                            | routes/account.ts:113 | Claude | P2  |       | Done   |
| 5405 | GET /api/account/limits: integration test: success                                                                                 | routes/account.ts:113 | Claude | P1  |       | Done   |
| 5406 | GET /api/account/limits: integration test: refused for a member without access                                                     | routes/account.ts:113 | Claude | P1  |       | Done   |
| 5407 | GET /api/account/limits: integration test: refused for invalid input                                                               | routes/account.ts:113 | Claude | P1  |       | Done   |
| 5408 | GET /api/account/devices: input checked against a schema before any logic                                                          | routes/account.ts:184 | Claude | P1  |       | Done   |
| 5409 | GET /api/account/devices: sign in required                                                                                         | routes/account.ts:184 | Claude | P0  |       | Done   |
| 5410 | GET /api/account/devices: access checked against membership, hosting or ownership of the record before acting                      | routes/account.ts:184 | Claude | P1  |       | Done   |
| 5411 | GET /api/account/devices: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place                  | routes/account.ts:184 | Claude | P1  |       | Done   |
| 5412 | GET /api/account/devices: every list bounded with a limit and cursor pagination                                                    | routes/account.ts:184 | Claude | P1  |       | Done   |
| 5413 | GET /api/account/devices: response carries no internal field and no other member's personal data                                   | routes/account.ts:184 | Claude | P1  |       | Done   |
| 5414 | GET /api/account/devices: error responses use the shared error codes and plain messages                                            | routes/account.ts:184 | Claude | P1  |       | Done   |
| 5415 | GET /api/account/devices: described in the interface specification with its request, response and errors                           | routes/account.ts:184 | Claude | P2  |       | Done   |
| 5416 | GET /api/account/devices: integration test: success                                                                                | routes/account.ts:184 | Claude | P1  |       | Done   |
| 5417 | GET /api/account/devices: integration test: refused for a member without access                                                    | routes/account.ts:184 | Claude | P1  |       | Done   |
| 5418 | GET /api/account/devices: integration test: refused for invalid input                                                              | routes/account.ts:184 | Claude | P1  |       | Done   |
| 5419 | POST /api/account/devices/sign-out-others: input checked against a schema before any logic                                         | routes/account.ts:244 | Claude | P1  |       | Done   |
| 5420 | POST /api/account/devices/sign-out-others: sign in required                                                                        | routes/account.ts:244 | Claude | P0  |       | Done   |
| 5421 | POST /api/account/devices/sign-out-others: access checked against membership, hosting or ownership of the record before acting     | routes/account.ts:244 | Claude | P1  |       | Done   |
| 5422 | POST /api/account/devices/sign-out-others: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/account.ts:244 | Claude | P1  |       | Done   |
| 5423 | POST /api/account/devices/sign-out-others: idempotency key accepted and enforced                                                   | routes/account.ts:244 | Claude | P1  |       | Done   |
| 5424 | POST /api/account/devices/sign-out-others: audit log entry with the actor, the action and the record                               | routes/account.ts:244 | Claude | P1  |       | Done   |
| 5425 | POST /api/account/devices/sign-out-others: writes made in one database transaction, or shown to need none                          | routes/account.ts:244 | Claude | P1  |       | Done   |
| 5426 | POST /api/account/devices/sign-out-others: response carries no internal field and no other member's personal data                  | routes/account.ts:244 | Claude | P1  |       | Done   |
| 5427 | POST /api/account/devices/sign-out-others: error responses use the shared error codes and plain messages                           | routes/account.ts:244 | Claude | P1  |       | Done   |
| 5428 | POST /api/account/devices/sign-out-others: described in the interface specification with its request, response and errors          | routes/account.ts:244 | Claude | P2  |       | Done   |
| 5429 | POST /api/account/devices/sign-out-others: integration test: success                                                               | routes/account.ts:244 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                | Where                   | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 5430 | POST /api/account/devices/sign-out-others: integration test: refused for a member without access                    | routes/account.ts:244   | Claude | P1  |       | Done   |
| 5431 | POST /api/account/devices/sign-out-others: integration test: refused for invalid input                              | routes/account.ts:244   | Claude | P1  |       | Done   |
| 5432 | GET /api/agreements/status: input checked against a schema before any logic                                         | routes/agreements.ts:18 | Claude | P1  |       | Done   |
| 5433 | GET /api/agreements/status: sign in required                                                                        | routes/agreements.ts:18 | Claude | P0  |       | Done   |
| 5434 | GET /api/agreements/status: access checked against membership, hosting or ownership of the record before acting     | routes/agreements.ts:18 | Claude | P1  | 17    | Open   |
| 5435 | GET /api/agreements/status: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/agreements.ts:18 | Claude | P1  |       | Done   |
| 5436 | GET /api/agreements/status: every list bounded with a limit and cursor pagination                                   | routes/agreements.ts:18 | Claude | P1  |       | Done   |
| 5437 | GET /api/agreements/status: response carries no internal field and no other member's personal data                  | routes/agreements.ts:18 | Claude | P1  |       | Done   |
| 5438 | GET /api/agreements/status: error responses use the shared error codes and plain messages                           | routes/agreements.ts:18 | Claude | P1  |       | Done   |
| 5439 | GET /api/agreements/status: described in the interface specification with its request, response and errors          | routes/agreements.ts:18 | Claude | P2  |       | Done   |
| 5440 | GET /api/agreements/status: integration test: success                                                               | routes/agreements.ts:18 | Claude | P1  |       | Done   |
| 5441 | GET /api/agreements/status: integration test: refused for a member without access                                   | routes/agreements.ts:18 | Claude | P1  |       | Done   |
| 5442 | GET /api/agreements/status: integration test: refused for invalid input                                             | routes/agreements.ts:18 | Claude | P1  |       | Done   |
| 5443 | GET /api/agreements/text: input checked against a schema before any logic                                           | routes/agreements.ts:36 | Claude | P1  |       | Done   |
| 5444 | GET /api/agreements/text: sign in required                                                                          | routes/agreements.ts:36 | Claude | P0  |       | Done   |
| 5445 | GET /api/agreements/text: access checked against membership, hosting or ownership of the record before acting       | routes/agreements.ts:36 | Claude | P1  |       | Done   |
| 5446 | GET /api/agreements/text: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place   | routes/agreements.ts:36 | Claude | P1  |       | Done   |
| 5447 | GET /api/agreements/text: every list bounded with a limit and cursor pagination                                     | routes/agreements.ts:36 | Claude | P1  |       | Done   |
| 5448 | GET /api/agreements/text: response carries no internal field and no other member's personal data                    | routes/agreements.ts:36 | Claude | P1  |       | Done   |
| 5449 | GET /api/agreements/text: error responses use the shared error codes and plain messages                             | routes/agreements.ts:36 | Claude | P1  |       | Done   |
| 5450 | GET /api/agreements/text: described in the interface specification with its request, response and errors            | routes/agreements.ts:36 | Claude | P2  |       | Done   |
| 5451 | GET /api/agreements/text: integration test: success                                                                 | routes/agreements.ts:36 | Claude | P1  |       | Done   |
| 5452 | GET /api/agreements/text: integration test: refused for a member without access                                     | routes/agreements.ts:36 | Claude | P1  |       | Done   |
| 5453 | GET /api/agreements/text: integration test: refused for invalid input                                               | routes/agreements.ts:36 | Claude | P1  |       | Done   |
| 5454 | POST /api/agreements/sign: input checked against a schema before any logic                                          | routes/agreements.ts:59 | Claude | P1  |       | Done   |
| 5455 | POST /api/agreements/sign: sign in required                                                                         | routes/agreements.ts:59 | Claude | P0  |       | Done   |
| 5456 | POST /api/agreements/sign: access checked against membership, hosting or ownership of the record before acting      | routes/agreements.ts:59 | Claude | P1  |       | Done   |
| 5457 | POST /api/agreements/sign: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place  | routes/agreements.ts:59 | Claude | P1  |       | Done   |
| 5458 | POST /api/agreements/sign: idempotency key accepted and enforced                                                    | routes/agreements.ts:59 | Claude | P1  |       | Done   |
| 5459 | POST /api/agreements/sign: audit log entry with the actor, the action and the record                                | routes/agreements.ts:59 | Claude | P1  |       | Done   |
| 5460 | POST /api/agreements/sign: writes made in one database transaction, or shown to need none                           | routes/agreements.ts:59 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                     | Where                   | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 5461 | POST /api/agreements/sign: response carries no internal field and no other member's personal data                        | routes/agreements.ts:59 | Claude | P1  |       | Done   |
| 5462 | POST /api/agreements/sign: error responses use the shared error codes and plain messages                                 | routes/agreements.ts:59 | Claude | P1  |       | Done   |
| 5463 | POST /api/agreements/sign: described in the interface specification with its request, response and errors                | routes/agreements.ts:59 | Claude | P2  |       | Done   |
| 5464 | POST /api/agreements/sign: integration test: success                                                                     | routes/agreements.ts:59 | Claude | P1  |       | Done   |
| 5465 | POST /api/agreements/sign: integration test: refused for a member without access                                         | routes/agreements.ts:59 | Claude | P1  |       | Done   |
| 5466 | POST /api/agreements/sign: integration test: refused for invalid input                                                   | routes/agreements.ts:59 | Claude | P1  |       | Done   |
| 5467 | POST /api/auth/register: input checked against a schema before any logic                                                 | routes/auth.ts:51       | Claude | P0  |       | Done   |
| 5468 | POST /api/auth/register: open without sign in by design; limited to what that step needs                                 | routes/auth.ts:51       | Claude | P0  |       | Done   |
| 5469 | POST /api/auth/register: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place         | routes/auth.ts:51       | Claude | P0  |       | Done   |
| 5470 | POST /api/auth/register: idempotency key accepted and enforced                                                           | routes/auth.ts:51       | Claude | P0  | 2     | Open   |
| 5471 | POST /api/auth/register: audit log entry with the actor, the action and the record                                       | routes/auth.ts:51       | Claude | P0  |       | Done   |
| 5472 | POST /api/auth/register: writes made in one database transaction, or shown to need none                                  | routes/auth.ts:51       | Claude | P0  | 2     | Open   |
| 5473 | POST /api/auth/register: response carries no internal field and no other member's personal data                          | routes/auth.ts:51       | Claude | P0  |       | Done   |
| 5474 | POST /api/auth/register: error responses use the shared error codes and plain messages                                   | routes/auth.ts:51       | Claude | P0  |       | Done   |
| 5475 | POST /api/auth/register: described in the interface specification with its request, response and errors                  | routes/auth.ts:51       | Claude | P2  |       | Done   |
| 5476 | POST /api/auth/register: integration test: success                                                                       | routes/auth.ts:51       | Claude | P1  |       | Done   |
| 5477 | POST /api/auth/register: integration test: refused for invalid input                                                     | routes/auth.ts:51       | Claude | P1  |       | Done   |
| 5478 | POST /api/auth/phone-otp: input checked against a schema before any logic                                                | routes/auth.ts:135      | Claude | P0  |       | Done   |
| 5479 | POST /api/auth/phone-otp: open without sign in by design; limited to what that step needs                                | routes/auth.ts:135      | Claude | P0  |       | Done   |
| 5480 | POST /api/auth/phone-otp: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place        | routes/auth.ts:135      | Claude | P0  |       | Done   |
| 5481 | POST /api/auth/phone-otp: idempotency key accepted and enforced                                                          | routes/auth.ts:135      | Claude | P0  |       | Done   |
| 5482 | POST /api/auth/phone-otp: audit log entry with the actor, the action and the record                                      | routes/auth.ts:135      | Claude | P0  |       | Done   |
| 5483 | POST /api/auth/phone-otp: writes made in one database transaction, or shown to need none                                 | routes/auth.ts:135      | Claude | P0  |       | Done   |
| 5484 | POST /api/auth/phone-otp: response carries no internal field and no other member's personal data                         | routes/auth.ts:135      | Claude | P0  |       | Done   |
| 5485 | POST /api/auth/phone-otp: error responses use the shared error codes and plain messages                                  | routes/auth.ts:135      | Claude | P0  |       | Done   |
| 5486 | POST /api/auth/phone-otp: described in the interface specification with its request, response and errors                 | routes/auth.ts:135      | Claude | P2  |       | Done   |
| 5487 | POST /api/auth/phone-otp: integration test: success                                                                      | routes/auth.ts:135      | Claude | P1  |       | Done   |
| 5488 | POST /api/auth/phone-otp: integration test: refused for invalid input                                                    | routes/auth.ts:135      | Claude | P1  |       | Done   |
| 5489 | POST /api/auth/phone-otp/verify: input checked against a schema before any logic                                         | routes/auth.ts:145      | Claude | P0  |       | Done   |
| 5490 | POST /api/auth/phone-otp/verify: open without sign in by design; limited to what that step needs                         | routes/auth.ts:145      | Claude | P0  |       | Done   |
| 5491 | POST /api/auth/phone-otp/verify: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/auth.ts:145      | Claude | P0  |       | Done   |

| #    | Item                                                                                                               | Where              | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 5492 | POST /api/auth/phone-otp/verify: idempotency key accepted and enforced                                             | routes/auth.ts:145 | Claude | P0  |       | Done   |
| 5493 | POST /api/auth/phone-otp/verify: audit log entry with the actor, the action and the record                         | routes/auth.ts:145 | Claude | P0  |       | Done   |
| 5494 | POST /api/auth/phone-otp/verify: writes made in one database transaction                                           | routes/auth.ts:145 | Claude | P0  |       | Done   |
| 5495 | POST /api/auth/phone-otp/verify: response carries no internal field and no other member's personal data            | routes/auth.ts:145 | Claude | P0  |       | Done   |
| 5496 | POST /api/auth/phone-otp/verify: error responses use the shared error codes and plain messages                     | routes/auth.ts:145 | Claude | P0  |       | Done   |
| 5497 | POST /api/auth/phone-otp/verify: described in the interface specification with its request, response and errors    | routes/auth.ts:145 | Claude | P2  |       | Done   |
| 5498 | POST /api/auth/phone-otp/verify: integration test: success                                                         | routes/auth.ts:145 | Claude | P1  |       | Done   |
| 5499 | POST /api/auth/phone-otp/verify: integration test: refused for invalid input                                       | routes/auth.ts:145 | Claude | P1  |       | Done   |
| 5500 | POST /api/auth/set-pin: input checked against a schema before any logic                                            | routes/auth.ts:176 | Claude | P0  |       | Done   |
| 5501 | POST /api/auth/set-pin: sign in required                                                                           | routes/auth.ts:176 | Claude | P0  |       | Done   |
| 5502 | POST /api/auth/set-pin: access checked against membership, hosting or ownership of the record before acting        | routes/auth.ts:176 | Claude | P0  |       | Done   |
| 5503 | POST /api/auth/set-pin: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place    | routes/auth.ts:176 | Claude | P0  |       | Done   |
| 5504 | POST /api/auth/set-pin: idempotency key accepted and enforced                                                      | routes/auth.ts:176 | Claude | P0  |       | Done   |
| 5505 | POST /api/auth/set-pin: audit log entry with the actor, the action and the record                                  | routes/auth.ts:176 | Claude | P0  |       | Done   |
| 5506 | POST /api/auth/set-pin: writes made in one database transaction, or shown to need none                             | routes/auth.ts:176 | Claude | P0  |       | Done   |
| 5507 | POST /api/auth/set-pin: response carries no internal field and no other member's personal data                     | routes/auth.ts:176 | Claude | P0  |       | Done   |
| 5508 | POST /api/auth/set-pin: error responses use the shared error codes and plain messages                              | routes/auth.ts:176 | Claude | P0  |       | Done   |
| 5509 | POST /api/auth/set-pin: described in the interface specification with its request, response and errors             | routes/auth.ts:176 | Claude | P2  |       | Done   |
| 5510 | POST /api/auth/set-pin: integration test: success                                                                  | routes/auth.ts:176 | Claude | P1  |       | Done   |
| 5511 | POST /api/auth/set-pin: integration test: refused for a member without access                                      | routes/auth.ts:176 | Claude | P1  |       | Done   |
| 5512 | POST /api/auth/set-pin: integration test: refused for invalid input                                                | routes/auth.ts:176 | Claude | P1  |       | Done   |
| 5513 | POST /api/auth/verify-pin: input checked against a schema before any logic                                         | routes/auth.ts:188 | Claude | P0  |       | Done   |
| 5514 | POST /api/auth/verify-pin: sign in required                                                                        | routes/auth.ts:188 | Claude | P0  |       | Done   |
| 5515 | POST /api/auth/verify-pin: access checked against membership, hosting or ownership of the record before acting     | routes/auth.ts:188 | Claude | P0  |       | Done   |
| 5516 | POST /api/auth/verify-pin: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/auth.ts:188 | Claude | P0  |       | Done   |
| 5517 | POST /api/auth/verify-pin: idempotency key accepted and enforced                                                   | routes/auth.ts:188 | Claude | P0  |       | Done   |
| 5518 | POST /api/auth/verify-pin: audit log entry with the actor, the action and the record                               | routes/auth.ts:188 | Claude | P0  |       | Done   |
| 5519 | POST /api/auth/verify-pin: writes made in one database transaction, or shown to need none                          | routes/auth.ts:188 | Claude | P0  |       | Done   |
| 5520 | POST /api/auth/verify-pin: response carries no internal field and no other member's personal data                  | routes/auth.ts:188 | Claude | P0  |       | Done   |
| 5521 | POST /api/auth/verify-pin: error responses use the shared error codes and plain messages                           | routes/auth.ts:188 | Claude | P0  |       | Done   |
| 5522 | POST /api/auth/verify-pin: described in the interface specification with its request, response and errors          | routes/auth.ts:188 | Claude | P2  |       | Done   |

| #    | Item                                                                                                                  | Where              | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 5523 | POST /api/auth/verify-pin: integration test: success                                                                  | routes/auth.ts:188 | Claude | P1  |       | Done   |
| 5524 | POST /api/auth/verify-pin: integration test: refused for a member without access                                      | routes/auth.ts:188 | Claude | P1  |       | Done   |
| 5525 | POST /api/auth/verify-pin: integration test: refused for invalid input                                                | routes/auth.ts:188 | Claude | P1  |       | Done   |
| 5526 | POST /api/auth/set-biometric: input checked against a schema before any logic                                         | routes/auth.ts:202 | Claude | P0  |       | Done   |
| 5527 | POST /api/auth/set-biometric: sign in required                                                                        | routes/auth.ts:202 | Claude | P0  |       | Done   |
| 5528 | POST /api/auth/set-biometric: access checked against membership, hosting or ownership of the record before acting     | routes/auth.ts:202 | Claude | P0  |       | Done   |
| 5529 | POST /api/auth/set-biometric: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/auth.ts:202 | Claude | P0  |       | Done   |
| 5530 | POST /api/auth/set-biometric: idempotency key accepted and enforced                                                   | routes/auth.ts:202 | Claude | P0  |       | Done   |
| 5531 | POST /api/auth/set-biometric: audit log entry with the actor, the action and the record                               | routes/auth.ts:202 | Claude | P0  |       | Done   |
| 5532 | POST /api/auth/set-biometric: writes made in one database transaction, or shown to need none                          | routes/auth.ts:202 | Claude | P0  |       | Done   |
| 5533 | POST /api/auth/set-biometric: response carries no internal field and no other member's personal data                  | routes/auth.ts:202 | Claude | P0  |       | Done   |
| 5534 | POST /api/auth/set-biometric: error responses use the shared error codes and plain messages                           | routes/auth.ts:202 | Claude | P0  |       | Done   |
| 5535 | POST /api/auth/set-biometric: described in the interface specification with its request, response and errors          | routes/auth.ts:202 | Claude | P2  |       | Done   |
| 5536 | POST /api/auth/set-biometric: integration test: success                                                               | routes/auth.ts:202 | Claude | P1  |       | Done   |
| 5537 | POST /api/auth/set-biometric: integration test: refused for a member without access                                   | routes/auth.ts:202 | Claude | P1  |       | Done   |
| 5538 | POST /api/auth/set-biometric: integration test: refused for invalid input                                             | routes/auth.ts:202 | Claude | P1  |       | Done   |
| 5539 | POST /api/auth/login: input checked against a schema before any logic                                                 | routes/auth.ts:210 | Claude | P0  |       | Done   |
| 5540 | POST /api/auth/login: open without sign in by design; limited to what that step needs                                 | routes/auth.ts:210 | Claude | P0  |       | Done   |
| 5541 | POST /api/auth/login: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place         | routes/auth.ts:210 | Claude | P0  |       | Done   |
| 5542 | POST /api/auth/login: idempotency key accepted and enforced                                                           | routes/auth.ts:210 | Claude | P0  | 2     | Open   |
| 5543 | POST /api/auth/login: audit log entry with the actor, the action and the record                                       | routes/auth.ts:210 | Claude | P0  |       | Done   |
| 5544 | POST /api/auth/login: writes made in one database transaction, or shown to need none                                  | routes/auth.ts:210 | Claude | P0  | 2     | Open   |
| 5545 | POST /api/auth/login: response carries no internal field and no other member's personal data                          | routes/auth.ts:210 | Claude | P0  |       | Done   |
| 5546 | POST /api/auth/login: error responses use the shared error codes and plain messages                                   | routes/auth.ts:210 | Claude | P0  |       | Done   |
| 5547 | POST /api/auth/login: described in the interface specification with its request, response and errors                  | routes/auth.ts:210 | Claude | P2  |       | Done   |
| 5548 | POST /api/auth/login: integration test: success                                                                       | routes/auth.ts:210 | Claude | P1  |       | Done   |
| 5549 | POST /api/auth/login: integration test: refused for invalid input                                                     | routes/auth.ts:210 | Claude | P1  |       | Done   |
| 5550 | POST /api/auth/refresh: input checked against a schema before any logic                                               | routes/auth.ts:237 | Claude | P0  |       | Done   |
| 5551 | POST /api/auth/refresh: open without sign in by design; limited to what that step needs                               | routes/auth.ts:237 | Claude | P0  |       | Done   |
| 5552 | POST /api/auth/refresh: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place       | routes/auth.ts:237 | Claude | P0  |       | Done   |
| 5553 | POST /api/auth/refresh: idempotency key accepted and enforced                                                         | routes/auth.ts:237 | Claude | P0  | 2     | Open   |



| #    | Item                                                                                                           | Where              | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 5554 | POST /api/auth/refresh: audit log entry with the actor, the action and the record                              | routes/auth.ts:237 | Claude | P0  |       | Done   |
| 5555 | POST /api/auth/refresh: writes made in one database transaction                                                | routes/auth.ts:237 | Claude | P0  |       | Done   |
| 5556 | POST /api/auth/refresh: response carries no internal field and no other member's personal data                 | routes/auth.ts:237 | Claude | P0  |       | Done   |
| 5557 | POST /api/auth/refresh: error responses use the shared error codes and plain messages                          | routes/auth.ts:237 | Claude | P0  |       | Done   |
| 5558 | POST /api/auth/refresh: described in the interface specification with its request, response and errors         | routes/auth.ts:237 | Claude | P2  |       | Done   |
| 5559 | POST /api/auth/refresh: integration test: success                                                              | routes/auth.ts:237 | Claude | P1  |       | Done   |
| 5560 | POST /api/auth/refresh: integration test: refused for invalid input                                            | routes/auth.ts:237 | Claude | P1  |       | Done   |
| 5561 | POST /api/auth/logout: input checked against a schema before any logic                                         | routes/auth.ts:267 | Claude | P0  |       | Done   |
| 5562 | POST /api/auth/logout: sign in required                                                                        | routes/auth.ts:267 | Claude | P0  |       | Done   |
| 5563 | POST /api/auth/logout: access checked against membership, hosting or ownership of the record before acting     | routes/auth.ts:267 | Claude | P0  |       | Done   |
| 5564 | POST /api/auth/logout: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/auth.ts:267 | Claude | P0  |       | Done   |
| 5565 | POST /api/auth/logout: idempotency key accepted and enforced                                                   | routes/auth.ts:267 | Claude | P0  |       | Done   |
| 5566 | POST /api/auth/logout: audit log entry with the actor, the action and the record                               | routes/auth.ts:267 | Claude | P0  |       | Done   |
| 5567 | POST /api/auth/logout: writes made in one database transaction, or shown to need none                          | routes/auth.ts:267 | Claude | P0  | 2     | Open   |
| 5568 | POST /api/auth/logout: response carries no internal field and no other member's personal data                  | routes/auth.ts:267 | Claude | P0  |       | Done   |
| 5569 | POST /api/auth/logout: error responses use the shared error codes and plain messages                           | routes/auth.ts:267 | Claude | P0  |       | Done   |
| 5570 | POST /api/auth/logout: described in the interface specification with its request, response and errors          | routes/auth.ts:267 | Claude | P2  |       | Done   |
| 5571 | POST /api/auth/logout: integration test: success                                                               | routes/auth.ts:267 | Claude | P1  |       | Done   |
| 5572 | POST /api/auth/logout: integration test: refused for a member without access                                   | routes/auth.ts:267 | Claude | P1  |       | Done   |
| 5573 | POST /api/auth/logout: integration test: refused for invalid input                                             | routes/auth.ts:267 | Claude | P1  |       | Done   |
| 5574 | GET /api/auth/me: input checked against a schema before any logic                                              | routes/auth.ts:275 | Claude | P0  |       | Done   |
| 5575 | GET /api/auth/me: sign in required                                                                             | routes/auth.ts:275 | Claude | P0  |       | Done   |
| 5576 | GET /api/auth/me: access checked against membership, hosting or ownership of the record before acting          | routes/auth.ts:275 | Claude | P0  |       | Done   |
| 5577 | GET /api/auth/me: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place      | routes/auth.ts:275 | Claude | P0  |       | Done   |
| 5578 | GET /api/auth/me: every list bounded with a limit and cursor pagination                                        | routes/auth.ts:275 | Claude | P0  |       | Done   |
| 5579 | GET /api/auth/me: response carries no internal field and no other member's personal data                       | routes/auth.ts:275 | Claude | P0  |       | Done   |
| 5580 | GET /api/auth/me: error responses use the shared error codes and plain messages                                | routes/auth.ts:275 | Claude | P0  |       | Done   |
| 5581 | GET /api/auth/me: described in the interface specification with its request, response and errors               | routes/auth.ts:275 | Claude | P2  |       | Done   |
| 5582 | GET /api/auth/me: integration test: success                                                                    | routes/auth.ts:275 | Claude | P1  |       | Done   |
| 5583 | GET /api/auth/me: integration test: refused for a member without access                                        | routes/auth.ts:275 | Claude | P1  |       | Done   |
| 5584 | GET /api/auth/me: integration test: refused for invalid input                                                  | routes/auth.ts:275 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                 | Where                   | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 5585 | GET /api/chat/:committeeld: input checked against a schema before any logic                                          | routes/chat.ts:43       | Claude | P1  |       | Done   |
| 5586 | GET /api/chat/:committeeld: sign in required                                                                         | routes/chat.ts:43       | Claude | P0  |       | Done   |
| 5587 | GET /api/chat/:committeeld: access checked against membership, hosting or ownership of the record before acting      | routes/chat.ts:43       | Claude | P1  |       | Done   |
| 5588 | GET /api/chat/:committeeld: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place  | routes/chat.ts:43       | Claude | P1  |       | Done   |
| 5589 | GET /api/chat/:committeeld: every list bounded with a limit and cursor pagination                                    | routes/chat.ts:43       | Claude | P1  |       | Done   |
| 5590 | GET /api/chat/:committeeld: response carries no internal field and no other member's personal data                   | routes/chat.ts:43       | Claude | P1  |       | Done   |
| 5591 | GET /api/chat/:committeeld: error responses use the shared error codes and plain messages                            | routes/chat.ts:43       | Claude | P1  |       | Done   |
| 5592 | GET /api/chat/:committeeld: described in the interface specification with its request, response and errors           | routes/chat.ts:43       | Claude | P2  |       | Done   |
| 5593 | GET /api/chat/:committeeld: integration test: success                                                                | routes/chat.ts:43       | Claude | P1  |       | Done   |
| 5594 | GET /api/chat/:committeeld: integration test: refused for a member without access                                    | routes/chat.ts:43       | Claude | P1  |       | Done   |
| 5595 | GET /api/chat/:committeeld: integration test: refused for invalid input                                              | routes/chat.ts:43       | Claude | P1  |       | Done   |
| 5596 | POST /api/chat/:committeeld: input checked against a schema before any logic                                         | routes/chat.ts:64       | Claude | P1  |       | Done   |
| 5597 | POST /api/chat/:committeeld: sign in required                                                                        | routes/chat.ts:64       | Claude | P0  |       | Done   |
| 5598 | POST /api/chat/:committeeld: access checked against membership, hosting or ownership of the record before acting     | routes/chat.ts:64       | Claude | P1  |       | Done   |
| 5599 | POST /api/chat/:committeeld: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/chat.ts:64       | Claude | P1  |       | Done   |
| 5600 | POST /api/chat/:committeeld: idempotency key accepted and enforced                                                   | routes/chat.ts:64       | Claude | P1  | 17    | Open   |
| 5601 | POST /api/chat/:committeeld: audit log entry with the actor, the action and the record                               | routes/chat.ts:64       | Claude | P1  |       | Done   |
| 5602 | POST /api/chat/:committeeld: writes made in one database transaction, or shown to need none                          | routes/chat.ts:64       | Claude | P1  |       | Done   |
| 5603 | POST /api/chat/:committeeld: response carries no internal field and no other member's personal data                  | routes/chat.ts:64       | Claude | P1  |       | Done   |
| 5604 | POST /api/chat/:committeeld: error responses use the shared error codes and plain messages                           | routes/chat.ts:64       | Claude | P1  |       | Done   |
| 5605 | POST /api/chat/:committeeld: described in the interface specification with its request, response and errors          | routes/chat.ts:64       | Claude | P2  |       | Done   |
| 5606 | POST /api/chat/:committeeld: integration test: success                                                               | routes/chat.ts:64       | Claude | P1  |       | Done   |
| 5607 | POST /api/chat/:committeeld: integration test: refused for a member without access                                   | routes/chat.ts:64       | Claude | P1  |       | Done   |
| 5608 | POST /api/chat/:committeeld: integration test: refused for invalid input                                             | routes/chat.ts:64       | Claude | P1  |       | Done   |
| 5609 | GET /api/committees: input checked against a schema before any logic                                                 | routes/committees.ts:79 | Claude | P0  |       | Done   |
| 5610 | GET /api/committees: sign in required                                                                                | routes/committees.ts:79 | Claude | P0  |       | Done   |
| 5611 | GET /api/committees: access checked against membership, hosting or ownership of the record before acting             | routes/committees.ts:79 | Claude | P0  |       | Done   |
| 5612 | GET /api/committees: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place         | routes/committees.ts:79 | Claude | P0  |       | Done   |
| 5613 | GET /api/committees: every list bounded with a limit and cursor pagination                                           | routes/committees.ts:79 | Claude | P0  |       | Done   |
| 5614 | GET /api/committees: response carries no internal field and no other member's personal data                          | routes/committees.ts:79 | Claude | P0  |       | Done   |
| 5615 | GET /api/committees: error responses use the shared error codes and plain messages                                   | routes/committees.ts:79 | Claude | P0  |       | Done   |

| #    | Item                                                                                                                             | Where                    | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 5616 | GET /api/committees: described in the interface specification with its request, response and errors                              | routes/committees.ts:79  | Claude | P2  |       | Done   |
| 5617 | GET /api/committees: integration test: success                                                                                   | routes/committees.ts:79  | Claude | P1  |       | Done   |
| 5618 | GET /api/committees: integration test: refused for a member without access                                                       | routes/committees.ts:79  | Claude | P1  |       | Done   |
| 5619 | GET /api/committees: integration test: refused for invalid input                                                                 | routes/committees.ts:79  | Claude | P1  |       | Done   |
| 5620 | GET /api/committees/discover: input checked against a schema before any logic                                                    | routes/committees.ts:95  | Claude | P0  |       | Done   |
| 5621 | GET /api/committees/discover: sign in required                                                                                   | routes/committees.ts:95  | Claude | P0  |       | Done   |
| 5622 | GET /api/committees/discover: access checked against membership, hosting or ownership of the record before acting                | routes/committees.ts:95  | Claude | P0  |       | Done   |
| 5623 | GET /api/committees/discover: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place            | routes/committees.ts:95  | Claude | P0  |       | Done   |
| 5624 | GET /api/committees/discover: every list bounded with a limit and cursor pagination                                              | routes/committees.ts:95  | Claude | P0  |       | Done   |
| 5625 | GET /api/committees/discover: response carries no internal field and no other member's personal data                             | routes/committees.ts:95  | Claude | P0  |       | Done   |
| 5626 | GET /api/committees/discover: error responses use the shared error codes and plain messages                                      | routes/committees.ts:95  | Claude | P0  |       | Done   |
| 5627 | GET /api/committees/discover: described in the interface specification with its request, response and errors                     | routes/committees.ts:95  | Claude | P2  |       | Done   |
| 5628 | GET /api/committees/discover: integration test: success                                                                          | routes/committees.ts:95  | Claude | P1  |       | Done   |
| 5629 | GET /api/committees/discover: integration test: refused for a member without access                                              | routes/committees.ts:95  | Claude | P1  |       | Done   |
| 5630 | GET /api/committees/discover: integration test: refused for invalid input                                                        | routes/committees.ts:95  | Claude | P1  |       | Done   |
| 5631 | GET /api/committees/preview/:inviteCode: input checked against a schema before any logic                                         | routes/committees.ts:156 | Claude | P0  |       | Done   |
| 5632 | GET /api/committees/preview/:inviteCode: open without sign in by design; limited to what that step needs                         | routes/committees.ts:156 | Claude | P0  |       | Done   |
| 5633 | GET /api/committees/preview/:inviteCode: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/committees.ts:156 | Claude | P0  |       | Done   |
| 5634 | GET /api/committees/preview/:inviteCode: response carries no internal field and no other member's personal data                  | routes/committees.ts:156 | Claude | P0  |       | Done   |
| 5635 | GET /api/committees/preview/:inviteCode: error responses use the shared error codes and plain messages                           | routes/committees.ts:156 | Claude | P0  |       | Done   |
| 5636 | GET /api/committees/preview/:inviteCode: described in the interface specification with its request, response and errors          | routes/committees.ts:156 | Claude | P2  |       | Done   |
| 5637 | GET /api/committees/preview/:inviteCode: integration test: success                                                               | routes/committees.ts:156 | Claude | P1  |       | Done   |
| 5638 | GET /api/committees/preview/:inviteCode: integration test: refused for invalid input                                             | routes/committees.ts:156 | Claude | P1  |       | Done   |
| 5639 | GET /api/committees/:id: input checked against a schema before any logic                                                         | routes/committees.ts:172 | Claude | P0  |       | Done   |
| 5640 | GET /api/committees/:id: sign in required                                                                                        | routes/committees.ts:172 | Claude | P0  |       | Done   |
| 5641 | GET /api/committees/:id: access checked against membership, hosting or ownership of the record before acting                     | routes/committees.ts:172 | Claude | P0  |       | Done   |
| 5642 | GET /api/committees/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place                 | routes/committees.ts:172 | Claude | P0  |       | Done   |
| 5643 | GET /api/committees/:id: response carries no internal field and no other member's personal data                                  | routes/committees.ts:172 | Claude | P0  |       | Done   |
| 5644 | GET /api/committees/:id: error responses use the shared error codes and plain messages                                           | routes/committees.ts:172 | Claude | P0  |       | Done   |

| #    | Item                                                                                                               | Where                    | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 5645 | GET /api/committees/:id: described in the interface specification with its request, response and errors            | routes/committees.ts:172 | Claude | P2  |       | Done   |
| 5646 | GET /api/committees/:id: integration test: success                                                                 | routes/committees.ts:172 | Claude | P1  |       | Done   |
| 5647 | GET /api/committees/:id: integration test: refused for a member without access                                     | routes/committees.ts:172 | Claude | P1  |       | Done   |
| 5648 | GET /api/committees/:id: integration test: refused for invalid input                                               | routes/committees.ts:172 | Claude | P1  |       | Done   |
| 5649 | POST /api/committees: input checked against a schema before any logic                                              | routes/committees.ts:182 | Claude | P0  |       | Done   |
| 5650 | POST /api/committees: sign in required                                                                             | routes/committees.ts:182 | Claude | P0  |       | Done   |
| 5651 | POST /api/committees: access checked against membership, hosting or ownership of the record before acting          | routes/committees.ts:182 | Claude | P0  |       | Done   |
| 5652 | POST /api/committees: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place      | routes/committees.ts:182 | Claude | P0  |       | Done   |
| 5653 | POST /api/committees: idempotency key accepted and enforced                                                        | routes/committees.ts:182 | Claude | P0  | 2     | Open   |
| 5654 | POST /api/committees: audit log entry with the actor, the action and the record                                    | routes/committees.ts:182 | Claude | P0  |       | Done   |
| 5655 | POST /api/committees: writes made in one database transaction                                                      | routes/committees.ts:182 | Claude | P0  |       | Done   |
| 5656 | POST /api/committees: response carries no internal field and no other member's personal data                       | routes/committees.ts:182 | Claude | P0  |       | Done   |
| 5657 | POST /api/committees: error responses use the shared error codes and plain messages                                | routes/committees.ts:182 | Claude | P0  |       | Done   |
| 5658 | POST /api/committees: described in the interface specification with its request, response and errors               | routes/committees.ts:182 | Claude | P2  |       | Done   |
| 5659 | POST /api/committees: integration test: success                                                                    | routes/committees.ts:182 | Claude | P1  |       | Done   |
| 5660 | POST /api/committees: integration test: refused for a member without access                                        | routes/committees.ts:182 | Claude | P1  |       | Done   |
| 5661 | POST /api/committees: integration test: refused for invalid input                                                  | routes/committees.ts:182 | Claude | P1  |       | Done   |
| 5662 | POST /api/committees/join: input checked against a schema before any logic                                         | routes/committees.ts:345 | Claude | P0  |       | Done   |
| 5663 | POST /api/committees/join: sign in required                                                                        | routes/committees.ts:345 | Claude | P0  |       | Done   |
| 5664 | POST /api/committees/join: access checked against membership, hosting or ownership of the record before acting     | routes/committees.ts:345 | Claude | P0  | 2     | Open   |
| 5665 | POST /api/committees/join: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/committees.ts:345 | Claude | P0  |       | Done   |
| 5666 | POST /api/committees/join: idempotency key accepted and enforced                                                   | routes/committees.ts:345 | Claude | P0  | 2     | Open   |
| 5667 | POST /api/committees/join: audit log entry with the actor, the action and the record                               | routes/committees.ts:345 | Claude | P0  |       | Done   |
| 5668 | POST /api/committees/join: writes made in one database transaction, or shown to need none                          | routes/committees.ts:345 | Claude | P0  |       | Done   |
| 5669 | POST /api/committees/join: response carries no internal field and no other member's personal data                  | routes/committees.ts:345 | Claude | P0  |       | Done   |
| 5670 | POST /api/committees/join: error responses use the shared error codes and plain messages                           | routes/committees.ts:345 | Claude | P0  |       | Done   |
| 5671 | POST /api/committees/join: described in the interface specification with its request, response and errors          | routes/committees.ts:345 | Claude | P2  |       | Done   |
| 5672 | POST /api/committees/join: integration test: success                                                               | routes/committees.ts:345 | Claude | P1  |       | Done   |
| 5673 | POST /api/committees/join: integration test: refused for a member without access                                   | routes/committees.ts:345 | Claude | P1  |       | Done   |
| 5674 | POST /api/committees/join: integration test: refused for invalid input                                             | routes/committees.ts:345 | Claude | P1  |       | Done   |
| 5675 | POST /api/committees/:id/join-public: input checked against a schema before any logic                              | routes/committees.ts:353 | Claude | P0  |       | Done   |

| #    | Item                                                                                                                          | Where                    | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 5676 | POST /api/committees/:id/join-public: sign in required                                                                        | routes/committees.ts:353 | Claude | P0  |       | Done   |
| 5677 | POST /api/committees/:id/join-public: access checked against membership, hosting or ownership of the record before acting     | routes/committees.ts:353 | Claude | P0  | 2     | Open   |
| 5678 | POST /api/committees/:id/join-public: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/committees.ts:353 | Claude | P0  |       | Done   |
| 5679 | POST /api/committees/:id/join-public: idempotency key accepted and enforced                                                   | routes/committees.ts:353 | Claude | P0  |       | Done   |
| 5680 | POST /api/committees/:id/join-public: audit log entry with the actor, the action and the record                               | routes/committees.ts:353 | Claude | P0  |       | Done   |
| 5681 | POST /api/committees/:id/join-public: writes made in one database transaction, or shown to need none                          | routes/committees.ts:353 | Claude | P0  |       | Done   |
| 5682 | POST /api/committees/:id/join-public: response carries no internal field and no other member's personal data                  | routes/committees.ts:353 | Claude | P0  |       | Done   |
| 5683 | POST /api/committees/:id/join-public: error responses use the shared error codes and plain messages                           | routes/committees.ts:353 | Claude | P0  |       | Done   |
| 5684 | POST /api/committees/:id/join-public: described in the interface specification with its request, response and errors          | routes/committees.ts:353 | Claude | P2  |       | Done   |
| 5685 | POST /api/committees/:id/join-public: integration test: success                                                               | routes/committees.ts:353 | Claude | P1  |       | Done   |
| 5686 | POST /api/committees/:id/join-public: integration test: refused for a member without access                                   | routes/committees.ts:353 | Claude | P1  |       | Done   |
| 5687 | POST /api/committees/:id/join-public: integration test: refused for invalid input                                             | routes/committees.ts:353 | Claude | P1  |       | Done   |
| 5688 | POST /api/committees/:id/waitlist: input checked against a schema before any logic                                            | routes/committees.ts:361 | Claude | P0  |       | Done   |
| 5689 | POST /api/committees/:id/waitlist: sign in required                                                                           | routes/committees.ts:361 | Claude | P0  |       | Done   |
| 5690 | POST /api/committees/:id/waitlist: access checked against membership, hosting or ownership of the record before acting        | routes/committees.ts:361 | Claude | P0  |       | Done   |
| 5691 | POST /api/committees/:id/waitlist: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place    | routes/committees.ts:361 | Claude | P0  |       | Done   |
| 5692 | POST /api/committees/:id/waitlist: idempotency key accepted and enforced                                                      | routes/committees.ts:361 | Claude | P0  | 2     | Open   |
| 5693 | POST /api/committees/:id/waitlist: audit log entry with the actor, the action and the record                                  | routes/committees.ts:361 | Claude | P0  |       | Done   |
| 5694 | POST /api/committees/:id/waitlist: writes made in one database transaction, or shown to need none                             | routes/committees.ts:361 | Claude | P0  |       | Done   |
| 5695 | POST /api/committees/:id/waitlist: response carries no internal field and no other member's personal data                     | routes/committees.ts:361 | Claude | P0  |       | Done   |
| 5696 | POST /api/committees/:id/waitlist: error responses use the shared error codes and plain messages                              | routes/committees.ts:361 | Claude | P0  |       | Done   |
| 5697 | POST /api/committees/:id/waitlist: described in the interface specification with its request, response and errors             | routes/committees.ts:361 | Claude | P2  |       | Done   |
| 5698 | POST /api/committees/:id/waitlist: integration test: success                                                                  | routes/committees.ts:361 | Claude | P1  |       | Done   |
| 5699 | POST /api/committees/:id/waitlist: integration test: refused for a member without access                                      | routes/committees.ts:361 | Claude | P1  |       | Done   |
| 5700 | POST /api/committees/:id/waitlist: integration test: refused for invalid input                                                | routes/committees.ts:361 | Claude | P1  |       | Done   |
| 5701 | POST /api/committees/:id/join: input checked against a schema before any logic                                                | routes/committees.ts:379 | Claude | P0  |       | Done   |
| 5702 | POST /api/committees/:id/join: sign in required                                                                               | routes/committees.ts:379 | Claude | P0  |       | Done   |
| 5703 | POST /api/committees/:id/join: access checked against membership, hosting or ownership of the record before acting            | routes/committees.ts:379 | Claude | P0  | 2     | Open   |
| 5704 | POST /api/committees/:id/join: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place        | routes/committees.ts:379 | Claude | P0  |       | Done   |

| #    | Item                                                                                                                            | Where                    | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 5705 | POST /api/committees/:id/join: idempotency key accepted and enforced                                                            | routes/committees.ts:379 | Claude | P0  |       | Done   |
| 5706 | POST /api/committees/:id/join: audit log entry with the actor, the action and the record                                        | routes/committees.ts:379 | Claude | P0  |       | Done   |
| 5707 | POST /api/committees/:id/join: writes made in one database transaction                                                          | routes/committees.ts:379 | Claude | P0  |       | Done   |
| 5708 | POST /api/committees/:id/join: every list bounded with a limit and cursor pagination                                            | routes/committees.ts:379 | Claude | P0  |       | Done   |
| 5709 | POST /api/committees/:id/join: response carries no internal field and no other member's personal data                           | routes/committees.ts:379 | Claude | P0  |       | Done   |
| 5710 | POST /api/committees/:id/join: error responses use the shared error codes and plain messages                                    | routes/committees.ts:379 | Claude | P0  |       | Done   |
| 5711 | POST /api/committees/:id/join: described in the interface specification with its request, response and errors                   | routes/committees.ts:379 | Claude | P2  |       | Done   |
| 5712 | POST /api/committees/:id/join: integration test: success                                                                        | routes/committees.ts:379 | Claude | P1  |       | Done   |
| 5713 | POST /api/committees/:id/join: integration test: refused for a member without access                                            | routes/committees.ts:379 | Claude | P1  |       | Done   |
| 5714 | POST /api/committees/:id/join: integration test: refused for invalid input                                                      | routes/committees.ts:379 | Claude | P1  |       | Done   |
| 5715 | POST /api/committees/:id/start: input checked against a schema before any logic                                                 | routes/committees.ts:444 | Claude | P0  |       | Done   |
| 5716 | POST /api/committees/:id/start: sign in required                                                                                | routes/committees.ts:444 | Claude | P0  |       | Done   |
| 5717 | POST /api/committees/:id/start: access checked against membership, hosting or ownership of the record before acting             | routes/committees.ts:444 | Claude | P0  |       | Done   |
| 5718 | POST /api/committees/:id/start: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place         | routes/committees.ts:444 | Claude | P0  |       | Done   |
| 5719 | POST /api/committees/:id/start: idempotency key accepted and enforced                                                           | routes/committees.ts:444 | Claude | P0  | 2     | Open   |
| 5720 | POST /api/committees/:id/start: audit log entry with the actor, the action and the record                                       | routes/committees.ts:444 | Claude | P0  |       | Done   |
| 5721 | POST /api/committees/:id/start: writes made in one database transaction                                                         | routes/committees.ts:444 | Claude | P0  |       | Done   |
| 5722 | POST /api/committees/:id/start: every list bounded with a limit and cursor pagination                                           | routes/committees.ts:444 | Claude | P0  |       | Done   |
| 5723 | POST /api/committees/:id/start: response carries no internal field and no other member's personal data                          | routes/committees.ts:444 | Claude | P0  |       | Done   |
| 5724 | POST /api/committees/:id/start: error responses use the shared error codes and plain messages                                   | routes/committees.ts:444 | Claude | P0  |       | Done   |
| 5725 | POST /api/committees/:id/start: described in the interface specification with its request, response and errors                  | routes/committees.ts:444 | Claude | P2  |       | Done   |
| 5726 | POST /api/committees/:id/start: integration test: success                                                                       | routes/committees.ts:444 | Claude | P1  |       | Done   |
| 5727 | POST /api/committees/:id/start: integration test: refused for a member without access                                           | routes/committees.ts:444 | Claude | P1  |       | Done   |
| 5728 | POST /api/committees/:id/start: integration test: refused for invalid input                                                     | routes/committees.ts:444 | Claude | P1  |       | Done   |
| 5729 | GET /api/committees/:id/payment-matrix: input checked against a schema before any logic                                         | routes/committees.ts:604 | Claude | P0  |       | Done   |
| 5730 | GET /api/committees/:id/payment-matrix: sign in required                                                                        | routes/committees.ts:604 | Claude | P0  |       | Done   |
| 5731 | GET /api/committees/:id/payment-matrix: access checked against membership, hosting or ownership of the record before acting     | routes/committees.ts:604 | Claude | P0  |       | Done   |
| 5732 | GET /api/committees/:id/payment-matrix: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/committees.ts:604 | Claude | P0  |       | Done   |
| 5733 | GET /api/committees/:id/payment-matrix: every list bounded with a limit and cursor pagination                                   | routes/committees.ts:604 | Claude | P0  |       | Done   |

| #    | Item                                                                                                                            | Where                    | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 5734 | GET /api/committees/:id/payment-matrix: response carries no internal field and no other member's personal data                  | routes/committees.ts:604 | Claude | P0  |       | Done   |
| 5735 | GET /api/committees/:id/payment-matrix: error responses use the shared error codes and plain messages                           | routes/committees.ts:604 | Claude | P0  |       | Done   |
| 5736 | GET /api/committees/:id/payment-matrix: described in the interface specification with its request, response and errors          | routes/committees.ts:604 | Claude | P2  |       | Done   |
| 5737 | GET /api/committees/:id/payment-matrix: integration test: success                                                               | routes/committees.ts:604 | Claude | P1  |       | Done   |
| 5738 | GET /api/committees/:id/payment-matrix: integration test: refused for a member without access                                   | routes/committees.ts:604 | Claude | P1  |       | Done   |
| 5739 | GET /api/committees/:id/payment-matrix: integration test: refused for invalid input                                             | routes/committees.ts:604 | Claude | P1  |       | Done   |
| 5740 | POST /api/committees/:id/nudge/:userId: input checked against a schema before any logic                                         | routes/committees.ts:636 | Claude | P0  |       | Done   |
| 5741 | POST /api/committees/:id/nudge/:userId: sign in required                                                                        | routes/committees.ts:636 | Claude | P0  |       | Done   |
| 5742 | POST /api/committees/:id/nudge/:userId: access checked against membership, hosting or ownership of the record before acting     | routes/committees.ts:636 | Claude | P0  |       | Done   |
| 5743 | POST /api/committees/:id/nudge/:userId: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/committees.ts:636 | Claude | P0  |       | Done   |
| 5744 | POST /api/committees/:id/nudge/:userId: idempotency key accepted and enforced                                                   | routes/committees.ts:636 | Claude | P0  | 2     | Open   |
| 5745 | POST /api/committees/:id/nudge/:userId: audit log entry with the actor, the action and the record                               | routes/committees.ts:636 | Claude | P0  |       | Done   |
| 5746 | POST /api/committees/:id/nudge/:userId: writes made in one database transaction, or shown to need none                          | routes/committees.ts:636 | Claude | P0  |       | Done   |
| 5747 | POST /api/committees/:id/nudge/:userId: response carries no internal field and no other member's personal data                  | routes/committees.ts:636 | Claude | P0  |       | Done   |
| 5748 | POST /api/committees/:id/nudge/:userId: error responses use the shared error codes and plain messages                           | routes/committees.ts:636 | Claude | P0  |       | Done   |
| 5749 | POST /api/committees/:id/nudge/:userId: described in the interface specification with its request, response and errors          | routes/committees.ts:636 | Claude | P2  |       | Done   |
| 5750 | POST /api/committees/:id/nudge/:userId: integration test: success                                                               | routes/committees.ts:636 | Claude | P1  |       | Done   |
| 5751 | POST /api/committees/:id/nudge/:userId: integration test: refused for a member without access                                   | routes/committees.ts:636 | Claude | P1  |       | Done   |
| 5752 | POST /api/committees/:id/nudge/:userId: integration test: refused for invalid input                                             | routes/committees.ts:636 | Claude | P1  |       | Done   |
| 5753 | POST /api/committees/:id/payout: input checked against a schema before any logic                                                | routes/committees.ts:724 | Claude | P0  |       | Done   |
| 5754 | POST /api/committees/:id/payout: sign in required                                                                               | routes/committees.ts:724 | Claude | P0  |       | Done   |
| 5755 | POST /api/committees/:id/payout: access checked against membership, hosting or ownership of the record before acting            | routes/committees.ts:724 | Claude | P0  |       | Done   |
| 5756 | POST /api/committees/:id/payout: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place        | routes/committees.ts:724 | Claude | P0  |       | Done   |
| 5757 | POST /api/committees/:id/payout: idempotency key accepted and enforced                                                          | routes/committees.ts:724 | Claude | P0  |       | Done   |
| 5758 | POST /api/committees/:id/payout: audit log entry with the actor, the action and the record                                      | routes/committees.ts:724 | Claude | P0  |       | Done   |
| 5759 | POST /api/committees/:id/payout: writes made in one database transaction                                                        | routes/committees.ts:724 | Claude | P0  |       | Done   |
| 5760 | POST /api/committees/:id/payout: every list bounded with a limit and cursor pagination                                          | routes/committees.ts:724 | Claude | P0  |       | Done   |
| 5761 | POST /api/committees/:id/payout: response carries no internal field and no other member's personal data                         | routes/committees.ts:724 | Claude | P0  |       | Done   |

| #    | Item                                                                                                                              | Where                     | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------|-----|-------|--------|
| 5762 | POST /api/committees/:id/payout: error responses use the shared error codes and plain messages                                    | routes/committees.ts:724  | Claude | P0  |       | Done   |
| 5763 | POST /api/committees/:id/payout: described in the interface specification with its request, response and errors                   | routes/committees.ts:724  | Claude | P2  |       | Done   |
| 5764 | POST /api/committees/:id/payout: integration test: success                                                                        | routes/committees.ts:724  | Claude | P1  |       | Done   |
| 5765 | POST /api/committees/:id/payout: integration test: refused for a member without access                                            | routes/committees.ts:724  | Claude | P1  |       | Done   |
| 5766 | POST /api/committees/:id/payout: integration test: refused for invalid input                                                      | routes/committees.ts:724  | Claude | P1  |       | Done   |
| 5767 | GET /api/committees/:id/receivables-pack: input checked against a schema before any logic                                         | routes/committees.ts:1053 | Claude | P0  |       | Done   |
| 5768 | GET /api/committees/:id/receivables-pack: sign in required                                                                        | routes/committees.ts:1053 | Claude | P0  |       | Done   |
| 5769 | GET /api/committees/:id/receivables-pack: access checked against membership, hosting or ownership of the record before acting     | routes/committees.ts:1053 | Claude | P0  |       | Done   |
| 5770 | GET /api/committees/:id/receivables-pack: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/committees.ts:1053 | Claude | P0  |       | Done   |
| 5771 | GET /api/committees/:id/receivables-pack: every list bounded with a limit and cursor pagination                                   | routes/committees.ts:1053 | Claude | P0  |       | Done   |
| 5772 | GET /api/committees/:id/receivables-pack: response carries no internal field and no other member's personal data                  | routes/committees.ts:1053 | Claude | P0  |       | Done   |
| 5773 | GET /api/committees/:id/receivables-pack: error responses use the shared error codes and plain messages                           | routes/committees.ts:1053 | Claude | P0  |       | Done   |
| 5774 | GET /api/committees/:id/receivables-pack: described in the interface specification with its request, response and errors          | routes/committees.ts:1053 | Claude | P2  |       | Done   |
| 5775 | GET /api/committees/:id/receivables-pack: integration test: success                                                               | routes/committees.ts:1053 | Claude | P1  |       | Done   |
| 5776 | GET /api/committees/:id/receivables-pack: integration test: refused for a member without access                                   | routes/committees.ts:1053 | Claude | P1  |       | Done   |
| 5777 | GET /api/committees/:id/receivables-pack: integration test: refused for invalid input                                             | routes/committees.ts:1053 | Claude | P1  |       | Done   |
| 5778 | POST /api/committees/:id/leave: input checked against a schema before any logic                                                   | routes/committees.ts:1095 | Claude | P0  |       | Done   |
| 5779 | POST /api/committees/:id/leave: sign in required                                                                                  | routes/committees.ts:1095 | Claude | P0  |       | Done   |
| 5780 | POST /api/committees/:id/leave: access checked against membership, hosting or ownership of the record before acting               | routes/committees.ts:1095 | Claude | P0  |       | Done   |
| 5781 | POST /api/committees/:id/leave: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place           | routes/committees.ts:1095 | Claude | P0  |       | Done   |
| 5782 | POST /api/committees/:id/leave: idempotency key accepted and enforced                                                             | routes/committees.ts:1095 | Claude | P0  | 2     | Open   |
| 5783 | POST /api/committees/:id/leave: audit log entry with the actor, the action and the record                                         | routes/committees.ts:1095 | Claude | P0  |       | Done   |
| 5784 | POST /api/committees/:id/leave: writes made in one database transaction                                                           | routes/committees.ts:1095 | Claude | P0  |       | Done   |
| 5785 | POST /api/committees/:id/leave: response carries no internal field and no other member's personal data                            | routes/committees.ts:1095 | Claude | P0  |       | Done   |
| 5786 | POST /api/committees/:id/leave: error responses use the shared error codes and plain messages                                     | routes/committees.ts:1095 | Claude | P0  |       | Done   |
| 5787 | POST /api/committees/:id/leave: described in the interface specification with its request, response and errors                    | routes/committees.ts:1095 | Claude | P2  |       | Done   |
| 5788 | POST /api/committees/:id/leave: integration test: success                                                                         | routes/committees.ts:1095 | Claude | P1  |       | Done   |
| 5789 | POST /api/committees/:id/leave: integration test: refused for a member without access                                             | routes/committees.ts:1095 | Claude | P1  |       | Done   |



| #    | Item                                                                                                                      | Where                     | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|---------------------------|--------|-----|-------|--------|
| 5790 | POST /api/committees/:id/leave: integration test: refused for invalid input                                               | routes/committees.ts:1095 | Claude | P1  |       | Done   |
| 5791 | POST /api/committees/:id/listing: input checked against a schema before any logic                                         | routes/committees.ts:1114 | Claude | P0  |       | Done   |
| 5792 | POST /api/committees/:id/listing: sign in required                                                                        | routes/committees.ts:1114 | Claude | P0  |       | Done   |
| 5793 | POST /api/committees/:id/listing: access checked against membership, hosting or ownership of the record before acting     | routes/committees.ts:1114 | Claude | P0  |       | Done   |
| 5794 | POST /api/committees/:id/listing: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/committees.ts:1114 | Claude | P0  |       | Done   |
| 5795 | POST /api/committees/:id/listing: idempotency key accepted and enforced                                                   | routes/committees.ts:1114 | Claude | P0  |       | Done   |
| 5796 | POST /api/committees/:id/listing: audit log entry with the actor, the action and the record                               | routes/committees.ts:1114 | Claude | P0  |       | Done   |
| 5797 | POST /api/committees/:id/listing: writes made in one database transaction, or shown to need none                          | routes/committees.ts:1114 | Claude | P0  |       | Done   |
| 5798 | POST /api/committees/:id/listing: response carries no internal field and no other member's personal data                  | routes/committees.ts:1114 | Claude | P0  |       | Done   |
| 5799 | POST /api/committees/:id/listing: error responses use the shared error codes and plain messages                           | routes/committees.ts:1114 | Claude | P0  |       | Done   |
| 5800 | POST /api/committees/:id/listing: described in the interface specification with its request, response and errors          | routes/committees.ts:1114 | Claude | P2  |       | Done   |
| 5801 | POST /api/committees/:id/listing: integration test: success                                                               | routes/committees.ts:1114 | Claude | P1  |       | Done   |
| 5802 | POST /api/committees/:id/listing: integration test: refused for a member without access                                   | routes/committees.ts:1114 | Claude | P1  |       | Done   |
| 5803 | POST /api/committees/:id/listing: integration test: refused for invalid input                                             | routes/committees.ts:1114 | Claude | P1  |       | Done   |
| 5804 | POST /api/committees/:id/autopay: input checked against a schema before any logic                                         | routes/committees.ts:1129 | Claude | P0  |       | Done   |
| 5805 | POST /api/committees/:id/autopay: sign in required                                                                        | routes/committees.ts:1129 | Claude | P0  |       | Done   |
| 5806 | POST /api/committees/:id/autopay: access checked against membership, hosting or ownership of the record before acting     | routes/committees.ts:1129 | Claude | P0  |       | Done   |
| 5807 | POST /api/committees/:id/autopay: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/committees.ts:1129 | Claude | P0  |       | Done   |
| 5808 | POST /api/committees/:id/autopay: idempotency key accepted and enforced                                                   | routes/committees.ts:1129 | Claude | P0  |       | Done   |
| 5809 | POST /api/committees/:id/autopay: audit log entry with the actor, the action and the record                               | routes/committees.ts:1129 | Claude | P0  |       | Done   |
| 5810 | POST /api/committees/:id/autopay: writes made in one database transaction                                                 | routes/committees.ts:1129 | Claude | P0  |       | Done   |
| 5811 | POST /api/committees/:id/autopay: response carries no internal field and no other member's personal data                  | routes/committees.ts:1129 | Claude | P0  |       | Done   |
| 5812 | POST /api/committees/:id/autopay: error responses use the shared error codes and plain messages                           | routes/committees.ts:1129 | Claude | P0  |       | Done   |
| 5813 | POST /api/committees/:id/autopay: described in the interface specification with its request, response and errors          | routes/committees.ts:1129 | Claude | P2  |       | Done   |
| 5814 | POST /api/committees/:id/autopay: integration test: success                                                               | routes/committees.ts:1129 | Claude | P1  |       | Done   |
| 5815 | POST /api/committees/:id/autopay: integration test: refused for a member without access                                   | routes/committees.ts:1129 | Claude | P1  |       | Done   |
| 5816 | POST /api/committees/:id/autopay: integration test: refused for invalid input                                             | routes/committees.ts:1129 | Claude | P1  |       | Done   |
| 5817 | POST /api/committees/:id/withdraw: input checked against a schema before any logic                                        | routes/committees.ts:1156 | Claude | P0  |       | Done   |
| 5818 | POST /api/committees/:id/withdraw: sign in required                                                                       | routes/committees.ts:1156 | Claude | P0  |       | Done   |

| #    | Item                                                                                                                       | Where                     | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|---------------------------|--------|-----|-------|--------|
| 5819 | POST /api/committees/:id/withdraw: access checked against membership, hosting or ownership of the record before acting     | routes/committees.ts:1156 | Claude | P0  | 2     | Open   |
| 5820 | POST /api/committees/:id/withdraw: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/committees.ts:1156 | Claude | P0  |       | Done   |
| 5821 | POST /api/committees/:id/withdraw: idempotency key accepted and enforced                                                   | routes/committees.ts:1156 | Claude | P0  | 2     | Open   |
| 5822 | POST /api/committees/:id/withdraw: audit log entry with the actor, the action and the record                               | routes/committees.ts:1156 | Claude | P0  |       | Done   |
| 5823 | POST /api/committees/:id/withdraw: writes made in one database transaction                                                 | routes/committees.ts:1156 | Claude | P0  |       | Done   |
| 5824 | POST /api/committees/:id/withdraw: every list bounded with a limit and cursor pagination                                   | routes/committees.ts:1156 | Claude | P0  |       | Done   |
| 5825 | POST /api/committees/:id/withdraw: response carries no internal field and no other member's personal data                  | routes/committees.ts:1156 | Claude | P0  |       | Done   |
| 5826 | POST /api/committees/:id/withdraw: error responses use the shared error codes and plain messages                           | routes/committees.ts:1156 | Claude | P0  |       | Done   |
| 5827 | POST /api/committees/:id/withdraw: described in the interface specification with its request, response and errors          | routes/committees.ts:1156 | Claude | P2  |       | Done   |
| 5828 | POST /api/committees/:id/withdraw: integration test: success                                                               | routes/committees.ts:1156 | Claude | P1  |       | Done   |
| 5829 | POST /api/committees/:id/withdraw: integration test: refused for a member without access                                   | routes/committees.ts:1156 | Claude | P1  |       | Done   |
| 5830 | POST /api/committees/:id/withdraw: integration test: refused for invalid input                                             | routes/committees.ts:1156 | Claude | P1  |       | Done   |
| 5831 | PATCH /api/committees/:id/avatar: input checked against a schema before any logic                                          | routes/committees.ts:1217 | Claude | P0  |       | Done   |
| 5832 | PATCH /api/committees/:id/avatar: sign in required                                                                         | routes/committees.ts:1217 | Claude | P0  |       | Done   |
| 5833 | PATCH /api/committees/:id/avatar: access checked against membership, hosting or ownership of the record before acting      | routes/committees.ts:1217 | Claude | P0  |       | Done   |
| 5834 | PATCH /api/committees/:id/avatar: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place  | routes/committees.ts:1217 | Claude | P0  |       | Done   |
| 5835 | PATCH /api/committees/:id/avatar: idempotency key accepted and enforced                                                    | routes/committees.ts:1217 | Claude | P0  |       | Done   |
| 5836 | PATCH /api/committees/:id/avatar: audit log entry with the actor, the action and the record                                | routes/committees.ts:1217 | Claude | P0  |       | Done   |
| 5837 | PATCH /api/committees/:id/avatar: writes made in one database transaction, or shown to need none                           | routes/committees.ts:1217 | Claude | P0  |       | Done   |
| 5838 | PATCH /api/committees/:id/avatar: response carries no internal field and no other member's personal data                   | routes/committees.ts:1217 | Claude | P0  |       | Done   |
| 5839 | PATCH /api/committees/:id/avatar: error responses use the shared error codes and plain messages                            | routes/committees.ts:1217 | Claude | P0  |       | Done   |
| 5840 | PATCH /api/committees/:id/avatar: described in the interface specification with its request, response and errors           | routes/committees.ts:1217 | Claude | P2  |       | Done   |
| 5841 | PATCH /api/committees/:id/avatar: integration test: success                                                                | routes/committees.ts:1217 | Claude | P1  |       | Done   |
| 5842 | PATCH /api/committees/:id/avatar: integration test: refused for a member without access                                    | routes/committees.ts:1217 | Claude | P1  |       | Done   |
| 5843 | PATCH /api/committees/:id/avatar: integration test: refused for invalid input                                              | routes/committees.ts:1217 | Claude | P1  |       | Done   |
| 5844 | GET /api/exchange: input checked against a schema before any logic                                                         | routes/exchange.ts:13     | Claude | P1  |       | Done   |
| 5845 | GET /api/exchange: sign in required                                                                                        | routes/exchange.ts:13     | Claude | P0  |       | Done   |
| 5846 | GET /api/exchange: access checked against membership, hosting or ownership of the record before acting                     | routes/exchange.ts:13     | Claude | P1  | 17    | Open   |
| 5847 | GET /api/exchange: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place                 | routes/exchange.ts:13     | Claude | P1  |       | Done   |

| #    | Item                                                                                                                | Where                 | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 5848 | GET /api/exchange: every list bounded with a limit and cursor pagination                                            | routes/exchange.ts:13 | Claude | P1  |       | Done   |
| 5849 | GET /api/exchange: response carries no internal field and no other member's personal data                           | routes/exchange.ts:13 | Claude | P1  |       | Done   |
| 5850 | GET /api/exchange: error responses use the shared error codes and plain messages                                    | routes/exchange.ts:13 | Claude | P1  |       | Done   |
| 5851 | GET /api/exchange: described in the interface specification with its request, response and errors                   | routes/exchange.ts:13 | Claude | P2  |       | Done   |
| 5852 | GET /api/exchange: integration test: success                                                                        | routes/exchange.ts:13 | Claude | P1  |       | Done   |
| 5853 | GET /api/exchange: integration test: refused for a member without access                                            | routes/exchange.ts:13 | Claude | P1  |       | Done   |
| 5854 | GET /api/exchange: integration test: refused for invalid input                                                      | routes/exchange.ts:13 | Claude | P1  |       | Done   |
| 5855 | POST /api/exchange: input checked against a schema before any logic                                                 | routes/exchange.ts:65 | Claude | P1  |       | Done   |
| 5856 | POST /api/exchange: sign in required                                                                                | routes/exchange.ts:65 | Claude | P0  |       | Done   |
| 5857 | POST /api/exchange: access checked against membership, hosting or ownership of the record before acting             | routes/exchange.ts:65 | Claude | P1  |       | Done   |
| 5858 | POST /api/exchange: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place         | routes/exchange.ts:65 | Claude | P1  |       | Done   |
| 5859 | POST /api/exchange: idempotency key accepted and enforced                                                           | routes/exchange.ts:65 | Claude | P1  | 17    | Open   |
| 5860 | POST /api/exchange: audit log entry with the actor, the action and the record                                       | routes/exchange.ts:65 | Claude | P1  |       | Done   |
| 5861 | POST /api/exchange: writes made in one database transaction, or shown to need none                                  | routes/exchange.ts:65 | Claude | P1  |       | Done   |
| 5862 | POST /api/exchange: response carries no internal field and no other member's personal data                          | routes/exchange.ts:65 | Claude | P1  |       | Done   |
| 5863 | POST /api/exchange: error responses use the shared error codes and plain messages                                   | routes/exchange.ts:65 | Claude | P1  |       | Done   |
| 5864 | POST /api/exchange: described in the interface specification with its request, response and errors                  | routes/exchange.ts:65 | Claude | P2  |       | Done   |
| 5865 | POST /api/exchange: integration test: success                                                                       | routes/exchange.ts:65 | Claude | P1  | 17    | Open   |
| 5866 | POST /api/exchange: integration test: refused for a member without access                                           | routes/exchange.ts:65 | Claude | P1  |       | Done   |
| 5867 | POST /api/exchange: integration test: refused for invalid input                                                     | routes/exchange.ts:65 | Claude | P1  |       | Done   |
| 5868 | POST /api/exchange/:id/bid: input checked against a schema before any logic                                         | routes/exchange.ts:93 | Claude | P1  |       | Done   |
| 5869 | POST /api/exchange/:id/bid: sign in required                                                                        | routes/exchange.ts:93 | Claude | P0  |       | Done   |
| 5870 | POST /api/exchange/:id/bid: access checked against membership, hosting or ownership of the record before acting     | routes/exchange.ts:93 | Claude | P1  |       | Done   |
| 5871 | POST /api/exchange/:id/bid: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/exchange.ts:93 | Claude | P1  |       | Done   |
| 5872 | POST /api/exchange/:id/bid: idempotency key accepted and enforced                                                   | routes/exchange.ts:93 | Claude | P1  | 17    | Open   |
| 5873 | POST /api/exchange/:id/bid: audit log entry with the actor, the action and the record                               | routes/exchange.ts:93 | Claude | P1  |       | Done   |
| 5874 | POST /api/exchange/:id/bid: writes made in one database transaction, or shown to need none                          | routes/exchange.ts:93 | Claude | P1  |       | Done   |
| 5875 | POST /api/exchange/:id/bid: response carries no internal field and no other member's personal data                  | routes/exchange.ts:93 | Claude | P1  |       | Done   |
| 5876 | POST /api/exchange/:id/bid: error responses use the shared error codes and plain messages                           | routes/exchange.ts:93 | Claude | P1  |       | Done   |
| 5877 | POST /api/exchange/:id/bid: described in the interface specification with its request, response and errors          | routes/exchange.ts:93 | Claude | P2  |       | Done   |
| 5878 | POST /api/exchange/:id/bid: integration test: success                                                               | routes/exchange.ts:93 | Claude | P1  | 17    | Open   |

| #    | Item                                                                                                                               | Where                  | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------|------------------------|--------|-----|-------|--------|
| 5879 | POST /api/exchange/:id/bid: integration test: refused for a member without access                                                  | routes/exchange.ts:93  | Claude | P1  |       | Done   |
| 5880 | POST /api/exchange/:id/bid: integration test: refused for invalid input                                                            | routes/exchange.ts:93  | Claude | P1  |       | Done   |
| 5881 | POST /api/exchange/:id/bids/:bidId/accept: input checked against a schema before any logic                                         | routes/exchange.ts:129 | Claude | P1  |       | Done   |
| 5882 | POST /api/exchange/:id/bids/:bidId/accept: sign in required                                                                        | routes/exchange.ts:129 | Claude | P0  |       | Done   |
| 5883 | POST /api/exchange/:id/bids/:bidId/accept: access checked against membership, hosting or ownership of the record before acting     | routes/exchange.ts:129 | Claude | P1  |       | Done   |
| 5884 | POST /api/exchange/:id/bids/:bidId/accept: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/exchange.ts:129 | Claude | P1  |       | Done   |
| 5885 | POST /api/exchange/:id/bids/:bidId/accept: idempotency key accepted and enforced                                                   | routes/exchange.ts:129 | Claude | P1  |       | Done   |
| 5886 | POST /api/exchange/:id/bids/:bidId/accept: audit log entry with the actor, the action and the record                               | routes/exchange.ts:129 | Claude | P1  |       | Done   |
| 5887 | POST /api/exchange/:id/bids/:bidId/accept: writes made in one database transaction                                                 | routes/exchange.ts:129 | Claude | P1  |       | Done   |
| 5888 | POST /api/exchange/:id/bids/:bidId/accept: response carries no internal field and no other member's personal data                  | routes/exchange.ts:129 | Claude | P1  |       | Done   |
| 5889 | POST /api/exchange/:id/bids/:bidId/accept: error responses use the shared error codes and plain messages                           | routes/exchange.ts:129 | Claude | P1  |       | Done   |
| 5890 | POST /api/exchange/:id/bids/:bidId/accept: described in the interface specification with its request, response and errors          | routes/exchange.ts:129 | Claude | P2  |       | Done   |
| 5891 | POST /api/exchange/:id/bids/:bidId/accept: integration test: success                                                               | routes/exchange.ts:129 | Claude | P1  | 17    | Open   |
| 5892 | POST /api/exchange/:id/bids/:bidId/accept: integration test: refused for a member without access                                   | routes/exchange.ts:129 | Claude | P1  |       | Done   |
| 5893 | POST /api/exchange/:id/bids/:bidId/accept: integration test: refused for invalid input                                             | routes/exchange.ts:129 | Claude | P1  |       | Done   |
| 5894 | GET /api/exits/committee/:id/options: input checked against a schema before any logic                                              | routes/exits.ts:25     | Claude | P1  |       | Done   |
| 5895 | GET /api/exits/committee/:id/options: sign in required                                                                             | routes/exits.ts:25     | Claude | P0  |       | Done   |
| 5896 | GET /api/exits/committee/:id/options: access checked against membership, hosting or ownership of the record before acting          | routes/exits.ts:25     | Claude | P1  |       | Done   |
| 5897 | GET /api/exits/committee/:id/options: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place      | routes/exits.ts:25     | Claude | P1  |       | Done   |
| 5898 | GET /api/exits/committee/:id/options: every list bounded with a limit and cursor pagination                                        | routes/exits.ts:25     | Claude | P1  |       | Done   |
| 5899 | GET /api/exits/committee/:id/options: response carries no internal field and no other member's personal data                       | routes/exits.ts:25     | Claude | P1  |       | Done   |
| 5900 | GET /api/exits/committee/:id/options: error responses use the shared error codes and plain messages                                | routes/exits.ts:25     | Claude | P1  |       | Done   |
| 5901 | GET /api/exits/committee/:id/options: described in the interface specification with its request, response and errors               | routes/exits.ts:25     | Claude | P2  |       | Done   |
| 5902 | GET /api/exits/committee/:id/options: integration test: success                                                                    | routes/exits.ts:25     | Claude | P1  |       | Done   |
| 5903 | GET /api/exits/committee/:id/options: integration test: refused for a member without access                                        | routes/exits.ts:25     | Claude | P1  |       | Done   |
| 5904 | GET /api/exits/committee/:id/options: integration test: refused for invalid input                                                  | routes/exits.ts:25     | Claude | P1  | 17    | Open   |
| 5905 | POST /api/exits/committee/:id: input checked against a schema before any logic                                                     | routes/exits.ts:93     | Claude | P1  |       | Done   |

| #    | Item                                                                                                                     | Where               | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------|---------------------|--------|-----|-------|--------|
| 5906 | POST /api/exits/committee/:id: sign in required                                                                          | routes/exits.ts:93  | Claude | P0  |       | Done   |
| 5907 | POST /api/exits/committee/:id: access checked against membership, hosting or ownership of the record before acting       | routes/exits.ts:93  | Claude | P1  |       | Done   |
| 5908 | POST /api/exits/committee/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place   | routes/exits.ts:93  | Claude | P1  |       | Done   |
| 5909 | POST /api/exits/committee/:id: idempotency key accepted and enforced                                                     | routes/exits.ts:93  | Claude | P1  | 17    | Open   |
| 5910 | POST /api/exits/committee/:id: audit log entry with the actor, the action and the record                                 | routes/exits.ts:93  | Claude | P1  |       | Done   |
| 5911 | POST /api/exits/committee/:id: writes made in one database transaction                                                   | routes/exits.ts:93  | Claude | P1  |       | Done   |
| 5912 | POST /api/exits/committee/:id: every list bounded with a limit and cursor pagination                                     | routes/exits.ts:93  | Claude | P1  |       | Done   |
| 5913 | POST /api/exits/committee/:id: response carries no internal field and no other member's personal data                    | routes/exits.ts:93  | Claude | P1  |       | Done   |
| 5914 | POST /api/exits/committee/:id: error responses use the shared error codes and plain messages                             | routes/exits.ts:93  | Claude | P1  |       | Done   |
| 5915 | POST /api/exits/committee/:id: described in the interface specification with its request, response and errors            | routes/exits.ts:93  | Claude | P2  |       | Done   |
| 5916 | POST /api/exits/committee/:id: integration test: success                                                                 | routes/exits.ts:93  | Claude | P1  |       | Done   |
| 5917 | POST /api/exits/committee/:id: integration test: refused for a member without access                                     | routes/exits.ts:93  | Claude | P1  |       | Done   |
| 5918 | POST /api/exits/committee/:id: integration test: refused for invalid input                                               | routes/exits.ts:93  | Claude | P1  |       | Done   |
| 5919 | POST /api/exits/:requestId/vote: input checked against a schema before any logic                                         | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5920 | POST /api/exits/:requestId/vote: sign in required                                                                        | routes/exits.ts:192 | Claude | P0  |       | Done   |
| 5921 | POST /api/exits/:requestId/vote: access checked against membership, hosting or ownership of the record before acting     | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5922 | POST /api/exits/:requestId/vote: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5923 | POST /api/exits/:requestId/vote: idempotency key accepted and enforced                                                   | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5924 | POST /api/exits/:requestId/vote: audit log entry with the actor, the action and the record                               | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5925 | POST /api/exits/:requestId/vote: writes made in one database transaction                                                 | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5926 | POST /api/exits/:requestId/vote: every list bounded with a limit and cursor pagination                                   | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5927 | POST /api/exits/:requestId/vote: response carries no internal field and no other member's personal data                  | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5928 | POST /api/exits/:requestId/vote: error responses use the shared error codes and plain messages                           | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5929 | POST /api/exits/:requestId/vote: described in the interface specification with its request, response and errors          | routes/exits.ts:192 | Claude | P2  |       | Done   |
| 5930 | POST /api/exits/:requestId/vote: integration test: success                                                               | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5931 | POST /api/exits/:requestId/vote: integration test: refused for a member without access                                   | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5932 | POST /api/exits/:requestId/vote: integration test: refused for invalid input                                             | routes/exits.ts:192 | Claude | P1  |       | Done   |
| 5933 | POST /api/exits/:requestId/settle: input checked against a schema before any logic                                       | routes/exits.ts:243 | Claude | P1  |       | Done   |
| 5934 | POST /api/exits/:requestId/settle: sign in required                                                                      | routes/exits.ts:243 | Claude | P0  |       | Done   |

| #    | Item                                                                                                                       | Where                     | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|---------------------------|--------|-----|-------|--------|
| 5935 | POST /api/exits/:requestId/settle: access checked against membership, hosting or ownership of the record before acting     | routes/exits.ts:243       | Claude | P1  |       | Done   |
| 5936 | POST /api/exits/:requestId/settle: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/exits.ts:243       | Claude | P1  |       | Done   |
| 5937 | POST /api/exits/:requestId/settle: idempotency key accepted and enforced                                                   | routes/exits.ts:243       | Claude | P1  | 17    | Open   |
| 5938 | POST /api/exits/:requestId/settle: audit log entry with the actor, the action and the record                               | routes/exits.ts:243       | Claude | P1  |       | Done   |
| 5939 | POST /api/exits/:requestId/settle: writes made in one database transaction                                                 | routes/exits.ts:243       | Claude | P1  |       | Done   |
| 5940 | POST /api/exits/:requestId/settle: response carries no internal field and no other member's personal data                  | routes/exits.ts:243       | Claude | P1  |       | Done   |
| 5941 | POST /api/exits/:requestId/settle: error responses use the shared error codes and plain messages                           | routes/exits.ts:243       | Claude | P1  |       | Done   |
| 5942 | POST /api/exits/:requestId/settle: described in the interface specification with its request, response and errors          | routes/exits.ts:243       | Claude | P2  |       | Done   |
| 5943 | POST /api/exits/:requestId/settle: integration test: success                                                               | routes/exits.ts:243       | Claude | P1  | 17    | Open   |
| 5944 | POST /api/exits/:requestId/settle: integration test: refused for a member without access                                   | routes/exits.ts:243       | Claude | P1  |       | Done   |
| 5945 | POST /api/exits/:requestId/settle: integration test: refused for invalid input                                             | routes/exits.ts:243       | Claude | P1  | 17    | Open   |
| 5946 | GET /api/exits/committee/:id: input checked against a schema before any logic                                              | routes/exits.ts:267       | Claude | P1  |       | Done   |
| 5947 | GET /api/exits/committee/:id: sign in required                                                                             | routes/exits.ts:267       | Claude | P0  |       | Done   |
| 5948 | GET /api/exits/committee/:id: access checked against membership, hosting or ownership of the record before acting          | routes/exits.ts:267       | Claude | P1  |       | Done   |
| 5949 | GET /api/exits/committee/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place      | routes/exits.ts:267       | Claude | P1  |       | Done   |
| 5950 | GET /api/exits/committee/:id: every list bounded with a limit and cursor pagination                                        | routes/exits.ts:267       | Claude | P1  |       | Done   |
| 5951 | GET /api/exits/committee/:id: response carries no internal field and no other member's personal data                       | routes/exits.ts:267       | Claude | P1  |       | Done   |
| 5952 | GET /api/exits/committee/:id: error responses use the shared error codes and plain messages                                | routes/exits.ts:267       | Claude | P1  |       | Done   |
| 5953 | GET /api/exits/committee/:id: described in the interface specification with its request, response and errors               | routes/exits.ts:267       | Claude | P2  |       | Done   |
| 5954 | GET /api/exits/committee/:id: integration test: success                                                                    | routes/exits.ts:267       | Claude | P1  |       | Done   |
| 5955 | GET /api/exits/committee/:id: integration test: refused for a member without access                                        | routes/exits.ts:267       | Claude | P1  |       | Done   |
| 5956 | GET /api/exits/committee/:id: integration test: refused for invalid input                                                  | routes/exits.ts:267       | Claude | P1  | 17    | Open   |
| 5957 | GET /api/notifications: input checked against a schema before any logic                                                    | routes/notifications.ts:7 | Claude | P1  |       | Done   |
| 5958 | GET /api/notifications: sign in required                                                                                   | routes/notifications.ts:7 | Claude | P0  |       | Done   |
| 5959 | GET /api/notifications: access checked against membership, hosting or ownership of the record before acting                | routes/notifications.ts:7 | Claude | P1  |       | Done   |
| 5960 | GET /api/notifications: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place            | routes/notifications.ts:7 | Claude | P1  |       | Done   |
| 5961 | GET /api/notifications: every list bounded with a limit and cursor pagination                                              | routes/notifications.ts:7 | Claude | P1  |       | Done   |
| 5962 | GET /api/notifications: response carries no internal field and no other member's personal data                             | routes/notifications.ts:7 | Claude | P1  |       | Done   |
| 5963 | GET /api/notifications: error responses use the shared error codes and plain messages                                      | routes/notifications.ts:7 | Claude | P1  |       | Done   |
| 5964 | GET /api/notifications: described in the interface specification with its request, response and errors                     | routes/notifications.ts:7 | Claude | P2  |       | Done   |

| #    | Item                                                                                                                       | Where                      | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|----------------------------|--------|-----|-------|--------|
| 5965 | GET /api/notifications: integration test: success                                                                          | routes/notifications.ts:7  | Claude | P1  |       | Done   |
| 5966 | GET /api/notifications: integration test: refused for a member without access                                              | routes/notifications.ts:7  | Claude | P1  |       | Done   |
| 5967 | GET /api/notifications: integration test: refused for invalid input                                                        | routes/notifications.ts:7  | Claude | P1  |       | Done   |
| 5968 | PATCH /api/notifications/:id/read: input checked against a schema before any logic                                         | routes/notifications.ts:8  | Claude | P1  |       | Done   |
| 5969 | PATCH /api/notifications/:id/read: sign in required                                                                        | routes/notifications.ts:8  | Claude | P0  |       | Done   |
| 5970 | PATCH /api/notifications/:id/read: access checked against membership, hosting or ownership of the record before acting     | routes/notifications.ts:8  | Claude | P1  |       | Done   |
| 5971 | PATCH /api/notifications/:id/read: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/notifications.ts:8  | Claude | P1  |       | Done   |
| 5972 | PATCH /api/notifications/:id/read: idempotency key accepted and enforced                                                   | routes/notifications.ts:8  | Claude | P1  |       | Done   |
| 5973 | PATCH /api/notifications/:id/read: audit log entry with the actor, the action and the record                               | routes/notifications.ts:8  | Claude | P1  |       | Done   |
| 5974 | PATCH /api/notifications/:id/read: writes made in one database transaction, or shown to need none                          | routes/notifications.ts:8  | Claude | P1  |       | Done   |
| 5975 | PATCH /api/notifications/:id/read: response carries no internal field and no other member's personal data                  | routes/notifications.ts:8  | Claude | P1  |       | Done   |
| 5976 | PATCH /api/notifications/:id/read: error responses use the shared error codes and plain messages                           | routes/notifications.ts:8  | Claude | P1  |       | Done   |
| 5977 | PATCH /api/notifications/:id/read: described in the interface specification with its request, response and errors          | routes/notifications.ts:8  | Claude | P2  |       | Done   |
| 5978 | PATCH /api/notifications/:id/read: integration test: success                                                               | routes/notifications.ts:8  | Claude | P1  |       | Done   |
| 5979 | PATCH /api/notifications/:id/read: integration test: refused for a member without access                                   | routes/notifications.ts:8  | Claude | P1  |       | Done   |
| 5980 | PATCH /api/notifications/:id/read: integration test: refused for invalid input                                             | routes/notifications.ts:8  | Claude | P1  | 17    | Open   |
| 5981 | PATCH /api/notifications/read-all: input checked against a schema before any logic                                         | routes/notifications.ts:12 | Claude | P1  |       | Done   |
| 5982 | PATCH /api/notifications/read-all: sign in required                                                                        | routes/notifications.ts:12 | Claude | P0  |       | Done   |
| 5983 | PATCH /api/notifications/read-all: access checked against membership, hosting or ownership of the record before acting     | routes/notifications.ts:12 | Claude | P1  |       | Done   |
| 5984 | PATCH /api/notifications/read-all: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/notifications.ts:12 | Claude | P1  |       | Done   |
| 5985 | PATCH /api/notifications/read-all: idempotency key accepted and enforced                                                   | routes/notifications.ts:12 | Claude | P1  |       | Done   |
| 5986 | PATCH /api/notifications/read-all: audit log entry with the actor, the action and the record                               | routes/notifications.ts:12 | Claude | P1  |       | Done   |
| 5987 | PATCH /api/notifications/read-all: writes made in one database transaction, or shown to need none                          | routes/notifications.ts:12 | Claude | P1  |       | Done   |
| 5988 | PATCH /api/notifications/read-all: response carries no internal field and no other member's personal data                  | routes/notifications.ts:12 | Claude | P1  |       | Done   |
| 5989 | PATCH /api/notifications/read-all: error responses use the shared error codes and plain messages                           | routes/notifications.ts:12 | Claude | P1  |       | Done   |
| 5990 | PATCH /api/notifications/read-all: described in the interface specification with its request, response and errors          | routes/notifications.ts:12 | Claude | P2  |       | Done   |
| 5991 | PATCH /api/notifications/read-all: integration test: success                                                               | routes/notifications.ts:12 | Claude | P1  |       | Done   |
| 5992 | PATCH /api/notifications/read-all: integration test: refused for a member without access                                   | routes/notifications.ts:12 | Claude | P1  |       | Done   |
| 5993 | PATCH /api/notifications/read-all: integration test: refused for invalid input                                             | routes/notifications.ts:12 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                                 | Where                | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 5994 | GET /api/partner: input checked against a schema before any logic                                                                    | routes/partner.ts:29 | Claude | P1  |       | Done   |
| 5995 | GET /api/partner: sign in required                                                                                                   | routes/partner.ts:29 | Claude | P0  |       | Done   |
| 5996 | GET /api/partner: access checked against membership, hosting or ownership of the record before acting                                | routes/partner.ts:29 | Claude | P1  | 17    | Open   |
| 5997 | GET /api/partner: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place                            | routes/partner.ts:29 | Claude | P1  |       | Done   |
| 5998 | GET /api/partner: every list bounded with a limit and cursor pagination                                                              | routes/partner.ts:29 | Claude | P1  |       | Done   |
| 5999 | GET /api/partner: response carries no internal field and no other member's personal data                                             | routes/partner.ts:29 | Claude | P1  |       | Done   |
| 6000 | GET /api/partner: error responses use the shared error codes and plain messages                                                      | routes/partner.ts:29 | Claude | P1  |       | Done   |
| 6001 | GET /api/partner: described in the interface specification with its request, response and errors                                     | routes/partner.ts:29 | Claude | P2  |       | Done   |
| 6002 | GET /api/partner: integration test: success                                                                                          | routes/partner.ts:29 | Claude | P1  |       | Done   |
| 6003 | GET /api/partner: integration test: refused for a member without access                                                              | routes/partner.ts:29 | Claude | P1  | 17    | Open   |
| 6004 | GET /api/partner: integration test: refused for invalid input                                                                        | routes/partner.ts:29 | Claude | P1  | 17    | Open   |
| 6005 | POST /api/partner/kyc: input checked against a schema before any logic                                                               | routes/partner.ts:40 | Claude | P1  |       | Done   |
| 6006 | POST /api/partner/kyc: sign in required                                                                                              | routes/partner.ts:40 | Claude | P0  |       | Done   |
| 6007 | POST /api/partner/kyc: access checked against membership, hosting or ownership of the record before acting                           | routes/partner.ts:40 | Claude | P1  |       | Done   |
| 6008 | POST /api/partner/kyc: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place                       | routes/partner.ts:40 | Claude | P1  |       | Done   |
| 6009 | POST /api/partner/kyc: idempotency key accepted and enforced                                                                         | routes/partner.ts:40 | Claude | P1  | 17    | Open   |
| 6010 | POST /api/partner/kyc: audit log entry with the actor, the action and the record                                                     | routes/partner.ts:40 | Claude | P1  |       | Done   |
| 6011 | POST /api/partner/kyc: writes made in one database transaction                                                                       | routes/partner.ts:40 | Claude | P1  |       | Done   |
| 6012 | POST /api/partner/kyc: response carries no internal field and no other member's personal data                                        | routes/partner.ts:40 | Claude | P1  |       | Done   |
| 6013 | POST /api/partner/kyc: error responses use the shared error codes and plain messages                                                 | routes/partner.ts:40 | Claude | P1  |       | Done   |
| 6014 | POST /api/partner/kyc: described in the interface specification with its request, response and errors                                | routes/partner.ts:40 | Claude | P2  |       | Done   |
| 6015 | POST /api/partner/kyc: integration test: success                                                                                     | routes/partner.ts:40 | Claude | P1  | 17    | Open   |
| 6016 | POST /api/partner/kyc: integration test: refused for a member without access                                                         | routes/partner.ts:40 | Claude | P1  | 17    | Open   |
| 6017 | POST /api/partner/kyc: integration test: refused for invalid input                                                                   | routes/partner.ts:40 | Claude | P1  | 17    | Open   |
| 6018 | POST /api/partner/committees/:id/statements: input checked against a schema before any logic                                         | routes/partner.ts:69 | Claude | P1  |       | Done   |
| 6019 | POST /api/partner/committees/:id/statements: sign in required                                                                        | routes/partner.ts:69 | Claude | P0  |       | Done   |
| 6020 | POST /api/partner/committees/:id/statements: access checked against membership, hosting or ownership of the record before acting     | routes/partner.ts:69 | Claude | P1  |       | Done   |
| 6021 | POST /api/partner/committees/:id/statements: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/partner.ts:69 | Claude | P1  |       | Done   |
| 6022 | POST /api/partner/committees/:id/statements: idempotency key accepted and enforced                                                   | routes/partner.ts:69 | Claude | P1  |       | Done   |



| #    | Item                                                                                                                        | Where                 | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 6023 | POST /api/partner/committees/:id/statements: audit log entry with the actor, the action and the record                      | routes/partner.ts:69  | Claude | P1  |       | Done   |
| 6024 | POST /api/partner/committees/:id/statements: writes made in one database transaction                                        | routes/partner.ts:69  | Claude | P1  |       | Done   |
| 6025 | POST /api/partner/committees/:id/statements: every list bounded with a limit and cursor pagination                          | routes/partner.ts:69  | Claude | P1  |       | Done   |
| 6026 | POST /api/partner/committees/:id/statements: response carries no internal field and no other member's personal data         | routes/partner.ts:69  | Claude | P1  |       | Done   |
| 6027 | POST /api/partner/committees/:id/statements: error responses use the shared error codes and plain messages                  | routes/partner.ts:69  | Claude | P1  |       | Done   |
| 6028 | POST /api/partner/committees/:id/statements: described in the interface specification with its request, response and errors | routes/partner.ts:69  | Claude | P2  |       | Done   |
| 6029 | POST /api/partner/committees/:id/statements: integration test: success                                                      | routes/partner.ts:69  | Claude | P1  | 17    | Open   |
| 6030 | POST /api/partner/committees/:id/statements: integration test: refused for a member without access                          | routes/partner.ts:69  | Claude | P1  | 17    | Open   |
| 6031 | POST /api/partner/committees/:id/statements: integration test: refused for invalid input                                    | routes/partner.ts:69  | Claude | P1  | 17    | Open   |
| 6032 | POST /api/payments/initiate: input checked against a schema before any logic                                                | routes/payments.ts:19 | Claude | P0  |       | Done   |
| 6033 | POST /api/payments/initiate: sign in required                                                                               | routes/payments.ts:19 | Claude | P0  |       | Done   |
| 6034 | POST /api/payments/initiate: access checked against membership, hosting or ownership of the record before acting            | routes/payments.ts:19 | Claude | P0  |       | Done   |
| 6035 | POST /api/payments/initiate: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place        | routes/payments.ts:19 | Claude | P0  |       | Done   |
| 6036 | POST /api/payments/initiate: idempotency key accepted and enforced                                                          | routes/payments.ts:19 | Claude | P0  |       | Done   |
| 6037 | POST /api/payments/initiate: audit log entry with the actor, the action and the record                                      | routes/payments.ts:19 | Claude | P0  |       | Done   |
| 6038 | POST /api/payments/initiate: writes made in one database transaction                                                        | routes/payments.ts:19 | Claude | P0  |       | Done   |
| 6039 | POST /api/payments/initiate: response carries no internal field and no other member's personal data                         | routes/payments.ts:19 | Claude | P0  |       | Done   |
| 6040 | POST /api/payments/initiate: error responses use the shared error codes and plain messages                                  | routes/payments.ts:19 | Claude | P0  |       | Done   |
| 6041 | POST /api/payments/initiate: described in the interface specification with its request, response and errors                 | routes/payments.ts:19 | Claude | P2  |       | Done   |
| 6042 | POST /api/payments/initiate: integration test: success                                                                      | routes/payments.ts:19 | Claude | P1  |       | Done   |
| 6043 | POST /api/payments/initiate: integration test: refused for a member without access                                          | routes/payments.ts:19 | Claude | P1  |       | Done   |
| 6044 | POST /api/payments/initiate: integration test: refused for invalid input                                                    | routes/payments.ts:19 | Claude | P1  |       | Done   |
| 6045 | GET /api/payments/mine: input checked against a schema before any logic                                                     | routes/payments.ts:42 | Claude | P0  |       | Done   |
| 6046 | GET /api/payments/mine: sign in required                                                                                    | routes/payments.ts:42 | Claude | P0  |       | Done   |
| 6047 | GET /api/payments/mine: access checked against membership, hosting or ownership of the record before acting                 | routes/payments.ts:42 | Claude | P0  |       | Done   |
| 6048 | GET /api/payments/mine: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place             | routes/payments.ts:42 | Claude | P0  |       | Done   |
| 6049 | GET /api/payments/mine: every list bounded with a limit and cursor pagination                                               | routes/payments.ts:42 | Claude | P0  |       | Done   |
| 6050 | GET /api/payments/mine: response carries no internal field and no other member's personal data                              | routes/payments.ts:42 | Claude | P0  |       | Done   |
| 6051 | GET /api/payments/mine: error responses use the shared error codes and plain messages                                       | routes/payments.ts:42 | Claude | P0  |       | Done   |

| #    | Item                                                                                                                     | Where                 | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 6052 | GET /api/payments/mine: described in the interface specification with its request, response and errors                   | routes/payments.ts:42 | Claude | P2  |       | Done   |
| 6053 | GET /api/payments/mine: integration test: success                                                                        | routes/payments.ts:42 | Claude | P1  |       | Done   |
| 6054 | GET /api/payments/mine: integration test: refused for a member without access                                            | routes/payments.ts:42 | Claude | P1  |       | Done   |
| 6055 | GET /api/payments/mine: integration test: refused for invalid input                                                      | routes/payments.ts:42 | Claude | P1  |       | Done   |
| 6056 | POST /api/payments: input checked against a schema before any logic                                                      | routes/payments.ts:46 | Claude | P0  |       | Done   |
| 6057 | POST /api/payments: sign in required                                                                                     | routes/payments.ts:46 | Claude | P0  |       | Done   |
| 6058 | POST /api/payments: access checked against membership, hosting or ownership of the record before acting                  | routes/payments.ts:46 | Claude | P0  |       | Done   |
| 6059 | POST /api/payments: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place              | routes/payments.ts:46 | Claude | P0  |       | Done   |
| 6060 | POST /api/payments: idempotency key accepted and enforced                                                                | routes/payments.ts:46 | Claude | P0  |       | Done   |
| 6061 | POST /api/payments: audit log entry with the actor, the action and the record                                            | routes/payments.ts:46 | Claude | P0  |       | Done   |
| 6062 | POST /api/payments: writes made in one database transaction                                                              | routes/payments.ts:46 | Claude | P0  |       | Done   |
| 6063 | POST /api/payments: response carries no internal field and no other member's personal data                               | routes/payments.ts:46 | Claude | P0  |       | Done   |
| 6064 | POST /api/payments: error responses use the shared error codes and plain messages                                        | routes/payments.ts:46 | Claude | P0  |       | Done   |
| 6065 | POST /api/payments: described in the interface specification with its request, response and errors                       | routes/payments.ts:46 | Claude | P2  |       | Done   |
| 6066 | POST /api/payments: integration test: success                                                                            | routes/payments.ts:46 | Claude | P1  |       | Done   |
| 6067 | POST /api/payments: integration test: refused for a member without access                                                | routes/payments.ts:46 | Claude | P1  |       | Done   |
| 6068 | POST /api/payments: integration test: refused for invalid input                                                          | routes/payments.ts:46 | Claude | P1  |       | Done   |
| 6069 | POST /api/profile/verify-income: input checked against a schema before any logic                                         | routes/profile.ts:21  | Claude | P1  |       | Done   |
| 6070 | POST /api/profile/verify-income: sign in required                                                                        | routes/profile.ts:21  | Claude | P0  |       | Done   |
| 6071 | POST /api/profile/verify-income: access checked against membership, hosting or ownership of the record before acting     | routes/profile.ts:21  | Claude | P1  |       | Done   |
| 6072 | POST /api/profile/verify-income: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/profile.ts:21  | Claude | P1  |       | Done   |
| 6073 | POST /api/profile/verify-income: idempotency key accepted and enforced                                                   | routes/profile.ts:21  | Claude | P1  |       | Done   |
| 6074 | POST /api/profile/verify-income: audit log entry with the actor, the action and the record                               | routes/profile.ts:21  | Claude | P1  |       | Done   |
| 6075 | POST /api/profile/verify-income: writes made in one database transaction, or shown to need none                          | routes/profile.ts:21  | Claude | P1  |       | Done   |
| 6076 | POST /api/profile/verify-income: response carries no internal field and no other member's personal data                  | routes/profile.ts:21  | Claude | P1  |       | Done   |
| 6077 | POST /api/profile/verify-income: error responses use the shared error codes and plain messages                           | routes/profile.ts:21  | Claude | P1  |       | Done   |
| 6078 | POST /api/profile/verify-income: described in the interface specification with its request, response and errors          | routes/profile.ts:21  | Claude | P2  |       | Done   |
| 6079 | POST /api/profile/verify-income: integration test: success                                                               | routes/profile.ts:21  | Claude | P1  |       | Done   |
| 6080 | POST /api/profile/verify-income: integration test: refused for a member without access                                   | routes/profile.ts:21  | Claude | P1  |       | Done   |
| 6081 | POST /api/profile/verify-income: integration test: refused for invalid input                                             | routes/profile.ts:21  | Claude | P1  |       | Done   |

| #    | Item                                                                                                                          | Where                | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 6082 | POST /api/profile/secure-cheque: input checked against a schema before any logic                                              | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6083 | POST /api/profile/secure-cheque: sign in required                                                                             | routes/profile.ts:33 | Claude | P0  |       | Done   |
| 6084 | POST /api/profile/secure-cheque: access checked against membership, hosting or ownership of the record before acting          | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6085 | POST /api/profile/secure-cheque: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place      | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6086 | POST /api/profile/secure-cheque: idempotency key accepted and enforced                                                        | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6087 | POST /api/profile/secure-cheque: audit log entry with the actor, the action and the record                                    | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6088 | POST /api/profile/secure-cheque: writes made in one database transaction, or shown to need none                               | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6089 | POST /api/profile/secure-cheque: response carries no internal field and no other member's personal data                       | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6090 | POST /api/profile/secure-cheque: error responses use the shared error codes and plain messages                                | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6091 | POST /api/profile/secure-cheque: described in the interface specification with its request, response and errors               | routes/profile.ts:33 | Claude | P2  |       | Done   |
| 6092 | POST /api/profile/secure-cheque: integration test: success                                                                    | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6093 | POST /api/profile/secure-cheque: integration test: refused for a member without access                                        | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6094 | POST /api/profile/secure-cheque: integration test: refused for invalid input                                                  | routes/profile.ts:33 | Claude | P1  |       | Done   |
| 6095 | POST /api/profile/clear-verification: input checked against a schema before any logic                                         | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6096 | POST /api/profile/clear-verification: sign in required                                                                        | routes/profile.ts:41 | Claude | P0  |       | Done   |
| 6097 | POST /api/profile/clear-verification: access checked against membership, hosting or ownership of the record before acting     | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6098 | POST /api/profile/clear-verification: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6099 | POST /api/profile/clear-verification: idempotency key accepted and enforced                                                   | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6100 | POST /api/profile/clear-verification: audit log entry with the actor, the action and the record                               | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6101 | POST /api/profile/clear-verification: writes made in one database transaction, or shown to need none                          | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6102 | POST /api/profile/clear-verification: response carries no internal field and no other member's personal data                  | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6103 | POST /api/profile/clear-verification: error responses use the shared error codes and plain messages                           | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6104 | POST /api/profile/clear-verification: described in the interface specification with its request, response and errors          | routes/profile.ts:41 | Claude | P2  |       | Done   |
| 6105 | POST /api/profile/clear-verification: integration test: success                                                               | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6106 | POST /api/profile/clear-verification: integration test: refused for a member without access                                   | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6107 | POST /api/profile/clear-verification: integration test: refused for invalid input                                             | routes/profile.ts:41 | Claude | P1  |       | Done   |
| 6108 | GET /api/profile/credit: input checked against a schema before any logic                                                      | routes/profile.ts:48 | Claude | P1  |       | Done   |
| 6109 | GET /api/profile/credit: sign in required                                                                                     | routes/profile.ts:48 | Claude | P0  |       | Done   |
| 6110 | GET /api/profile/credit: access checked against membership, hosting or ownership of the record before acting                  | routes/profile.ts:48 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                         | Where                | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 6111 | GET /api/profile/credit: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place             | routes/profile.ts:48 | Claude | P1  |       | Done   |
| 6112 | GET /api/profile/credit: every list bounded with a limit and cursor pagination                                               | routes/profile.ts:48 | Claude | P1  |       | Done   |
| 6113 | GET /api/profile/credit: response carries no internal field and no other member's personal data                              | routes/profile.ts:48 | Claude | P1  |       | Done   |
| 6114 | GET /api/profile/credit: error responses use the shared error codes and plain messages                                       | routes/profile.ts:48 | Claude | P1  |       | Done   |
| 6115 | GET /api/profile/credit: described in the interface specification with its request, response and errors                      | routes/profile.ts:48 | Claude | P2  |       | Done   |
| 6116 | GET /api/profile/credit: integration test: success                                                                           | routes/profile.ts:48 | Claude | P1  |       | Done   |
| 6117 | GET /api/profile/credit: integration test: refused for a member without access                                               | routes/profile.ts:48 | Claude | P1  |       | Done   |
| 6118 | GET /api/profile/credit: integration test: refused for invalid input                                                         | routes/profile.ts:48 | Claude | P1  |       | Done   |
| 6119 | GET /api/profile/reputation/:userId: input checked against a schema before any logic                                         | routes/profile.ts:50 | Claude | P1  |       | Done   |
| 6120 | GET /api/profile/reputation/:userId: sign in required                                                                        | routes/profile.ts:50 | Claude | P0  |       | Done   |
| 6121 | GET /api/profile/reputation/:userId: access checked against membership, hosting or ownership of the record before acting     | routes/profile.ts:50 | Claude | P1  | 17    | Open   |
| 6122 | GET /api/profile/reputation/:userId: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/profile.ts:50 | Claude | P1  |       | Done   |
| 6123 | GET /api/profile/reputation/:userId: response carries no internal field and no other member's personal data                  | routes/profile.ts:50 | Claude | P1  |       | Done   |
| 6124 | GET /api/profile/reputation/:userId: error responses use the shared error codes and plain messages                           | routes/profile.ts:50 | Claude | P1  |       | Done   |
| 6125 | GET /api/profile/reputation/:userId: described in the interface specification with its request, response and errors          | routes/profile.ts:50 | Claude | P2  |       | Done   |
| 6126 | GET /api/profile/reputation/:userId: integration test: success                                                               | routes/profile.ts:50 | Claude | P1  |       | Done   |
| 6127 | GET /api/profile/reputation/:userId: integration test: refused for a member without access                                   | routes/profile.ts:50 | Claude | P1  |       | Done   |
| 6128 | GET /api/profile/reputation/:userId: integration test: refused for invalid input                                             | routes/profile.ts:50 | Claude | P1  |       | Done   |
| 6129 | POST /api/profile/passport: input checked against a schema before any logic                                                  | routes/profile.ts:58 | Claude | P1  |       | Done   |
| 6130 | POST /api/profile/passport: sign in required                                                                                 | routes/profile.ts:58 | Claude | P0  |       | Done   |
| 6131 | POST /api/profile/passport: access checked against membership, hosting or ownership of the record before acting              | routes/profile.ts:58 | Claude | P1  | 17    | Open   |
| 6132 | POST /api/profile/passport: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place          | routes/profile.ts:58 | Claude | P1  |       | Done   |
| 6133 | POST /api/profile/passport: idempotency key accepted and enforced                                                            | routes/profile.ts:58 | Claude | P1  | 17    | Open   |
| 6134 | POST /api/profile/passport: audit log entry with the actor, the action and the record                                        | routes/profile.ts:58 | Claude | P1  |       | Done   |
| 6135 | POST /api/profile/passport: writes made in one database transaction, or shown to need none                                   | routes/profile.ts:58 | Claude | P1  |       | Done   |
| 6136 | POST /api/profile/passport: response carries no internal field and no other member's personal data                           | routes/profile.ts:58 | Claude | P1  |       | Done   |
| 6137 | POST /api/profile/passport: error responses use the shared error codes and plain messages                                    | routes/profile.ts:58 | Claude | P1  |       | Done   |
| 6138 | POST /api/profile/passport: described in the interface specification with its request, response and errors                   | routes/profile.ts:58 | Claude | P2  |       | Done   |
| 6139 | POST /api/profile/passport: integration test: success                                                                        | routes/profile.ts:58 | Claude | P1  |       | Done   |
| 6140 | POST /api/profile/passport: integration test: refused for a member without access                                            | routes/profile.ts:58 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                | Where                | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 6141 | POST /api/profile/passport: integration test: refused for invalid input                                             | routes/profile.ts:58 | Claude | P1  |       | Done   |
| 6142 | GET /api/profile/summary: input checked against a schema before any logic                                           | routes/profile.ts:66 | Claude | P1  |       | Done   |
| 6143 | GET /api/profile/summary: sign in required                                                                          | routes/profile.ts:66 | Claude | P0  |       | Done   |
| 6144 | GET /api/profile/summary: access checked against membership, hosting or ownership of the record before acting       | routes/profile.ts:66 | Claude | P1  |       | Done   |
| 6145 | GET /api/profile/summary: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place   | routes/profile.ts:66 | Claude | P1  |       | Done   |
| 6146 | GET /api/profile/summary: every list bounded with a limit and cursor pagination                                     | routes/profile.ts:66 | Claude | P1  |       | Done   |
| 6147 | GET /api/profile/summary: response carries no internal field and no other member's personal data                    | routes/profile.ts:66 | Claude | P1  |       | Done   |
| 6148 | GET /api/profile/summary: error responses use the shared error codes and plain messages                             | routes/profile.ts:66 | Claude | P1  |       | Done   |
| 6149 | GET /api/profile/summary: described in the interface specification with its request, response and errors            | routes/profile.ts:66 | Claude | P2  |       | Done   |
| 6150 | GET /api/profile/summary: integration test: success                                                                 | routes/profile.ts:66 | Claude | P1  |       | Done   |
| 6151 | GET /api/profile/summary: integration test: refused for a member without access                                     | routes/profile.ts:66 | Claude | P1  |       | Done   |
| 6152 | GET /api/profile/summary: integration test: refused for invalid input                                               | routes/profile.ts:66 | Claude | P1  |       | Done   |
| 6153 | GET /api/profile/consent: input checked against a schema before any logic                                           | routes/profile.ts:92 | Claude | P1  |       | Done   |
| 6154 | GET /api/profile/consent: sign in required                                                                          | routes/profile.ts:92 | Claude | P0  |       | Done   |
| 6155 | GET /api/profile/consent: access checked against membership, hosting or ownership of the record before acting       | routes/profile.ts:92 | Claude | P1  |       | Done   |
| 6156 | GET /api/profile/consent: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place   | routes/profile.ts:92 | Claude | P1  |       | Done   |
| 6157 | GET /api/profile/consent: every list bounded with a limit and cursor pagination                                     | routes/profile.ts:92 | Claude | P1  |       | Done   |
| 6158 | GET /api/profile/consent: response carries no internal field and no other member's personal data                    | routes/profile.ts:92 | Claude | P1  |       | Done   |
| 6159 | GET /api/profile/consent: error responses use the shared error codes and plain messages                             | routes/profile.ts:92 | Claude | P1  |       | Done   |
| 6160 | GET /api/profile/consent: described in the interface specification with its request, response and errors            | routes/profile.ts:92 | Claude | P2  |       | Done   |
| 6161 | GET /api/profile/consent: integration test: success                                                                 | routes/profile.ts:92 | Claude | P1  |       | Done   |
| 6162 | GET /api/profile/consent: integration test: refused for a member without access                                     | routes/profile.ts:92 | Claude | P1  |       | Done   |
| 6163 | GET /api/profile/consent: integration test: refused for invalid input                                               | routes/profile.ts:92 | Claude | P1  |       | Done   |
| 6164 | PATCH /api/profile/consent: input checked against a schema before any logic                                         | routes/profile.ts:96 | Claude | P1  |       | Done   |
| 6165 | PATCH /api/profile/consent: sign in required                                                                        | routes/profile.ts:96 | Claude | P0  |       | Done   |
| 6166 | PATCH /api/profile/consent: access checked against membership, hosting or ownership of the record before acting     | routes/profile.ts:96 | Claude | P1  |       | Done   |
| 6167 | PATCH /api/profile/consent: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/profile.ts:96 | Claude | P1  |       | Done   |
| 6168 | PATCH /api/profile/consent: idempotency key accepted and enforced                                                   | routes/profile.ts:96 | Claude | P1  |       | Done   |
| 6169 | PATCH /api/profile/consent: audit log entry with the actor, the action and the record                               | routes/profile.ts:96 | Claude | P1  |       | Done   |
| 6170 | PATCH /api/profile/consent: writes made in one database transaction, or shown to need none                          | routes/profile.ts:96 | Claude | P1  |       | Done   |
| 6171 | PATCH /api/profile/consent: response carries no internal field and no other member's personal data                  | routes/profile.ts:96 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                       | Where                 | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 6172 | PATCH /api/profile/consent: error responses use the shared error codes and plain messages                                  | routes/profile.ts:96  | Claude | P1  |       | Done   |
| 6173 | PATCH /api/profile/consent: described in the interface specification with its request, response and errors                 | routes/profile.ts:96  | Claude | P2  |       | Done   |
| 6174 | PATCH /api/profile/consent: integration test: success                                                                      | routes/profile.ts:96  | Claude | P1  |       | Done   |
| 6175 | PATCH /api/profile/consent: integration test: refused for a member without access                                          | routes/profile.ts:96  | Claude | P1  |       | Done   |
| 6176 | PATCH /api/profile/consent: integration test: refused for invalid input                                                    | routes/profile.ts:96  | Claude | P1  |       | Done   |
| 6177 | GET /api/profile/payment-methods: input checked against a schema before any logic                                          | routes/profile.ts:118 | Claude | P1  |       | Done   |
| 6178 | GET /api/profile/payment-methods: sign in required                                                                         | routes/profile.ts:118 | Claude | P0  |       | Done   |
| 6179 | GET /api/profile/payment-methods: access checked against membership, hosting or ownership of the record before acting      | routes/profile.ts:118 | Claude | P1  |       | Done   |
| 6180 | GET /api/profile/payment-methods: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place  | routes/profile.ts:118 | Claude | P1  |       | Done   |
| 6181 | GET /api/profile/payment-methods: every list bounded with a limit and cursor pagination                                    | routes/profile.ts:118 | Claude | P1  |       | Done   |
| 6182 | GET /api/profile/payment-methods: response carries no internal field and no other member's personal data                   | routes/profile.ts:118 | Claude | P1  |       | Done   |
| 6183 | GET /api/profile/payment-methods: error responses use the shared error codes and plain messages                            | routes/profile.ts:118 | Claude | P1  |       | Done   |
| 6184 | GET /api/profile/payment-methods: described in the interface specification with its request, response and errors           | routes/profile.ts:118 | Claude | P2  |       | Done   |
| 6185 | GET /api/profile/payment-methods: integration test: success                                                                | routes/profile.ts:118 | Claude | P1  |       | Done   |
| 6186 | GET /api/profile/payment-methods: integration test: refused for a member without access                                    | routes/profile.ts:118 | Claude | P1  |       | Done   |
| 6187 | GET /api/profile/payment-methods: integration test: refused for invalid input                                              | routes/profile.ts:118 | Claude | P1  |       | Done   |
| 6188 | POST /api/profile/payment-methods: input checked against a schema before any logic                                         | routes/profile.ts:123 | Claude | P1  |       | Done   |
| 6189 | POST /api/profile/payment-methods: sign in required                                                                        | routes/profile.ts:123 | Claude | P0  |       | Done   |
| 6190 | POST /api/profile/payment-methods: access checked against membership, hosting or ownership of the record before acting     | routes/profile.ts:123 | Claude | P1  |       | Done   |
| 6191 | POST /api/profile/payment-methods: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/profile.ts:123 | Claude | P1  |       | Done   |
| 6192 | POST /api/profile/payment-methods: idempotency key accepted and enforced                                                   | routes/profile.ts:123 | Claude | P1  | 17    | Open   |
| 6193 | POST /api/profile/payment-methods: audit log entry with the actor, the action and the record                               | routes/profile.ts:123 | Claude | P1  |       | Done   |
| 6194 | POST /api/profile/payment-methods: writes made in one database transaction                                                 | routes/profile.ts:123 | Claude | P1  |       | Done   |
| 6195 | POST /api/profile/payment-methods: response carries no internal field and no other member's personal data                  | routes/profile.ts:123 | Claude | P1  |       | Done   |
| 6196 | POST /api/profile/payment-methods: error responses use the shared error codes and plain messages                           | routes/profile.ts:123 | Claude | P1  |       | Done   |
| 6197 | POST /api/profile/payment-methods: described in the interface specification with its request, response and errors          | routes/profile.ts:123 | Claude | P2  |       | Done   |
| 6198 | POST /api/profile/payment-methods: integration test: success                                                               | routes/profile.ts:123 | Claude | P1  |       | Done   |
| 6199 | POST /api/profile/payment-methods: integration test: refused for a member without access                                   | routes/profile.ts:123 | Claude | P1  |       | Done   |
| 6200 | POST /api/profile/payment-methods: integration test: refused for invalid input                                             | routes/profile.ts:123 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                                     | Where                 | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 6201 | POST /api/profile/payment-methods/:id/verify: input checked against a schema before any logic                                            | routes/profile.ts:190 | Claude | P1  |       | Done   |
| 6202 | POST /api/profile/payment-methods/:id/verify: sign in required                                                                           | routes/profile.ts:190 | Claude | P0  |       | Done   |
| 6203 | POST /api/profile/payment-methods/:id/verify: access checked against membership, hosting or ownership of the record before acting        | routes/profile.ts:190 | Claude | P1  |       | Done   |
| 6204 | POST /api/profile/payment-methods/:id/verify: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place    | routes/profile.ts:190 | Claude | P1  |       | Done   |
| 6205 | POST /api/profile/payment-methods/:id/verify: idempotency key accepted and enforced                                                      | routes/profile.ts:190 | Claude | P1  | 17    | Open   |
| 6206 | POST /api/profile/payment-methods/:id/verify: audit log entry with the actor, the action and the record                                  | routes/profile.ts:190 | Claude | P1  |       | Done   |
| 6207 | POST /api/profile/payment-methods/:id/verify: writes made in one database transaction                                                    | routes/profile.ts:190 | Claude | P1  |       | Done   |
| 6208 | POST /api/profile/payment-methods/:id/verify: response carries no internal field and no other member's personal data                     | routes/profile.ts:190 | Claude | P1  |       | Done   |
| 6209 | POST /api/profile/payment-methods/:id/verify: error responses use the shared error codes and plain messages                              | routes/profile.ts:190 | Claude | P1  |       | Done   |
| 6210 | POST /api/profile/payment-methods/:id/verify: described in the interface specification with its request, response and errors             | routes/profile.ts:190 | Claude | P2  |       | Done   |
| 6211 | POST /api/profile/payment-methods/:id/verify: integration test: success                                                                  | routes/profile.ts:190 | Claude | P1  | 17    | Open   |
| 6212 | POST /api/profile/payment-methods/:id/verify: integration test: refused for a member without access                                      | routes/profile.ts:190 | Claude | P1  |       | Done   |
| 6213 | POST /api/profile/payment-methods/:id/verify: integration test: refused for invalid input                                                | routes/profile.ts:190 | Claude | P1  |       | Done   |
| 6214 | POST /api/profile/payment-methods/:id/preferred: input checked against a schema before any logic                                         | routes/profile.ts:210 | Claude | P1  |       | Done   |
| 6215 | POST /api/profile/payment-methods/:id/preferred: sign in required                                                                        | routes/profile.ts:210 | Claude | P0  |       | Done   |
| 6216 | POST /api/profile/payment-methods/:id/preferred: access checked against membership, hosting or ownership of the record before acting     | routes/profile.ts:210 | Claude | P1  |       | Done   |
| 6217 | POST /api/profile/payment-methods/:id/preferred: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/profile.ts:210 | Claude | P1  |       | Done   |
| 6218 | POST /api/profile/payment-methods/:id/preferred: idempotency key accepted and enforced                                                   | routes/profile.ts:210 | Claude | P1  |       | Done   |
| 6219 | POST /api/profile/payment-methods/:id/preferred: audit log entry with the actor, the action and the record                               | routes/profile.ts:210 | Claude | P1  |       | Done   |
| 6220 | POST /api/profile/payment-methods/:id/preferred: writes made in one database transaction, or shown to need none                          | routes/profile.ts:210 | Claude | P1  |       | Done   |
| 6221 | POST /api/profile/payment-methods/:id/preferred: response carries no internal field and no other member's personal data                  | routes/profile.ts:210 | Claude | P1  |       | Done   |
| 6222 | POST /api/profile/payment-methods/:id/preferred: error responses use the shared error codes and plain messages                           | routes/profile.ts:210 | Claude | P1  |       | Done   |
| 6223 | POST /api/profile/payment-methods/:id/preferred: described in the interface specification with its request, response and errors          | routes/profile.ts:210 | Claude | P2  |       | Done   |
| 6224 | POST /api/profile/payment-methods/:id/preferred: integration test: success                                                               | routes/profile.ts:210 | Claude | P1  |       | Done   |
| 6225 | POST /api/profile/payment-methods/:id/preferred: integration test: refused for a member without access                                   | routes/profile.ts:210 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                                  | Where                 | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 6226 | POST /api/profile/payment-methods/:id/preferred: integration test: refused for invalid input                                          | routes/profile.ts:210 | Claude | P1  |       | Done   |
| 6227 | POST /api/profile/payment-methods/:id/salary: input checked against a schema before any logic                                         | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6228 | POST /api/profile/payment-methods/:id/salary: sign in required                                                                        | routes/profile.ts:226 | Claude | P0  |       | Done   |
| 6229 | POST /api/profile/payment-methods/:id/salary: access checked against membership, hosting or ownership of the record before acting     | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6230 | POST /api/profile/payment-methods/:id/salary: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6231 | POST /api/profile/payment-methods/:id/salary: idempotency key accepted and enforced                                                   | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6232 | POST /api/profile/payment-methods/:id/salary: audit log entry with the actor, the action and the record                               | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6233 | POST /api/profile/payment-methods/:id/salary: writes made in one database transaction, or shown to need none                          | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6234 | POST /api/profile/payment-methods/:id/salary: response carries no internal field and no other member's personal data                  | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6235 | POST /api/profile/payment-methods/:id/salary: error responses use the shared error codes and plain messages                           | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6236 | POST /api/profile/payment-methods/:id/salary: described in the interface specification with its request, response and errors          | routes/profile.ts:226 | Claude | P2  |       | Done   |
| 6237 | POST /api/profile/payment-methods/:id/salary: integration test: success                                                               | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6238 | POST /api/profile/payment-methods/:id/salary: integration test: refused for a member without access                                   | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6239 | POST /api/profile/payment-methods/:id/salary: integration test: refused for invalid input                                             | routes/profile.ts:226 | Claude | P1  |       | Done   |
| 6240 | DELETE /api/profile/payment-methods/:id: input checked against a schema before any logic                                              | routes/profile.ts:246 | Claude | P1  |       | Done   |
| 6241 | DELETE /api/profile/payment-methods/:id: sign in required                                                                             | routes/profile.ts:246 | Claude | P0  |       | Done   |
| 6242 | DELETE /api/profile/payment-methods/:id: access checked against membership, hosting or ownership of the record before acting          | routes/profile.ts:246 | Claude | P1  |       | Done   |
| 6243 | DELETE /api/profile/payment-methods/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place      | routes/profile.ts:246 | Claude | P1  |       | Done   |
| 6244 | DELETE /api/profile/payment-methods/:id: idempotency key accepted and enforced                                                        | routes/profile.ts:246 | Claude | P1  | 17    | Open   |
| 6245 | DELETE /api/profile/payment-methods/:id: audit log entry with the actor, the action and the record                                    | routes/profile.ts:246 | Claude | P1  |       | Done   |
| 6246 | DELETE /api/profile/payment-methods/:id: writes made in one database transaction, or shown to need none                               | routes/profile.ts:246 | Claude | P1  |       | Done   |
| 6247 | DELETE /api/profile/payment-methods/:id: response carries no internal field and no other member's personal data                       | routes/profile.ts:246 | Claude | P1  |       | Done   |
| 6248 | DELETE /api/profile/payment-methods/:id: error responses use the shared error codes and plain messages                                | routes/profile.ts:246 | Claude | P1  |       | Done   |
| 6249 | DELETE /api/profile/payment-methods/:id: described in the interface specification with its request, response and errors               | routes/profile.ts:246 | Claude | P2  |       | Done   |
| 6250 | DELETE /api/profile/payment-methods/:id: integration test: success                                                                    | routes/profile.ts:246 | Claude | P1  |       | Done   |
| 6251 | DELETE /api/profile/payment-methods/:id: integration test: refused for a member without access                                        | routes/profile.ts:246 | Claude | P1  |       | Done   |



| #    | Item                                                                                                                    | Where                 | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 6252 | DELETE /api/profile/payment-methods/:id: integration test: refused for invalid input                                    | routes/profile.ts:246 | Claude | P1  |       | Done   |
| 6253 | POST /api/profile/salary-day: input checked against a schema before any logic                                           | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6254 | POST /api/profile/salary-day: sign in required                                                                          | routes/profile.ts:272 | Claude | P0  |       | Done   |
| 6255 | POST /api/profile/salary-day: access checked against membership, hosting or ownership of the record before acting       | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6256 | POST /api/profile/salary-day: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place   | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6257 | POST /api/profile/salary-day: idempotency key accepted and enforced                                                     | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6258 | POST /api/profile/salary-day: audit log entry with the actor, the action and the record                                 | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6259 | POST /api/profile/salary-day: writes made in one database transaction, or shown to need none                            | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6260 | POST /api/profile/salary-day: response carries no internal field and no other member's personal data                    | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6261 | POST /api/profile/salary-day: error responses use the shared error codes and plain messages                             | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6262 | POST /api/profile/salary-day: described in the interface specification with its request, response and errors            | routes/profile.ts:272 | Claude | P2  |       | Done   |
| 6263 | POST /api/profile/salary-day: integration test: success                                                                 | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6264 | POST /api/profile/salary-day: integration test: refused for a member without access                                     | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6265 | POST /api/profile/salary-day: integration test: refused for invalid input                                               | routes/profile.ts:272 | Claude | P1  |       | Done   |
| 6266 | GET /api/profile/salary-status: input checked against a schema before any logic                                         | routes/profile.ts:283 | Claude | P1  |       | Done   |
| 6267 | GET /api/profile/salary-status: sign in required                                                                        | routes/profile.ts:283 | Claude | P0  |       | Done   |
| 6268 | GET /api/profile/salary-status: access checked against membership, hosting or ownership of the record before acting     | routes/profile.ts:283 | Claude | P1  |       | Done   |
| 6269 | GET /api/profile/salary-status: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/profile.ts:283 | Claude | P1  |       | Done   |
| 6270 | GET /api/profile/salary-status: every list bounded with a limit and cursor pagination                                   | routes/profile.ts:283 | Claude | P1  |       | Done   |
| 6271 | GET /api/profile/salary-status: response carries no internal field and no other member's personal data                  | routes/profile.ts:283 | Claude | P1  |       | Done   |
| 6272 | GET /api/profile/salary-status: error responses use the shared error codes and plain messages                           | routes/profile.ts:283 | Claude | P1  |       | Done   |
| 6273 | GET /api/profile/salary-status: described in the interface specification with its request, response and errors          | routes/profile.ts:283 | Claude | P2  |       | Done   |
| 6274 | GET /api/profile/salary-status: integration test: success                                                               | routes/profile.ts:283 | Claude | P1  |       | Done   |
| 6275 | GET /api/profile/salary-status: integration test: refused for a member without access                                   | routes/profile.ts:283 | Claude | P1  |       | Done   |
| 6276 | GET /api/profile/salary-status: integration test: refused for invalid input                                             | routes/profile.ts:283 | Claude | P1  |       | Done   |
| 6277 | POST /api/profile/payslip: input checked against a schema before any logic                                              | routes/profile.ts:294 | Claude | P1  |       | Done   |
| 6278 | POST /api/profile/payslip: sign in required                                                                             | routes/profile.ts:294 | Claude | P0  |       | Done   |
| 6279 | POST /api/profile/payslip: access checked against membership, hosting or ownership of the record before acting          | routes/profile.ts:294 | Claude | P1  |       | Done   |
| 6280 | POST /api/profile/payslip: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place      | routes/profile.ts:294 | Claude | P1  |       | Done   |
| 6281 | POST /api/profile/payslip: idempotency key accepted and enforced                                                        | routes/profile.ts:294 | Claude | P1  | 17    | Open   |
| 6282 | POST /api/profile/payslip: audit log entry with the actor, the action and the record                                    | routes/profile.ts:294 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                      | Where                 | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 6283 | POST /api/profile/payslip: writes made in one database transaction                                                        | routes/profile.ts:294 | Claude | P1  |       | Done   |
| 6284 | POST /api/profile/payslip: response carries no internal field and no other member's personal data                         | routes/profile.ts:294 | Claude | P1  |       | Done   |
| 6285 | POST /api/profile/payslip: error responses use the shared error codes and plain messages                                  | routes/profile.ts:294 | Claude | P1  |       | Done   |
| 6286 | POST /api/profile/payslip: described in the interface specification with its request, response and errors                 | routes/profile.ts:294 | Claude | P2  |       | Done   |
| 6287 | POST /api/profile/payslip: integration test: success                                                                      | routes/profile.ts:294 | Claude | P1  | 17    | Open   |
| 6288 | POST /api/profile/payslip: integration test: refused for a member without access                                          | routes/profile.ts:294 | Claude | P1  |       | Done   |
| 6289 | POST /api/profile/payslip: integration test: refused for invalid input                                                    | routes/profile.ts:294 | Claude | P1  | 17    | Open   |
| 6290 | POST /api/profile/salary-signals: input checked against a schema before any logic                                         | routes/profile.ts:316 | Claude | P1  |       | Done   |
| 6291 | POST /api/profile/salary-signals: sign in required                                                                        | routes/profile.ts:316 | Claude | P0  |       | Done   |
| 6292 | POST /api/profile/salary-signals: access checked against membership, hosting or ownership of the record before acting     | routes/profile.ts:316 | Claude | P1  |       | Done   |
| 6293 | POST /api/profile/salary-signals: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/profile.ts:316 | Claude | P1  |       | Done   |
| 6294 | POST /api/profile/salary-signals: idempotency key accepted and enforced                                                   | routes/profile.ts:316 | Claude | P1  | 17    | Open   |
| 6295 | POST /api/profile/salary-signals: audit log entry with the actor, the action and the record                               | routes/profile.ts:316 | Claude | P1  |       | Done   |
| 6296 | POST /api/profile/salary-signals: writes made in one database transaction, or shown to need none                          | routes/profile.ts:316 | Claude | P1  |       | Done   |
| 6297 | POST /api/profile/salary-signals: response carries no internal field and no other member's personal data                  | routes/profile.ts:316 | Claude | P1  |       | Done   |
| 6298 | POST /api/profile/salary-signals: error responses use the shared error codes and plain messages                           | routes/profile.ts:316 | Claude | P1  |       | Done   |
| 6299 | POST /api/profile/salary-signals: described in the interface specification with its request, response and errors          | routes/profile.ts:316 | Claude | P2  |       | Done   |
| 6300 | POST /api/profile/salary-signals: integration test: success                                                               | routes/profile.ts:316 | Claude | P1  | 17    | Open   |
| 6301 | POST /api/profile/salary-signals: integration test: refused for a member without access                                   | routes/profile.ts:316 | Claude | P1  |       | Done   |
| 6302 | POST /api/profile/salary-signals: integration test: refused for invalid input                                             | routes/profile.ts:316 | Claude | P1  | 17    | Open   |
| 6303 | GET /api/profile/leads/summary: input checked against a schema before any logic                                           | routes/profile.ts:340 | Claude | P1  |       | Done   |
| 6304 | GET /api/profile/leads/summary: sign in required                                                                          | routes/profile.ts:340 | Claude | P0  |       | Done   |
| 6305 | GET /api/profile/leads/summary: access checked against membership, hosting or ownership of the record before acting       | routes/profile.ts:340 | Claude | P1  | 17    | Open   |
| 6306 | GET /api/profile/leads/summary: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place   | routes/profile.ts:340 | Claude | P1  |       | Done   |
| 6307 | GET /api/profile/leads/summary: every list bounded with a limit and cursor pagination                                     | routes/profile.ts:340 | Claude | P1  |       | Done   |
| 6308 | GET /api/profile/leads/summary: response carries no internal field and no other member's personal data                    | routes/profile.ts:340 | Claude | P1  |       | Done   |
| 6309 | GET /api/profile/leads/summary: error responses use the shared error codes and plain messages                             | routes/profile.ts:340 | Claude | P1  |       | Done   |
| 6310 | GET /api/profile/leads/summary: described in the interface specification with its request, response and errors            | routes/profile.ts:340 | Claude | P2  |       | Done   |
| 6311 | GET /api/profile/leads/summary: integration test: success                                                                 | routes/profile.ts:340 | Claude | P1  | 17    | Open   |
| 6312 | GET /api/profile/leads/summary: integration test: refused for a member without access                                     | routes/profile.ts:340 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                              | Where                 | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 6313 | GET /api/profile/leads/summary: integration test: refused for invalid input                                                       | routes/profile.ts:340 | Claude | P1  |       | Done   |
| 6314 | GET /api/profile/appearance: input checked against a schema before any logic                                                      | routes/profile.ts:376 | Claude | P1  |       | Done   |
| 6315 | GET /api/profile/appearance: sign in required                                                                                     | routes/profile.ts:376 | Claude | P0  |       | Done   |
| 6316 | GET /api/profile/appearance: access checked against membership, hosting or ownership of the record before acting                  | routes/profile.ts:376 | Claude | P1  |       | Done   |
| 6317 | GET /api/profile/appearance: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place              | routes/profile.ts:376 | Claude | P1  |       | Done   |
| 6318 | GET /api/profile/appearance: every list bounded with a limit and cursor pagination                                                | routes/profile.ts:376 | Claude | P1  |       | Done   |
| 6319 | GET /api/profile/appearance: response carries no internal field and no other member's personal data                               | routes/profile.ts:376 | Claude | P1  |       | Done   |
| 6320 | GET /api/profile/appearance: error responses use the shared error codes and plain messages                                        | routes/profile.ts:376 | Claude | P1  |       | Done   |
| 6321 | GET /api/profile/appearance: described in the interface specification with its request, response and errors                       | routes/profile.ts:376 | Claude | P2  |       | Done   |
| 6322 | GET /api/profile/appearance: integration test: success                                                                            | routes/profile.ts:376 | Claude | P1  |       | Done   |
| 6323 | GET /api/profile/appearance: integration test: refused for a member without access                                                | routes/profile.ts:376 | Claude | P1  |       | Done   |
| 6324 | GET /api/profile/appearance: integration test: refused for invalid input                                                          | routes/profile.ts:376 | Claude | P1  |       | Done   |
| 6325 | PATCH /api/profile/appearance: input checked against a schema before any logic                                                    | routes/profile.ts:389 | Claude | P1  |       | Done   |
| 6326 | PATCH /api/profile/appearance: sign in required                                                                                   | routes/profile.ts:389 | Claude | P0  |       | Done   |
| 6327 | PATCH /api/profile/appearance: access checked against membership, hosting or ownership of the record before acting                | routes/profile.ts:389 | Claude | P1  |       | Done   |
| 6328 | PATCH /api/profile/appearance: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place            | routes/profile.ts:389 | Claude | P1  |       | Done   |
| 6329 | PATCH /api/profile/appearance: idempotency key accepted and enforced                                                              | routes/profile.ts:389 | Claude | P1  |       | Done   |
| 6330 | PATCH /api/profile/appearance: audit log entry with the actor, the action and the record                                          | routes/profile.ts:389 | Claude | P1  |       | Done   |
| 6331 | PATCH /api/profile/appearance: writes made in one database transaction, or shown to need none                                     | routes/profile.ts:389 | Claude | P1  |       | Done   |
| 6332 | PATCH /api/profile/appearance: response carries no internal field and no other member's personal data                             | routes/profile.ts:389 | Claude | P1  |       | Done   |
| 6333 | PATCH /api/profile/appearance: error responses use the shared error codes and plain messages                                      | routes/profile.ts:389 | Claude | P1  |       | Done   |
| 6334 | PATCH /api/profile/appearance: described in the interface specification with its request, response and errors                     | routes/profile.ts:389 | Claude | P2  |       | Done   |
| 6335 | PATCH /api/profile/appearance: integration test: success                                                                          | routes/profile.ts:389 | Claude | P1  |       | Done   |
| 6336 | PATCH /api/profile/appearance: integration test: refused for a member without access                                              | routes/profile.ts:389 | Claude | P1  |       | Done   |
| 6337 | PATCH /api/profile/appearance: integration test: refused for invalid input                                                        | routes/profile.ts:389 | Claude | P1  | 17    | Open   |
| 6338 | PATCH /api/profile/payment-methods/order: input checked against a schema before any logic                                         | routes/profile.ts:420 | Claude | P1  |       | Done   |
| 6339 | PATCH /api/profile/payment-methods/order: sign in required                                                                        | routes/profile.ts:420 | Claude | P0  |       | Done   |
| 6340 | PATCH /api/profile/payment-methods/order: access checked against membership, hosting or ownership of the record before acting     | routes/profile.ts:420 | Claude | P1  |       | Done   |
| 6341 | PATCH /api/profile/payment-methods/order: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/profile.ts:420 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                          | Where                   | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 6342 | PATCH /api/profile/payment-methods/order: idempotency key accepted and enforced                                               | routes/profile.ts:420   | Claude | P1  |       | Done   |
| 6343 | PATCH /api/profile/payment-methods/order: audit log entry with the actor, the action and the record                           | routes/profile.ts:420   | Claude | P1  |       | Done   |
| 6344 | PATCH /api/profile/payment-methods/order: writes made in one database transaction, or shown to need none                      | routes/profile.ts:420   | Claude | P1  |       | Done   |
| 6345 | PATCH /api/profile/payment-methods/order: response carries no internal field and no other member's personal data              | routes/profile.ts:420   | Claude | P1  |       | Done   |
| 6346 | PATCH /api/profile/payment-methods/order: error responses use the shared error codes and plain messages                       | routes/profile.ts:420   | Claude | P1  |       | Done   |
| 6347 | PATCH /api/profile/payment-methods/order: described in the interface specification with its request, response and errors      | routes/profile.ts:420   | Claude | P2  |       | Done   |
| 6348 | PATCH /api/profile/payment-methods/order: integration test: success                                                           | routes/profile.ts:420   | Claude | P1  | 17    | Open   |
| 6349 | PATCH /api/profile/payment-methods/order: integration test: refused for a member without access                               | routes/profile.ts:420   | Claude | P1  |       | Done   |
| 6350 | PATCH /api/profile/payment-methods/order: integration test: refused for invalid input                                         | routes/profile.ts:420   | Claude | P1  |       | Done   |
| 6351 | POST /api/protection/delinquency/run: input checked against a schema before any logic                                         | routes/protection.ts:15 | Claude | P1  |       | Done   |
| 6352 | POST /api/protection/delinquency/run: sign in required                                                                        | routes/protection.ts:15 | Claude | P0  |       | Done   |
| 6353 | POST /api/protection/delinquency/run: access checked against membership, hosting or ownership of the record before acting     | routes/protection.ts:15 | Claude | P1  | 17    | Open   |
| 6354 | POST /api/protection/delinquency/run: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/protection.ts:15 | Claude | P1  |       | Done   |
| 6355 | POST /api/protection/delinquency/run: idempotency key accepted and enforced                                                   | routes/protection.ts:15 | Claude | P1  | 17    | Open   |
| 6356 | POST /api/protection/delinquency/run: audit log entry with the actor, the action and the record                               | routes/protection.ts:15 | Claude | P1  |       | Done   |
| 6357 | POST /api/protection/delinquency/run: writes made in one database transaction, or shown to need none                          | routes/protection.ts:15 | Claude | P1  |       | Done   |
| 6358 | POST /api/protection/delinquency/run: response carries no internal field and no other member's personal data                  | routes/protection.ts:15 | Claude | P1  |       | Done   |
| 6359 | POST /api/protection/delinquency/run: error responses use the shared error codes and plain messages                           | routes/protection.ts:15 | Claude | P1  |       | Done   |
| 6360 | POST /api/protection/delinquency/run: described in the interface specification with its request, response and errors          | routes/protection.ts:15 | Claude | P2  |       | Done   |
| 6361 | POST /api/protection/delinquency/run: integration test: success                                                               | routes/protection.ts:15 | Claude | P1  | 17    | Open   |
| 6362 | POST /api/protection/delinquency/run: integration test: refused for a member without access                                   | routes/protection.ts:15 | Claude | P1  |       | Done   |
| 6363 | POST /api/protection/delinquency/run: integration test: refused for invalid input                                             | routes/protection.ts:15 | Claude | P1  | 17    | Open   |
| 6364 | GET /api/protection/committee/:id: input checked against a schema before any logic                                            | routes/protection.ts:24 | Claude | P1  |       | Done   |
| 6365 | GET /api/protection/committee/:id: sign in required                                                                           | routes/protection.ts:24 | Claude | P0  |       | Done   |
| 6366 | GET /api/protection/committee/:id: access checked against membership, hosting or ownership of the record before acting        | routes/protection.ts:24 | Claude | P1  |       | Done   |
| 6367 | GET /api/protection/committee/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place    | routes/protection.ts:24 | Claude | P1  |       | Done   |
| 6368 | GET /api/protection/committee/:id: response carries no internal field and no other member's personal data                     | routes/protection.ts:24 | Claude | P1  |       | Done   |
| 6369 | GET /api/protection/committee/:id: error responses use the shared error codes and plain messages                              | routes/protection.ts:24 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                                                        | Where                    | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 6370 | GET /api/protection/committee/:id: described in the interface specification with its request, response and errors                                           | routes/protection.ts:24  | Claude | P2  |       | Done   |
| 6371 | GET /api/protection/committee/:id: integration test: success                                                                                                | routes/protection.ts:24  | Claude | P1  |       | Done   |
| 6372 | GET /api/protection/committee/:id: integration test: refused for a member without access                                                                    | routes/protection.ts:24  | Claude | P1  |       | Done   |
| 6373 | GET /api/protection/committee/:id: integration test: refused for invalid input                                                                              | routes/protection.ts:24  | Claude | P1  | 17    | Open   |
| 6374 | PUT /api/protection/committee/:id/commitment: input checked against a schema before any logic                                                               | routes/protection.ts:88  | Claude | P1  |       | Done   |
| 6375 | PUT /api/protection/committee/:id/commitment: sign in required                                                                                              | routes/protection.ts:88  | Claude | P0  |       | Done   |
| 6376 | PUT /api/protection/committee/:id/commitment: access checked against membership, hosting or ownership of the record before acting                           | routes/protection.ts:88  | Claude | P1  |       | Done   |
| 6377 | PUT /api/protection/committee/:id/commitment: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place                       | routes/protection.ts:88  | Claude | P1  |       | Done   |
| 6378 | PUT /api/protection/committee/:id/commitment: idempotency key accepted and enforced                                                                         | routes/protection.ts:88  | Claude | P1  | 17    | Open   |
| 6379 | PUT /api/protection/committee/:id/commitment: audit log entry with the actor, the action and the record                                                     | routes/protection.ts:88  | Claude | P1  |       | Done   |
| 6380 | PUT /api/protection/committee/:id/commitment: writes made in one database transaction, or shown to need none                                                | routes/protection.ts:88  | Claude | P1  |       | Done   |
| 6381 | PUT /api/protection/committee/:id/commitment: response carries no internal field and no other member's personal data                                        | routes/protection.ts:88  | Claude | P1  |       | Done   |
| 6382 | PUT /api/protection/committee/:id/commitment: error responses use the shared error codes and plain messages                                                 | routes/protection.ts:88  | Claude | P1  |       | Done   |
| 6383 | PUT /api/protection/committee/:id/commitment: described in the interface specification with its request, response and errors                                | routes/protection.ts:88  | Claude | P2  |       | Done   |
| 6384 | PUT /api/protection/committee/:id/commitment: integration test: success                                                                                     | routes/protection.ts:88  | Claude | P1  | 17    | Open   |
| 6385 | PUT /api/protection/committee/:id/commitment: integration test: refused for a member without access                                                         | routes/protection.ts:88  | Claude | P1  |       | Done   |
| 6386 | PUT /api/protection/committee/:id/commitment: integration test: refused for invalid input                                                                   | routes/protection.ts:88  | Claude | P1  | 17    | Open   |
| 6387 | POST /api/protection/committee/:id/commitment/:membershipId/verify: input checked against a schema before any logic                                         | routes/protection.ts:113 | Claude | P1  |       | Done   |
| 6388 | POST /api/protection/committee/:id/commitment/:membershipId/verify: sign in required                                                                        | routes/protection.ts:113 | Claude | P0  |       | Done   |
| 6389 | POST /api/protection/committee/:id/commitment/:membershipId/verify: access checked against membership, hosting or ownership of the record before acting     | routes/protection.ts:113 | Claude | P1  |       | Done   |
| 6390 | POST /api/protection/committee/:id/commitment/:membershipId/verify: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/protection.ts:113 | Claude | P1  |       | Done   |
| 6391 | POST /api/protection/committee/:id/commitment/:membershipId/verify: idempotency key accepted and enforced                                                   | routes/protection.ts:113 | Claude | P1  | 17    | Open   |
| 6392 | POST /api/protection/committee/:id/commitment/:membershipId/verify: audit log entry with the actor, the action and the record                               | routes/protection.ts:113 | Claude | P1  |       | Done   |
| 6393 | POST /api/protection/committee/:id/commitment/:membershipId/verify: writes made in one database transaction, or shown to need none                          | routes/protection.ts:113 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                                               | Where                    | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 6394 | POST /api/protection/committee/:id/commitment/:membershipId/verify: response carries no internal field and no other member's personal data         | routes/protection.ts:113 | Claude | P1  |       | Done   |
| 6395 | POST /api/protection/committee/:id/commitment/:membershipId/verify: error responses use the shared error codes and plain messages                  | routes/protection.ts:113 | Claude | P1  |       | Done   |
| 6396 | POST /api/protection/committee/:id/commitment/:membershipId/verify: described in the interface specification with its request, response and errors | routes/protection.ts:113 | Claude | P2  |       | Done   |
| 6397 | POST /api/protection/committee/:id/commitment/:membershipId/verify: integration test: success                                                      | routes/protection.ts:113 | Claude | P1  | 17    | Open   |
| 6398 | POST /api/protection/committee/:id/commitment/:membershipId/verify: integration test: refused for a member without access                          | routes/protection.ts:113 | Claude | P1  | 17    | Open   |
| 6399 | POST /api/protection/committee/:id/commitment/:membershipId/verify: integration test: refused for invalid input                                    | routes/protection.ts:113 | Claude | P1  | 17    | Open   |
| 6400 | POST /api/protection/committee/:id/peer-nudge/:userId: input checked against a schema before any logic                                             | routes/protection.ts:124 | Claude | P1  |       | Done   |
| 6401 | POST /api/protection/committee/:id/peer-nudge/:userId: sign in required                                                                            | routes/protection.ts:124 | Claude | P0  |       | Done   |
| 6402 | POST /api/protection/committee/:id/peer-nudge/:userId: access checked against membership, hosting or ownership of the record before acting         | routes/protection.ts:124 | Claude | P1  |       | Done   |
| 6403 | POST /api/protection/committee/:id/peer-nudge/:userId: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place     | routes/protection.ts:124 | Claude | P1  |       | Done   |
| 6404 | POST /api/protection/committee/:id/peer-nudge/:userId: idempotency key accepted and enforced                                                       | routes/protection.ts:124 | Claude | P1  | 17    | Open   |
| 6405 | POST /api/protection/committee/:id/peer-nudge/:userId: audit log entry with the actor, the action and the record                                   | routes/protection.ts:124 | Claude | P1  |       | Done   |
| 6406 | POST /api/protection/committee/:id/peer-nudge/:userId: writes made in one database transaction                                                     | routes/protection.ts:124 | Claude | P1  |       | Done   |
| 6407 | POST /api/protection/committee/:id/peer-nudge/:userId: response carries no internal field and no other member's personal data                      | routes/protection.ts:124 | Claude | P1  |       | Done   |
| 6408 | POST /api/protection/committee/:id/peer-nudge/:userId: error responses use the shared error codes and plain messages                               | routes/protection.ts:124 | Claude | P1  |       | Done   |
| 6409 | POST /api/protection/committee/:id/peer-nudge/:userId: described in the interface specification with its request, response and errors              | routes/protection.ts:124 | Claude | P2  |       | Done   |
| 6410 | POST /api/protection/committee/:id/peer-nudge/:userId: integration test: success                                                                   | routes/protection.ts:124 | Claude | P1  | 17    | Open   |
| 6411 | POST /api/protection/committee/:id/peer-nudge/:userId: integration test: refused for a member without access                                       | routes/protection.ts:124 | Claude | P1  | 17    | Open   |
| 6412 | POST /api/protection/committee/:id/peer-nudge/:userId: integration test: refused for invalid input                                                 | routes/protection.ts:124 | Claude | P1  | 17    | Open   |
| 6413 | GET /api/protection/recovery/mine: input checked against a schema before any logic                                                                 | routes/protection.ts:141 | Claude | P1  |       | Done   |
| 6414 | GET /api/protection/recovery/mine: sign in required                                                                                                | routes/protection.ts:141 | Claude | P0  |       | Done   |
| 6415 | GET /api/protection/recovery/mine: access checked against membership, hosting or ownership of the record before acting                             | routes/protection.ts:141 | Claude | P1  |       | Done   |
| 6416 | GET /api/protection/recovery/mine: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place                         | routes/protection.ts:141 | Claude | P1  |       | Done   |
| 6417 | GET /api/protection/recovery/mine: every list bounded with a limit and cursor pagination                                                           | routes/protection.ts:141 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                               | Where                    | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 6418 | GET /api/protection/recovery/mine: response carries no internal field and no other member's personal data                          | routes/protection.ts:141 | Claude | P1  |       | Done   |
| 6419 | GET /api/protection/recovery/mine: error responses use the shared error codes and plain messages                                   | routes/protection.ts:141 | Claude | P1  |       | Done   |
| 6420 | GET /api/protection/recovery/mine: described in the interface specification with its request, response and errors                  | routes/protection.ts:141 | Claude | P2  |       | Done   |
| 6421 | GET /api/protection/recovery/mine: integration test: success                                                                       | routes/protection.ts:141 | Claude | P1  |       | Done   |
| 6422 | GET /api/protection/recovery/mine: integration test: refused for a member without access                                           | routes/protection.ts:141 | Claude | P1  |       | Done   |
| 6423 | GET /api/protection/recovery/mine: integration test: refused for invalid input                                                     | routes/protection.ts:141 | Claude | P1  |       | Done   |
| 6424 | POST /api/protection/recovery/:id/resolve: input checked against a schema before any logic                                         | routes/protection.ts:145 | Claude | P1  |       | Done   |
| 6425 | POST /api/protection/recovery/:id/resolve: sign in required                                                                        | routes/protection.ts:145 | Claude | P0  |       | Done   |
| 6426 | POST /api/protection/recovery/:id/resolve: access checked against membership, hosting or ownership of the record before acting     | routes/protection.ts:145 | Claude | P1  |       | Done   |
| 6427 | POST /api/protection/recovery/:id/resolve: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/protection.ts:145 | Claude | P1  |       | Done   |
| 6428 | POST /api/protection/recovery/:id/resolve: idempotency key accepted and enforced                                                   | routes/protection.ts:145 | Claude | P1  |       | Done   |
| 6429 | POST /api/protection/recovery/:id/resolve: audit log entry with the actor, the action and the record                               | routes/protection.ts:145 | Claude | P1  |       | Done   |
| 6430 | POST /api/protection/recovery/:id/resolve: writes made in one database transaction                                                 | routes/protection.ts:145 | Claude | P1  |       | Done   |
| 6431 | POST /api/protection/recovery/:id/resolve: response carries no internal field and no other member's personal data                  | routes/protection.ts:145 | Claude | P1  |       | Done   |
| 6432 | POST /api/protection/recovery/:id/resolve: error responses use the shared error codes and plain messages                           | routes/protection.ts:145 | Claude | P1  |       | Done   |
| 6433 | POST /api/protection/recovery/:id/resolve: described in the interface specification with its request, response and errors          | routes/protection.ts:145 | Claude | P2  |       | Done   |
| 6434 | POST /api/protection/recovery/:id/resolve: integration test: success                                                               | routes/protection.ts:145 | Claude | P1  | 17    | Open   |
| 6435 | POST /api/protection/recovery/:id/resolve: integration test: refused for a member without access                                   | routes/protection.ts:145 | Claude | P1  | 17    | Open   |
| 6436 | POST /api/protection/recovery/:id/resolve: integration test: refused for invalid input                                             | routes/protection.ts:145 | Claude | P1  | 17    | Open   |
| 6437 | GET /api/rewards: input checked against a schema before any logic                                                                  | routes/rewards.ts:18     | Claude | P1  |       | Done   |
| 6438 | GET /api/rewards: sign in required                                                                                                 | routes/rewards.ts:18     | Claude | P0  |       | Done   |
| 6439 | GET /api/rewards: access checked against membership, hosting or ownership of the record before acting                              | routes/rewards.ts:18     | Claude | P1  |       | Done   |
| 6440 | GET /api/rewards: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place                          | routes/rewards.ts:18     | Claude | P1  |       | Done   |
| 6441 | GET /api/rewards: every list bounded with a limit and cursor pagination                                                            | routes/rewards.ts:18     | Claude | P1  |       | Done   |
| 6442 | GET /api/rewards: response carries no internal field and no other member's personal data                                           | routes/rewards.ts:18     | Claude | P1  |       | Done   |
| 6443 | GET /api/rewards: error responses use the shared error codes and plain messages                                                    | routes/rewards.ts:18     | Claude | P1  |       | Done   |
| 6444 | GET /api/rewards: described in the interface specification with its request, response and errors                                   | routes/rewards.ts:18     | Claude | P2  |       | Done   |
| 6445 | GET /api/rewards: integration test: success                                                                                        | routes/rewards.ts:18     | Claude | P1  |       | Done   |
| 6446 | GET /api/rewards: integration test: refused for a member without access                                                            | routes/rewards.ts:18     | Claude | P1  |       | Done   |

| #    | Item                                                                                                                 | Where                 | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 6447 | GET /api/rewards: integration test: refused for invalid input                                                        | routes/rewards.ts:18  | Claude | P1  |       | Done   |
| 6448 | GET /api/rewards/ladder: input checked against a schema before any logic                                             | routes/rewards.ts:40  | Claude | P1  |       | Done   |
| 6449 | GET /api/rewards/ladder: sign in required                                                                            | routes/rewards.ts:40  | Claude | P0  |       | Done   |
| 6450 | GET /api/rewards/ladder: access checked against membership, hosting or ownership of the record before acting         | routes/rewards.ts:40  | Claude | P1  | 17    | Open   |
| 6451 | GET /api/rewards/ladder: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place     | routes/rewards.ts:40  | Claude | P1  |       | Done   |
| 6452 | GET /api/rewards/ladder: every list bounded with a limit and cursor pagination                                       | routes/rewards.ts:40  | Claude | P1  |       | Done   |
| 6453 | GET /api/rewards/ladder: response carries no internal field and no other member's personal data                      | routes/rewards.ts:40  | Claude | P1  |       | Done   |
| 6454 | GET /api/rewards/ladder: error responses use the shared error codes and plain messages                               | routes/rewards.ts:40  | Claude | P1  |       | Done   |
| 6455 | GET /api/rewards/ladder: described in the interface specification with its request, response and errors              | routes/rewards.ts:40  | Claude | P2  |       | Done   |
| 6456 | GET /api/rewards/ladder: integration test: success                                                                   | routes/rewards.ts:40  | Claude | P1  |       | Done   |
| 6457 | GET /api/rewards/ladder: integration test: refused for a member without access                                       | routes/rewards.ts:40  | Claude | P1  |       | Done   |
| 6458 | GET /api/rewards/ladder: integration test: refused for invalid input                                                 | routes/rewards.ts:40  | Claude | P1  |       | Done   |
| 6459 | POST /api/rewards/record: input checked against a schema before any logic                                            | routes/rewards.ts:111 | Claude | P1  |       | Done   |
| 6460 | POST /api/rewards/record: sign in required                                                                           | routes/rewards.ts:111 | Claude | P0  |       | Done   |
| 6461 | POST /api/rewards/record: access checked against membership, hosting or ownership of the record before acting        | routes/rewards.ts:111 | Claude | P1  | 17    | Open   |
| 6462 | POST /api/rewards/record: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place    | routes/rewards.ts:111 | Claude | P1  |       | Done   |
| 6463 | POST /api/rewards/record: idempotency key accepted and enforced                                                      | routes/rewards.ts:111 | Claude | P1  | 17    | Open   |
| 6464 | POST /api/rewards/record: audit log entry with the actor, the action and the record                                  | routes/rewards.ts:111 | Claude | P1  |       | Done   |
| 6465 | POST /api/rewards/record: writes made in one database transaction, or shown to need none                             | routes/rewards.ts:111 | Claude | P1  |       | Done   |
| 6466 | POST /api/rewards/record: response carries no internal field and no other member's personal data                     | routes/rewards.ts:111 | Claude | P1  |       | Done   |
| 6467 | POST /api/rewards/record: error responses use the shared error codes and plain messages                              | routes/rewards.ts:111 | Claude | P1  |       | Done   |
| 6468 | POST /api/rewards/record: described in the interface specification with its request, response and errors             | routes/rewards.ts:111 | Claude | P2  |       | Done   |
| 6469 | POST /api/rewards/record: integration test: success                                                                  | routes/rewards.ts:111 | Claude | P1  | 17    | Open   |
| 6470 | POST /api/rewards/record: integration test: refused for a member without access                                      | routes/rewards.ts:111 | Claude | P1  |       | Done   |
| 6471 | POST /api/rewards/record: integration test: refused for invalid input                                                | routes/rewards.ts:111 | Claude | P1  |       | Done   |
| 6472 | GET /api/risk/committee/:id: input checked against a schema before any logic                                         | routes/risk.ts:98     | Claude | P1  |       | Done   |
| 6473 | GET /api/risk/committee/:id: sign in required                                                                        | routes/risk.ts:98     | Claude | P0  |       | Done   |
| 6474 | GET /api/risk/committee/:id: access checked against membership, hosting or ownership of the record before acting     | routes/risk.ts:98     | Claude | P1  |       | Done   |
| 6475 | GET /api/risk/committee/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/risk.ts:98     | Claude | P1  |       | Done   |
| 6476 | GET /api/risk/committee/:id: response carries no internal field and no other member's personal data                  | routes/risk.ts:98     | Claude | P1  |       | Done   |
| 6477 | GET /api/risk/committee/:id: error responses use the shared error codes and plain messages                           | routes/risk.ts:98     | Claude | P1  |       | Done   |



| #    | Item                                                                                                                            | Where              | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 6478 | GET /api/risk/committee/:id: described in the interface specification with its request, response and errors                     | routes/risk.ts:98  | Claude | P2  |       | Done   |
| 6479 | GET /api/risk/committee/:id: integration test: success                                                                          | routes/risk.ts:98  | Claude | P1  |       | Done   |
| 6480 | GET /api/risk/committee/:id: integration test: refused for a member without access                                              | routes/risk.ts:98  | Claude | P1  |       | Done   |
| 6481 | GET /api/risk/committee/:id: integration test: refused for invalid input                                                        | routes/risk.ts:98  | Claude | P1  | 17    | Open   |
| 6482 | POST /api/risk/committee/:id/refresh: input checked against a schema before any logic                                           | routes/risk.ts:107 | Claude | P1  |       | Done   |
| 6483 | POST /api/risk/committee/:id/refresh: sign in required                                                                          | routes/risk.ts:107 | Claude | P0  |       | Done   |
| 6484 | POST /api/risk/committee/:id/refresh: access checked against membership, hosting or ownership of the record before acting       | routes/risk.ts:107 | Claude | P1  |       | Done   |
| 6485 | POST /api/risk/committee/:id/refresh: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place   | routes/risk.ts:107 | Claude | P1  |       | Done   |
| 6486 | POST /api/risk/committee/:id/refresh: idempotency key accepted and enforced                                                     | routes/risk.ts:107 | Claude | P1  | 17    | Open   |
| 6487 | POST /api/risk/committee/:id/refresh: audit log entry with the actor, the action and the record                                 | routes/risk.ts:107 | Claude | P1  |       | Done   |
| 6488 | POST /api/risk/committee/:id/refresh: writes made in one database transaction                                                   | routes/risk.ts:107 | Claude | P1  |       | Done   |
| 6489 | POST /api/risk/committee/:id/refresh: response carries no internal field and no other member's personal data                    | routes/risk.ts:107 | Claude | P1  |       | Done   |
| 6490 | POST /api/risk/committee/:id/refresh: error responses use the shared error codes and plain messages                             | routes/risk.ts:107 | Claude | P1  |       | Done   |
| 6491 | POST /api/risk/committee/:id/refresh: described in the interface specification with its request, response and errors            | routes/risk.ts:107 | Claude | P2  |       | Done   |
| 6492 | POST /api/risk/committee/:id/refresh: integration test: success                                                                 | routes/risk.ts:107 | Claude | P1  | 17    | Open   |
| 6493 | POST /api/risk/committee/:id/refresh: integration test: refused for a member without access                                     | routes/risk.ts:107 | Claude | P1  |       | Done   |
| 6494 | POST /api/risk/committee/:id/refresh: integration test: refused for invalid input                                               | routes/risk.ts:107 | Claude | P1  | 17    | Open   |
| 6495 | GET /api/risk/committee/:id/projection: input checked against a schema before any logic                                         | routes/risk.ts:127 | Claude | P1  |       | Done   |
| 6496 | GET /api/risk/committee/:id/projection: sign in required                                                                        | routes/risk.ts:127 | Claude | P0  |       | Done   |
| 6497 | GET /api/risk/committee/:id/projection: access checked against membership, hosting or ownership of the record before acting     | routes/risk.ts:127 | Claude | P1  |       | Done   |
| 6498 | GET /api/risk/committee/:id/projection: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/risk.ts:127 | Claude | P1  |       | Done   |
| 6499 | GET /api/risk/committee/:id/projection: every list bounded with a limit and cursor pagination                                   | routes/risk.ts:127 | Claude | P1  |       | Done   |
| 6500 | GET /api/risk/committee/:id/projection: response carries no internal field and no other member's personal data                  | routes/risk.ts:127 | Claude | P1  |       | Done   |
| 6501 | GET /api/risk/committee/:id/projection: error responses use the shared error codes and plain messages                           | routes/risk.ts:127 | Claude | P1  |       | Done   |
| 6502 | GET /api/risk/committee/:id/projection: described in the interface specification with its request, response and errors          | routes/risk.ts:127 | Claude | P2  |       | Done   |
| 6503 | GET /api/risk/committee/:id/projection: integration test: success                                                               | routes/risk.ts:127 | Claude | P1  |       | Done   |
| 6504 | GET /api/risk/committee/:id/projection: integration test: refused for a member without access                                   | routes/risk.ts:127 | Claude | P1  |       | Done   |
| 6505 | GET /api/risk/committee/:id/projection: integration test: refused for invalid input                                             | routes/risk.ts:127 | Claude | P1  | 17    | Open   |

| #    | Item                                                                                                                          | Where                | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 6506 | PATCH /api/risk/committee/:id/policy: input checked against a schema before any logic                                         | routes/risk.ts:170   | Claude | P1  |       | Done   |
| 6507 | PATCH /api/risk/committee/:id/policy: sign in required                                                                        | routes/risk.ts:170   | Claude | P0  |       | Done   |
| 6508 | PATCH /api/risk/committee/:id/policy: access checked against membership, hosting or ownership of the record before acting     | routes/risk.ts:170   | Claude | P1  |       | Done   |
| 6509 | PATCH /api/risk/committee/:id/policy: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/risk.ts:170   | Claude | P1  |       | Done   |
| 6510 | PATCH /api/risk/committee/:id/policy: idempotency key accepted and enforced                                                   | routes/risk.ts:170   | Claude | P1  | 17    | Open   |
| 6511 | PATCH /api/risk/committee/:id/policy: audit log entry with the actor, the action and the record                               | routes/risk.ts:170   | Claude | P1  |       | Done   |
| 6512 | PATCH /api/risk/committee/:id/policy: writes made in one database transaction, or shown to need none                          | routes/risk.ts:170   | Claude | P1  |       | Done   |
| 6513 | PATCH /api/risk/committee/:id/policy: response carries no internal field and no other member's personal data                  | routes/risk.ts:170   | Claude | P1  |       | Done   |
| 6514 | PATCH /api/risk/committee/:id/policy: error responses use the shared error codes and plain messages                           | routes/risk.ts:170   | Claude | P1  |       | Done   |
| 6515 | PATCH /api/risk/committee/:id/policy: described in the interface specification with its request, response and errors          | routes/risk.ts:170   | Claude | P2  |       | Done   |
| 6516 | PATCH /api/risk/committee/:id/policy: integration test: success                                                               | routes/risk.ts:170   | Claude | P1  | 17    | Open   |
| 6517 | PATCH /api/risk/committee/:id/policy: integration test: refused for a member without access                                   | routes/risk.ts:170   | Claude | P1  |       | Done   |
| 6518 | PATCH /api/risk/committee/:id/policy: integration test: refused for invalid input                                             | routes/risk.ts:170   | Claude | P1  | 17    | Open   |
| 6519 | POST /api/risk/committee/:id/consent: input checked against a schema before any logic                                         | routes/risk.ts:221   | Claude | P1  |       | Done   |
| 6520 | POST /api/risk/committee/:id/consent: sign in required                                                                        | routes/risk.ts:221   | Claude | P0  |       | Done   |
| 6521 | POST /api/risk/committee/:id/consent: access checked against membership, hosting or ownership of the record before acting     | routes/risk.ts:221   | Claude | P1  |       | Done   |
| 6522 | POST /api/risk/committee/:id/consent: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/risk.ts:221   | Claude | P1  |       | Done   |
| 6523 | POST /api/risk/committee/:id/consent: idempotency key accepted and enforced                                                   | routes/risk.ts:221   | Claude | P1  | 17    | Open   |
| 6524 | POST /api/risk/committee/:id/consent: audit log entry with the actor, the action and the record                               | routes/risk.ts:221   | Claude | P1  |       | Done   |
| 6525 | POST /api/risk/committee/:id/consent: writes made in one database transaction, or shown to need none                          | routes/risk.ts:221   | Claude | P1  |       | Done   |
| 6526 | POST /api/risk/committee/:id/consent: response carries no internal field and no other member's personal data                  | routes/risk.ts:221   | Claude | P1  |       | Done   |
| 6527 | POST /api/risk/committee/:id/consent: error responses use the shared error codes and plain messages                           | routes/risk.ts:221   | Claude | P1  |       | Done   |
| 6528 | POST /api/risk/committee/:id/consent: described in the interface specification with its request, response and errors          | routes/risk.ts:221   | Claude | P2  |       | Done   |
| 6529 | POST /api/risk/committee/:id/consent: integration test: success                                                               | routes/risk.ts:221   | Claude | P1  | 17    | Open   |
| 6530 | POST /api/risk/committee/:id/consent: integration test: refused for a member without access                                   | routes/risk.ts:221   | Claude | P1  |       | Done   |
| 6531 | POST /api/risk/committee/:id/consent: integration test: refused for invalid input                                             | routes/risk.ts:221   | Claude | P1  | 17    | Open   |
| 6532 | GET /api/support/tickets: input checked against a schema before any logic                                                     | routes/support.ts:40 | Claude | P1  |       | Done   |
| 6533 | GET /api/support/tickets: sign in required                                                                                    | routes/support.ts:40 | Claude | P0  |       | Done   |

| #    | Item                                                                                                                  | Where                | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 6534 | GET /api/support/tickets: access checked against membership, hosting or ownership of the record before acting         | routes/support.ts:40 | Claude | P1  |       | Done   |
| 6535 | GET /api/support/tickets: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place     | routes/support.ts:40 | Claude | P1  |       | Done   |
| 6536 | GET /api/support/tickets: every list bounded with a limit and cursor pagination                                       | routes/support.ts:40 | Claude | P1  |       | Done   |
| 6537 | GET /api/support/tickets: response carries no internal field and no other member's personal data                      | routes/support.ts:40 | Claude | P1  |       | Done   |
| 6538 | GET /api/support/tickets: error responses use the shared error codes and plain messages                               | routes/support.ts:40 | Claude | P1  |       | Done   |
| 6539 | GET /api/support/tickets: described in the interface specification with its request, response and errors              | routes/support.ts:40 | Claude | P2  |       | Done   |
| 6540 | GET /api/support/tickets: integration test: success                                                                   | routes/support.ts:40 | Claude | P1  |       | Done   |
| 6541 | GET /api/support/tickets: integration test: refused for a member without access                                       | routes/support.ts:40 | Claude | P1  |       | Done   |
| 6542 | GET /api/support/tickets: integration test: refused for invalid input                                                 | routes/support.ts:40 | Claude | P1  |       | Done   |
| 6543 | GET /api/support/tickets/:id: input checked against a schema before any logic                                         | routes/support.ts:52 | Claude | P1  |       | Done   |
| 6544 | GET /api/support/tickets/:id: sign in required                                                                        | routes/support.ts:52 | Claude | P0  |       | Done   |
| 6545 | GET /api/support/tickets/:id: access checked against membership, hosting or ownership of the record before acting     | routes/support.ts:52 | Claude | P1  |       | Done   |
| 6546 | GET /api/support/tickets/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/support.ts:52 | Claude | P1  |       | Done   |
| 6547 | GET /api/support/tickets/:id: response carries no internal field and no other member's personal data                  | routes/support.ts:52 | Claude | P1  |       | Done   |
| 6548 | GET /api/support/tickets/:id: error responses use the shared error codes and plain messages                           | routes/support.ts:52 | Claude | P1  |       | Done   |
| 6549 | GET /api/support/tickets/:id: described in the interface specification with its request, response and errors          | routes/support.ts:52 | Claude | P2  |       | Done   |
| 6550 | GET /api/support/tickets/:id: integration test: success                                                               | routes/support.ts:52 | Claude | P1  | 17    | Open   |
| 6551 | GET /api/support/tickets/:id: integration test: refused for a member without access                                   | routes/support.ts:52 | Claude | P1  | 17    | Open   |
| 6552 | GET /api/support/tickets/:id: integration test: refused for invalid input                                             | routes/support.ts:52 | Claude | P1  | 17    | Open   |
| 6553 | POST /api/support/tickets: input checked against a schema before any logic                                            | routes/support.ts:63 | Claude | P1  |       | Done   |
| 6554 | POST /api/support/tickets: sign in required                                                                           | routes/support.ts:63 | Claude | P0  |       | Done   |
| 6555 | POST /api/support/tickets: access checked against membership, hosting or ownership of the record before acting        | routes/support.ts:63 | Claude | P1  |       | Done   |
| 6556 | POST /api/support/tickets: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place    | routes/support.ts:63 | Claude | P1  |       | Done   |
| 6557 | POST /api/support/tickets: idempotency key accepted and enforced                                                      | routes/support.ts:63 | Claude | P1  | 17    | Open   |
| 6558 | POST /api/support/tickets: audit log entry with the actor, the action and the record                                  | routes/support.ts:63 | Claude | P1  |       | Done   |
| 6559 | POST /api/support/tickets: writes made in one database transaction, or shown to need none                             | routes/support.ts:63 | Claude | P1  |       | Done   |
| 6560 | POST /api/support/tickets: response carries no internal field and no other member's personal data                     | routes/support.ts:63 | Claude | P1  |       | Done   |
| 6561 | POST /api/support/tickets: error responses use the shared error codes and plain messages                              | routes/support.ts:63 | Claude | P1  |       | Done   |
| 6562 | POST /api/support/tickets: described in the interface specification with its request, response and errors             | routes/support.ts:63 | Claude | P2  |       | Done   |
| 6563 | POST /api/support/tickets: integration test: success                                                                  | routes/support.ts:63 | Claude | P1  |       | Done   |
| 6564 | POST /api/support/tickets: integration test: refused for a member without access                                      | routes/support.ts:63 | Claude | P1  |       | Done   |

| #    | Item                                                                                                                         | Where                 | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 6565 | POST /api/support/tickets: integration test: refused for invalid input                                                       | routes/support.ts:63  | Claude | P1  |       | Done   |
| 6566 | POST /api/support/tickets/:id/reply: input checked against a schema before any logic                                         | routes/support.ts:114 | Claude | P1  |       | Done   |
| 6567 | POST /api/support/tickets/:id/reply: sign in required                                                                        | routes/support.ts:114 | Claude | P0  |       | Done   |
| 6568 | POST /api/support/tickets/:id/reply: access checked against membership, hosting or ownership of the record before acting     | routes/support.ts:114 | Claude | P1  |       | Done   |
| 6569 | POST /api/support/tickets/:id/reply: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/support.ts:114 | Claude | P1  |       | Done   |
| 6570 | POST /api/support/tickets/:id/reply: idempotency key accepted and enforced                                                   | routes/support.ts:114 | Claude | P1  | 17    | Open   |
| 6571 | POST /api/support/tickets/:id/reply: audit log entry with the actor, the action and the record                               | routes/support.ts:114 | Claude | P1  |       | Done   |
| 6572 | POST /api/support/tickets/:id/reply: writes made in one database transaction, or shown to need none                          | routes/support.ts:114 | Claude | P1  |       | Done   |
| 6573 | POST /api/support/tickets/:id/reply: response carries no internal field and no other member's personal data                  | routes/support.ts:114 | Claude | P1  |       | Done   |
| 6574 | POST /api/support/tickets/:id/reply: error responses use the shared error codes and plain messages                           | routes/support.ts:114 | Claude | P1  |       | Done   |
| 6575 | POST /api/support/tickets/:id/reply: described in the interface specification with its request, response and errors          | routes/support.ts:114 | Claude | P2  |       | Done   |
| 6576 | POST /api/support/tickets/:id/reply: integration test: success                                                               | routes/support.ts:114 | Claude | P1  | 17    | Open   |
| 6577 | POST /api/support/tickets/:id/reply: integration test: refused for a member without access                                   | routes/support.ts:114 | Claude | P1  | 17    | Open   |
| 6578 | POST /api/support/tickets/:id/reply: integration test: refused for invalid input                                             | routes/support.ts:114 | Claude | P1  | 17    | Open   |
| 6579 | POST /api/support/tickets/:id/close: input checked against a schema before any logic                                         | routes/support.ts:134 | Claude | P1  |       | Done   |
| 6580 | POST /api/support/tickets/:id/close: sign in required                                                                        | routes/support.ts:134 | Claude | P0  |       | Done   |
| 6581 | POST /api/support/tickets/:id/close: access checked against membership, hosting or ownership of the record before acting     | routes/support.ts:134 | Claude | P1  |       | Done   |
| 6582 | POST /api/support/tickets/:id/close: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place | routes/support.ts:134 | Claude | P1  |       | Done   |
| 6583 | POST /api/support/tickets/:id/close: idempotency key accepted and enforced                                                   | routes/support.ts:134 | Claude | P1  | 17    | Open   |
| 6584 | POST /api/support/tickets/:id/close: audit log entry with the actor, the action and the record                               | routes/support.ts:134 | Claude | P1  |       | Done   |
| 6585 | POST /api/support/tickets/:id/close: writes made in one database transaction, or shown to need none                          | routes/support.ts:134 | Claude | P1  |       | Done   |
| 6586 | POST /api/support/tickets/:id/close: response carries no internal field and no other member's personal data                  | routes/support.ts:134 | Claude | P1  |       | Done   |
| 6587 | POST /api/support/tickets/:id/close: error responses use the shared error codes and plain messages                           | routes/support.ts:134 | Claude | P1  |       | Done   |
| 6588 | POST /api/support/tickets/:id/close: described in the interface specification with its request, response and errors          | routes/support.ts:134 | Claude | P2  |       | Done   |
| 6589 | POST /api/support/tickets/:id/close: integration test: success                                                               | routes/support.ts:134 | Claude | P1  | 17    | Open   |
| 6590 | POST /api/support/tickets/:id/close: integration test: refused for a member without access                                   | routes/support.ts:134 | Claude | P1  | 17    | Open   |
| 6591 | POST /api/support/tickets/:id/close: integration test: refused for invalid input                                             | routes/support.ts:134 | Claude | P1  | 17    | Open   |

#### AE4. New Endpoints for the Bank Route

| #    | Item                                                                                                                                     | Where              | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 6592 | POST /api/bank/onboarding/start: build: start account opening at the bank and return the bank's link                                     | new routes/bank.ts | Claude | P0  | 44    | Open   |
| 6593 | POST /api/bank/onboarding/start: input checked against a schema                                                                          | new routes/bank.ts | Claude | P0  | 44    | Open   |
| 6594 | POST /api/bank/onboarding/start: sign in and access checks                                                                               | new routes/bank.ts | Claude | P0  | 44    | Open   |
| 6595 | POST /api/bank/onboarding/start: rate limit for this route                                                                               | new routes/bank.ts | Claude | P0  | 44    | Open   |
| 6596 | POST /api/bank/onboarding/start: idempotency key enforced                                                                                | new routes/bank.ts | Claude | P0  | 44    | Open   |
| 6597 | POST /api/bank/onboarding/start: audit log entry                                                                                         | new routes/bank.ts | Claude | P0  | 44    | Open   |
| 6598 | POST /api/bank/onboarding/start: errors use the shared codes                                                                             | new routes/bank.ts | Claude | P0  | 44    | Open   |
| 6599 | POST /api/bank/onboarding/start: described in the interface specification                                                                | new routes/bank.ts | Claude | P2  | 74    | Open   |
| 6600 | POST /api/bank/onboarding/start: integration tests: success, refusal and invalid input                                                   | new routes/bank.ts | Claude | P0  | 44    | Open   |
| 6601 | POST /api/bank/webhooks: build: receive signed events from the bank: onboarding, account status, mandate, debit, credit, statement ready | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6602 | POST /api/bank/webhooks: input checked against a schema                                                                                  | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6603 | POST /api/bank/webhooks: signature and time stamp verified, replays refused, before any write                                            | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6604 | POST /api/bank/webhooks: rate limit for this route                                                                                       | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6605 | POST /api/bank/webhooks: idempotency key enforced                                                                                        | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6606 | POST /api/bank/webhooks: audit log entry                                                                                                 | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6607 | POST /api/bank/webhooks: errors use the shared codes                                                                                     | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6608 | POST /api/bank/webhooks: described in the interface specification                                                                        | new routes/bank.ts | Claude | P2  | 74    | Open   |
| 6609 | POST /api/bank/webhooks: integration tests: success, refusal and invalid input                                                           | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6610 | GET /api/bank/accounts: build: list the member's accounts at the partner bank                                                            | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6611 | GET /api/bank/accounts: input checked against a schema                                                                                   | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6612 | GET /api/bank/accounts: sign in and access checks                                                                                        | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6613 | GET /api/bank/accounts: rate limit for this route                                                                                        | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6614 | GET /api/bank/accounts: bounded with cursor pagination                                                                                   | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6615 | GET /api/bank/accounts: errors use the shared codes                                                                                      | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6616 | GET /api/bank/accounts: described in the interface specification                                                                         | new routes/bank.ts | Claude | P2  | 74    | Open   |
| 6617 | GET /api/bank/accounts: integration tests: success, refusal and invalid input                                                            | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6618 | POST /api/bank/accounts/link: build: link an existing account at the partner bank                                                        | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6619 | POST /api/bank/accounts/link: input checked against a schema                                                                             | new routes/bank.ts | Claude | P0  | 45    | Open   |
| 6620 | POST /api/bank/accounts/link: sign in and access checks                                                                                  | new routes/bank.ts | Claude | P0  | 45    | Open   |

| #    | Item                                                                                           | Where                  | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------|------------------------|--------|-----|-------|--------|
| 6621 | POST /api/bank/accounts/link: rate limit for this route                                        | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6622 | POST /api/bank/accounts/link: idempotency key enforced                                         | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6623 | POST /api/bank/accounts/link: audit log entry                                                  | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6624 | POST /api/bank/accounts/link: errors use the shared codes                                      | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6625 | POST /api/bank/accounts/link: described in the interface specification                         | new routes/bank.ts     | Claude | P2  | 74    | Open   |
| 6626 | POST /api/bank/accounts/link: integration tests: success, refusal and invalid input            | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6627 | POST /api/bank/accounts/:id/title-check: build: check the account title before a payout        | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6628 | POST /api/bank/accounts/:id/title-check: input checked against a schema                        | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6629 | POST /api/bank/accounts/:id/title-check: sign in and access checks                             | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6630 | POST /api/bank/accounts/:id/title-check: rate limit for this route                             | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6631 | POST /api/bank/accounts/:id/title-check: idempotency key enforced                              | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6632 | POST /api/bank/accounts/:id/title-check: audit log entry                                       | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6633 | POST /api/bank/accounts/:id/title-check: errors use the shared codes                           | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6634 | POST /api/bank/accounts/:id/title-check: described in the interface specification              | new routes/bank.ts     | Claude | P2  | 74    | Open   |
| 6635 | POST /api/bank/accounts/:id/title-check: integration tests: success, refusal and invalid input | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6636 | GET /api/bank/accounts/:id/balance: build: show the committee account balance                  | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6637 | GET /api/bank/accounts/:id/balance: input checked against a schema                             | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6638 | GET /api/bank/accounts/:id/balance: sign in and access checks                                  | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6639 | GET /api/bank/accounts/:id/balance: rate limit for this route                                  | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6640 | GET /api/bank/accounts/:id/balance: bounded with cursor pagination                             | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6641 | GET /api/bank/accounts/:id/balance: errors use the shared codes                                | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6642 | GET /api/bank/accounts/:id/balance: described in the interface specification                   | new routes/bank.ts     | Claude | P2  | 74    | Open   |
| 6643 | GET /api/bank/accounts/:id/balance: integration tests: success, refusal and invalid input      | new routes/bank.ts     | Claude | P0  | 45    | Open   |
| 6644 | POST /api/mandates: build: create a mandate with the bank, ceiling one instalment              | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6645 | POST /api/mandates: input checked against a schema                                             | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6646 | POST /api/mandates: sign in and access checks                                                  | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6647 | POST /api/mandates: rate limit for this route                                                  | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6648 | POST /api/mandates: idempotency key enforced                                                   | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6649 | POST /api/mandates: audit log entry                                                            | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6650 | POST /api/mandates: errors use the shared codes                                                | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6651 | POST /api/mandates: described in the interface specification                                   | new routes/mandates.ts | Claude | P2  | 74    | Open   |

| #    | Item                                                                                     | Where                  | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------|------------------------|--------|-----|-------|--------|
| 6652 | POST /api/mandates: integration tests: success, refusal and invalid input                | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6653 | GET /api/mandates: build: list the member's mandates                                     | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6654 | GET /api/mandates: input checked against a schema                                        | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6655 | GET /api/mandates: sign in and access checks                                             | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6656 | GET /api/mandates: rate limit for this route                                             | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6657 | GET /api/mandates: bounded with cursor pagination                                        | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6658 | GET /api/mandates: errors use the shared codes                                           | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6659 | GET /api/mandates: described in the interface specification                              | new routes/mandates.ts | Claude | P2  | 74    | Open   |
| 6660 | GET /api/mandates: integration tests: success, refusal and invalid input                 | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6661 | GET /api/mandates/:id: build: show a mandate and its events                              | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6662 | GET /api/mandates/:id: input checked against a schema                                    | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6663 | GET /api/mandates/:id: sign in and access checks                                         | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6664 | GET /api/mandates/:id: rate limit for this route                                         | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6665 | GET /api/mandates/:id: errors use the shared codes                                       | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6666 | GET /api/mandates/:id: described in the interface specification                          | new routes/mandates.ts | Claude | P2  | 74    | Open   |
| 6667 | GET /api/mandates/:id: integration tests: success, refusal and invalid input             | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6668 | PATCH /api/mandates/:id: build: change a mandate ceiling within the rule                 | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6669 | PATCH /api/mandates/:id: input checked against a schema                                  | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6670 | PATCH /api/mandates/:id: sign in and access checks                                       | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6671 | PATCH /api/mandates/:id: rate limit for this route                                       | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6672 | PATCH /api/mandates/:id: idempotency key enforced                                        | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6673 | PATCH /api/mandates/:id: audit log entry                                                 | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6674 | PATCH /api/mandates/:id: errors use the shared codes                                     | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6675 | PATCH /api/mandates/:id: described in the interface specification                        | new routes/mandates.ts | Claude | P2  | 74    | Open   |
| 6676 | PATCH /api/mandates/:id: integration tests: success, refusal and invalid input           | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6677 | POST /api/mandates/:id/cancel: build: cancel a mandate at the bank and in Halqa together | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6678 | POST /api/mandates/:id/cancel: input checked against a schema                            | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6679 | POST /api/mandates/:id/cancel: sign in and access checks                                 | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6680 | POST /api/mandates/:id/cancel: rate limit for this route                                 | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6681 | POST /api/mandates/:id/cancel: idempotency key enforced                                  | new routes/mandates.ts | Claude | P0  | 45    | Open   |
| 6682 | POST /api/mandates/:id/cancel: audit log entry                                           | new routes/mandates.ts | Claude | P0  | 45    | Open   |

| #    | Item                                                                                                       | Where                     | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------|---------------------------|--------|-----|-------|--------|
| 6683 | POST /api/mandates/:id/cancel: errors use the shared codes                                                 | new routes/mandates.ts    | Claude | P0  | 45    | Open   |
| 6684 | POST /api/mandates/:id/cancel: described in the interface specification                                    | new routes/mandates.ts    | Claude | P2  | 74    | Open   |
| 6685 | POST /api/mandates/:id/cancel: integration tests: success, refusal and invalid input                       | new routes/mandates.ts    | Claude | P0  | 45    | Open   |
| 6686 | POST /api/collections/run: build: run the day's collections, sharded and resumable, for the scheduler only | new routes/collections.ts | Claude | P1  | 17    | Open   |
| 6687 | POST /api/collections/run: input checked against a schema                                                  | new routes/collections.ts | Claude | P1  | 17    | Open   |
| 6688 | POST /api/collections/run: open only to the scheduler or to named administrators                           | new routes/collections.ts | Claude | P1  | 17    | Open   |
| 6689 | POST /api/collections/run: rate limit for this route                                                       | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6690 | POST /api/collections/run: idempotency key enforced                                                        | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6691 | POST /api/collections/run: audit log entry                                                                 | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6692 | POST /api/collections/run: errors use the shared codes                                                     | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6693 | POST /api/collections/run: described in the interface specification                                        | new routes/collections.ts | Claude | P2  | 55    | Open   |
| 6694 | POST /api/collections/run: integration tests: success, refusal and invalid input                           | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6695 | GET /api/collections/calendar: build: show every planned attempt for the member                            | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6696 | GET /api/collections/calendar: input checked against a schema                                              | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6697 | GET /api/collections/calendar: sign in and access checks                                                   | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6698 | GET /api/collections/calendar: rate limit for this route                                                   | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6699 | GET /api/collections/calendar: bounded with cursor pagination                                              | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6700 | GET /api/collections/calendar: errors use the shared codes                                                 | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6701 | GET /api/collections/calendar: described in the interface specification                                    | new routes/collections.ts | Claude | P2  | 55    | Open   |
| 6702 | GET /api/collections/calendar: integration tests: success, refusal and invalid input                       | new routes/collections.ts | Claude | P1  | 18    | Open   |
| 6703 | POST /api/payouts/:roundId/instruct: build: instruct the bank to pay the collector on the payout date      | new routes/payouts.ts     | Claude | P0  | 46    | Open   |
| 6704 | POST /api/payouts/:roundId/instruct: input checked against a schema                                        | new routes/payouts.ts     | Claude | P0  | 46    | Open   |
| 6705 | POST /api/payouts/:roundId/instruct: sign in and access checks                                             | new routes/payouts.ts     | Claude | P0  | 46    | Open   |
| 6706 | POST /api/payouts/:roundId/instruct: rate limit for this route                                             | new routes/payouts.ts     | Claude | P0  | 46    | Open   |
| 6707 | POST /api/payouts/:roundId/instruct: idempotency key enforced                                              | new routes/payouts.ts     | Claude | P0  | 46    | Open   |
| 6708 | POST /api/payouts/:roundId/instruct: audit log entry                                                       | new routes/payouts.ts     | Claude | P0  | 46    | Open   |
| 6709 | POST /api/payouts/:roundId/instruct: errors use the shared codes                                           | new routes/payouts.ts     | Claude | P0  | 46    | Open   |
| 6710 | POST /api/payouts/:roundId/instruct: described in the interface specification                              | new routes/payouts.ts     | Claude | P2  | 74    | Open   |
| 6711 | POST /api/payouts/:roundId/instruct: integration tests: success, refusal and invalid input                 | new routes/payouts.ts     | Claude | P0  | 46    | Open   |
| 6712 | GET /api/payouts/:id: build: show a payout and its status at the bank                                      | new routes/payouts.ts     | Claude | P0  | 46    | Open   |
| 6713 | GET /api/payouts/:id: input checked against a schema                                                       | new routes/payouts.ts     | Claude | P0  | 46    | Open   |



| #    | Item                                                                                               | Where                        | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------|------------------------------|--------|-----|-------|--------|
| 6714 | GET /api/payouts/:id: sign in and access checks                                                    | new routes/payouts.ts        | Claude | P0  | 46    | Open   |
| 6715 | GET /api/payouts/:id: rate limit for this route                                                    | new routes/payouts.ts        | Claude | P0  | 46    | Open   |
| 6716 | GET /api/payouts/:id: errors use the shared codes                                                  | new routes/payouts.ts        | Claude | P0  | 46    | Open   |
| 6717 | GET /api/payouts/:id: described in the interface specification                                     | new routes/payouts.ts        | Claude | P2  | 74    | Open   |
| 6718 | GET /api/payouts/:id: integration tests: success, refusal and invalid input                        | new routes/payouts.ts        | Claude | P0  | 46    | Open   |
| 6719 | POST /api/reconciliation/statements: build: ingest the bank's daily statement                      | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6720 | POST /api/reconciliation/statements: input checked against a schema                                | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6721 | POST /api/reconciliation/statements: sign in and access checks                                     | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6722 | POST /api/reconciliation/statements: rate limit for this route                                     | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6723 | POST /api/reconciliation/statements: idempotency key enforced                                      | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6724 | POST /api/reconciliation/statements: audit log entry                                               | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6725 | POST /api/reconciliation/statements: errors use the shared codes                                   | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6726 | POST /api/reconciliation/statements: described in the interface specification                      | new routes/reconciliation.ts | Claude | P2  | 74    | Open   |
| 6727 | POST /api/reconciliation/statements: integration tests: success, refusal and invalid input         | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6728 | GET /api/reconciliation/breaks: build: list breaks for administrators                              | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6729 | GET /api/reconciliation/breaks: input checked against a schema                                     | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6730 | GET /api/reconciliation/breaks: sign in and access checks                                          | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6731 | GET /api/reconciliation/breaks: rate limit for this route                                          | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6732 | GET /api/reconciliation/breaks: bounded with cursor pagination                                     | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6733 | GET /api/reconciliation/breaks: errors use the shared codes                                        | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6734 | GET /api/reconciliation/breaks: described in the interface specification                           | new routes/reconciliation.ts | Claude | P2  | 74    | Open   |
| 6735 | GET /api/reconciliation/breaks: integration tests: success, refusal and invalid input              | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6736 | POST /api/reconciliation/breaks/:id/resolve: build: resolve a break with a reason                  | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6737 | POST /api/reconciliation/breaks/:id/resolve: input checked against a schema                        | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6738 | POST /api/reconciliation/breaks/:id/resolve: sign in and access checks                             | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6739 | POST /api/reconciliation/breaks/:id/resolve: rate limit for this route                             | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6740 | POST /api/reconciliation/breaks/:id/resolve: idempotency key enforced                              | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6741 | POST /api/reconciliation/breaks/:id/resolve: audit log entry                                       | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6742 | POST /api/reconciliation/breaks/:id/resolve: errors use the shared codes                           | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |
| 6743 | POST /api/reconciliation/breaks/:id/resolve: described in the interface specification              | new routes/reconciliation.ts | Claude | P2  | 74    | Open   |
| 6744 | POST /api/reconciliation/breaks/:id/resolve: integration tests: success, refusal and invalid input | new routes/reconciliation.ts | Claude | P0  | 46    | Open   |

| #    | Item                                                                                                 | Where              | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 6745 | GET /api/fees/schedule: build: return the fee schedule: Rs 85, the PSP service fee rule, Hyper Rs 15 | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6746 | GET /api/fees/schedule: input checked against a schema                                               | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6747 | GET /api/fees/schedule: sign in and access checks                                                    | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6748 | GET /api/fees/schedule: rate limit for this route                                                    | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6749 | GET /api/fees/schedule: bounded with cursor pagination                                               | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6750 | GET /api/fees/schedule: errors use the shared codes                                                  | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6751 | GET /api/fees/schedule: described in the interface specification                                     | new routes/fees.ts | Claude | P2  | 55    | Open   |
| 6752 | GET /api/fees/schedule: integration tests: success, refusal and invalid input                        | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6753 | GET /api/fees/quote: build: quote the full cost of a payment by method                               | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6754 | GET /api/fees/quote: input checked against a schema                                                  | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6755 | GET /api/fees/quote: sign in and access checks                                                       | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6756 | GET /api/fees/quote: rate limit for this route                                                       | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6757 | GET /api/fees/quote: bounded with cursor pagination                                                  | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6758 | GET /api/fees/quote: errors use the shared codes                                                     | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6759 | GET /api/fees/quote: described in the interface specification                                        | new routes/fees.ts | Claude | P2  | 55    | Open   |
| 6760 | GET /api/fees/quote: integration tests: success, refusal and invalid input                           | new routes/fees.ts | Claude | P1  | 18    | Open   |
| 6761 | POST /api/psp/cards/session: build: open the PSP's card saving page                                  | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6762 | POST /api/psp/cards/session: input checked against a schema                                          | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6763 | POST /api/psp/cards/session: sign in and access checks                                               | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6764 | POST /api/psp/cards/session: rate limit for this route                                               | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6765 | POST /api/psp/cards/session: idempotency key enforced                                                | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6766 | POST /api/psp/cards/session: audit log entry                                                         | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6767 | POST /api/psp/cards/session: errors use the shared codes                                             | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6768 | POST /api/psp/cards/session: described in the interface specification                                | new routes/psp.ts  | Claude | P2  | 78    | Open   |
| 6769 | POST /api/psp/cards/session: integration tests: success, refusal and invalid input                   | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6770 | POST /api/psp/wallets/link: build: link a wallet through the PSP                                     | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6771 | POST /api/psp/wallets/link: input checked against a schema                                           | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6772 | POST /api/psp/wallets/link: sign in and access checks                                                | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6773 | POST /api/psp/wallets/link: rate limit for this route                                                | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6774 | POST /api/psp/wallets/link: idempotency key enforced                                                 | new routes/psp.ts  | Claude | P1  | 53    | Open   |
| 6775 | POST /api/psp/wallets/link: audit log entry                                                          | new routes/psp.ts  | Claude | P1  | 53    | Open   |

| #    | Item                                                                                          | Where                | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 6776 | POST /api/psp/wallets/link: errors use the shared codes                                       | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6777 | POST /api/psp/wallets/link: described in the interface specification                          | new routes/psp.ts    | Claude | P2  | 78    | Open   |
| 6778 | POST /api/psp/wallets/link: integration tests: success, refusal and invalid input             | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6779 | POST /api/psp/webhooks: build: receive signed PSP events: charge, refund, dispute, settlement | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6780 | POST /api/psp/webhooks: input checked against a schema                                        | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6781 | POST /api/psp/webhooks: signature and time stamp verified, replays refused, before any write  | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6782 | POST /api/psp/webhooks: rate limit for this route                                             | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6783 | POST /api/psp/webhooks: idempotency key enforced                                              | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6784 | POST /api/psp/webhooks: audit log entry                                                       | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6785 | POST /api/psp/webhooks: errors use the shared codes                                           | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6786 | POST /api/psp/webhooks: described in the interface specification                              | new routes/psp.ts    | Claude | P2  | 78    | Open   |
| 6787 | POST /api/psp/webhooks: integration tests: success, refusal and invalid input                 | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6788 | DELETE /api/psp/tokens/:id: build: remove a saved card or wallet at the PSP                   | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6789 | DELETE /api/psp/tokens/:id: input checked against a schema                                    | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6790 | DELETE /api/psp/tokens/:id: sign in and access checks                                         | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6791 | DELETE /api/psp/tokens/:id: rate limit for this route                                         | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6792 | DELETE /api/psp/tokens/:id: idempotency key enforced                                          | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6793 | DELETE /api/psp/tokens/:id: audit log entry                                                   | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6794 | DELETE /api/psp/tokens/:id: errors use the shared codes                                       | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6795 | DELETE /api/psp/tokens/:id: described in the interface specification                          | new routes/psp.ts    | Claude | P2  | 78    | Open   |
| 6796 | DELETE /api/psp/tokens/:id: integration tests: success, refusal and invalid input             | new routes/psp.ts    | Claude | P1  | 53    | Open   |
| 6797 | GET /api/points: build: return the points balance                                             | new routes/points.ts | Claude | P2  | 55    | Open   |
| 6798 | GET /api/points: input checked against a schema                                               | new routes/points.ts | Claude | P2  | 55    | Open   |
| 6799 | GET /api/points: sign in and access checks                                                    | new routes/points.ts | Claude | P2  | 55    | Open   |
| 6800 | GET /api/points: rate limit for this route                                                    | new routes/points.ts | Claude | P2  | 55    | Open   |
| 6801 | GET /api/points: bounded with cursor pagination                                               | new routes/points.ts | Claude | P2  | 55    | Open   |
| 6802 | GET /api/points: errors use the shared codes                                                  | new routes/points.ts | Claude | P2  | 55    | Open   |
| 6803 | GET /api/points: described in the interface specification                                     | new routes/points.ts | Claude | P2  | 55    | Open   |
| 6804 | GET /api/points: integration tests: success, refusal and invalid input                        | new routes/points.ts | Claude | P2  | 55    | Open   |
| 6805 | GET /api/points/history: build: list points entries with reasons                              | new routes/points.ts | Claude | P2  | 55    | Open   |
| 6806 | GET /api/points/history: input checked against a schema                                       | new routes/points.ts | Claude | P2  | 55    | Open   |

| #    | Item                                                                                             | Where                     | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------|---------------------------|--------|-----|-------|--------|
| 6807 | GET /api/points/history: sign in and access checks                                               | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6808 | GET /api/points/history: rate limit for this route                                               | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6809 | GET /api/points/history: bounded with cursor pagination                                          | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6810 | GET /api/points/history: errors use the shared codes                                             | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6811 | GET /api/points/history: described in the interface specification                                | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6812 | GET /api/points/history: integration tests: success, refusal and invalid input                   | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6813 | POST /api/points/purchase: build: buy points with money (Mashreq only), within the agreed limits | new routes/points.ts      | Claude | P2  | 74    | Open   |
| 6814 | POST /api/points/purchase: input checked against a schema                                        | new routes/points.ts      | Claude | P2  | 74    | Open   |
| 6815 | POST /api/points/purchase: sign in and access checks                                             | new routes/points.ts      | Claude | P2  | 74    | Open   |
| 6816 | POST /api/points/purchase: rate limit for this route                                             | new routes/points.ts      | Claude | P2  | 74    | Open   |
| 6817 | POST /api/points/purchase: idempotency key enforced                                              | new routes/points.ts      | Claude | P2  | 74    | Open   |
| 6818 | POST /api/points/purchase: audit log entry                                                       | new routes/points.ts      | Claude | P2  | 74    | Open   |
| 6819 | POST /api/points/purchase: errors use the shared codes                                           | new routes/points.ts      | Claude | P2  | 74    | Open   |
| 6820 | POST /api/points/purchase: described in the interface specification                              | new routes/points.ts      | Claude | P2  | 75    | Open   |
| 6821 | POST /api/points/purchase: integration tests: success, refusal and invalid input                 | new routes/points.ts      | Claude | P2  | 75    | Open   |
| 6822 | POST /api/points/redeem-fee: build: use points against a fee                                     | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6823 | POST /api/points/redeem-fee: input checked against a schema                                      | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6824 | POST /api/points/redeem-fee: sign in and access checks                                           | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6825 | POST /api/points/redeem-fee: rate limit for this route                                           | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6826 | POST /api/points/redeem-fee: idempotency key enforced                                            | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6827 | POST /api/points/redeem-fee: audit log entry                                                     | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6828 | POST /api/points/redeem-fee: errors use the shared codes                                         | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6829 | POST /api/points/redeem-fee: described in the interface specification                            | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6830 | POST /api/points/redeem-fee: integration tests: success, refusal and invalid input               | new routes/points.ts      | Claude | P2  | 55    | Open   |
| 6831 | GET /api/marketplace/catalogue: build: list products by category                                 | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6832 | GET /api/marketplace/catalogue: input checked against a schema                                   | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6833 | GET /api/marketplace/catalogue: sign in and access checks                                        | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6834 | GET /api/marketplace/catalogue: rate limit for this route                                        | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6835 | GET /api/marketplace/catalogue: bounded with cursor pagination                                   | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6836 | GET /api/marketplace/catalogue: errors use the shared codes                                      | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6837 | GET /api/marketplace/catalogue: described in the interface specification                         | new routes/marketplace.ts | Claude | P2  | 55    | Open   |

| #    | Item                                                                                     | Where                     | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------|---------------------------|--------|-----|-------|--------|
| 6838 | GET /api/marketplace/catalogue: integration tests: success, refusal and invalid input    | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6839 | GET /api/marketplace/products/:id: build: show a product                                 | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6840 | GET /api/marketplace/products/:id: input checked against a schema                        | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6841 | GET /api/marketplace/products/:id: sign in and access checks                             | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6842 | GET /api/marketplace/products/:id: rate limit for this route                             | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6843 | GET /api/marketplace/products/:id: errors use the shared codes                           | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6844 | GET /api/marketplace/products/:id: described in the interface specification              | new routes/marketplace.ts | Claude | P2  | 55    | Open   |
| 6845 | GET /api/marketplace/products/:id: integration tests: success, refusal and invalid input | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6846 | POST /api/marketplace/orders: build: place an order paid in points                       | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6847 | POST /api/marketplace/orders: input checked against a schema                             | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6848 | POST /api/marketplace/orders: sign in and access checks                                  | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6849 | POST /api/marketplace/orders: rate limit for this route                                  | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6850 | POST /api/marketplace/orders: idempotency key enforced                                   | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6851 | POST /api/marketplace/orders: audit log entry                                            | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6852 | POST /api/marketplace/orders: errors use the shared codes                                | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6853 | POST /api/marketplace/orders: described in the interface specification                   | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6854 | POST /api/marketplace/orders: integration tests: success, refusal and invalid input      | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6855 | GET /api/marketplace/orders: build: list the member's orders                             | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6856 | GET /api/marketplace/orders: input checked against a schema                              | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6857 | GET /api/marketplace/orders: sign in and access checks                                   | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6858 | GET /api/marketplace/orders: rate limit for this route                                   | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6859 | GET /api/marketplace/orders: bounded with cursor pagination                              | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6860 | GET /api/marketplace/orders: errors use the shared codes                                 | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6861 | GET /api/marketplace/orders: described in the interface specification                    | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6862 | GET /api/marketplace/orders: integration tests: success, refusal and invalid input       | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6863 | GET /api/marketplace/orders/:id: build: show an order and its delivery status            | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6864 | GET /api/marketplace/orders/:id: input checked against a schema                          | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6865 | GET /api/marketplace/orders/:id: sign in and access checks                               | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6866 | GET /api/marketplace/orders/:id: rate limit for this route                               | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6867 | GET /api/marketplace/orders/:id: errors use the shared codes                             | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6868 | GET /api/marketplace/orders/:id: described in the interface specification                | new routes/marketplace.ts | Claude | P2  | 56    | Open   |

| #    | Item                                                                                                 | Where                     | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------|---------------------------|--------|-----|-------|--------|
| 6869 | GET /api/marketplace/orders/:id: integration tests: success, refusal and invalid input               | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6870 | POST /api/marketplace/orders/:id/return: build: request a return                                     | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6871 | POST /api/marketplace/orders/:id/return: input checked against a schema                              | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6872 | POST /api/marketplace/orders/:id/return: sign in and access checks                                   | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6873 | POST /api/marketplace/orders/:id/return: rate limit for this route                                   | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6874 | POST /api/marketplace/orders/:id/return: idempotency key enforced                                    | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6875 | POST /api/marketplace/orders/:id/return: audit log entry                                             | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6876 | POST /api/marketplace/orders/:id/return: errors use the shared codes                                 | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6877 | POST /api/marketplace/orders/:id/return: described in the interface specification                    | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6878 | POST /api/marketplace/orders/:id/return: integration tests: success, refusal and invalid input       | new routes/marketplace.ts | Claude | P2  | 56    | Open   |
| 6879 | POST /api/marketplace/webhooks: build: receive signed merchant events: shipped, delivered, refunded  | new routes/marketplace.ts | Claude | P2  | 78    | Open   |
| 6880 | POST /api/marketplace/webhooks: input checked against a schema                                       | new routes/marketplace.ts | Claude | P2  | 78    | Open   |
| 6881 | POST /api/marketplace/webhooks: signature and time stamp verified, replays refused, before any write | new routes/marketplace.ts | Claude | P2  | 78    | Open   |
| 6882 | POST /api/marketplace/webhooks: rate limit for this route                                            | new routes/marketplace.ts | Claude | P2  | 78    | Open   |
| 6883 | POST /api/marketplace/webhooks: idempotency key enforced                                             | new routes/marketplace.ts | Claude | P2  | 78    | Open   |
| 6884 | POST /api/marketplace/webhooks: audit log entry                                                      | new routes/marketplace.ts | Claude | P2  | 78    | Open   |
| 6885 | POST /api/marketplace/webhooks: errors use the shared codes                                          | new routes/marketplace.ts | Claude | P2  | 78    | Open   |
| 6886 | POST /api/marketplace/webhooks: described in the interface specification                             | new routes/marketplace.ts | Claude | P2  | 78    | Open   |
| 6887 | POST /api/marketplace/webhooks: integration tests: success, refusal and invalid input                | new routes/marketplace.ts | Claude | P2  | 78    | Open   |
| 6888 | GET /api/turns/listings: build: list turns for sale in the member's circles                          | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6889 | GET /api/turns/listings: input checked against a schema                                              | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6890 | GET /api/turns/listings: sign in and access checks                                                   | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6891 | GET /api/turns/listings: rate limit for this route                                                   | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6892 | GET /api/turns/listings: bounded with cursor pagination                                              | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6893 | GET /api/turns/listings: errors use the shared codes                                                 | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6894 | GET /api/turns/listings: described in the interface specification                                    | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6895 | GET /api/turns/listings: integration tests: success, refusal and invalid input                       | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6896 | POST /api/turns/listings: build: list a turn with an asking price in points                          | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6897 | POST /api/turns/listings: input checked against a schema                                             | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6898 | POST /api/turns/listings: sign in and access checks                                                  | new routes/turns.ts       | Claude | P2  | 56    | Open   |
| 6899 | POST /api/turns/listings: rate limit for this route                                                  | new routes/turns.ts       | Claude | P2  | 56    | Open   |

| #    | Item                                                                                       | Where               | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------|---------------------|--------|-----|-------|--------|
| 6900 | POST /api/turns/listings: idempotency key enforced                                         | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6901 | POST /api/turns/listings: audit log entry                                                  | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6902 | POST /api/turns/listings: errors use the shared codes                                      | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6903 | POST /api/turns/listings: described in the interface specification                         | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6904 | POST /api/turns/listings: integration tests: success, refusal and invalid input            | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6905 | POST /api/turns/listings/:id/offers: build: make an offer                                  | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6906 | POST /api/turns/listings/:id/offers: input checked against a schema                        | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6907 | POST /api/turns/listings/:id/offers: sign in and access checks                             | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6908 | POST /api/turns/listings/:id/offers: rate limit for this route                             | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6909 | POST /api/turns/listings/:id/offers: idempotency key enforced                              | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6910 | POST /api/turns/listings/:id/offers: audit log entry                                       | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6911 | POST /api/turns/listings/:id/offers: errors use the shared codes                           | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6912 | POST /api/turns/listings/:id/offers: described in the interface specification              | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6913 | POST /api/turns/listings/:id/offers: integration tests: success, refusal and invalid input | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6914 | POST /api/turns/offers/:id/accept: build: accept an offer, pending host approval           | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6915 | POST /api/turns/offers/:id/accept: input checked against a schema                          | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6916 | POST /api/turns/offers/:id/accept: sign in and access checks                               | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6917 | POST /api/turns/offers/:id/accept: rate limit for this route                               | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6918 | POST /api/turns/offers/:id/accept: idempotency key enforced                                | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6919 | POST /api/turns/offers/:id/accept: audit log entry                                         | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6920 | POST /api/turns/offers/:id/accept: errors use the shared codes                             | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6921 | POST /api/turns/offers/:id/accept: described in the interface specification                | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6922 | POST /api/turns/offers/:id/accept: integration tests: success, refusal and invalid input   | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6923 | POST /api/turns/trades/:id/approve: build: host approval of a trade                        | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6924 | POST /api/turns/trades/:id/approve: input checked against a schema                         | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6925 | POST /api/turns/trades/:id/approve: sign in and access checks                              | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6926 | POST /api/turns/trades/:id/approve: rate limit for this route                              | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6927 | POST /api/turns/trades/:id/approve: idempotency key enforced                               | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6928 | POST /api/turns/trades/:id/approve: audit log entry                                        | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6929 | POST /api/turns/trades/:id/approve: errors use the shared codes                            | new routes/turns.ts | Claude | P2  | 56    | Open   |
| 6930 | POST /api/turns/trades/:id/approve: described in the interface specification               | new routes/turns.ts | Claude | P2  | 56    | Open   |

| #    | Item                                                                                         | Where                | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 6931 | POST /api/turns/trades/:id/approve: integration tests: success, refusal and invalid input    | new routes/turns.ts  | Claude | P2  | 56    | Open   |
| 6932 | POST /api/turns/trades/:id/cancel: build: cancel a trade before settlement                   | new routes/turns.ts  | Claude | P2  | 56    | Open   |
| 6933 | POST /api/turns/trades/:id/cancel: input checked against a schema                            | new routes/turns.ts  | Claude | P2  | 56    | Open   |
| 6934 | POST /api/turns/trades/:id/cancel: sign in and access checks                                 | new routes/turns.ts  | Claude | P2  | 57    | Open   |
| 6935 | POST /api/turns/trades/:id/cancel: rate limit for this route                                 | new routes/turns.ts  | Claude | P2  | 57    | Open   |
| 6936 | POST /api/turns/trades/:id/cancel: idempotency key enforced                                  | new routes/turns.ts  | Claude | P2  | 57    | Open   |
| 6937 | POST /api/turns/trades/:id/cancel: audit log entry                                           | new routes/turns.ts  | Claude | P2  | 57    | Open   |
| 6938 | POST /api/turns/trades/:id/cancel: errors use the shared codes                               | new routes/turns.ts  | Claude | P2  | 57    | Open   |
| 6939 | POST /api/turns/trades/:id/cancel: described in the interface specification                  | new routes/turns.ts  | Claude | P2  | 57    | Open   |
| 6940 | POST /api/turns/trades/:id/cancel: integration tests: success, refusal and invalid input     | new routes/turns.ts  | Claude | P2  | 57    | Open   |
| 6941 | POST /api/bureau/consent: build: record the member's consent to reporting                    | new routes/bureau.ts | Claude | P1  | 53    | Open   |
| 6942 | POST /api/bureau/consent: input checked against a schema                                     | new routes/bureau.ts | Claude | P1  | 53    | Open   |
| 6943 | POST /api/bureau/consent: sign in and access checks                                          | new routes/bureau.ts | Claude | P1  | 53    | Open   |
| 6944 | POST /api/bureau/consent: rate limit for this route                                          | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6945 | POST /api/bureau/consent: idempotency key enforced                                           | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6946 | POST /api/bureau/consent: audit log entry                                                    | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6947 | POST /api/bureau/consent: errors use the shared codes                                        | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6948 | POST /api/bureau/consent: described in the interface specification                           | new routes/bureau.ts | Claude | P2  | 78    | Open   |
| 6949 | POST /api/bureau/consent: integration tests: success, refusal and invalid input              | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6950 | POST /api/bureau/instruction: build: record the member's instruction for a report on joining | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6951 | POST /api/bureau/instruction: input checked against a schema                                 | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6952 | POST /api/bureau/instruction: sign in and access checks                                      | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6953 | POST /api/bureau/instruction: rate limit for this route                                      | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6954 | POST /api/bureau/instruction: idempotency key enforced                                       | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6955 | POST /api/bureau/instruction: audit log entry                                                | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6956 | POST /api/bureau/instruction: errors use the shared codes                                    | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6957 | POST /api/bureau/instruction: described in the interface specification                       | new routes/bureau.ts | Claude | P2  | 78    | Open   |
| 6958 | POST /api/bureau/instruction: integration tests: success, refusal and invalid input          | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6959 | GET /api/bureau/records: build: list what was reported for the member                        | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6960 | GET /api/bureau/records: input checked against a schema                                      | new routes/bureau.ts | Claude | P1  | 54    | Open   |
| 6961 | GET /api/bureau/records: sign in and access checks                                           | new routes/bureau.ts | Claude | P1  | 54    | Open   |



| #    | Item                                                                                                     | Where                    | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 6962 | GET /api/bureau/records: rate limit for this route                                                       | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6963 | GET /api/bureau/records: bounded with cursor pagination                                                  | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6964 | GET /api/bureau/records: errors use the shared codes                                                     | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6965 | GET /api/bureau/records: described in the interface specification                                        | new routes/bureau.ts     | Claude | P2  | 78    | Open   |
| 6966 | GET /api/bureau/records: integration tests: success, refusal and invalid input                           | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6967 | POST /api/bureau/disputes: build: dispute a reported record                                              | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6968 | POST /api/bureau/disputes: input checked against a schema                                                | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6969 | POST /api/bureau/disputes: sign in and access checks                                                     | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6970 | POST /api/bureau/disputes: rate limit for this route                                                     | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6971 | POST /api/bureau/disputes: idempotency key enforced                                                      | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6972 | POST /api/bureau/disputes: audit log entry                                                               | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6973 | POST /api/bureau/disputes: errors use the shared codes                                                   | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6974 | POST /api/bureau/disputes: described in the interface specification                                      | new routes/bureau.ts     | Claude | P2  | 78    | Open   |
| 6975 | POST /api/bureau/disputes: integration tests: success, refusal and invalid input                         | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6976 | POST /api/bureau/submissions/run: build: prepare and send the monthly submission, for the scheduler only | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6977 | POST /api/bureau/submissions/run: input checked against a schema                                         | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6978 | POST /api/bureau/submissions/run: open only to the scheduler or to named administrators                  | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6979 | POST /api/bureau/submissions/run: rate limit for this route                                              | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6980 | POST /api/bureau/submissions/run: idempotency key enforced                                               | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6981 | POST /api/bureau/submissions/run: audit log entry                                                        | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6982 | POST /api/bureau/submissions/run: errors use the shared codes                                            | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6983 | POST /api/bureau/submissions/run: described in the interface specification                               | new routes/bureau.ts     | Claude | P2  | 78    | Open   |
| 6984 | POST /api/bureau/submissions/run: integration tests: success, refusal and invalid input                  | new routes/bureau.ts     | Claude | P1  | 54    | Open   |
| 6985 | POST /api/complaints: build: open a complaint with a number                                              | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6986 | POST /api/complaints: input checked against a schema                                                     | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6987 | POST /api/complaints: sign in and access checks                                                          | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6988 | POST /api/complaints: rate limit for this route                                                          | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6989 | POST /api/complaints: idempotency key enforced                                                           | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6990 | POST /api/complaints: audit log entry                                                                    | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6991 | POST /api/complaints: errors use the shared codes                                                        | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6992 | POST /api/complaints: described in the interface specification                                           | new routes/complaints.ts | Claude | P2  | 57    | Open   |

| #    | Item                                                                                     | Where                    | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 6993 | POST /api/complaints: integration tests: success, refusal and invalid input              | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6994 | GET /api/complaints: build: list the member's complaints                                 | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6995 | GET /api/complaints: input checked against a schema                                      | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6996 | GET /api/complaints: sign in and access checks                                           | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6997 | GET /api/complaints: rate limit for this route                                           | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6998 | GET /api/complaints: bounded with cursor pagination                                      | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 6999 | GET /api/complaints: errors use the shared codes                                         | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7000 | GET /api/complaints: described in the interface specification                            | new routes/complaints.ts | Claude | P2  | 57    | Open   |
| 7001 | GET /api/complaints: integration tests: success, refusal and invalid input               | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7002 | GET /api/complaints/:id: build: show a complaint and its timeline                        | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7003 | GET /api/complaints/:id: input checked against a schema                                  | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7004 | GET /api/complaints/:id: sign in and access checks                                       | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7005 | GET /api/complaints/:id: rate limit for this route                                       | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7006 | GET /api/complaints/:id: errors use the shared codes                                     | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7007 | GET /api/complaints/:id: described in the interface specification                        | new routes/complaints.ts | Claude | P2  | 57    | Open   |
| 7008 | GET /api/complaints/:id: integration tests: success, refusal and invalid input           | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7009 | POST /api/complaints/:id/escalate: build: hand a complaint to the bank's complaint unit  | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7010 | POST /api/complaints/:id/escalate: input checked against a schema                        | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7011 | POST /api/complaints/:id/escalate: sign in and access checks                             | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7012 | POST /api/complaints/:id/escalate: rate limit for this route                             | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7013 | POST /api/complaints/:id/escalate: idempotency key enforced                              | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7014 | POST /api/complaints/:id/escalate: audit log entry                                       | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7015 | POST /api/complaints/:id/escalate: errors use the shared codes                           | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7016 | POST /api/complaints/:id/escalate: described in the interface specification              | new routes/complaints.ts | Claude | P2  | 57    | Open   |
| 7017 | POST /api/complaints/:id/escalate: integration tests: success, refusal and invalid input | new routes/complaints.ts | Claude | P1  | 18    | Open   |
| 7018 | POST /api/disputes: build: open a dispute on a payment                                   | new routes/disputes.ts   | Claude | P1  | 18    | Open   |
| 7019 | POST /api/disputes: input checked against a schema                                       | new routes/disputes.ts   | Claude | P1  | 18    | Open   |
| 7020 | POST /api/disputes: sign in and access checks                                            | new routes/disputes.ts   | Claude | P1  | 18    | Open   |
| 7021 | POST /api/disputes: rate limit for this route                                            | new routes/disputes.ts   | Claude | P1  | 18    | Open   |
| 7022 | POST /api/disputes: idempotency key enforced                                             | new routes/disputes.ts   | Claude | P1  | 18    | Open   |
| 7023 | POST /api/disputes: audit log entry                                                      | new routes/disputes.ts   | Claude | P1  | 18    | Open   |

| #    | Item                                                                                  | Where                  | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------|------------------------|--------|-----|-------|--------|
| 7024 | POST /api/disputes: errors use the shared codes                                       | new routes/disputes.ts | Claude | P1  | 18    | Open   |
| 7025 | POST /api/disputes: described in the interface specification                          | new routes/disputes.ts | Claude | P2  | 57    | Open   |
| 7026 | POST /api/disputes: integration tests: success, refusal and invalid input             | new routes/disputes.ts | Claude | P1  | 18    | Open   |
| 7027 | GET /api/disputes/:id: build: show a dispute and its status                           | new routes/disputes.ts | Claude | P1  | 18    | Open   |
| 7028 | GET /api/disputes/:id: input checked against a schema                                 | new routes/disputes.ts | Claude | P1  | 18    | Open   |
| 7029 | GET /api/disputes/:id: sign in and access checks                                      | new routes/disputes.ts | Claude | P1  | 18    | Open   |
| 7030 | GET /api/disputes/:id: rate limit for this route                                      | new routes/disputes.ts | Claude | P1  | 18    | Open   |
| 7031 | GET /api/disputes/:id: errors use the shared codes                                    | new routes/disputes.ts | Claude | P1  | 18    | Open   |
| 7032 | GET /api/disputes/:id: described in the interface specification                       | new routes/disputes.ts | Claude | P2  | 57    | Open   |
| 7033 | GET /api/disputes/:id: integration tests: success, refusal and invalid input          | new routes/disputes.ts | Claude | P1  | 18    | Open   |
| 7034 | GET /api/kfs/:circleId: build: return the key fact statement for a circle             | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7035 | GET /api/kfs/:circleId: input checked against a schema                                | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7036 | GET /api/kfs/:circleId: sign in and access checks                                     | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7037 | GET /api/kfs/:circleId: rate limit for this route                                     | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7038 | GET /api/kfs/:circleId: errors use the shared codes                                   | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7039 | GET /api/kfs/:circleId: described in the interface specification                      | new routes/kfs.ts      | Claude | P2  | 57    | Open   |
| 7040 | GET /api/kfs/:circleId: integration tests: success, refusal and invalid input         | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7041 | POST /api/kfs/:circleId/accept: build: record acceptance of the key fact statement    | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7042 | POST /api/kfs/:circleId/accept: input checked against a schema                        | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7043 | POST /api/kfs/:circleId/accept: sign in and access checks                             | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7044 | POST /api/kfs/:circleId/accept: rate limit for this route                             | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7045 | POST /api/kfs/:circleId/accept: idempotency key enforced                              | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7046 | POST /api/kfs/:circleId/accept: audit log entry                                       | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7047 | POST /api/kfs/:circleId/accept: errors use the shared codes                           | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7048 | POST /api/kfs/:circleId/accept: described in the interface specification              | new routes/kfs.ts      | Claude | P2  | 57    | Open   |
| 7049 | POST /api/kfs/:circleId/accept: integration tests: success, refusal and invalid input | new routes/kfs.ts      | Claude | P0  | 2     | Open   |
| 7050 | GET /api/consents: build: list the member's consents                                  | new routes/consents.ts | Claude | P1  | 18    | Open   |
| 7051 | GET /api/consents: input checked against a schema                                     | new routes/consents.ts | Claude | P1  | 18    | Open   |
| 7052 | GET /api/consents: sign in and access checks                                          | new routes/consents.ts | Claude | P1  | 18    | Open   |
| 7053 | GET /api/consents: rate limit for this route                                          | new routes/consents.ts | Claude | P1  | 18    | Open   |
| 7054 | GET /api/consents: bounded with cursor pagination                                     | new routes/consents.ts | Claude | P1  | 18    | Open   |

| #    | Item                                                                                        | Where                  | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------|------------------------|--------|-----|-------|--------|
| 7055 | GET /api/consents: errors use the shared codes                                              | new routes/consents.ts | Claude | P1  | 18    | Open   |
| 7056 | GET /api/consents: described in the interface specification                                 | new routes/consents.ts | Claude | P2  | 57    | Open   |
| 7057 | GET /api/consents: integration tests: success, refusal and invalid input                    | new routes/consents.ts | Claude | P1  | 18    | Open   |
| 7058 | POST /api/consents/:purpose/withdraw: build: withdraw a consent where the law allows        | new routes/consents.ts | Claude | P1  | 18    | Open   |
| 7059 | POST /api/consents/:purpose/withdraw: input checked against a schema                        | new routes/consents.ts | Claude | P1  | 18    | Open   |
| 7060 | POST /api/consents/:purpose/withdraw: sign in and access checks                             | new routes/consents.ts | Claude | P1  | 19    | Open   |
| 7061 | POST /api/consents/:purpose/withdraw: rate limit for this route                             | new routes/consents.ts | Claude | P1  | 19    | Open   |
| 7062 | POST /api/consents/:purpose/withdraw: idempotency key enforced                              | new routes/consents.ts | Claude | P1  | 19    | Open   |
| 7063 | POST /api/consents/:purpose/withdraw: audit log entry                                       | new routes/consents.ts | Claude | P1  | 19    | Open   |
| 7064 | POST /api/consents/:purpose/withdraw: errors use the shared codes                           | new routes/consents.ts | Claude | P1  | 19    | Open   |
| 7065 | POST /api/consents/:purpose/withdraw: described in the interface specification              | new routes/consents.ts | Claude | P2  | 57    | Open   |
| 7066 | POST /api/consents/:purpose/withdraw: integration tests: success, refusal and invalid input | new routes/consents.ts | Claude | P1  | 19    | Open   |
| 7067 | POST /api/devices/bind: build: bind this device, starting the cooling off                   | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7068 | POST /api/devices/bind: input checked against a schema                                      | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7069 | POST /api/devices/bind: sign in and access checks                                           | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7070 | POST /api/devices/bind: rate limit for this route                                           | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7071 | POST /api/devices/bind: idempotency key enforced                                            | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7072 | POST /api/devices/bind: audit log entry                                                     | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7073 | POST /api/devices/bind: errors use the shared codes                                         | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7074 | POST /api/devices/bind: described in the interface specification                            | new routes/devices.ts  | Claude | P2  | 57    | Open   |
| 7075 | POST /api/devices/bind: integration tests: success, refusal and invalid input               | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7076 | GET /api/devices/cooling-off: build: return whether a cooling off is running and its end    | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7077 | GET /api/devices/cooling-off: input checked against a schema                                | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7078 | GET /api/devices/cooling-off: sign in and access checks                                     | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7079 | GET /api/devices/cooling-off: rate limit for this route                                     | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7080 | GET /api/devices/cooling-off: bounded with cursor pagination                                | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7081 | GET /api/devices/cooling-off: errors use the shared codes                                   | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7082 | GET /api/devices/cooling-off: described in the interface specification                      | new routes/devices.ts  | Claude | P2  | 57    | Open   |
| 7083 | GET /api/devices/cooling-off: integration tests: success, refusal and invalid input         | new routes/devices.ts  | Claude | P0  | 2     | Open   |
| 7084 | POST /api/security/transaction-pin: build: set the transaction PIN                          | new routes/security.ts | Claude | P0  | 2     | Open   |
| 7085 | POST /api/security/transaction-pin: input checked against a schema                          | new routes/security.ts | Claude | P0  | 2     | Open   |

| #    | Item                                                                                               | Where                       | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------|-----------------------------|--------|-----|-------|--------|
| 7086 | POST /api/security/transaction-pin: sign in and access checks                                      | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7087 | POST /api/security/transaction-pin: rate limit for this route                                      | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7088 | POST /api/security/transaction-pin: idempotency key enforced                                       | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7089 | POST /api/security/transaction-pin: audit log entry                                                | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7090 | POST /api/security/transaction-pin: errors use the shared codes                                    | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7091 | POST /api/security/transaction-pin: described in the interface specification                       | new routes/security.ts      | Claude | P2  | 57    | Open   |
| 7092 | POST /api/security/transaction-pin: integration tests: success, refusal and invalid input          | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7093 | POST /api/security/transaction-pin/verify: build: check the transaction PIN for a financial action | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7094 | POST /api/security/transaction-pin/verify: input checked against a schema                          | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7095 | POST /api/security/transaction-pin/verify: sign in and access checks                               | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7096 | POST /api/security/transaction-pin/verify: rate limit for this route                               | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7097 | POST /api/security/transaction-pin/verify: idempotency key enforced                                | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7098 | POST /api/security/transaction-pin/verify: audit log entry                                         | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7099 | POST /api/security/transaction-pin/verify: errors use the shared codes                             | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7100 | POST /api/security/transaction-pin/verify: described in the interface specification                | new routes/security.ts      | Claude | P2  | 57    | Open   |
| 7101 | POST /api/security/transaction-pin/verify: integration tests: success, refusal and invalid input   | new routes/security.ts      | Claude | P0  | 2     | Open   |
| 7102 | POST /api/security/block: build: ask the bank to block digital channels at once                    | new routes/security.ts      | Claude | P0  | 46    | Open   |
| 7103 | POST /api/security/block: input checked against a schema                                           | new routes/security.ts      | Claude | P0  | 46    | Open   |
| 7104 | POST /api/security/block: sign in and access checks                                                | new routes/security.ts      | Claude | P0  | 46    | Open   |
| 7105 | POST /api/security/block: rate limit for this route                                                | new routes/security.ts      | Claude | P0  | 46    | Open   |
| 7106 | POST /api/security/block: idempotency key enforced                                                 | new routes/security.ts      | Claude | P0  | 46    | Open   |
| 7107 | POST /api/security/block: audit log entry                                                          | new routes/security.ts      | Claude | P0  | 46    | Open   |
| 7108 | POST /api/security/block: errors use the shared codes                                              | new routes/security.ts      | Claude | P0  | 46    | Open   |
| 7109 | POST /api/security/block: described in the interface specification                                 | new routes/security.ts      | Claude | P2  | 75    | Open   |
| 7110 | POST /api/security/block: integration tests: success, refusal and invalid input                    | new routes/security.ts      | Claude | P0  | 46    | Open   |
| 7111 | GET /api/notifications/preferences: build: return the member's notification choices                | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7112 | GET /api/notifications/preferences: input checked against a schema                                 | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7113 | GET /api/notifications/preferences: sign in and access checks                                      | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7114 | GET /api/notifications/preferences: rate limit for this route                                      | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7115 | GET /api/notifications/preferences: bounded with cursor pagination                                 | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7116 | GET /api/notifications/preferences: errors use the shared codes                                    | new routes/notifications.ts | Claude | P1  | 19    | Open   |

| #    | Item                                                                                        | Where                       | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------|-----------------------------|--------|-----|-------|--------|
| 7117 | GET /api/notifications/preferences: described in the interface specification                | new routes/notifications.ts | Claude | P2  | 57    | Open   |
| 7118 | GET /api/notifications/preferences: integration tests: success, refusal and invalid input   | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7119 | PATCH /api/notifications/preferences: build: change notification choices, alerts staying on | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7120 | PATCH /api/notifications/preferences: input checked against a schema                        | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7121 | PATCH /api/notifications/preferences: sign in and access checks                             | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7122 | PATCH /api/notifications/preferences: rate limit for this route                             | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7123 | PATCH /api/notifications/preferences: idempotency key enforced                              | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7124 | PATCH /api/notifications/preferences: audit log entry                                       | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7125 | PATCH /api/notifications/preferences: errors use the shared codes                           | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7126 | PATCH /api/notifications/preferences: described in the interface specification              | new routes/notifications.ts | Claude | P2  | 57    | Open   |
| 7127 | PATCH /api/notifications/preferences: integration tests: success, refusal and invalid input | new routes/notifications.ts | Claude | P1  | 19    | Open   |
| 7128 | POST /api/privacy/export: build: request a full export of the member's record               | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7129 | POST /api/privacy/export: input checked against a schema                                    | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7130 | POST /api/privacy/export: sign in and access checks                                         | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7131 | POST /api/privacy/export: rate limit for this route                                         | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7132 | POST /api/privacy/export: idempotency key enforced                                          | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7133 | POST /api/privacy/export: audit log entry                                                   | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7134 | POST /api/privacy/export: errors use the shared codes                                       | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7135 | POST /api/privacy/export: described in the interface specification                          | new routes/privacy.ts       | Claude | P2  | 57    | Open   |
| 7136 | POST /api/privacy/export: integration tests: success, refusal and invalid input             | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7137 | POST /api/privacy/close-account: build: close the account when nothing is owed              | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7138 | POST /api/privacy/close-account: input checked against a schema                             | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7139 | POST /api/privacy/close-account: sign in and access checks                                  | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7140 | POST /api/privacy/close-account: rate limit for this route                                  | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7141 | POST /api/privacy/close-account: idempotency key enforced                                   | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7142 | POST /api/privacy/close-account: audit log entry                                            | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7143 | POST /api/privacy/close-account: errors use the shared codes                                | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7144 | POST /api/privacy/close-account: described in the interface specification                   | new routes/privacy.ts       | Claude | P2  | 57    | Open   |
| 7145 | POST /api/privacy/close-account: integration tests: success, refusal and invalid input      | new routes/privacy.ts       | Claude | P1  | 19    | Open   |
| 7146 | GET /api/takaful/:circleId: build: show the operator, the fee by name and the certificate   | new routes/takaful.ts       | Claude | P1  | 19    | Open   |
| 7147 | GET /api/takaful/:circleId: input checked against a schema                                  | new routes/takaful.ts       | Claude | P1  | 19    | Open   |

| #    | Item                                                                                             | Where                 | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 7148 | GET /api/takaful/:circleId: sign in and access checks                                            | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7149 | GET /api/takaful/:circleId: rate limit for this route                                            | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7150 | GET /api/takaful/:circleId: errors use the shared codes                                          | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7151 | GET /api/takaful/:circleId: described in the interface specification                             | new routes/takaful.ts | Claude | P2  | 57    | Open   |
| 7152 | GET /api/takaful/:circleId: integration tests: success, refusal and invalid input                | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7153 | POST /api/takaful/claims: build: lodge a claim with the operator's reference                     | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7154 | POST /api/takaful/claims: input checked against a schema                                         | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7155 | POST /api/takaful/claims: sign in and access checks                                              | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7156 | POST /api/takaful/claims: rate limit for this route                                              | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7157 | POST /api/takaful/claims: idempotency key enforced                                               | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7158 | POST /api/takaful/claims: audit log entry                                                        | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7159 | POST /api/takaful/claims: errors use the shared codes                                            | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7160 | POST /api/takaful/claims: described in the interface specification                               | new routes/takaful.ts | Claude | P2  | 57    | Open   |
| 7161 | POST /api/takaful/claims: integration tests: success, refusal and invalid input                  | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7162 | GET /api/takaful/claims/:id: build: show the operator's claim status                             | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7163 | GET /api/takaful/claims/:id: input checked against a schema                                      | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7164 | GET /api/takaful/claims/:id: sign in and access checks                                           | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7165 | GET /api/takaful/claims/:id: rate limit for this route                                           | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7166 | GET /api/takaful/claims/:id: errors use the shared codes                                         | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7167 | GET /api/takaful/claims/:id: described in the interface specification                            | new routes/takaful.ts | Claude | P2  | 57    | Open   |
| 7168 | GET /api/takaful/claims/:id: integration tests: success, refusal and invalid input               | new routes/takaful.ts | Claude | P1  | 19    | Open   |
| 7169 | GET /api/admin/queues/:name: build: serve each administrative queue                              | new routes/admin.ts   | Claude | P1  | 19    | Open   |
| 7170 | GET /api/admin/queues/:name: input checked against a schema                                      | new routes/admin.ts   | Claude | P1  | 19    | Open   |
| 7171 | GET /api/admin/queues/:name: open only to the scheduler or to named administrators               | new routes/admin.ts   | Claude | P1  | 19    | Open   |
| 7172 | GET /api/admin/queues/:name: rate limit for this route                                           | new routes/admin.ts   | Claude | P1  | 19    | Open   |
| 7173 | GET /api/admin/queues/:name: errors use the shared codes                                         | new routes/admin.ts   | Claude | P1  | 19    | Open   |
| 7174 | GET /api/admin/queues/:name: described in the interface specification                            | new routes/admin.ts   | Claude | P2  | 57    | Open   |
| 7175 | GET /api/admin/queues/:name: integration tests: success, refusal and invalid input               | new routes/admin.ts   | Claude | P1  | 19    | Open   |
| 7176 | POST /api/admin/queues/:name/:id/decide: build: record an administrator's decision with a reason | new routes/admin.ts   | Claude | P1  | 19    | Open   |
| 7177 | POST /api/admin/queues/:name/:id/decide: input checked against a schema                          | new routes/admin.ts   | Claude | P1  | 19    | Open   |
| 7178 | POST /api/admin/queues/:name/:id/decide: open only to the scheduler or to named administrators   | new routes/admin.ts   | Claude | P1  | 19    | Open   |

| #    | Item                                                                                           | Where                | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 7179 | POST /api/admin/queues/:name/:id/decide: rate limit for this route                             | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7180 | POST /api/admin/queues/:name/:id/decide: idempotency key enforced                              | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7181 | POST /api/admin/queues/:name/:id/decide: audit log entry                                       | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7182 | POST /api/admin/queues/:name/:id/decide: errors use the shared codes                           | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7183 | POST /api/admin/queues/:name/:id/decide: described in the interface specification              | new routes/admin.ts  | Claude | P2  | 57    | Open   |
| 7184 | POST /api/admin/queues/:name/:id/decide: integration tests: success, refusal and invalid input | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7185 | GET /api/admin/audit: build: search the audit log                                              | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7186 | GET /api/admin/audit: input checked against a schema                                           | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7187 | GET /api/admin/audit: open only to the scheduler or to named administrators                    | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7188 | GET /api/admin/audit: rate limit for this route                                                | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7189 | GET /api/admin/audit: bounded with cursor pagination                                           | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7190 | GET /api/admin/audit: errors use the shared codes                                              | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7191 | GET /api/admin/audit: described in the interface specification                                 | new routes/admin.ts  | Claude | P2  | 57    | Open   |
| 7192 | GET /api/admin/audit: integration tests: success, refusal and invalid input                    | new routes/admin.ts  | Claude | P1  | 19    | Open   |
| 7193 | GET /api/admin/reports/bank: build: produce the monthly report pack for the bank               | new routes/admin.ts  | Claude | P1  | 20    | Open   |
| 7194 | GET /api/admin/reports/bank: input checked against a schema                                    | new routes/admin.ts  | Claude | P1  | 20    | Open   |
| 7195 | GET /api/admin/reports/bank: open only to the scheduler or to named administrators             | new routes/admin.ts  | Claude | P1  | 20    | Open   |
| 7196 | GET /api/admin/reports/bank: rate limit for this route                                         | new routes/admin.ts  | Claude | P1  | 20    | Open   |
| 7197 | GET /api/admin/reports/bank: bounded with cursor pagination                                    | new routes/admin.ts  | Claude | P1  | 20    | Open   |
| 7198 | GET /api/admin/reports/bank: errors use the shared codes                                       | new routes/admin.ts  | Claude | P1  | 20    | Open   |
| 7199 | GET /api/admin/reports/bank: described in the interface specification                          | new routes/admin.ts  | Claude | P2  | 57    | Open   |
| 7200 | GET /api/admin/reports/bank: integration tests: success, refusal and invalid input             | new routes/admin.ts  | Claude | P1  | 20    | Open   |
| 7201 | GET /api/health: build: report the service, database and partner connections for monitoring    | new routes/health.ts | Claude | P1  | 20    | Open   |
| 7202 | GET /api/health: input checked against a schema                                                | new routes/health.ts | Claude | P1  | 20    | Open   |
| 7203 | GET /api/health: rate limit for this route                                                     | new routes/health.ts | Claude | P1  | 20    | Open   |
| 7204 | GET /api/health: bounded with cursor pagination                                                | new routes/health.ts | Claude | P1  | 20    | Open   |
| 7205 | GET /api/health: errors use the shared codes                                                   | new routes/health.ts | Claude | P1  | 20    | Open   |
| 7206 | GET /api/health: described in the interface specification                                      | new routes/health.ts | Claude | P2  | 57    | Open   |
| 7207 | GET /api/health: integration tests: success, refusal and invalid input                         | new routes/health.ts | Claude | P1  | 20    | Open   |



## AE5. Shared Pieces

| #    | Item                                                                                    | Where                  | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------|------------------------|--------|-----|-------|--------|
| 7208 | Shared error code list with a member facing sentence for each code, in English and Urdu | lib/errors.ts          | Claude | P1  |       | Done   |
| 7209 | Interface specification generated from the schemas and published for the bank           | docs                   | Claude | P1  |       | Done   |
| 7210 | Request identifier on every response and in every log line                              | app.ts                 | Claude | P1  | 20    | Open   |
| 7211 | Per route rate limits, tighter on sign in, codes and financial actions                  | app.ts                 | Claude | P0  |       | Done   |
| 7212 | Idempotency middleware with a stored response for a repeated key                        | new lib/idempotency.ts | Claude | P0  | 2     | Open   |
| 7213 | Access check helpers: isMember, isHost, owns, isAdmin, used by every route              | lib/guards.ts          | Claude | P0  | 2     | Open   |
| 7214 | Response shaping helpers that strip internal fields in one place                        | lib/guards.ts          | Claude | P1  | 20    | Open   |
| 7215 | Versioned interface paths so the native application and the web application can differ  | app.ts                 | Claude | P2  | 57    | Open   |
| 7216 | Contract tests for every endpoint the bank or the PSP calls                             | tests                  | Claude | P1  | 20    | Open   |
| 7217 | Socket channel (chat and live updates) checked for sign in, access and rate limits      | socket.ts              | Claude | P1  | 20    | Open   |

## AF. Database Records

The 39 models in the schema and the new records the partnership needs.

### AF1. Models to Remove

| #    | Item                                                                                           | Where                          | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------|--------------------------------|--------|-----|-------|--------|
| 7218 | SecurityDeposit: remove the model and its relations; no deposits are held from members         | schema.prisma: SecurityDeposit | Claude | P0  | 1     | Open   |
| 7219 | SecurityDeposit: migration that drops it after its data is archived                            | schema.prisma: SecurityDeposit | Claude | P0  | 1     | Open   |
| 7220 | PayoutHoldback: remove the model and its relations; no payout is held back                     | schema.prisma: PayoutHoldback  | Claude | P0  | 1     | Open   |
| 7221 | PayoutHoldback: migration that drops it after its data is archived                             | schema.prisma: PayoutHoldback  | Claude | P0  | 1     | Open   |
| 7222 | Scheme: remove the model and its relations; the catalogue of investment products goes          | schema.prisma: Scheme          | Claude | P0  | 1     | Open   |
| 7223 | Scheme: migration that drops it after its data is archived                                     | schema.prisma: Scheme          | Claude | P0  | 1     | Open   |
| 7224 | RiskConsent: remove the model and its relations; consent to investment risk is no longer asked | schema.prisma: RiskConsent     | Claude | P0  | 1     | Open   |
| 7225 | RiskConsent: migration that drops it after its data is archived                                | schema.prisma: RiskConsent     | Claude | P0  | 1     | Open   |
| 7226 | Investment: remove the model and its relations; Halqa invests no member money                  | schema.prisma: Investment      | Claude | P0  | 1     | Open   |
| 7227 | Investment: migration that drops it after its data is archived                                 | schema.prisma: Investment      | Claude | P0  | 2     | Open   |

### AF2. Models to Review

| #    | Item                                                                                                   | Where                                  | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------|----------------------------------------|--------|-----|-------|--------|
| 7228 | ProtectionCommitment: review against the bank route: keep only the commitment record, never money held | schema.prisma:<br>ProtectionCommitment | Claude | P0  | 2     | Open   |

| #    | Item                                                                                                  | Where                         | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------|-------------------------------|--------|-----|-------|--------|
| 7229 | RiskAssessment: keep the circle risk band; remove investment fields                                   | schema.prisma: RiskAssessment | Claude | P0  | 2     | Open   |
| 7230 | PartnerBank: replace the sandbox entry (Soneri, custody enabled) with Mashreq and Raqami, custody off | schema.prisma: PartnerBank    | Claude | P0  | 2     | Open   |

### AF3. Models Kept

Each of the 34 models kept, with every check it needs: items 498 and 503 broken down by model.

| #    | Item                                                                                                                 | Where                            | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|----------------------------------|--------|-----|-------|--------|
| 7231 | User: included in the baseline migration and reviewed field by field (99 fields)                                     | schema.prisma: User              | Claude | P0  | 2     | Open   |
| 7232 | User: index for every list query that filters or sorts on it                                                         | schema.prisma: User              | Claude | P1  |       | Done   |
| 7233 | User: foreign keys with the delete rule stated for each                                                              | schema.prisma: User              | Claude | P1  |       | Done   |
| 7234 | User: constraints: amounts not negative, values only from their lists, required fields required                      | schema.prisma: User              | Claude | P1  |       | Done   |
| 7235 | User: personal data classified: name, phone, CNIC, date of birth, address, city, occupation, employer, income, photo | schema.prisma: User              | Claude | P0  | 2     | Open   |
| 7236 | User: retention period set and applied by the deletion job                                                           | schema.prisma: User              | Claude | P1  |       | Done   |
| 7237 | User: field level encryption for CNIC number, phone, address, date of birth and income                               | schema.prisma: User              | Claude | P0  | 2     | Open   |
| 7238 | User: every change recorded in the audit log with the actor                                                          | schema.prisma: User              | Claude | P0  |       | Done   |
| 7239 | User: test fixtures for every state it can be in                                                                     | schema.prisma: User              | Claude | P1  | 20    | Open   |
| 7240 | User: each field documented in the data dictionary                                                                   | schema.prisma: User              | Claude | P2  |       | Done   |
| 7241 | Committee: included in the baseline migration and reviewed field by field (79 fields)                                | schema.prisma: Committee         | Claude | P0  | 3     | Open   |
| 7242 | Committee: index for every list query that filters or sorts on it                                                    | schema.prisma: Committee         | Claude | P1  |       | Done   |
| 7243 | Committee: foreign keys with the delete rule stated for each                                                         | schema.prisma: Committee         | Claude | P1  |       | Done   |
| 7244 | Committee: constraints: amounts not negative, values only from their lists, required fields required                 | schema.prisma: Committee         | Claude | P1  |       | Done   |
| 7245 | Committee: retention period set, with the reason                                                                     | schema.prisma: Committee         | Claude | P1  |       | Done   |
| 7246 | Committee: every change recorded in the audit log with the actor                                                     | schema.prisma: Committee         | Claude | P0  |       | Done   |
| 7247 | Committee: test fixtures for every state it can be in                                                                | schema.prisma: Committee         | Claude | P1  | 20    | Open   |
| 7248 | Committee: each field documented in the data dictionary                                                              | schema.prisma: Committee         | Claude | P2  |       | Done   |
| 7249 | CommitteeWaitlist: included in the baseline migration and reviewed field by field (8 fields)                         | schema.prisma: CommitteeWaitlist | Claude | P0  | 3     | Open   |
| 7250 | CommitteeWaitlist: index for every list query that filters or sorts on it                                            | schema.prisma: CommitteeWaitlist | Claude | P1  |       | Done   |
| 7251 | CommitteeWaitlist: foreign keys with the delete rule stated for each                                                 | schema.prisma: CommitteeWaitlist | Claude | P1  |       | Done   |
| 7252 | CommitteeWaitlist: constraints: amounts not negative, values only from their lists, required fields required         | schema.prisma: CommitteeWaitlist | Claude | P1  |       | Done   |
| 7253 | CommitteeWaitlist: retention period set, with the reason                                                             | schema.prisma: CommitteeWaitlist | Claude | P1  |       | Done   |
| 7254 | CommitteeWaitlist: test fixtures for every state it can be in                                                        | schema.prisma: CommitteeWaitlist | Claude | P1  | 20    | Open   |
| 7255 | CommitteeWaitlist: each field documented in the data dictionary                                                      | schema.prisma: CommitteeWaitlist | Claude | P2  |       | Done   |

| #    | Item                                                                                                       | Where                          | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------|--------------------------------|--------|-----|-------|--------|
| 7256 | CommitteeMember: included in the baseline migration and reviewed field by field (17 fields)                | schema.prisma: CommitteeMember | Claude | P0  | 3     | Open   |
| 7257 | CommitteeMember: index for every list query that filters or sorts on it                                    | schema.prisma: CommitteeMember | Claude | P1  |       | Done   |
| 7258 | CommitteeMember: foreign keys with the delete rule stated for each                                         | schema.prisma: CommitteeMember | Claude | P1  |       | Done   |
| 7259 | CommitteeMember: constraints: amounts not negative, values only from their lists, required fields required | schema.prisma: CommitteeMember | Claude | P1  |       | Done   |
| 7260 | CommitteeMember: retention period set, with the reason                                                     | schema.prisma: CommitteeMember | Claude | P1  |       | Done   |
| 7261 | CommitteeMember: every change recorded in the audit log with the actor                                     | schema.prisma: CommitteeMember | Claude | P0  |       | Done   |
| 7262 | CommitteeMember: test fixtures for every state it can be in                                                | schema.prisma: CommitteeMember | Claude | P1  | 20    | Open   |
| 7263 | CommitteeMember: each field documented in the data dictionary                                              | schema.prisma: CommitteeMember | Claude | P2  |       | Done   |
| 7264 | Round: included in the baseline migration and reviewed field by field (18 fields)                          | schema.prisma: Round           | Claude | P0  | 3     | Open   |
| 7265 | Round: index for every list query that filters or sorts on it                                              | schema.prisma: Round           | Claude | P1  |       | Done   |
| 7266 | Round: foreign keys with the delete rule stated for each                                                   | schema.prisma: Round           | Claude | P1  |       | Done   |
| 7267 | Round: constraints: amounts not negative, values only from their lists, required fields required           | schema.prisma: Round           | Claude | P1  |       | Done   |
| 7268 | Round: retention period set, with the reason                                                               | schema.prisma: Round           | Claude | P1  |       | Done   |
| 7269 | Round: every change recorded in the audit log with the actor                                               | schema.prisma: Round           | Claude | P0  |       | Done   |
| 7270 | Round: test fixtures for every state it can be in                                                          | schema.prisma: Round           | Claude | P1  | 20    | Open   |
| 7271 | Round: each field documented in the data dictionary                                                        | schema.prisma: Round           | Claude | P2  |       | Done   |
| 7272 | Payment: included in the baseline migration and reviewed field by field (15 fields)                        | schema.prisma: Payment         | Claude | P0  | 3     | Open   |
| 7273 | Payment: index for every list query that filters or sorts on it                                            | schema.prisma: Payment         | Claude | P1  |       | Done   |
| 7274 | Payment: foreign keys with the delete rule stated for each                                                 | schema.prisma: Payment         | Claude | P1  |       | Done   |
| 7275 | Payment: constraints: amounts not negative, values only from their lists, required fields required         | schema.prisma: Payment         | Claude | P1  |       | Done   |
| 7276 | Payment: retention period set, with the reason                                                             | schema.prisma: Payment         | Claude | P1  |       | Done   |
| 7277 | Payment: every change recorded in the audit log with the actor                                             | schema.prisma: Payment         | Claude | P0  |       | Done   |
| 7278 | Payment: test fixtures for every state it can be in                                                        | schema.prisma: Payment         | Claude | P1  | 20    | Open   |
| 7279 | Payment: each field documented in the data dictionary                                                      | schema.prisma: Payment         | Claude | P2  |       | Done   |
| 7280 | LedgerEntry: included in the baseline migration and reviewed field by field (13 fields)                    | schema.prisma: LedgerEntry     | Claude | P0  | 3     | Open   |
| 7281 | LedgerEntry: index for every list query that filters or sorts on it                                        | schema.prisma: LedgerEntry     | Claude | P1  |       | Done   |
| 7282 | LedgerEntry: foreign keys with the delete rule stated for each                                             | schema.prisma: LedgerEntry     | Claude | P1  |       | Done   |
| 7283 | LedgerEntry: constraints: amounts not negative, values only from their lists, required fields required     | schema.prisma: LedgerEntry     | Claude | P1  |       | Done   |
| 7284 | LedgerEntry: retention period set, with the reason                                                         | schema.prisma: LedgerEntry     | Claude | P1  |       | Done   |
| 7285 | LedgerEntry: every change recorded in the audit log with the actor                                         | schema.prisma: LedgerEntry     | Claude | P0  |       | Done   |
| 7286 | LedgerEntry: test fixtures for every state it can be in                                                    | schema.prisma: LedgerEntry     | Claude | P1  | 20    | Open   |

| #    | Item                                                                                                            | Where                               | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------|--------|-----|-------|--------|
| 7287 | LedgerEntry: each field documented in the data dictionary                                                       | schema.prisma: LedgerEntry          | Claude | P2  |       | Done   |
| 7288 | ProtectionCommitment: included in the baseline migration and reviewed field by field (11 fields)                | schema.prisma: ProtectionCommitment | Claude | P0  | 3     | Open   |
| 7289 | ProtectionCommitment: index for every list query that filters or sorts on it                                    | schema.prisma: ProtectionCommitment | Claude | P1  |       | Done   |
| 7290 | ProtectionCommitment: foreign keys with the delete rule stated for each                                         | schema.prisma: ProtectionCommitment | Claude | P1  |       | Done   |
| 7291 | ProtectionCommitment: constraints: amounts not negative, values only from their lists, required fields required | schema.prisma: ProtectionCommitment | Claude | P1  |       | Done   |
| 7292 | ProtectionCommitment: retention period set, with the reason                                                     | schema.prisma: ProtectionCommitment | Claude | P1  |       | Done   |
| 7293 | ProtectionCommitment: test fixtures for every state it can be in                                                | schema.prisma: ProtectionCommitment | Claude | P1  | 20    | Open   |
| 7294 | ProtectionCommitment: each field documented in the data dictionary                                              | schema.prisma: ProtectionCommitment | Claude | P2  |       | Done   |
| 7295 | RecoveryCase: included in the baseline migration and reviewed field by field (14 fields)                        | schema.prisma: RecoveryCase         | Claude | P0  | 3     | Open   |
| 7296 | RecoveryCase: index for every list query that filters or sorts on it                                            | schema.prisma: RecoveryCase         | Claude | P1  |       | Done   |
| 7297 | RecoveryCase: foreign keys with the delete rule stated for each                                                 | schema.prisma: RecoveryCase         | Claude | P1  |       | Done   |
| 7298 | RecoveryCase: constraints: amounts not negative, values only from their lists, required fields required         | schema.prisma: RecoveryCase         | Claude | P1  |       | Done   |
| 7299 | RecoveryCase: personal data classified: hardship reasons                                                        | schema.prisma: RecoveryCase         | Claude | P0  | 3     | Open   |
| 7300 | RecoveryCase: retention period set and applied by the deletion job                                              | schema.prisma: RecoveryCase         | Claude | P1  |       | Done   |
| 7301 | RecoveryCase: every change recorded in the audit log with the actor                                             | schema.prisma: RecoveryCase         | Claude | P0  |       | Done   |
| 7302 | RecoveryCase: test fixtures for every state it can be in                                                        | schema.prisma: RecoveryCase         | Claude | P1  | 20    | Open   |
| 7303 | RecoveryCase: each field documented in the data dictionary                                                      | schema.prisma: RecoveryCase         | Claude | P2  |       | Done   |
| 7304 | RiskAssessment: included in the baseline migration and reviewed field by field (16 fields)                      | schema.prisma: RiskAssessment       | Claude | P0  | 3     | Open   |
| 7305 | RiskAssessment: index for every list query that filters or sorts on it                                          | schema.prisma: RiskAssessment       | Claude | P1  |       | Done   |
| 7306 | RiskAssessment: foreign keys with the delete rule stated for each                                               | schema.prisma: RiskAssessment       | Claude | P1  |       | Done   |
| 7307 | RiskAssessment: constraints: amounts not negative, values only from their lists, required fields required       | schema.prisma: RiskAssessment       | Claude | P1  |       | Done   |
| 7308 | RiskAssessment: retention period set, with the reason                                                           | schema.prisma: RiskAssessment       | Claude | P1  |       | Done   |
| 7309 | RiskAssessment: test fixtures for every state it can be in                                                      | schema.prisma: RiskAssessment       | Claude | P1  | 20    | Open   |
| 7310 | RiskAssessment: each field documented in the data dictionary                                                    | schema.prisma: RiskAssessment       | Claude | P2  |       | Done   |
| 7311 | ExchangeListing: included in the baseline migration and reviewed field by field (14 fields)                     | schema.prisma: ExchangeListing      | Claude | P0  | 3     | Open   |
| 7312 | ExchangeListing: index for every list query that filters or sorts on it                                         | schema.prisma: ExchangeListing      | Claude | P1  |       | Done   |

| #    | Item                                                                                                       | Where                          | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------|--------------------------------|--------|-----|-------|--------|
| 7313 | ExchangeListing: foreign keys with the delete rule stated for each                                         | schema.prisma: ExchangeListing | Claude | P1  |       | Done   |
| 7314 | ExchangeListing: constraints: amounts not negative, values only from their lists, required fields required | schema.prisma: ExchangeListing | Claude | P1  |       | Done   |
| 7315 | ExchangeListing: retention period set, with the reason                                                     | schema.prisma: ExchangeListing | Claude | P1  |       | Done   |
| 7316 | ExchangeListing: every change recorded in the audit log with the actor                                     | schema.prisma: ExchangeListing | Claude | P0  |       | Done   |
| 7317 | ExchangeListing: test fixtures for every state it can be in                                                | schema.prisma: ExchangeListing | Claude | P1  | 20    | Open   |
| 7318 | ExchangeListing: each field documented in the data dictionary                                              | schema.prisma: ExchangeListing | Claude | P2  |       | Done   |
| 7319 | ExchangeBid: included in the baseline migration and reviewed field by field (8 fields)                     | schema.prisma: ExchangeBid     | Claude | P0  | 3     | Open   |
| 7320 | ExchangeBid: index for every list query that filters or sorts on it                                        | schema.prisma: ExchangeBid     | Claude | P1  |       | Done   |
| 7321 | ExchangeBid: foreign keys with the delete rule stated for each                                             | schema.prisma: ExchangeBid     | Claude | P1  |       | Done   |
| 7322 | ExchangeBid: constraints: amounts not negative, values only from their lists, required fields required     | schema.prisma: ExchangeBid     | Claude | P1  |       | Done   |
| 7323 | ExchangeBid: retention period set, with the reason                                                         | schema.prisma: ExchangeBid     | Claude | P1  |       | Done   |
| 7324 | ExchangeBid: every change recorded in the audit log with the actor                                         | schema.prisma: ExchangeBid     | Claude | P0  |       | Done   |
| 7325 | ExchangeBid: test fixtures for every state it can be in                                                    | schema.prisma: ExchangeBid     | Claude | P1  | 20    | Open   |
| 7326 | ExchangeBid: each field documented in the data dictionary                                                  | schema.prisma: ExchangeBid     | Claude | P2  |       | Done   |
| 7327 | CreditEvent: included in the baseline migration and reviewed field by field (11 fields)                    | schema.prisma: CreditEvent     | Claude | P0  | 3     | Open   |
| 7328 | CreditEvent: index for every list query that filters or sorts on it                                        | schema.prisma: CreditEvent     | Claude | P1  |       | Done   |
| 7329 | CreditEvent: foreign keys with the delete rule stated for each                                             | schema.prisma: CreditEvent     | Claude | P1  |       | Done   |
| 7330 | CreditEvent: constraints: amounts not negative, values only from their lists, required fields required     | schema.prisma: CreditEvent     | Claude | P1  |       | Done   |
| 7331 | CreditEvent: retention period set, with the reason                                                         | schema.prisma: CreditEvent     | Claude | P1  |       | Done   |
| 7332 | CreditEvent: test fixtures for every state it can be in                                                    | schema.prisma: CreditEvent     | Claude | P1  | 20    | Open   |
| 7333 | CreditEvent: each field documented in the data dictionary                                                  | schema.prisma: CreditEvent     | Claude | P2  |       | Done   |
| 7334 | ChatMessage: included in the baseline migration and reviewed field by field (8 fields)                     | schema.prisma: ChatMessage     | Claude | P0  | 3     | Open   |
| 7335 | ChatMessage: index for every list query that filters or sorts on it                                        | schema.prisma: ChatMessage     | Claude | P1  |       | Done   |
| 7336 | ChatMessage: foreign keys with the delete rule stated for each                                             | schema.prisma: ChatMessage     | Claude | P1  |       | Done   |
| 7337 | ChatMessage: constraints: amounts not negative, values only from their lists, required fields required     | schema.prisma: ChatMessage     | Claude | P1  |       | Done   |
| 7338 | ChatMessage: personal data classified: message text                                                        | schema.prisma: ChatMessage     | Claude | P0  | 3     | Open   |
| 7339 | ChatMessage: retention period set and applied by the deletion job                                          | schema.prisma: ChatMessage     | Claude | P1  |       | Done   |
| 7340 | ChatMessage: test fixtures for every state it can be in                                                    | schema.prisma: ChatMessage     | Claude | P1  | 20    | Open   |
| 7341 | ChatMessage: each field documented in the data dictionary                                                  | schema.prisma: ChatMessage     | Claude | P2  |       | Done   |
| 7342 | ChatRead: included in the baseline migration and reviewed field by field (6 fields)                        | schema.prisma: ChatRead        | Claude | P0  | 3     | Open   |
| 7343 | ChatRead: index for every list query that filters or sorts on it                                           | schema.prisma: ChatRead        | Claude | P1  |       | Done   |

| #    | Item                                                                                                             | Where                                | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------|-----|-------|--------|
| 7344 | ChatRead: foreign keys with the delete rule stated for each                                                      | schema.prisma: ChatRead              | Claude | P1  |       | Done   |
| 7345 | ChatRead: constraints: amounts not negative, values only from their lists, required fields required              | schema.prisma: ChatRead              | Claude | P1  |       | Done   |
| 7346 | ChatRead: retention period set, with the reason                                                                  | schema.prisma: ChatRead              | Claude | P1  |       | Done   |
| 7347 | ChatRead: test fixtures for every state it can be in                                                             | schema.prisma: ChatRead              | Claude | P1  | 20    | Open   |
| 7348 | ChatRead: each field documented in the data dictionary                                                           | schema.prisma: ChatRead              | Claude | P2  |       | Done   |
| 7349 | Notification: included in the baseline migration and reviewed field by field (7 fields)                          | schema.prisma: Notification          | Claude | P0  | 3     | Open   |
| 7350 | Notification: index for every list query that filters or sorts on it                                             | schema.prisma: Notification          | Claude | P1  |       | Done   |
| 7351 | Notification: foreign keys with the delete rule stated for each                                                  | schema.prisma: Notification          | Claude | P1  |       | Done   |
| 7352 | Notification: constraints: amounts not negative, values only from their lists, required fields required          | schema.prisma: Notification          | Claude | P1  |       | Done   |
| 7353 | Notification: retention period set, with the reason                                                              | schema.prisma: Notification          | Claude | P1  |       | Done   |
| 7354 | Notification: test fixtures for every state it can be in                                                         | schema.prisma: Notification          | Claude | P1  | 20    | Open   |
| 7355 | Notification: each field documented in the data dictionary                                                       | schema.prisma: Notification          | Claude | P2  |       | Done   |
| 7356 | KycRecord: included in the baseline migration and reviewed field by field (11 fields)                            | schema.prisma: KycRecord             | Claude | P0  | 3     | Open   |
| 7357 | KycRecord: index for every list query that filters or sorts on it                                                | schema.prisma: KycRecord             | Claude | P1  |       | Done   |
| 7358 | KycRecord: foreign keys with the delete rule stated for each                                                     | schema.prisma: KycRecord             | Claude | P1  |       | Done   |
| 7359 | KycRecord: constraints: amounts not negative, values only from their lists, required fields required             | schema.prisma: KycRecord             | Claude | P1  |       | Done   |
| 7360 | KycRecord: personal data classified: CNIC data, verification results                                             | schema.prisma: KycRecord             | Claude | P0  | 3     | Open   |
| 7361 | KycRecord: retention period set and applied by the deletion job                                                  | schema.prisma: KycRecord             | Claude | P1  |       | Done   |
| 7362 | KycRecord: field level encryption for CNIC number and the verification payload                                   | schema.prisma: KycRecord             | Claude | P0  | 3     | Open   |
| 7363 | KycRecord: every change recorded in the audit log with the actor                                                 | schema.prisma: KycRecord             | Claude | P0  |       | Done   |
| 7364 | KycRecord: test fixtures for every state it can be in                                                            | schema.prisma: KycRecord             | Claude | P1  | 20    | Open   |
| 7365 | KycRecord: each field documented in the data dictionary                                                          | schema.prisma: KycRecord             | Claude | P2  |       | Done   |
| 7366 | ScheduleChangeRequest: included in the baseline migration and reviewed field by field (10 fields)                | schema.prisma: ScheduleChangeRequest | Claude | P0  | 3     | Open   |
| 7367 | ScheduleChangeRequest: index for every list query that filters or sorts on it                                    | schema.prisma: ScheduleChangeRequest | Claude | P1  |       | Done   |
| 7368 | ScheduleChangeRequest: foreign keys with the delete rule stated for each                                         | schema.prisma: ScheduleChangeRequest | Claude | P1  |       | Done   |
| 7369 | ScheduleChangeRequest: constraints: amounts not negative, values only from their lists, required fields required | schema.prisma: ScheduleChangeRequest | Claude | P1  |       | Done   |
| 7370 | ScheduleChangeRequest: retention period set, with the reason                                                     | schema.prisma: ScheduleChangeRequest | Claude | P1  |       | Done   |

| #    | Item                                                                                                      | Where                                | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------|--------------------------------------|--------|-----|-------|--------|
| 7371 | ScheduleChangeRequest: test fixtures for every state it can be in                                         | schema.prisma: ScheduleChangeRequest | Claude | P1  | 20    | Open   |
| 7372 | ScheduleChangeRequest: each field documented in the data dictionary                                       | schema.prisma: ScheduleChangeRequest | Claude | P2  |       | Done   |
| 7373 | AuditLog: included in the baseline migration and reviewed field by field (7 fields)                       | schema.prisma: AuditLog              | Claude | P0  | 3     | Open   |
| 7374 | AuditLog: index for every list query that filters or sorts on it                                          | schema.prisma: AuditLog              | Claude | P1  |       | Done   |
| 7375 | AuditLog: foreign keys with the delete rule stated for each                                               | schema.prisma: AuditLog              | Claude | P1  |       | Done   |
| 7376 | AuditLog: constraints: amounts not negative, values only from their lists, required fields required       | schema.prisma: AuditLog              | Claude | P1  |       | Done   |
| 7377 | AuditLog: retention period set, with the reason                                                           | schema.prisma: AuditLog              | Claude | P1  |       | Done   |
| 7378 | AuditLog: test fixtures for every state it can be in                                                      | schema.prisma: AuditLog              | Claude | P1  | 20    | Open   |
| 7379 | AuditLog: each field documented in the data dictionary                                                    | schema.prisma: AuditLog              | Claude | P2  |       | Done   |
| 7380 | PartnerBank: included in the baseline migration and reviewed field by field (11 fields)                   | schema.prisma: PartnerBank           | Claude | P0  | 3     | Open   |
| 7381 | PartnerBank: index for every list query that filters or sorts on it                                       | schema.prisma: PartnerBank           | Claude | P1  |       | Done   |
| 7382 | PartnerBank: foreign keys with the delete rule stated for each                                            | schema.prisma: PartnerBank           | Claude | P1  |       | Done   |
| 7383 | PartnerBank: constraints: amounts not negative, values only from their lists, required fields required    | schema.prisma: PartnerBank           | Claude | P1  |       | Done   |
| 7384 | PartnerBank: retention period set, with the reason                                                        | schema.prisma: PartnerBank           | Claude | P1  |       | Done   |
| 7385 | PartnerBank: every change recorded in the audit log with the actor                                        | schema.prisma: PartnerBank           | Claude | P0  |       | Done   |
| 7386 | PartnerBank: test fixtures for every state it can be in                                                   | schema.prisma: PartnerBank           | Claude | P1  | 20    | Open   |
| 7387 | PartnerBank: each field documented in the data dictionary                                                 | schema.prisma: PartnerBank           | Claude | P2  |       | Done   |
| 7388 | StatementBatch: included in the baseline migration and reviewed field by field (10 fields)                | schema.prisma: StatementBatch        | Claude | P0  | 3     | Open   |
| 7389 | StatementBatch: index for every list query that filters or sorts on it                                    | schema.prisma: StatementBatch        | Claude | P1  |       | Done   |
| 7390 | StatementBatch: foreign keys with the delete rule stated for each                                         | schema.prisma: StatementBatch        | Claude | P1  |       | Done   |
| 7391 | StatementBatch: constraints: amounts not negative, values only from their lists, required fields required | schema.prisma: StatementBatch        | Claude | P1  |       | Done   |
| 7392 | StatementBatch: retention period set, with the reason                                                     | schema.prisma: StatementBatch        | Claude | P1  |       | Done   |
| 7393 | StatementBatch: test fixtures for every state it can be in                                                | schema.prisma: StatementBatch        | Claude | P1  | 20    | Open   |
| 7394 | StatementBatch: each field documented in the data dictionary                                              | schema.prisma: StatementBatch        | Claude | P2  |       | Done   |
| 7395 | StatementLine: included in the baseline migration and reviewed field by field (9 fields)                  | schema.prisma: StatementLine         | Claude | P0  | 3     | Open   |
| 7396 | StatementLine: index for every list query that filters or sorts on it                                     | schema.prisma: StatementLine         | Claude | P1  |       | Done   |
| 7397 | StatementLine: foreign keys with the delete rule stated for each                                          | schema.prisma: StatementLine         | Claude | P1  |       | Done   |
| 7398 | StatementLine: constraints: amounts not negative, values only from their lists, required fields required  | schema.prisma: StatementLine         | Claude | P1  |       | Done   |
| 7399 | StatementLine: personal data classified: narration and account references                                 | schema.prisma: StatementLine         | Claude | P0  | 3     | Open   |

| #    | Item                                                                                                          | Where                             | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------|-----------------------------------|--------|-----|-------|--------|
| 7400 | StatementLine: retention period set and applied by the deletion job                                           | schema.prisma: StatementLine      | Claude | P1  |       | Done   |
| 7401 | StatementLine: field level encryption for account numbers                                                     | schema.prisma: StatementLine      | Claude | P0  | 3     | Open   |
| 7402 | StatementLine: test fixtures for every state it can be in                                                     | schema.prisma: StatementLine      | Claude | P1  | 20    | Open   |
| 7403 | StatementLine: each field documented in the data dictionary                                                   | schema.prisma: StatementLine      | Claude | P2  |       | Done   |
| 7404 | RefreshToken: included in the baseline migration and reviewed field by field (8 fields)                       | schema.prisma: RefreshToken       | Claude | P0  | 3     | Open   |
| 7405 | RefreshToken: index for every list query that filters or sorts on it                                          | schema.prisma: RefreshToken       | Claude | P1  |       | Done   |
| 7406 | RefreshToken: foreign keys with the delete rule stated for each                                               | schema.prisma: RefreshToken       | Claude | P1  |       | Done   |
| 7407 | RefreshToken: constraints: amounts not negative, values only from their lists, required fields required       | schema.prisma: RefreshToken       | Claude | P1  |       | Done   |
| 7408 | RefreshToken: personal data classified: device and address                                                    | schema.prisma: RefreshToken       | Claude | P0  | 3     | Open   |
| 7409 | RefreshToken: retention period set and applied by the deletion job                                            | schema.prisma: RefreshToken       | Claude | P1  |       | Done   |
| 7410 | RefreshToken: test fixtures for every state it can be in                                                      | schema.prisma: RefreshToken       | Claude | P1  | 20    | Open   |
| 7411 | RefreshToken: each field documented in the data dictionary                                                    | schema.prisma: RefreshToken       | Claude | P2  |       | Done   |
| 7412 | AgreementSignature: included in the baseline migration and reviewed field by field (13 fields)                | schema.prisma: AgreementSignature | Claude | P0  | 3     | Open   |
| 7413 | AgreementSignature: index for every list query that filters or sorts on it                                    | schema.prisma: AgreementSignature | Claude | P1  |       | Done   |
| 7414 | AgreementSignature: foreign keys with the delete rule stated for each                                         | schema.prisma: AgreementSignature | Claude | P1  |       | Done   |
| 7415 | AgreementSignature: constraints: amounts not negative, values only from their lists, required fields required | schema.prisma: AgreementSignature | Claude | P1  |       | Done   |
| 7416 | AgreementSignature: personal data classified: signature, address and device                                   | schema.prisma: AgreementSignature | Claude | P0  | 3     | Open   |
| 7417 | AgreementSignature: retention period set and applied by the deletion job                                      | schema.prisma: AgreementSignature | Claude | P1  |       | Done   |
| 7418 | AgreementSignature: every change recorded in the audit log with the actor                                     | schema.prisma: AgreementSignature | Claude | P0  |       | Done   |
| 7419 | AgreementSignature: test fixtures for every state it can be in                                                | schema.prisma: AgreementSignature | Claude | P1  | 20    | Open   |
| 7420 | AgreementSignature: each field documented in the data dictionary                                              | schema.prisma: AgreementSignature | Claude | P2  |       | Done   |
| 7421 | PaymentAttempt: included in the baseline migration and reviewed field by field (10 fields)                    | schema.prisma: PaymentAttempt     | Claude | P0  | 3     | Open   |
| 7422 | PaymentAttempt: index for every list query that filters or sorts on it                                        | schema.prisma: PaymentAttempt     | Claude | P1  |       | Done   |
| 7423 | PaymentAttempt: foreign keys with the delete rule stated for each                                             | schema.prisma: PaymentAttempt     | Claude | P1  |       | Done   |
| 7424 | PaymentAttempt: constraints: amounts not negative, values only from their lists, required fields required     | schema.prisma: PaymentAttempt     | Claude | P1  |       | Done   |



| #    | Item                                                                                                     | Where                         | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------|-------------------------------|--------|-----|-------|--------|
| 7425 | PaymentAttempt: personal data classified: account references                                             | schema.prisma: PaymentAttempt | Claude | P0  | 3     | Open   |
| 7426 | PaymentAttempt: retention period set and applied by the deletion job                                     | schema.prisma: PaymentAttempt | Claude | P1  |       | Done   |
| 7427 | PaymentAttempt: test fixtures for every state it can be in                                               | schema.prisma: PaymentAttempt | Claude | P1  | 20    | Open   |
| 7428 | PaymentAttempt: each field documented in the data dictionary                                             | schema.prisma: PaymentAttempt | Claude | P2  |       | Done   |
| 7429 | SalarySignal: included in the baseline migration and reviewed field by field (8 fields)                  | schema.prisma: SalarySignal   | Claude | P0  | 3     | Open   |
| 7430 | SalarySignal: index for every list query that filters or sorts on it                                     | schema.prisma: SalarySignal   | Claude | P1  |       | Done   |
| 7431 | SalarySignal: foreign keys with the delete rule stated for each                                          | schema.prisma: SalarySignal   | Claude | P1  |       | Done   |
| 7432 | SalarySignal: constraints: amounts not negative, values only from their lists, required fields required  | schema.prisma: SalarySignal   | Claude | P1  |       | Done   |
| 7433 | SalarySignal: personal data classified: salary credits and dates                                         | schema.prisma: SalarySignal   | Claude | P0  | 3     | Open   |
| 7434 | SalarySignal: retention period set and applied by the deletion job                                       | schema.prisma: SalarySignal   | Claude | P1  |       | Done   |
| 7435 | SalarySignal: test fixtures for every state it can be in                                                 | schema.prisma: SalarySignal   | Claude | P1  | 20    | Open   |
| 7436 | SalarySignal: each field documented in the data dictionary                                               | schema.prisma: SalarySignal   | Claude | P2  |       | Done   |
| 7437 | PayslipUpload: included in the baseline migration and reviewed field by field (10 fields)                | schema.prisma: PayslipUpload  | Claude | P0  | 3     | Open   |
| 7438 | PayslipUpload: index for every list query that filters or sorts on it                                    | schema.prisma: PayslipUpload  | Claude | P1  |       | Done   |
| 7439 | PayslipUpload: foreign keys with the delete rule stated for each                                         | schema.prisma: PayslipUpload  | Claude | P1  |       | Done   |
| 7440 | PayslipUpload: constraints: amounts not negative, values only from their lists, required fields required | schema.prisma: PayslipUpload  | Claude | P1  |       | Done   |
| 7441 | PayslipUpload: personal data classified: payslip images and amounts                                      | schema.prisma: PayslipUpload  | Claude | P0  | 3     | Open   |
| 7442 | PayslipUpload: retention period set and applied by the deletion job                                      | schema.prisma: PayslipUpload  | Claude | P1  |       | Done   |
| 7443 | PayslipUpload: field level encryption for the stored file and the amounts read from it                   | schema.prisma: PayslipUpload  | Claude | P0  | 3     | Open   |
| 7444 | PayslipUpload: test fixtures for every state it can be in                                                | schema.prisma: PayslipUpload  | Claude | P1  | 20    | Open   |
| 7445 | PayslipUpload: each field documented in the data dictionary                                              | schema.prisma: PayslipUpload  | Claude | P2  |       | Done   |
| 7446 | SecurityEvent: included in the baseline migration and reviewed field by field (8 fields)                 | schema.prisma: SecurityEvent  | Claude | P0  | 3     | Open   |
| 7447 | SecurityEvent: index for every list query that filters or sorts on it                                    | schema.prisma: SecurityEvent  | Claude | P1  |       | Done   |
| 7448 | SecurityEvent: foreign keys with the delete rule stated for each                                         | schema.prisma: SecurityEvent  | Claude | P1  |       | Done   |
| 7449 | SecurityEvent: constraints: amounts not negative, values only from their lists, required fields required | schema.prisma: SecurityEvent  | Claude | P1  |       | Done   |
| 7450 | SecurityEvent: personal data classified: device and address                                              | schema.prisma: SecurityEvent  | Claude | P0  | 3     | Open   |
| 7451 | SecurityEvent: retention period set and applied by the deletion job                                      | schema.prisma: SecurityEvent  | Claude | P1  |       | Done   |
| 7452 | SecurityEvent: test fixtures for every state it can be in                                                | schema.prisma: SecurityEvent  | Claude | P1  | 20    | Open   |
| 7453 | SecurityEvent: each field documented in the data dictionary                                              | schema.prisma: SecurityEvent  | Claude | P2  |       | Done   |
| 7454 | RewardEvent: included in the baseline migration and reviewed field by field (12 fields)                  | schema.prisma: RewardEvent    | Claude | P0  | 3     | Open   |
| 7455 | RewardEvent: index for every list query that filters or sorts on it                                      | schema.prisma: RewardEvent    | Claude | P1  |       | Done   |

| #    | Item                                                                                                       | Where                          | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------|--------------------------------|--------|-----|-------|--------|
| 7456 | RewardEvent: foreign keys with the delete rule stated for each                                             | schema.prisma: RewardEvent     | Claude | P1  |       | Done   |
| 7457 | RewardEvent: constraints: amounts not negative, values only from their lists, required fields required     | schema.prisma: RewardEvent     | Claude | P1  |       | Done   |
| 7458 | RewardEvent: retention period set, with the reason                                                         | schema.prisma: RewardEvent     | Claude | P1  |       | Done   |
| 7459 | RewardEvent: test fixtures for every state it can be in                                                    | schema.prisma: RewardEvent     | Claude | P1  | 20    | Open   |
| 7460 | RewardEvent: each field documented in the data dictionary                                                  | schema.prisma: RewardEvent     | Claude | P2  |       | Done   |
| 7461 | ExitRequest: included in the baseline migration and reviewed field by field (25 fields)                    | schema.prisma: ExitRequest     | Claude | P0  | 3     | Open   |
| 7462 | ExitRequest: index for every list query that filters or sorts on it                                        | schema.prisma: ExitRequest     | Claude | P1  |       | Done   |
| 7463 | ExitRequest: foreign keys with the delete rule stated for each                                             | schema.prisma: ExitRequest     | Claude | P1  |       | Done   |
| 7464 | ExitRequest: constraints: amounts not negative, values only from their lists, required fields required     | schema.prisma: ExitRequest     | Claude | P1  |       | Done   |
| 7465 | ExitRequest: personal data classified: reasons                                                             | schema.prisma: ExitRequest     | Claude | P0  | 3     | Open   |
| 7466 | ExitRequest: retention period set and applied by the deletion job                                          | schema.prisma: ExitRequest     | Claude | P1  |       | Done   |
| 7467 | ExitRequest: every change recorded in the audit log with the actor                                         | schema.prisma: ExitRequest     | Claude | P0  |       | Done   |
| 7468 | ExitRequest: test fixtures for every state it can be in                                                    | schema.prisma: ExitRequest     | Claude | P1  | 20    | Open   |
| 7469 | ExitRequest: each field documented in the data dictionary                                                  | schema.prisma: ExitRequest     | Claude | P2  |       | Done   |
| 7470 | ExitVote: included in the baseline migration and reviewed field by field (7 fields)                        | schema.prisma: ExitVote        | Claude | P0  | 3     | Open   |
| 7471 | ExitVote: index for every list query that filters or sorts on it                                           | schema.prisma: ExitVote        | Claude | P1  |       | Done   |
| 7472 | ExitVote: foreign keys with the delete rule stated for each                                                | schema.prisma: ExitVote        | Claude | P1  |       | Done   |
| 7473 | ExitVote: constraints: amounts not negative, values only from their lists, required fields required        | schema.prisma: ExitVote        | Claude | P1  |       | Done   |
| 7474 | ExitVote: retention period set, with the reason                                                            | schema.prisma: ExitVote        | Claude | P1  |       | Done   |
| 7475 | ExitVote: test fixtures for every state it can be in                                                       | schema.prisma: ExitVote        | Claude | P1  | 20    | Open   |
| 7476 | ExitVote: each field documented in the data dictionary                                                     | schema.prisma: ExitVote        | Claude | P2  |       | Done   |
| 7477 | RestitutionDebt: included in the baseline migration and reviewed field by field (8 fields)                 | schema.prisma: RestitutionDebt | Claude | P0  | 3     | Open   |
| 7478 | RestitutionDebt: index for every list query that filters or sorts on it                                    | schema.prisma: RestitutionDebt | Claude | P1  |       | Done   |
| 7479 | RestitutionDebt: foreign keys with the delete rule stated for each                                         | schema.prisma: RestitutionDebt | Claude | P1  |       | Done   |
| 7480 | RestitutionDebt: constraints: amounts not negative, values only from their lists, required fields required | schema.prisma: RestitutionDebt | Claude | P1  |       | Done   |
| 7481 | RestitutionDebt: retention period set, with the reason                                                     | schema.prisma: RestitutionDebt | Claude | P1  |       | Done   |
| 7482 | RestitutionDebt: every change recorded in the audit log with the actor                                     | schema.prisma: RestitutionDebt | Claude | P0  |       | Done   |
| 7483 | RestitutionDebt: test fixtures for every state it can be in                                                | schema.prisma: RestitutionDebt | Claude | P1  | 20    | Open   |
| 7484 | RestitutionDebt: each field documented in the data dictionary                                              | schema.prisma: RestitutionDebt | Claude | P2  |       | Done   |
| 7485 | SupportTicket: included in the baseline migration and reviewed field by field (13 fields)                  | schema.prisma: SupportTicket   | Claude | P0  | 3     | Open   |
| 7486 | SupportTicket: index for every list query that filters or sorts on it                                      | schema.prisma: SupportTicket   | Claude | P1  |       | Done   |

| #    | Item                                                                                                      | Where                         | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------|-------------------------------|--------|-----|-------|--------|
| 7487 | SupportTicket: foreign keys with the delete rule stated for each                                          | schema.prisma: SupportTicket  | Claude | P1  |       | Done   |
| 7488 | SupportTicket: constraints: amounts not negative, values only from their lists, required fields required  | schema.prisma: SupportTicket  | Claude | P1  |       | Done   |
| 7489 | SupportTicket: personal data classified: description                                                      | schema.prisma: SupportTicket  | Claude | P0  | 3     | Open   |
| 7490 | SupportTicket: retention period set and applied by the deletion job                                       | schema.prisma: SupportTicket  | Claude | P1  |       | Done   |
| 7491 | SupportTicket: test fixtures for every state it can be in                                                 | schema.prisma: SupportTicket  | Claude | P1  | 20    | Open   |
| 7492 | SupportTicket: each field documented in the data dictionary                                               | schema.prisma: SupportTicket  | Claude | P2  |       | Done   |
| 7493 | SupportMessage: included in the baseline migration and reviewed field by field (6 fields)                 | schema.prisma: SupportMessage | Claude | P0  | 3     | Open   |
| 7494 | SupportMessage: index for every list query that filters or sorts on it                                    | schema.prisma: SupportMessage | Claude | P1  |       | Done   |
| 7495 | SupportMessage: foreign keys with the delete rule stated for each                                         | schema.prisma: SupportMessage | Claude | P1  |       | Done   |
| 7496 | SupportMessage: constraints: amounts not negative, values only from their lists, required fields required | schema.prisma: SupportMessage | Claude | P1  |       | Done   |
| 7497 | SupportMessage: personal data classified: message text                                                    | schema.prisma: SupportMessage | Claude | P0  | 3     | Open   |
| 7498 | SupportMessage: retention period set and applied by the deletion job                                      | schema.prisma: SupportMessage | Claude | P1  |       | Done   |
| 7499 | SupportMessage: test fixtures for every state it can be in                                                | schema.prisma: SupportMessage | Claude | P1  | 20    | Open   |
| 7500 | SupportMessage: each field documented in the data dictionary                                              | schema.prisma: SupportMessage | Claude | P2  |       | Done   |

#### AF4. New Models for the Bank Route

| #    | Item                                                                                                         | Where                    | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 7501 | BankAccount: model created: the member's account at the partner bank: reference, status, title, default flag | new model BankAccount    | Claude | P1  | 49    | Open   |
| 7502 | BankAccount: migration written and applied to staging first                                                  | new model BankAccount    | Claude | P1  | 49    | Open   |
| 7503 | BankAccount: indexes for its queries                                                                         | new model BankAccount    | Claude | P1  | 49    | Open   |
| 7504 | BankAccount: keys and constraints                                                                            | new model BankAccount    | Claude | P1  | 49    | Open   |
| 7505 | BankAccount: personal data classified and retention set                                                      | new model BankAccount    | Claude | P1  | 49    | Open   |
| 7506 | BankAccount: changes recorded in the audit log                                                               | new model BankAccount    | Claude | P1  | 49    | Open   |
| 7507 | BankAccount: test fixtures                                                                                   | new model BankAccount    | Claude | P1  | 49    | Open   |
| 7508 | BankAccount: documented in the data dictionary                                                               | new model BankAccount    | Claude | P2  | 74    | Open   |
| 7509 | BankOnboarding: model created: each account opening attempt: start, steps, outcome, reason                   | new model BankOnboarding | Claude | P1  | 49    | Open   |
| 7510 | BankOnboarding: migration written and applied to staging first                                               | new model BankOnboarding | Claude | P1  | 49    | Open   |
| 7511 | BankOnboarding: indexes for its queries                                                                      | new model BankOnboarding | Claude | P1  | 49    | Open   |
| 7512 | BankOnboarding: keys and constraints                                                                         | new model BankOnboarding | Claude | P1  | 49    | Open   |
| 7513 | BankOnboarding: personal data classified and retention set                                                   | new model BankOnboarding | Claude | P1  | 49    | Open   |
| 7514 | BankOnboarding: changes recorded in the audit log                                                            | new model BankOnboarding | Claude | P1  | 49    | Open   |

| #    | Item                                                                                                          | Where                      | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------|----------------------------|--------|-----|-------|--------|
| 7515 | BankOnboarding: test fixtures                                                                                 | new model BankOnboarding   | Claude | P1  | 49    | Open   |
| 7516 | BankOnboarding: documented in the data dictionary                                                             | new model BankOnboarding   | Claude | P2  | 74    | Open   |
| 7517 | Mandate: model created: mandate reference, account, ceiling, cadence, text authorised, time and address       | new model Mandate          | Claude | P1  | 49    | Open   |
| 7518 | Mandate: migration written and applied to staging first                                                       | new model Mandate          | Claude | P1  | 49    | Open   |
| 7519 | Mandate: indexes for its queries                                                                              | new model Mandate          | Claude | P1  | 49    | Open   |
| 7520 | Mandate: keys and constraints                                                                                 | new model Mandate          | Claude | P1  | 49    | Open   |
| 7521 | Mandate: personal data classified and retention set                                                           | new model Mandate          | Claude | P1  | 49    | Open   |
| 7522 | Mandate: changes recorded in the audit log                                                                    | new model Mandate          | Claude | P1  | 49    | Open   |
| 7523 | Mandate: test fixtures                                                                                        | new model Mandate          | Claude | P1  | 49    | Open   |
| 7524 | Mandate: documented in the data dictionary                                                                    | new model Mandate          | Claude | P2  | 74    | Open   |
| 7525 | MandateEvent: model created: every status event from the bank for a mandate                                   | new model MandateEvent     | Claude | P1  | 49    | Open   |
| 7526 | MandateEvent: migration written and applied to staging first                                                  | new model MandateEvent     | Claude | P1  | 49    | Open   |
| 7527 | MandateEvent: indexes for its queries                                                                         | new model MandateEvent     | Claude | P1  | 49    | Open   |
| 7528 | MandateEvent: keys and constraints                                                                            | new model MandateEvent     | Claude | P1  | 49    | Open   |
| 7529 | MandateEvent: personal data classified and retention set                                                      | new model MandateEvent     | Claude | P1  | 49    | Open   |
| 7530 | MandateEvent: changes recorded in the audit log                                                               | new model MandateEvent     | Claude | P1  | 49    | Open   |
| 7531 | MandateEvent: test fixtures                                                                                   | new model MandateEvent     | Claude | P1  | 49    | Open   |
| 7532 | MandateEvent: documented in the data dictionary                                                               | new model MandateEvent     | Claude | P2  | 74    | Open   |
| 7533 | BankInstruction: model created: every instruction to the bank: debit, credit, payout, with its key and result | new model BankInstruction  | Claude | P1  | 49    | Open   |
| 7534 | BankInstruction: migration written and applied to staging first                                               | new model BankInstruction  | Claude | P1  | 49    | Open   |
| 7535 | BankInstruction: indexes for its queries                                                                      | new model BankInstruction  | Claude | P1  | 49    | Open   |
| 7536 | BankInstruction: keys and constraints                                                                         | new model BankInstruction  | Claude | P1  | 49    | Open   |
| 7537 | BankInstruction: personal data classified and retention set                                                   | new model BankInstruction  | Claude | P1  | 49    | Open   |
| 7538 | BankInstruction: changes recorded in the audit log                                                            | new model BankInstruction  | Claude | P1  | 49    | Open   |
| 7539 | BankInstruction: test fixtures                                                                                | new model BankInstruction  | Claude | P1  | 49    | Open   |
| 7540 | BankInstruction: documented in the data dictionary                                                            | new model BankInstruction  | Claude | P2  | 74    | Open   |
| 7541 | BankWebhookEvent: model created: every signed event received from the bank, raw and verified                  | new model BankWebhookEvent | Claude | P1  | 49    | Open   |
| 7542 | BankWebhookEvent: migration written and applied to staging first                                              | new model BankWebhookEvent | Claude | P1  | 49    | Open   |
| 7543 | BankWebhookEvent: indexes for its queries                                                                     | new model BankWebhookEvent | Claude | P1  | 49    | Open   |
| 7544 | BankWebhookEvent: keys and constraints                                                                        | new model BankWebhookEvent | Claude | P1  | 49    | Open   |
| 7545 | BankWebhookEvent: personal data classified and retention set                                                  | new model BankWebhookEvent | Claude | P1  | 49    | Open   |

| #    | Item                                                                                              | Where                         | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------|-------------------------------|--------|-----|-------|--------|
| 7546 | BankWebhookEvent: changes recorded in the audit log                                               | new model BankWebhookEvent    | Claude | P1  | 49    | Open   |
| 7547 | BankWebhookEvent: test fixtures                                                                   | new model BankWebhookEvent    | Claude | P1  | 49    | Open   |
| 7548 | BankWebhookEvent: documented in the data dictionary                                               | new model BankWebhookEvent    | Claude | P2  | 74    | Open   |
| 7549 | ReconciliationBreak: model created: each unmatched entry, its investigation and resolution        | new model ReconciliationBreak | Claude | P1  | 49    | Open   |
| 7550 | ReconciliationBreak: migration written and applied to staging first                               | new model ReconciliationBreak | Claude | P1  | 49    | Open   |
| 7551 | ReconciliationBreak: indexes for its queries                                                      | new model ReconciliationBreak | Claude | P1  | 49    | Open   |
| 7552 | ReconciliationBreak: keys and constraints                                                         | new model ReconciliationBreak | Claude | P1  | 49    | Open   |
| 7553 | ReconciliationBreak: personal data classified and retention set                                   | new model ReconciliationBreak | Claude | P1  | 49    | Open   |
| 7554 | ReconciliationBreak: changes recorded in the audit log                                            | new model ReconciliationBreak | Claude | P1  | 49    | Open   |
| 7555 | ReconciliationBreak: test fixtures                                                                | new model ReconciliationBreak | Claude | P1  | 49    | Open   |
| 7556 | ReconciliationBreak: documented in the data dictionary                                            | new model ReconciliationBreak | Claude | P2  | 74    | Open   |
| 7557 | FeeSchedule: model created: the versioned fee rules: Rs 85, the PSP service fee rule, Hyper Rs 15 | new model FeeSchedule         | Claude | P1  | 20    | Open   |
| 7558 | FeeSchedule: migration written and applied to staging first                                       | new model FeeSchedule         | Claude | P1  | 20    | Open   |
| 7559 | FeeSchedule: indexes for its queries                                                              | new model FeeSchedule         | Claude | P1  | 20    | Open   |
| 7560 | FeeSchedule: keys and constraints                                                                 | new model FeeSchedule         | Claude | P1  | 20    | Open   |
| 7561 | FeeSchedule: personal data classified and retention set                                           | new model FeeSchedule         | Claude | P1  | 20    | Open   |
| 7562 | FeeSchedule: changes recorded in the audit log                                                    | new model FeeSchedule         | Claude | P1  | 20    | Open   |
| 7563 | FeeSchedule: test fixtures                                                                        | new model FeeSchedule         | Claude | P1  | 20    | Open   |
| 7564 | FeeSchedule: documented in the data dictionary                                                    | new model FeeSchedule         | Claude | P2  | 57    | Open   |
| 7565 | FeeCharge: model created: each fee charged with the schedule version applied                      | new model FeeCharge           | Claude | P1  | 20    | Open   |
| 7566 | FeeCharge: migration written and applied to staging first                                         | new model FeeCharge           | Claude | P1  | 20    | Open   |
| 7567 | FeeCharge: indexes for its queries                                                                | new model FeeCharge           | Claude | P1  | 20    | Open   |
| 7568 | FeeCharge: keys and constraints                                                                   | new model FeeCharge           | Claude | P1  | 20    | Open   |
| 7569 | FeeCharge: personal data classified and retention set                                             | new model FeeCharge           | Claude | P1  | 20    | Open   |
| 7570 | FeeCharge: changes recorded in the audit log                                                      | new model FeeCharge           | Claude | P1  | 20    | Open   |
| 7571 | FeeCharge: test fixtures                                                                          | new model FeeCharge           | Claude | P1  | 20    | Open   |
| 7572 | FeeCharge: documented in the data dictionary                                                      | new model FeeCharge           | Claude | P2  | 57    | Open   |
| 7573 | PspCharge: model created: each PSP charge, refund and dispute with the PSP reference              | new model PspCharge           | Claude | P1  | 53    | Open   |
| 7574 | PspCharge: migration written and applied to staging first                                         | new model PspCharge           | Claude | P1  | 53    | Open   |
| 7575 | PspCharge: indexes for its queries                                                                | new model PspCharge           | Claude | P1  | 53    | Open   |
| 7576 | PspCharge: keys and constraints                                                                   | new model PspCharge           | Claude | P1  | 53    | Open   |

| #    | Item                                                                                                    | Where                    | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 7577 | PspCharge: personal data classified and retention set                                                   | new model PspCharge      | Claude | P1  | 53    | Open   |
| 7578 | PspCharge: changes recorded in the audit log                                                            | new model PspCharge      | Claude | P1  | 53    | Open   |
| 7579 | PspCharge: test fixtures                                                                                | new model PspCharge      | Claude | P1  | 53    | Open   |
| 7580 | PspCharge: documented in the data dictionary                                                            | new model PspCharge      | Claude | P2  | 78    | Open   |
| 7581 | PointsEntry: model created: the append only points ledger: issue, purchase, transfer, redemption, lapse | new model PointsEntry    | Claude | P1  | 20    | Open   |
| 7582 | PointsEntry: migration written and applied to staging first                                             | new model PointsEntry    | Claude | P1  | 20    | Open   |
| 7583 | PointsEntry: indexes for its queries                                                                    | new model PointsEntry    | Claude | P1  | 20    | Open   |
| 7584 | PointsEntry: keys and constraints                                                                       | new model PointsEntry    | Claude | P1  | 20    | Open   |
| 7585 | PointsEntry: personal data classified and retention set                                                 | new model PointsEntry    | Claude | P1  | 20    | Open   |
| 7586 | PointsEntry: changes recorded in the audit log                                                          | new model PointsEntry    | Claude | P1  | 20    | Open   |
| 7587 | PointsEntry: test fixtures                                                                              | new model PointsEntry    | Claude | P1  | 20    | Open   |
| 7588 | PointsEntry: documented in the data dictionary                                                          | new model PointsEntry    | Claude | P2  | 57    | Open   |
| 7589 | PointsPurchase: model created: each purchase of points with money and its bank reference                | new model PointsPurchase | Claude | P1  | 49    | Open   |
| 7590 | PointsPurchase: migration written and applied to staging first                                          | new model PointsPurchase | Claude | P1  | 49    | Open   |
| 7591 | PointsPurchase: indexes for its queries                                                                 | new model PointsPurchase | Claude | P1  | 49    | Open   |
| 7592 | PointsPurchase: keys and constraints                                                                    | new model PointsPurchase | Claude | P1  | 49    | Open   |
| 7593 | PointsPurchase: personal data classified and retention set                                              | new model PointsPurchase | Claude | P1  | 49    | Open   |
| 7594 | PointsPurchase: changes recorded in the audit log                                                       | new model PointsPurchase | Claude | P1  | 49    | Open   |
| 7595 | PointsPurchase: test fixtures                                                                           | new model PointsPurchase | Claude | P1  | 49    | Open   |
| 7596 | PointsPurchase: documented in the data dictionary                                                       | new model PointsPurchase | Claude | P2  | 74    | Open   |
| 7597 | Merchant: model created: marketplace merchants and their agreements                                     | new model Merchant       | Claude | P1  | 20    | Open   |
| 7598 | Merchant: migration written and applied to staging first                                                | new model Merchant       | Claude | P1  | 20    | Open   |
| 7599 | Merchant: indexes for its queries                                                                       | new model Merchant       | Claude | P1  | 20    | Open   |
| 7600 | Merchant: keys and constraints                                                                          | new model Merchant       | Claude | P1  | 20    | Open   |
| 7601 | Merchant: personal data classified and retention set                                                    | new model Merchant       | Claude | P1  | 20    | Open   |
| 7602 | Merchant: changes recorded in the audit log                                                             | new model Merchant       | Claude | P1  | 20    | Open   |
| 7603 | Merchant: test fixtures                                                                                 | new model Merchant       | Claude | P1  | 20    | Open   |
| 7604 | Merchant: documented in the data dictionary                                                             | new model Merchant       | Claude | P2  | 57    | Open   |
| 7605 | Product: model created: catalogue products with prices in points                                        | new model Product        | Claude | P1  | 20    | Open   |
| 7606 | Product: migration written and applied to staging first                                                 | new model Product        | Claude | P1  | 20    | Open   |
| 7607 | Product: indexes for its queries                                                                        | new model Product        | Claude | P1  | 20    | Open   |

| #    | Item                                                                                                                | Where                      | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------|----------------------------|--------|-----|-------|--------|
| 7608 | Product: keys and constraints                                                                                       | new model Product          | Claude | P1  | 20    | Open   |
| 7609 | Product: personal data classified and retention set                                                                 | new model Product          | Claude | P1  | 20    | Open   |
| 7610 | Product: changes recorded in the audit log                                                                          | new model Product          | Claude | P1  | 21    | Open   |
| 7611 | Product: test fixtures                                                                                              | new model Product          | Claude | P1  | 21    | Open   |
| 7612 | Product: documented in the data dictionary                                                                          | new model Product          | Claude | P2  | 57    | Open   |
| 7613 | Order: model created: marketplace orders and their delivery status                                                  | new model Order            | Claude | P1  | 21    | Open   |
| 7614 | Order: migration written and applied to staging first                                                               | new model Order            | Claude | P1  | 21    | Open   |
| 7615 | Order: indexes for its queries                                                                                      | new model Order            | Claude | P1  | 21    | Open   |
| 7616 | Order: keys and constraints                                                                                         | new model Order            | Claude | P1  | 21    | Open   |
| 7617 | Order: personal data classified and retention set                                                                   | new model Order            | Claude | P1  | 21    | Open   |
| 7618 | Order: changes recorded in the audit log                                                                            | new model Order            | Claude | P1  | 21    | Open   |
| 7619 | Order: test fixtures                                                                                                | new model Order            | Claude | P1  | 21    | Open   |
| 7620 | Order: documented in the data dictionary                                                                            | new model Order            | Claude | P2  | 57    | Open   |
| 7621 | ReturnRequest: model created: returns and refunds in points                                                         | new model ReturnRequest    | Claude | P1  | 21    | Open   |
| 7622 | ReturnRequest: migration written and applied to staging first                                                       | new model ReturnRequest    | Claude | P1  | 21    | Open   |
| 7623 | ReturnRequest: indexes for its queries                                                                              | new model ReturnRequest    | Claude | P1  | 21    | Open   |
| 7624 | ReturnRequest: keys and constraints                                                                                 | new model ReturnRequest    | Claude | P1  | 21    | Open   |
| 7625 | ReturnRequest: personal data classified and retention set                                                           | new model ReturnRequest    | Claude | P1  | 21    | Open   |
| 7626 | ReturnRequest: changes recorded in the audit log                                                                    | new model ReturnRequest    | Claude | P1  | 21    | Open   |
| 7627 | ReturnRequest: test fixtures                                                                                        | new model ReturnRequest    | Claude | P1  | 21    | Open   |
| 7628 | ReturnRequest: documented in the data dictionary                                                                    | new model ReturnRequest    | Claude | P2  | 57    | Open   |
| 7629 | TurnTrade: model created: each trade of a turn: listing, offers, approval, settlement                               | new model TurnTrade        | Claude | P1  | 21    | Open   |
| 7630 | TurnTrade: migration written and applied to staging first                                                           | new model TurnTrade        | Claude | P1  | 21    | Open   |
| 7631 | TurnTrade: indexes for its queries                                                                                  | new model TurnTrade        | Claude | P1  | 21    | Open   |
| 7632 | TurnTrade: keys and constraints                                                                                     | new model TurnTrade        | Claude | P1  | 21    | Open   |
| 7633 | TurnTrade: personal data classified and retention set                                                               | new model TurnTrade        | Claude | P1  | 21    | Open   |
| 7634 | TurnTrade: changes recorded in the audit log                                                                        | new model TurnTrade        | Claude | P1  | 21    | Open   |
| 7635 | TurnTrade: test fixtures                                                                                            | new model TurnTrade        | Claude | P1  | 21    | Open   |
| 7636 | TurnTrade: documented in the data dictionary                                                                        | new model TurnTrade        | Claude | P2  | 57    | Open   |
| 7637 | TakafulEnrolment: model created: the operator's reference for each member covered, with no amount promised by Halqa | new model TakafulEnrolment | Claude | P1  | 21    | Open   |

| #    | Item                                                                    | Where                      | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------|----------------------------|--------|-----|-------|--------|
| 7638 | TakafulEnrolment: migration written and applied to staging first        | new model TakafulEnrolment | Claude | P1  | 21    | Open   |
| 7639 | TakafulEnrolment: indexes for its queries                               | new model TakafulEnrolment | Claude | P1  | 21    | Open   |
| 7640 | TakafulEnrolment: keys and constraints                                  | new model TakafulEnrolment | Claude | P1  | 21    | Open   |
| 7641 | TakafulEnrolment: personal data classified and retention set            | new model TakafulEnrolment | Claude | P1  | 21    | Open   |
| 7642 | TakafulEnrolment: changes recorded in the audit log                     | new model TakafulEnrolment | Claude | P1  | 21    | Open   |
| 7643 | TakafulEnrolment: test fixtures                                         | new model TakafulEnrolment | Claude | P1  | 21    | Open   |
| 7644 | TakafulEnrolment: documented in the data dictionary                     | new model TakafulEnrolment | Claude | P2  | 57    | Open   |
| 7645 | Claim: model created: the operator's claim reference and status         | new model Claim            | Claude | P1  | 21    | Open   |
| 7646 | Claim: migration written and applied to staging first                   | new model Claim            | Claude | P1  | 21    | Open   |
| 7647 | Claim: indexes for its queries                                          | new model Claim            | Claude | P1  | 21    | Open   |
| 7648 | Claim: keys and constraints                                             | new model Claim            | Claude | P1  | 21    | Open   |
| 7649 | Claim: personal data classified and retention set                       | new model Claim            | Claude | P1  | 21    | Open   |
| 7650 | Claim: changes recorded in the audit log                                | new model Claim            | Claude | P1  | 21    | Open   |
| 7651 | Claim: test fixtures                                                    | new model Claim            | Claude | P1  | 21    | Open   |
| 7652 | Claim: documented in the data dictionary                                | new model Claim            | Claude | P2  | 57    | Open   |
| 7653 | BureauConsent: model created: consent to reporting with the route named | new model BureauConsent    | Claude | P1  | 21    | Open   |
| 7654 | BureauConsent: migration written and applied to staging first           | new model BureauConsent    | Claude | P1  | 21    | Open   |
| 7655 | BureauConsent: indexes for its queries                                  | new model BureauConsent    | Claude | P1  | 21    | Open   |
| 7656 | BureauConsent: keys and constraints                                     | new model BureauConsent    | Claude | P1  | 21    | Open   |
| 7657 | BureauConsent: personal data classified and retention set               | new model BureauConsent    | Claude | P1  | 21    | Open   |
| 7658 | BureauConsent: changes recorded in the audit log                        | new model BureauConsent    | Claude | P1  | 21    | Open   |
| 7659 | BureauConsent: test fixtures                                            | new model BureauConsent    | Claude | P1  | 21    | Open   |
| 7660 | BureauConsent: documented in the data dictionary                        | new model BureauConsent    | Claude | P2  | 57    | Open   |
| 7661 | BureauSubmission: model created: each monthly submission and its checks | new model BureauSubmission | Claude | P1  | 53    | Open   |
| 7662 | BureauSubmission: migration written and applied to staging first        | new model BureauSubmission | Claude | P1  | 53    | Open   |
| 7663 | BureauSubmission: indexes for its queries                               | new model BureauSubmission | Claude | P1  | 53    | Open   |
| 7664 | BureauSubmission: keys and constraints                                  | new model BureauSubmission | Claude | P1  | 53    | Open   |
| 7665 | BureauSubmission: personal data classified and retention set            | new model BureauSubmission | Claude | P1  | 53    | Open   |
| 7666 | BureauSubmission: changes recorded in the audit log                     | new model BureauSubmission | Claude | P1  | 53    | Open   |
| 7667 | BureauSubmission: test fixtures                                         | new model BureauSubmission | Claude | P1  | 53    | Open   |
| 7668 | BureauSubmission: documented in the data dictionary                     | new model BureauSubmission | Claude | P2  | 78    | Open   |



| #    | Item                                                                             | Where                   | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 7669 | BureauDispute: model created: disputes of reported records                       | new model BureauDispute | Claude | P1  | 53    | Open   |
| 7670 | BureauDispute: migration written and applied to staging first                    | new model BureauDispute | Claude | P1  | 53    | Open   |
| 7671 | BureauDispute: indexes for its queries                                           | new model BureauDispute | Claude | P1  | 53    | Open   |
| 7672 | BureauDispute: keys and constraints                                              | new model BureauDispute | Claude | P1  | 53    | Open   |
| 7673 | BureauDispute: personal data classified and retention set                        | new model BureauDispute | Claude | P1  | 53    | Open   |
| 7674 | BureauDispute: changes recorded in the audit log                                 | new model BureauDispute | Claude | P1  | 53    | Open   |
| 7675 | BureauDispute: test fixtures                                                     | new model BureauDispute | Claude | P1  | 53    | Open   |
| 7676 | BureauDispute: documented in the data dictionary                                 | new model BureauDispute | Claude | P2  | 78    | Open   |
| 7677 | Complaint: model created: complaints with category, timeline and outcome         | new model Complaint     | Claude | P1  | 21    | Open   |
| 7678 | Complaint: migration written and applied to staging first                        | new model Complaint     | Claude | P1  | 21    | Open   |
| 7679 | Complaint: indexes for its queries                                               | new model Complaint     | Claude | P1  | 21    | Open   |
| 7680 | Complaint: keys and constraints                                                  | new model Complaint     | Claude | P1  | 21    | Open   |
| 7681 | Complaint: personal data classified and retention set                            | new model Complaint     | Claude | P1  | 21    | Open   |
| 7682 | Complaint: changes recorded in the audit log                                     | new model Complaint     | Claude | P1  | 21    | Open   |
| 7683 | Complaint: test fixtures                                                         | new model Complaint     | Claude | P1  | 21    | Open   |
| 7684 | Complaint: documented in the data dictionary                                     | new model Complaint     | Claude | P2  | 57    | Open   |
| 7685 | Consent: model created: each consent by purpose, version and time                | new model Consent       | Claude | P1  | 21    | Open   |
| 7686 | Consent: migration written and applied to staging first                          | new model Consent       | Claude | P1  | 21    | Open   |
| 7687 | Consent: indexes for its queries                                                 | new model Consent       | Claude | P1  | 21    | Open   |
| 7688 | Consent: keys and constraints                                                    | new model Consent       | Claude | P1  | 21    | Open   |
| 7689 | Consent: personal data classified and retention set                              | new model Consent       | Claude | P1  | 21    | Open   |
| 7690 | Consent: changes recorded in the audit log                                       | new model Consent       | Claude | P1  | 21    | Open   |
| 7691 | Consent: test fixtures                                                           | new model Consent       | Claude | P1  | 21    | Open   |
| 7692 | Consent: documented in the data dictionary                                       | new model Consent       | Claude | P2  | 57    | Open   |
| 7693 | DeviceBinding: model created: the bound device, binding time and cooling off end | new model DeviceBinding | Claude | P1  | 21    | Open   |
| 7694 | DeviceBinding: migration written and applied to staging first                    | new model DeviceBinding | Claude | P1  | 21    | Open   |
| 7695 | DeviceBinding: indexes for its queries                                           | new model DeviceBinding | Claude | P1  | 21    | Open   |
| 7696 | DeviceBinding: keys and constraints                                              | new model DeviceBinding | Claude | P1  | 21    | Open   |
| 7697 | DeviceBinding: personal data classified and retention set                        | new model DeviceBinding | Claude | P1  | 21    | Open   |
| 7698 | DeviceBinding: changes recorded in the audit log                                 | new model DeviceBinding | Claude | P1  | 21    | Open   |
| 7699 | DeviceBinding: test fixtures                                                     | new model DeviceBinding | Claude | P1  | 21    | Open   |

| #    | Item                                                                                 | Where                       | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------|-----------------------------|--------|-----|-------|--------|
| 7700 | DeviceBinding: documented in the data dictionary                                     | new model DeviceBinding     | Claude | P2  | 57    | Open   |
| 7701 | TransactionPin: model created: the transaction PIN hash and attempts                 | new model TransactionPin    | Claude | P1  | 21    | Open   |
| 7702 | TransactionPin: migration written and applied to staging first                       | new model TransactionPin    | Claude | P1  | 21    | Open   |
| 7703 | TransactionPin: indexes for its queries                                              | new model TransactionPin    | Claude | P1  | 21    | Open   |
| 7704 | TransactionPin: keys and constraints                                                 | new model TransactionPin    | Claude | P1  | 21    | Open   |
| 7705 | TransactionPin: personal data classified and retention set                           | new model TransactionPin    | Claude | P1  | 21    | Open   |
| 7706 | TransactionPin: changes recorded in the audit log                                    | new model TransactionPin    | Claude | P1  | 21    | Open   |
| 7707 | TransactionPin: test fixtures                                                        | new model TransactionPin    | Claude | P1  | 21    | Open   |
| 7708 | TransactionPin: documented in the data dictionary                                    | new model TransactionPin    | Claude | P2  | 57    | Open   |
| 7709 | NotificationLog: model created: every alert sent, by channel, with delivery status   | new model NotificationLog   | Claude | P1  | 21    | Open   |
| 7710 | NotificationLog: migration written and applied to staging first                      | new model NotificationLog   | Claude | P1  | 21    | Open   |
| 7711 | NotificationLog: indexes for its queries                                             | new model NotificationLog   | Claude | P1  | 21    | Open   |
| 7712 | NotificationLog: keys and constraints                                                | new model NotificationLog   | Claude | P1  | 21    | Open   |
| 7713 | NotificationLog: personal data classified and retention set                          | new model NotificationLog   | Claude | P1  | 21    | Open   |
| 7714 | NotificationLog: changes recorded in the audit log                                   | new model NotificationLog   | Claude | P1  | 21    | Open   |
| 7715 | NotificationLog: test fixtures                                                       | new model NotificationLog   | Claude | P1  | 22    | Open   |
| 7716 | NotificationLog: documented in the data dictionary                                   | new model NotificationLog   | Claude | P2  | 57    | Open   |
| 7717 | KeyFactAcceptance: model created: each key fact statement accepted, with its version | new model KeyFactAcceptance | Claude | P1  | 22    | Open   |
| 7718 | KeyFactAcceptance: migration written and applied to staging first                    | new model KeyFactAcceptance | Claude | P1  | 22    | Open   |
| 7719 | KeyFactAcceptance: indexes for its queries                                           | new model KeyFactAcceptance | Claude | P1  | 22    | Open   |
| 7720 | KeyFactAcceptance: keys and constraints                                              | new model KeyFactAcceptance | Claude | P1  | 22    | Open   |
| 7721 | KeyFactAcceptance: personal data classified and retention set                        | new model KeyFactAcceptance | Claude | P1  | 22    | Open   |
| 7722 | KeyFactAcceptance: changes recorded in the audit log                                 | new model KeyFactAcceptance | Claude | P1  | 22    | Open   |
| 7723 | KeyFactAcceptance: test fixtures                                                     | new model KeyFactAcceptance | Claude | P1  | 22    | Open   |
| 7724 | KeyFactAcceptance: documented in the data dictionary                                 | new model KeyFactAcceptance | Claude | P2  | 57    | Open   |
| 7725 | DataRequest: model created: export and deletion requests and their completion        | new model DataRequest       | Claude | P1  | 22    | Open   |
| 7726 | DataRequest: migration written and applied to staging first                          | new model DataRequest       | Claude | P1  | 22    | Open   |
| 7727 | DataRequest: indexes for its queries                                                 | new model DataRequest       | Claude | P1  | 22    | Open   |
| 7728 | DataRequest: keys and constraints                                                    | new model DataRequest       | Claude | P1  | 22    | Open   |
| 7729 | DataRequest: personal data classified and retention set                              | new model DataRequest       | Claude | P1  | 22    | Open   |
| 7730 | DataRequest: changes recorded in the audit log                                       | new model DataRequest       | Claude | P1  | 22    | Open   |

| #    | Item                                                                             | Where                   | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 7731 | DataRequest: test fixtures                                                       | new model DataRequest   | Claude | P1  | 22    | Open   |
| 7732 | DataRequest: documented in the data dictionary                                   | new model DataRequest   | Claude | P2  | 57    | Open   |
| 7733 | FraudSignal: model created: signals sent to the bank's fraud unit                | new model FraudSignal   | Claude | P1  | 22    | Open   |
| 7734 | FraudSignal: migration written and applied to staging first                      | new model FraudSignal   | Claude | P1  | 22    | Open   |
| 7735 | FraudSignal: indexes for its queries                                             | new model FraudSignal   | Claude | P1  | 22    | Open   |
| 7736 | FraudSignal: keys and constraints                                                | new model FraudSignal   | Claude | P1  | 22    | Open   |
| 7737 | FraudSignal: personal data classified and retention set                          | new model FraudSignal   | Claude | P1  | 22    | Open   |
| 7738 | FraudSignal: changes recorded in the audit log                                   | new model FraudSignal   | Claude | P1  | 22    | Open   |
| 7739 | FraudSignal: test fixtures                                                       | new model FraudSignal   | Claude | P1  | 22    | Open   |
| 7740 | FraudSignal: documented in the data dictionary                                   | new model FraudSignal   | Claude | P2  | 57    | Open   |
| 7741 | FeatureSwitch: model created: switches that withdraw a surface without a release | new model FeatureSwitch | Claude | P1  | 22    | Open   |
| 7742 | FeatureSwitch: migration written and applied to staging first                    | new model FeatureSwitch | Claude | P1  | 22    | Open   |
| 7743 | FeatureSwitch: indexes for its queries                                           | new model FeatureSwitch | Claude | P1  | 22    | Open   |
| 7744 | FeatureSwitch: keys and constraints                                              | new model FeatureSwitch | Claude | P1  | 22    | Open   |
| 7745 | FeatureSwitch: personal data classified and retention set                        | new model FeatureSwitch | Claude | P1  | 22    | Open   |
| 7746 | FeatureSwitch: changes recorded in the audit log                                 | new model FeatureSwitch | Claude | P1  | 22    | Open   |
| 7747 | FeatureSwitch: test fixtures                                                     | new model FeatureSwitch | Claude | P1  | 22    | Open   |
| 7748 | FeatureSwitch: documented in the data dictionary                                 | new model FeatureSwitch | Claude | P2  | 57    | Open   |
| 7749 | AdminRole: model created: named administrators and what each may do              | new model AdminRole     | Claude | P1  | 22    | Open   |
| 7750 | AdminRole: migration written and applied to staging first                        | new model AdminRole     | Claude | P1  | 22    | Open   |
| 7751 | AdminRole: indexes for its queries                                               | new model AdminRole     | Claude | P1  | 22    | Open   |
| 7752 | AdminRole: keys and constraints                                                  | new model AdminRole     | Claude | P1  | 22    | Open   |
| 7753 | AdminRole: personal data classified and retention set                            | new model AdminRole     | Claude | P1  | 22    | Open   |
| 7754 | AdminRole: changes recorded in the audit log                                     | new model AdminRole     | Claude | P1  | 22    | Open   |
| 7755 | AdminRole: test fixtures                                                         | new model AdminRole     | Claude | P1  | 22    | Open   |
| 7756 | AdminRole: documented in the data dictionary                                     | new model AdminRole     | Claude | P2  | 57    | Open   |
| 7757 | JobRun: model created: every scheduled job run, its result and duration          | new model JobRun        | Claude | P1  | 22    | Open   |
| 7758 | JobRun: migration written and applied to staging first                           | new model JobRun        | Claude | P1  | 22    | Open   |
| 7759 | JobRun: indexes for its queries                                                  | new model JobRun        | Claude | P1  | 22    | Open   |
| 7760 | JobRun: keys and constraints                                                     | new model JobRun        | Claude | P1  | 22    | Open   |
| 7761 | JobRun: personal data classified and retention set                               | new model JobRun        | Claude | P1  | 22    | Open   |

| #    | Item                                      | Where            | Owner  | Pri | Phase | Status |
|------|-------------------------------------------|------------------|--------|-----|-------|--------|
| 7762 | JobRun: changes recorded in the audit log | new model JobRun | Claude | P1  | 22    | Open   |
| 7763 | JobRun: test fixtures                     | new model JobRun | Claude | P1  | 22    | Open   |
| 7764 | JobRun: documented in the data dictionary | new model JobRun | Claude | P2  | 57    | Open   |

#### AF5. Shared

| #    | Item                                                                                            | Where          | Owner  | Pri | Phase | Status      |
|------|-------------------------------------------------------------------------------------------------|----------------|--------|-----|-------|-------------|
| 7765 | Enums reviewed: remove CustodyMode and the investment values; keep only states the product uses | schema.prisma  | Claude | P0  | 3     | Open        |
| 7766 | Money stored as whole paisa in big integers everywhere, with no floating point                  | schema.prisma  | Claude | P0  | 3     | Open        |
| 7767 | User model of 99 fields split: identity, contact, preferences and underwriting held apart       | schema.prisma  | Claude | P2  | 57    | Open        |
| 7768 | Committee model of 79 fields reviewed: remove float, reinvestment and deposit coverage fields   | schema.prisma  | Claude | P0  | 3     | Open        |
| 7769 | Data dictionary published for the bank: every field, its meaning, its owner and its retention   | docs           | Claude | P1  |       | Done        |
| 7770 | Personal data map: which tables hold which personal data and where each is stored               | docs           | Claude | P0  | 3     | Partly done |
| 7771 | Field level encryption key held in a managed vault and rotated                                  | infrastructure | Claude | P0  | 3     | Open        |
| 7772 | Anonymised copy of production for testing, with no real personal data                           | infrastructure | Claude | P2  | 57    | Open        |
| 7773 | Database roles: the application cannot drop tables; migrations run with a separate role         | infrastructure | Claude | P1  | 22    | Open        |
| 7774 | Slow query log reviewed each week                                                               | operations     | Claude | P2  | 57    | Open        |

#### AG. Connections to Partners

Every operation with an outside party, each with its contract, client, retries, idempotency, error mapping, sandbox test, contract test, monitoring, runbook and credentials.

##### AG1. Partner Bank

| #    | Item                                                                                                                     | Where       | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 7775 | Partner Bank, account opening hand off: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 43    | Open   |
| 7776 | Partner Bank, account opening hand off: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P0  | 43    | Open   |
| 7777 | Partner Bank, account opening hand off: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P0  | 43    | Open   |
| 7778 | Partner Bank, account opening hand off: idempotency key or reference on every request that changes anything              | integration | Claude | P0  | 43    | Open   |
| 7779 | Partner Bank, account opening hand off: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P0  | 43    | Open   |
| 7780 | Partner Bank, account opening hand off: sandbox access granted                                                           | integration | Bank   | P0  | H2    | Open   |
| 7781 | Partner Bank, account opening hand off: tested against the provider's sandbox                                            | integration | Claude | P0  | 43    | Open   |
| 7782 | Partner Bank, account opening hand off: contract test that fails the build if the provider's format changes              | integration | Claude | P0  | 43    | Open   |

| #    | Item                                                                                                                   | Where       | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 7783 | Partner Bank, account opening hand off: monitored, with an alert to a named person on failure or delay                 | integration | Claude | P0  | 43    | Open   |
| 7784 | Partner Bank, account opening hand off: runbook entry: what to do when it fails                                        | integration | Claude | P0  | 43    | Open   |
| 7785 | Partner Bank, account opening hand off: credentials held in the managed secret store and rotated                       | integration | Claude | P0  | 43    | Open   |
| 7786 | Partner Bank, account opening result: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 43    | Open   |
| 7787 | Partner Bank, account opening result: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P0  | 43    | Open   |
| 7788 | Partner Bank, account opening result: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P0  | 43    | Open   |
| 7789 | Partner Bank, account opening result: idempotency key or reference on every request that changes anything              | integration | Claude | P0  | 43    | Open   |
| 7790 | Partner Bank, account opening result: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P0  | 43    | Open   |
| 7791 | Partner Bank, account opening result: sandbox access granted                                                           | integration | Bank   | P0  | H2    | Open   |
| 7792 | Partner Bank, account opening result: tested against the provider's sandbox                                            | integration | Claude | P0  | 43    | Open   |
| 7793 | Partner Bank, account opening result: contract test that fails the build if the provider's format changes              | integration | Claude | P0  | 43    | Open   |
| 7794 | Partner Bank, account opening result: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P0  | 43    | Open   |
| 7795 | Partner Bank, account opening result: runbook entry: what to do when it fails                                          | integration | Claude | P0  | 43    | Open   |
| 7796 | Partner Bank, account opening result: credentials held in the managed secret store and rotated                         | integration | Claude | P0  | 43    | Open   |
| 7797 | Partner Bank, account status inquiry: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 43    | Open   |
| 7798 | Partner Bank, account status inquiry: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P0  | 43    | Open   |
| 7799 | Partner Bank, account status inquiry: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P0  | 43    | Open   |
| 7800 | Partner Bank, account status inquiry: idempotency key or reference on every request that changes anything              | integration | Claude | P0  | 43    | Open   |
| 7801 | Partner Bank, account status inquiry: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P0  | 43    | Open   |
| 7802 | Partner Bank, account status inquiry: sandbox access granted                                                           | integration | Bank   | P0  | H2    | Open   |
| 7803 | Partner Bank, account status inquiry: tested against the provider's sandbox                                            | integration | Claude | P0  | 43    | Open   |
| 7804 | Partner Bank, account status inquiry: contract test that fails the build if the provider's format changes              | integration | Claude | P0  | 43    | Open   |
| 7805 | Partner Bank, account status inquiry: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P0  | 43    | Open   |
| 7806 | Partner Bank, account status inquiry: runbook entry: what to do when it fails                                          | integration | Claude | P0  | 43    | Open   |
| 7807 | Partner Bank, account status inquiry: credentials held in the managed secret store and rotated                         | integration | Claude | P0  | 43    | Open   |
| 7808 | Partner Bank, account title inquiry: contract written: request, response, errors and limits, agreed with the provider  | integration | Claude | P0  | 43    | Open   |
| 7809 | Partner Bank, account title inquiry: client built behind one module, with nothing else calling the provider directly   | integration | Claude | P0  | 43    | Open   |
| 7810 | Partner Bank, account title inquiry: timeouts, retries with backoff and a limit on attempts                            | integration | Claude | P0  | 43    | Open   |
| 7811 | Partner Bank, account title inquiry: idempotency key or reference on every request that changes anything               | integration | Claude | P0  | 43    | Open   |

| #    | Item                                                                                                                                      | Where       | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 7812 | Partner Bank, account title inquiry: every provider error mapped to a reason and a sentence the member understands                        | integration | Claude | P0  | 43    | Open   |
| 7813 | Partner Bank, account title inquiry: sandbox access granted                                                                               | integration | Bank   | P0  | H2    | Open   |
| 7814 | Partner Bank, account title inquiry: tested against the provider's sandbox                                                                | integration | Claude | P0  | 43    | Open   |
| 7815 | Partner Bank, account title inquiry: contract test that fails the build if the provider's format changes                                  | integration | Claude | P0  | 43    | Open   |
| 7816 | Partner Bank, account title inquiry: monitored, with an alert to a named person on failure or delay                                       | integration | Claude | P0  | 43    | Open   |
| 7817 | Partner Bank, account title inquiry: runbook entry: what to do when it fails                                                              | integration | Claude | P0  | 43    | Open   |
| 7818 | Partner Bank, account title inquiry: credentials held in the managed secret store and rotated                                             | integration | Claude | P0  | 43    | Open   |
| 7819 | Partner Bank, balance inquiry: contract written: request, response, errors and limits, agreed with the provider                           | integration | Claude | P1  | 47    | Open   |
| 7820 | Partner Bank, balance inquiry: client built behind one module, with nothing else calling the provider directly                            | integration | Claude | P1  | 47    | Open   |
| 7821 | Partner Bank, balance inquiry: timeouts, retries with backoff and a limit on attempts                                                     | integration | Claude | P1  | 47    | Open   |
| 7822 | Partner Bank, balance inquiry: idempotency key or reference on every request that changes anything                                        | integration | Claude | P1  | 47    | Open   |
| 7823 | Partner Bank, balance inquiry: every provider error mapped to a reason and a sentence the member understands                              | integration | Claude | P1  | 47    | Open   |
| 7824 | Partner Bank, balance inquiry: sandbox access granted                                                                                     | integration | Bank   | P1  | H2    | Open   |
| 7825 | Partner Bank, balance inquiry: tested against the provider's sandbox                                                                      | integration | Claude | P1  | 47    | Open   |
| 7826 | Partner Bank, balance inquiry: contract test that fails the build if the provider's format changes                                        | integration | Claude | P1  | 47    | Open   |
| 7827 | Partner Bank, balance inquiry: monitored, with an alert to a named person on failure or delay                                             | integration | Claude | P1  | 47    | Open   |
| 7828 | Partner Bank, balance inquiry: runbook entry: what to do when it fails                                                                    | integration | Claude | P1  | 47    | Open   |
| 7829 | Partner Bank, balance inquiry: credentials held in the managed secret store and rotated                                                   | integration | Claude | P1  | 47    | Open   |
| 7830 | Partner Bank, internal transfer from payer to collector: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 43    | Open   |
| 7831 | Partner Bank, internal transfer from payer to collector: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P0  | 43    | Open   |
| 7832 | Partner Bank, internal transfer from payer to collector: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P0  | 43    | Open   |
| 7833 | Partner Bank, internal transfer from payer to collector: idempotency key or reference on every request that changes anything              | integration | Claude | P0  | 43    | Open   |
| 7834 | Partner Bank, internal transfer from payer to collector: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P0  | 43    | Open   |
| 7835 | Partner Bank, internal transfer from payer to collector: sandbox access granted                                                           | integration | Bank   | P0  | H2    | Open   |
| 7836 | Partner Bank, internal transfer from payer to collector: tested against the provider's sandbox                                            | integration | Claude | P0  | 43    | Open   |
| 7837 | Partner Bank, internal transfer from payer to collector: contract test that fails the build if the provider's format changes              | integration | Claude | P0  | 43    | Open   |
| 7838 | Partner Bank, internal transfer from payer to collector: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P0  | 43    | Open   |

| #    | Item                                                                                                                                        | Where       | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 7839 | Partner Bank, internal transfer from payer to collector: runbook entry: what to do when it fails                                            | integration | Claude | P0  | 43    | Open   |
| 7840 | Partner Bank, internal transfer from payer to collector: credentials held in the managed secret store and rotated                           | integration | Claude | P0  | 43    | Open   |
| 7841 | Partner Bank, interbank transfer by Raast to another bank: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P1  | 47    | Open   |
| 7842 | Partner Bank, interbank transfer by Raast to another bank: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P1  | 47    | Open   |
| 7843 | Partner Bank, interbank transfer by Raast to another bank: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P1  | 47    | Open   |
| 7844 | Partner Bank, interbank transfer by Raast to another bank: idempotency key or reference on every request that changes anything              | integration | Claude | P1  | 47    | Open   |
| 7845 | Partner Bank, interbank transfer by Raast to another bank: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P1  | 47    | Open   |
| 7846 | Partner Bank, interbank transfer by Raast to another bank: sandbox access granted                                                           | integration | Bank   | P1  | H2    | Open   |
| 7847 | Partner Bank, interbank transfer by Raast to another bank: tested against the provider's sandbox                                            | integration | Claude | P1  | 47    | Open   |
| 7848 | Partner Bank, interbank transfer by Raast to another bank: contract test that fails the build if the provider's format changes              | integration | Claude | P1  | 47    | Open   |
| 7849 | Partner Bank, interbank transfer by Raast to another bank: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P1  | 47    | Open   |
| 7850 | Partner Bank, interbank transfer by Raast to another bank: runbook entry: what to do when it fails                                          | integration | Claude | P1  | 47    | Open   |
| 7851 | Partner Bank, interbank transfer by Raast to another bank: credentials held in the managed secret store and rotated                         | integration | Claude | P1  | 47    | Open   |
| 7852 | Partner Bank, Raast request to pay, now and later: contract written: request, response, errors and limits, agreed with the provider         | integration | Claude | P1  | 47    | Open   |
| 7853 | Partner Bank, Raast request to pay, now and later: client built behind one module, with nothing else calling the provider directly          | integration | Claude | P1  | 47    | Open   |
| 7854 | Partner Bank, Raast request to pay, now and later: timeouts, retries with backoff and a limit on attempts                                   | integration | Claude | P1  | 47    | Open   |
| 7855 | Partner Bank, Raast request to pay, now and later: idempotency key or reference on every request that changes anything                      | integration | Claude | P1  | 47    | Open   |
| 7856 | Partner Bank, Raast request to pay, now and later: every provider error mapped to a reason and a sentence the member understands            | integration | Claude | P1  | 47    | Open   |
| 7857 | Partner Bank, Raast request to pay, now and later: sandbox access granted                                                                   | integration | Bank   | P1  | H2    | Open   |
| 7858 | Partner Bank, Raast request to pay, now and later: tested against the provider's sandbox                                                    | integration | Claude | P1  | 47    | Open   |
| 7859 | Partner Bank, Raast request to pay, now and later: contract test that fails the build if the provider's format changes                      | integration | Claude | P1  | 47    | Open   |
| 7860 | Partner Bank, Raast request to pay, now and later: monitored, with an alert to a named person on failure or delay                           | integration | Claude | P1  | 47    | Open   |
| 7861 | Partner Bank, Raast request to pay, now and later: runbook entry: what to do when it fails                                                  | integration | Claude | P1  | 47    | Open   |
| 7862 | Partner Bank, Raast request to pay, now and later: credentials held in the managed secret store and rotated                                 | integration | Claude | P1  | 47    | Open   |

| #    | Item                                                                                                                                            | Where       | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 7863 | Partner Bank, request to pay status: contract written: request, response, errors and limits, agreed with the provider                           | integration | Claude | P1  | 47    | Open   |
| 7864 | Partner Bank, request to pay status: client built behind one module, with nothing else calling the provider directly                            | integration | Claude | P1  | 47    | Open   |
| 7865 | Partner Bank, request to pay status: timeouts, retries with backoff and a limit on attempts                                                     | integration | Claude | P1  | 47    | Open   |
| 7866 | Partner Bank, request to pay status: idempotency key or reference on every request that changes anything                                        | integration | Claude | P1  | 47    | Open   |
| 7867 | Partner Bank, request to pay status: every provider error mapped to a reason and a sentence the member understands                              | integration | Claude | P1  | 47    | Open   |
| 7868 | Partner Bank, request to pay status: sandbox access granted                                                                                     | integration | Bank   | P1  | H2    | Open   |
| 7869 | Partner Bank, request to pay status: tested against the provider's sandbox                                                                      | integration | Claude | P1  | 47    | Open   |
| 7870 | Partner Bank, request to pay status: contract test that fails the build if the provider's format changes                                        | integration | Claude | P1  | 47    | Open   |
| 7871 | Partner Bank, request to pay status: monitored, with an alert to a named person on failure or delay                                             | integration | Claude | P1  | 47    | Open   |
| 7872 | Partner Bank, request to pay status: runbook entry: what to do when it fails                                                                    | integration | Claude | P1  | 47    | Open   |
| 7873 | Partner Bank, request to pay status: credentials held in the managed secret store and rotated                                                   | integration | Claude | P1  | 47    | Open   |
| 7874 | Partner Bank, mandate or standing instruction creation: contract written: request, response, errors and limits, agreed with the provider        | integration | Claude | P0  | 43    | Open   |
| 7875 | Partner Bank, mandate or standing instruction creation: client built behind one module, with nothing else calling the provider directly         | integration | Claude | P0  | 43    | Open   |
| 7876 | Partner Bank, mandate or standing instruction creation: timeouts, retries with backoff and a limit on attempts                                  | integration | Claude | P0  | 43    | Open   |
| 7877 | Partner Bank, mandate or standing instruction creation: idempotency key or reference on every request that changes anything                     | integration | Claude | P0  | 43    | Open   |
| 7878 | Partner Bank, mandate or standing instruction creation: every provider error mapped to a reason and a sentence the member understands           | integration | Claude | P0  | 43    | Open   |
| 7879 | Partner Bank, mandate or standing instruction creation: sandbox access granted                                                                  | integration | Bank   | P0  | H2    | Open   |
| 7880 | Partner Bank, mandate or standing instruction creation: tested against the provider's sandbox                                                   | integration | Claude | P0  | 43    | Open   |
| 7881 | Partner Bank, mandate or standing instruction creation: contract test that fails the build if the provider's format changes                     | integration | Claude | P0  | 43    | Open   |
| 7882 | Partner Bank, mandate or standing instruction creation: monitored, with an alert to a named person on failure or delay                          | integration | Claude | P0  | 43    | Open   |
| 7883 | Partner Bank, mandate or standing instruction creation: runbook entry: what to do when it fails                                                 | integration | Claude | P0  | 43    | Open   |
| 7884 | Partner Bank, mandate or standing instruction creation: credentials held in the managed secret store and rotated                                | integration | Claude | P0  | 43    | Open   |
| 7885 | Partner Bank, mandate authorisation by the member at the bank: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 43    | Open   |
| 7886 | Partner Bank, mandate authorisation by the member at the bank: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P0  | 43    | Open   |



| #    | Item                                                                                                                                         | Where       | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 7887 | Partner Bank, mandate authorisation by the member at the bank: timeouts, retries with backoff and a limit on attempts                        | integration | Claude | P0  | 43    | Open   |
| 7888 | Partner Bank, mandate authorisation by the member at the bank: idempotency key or reference on every request that changes anything           | integration | Claude | P0  | 43    | Open   |
| 7889 | Partner Bank, mandate authorisation by the member at the bank: every provider error mapped to a reason and a sentence the member understands | integration | Claude | P0  | 43    | Open   |
| 7890 | Partner Bank, mandate authorisation by the member at the bank: sandbox access granted                                                        | integration | Bank   | P0  | H2    | Open   |
| 7891 | Partner Bank, mandate authorisation by the member at the bank: tested against the provider's sandbox                                         | integration | Claude | P0  | 43    | Open   |
| 7892 | Partner Bank, mandate authorisation by the member at the bank: contract test that fails the build if the provider's format changes           | integration | Claude | P0  | 43    | Open   |
| 7893 | Partner Bank, mandate authorisation by the member at the bank: monitored, with an alert to a named person on failure or delay                | integration | Claude | P0  | 43    | Open   |
| 7894 | Partner Bank, mandate authorisation by the member at the bank: runbook entry: what to do when it fails                                       | integration | Claude | P0  | 43    | Open   |
| 7895 | Partner Bank, mandate authorisation by the member at the bank: credentials held in the managed secret store and rotated                      | integration | Claude | P0  | 43    | Open   |
| 7896 | Partner Bank, mandate ceiling change: contract written: request, response, errors and limits, agreed with the provider                       | integration | Claude | P1  | 47    | Open   |
| 7897 | Partner Bank, mandate ceiling change: client built behind one module, with nothing else calling the provider directly                        | integration | Claude | P1  | 47    | Open   |
| 7898 | Partner Bank, mandate ceiling change: timeouts, retries with backoff and a limit on attempts                                                 | integration | Claude | P1  | 47    | Open   |
| 7899 | Partner Bank, mandate ceiling change: idempotency key or reference on every request that changes anything                                    | integration | Claude | P1  | 47    | Open   |
| 7900 | Partner Bank, mandate ceiling change: every provider error mapped to a reason and a sentence the member understands                          | integration | Claude | P1  | 47    | Open   |
| 7901 | Partner Bank, mandate ceiling change: sandbox access granted                                                                                 | integration | Bank   | P1  | H2    | Open   |
| 7902 | Partner Bank, mandate ceiling change: tested against the provider's sandbox                                                                  | integration | Claude | P1  | 47    | Open   |
| 7903 | Partner Bank, mandate ceiling change: contract test that fails the build if the provider's format changes                                    | integration | Claude | P1  | 47    | Open   |
| 7904 | Partner Bank, mandate ceiling change: monitored, with an alert to a named person on failure or delay                                         | integration | Claude | P1  | 47    | Open   |
| 7905 | Partner Bank, mandate ceiling change: runbook entry: what to do when it fails                                                                | integration | Claude | P1  | 47    | Open   |
| 7906 | Partner Bank, mandate ceiling change: credentials held in the managed secret store and rotated                                               | integration | Claude | P1  | 47    | Open   |
| 7907 | Partner Bank, mandate cancellation: contract written: request, response, errors and limits, agreed with the provider                         | integration | Claude | P0  | 43    | Open   |
| 7908 | Partner Bank, mandate cancellation: client built behind one module, with nothing else calling the provider directly                          | integration | Claude | P0  | 43    | Open   |
| 7909 | Partner Bank, mandate cancellation: timeouts, retries with backoff and a limit on attempts                                                   | integration | Claude | P0  | 43    | Open   |
| 7910 | Partner Bank, mandate cancellation: idempotency key or reference on every request that changes anything                                      | integration | Claude | P0  | 43    | Open   |
| 7911 | Partner Bank, mandate cancellation: every provider error mapped to a reason and a sentence the member understands                            | integration | Claude | P0  | 43    | Open   |

| #    | Item                                                                                                                  | Where       | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 7912 | Partner Bank, mandate cancellation: sandbox access granted                                                            | integration | Bank   | P0  | H2    | Open   |
| 7913 | Partner Bank, mandate cancellation: tested against the provider's sandbox                                             | integration | Claude | P0  | 43    | Open   |
| 7914 | Partner Bank, mandate cancellation: contract test that fails the build if the provider's format changes               | integration | Claude | P0  | 43    | Open   |
| 7915 | Partner Bank, mandate cancellation: monitored, with an alert to a named person on failure or delay                    | integration | Claude | P0  | 43    | Open   |
| 7916 | Partner Bank, mandate cancellation: runbook entry: what to do when it fails                                           | integration | Claude | P0  | 43    | Open   |
| 7917 | Partner Bank, mandate cancellation: credentials held in the managed secret store and rotated                          | integration | Claude | P0  | 44    | Open   |
| 7918 | Partner Bank, mandate status events: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 44    | Open   |
| 7919 | Partner Bank, mandate status events: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P0  | 44    | Open   |
| 7920 | Partner Bank, mandate status events: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P0  | 44    | Open   |
| 7921 | Partner Bank, mandate status events: idempotency key or reference on every request that changes anything              | integration | Claude | P0  | 44    | Open   |
| 7922 | Partner Bank, mandate status events: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P0  | 44    | Open   |
| 7923 | Partner Bank, mandate status events: sandbox access granted                                                           | integration | Bank   | P0  | H2    | Open   |
| 7924 | Partner Bank, mandate status events: tested against the provider's sandbox                                            | integration | Claude | P0  | 44    | Open   |
| 7925 | Partner Bank, mandate status events: contract test that fails the build if the provider's format changes              | integration | Claude | P0  | 44    | Open   |
| 7926 | Partner Bank, mandate status events: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P0  | 44    | Open   |
| 7927 | Partner Bank, mandate status events: runbook entry: what to do when it fails                                          | integration | Claude | P0  | 44    | Open   |
| 7928 | Partner Bank, mandate status events: credentials held in the managed secret store and rotated                         | integration | Claude | P0  | 44    | Open   |
| 7929 | Partner Bank, debit under a mandate: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 44    | Open   |
| 7930 | Partner Bank, debit under a mandate: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P0  | 44    | Open   |
| 7931 | Partner Bank, debit under a mandate: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P0  | 44    | Open   |
| 7932 | Partner Bank, debit under a mandate: idempotency key or reference on every request that changes anything              | integration | Claude | P0  | 44    | Open   |
| 7933 | Partner Bank, debit under a mandate: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P0  | 44    | Open   |
| 7934 | Partner Bank, debit under a mandate: sandbox access granted                                                           | integration | Bank   | P0  | H2    | Open   |
| 7935 | Partner Bank, debit under a mandate: tested against the provider's sandbox                                            | integration | Claude | P0  | 44    | Open   |
| 7936 | Partner Bank, debit under a mandate: contract test that fails the build if the provider's format changes              | integration | Claude | P0  | 44    | Open   |
| 7937 | Partner Bank, debit under a mandate: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P0  | 44    | Open   |
| 7938 | Partner Bank, debit under a mandate: runbook entry: what to do when it fails                                          | integration | Claude | P0  | 44    | Open   |
| 7939 | Partner Bank, debit under a mandate: credentials held in the managed secret store and rotated                         | integration | Claude | P0  | 44    | Open   |
| 7940 | Partner Bank, debit result events: contract written: request, response, errors and limits, agreed with the provider   | integration | Claude | P0  | 44    | Open   |

| #    | Item                                                                                                                           | Where       | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 7941 | Partner Bank, debit result events: client built behind one module, with nothing else calling the provider directly             | integration | Claude | P0  | 44    | Open   |
| 7942 | Partner Bank, debit result events: timeouts, retries with backoff and a limit on attempts                                      | integration | Claude | P0  | 44    | Open   |
| 7943 | Partner Bank, debit result events: idempotency key or reference on every request that changes anything                         | integration | Claude | P0  | 44    | Open   |
| 7944 | Partner Bank, debit result events: every provider error mapped to a reason and a sentence the member understands               | integration | Claude | P0  | 44    | Open   |
| 7945 | Partner Bank, debit result events: sandbox access granted                                                                      | integration | Bank   | P0  | H2    | Open   |
| 7946 | Partner Bank, debit result events: tested against the provider's sandbox                                                       | integration | Claude | P0  | 44    | Open   |
| 7947 | Partner Bank, debit result events: contract test that fails the build if the provider's format changes                         | integration | Claude | P0  | 44    | Open   |
| 7948 | Partner Bank, debit result events: monitored, with an alert to a named person on failure or delay                              | integration | Claude | P0  | 44    | Open   |
| 7949 | Partner Bank, debit result events: runbook entry: what to do when it fails                                                     | integration | Claude | P0  | 44    | Open   |
| 7950 | Partner Bank, debit result events: credentials held in the managed secret store and rotated                                    | integration | Claude | P0  | 44    | Open   |
| 7951 | Partner Bank, payout credit to the collector: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 44    | Open   |
| 7952 | Partner Bank, payout credit to the collector: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P0  | 44    | Open   |
| 7953 | Partner Bank, payout credit to the collector: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P0  | 44    | Open   |
| 7954 | Partner Bank, payout credit to the collector: idempotency key or reference on every request that changes anything              | integration | Claude | P0  | 44    | Open   |
| 7955 | Partner Bank, payout credit to the collector: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P0  | 44    | Open   |
| 7956 | Partner Bank, payout credit to the collector: sandbox access granted                                                           | integration | Bank   | P0  | H2    | Open   |
| 7957 | Partner Bank, payout credit to the collector: tested against the provider's sandbox                                            | integration | Claude | P0  | 44    | Open   |
| 7958 | Partner Bank, payout credit to the collector: contract test that fails the build if the provider's format changes              | integration | Claude | P0  | 44    | Open   |
| 7959 | Partner Bank, payout credit to the collector: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P0  | 44    | Open   |
| 7960 | Partner Bank, payout credit to the collector: runbook entry: what to do when it fails                                          | integration | Claude | P0  | 44    | Open   |
| 7961 | Partner Bank, payout credit to the collector: credentials held in the managed secret store and rotated                         | integration | Claude | P0  | 44    | Open   |
| 7962 | Partner Bank, daily statement download: contract written: request, response, errors and limits, agreed with the provider       | integration | Claude | P0  | 44    | Open   |
| 7963 | Partner Bank, daily statement download: client built behind one module, with nothing else calling the provider directly        | integration | Claude | P0  | 44    | Open   |
| 7964 | Partner Bank, daily statement download: timeouts, retries with backoff and a limit on attempts                                 | integration | Claude | P0  | 44    | Open   |
| 7965 | Partner Bank, daily statement download: idempotency key or reference on every request that changes anything                    | integration | Claude | P0  | 44    | Open   |
| 7966 | Partner Bank, daily statement download: every provider error mapped to a reason and a sentence the member understands          | integration | Claude | P0  | 44    | Open   |
| 7967 | Partner Bank, daily statement download: sandbox access granted                                                                 | integration | Bank   | P0  | H2    | Open   |

| #    | Item                                                                                                                                        | Where       | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 7968 | Partner Bank, daily statement download: tested against the provider's sandbox                                                               | integration | Claude | P0  | 44    | Open   |
| 7969 | Partner Bank, daily statement download: contract test that fails the build if the provider's format changes                                 | integration | Claude | P0  | 44    | Open   |
| 7970 | Partner Bank, daily statement download: monitored, with an alert to a named person on failure or delay                                      | integration | Claude | P0  | 44    | Open   |
| 7971 | Partner Bank, daily statement download: runbook entry: what to do when it fails                                                             | integration | Claude | P0  | 44    | Open   |
| 7972 | Partner Bank, daily statement download: credentials held in the managed secret store and rotated                                            | integration | Claude | P0  | 44    | Open   |
| 7973 | Partner Bank, settlement report: contract written: request, response, errors and limits, agreed with the provider                           | integration | Claude | P1  | 47    | Open   |
| 7974 | Partner Bank, settlement report: client built behind one module, with nothing else calling the provider directly                            | integration | Claude | P1  | 47    | Open   |
| 7975 | Partner Bank, settlement report: timeouts, retries with backoff and a limit on attempts                                                     | integration | Claude | P1  | 47    | Open   |
| 7976 | Partner Bank, settlement report: idempotency key or reference on every request that changes anything                                        | integration | Claude | P1  | 47    | Open   |
| 7977 | Partner Bank, settlement report: every provider error mapped to a reason and a sentence the member understands                              | integration | Claude | P1  | 47    | Open   |
| 7978 | Partner Bank, settlement report: sandbox access granted                                                                                     | integration | Bank   | P1  | H2    | Open   |
| 7979 | Partner Bank, settlement report: tested against the provider's sandbox                                                                      | integration | Claude | P1  | 47    | Open   |
| 7980 | Partner Bank, settlement report: contract test that fails the build if the provider's format changes                                        | integration | Claude | P1  | 47    | Open   |
| 7981 | Partner Bank, settlement report: monitored, with an alert to a named person on failure or delay                                             | integration | Claude | P1  | 47    | Open   |
| 7982 | Partner Bank, settlement report: runbook entry: what to do when it fails                                                                    | integration | Claude | P1  | 47    | Open   |
| 7983 | Partner Bank, settlement report: credentials held in the managed secret store and rotated                                                   | integration | Claude | P1  | 47    | Open   |
| 7984 | Partner Bank, profit on committee balances for the reward: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P2  | 74    | Open   |
| 7985 | Partner Bank, profit on committee balances for the reward: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P2  | 74    | Open   |
| 7986 | Partner Bank, profit on committee balances for the reward: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P2  | 74    | Open   |
| 7987 | Partner Bank, profit on committee balances for the reward: idempotency key or reference on every request that changes anything              | integration | Claude | P2  | 74    | Open   |
| 7988 | Partner Bank, profit on committee balances for the reward: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P2  | 74    | Open   |
| 7989 | Partner Bank, profit on committee balances for the reward: sandbox access granted                                                           | integration | Bank   | P2  | H4    | Open   |
| 7990 | Partner Bank, profit on committee balances for the reward: tested against the provider's sandbox                                            | integration | Claude | P2  | 74    | Open   |
| 7991 | Partner Bank, profit on committee balances for the reward: contract test that fails the build if the provider's format changes              | integration | Claude | P2  | 74    | Open   |
| 7992 | Partner Bank, profit on committee balances for the reward: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P2  | 74    | Open   |
| 7993 | Partner Bank, profit on committee balances for the reward: runbook entry: what to do when it fails                                          | integration | Claude | P2  | 74    | Open   |
| 7994 | Partner Bank, profit on committee balances for the reward: credentials held in the managed secret store and rotated                         | integration | Claude | P2  | 74    | Open   |

| #    | Item                                                                                                                                   | Where       | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 7995 | Partner Bank, account restriction and freeze notices: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P1  | 47    | Open   |
| 7996 | Partner Bank, account restriction and freeze notices: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P1  | 48    | Open   |
| 7997 | Partner Bank, account restriction and freeze notices: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P1  | 48    | Open   |
| 7998 | Partner Bank, account restriction and freeze notices: idempotency key or reference on every request that changes anything              | integration | Claude | P1  | 48    | Open   |
| 7999 | Partner Bank, account restriction and freeze notices: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P1  | 48    | Open   |
| 8000 | Partner Bank, account restriction and freeze notices: sandbox access granted                                                           | integration | Bank   | P1  | H2    | Open   |
| 8001 | Partner Bank, account restriction and freeze notices: tested against the provider's sandbox                                            | integration | Claude | P1  | 48    | Open   |
| 8002 | Partner Bank, account restriction and freeze notices: contract test that fails the build if the provider's format changes              | integration | Claude | P1  | 48    | Open   |
| 8003 | Partner Bank, account restriction and freeze notices: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P1  | 48    | Open   |
| 8004 | Partner Bank, account restriction and freeze notices: runbook entry: what to do when it fails                                          | integration | Claude | P1  | 48    | Open   |
| 8005 | Partner Bank, account restriction and freeze notices: credentials held in the managed secret store and rotated                         | integration | Claude | P1  | 48    | Open   |
| 8006 | Partner Bank, dormant account notice: contract written: request, response, errors and limits, agreed with the provider                 | integration | Claude | P2  | 74    | Open   |
| 8007 | Partner Bank, dormant account notice: client built behind one module, with nothing else calling the provider directly                  | integration | Claude | P2  | 74    | Open   |
| 8008 | Partner Bank, dormant account notice: timeouts, retries with backoff and a limit on attempts                                           | integration | Claude | P2  | 74    | Open   |
| 8009 | Partner Bank, dormant account notice: idempotency key or reference on every request that changes anything                              | integration | Claude | P2  | 74    | Open   |
| 8010 | Partner Bank, dormant account notice: every provider error mapped to a reason and a sentence the member understands                    | integration | Claude | P2  | 74    | Open   |
| 8011 | Partner Bank, dormant account notice: sandbox access granted                                                                           | integration | Bank   | P2  | H4    | Open   |
| 8012 | Partner Bank, dormant account notice: tested against the provider's sandbox                                                            | integration | Claude | P2  | 74    | Open   |
| 8013 | Partner Bank, dormant account notice: contract test that fails the build if the provider's format changes                              | integration | Claude | P2  | 74    | Open   |
| 8014 | Partner Bank, dormant account notice: monitored, with an alert to a named person on failure or delay                                   | integration | Claude | P2  | 74    | Open   |
| 8015 | Partner Bank, dormant account notice: runbook entry: what to do when it fails                                                          | integration | Claude | P2  | 74    | Open   |
| 8016 | Partner Bank, dormant account notice: credentials held in the managed secret store and rotated                                         | integration | Claude | P2  | 74    | Open   |
| 8017 | Partner Bank, channel block request: contract written: request, response, errors and limits, agreed with the provider                  | integration | Claude | P0  | 44    | Open   |
| 8018 | Partner Bank, channel block request: client built behind one module, with nothing else calling the provider directly                   | integration | Claude | P0  | 44    | Open   |
| 8019 | Partner Bank, channel block request: timeouts, retries with backoff and a limit on attempts                                            | integration | Claude | P0  | 44    | Open   |
| 8020 | Partner Bank, channel block request: idempotency key or reference on every request that changes anything                               | integration | Claude | P0  | 44    | Open   |
| 8021 | Partner Bank, channel block request: every provider error mapped to a reason and a sentence the member understands                     | integration | Claude | P0  | 44    | Open   |

| #    | Item                                                                                                                | Where       | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8022 | Partner Bank, channel block request: sandbox access granted                                                         | integration | Bank   | P0  | H2    | Open   |
| 8023 | Partner Bank, channel block request: tested against the provider's sandbox                                          | integration | Claude | P0  | 44    | Open   |
| 8024 | Partner Bank, channel block request: contract test that fails the build if the provider's format changes            | integration | Claude | P0  | 44    | Open   |
| 8025 | Partner Bank, channel block request: monitored, with an alert to a named person on failure or delay                 | integration | Claude | P0  | 44    | Open   |
| 8026 | Partner Bank, channel block request: runbook entry: what to do when it fails                                        | integration | Claude | P0  | 44    | Open   |
| 8027 | Partner Bank, channel block request: credentials held in the managed secret store and rotated                       | integration | Claude | P0  | 44    | Open   |
| 8028 | Partner Bank, dispute hand over: contract written: request, response, errors and limits, agreed with the provider   | integration | Claude | P0  | 44    | Open   |
| 8029 | Partner Bank, dispute hand over: client built behind one module, with nothing else calling the provider directly    | integration | Claude | P0  | 44    | Open   |
| 8030 | Partner Bank, dispute hand over: timeouts, retries with backoff and a limit on attempts                             | integration | Claude | P0  | 44    | Open   |
| 8031 | Partner Bank, dispute hand over: idempotency key or reference on every request that changes anything                | integration | Claude | P0  | 44    | Open   |
| 8032 | Partner Bank, dispute hand over: every provider error mapped to a reason and a sentence the member understands      | integration | Claude | P0  | 44    | Open   |
| 8033 | Partner Bank, dispute hand over: sandbox access granted                                                             | integration | Bank   | P0  | H2    | Open   |
| 8034 | Partner Bank, dispute hand over: tested against the provider's sandbox                                              | integration | Claude | P0  | 44    | Open   |
| 8035 | Partner Bank, dispute hand over: contract test that fails the build if the provider's format changes                | integration | Claude | P0  | 44    | Open   |
| 8036 | Partner Bank, dispute hand over: monitored, with an alert to a named person on failure or delay                     | integration | Claude | P0  | 44    | Open   |
| 8037 | Partner Bank, dispute hand over: runbook entry: what to do when it fails                                            | integration | Claude | P0  | 44    | Open   |
| 8038 | Partner Bank, dispute hand over: credentials held in the managed secret store and rotated                           | integration | Claude | P0  | 44    | Open   |
| 8039 | Partner Bank, complaint hand over: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P1  | 48    | Open   |
| 8040 | Partner Bank, complaint hand over: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P1  | 48    | Open   |
| 8041 | Partner Bank, complaint hand over: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P1  | 48    | Open   |
| 8042 | Partner Bank, complaint hand over: idempotency key or reference on every request that changes anything              | integration | Claude | P1  | 48    | Open   |
| 8043 | Partner Bank, complaint hand over: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P1  | 48    | Open   |
| 8044 | Partner Bank, complaint hand over: sandbox access granted                                                           | integration | Bank   | P1  | H2    | Open   |
| 8045 | Partner Bank, complaint hand over: tested against the provider's sandbox                                            | integration | Claude | P1  | 48    | Open   |
| 8046 | Partner Bank, complaint hand over: contract test that fails the build if the provider's format changes              | integration | Claude | P1  | 48    | Open   |
| 8047 | Partner Bank, complaint hand over: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P1  | 48    | Open   |
| 8048 | Partner Bank, complaint hand over: runbook entry: what to do when it fails                                          | integration | Claude | P1  | 48    | Open   |
| 8049 | Partner Bank, complaint hand over: credentials held in the managed secret store and rotated                         | integration | Claude | P1  | 48    | Open   |
| 8050 | Partner Bank, fraud signal feed: contract written: request, response, errors and limits, agreed with the provider   | integration | Claude | P1  | 48    | Open   |
| 8051 | Partner Bank, fraud signal feed: client built behind one module, with nothing else calling the provider directly    | integration | Claude | P1  | 48    | Open   |

| #    | Item                                                                                                                        | Where       | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8052 | Partner Bank, fraud signal feed: timeouts, retries with backoff and a limit on attempts                                     | integration | Claude | P1  | 48    | Open   |
| 8053 | Partner Bank, fraud signal feed: idempotency key or reference on every request that changes anything                        | integration | Claude | P1  | 48    | Open   |
| 8054 | Partner Bank, fraud signal feed: every provider error mapped to a reason and a sentence the member understands              | integration | Claude | P1  | 48    | Open   |
| 8055 | Partner Bank, fraud signal feed: sandbox access granted                                                                     | integration | Bank   | P1  | H2    | Open   |
| 8056 | Partner Bank, fraud signal feed: tested against the provider's sandbox                                                      | integration | Claude | P1  | 48    | Open   |
| 8057 | Partner Bank, fraud signal feed: contract test that fails the build if the provider's format changes                        | integration | Claude | P1  | 48    | Open   |
| 8058 | Partner Bank, fraud signal feed: monitored, with an alert to a named person on failure or delay                             | integration | Claude | P1  | 48    | Open   |
| 8059 | Partner Bank, fraud signal feed: runbook entry: what to do when it fails                                                    | integration | Claude | P1  | 48    | Open   |
| 8060 | Partner Bank, fraud signal feed: credentials held in the managed secret store and rotated                                   | integration | Claude | P1  | 48    | Open   |
| 8061 | Partner Bank, customer data change events: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P2  | 74    | Open   |
| 8062 | Partner Bank, customer data change events: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P2  | 74    | Open   |
| 8063 | Partner Bank, customer data change events: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P2  | 74    | Open   |
| 8064 | Partner Bank, customer data change events: idempotency key or reference on every request that changes anything              | integration | Claude | P2  | 74    | Open   |
| 8065 | Partner Bank, customer data change events: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P2  | 74    | Open   |
| 8066 | Partner Bank, customer data change events: sandbox access granted                                                           | integration | Bank   | P2  | H4    | Open   |
| 8067 | Partner Bank, customer data change events: tested against the provider's sandbox                                            | integration | Claude | P2  | 74    | Open   |
| 8068 | Partner Bank, customer data change events: contract test that fails the build if the provider's format changes              | integration | Claude | P2  | 74    | Open   |
| 8069 | Partner Bank, customer data change events: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P2  | 74    | Open   |
| 8070 | Partner Bank, customer data change events: runbook entry: what to do when it fails                                          | integration | Claude | P2  | 74    | Open   |
| 8071 | Partner Bank, customer data change events: credentials held in the managed secret store and rotated                         | integration | Claude | P2  | 74    | Open   |
| 8072 | Partner Bank, monthly report delivery: contract written: request, response, errors and limits, agreed with the provider     | integration | Claude | P2  | 74    | Open   |
| 8073 | Partner Bank, monthly report delivery: client built behind one module, with nothing else calling the provider directly      | integration | Claude | P2  | 74    | Open   |
| 8074 | Partner Bank, monthly report delivery: timeouts, retries with backoff and a limit on attempts                               | integration | Claude | P2  | 74    | Open   |
| 8075 | Partner Bank, monthly report delivery: idempotency key or reference on every request that changes anything                  | integration | Claude | P2  | 74    | Open   |
| 8076 | Partner Bank, monthly report delivery: every provider error mapped to a reason and a sentence the member understands        | integration | Claude | P2  | 74    | Open   |
| 8077 | Partner Bank, monthly report delivery: sandbox access granted                                                               | integration | Bank   | P2  | H4    | Open   |
| 8078 | Partner Bank, monthly report delivery: tested against the provider's sandbox                                                | integration | Claude | P2  | 74    | Open   |
| 8079 | Partner Bank, monthly report delivery: contract test that fails the build if the provider's format changes                  | integration | Claude | P2  | 74    | Open   |

| #    | Item                                                                                                  | Where       | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8080 | Partner Bank, monthly report delivery: monitored, with an alert to a named person on failure or delay | integration | Claude | P2  | 74    | Open   |
| 8081 | Partner Bank, monthly report delivery: runbook entry: what to do when it fails                        | integration | Claude | P2  | 74    | Open   |
| 8082 | Partner Bank, monthly report delivery: credentials held in the managed secret store and rotated       | integration | Claude | P2  | 74    | Open   |

## AG2. PSP

| #    | Item                                                                                                                    | Where       | Owner   | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----|-------|--------|
| 8083 | PSP, customer creation: contract written: request, response, errors and limits, agreed with the provider                | integration | Claude  | P1  | 51    | Open   |
| 8084 | PSP, customer creation: client built behind one module, with nothing else calling the provider directly                 | integration | Claude  | P1  | 51    | Open   |
| 8085 | PSP, customer creation: timeouts, retries with backoff and a limit on attempts                                          | integration | Claude  | P1  | 51    | Open   |
| 8086 | PSP, customer creation: idempotency key or reference on every request that changes anything                             | integration | Claude  | P1  | 51    | Open   |
| 8087 | PSP, customer creation: every provider error mapped to a reason and a sentence the member understands                   | integration | Claude  | P1  | 51    | Open   |
| 8088 | PSP, customer creation: sandbox access granted                                                                          | integration | Partner | P1  | H3    | Open   |
| 8089 | PSP, customer creation: tested against the provider's sandbox                                                           | integration | Claude  | P1  | 51    | Open   |
| 8090 | PSP, customer creation: contract test that fails the build if the provider's format changes                             | integration | Claude  | P1  | 51    | Open   |
| 8091 | PSP, customer creation: monitored, with an alert to a named person on failure or delay                                  | integration | Claude  | P1  | 51    | Open   |
| 8092 | PSP, customer creation: runbook entry: what to do when it fails                                                         | integration | Claude  | P1  | 51    | Open   |
| 8093 | PSP, customer creation: credentials held in the managed secret store and rotated                                        | integration | Claude  | P1  | 51    | Open   |
| 8094 | PSP, card saving page with 3-D Secure: contract written: request, response, errors and limits, agreed with the provider | integration | Claude  | P1  | 51    | Open   |
| 8095 | PSP, card saving page with 3-D Secure: client built behind one module, with nothing else calling the provider directly  | integration | Claude  | P1  | 51    | Open   |
| 8096 | PSP, card saving page with 3-D Secure: timeouts, retries with backoff and a limit on attempts                           | integration | Claude  | P1  | 51    | Open   |
| 8097 | PSP, card saving page with 3-D Secure: idempotency key or reference on every request that changes anything              | integration | Claude  | P1  | 51    | Open   |
| 8098 | PSP, card saving page with 3-D Secure: every provider error mapped to a reason and a sentence the member understands    | integration | Claude  | P1  | 51    | Open   |
| 8099 | PSP, card saving page with 3-D Secure: sandbox access granted                                                           | integration | Partner | P1  | H3    | Open   |
| 8100 | PSP, card saving page with 3-D Secure: tested against the provider's sandbox                                            | integration | Claude  | P1  | 51    | Open   |
| 8101 | PSP, card saving page with 3-D Secure: contract test that fails the build if the provider's format changes              | integration | Claude  | P1  | 51    | Open   |
| 8102 | PSP, card saving page with 3-D Secure: monitored, with an alert to a named person on failure or delay                   | integration | Claude  | P1  | 51    | Open   |
| 8103 | PSP, card saving page with 3-D Secure: runbook entry: what to do when it fails                                          | integration | Claude  | P1  | 51    | Open   |
| 8104 | PSP, card saving page with 3-D Secure: credentials held in the managed secret store and rotated                         | integration | Claude  | P1  | 51    | Open   |
| 8105 | PSP, wallet linking: contract written: request, response, errors and limits, agreed with the provider                   | integration | Claude  | P1  | 51    | Open   |
| 8106 | PSP, wallet linking: client built behind one module, with nothing else calling the provider directly                    | integration | Claude  | P1  | 51    | Open   |
| 8107 | PSP, wallet linking: timeouts, retries with backoff and a limit on attempts                                             | integration | Claude  | P1  | 51    | Open   |



| #    | Item                                                                                                                                       | Where       | Owner   | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----|-------|--------|
| 8108 | PSP, wallet linking: idempotency key or reference on every request that changes anything                                                   | integration | Claude  | P1  | 51    | Open   |
| 8109 | PSP, wallet linking: every provider error mapped to a reason and a sentence the member understands                                         | integration | Claude  | P1  | 51    | Open   |
| 8110 | PSP, wallet linking: sandbox access granted                                                                                                | integration | Partner | P1  | H3    | Open   |
| 8111 | PSP, wallet linking: tested against the provider's sandbox                                                                                 | integration | Claude  | P1  | 51    | Open   |
| 8112 | PSP, wallet linking: contract test that fails the build if the provider's format changes                                                   | integration | Claude  | P1  | 51    | Open   |
| 8113 | PSP, wallet linking: monitored, with an alert to a named person on failure or delay                                                        | integration | Claude  | P1  | 51    | Open   |
| 8114 | PSP, wallet linking: runbook entry: what to do when it fails                                                                               | integration | Claude  | P1  | 51    | Open   |
| 8115 | PSP, wallet linking: credentials held in the managed secret store and rotated                                                              | integration | Claude  | P1  | 51    | Open   |
| 8116 | PSP, merchant initiated charge on a saved card or wallet: contract written: request, response, errors and limits, agreed with the provider | integration | Claude  | P1  | 51    | Open   |
| 8117 | PSP, merchant initiated charge on a saved card or wallet: client built behind one module, with nothing else calling the provider directly  | integration | Claude  | P1  | 51    | Open   |
| 8118 | PSP, merchant initiated charge on a saved card or wallet: timeouts, retries with backoff and a limit on attempts                           | integration | Claude  | P1  | 51    | Open   |
| 8119 | PSP, merchant initiated charge on a saved card or wallet: idempotency key or reference on every request that changes anything              | integration | Claude  | P1  | 51    | Open   |
| 8120 | PSP, merchant initiated charge on a saved card or wallet: every provider error mapped to a reason and a sentence the member understands    | integration | Claude  | P1  | 51    | Open   |
| 8121 | PSP, merchant initiated charge on a saved card or wallet: sandbox access granted                                                           | integration | Partner | P1  | H3    | Open   |
| 8122 | PSP, merchant initiated charge on a saved card or wallet: tested against the provider's sandbox                                            | integration | Claude  | P1  | 51    | Open   |
| 8123 | PSP, merchant initiated charge on a saved card or wallet: contract test that fails the build if the provider's format changes              | integration | Claude  | P1  | 51    | Open   |
| 8124 | PSP, merchant initiated charge on a saved card or wallet: monitored, with an alert to a named person on failure or delay                   | integration | Claude  | P1  | 51    | Open   |
| 8125 | PSP, merchant initiated charge on a saved card or wallet: runbook entry: what to do when it fails                                          | integration | Claude  | P1  | 51    | Open   |
| 8126 | PSP, merchant initiated charge on a saved card or wallet: credentials held in the managed secret store and rotated                         | integration | Claude  | P1  | 51    | Open   |
| 8127 | PSP, refund: contract written: request, response, errors and limits, agreed with the provider                                              | integration | Claude  | P1  | 51    | Open   |
| 8128 | PSP, refund: client built behind one module, with nothing else calling the provider directly                                               | integration | Claude  | P1  | 51    | Open   |
| 8129 | PSP, refund: timeouts, retries with backoff and a limit on attempts                                                                        | integration | Claude  | P1  | 51    | Open   |
| 8130 | PSP, refund: idempotency key or reference on every request that changes anything                                                           | integration | Claude  | P1  | 51    | Open   |
| 8131 | PSP, refund: every provider error mapped to a reason and a sentence the member understands                                                 | integration | Claude  | P1  | 51    | Open   |
| 8132 | PSP, refund: sandbox access granted                                                                                                        | integration | Partner | P1  | H3    | Open   |
| 8133 | PSP, refund: tested against the provider's sandbox                                                                                         | integration | Claude  | P1  | 51    | Open   |
| 8134 | PSP, refund: contract test that fails the build if the provider's format changes                                                           | integration | Claude  | P1  | 51    | Open   |

| #    | Item                                                                                                                     | Where       | Owner   | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----|-------|--------|
| 8135 | PSP, refund: monitored, with an alert to a named person on failure or delay                                              | integration | Claude  | P1  | 51    | Open   |
| 8136 | PSP, refund: runbook entry: what to do when it fails                                                                     | integration | Claude  | P1  | 51    | Open   |
| 8137 | PSP, refund: credentials held in the managed secret store and rotated                                                    | integration | Claude  | P1  | 51    | Open   |
| 8138 | PSP, dispute notification and evidence: contract written: request, response, errors and limits, agreed with the provider | integration | Claude  | P1  | 51    | Open   |
| 8139 | PSP, dispute notification and evidence: client built behind one module, with nothing else calling the provider directly  | integration | Claude  | P1  | 51    | Open   |
| 8140 | PSP, dispute notification and evidence: timeouts, retries with backoff and a limit on attempts                           | integration | Claude  | P1  | 51    | Open   |
| 8141 | PSP, dispute notification and evidence: idempotency key or reference on every request that changes anything              | integration | Claude  | P1  | 51    | Open   |
| 8142 | PSP, dispute notification and evidence: every provider error mapped to a reason and a sentence the member understands    | integration | Claude  | P1  | 51    | Open   |
| 8143 | PSP, dispute notification and evidence: sandbox access granted                                                           | integration | Partner | P1  | H3    | Open   |
| 8144 | PSP, dispute notification and evidence: tested against the provider's sandbox                                            | integration | Claude  | P1  | 51    | Open   |
| 8145 | PSP, dispute notification and evidence: contract test that fails the build if the provider's format changes              | integration | Claude  | P1  | 51    | Open   |
| 8146 | PSP, dispute notification and evidence: monitored, with an alert to a named person on failure or delay                   | integration | Claude  | P1  | 51    | Open   |
| 8147 | PSP, dispute notification and evidence: runbook entry: what to do when it fails                                          | integration | Claude  | P1  | 51    | Open   |
| 8148 | PSP, dispute notification and evidence: credentials held in the managed secret store and rotated                         | integration | Claude  | P1  | 51    | Open   |
| 8149 | PSP, signed event delivery: contract written: request, response, errors and limits, agreed with the provider             | integration | Claude  | P1  | 51    | Open   |
| 8150 | PSP, signed event delivery: client built behind one module, with nothing else calling the provider directly              | integration | Claude  | P1  | 51    | Open   |
| 8151 | PSP, signed event delivery: timeouts, retries with backoff and a limit on attempts                                       | integration | Claude  | P1  | 51    | Open   |
| 8152 | PSP, signed event delivery: idempotency key or reference on every request that changes anything                          | integration | Claude  | P1  | 51    | Open   |
| 8153 | PSP, signed event delivery: every provider error mapped to a reason and a sentence the member understands                | integration | Claude  | P1  | 51    | Open   |
| 8154 | PSP, signed event delivery: sandbox access granted                                                                       | integration | Partner | P1  | H3    | Open   |
| 8155 | PSP, signed event delivery: tested against the provider's sandbox                                                        | integration | Claude  | P1  | 51    | Open   |
| 8156 | PSP, signed event delivery: contract test that fails the build if the provider's format changes                          | integration | Claude  | P1  | 51    | Open   |
| 8157 | PSP, signed event delivery: monitored, with an alert to a named person on failure or delay                               | integration | Claude  | P1  | 51    | Open   |
| 8158 | PSP, signed event delivery: runbook entry: what to do when it fails                                                      | integration | Claude  | P1  | 51    | Open   |
| 8159 | PSP, signed event delivery: credentials held in the managed secret store and rotated                                     | integration | Claude  | P1  | 51    | Open   |
| 8160 | PSP, settlement report: contract written: request, response, errors and limits, agreed with the provider                 | integration | Claude  | P1  | 52    | Open   |
| 8161 | PSP, settlement report: client built behind one module, with nothing else calling the provider directly                  | integration | Claude  | P1  | 52    | Open   |
| 8162 | PSP, settlement report: timeouts, retries with backoff and a limit on attempts                                           | integration | Claude  | P1  | 52    | Open   |
| 8163 | PSP, settlement report: idempotency key or reference on every request that changes anything                              | integration | Claude  | P1  | 52    | Open   |
| 8164 | PSP, settlement report: every provider error mapped to a reason and a sentence the member understands                    | integration | Claude  | P1  | 52    | Open   |

| #    | Item                                                                                                       | Where       | Owner   | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------|-------------|---------|-----|-------|--------|
| 8165 | PSP, settlement report: sandbox access granted                                                             | integration | Partner | P1  | H3    | Open   |
| 8166 | PSP, settlement report: tested against the provider's sandbox                                              | integration | Claude  | P1  | 52    | Open   |
| 8167 | PSP, settlement report: contract test that fails the build if the provider's format changes                | integration | Claude  | P1  | 52    | Open   |
| 8168 | PSP, settlement report: monitored, with an alert to a named person on failure or delay                     | integration | Claude  | P1  | 52    | Open   |
| 8169 | PSP, settlement report: runbook entry: what to do when it fails                                            | integration | Claude  | P1  | 52    | Open   |
| 8170 | PSP, settlement report: credentials held in the managed secret store and rotated                           | integration | Claude  | P1  | 52    | Open   |
| 8171 | PSP, saved token removal: contract written: request, response, errors and limits, agreed with the provider | integration | Claude  | P1  | 52    | Open   |
| 8172 | PSP, saved token removal: client built behind one module, with nothing else calling the provider directly  | integration | Claude  | P1  | 52    | Open   |
| 8173 | PSP, saved token removal: timeouts, retries with backoff and a limit on attempts                           | integration | Claude  | P1  | 52    | Open   |
| 8174 | PSP, saved token removal: idempotency key or reference on every request that changes anything              | integration | Claude  | P1  | 52    | Open   |
| 8175 | PSP, saved token removal: every provider error mapped to a reason and a sentence the member understands    | integration | Claude  | P1  | 52    | Open   |
| 8176 | PSP, saved token removal: sandbox access granted                                                           | integration | Partner | P1  | H3    | Open   |
| 8177 | PSP, saved token removal: tested against the provider's sandbox                                            | integration | Claude  | P1  | 52    | Open   |
| 8178 | PSP, saved token removal: contract test that fails the build if the provider's format changes              | integration | Claude  | P1  | 52    | Open   |
| 8179 | PSP, saved token removal: monitored, with an alert to a named person on failure or delay                   | integration | Claude  | P1  | 52    | Open   |
| 8180 | PSP, saved token removal: runbook entry: what to do when it fails                                          | integration | Claude  | P1  | 52    | Open   |
| 8181 | PSP, saved token removal: credentials held in the managed secret store and rotated                         | integration | Claude  | P1  | 52    | Open   |

### AG3. NADRA through the Bank

| #    | Item                                                                                                                                                        | Where       | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8182 | NADRA through the Bank, biometric verification result shared with consent: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P1  | 48    | Open   |
| 8183 | NADRA through the Bank, biometric verification result shared with consent: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P1  | 48    | Open   |
| 8184 | NADRA through the Bank, biometric verification result shared with consent: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P1  | 48    | Open   |
| 8185 | NADRA through the Bank, biometric verification result shared with consent: idempotency key or reference on every request that changes anything              | integration | Claude | P1  | 48    | Open   |
| 8186 | NADRA through the Bank, biometric verification result shared with consent: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P1  | 48    | Open   |
| 8187 | NADRA through the Bank, biometric verification result shared with consent: sandbox access granted                                                           | integration | Bank   | P1  | H2    | Open   |
| 8188 | NADRA through the Bank, biometric verification result shared with consent: tested against the provider's sandbox                                            | integration | Claude | P1  | 48    | Open   |

| #    | Item                                                                                                                                                      | Where       | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8189 | NADRA through the Bank, biometric verification result shared with consent: contract test that fails the build if the provider's format changes            | integration | Claude | P1  | 48    | Open   |
| 8190 | NADRA through the Bank, biometric verification result shared with consent: monitored, with an alert to a named person on failure or delay                 | integration | Claude | P1  | 48    | Open   |
| 8191 | NADRA through the Bank, biometric verification result shared with consent: runbook entry: what to do when it fails                                        | integration | Claude | P1  | 48    | Open   |
| 8192 | NADRA through the Bank, biometric verification result shared with consent: credentials held in the managed secret store and rotated                       | integration | Claude | P1  | 48    | Open   |
| 8193 | NADRA through the Bank, Verisys result for the permitted fallback cases: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P2  | 74    | Open   |
| 8194 | NADRA through the Bank, Verisys result for the permitted fallback cases: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P2  | 74    | Open   |
| 8195 | NADRA through the Bank, Verisys result for the permitted fallback cases: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P2  | 74    | Open   |
| 8196 | NADRA through the Bank, Verisys result for the permitted fallback cases: idempotency key or reference on every request that changes anything              | integration | Claude | P2  | 74    | Open   |
| 8197 | NADRA through the Bank, Verisys result for the permitted fallback cases: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P2  | 74    | Open   |
| 8198 | NADRA through the Bank, Verisys result for the permitted fallback cases: sandbox access granted                                                           | integration | Bank   | P2  | H4    | Open   |
| 8199 | NADRA through the Bank, Verisys result for the permitted fallback cases: tested against the provider's sandbox                                            | integration | Claude | P2  | 74    | Open   |
| 8200 | NADRA through the Bank, Verisys result for the permitted fallback cases: contract test that fails the build if the provider's format changes              | integration | Claude | P2  | 74    | Open   |
| 8201 | NADRA through the Bank, Verisys result for the permitted fallback cases: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P2  | 74    | Open   |
| 8202 | NADRA through the Bank, Verisys result for the permitted fallback cases: runbook entry: what to do when it fails                                          | integration | Claude | P2  | 74    | Open   |
| 8203 | NADRA through the Bank, Verisys result for the permitted fallback cases: credentials held in the managed secret store and rotated                         | integration | Claude | P2  | 74    | Open   |

#### AG4. TASDEEQ

| #    | Item                                                                                                                                     | Where       | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8204 | TASDEEQ, subscriber report on the member's instruction: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P1  | 52    | Open   |
| 8205 | TASDEEQ, subscriber report on the member's instruction: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P1  | 52    | Open   |
| 8206 | TASDEEQ, subscriber report on the member's instruction: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P1  | 52    | Open   |

| #    | Item                                                                                                                                  | Where       | Owner   | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----|-------|--------|
| 8207 | TASDEEQ, subscriber report on the member's instruction: idempotency key or reference on every request that changes anything           | integration | Claude  | P1  | 52    | Open   |
| 8208 | TASDEEQ, subscriber report on the member's instruction: every provider error mapped to a reason and a sentence the member understands | integration | Claude  | P1  | 52    | Open   |
| 8209 | TASDEEQ, subscriber report on the member's instruction: sandbox access granted                                                        | integration | Partner | P1  | H3    | Open   |
| 8210 | TASDEEQ, subscriber report on the member's instruction: tested against the provider's sandbox                                         | integration | Claude  | P1  | 52    | Open   |
| 8211 | TASDEEQ, subscriber report on the member's instruction: contract test that fails the build if the provider's format changes           | integration | Claude  | P1  | 52    | Open   |
| 8212 | TASDEEQ, subscriber report on the member's instruction: monitored, with an alert to a named person on failure or delay                | integration | Claude  | P1  | 52    | Open   |
| 8213 | TASDEEQ, subscriber report on the member's instruction: runbook entry: what to do when it fails                                       | integration | Claude  | P1  | 52    | Open   |
| 8214 | TASDEEQ, subscriber report on the member's instruction: credentials held in the managed secret store and rotated                      | integration | Claude  | P1  | 52    | Open   |
| 8215 | TASDEEQ, monthly data submission: contract written: request, response, errors and limits, agreed with the provider                    | integration | Claude  | P1  | 52    | Open   |
| 8216 | TASDEEQ, monthly data submission: client built behind one module, with nothing else calling the provider directly                     | integration | Claude  | P1  | 52    | Open   |
| 8217 | TASDEEQ, monthly data submission: timeouts, retries with backoff and a limit on attempts                                              | integration | Claude  | P1  | 52    | Open   |
| 8218 | TASDEEQ, monthly data submission: idempotency key or reference on every request that changes anything                                 | integration | Claude  | P1  | 52    | Open   |
| 8219 | TASDEEQ, monthly data submission: every provider error mapped to a reason and a sentence the member understands                       | integration | Claude  | P1  | 52    | Open   |
| 8220 | TASDEEQ, monthly data submission: sandbox access granted                                                                              | integration | Partner | P1  | H3    | Open   |
| 8221 | TASDEEQ, monthly data submission: tested against the provider's sandbox                                                               | integration | Claude  | P1  | 52    | Open   |
| 8222 | TASDEEQ, monthly data submission: contract test that fails the build if the provider's format changes                                 | integration | Claude  | P1  | 52    | Open   |
| 8223 | TASDEEQ, monthly data submission: monitored, with an alert to a named person on failure or delay                                      | integration | Claude  | P1  | 52    | Open   |
| 8224 | TASDEEQ, monthly data submission: runbook entry: what to do when it fails                                                             | integration | Claude  | P1  | 52    | Open   |
| 8225 | TASDEEQ, monthly data submission: credentials held in the managed secret store and rotated                                            | integration | Claude  | P1  | 52    | Open   |
| 8226 | TASDEEQ, correction of a submitted record: contract written: request, response, errors and limits, agreed with the provider           | integration | Claude  | P1  | 52    | Open   |
| 8227 | TASDEEQ, correction of a submitted record: client built behind one module, with nothing else calling the provider directly            | integration | Claude  | P1  | 52    | Open   |
| 8228 | TASDEEQ, correction of a submitted record: timeouts, retries with backoff and a limit on attempts                                     | integration | Claude  | P1  | 52    | Open   |
| 8229 | TASDEEQ, correction of a submitted record: idempotency key or reference on every request that changes anything                        | integration | Claude  | P1  | 52    | Open   |
| 8230 | TASDEEQ, correction of a submitted record: every provider error mapped to a reason and a sentence the member understands              | integration | Claude  | P1  | 52    | Open   |
| 8231 | TASDEEQ, correction of a submitted record: sandbox access granted                                                                     | integration | Partner | P1  | H3    | Open   |

| #    | Item                                                                                                               | Where       | Owner   | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------|-------------|---------|-----|-------|--------|
| 8232 | TASDEEQ, correction of a submitted record: tested against the provider's sandbox                                   | integration | Claude  | P1  | 52    | Open   |
| 8233 | TASDEEQ, correction of a submitted record: contract test that fails the build if the provider's format changes     | integration | Claude  | P1  | 52    | Open   |
| 8234 | TASDEEQ, correction of a submitted record: monitored, with an alert to a named person on failure or delay          | integration | Claude  | P1  | 52    | Open   |
| 8235 | TASDEEQ, correction of a submitted record: runbook entry: what to do when it fails                                 | integration | Claude  | P1  | 52    | Open   |
| 8236 | TASDEEQ, correction of a submitted record: credentials held in the managed secret store and rotated                | integration | Claude  | P1  | 52    | Open   |
| 8237 | TASDEEQ, dispute from the bureau: contract written: request, response, errors and limits, agreed with the provider | integration | Claude  | P1  | 52    | Open   |
| 8238 | TASDEEQ, dispute from the bureau: client built behind one module, with nothing else calling the provider directly  | integration | Claude  | P1  | 52    | Open   |
| 8239 | TASDEEQ, dispute from the bureau: timeouts, retries with backoff and a limit on attempts                           | integration | Claude  | P1  | 52    | Open   |
| 8240 | TASDEEQ, dispute from the bureau: idempotency key or reference on every request that changes anything              | integration | Claude  | P1  | 52    | Open   |
| 8241 | TASDEEQ, dispute from the bureau: every provider error mapped to a reason and a sentence the member understands    | integration | Claude  | P1  | 52    | Open   |
| 8242 | TASDEEQ, dispute from the bureau: sandbox access granted                                                           | integration | Partner | P1  | H3    | Open   |
| 8243 | TASDEEQ, dispute from the bureau: tested against the provider's sandbox                                            | integration | Claude  | P1  | 52    | Open   |
| 8244 | TASDEEQ, dispute from the bureau: contract test that fails the build if the provider's format changes              | integration | Claude  | P1  | 52    | Open   |
| 8245 | TASDEEQ, dispute from the bureau: monitored, with an alert to a named person on failure or delay                   | integration | Claude  | P1  | 52    | Open   |
| 8246 | TASDEEQ, dispute from the bureau: runbook entry: what to do when it fails                                          | integration | Claude  | P1  | 52    | Open   |
| 8247 | TASDEEQ, dispute from the bureau: credentials held in the managed secret store and rotated                         | integration | Claude  | P1  | 52    | Open   |

#### AG5. WhatsApp Provider

| #    | Item                                                                                                                                          | Where       | Owner   | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----|-------|--------|
| 8248 | WhatsApp Provider, message template submission and approval: contract written: request, response, errors and limits, agreed with the provider | integration | Claude  | P1  | 52    | Open   |
| 8249 | WhatsApp Provider, message template submission and approval: client built behind one module, with nothing else calling the provider directly  | integration | Claude  | P1  | 52    | Open   |
| 8250 | WhatsApp Provider, message template submission and approval: timeouts, retries with backoff and a limit on attempts                           | integration | Claude  | P1  | 52    | Open   |
| 8251 | WhatsApp Provider, message template submission and approval: idempotency key or reference on every request that changes anything              | integration | Claude  | P1  | 52    | Open   |
| 8252 | WhatsApp Provider, message template submission and approval: every provider error mapped to a reason and a sentence the member understands    | integration | Claude  | P1  | 52    | Open   |
| 8253 | WhatsApp Provider, message template submission and approval: sandbox access granted                                                           | integration | Partner | P1  | H3    | Open   |
| 8254 | WhatsApp Provider, message template submission and approval: tested against the provider's sandbox                                            | integration | Claude  | P1  | 52    | Open   |

| #    | Item                                                                                                                                 | Where       | Owner   | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----|-------|--------|
| 8255 | WhatsApp Provider, message template submission and approval: contract test that fails the build if the provider's format changes     | integration | Claude  | P1  | 52    | Open   |
| 8256 | WhatsApp Provider, message template submission and approval: monitored, with an alert to a named person on failure or delay          | integration | Claude  | P1  | 52    | Open   |
| 8257 | WhatsApp Provider, message template submission and approval: runbook entry: what to do when it fails                                 | integration | Claude  | P1  | 52    | Open   |
| 8258 | WhatsApp Provider, message template submission and approval: credentials held in the managed secret store and rotated                | integration | Claude  | P1  | 52    | Open   |
| 8259 | WhatsApp Provider, template message sending: contract written: request, response, errors and limits, agreed with the provider        | integration | Claude  | P1  | 52    | Open   |
| 8260 | WhatsApp Provider, template message sending: client built behind one module, with nothing else calling the provider directly         | integration | Claude  | P1  | 52    | Open   |
| 8261 | WhatsApp Provider, template message sending: timeouts, retries with backoff and a limit on attempts                                  | integration | Claude  | P1  | 52    | Open   |
| 8262 | WhatsApp Provider, template message sending: idempotency key or reference on every request that changes anything                     | integration | Claude  | P1  | 52    | Open   |
| 8263 | WhatsApp Provider, template message sending: every provider error mapped to a reason and a sentence the member understands           | integration | Claude  | P1  | 52    | Open   |
| 8264 | WhatsApp Provider, template message sending: sandbox access granted                                                                  | integration | Partner | P1  | H3    | Open   |
| 8265 | WhatsApp Provider, template message sending: tested against the provider's sandbox                                                   | integration | Claude  | P1  | 52    | Open   |
| 8266 | WhatsApp Provider, template message sending: contract test that fails the build if the provider's format changes                     | integration | Claude  | P1  | 52    | Open   |
| 8267 | WhatsApp Provider, template message sending: monitored, with an alert to a named person on failure or delay                          | integration | Claude  | P1  | 52    | Open   |
| 8268 | WhatsApp Provider, template message sending: runbook entry: what to do when it fails                                                 | integration | Claude  | P1  | 52    | Open   |
| 8269 | WhatsApp Provider, template message sending: credentials held in the managed secret store and rotated                                | integration | Claude  | P1  | 52    | Open   |
| 8270 | WhatsApp Provider, delivery and read status events: contract written: request, response, errors and limits, agreed with the provider | integration | Claude  | P2  | 78    | Open   |
| 8271 | WhatsApp Provider, delivery and read status events: client built behind one module, with nothing else calling the provider directly  | integration | Claude  | P2  | 78    | Open   |
| 8272 | WhatsApp Provider, delivery and read status events: timeouts, retries with backoff and a limit on attempts                           | integration | Claude  | P2  | 78    | Open   |
| 8273 | WhatsApp Provider, delivery and read status events: idempotency key or reference on every request that changes anything              | integration | Claude  | P2  | 78    | Open   |
| 8274 | WhatsApp Provider, delivery and read status events: every provider error mapped to a reason and a sentence the member understands    | integration | Claude  | P2  | 78    | Open   |
| 8275 | WhatsApp Provider, delivery and read status events: sandbox access granted                                                           | integration | Partner | P2  | H4    | Open   |
| 8276 | WhatsApp Provider, delivery and read status events: tested against the provider's sandbox                                            | integration | Claude  | P2  | 78    | Open   |
| 8277 | WhatsApp Provider, delivery and read status events: contract test that fails the build if the provider's format changes              | integration | Claude  | P2  | 78    | Open   |
| 8278 | WhatsApp Provider, delivery and read status events: monitored, with an alert to a named person on failure or delay                   | integration | Claude  | P2  | 78    | Open   |

| #    | Item                                                                                                                       | Where       | Owner   | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----|-------|--------|
| 8279 | WhatsApp Provider, delivery and read status events: runbook entry: what to do when it fails                                | integration | Claude  | P2  | 78    | Open   |
| 8280 | WhatsApp Provider, delivery and read status events: credentials held in the managed secret store and rotated               | integration | Claude  | P2  | 78    | Open   |
| 8281 | WhatsApp Provider, opt out handling: contract written: request, response, errors and limits, agreed with the provider      | integration | Claude  | P1  | 53    | Open   |
| 8282 | WhatsApp Provider, opt out handling: client built behind one module, with nothing else calling the provider directly       | integration | Claude  | P1  | 53    | Open   |
| 8283 | WhatsApp Provider, opt out handling: timeouts, retries with backoff and a limit on attempts                                | integration | Claude  | P1  | 53    | Open   |
| 8284 | WhatsApp Provider, opt out handling: idempotency key or reference on every request that changes anything                   | integration | Claude  | P1  | 53    | Open   |
| 8285 | WhatsApp Provider, opt out handling: every provider error mapped to a reason and a sentence the member understands         | integration | Claude  | P1  | 53    | Open   |
| 8286 | WhatsApp Provider, opt out handling: sandbox access granted                                                                | integration | Partner | P1  | H3    | Open   |
| 8287 | WhatsApp Provider, opt out handling: tested against the provider's sandbox                                                 | integration | Claude  | P1  | 53    | Open   |
| 8288 | WhatsApp Provider, opt out handling: contract test that fails the build if the provider's format changes                   | integration | Claude  | P1  | 53    | Open   |
| 8289 | WhatsApp Provider, opt out handling: monitored, with an alert to a named person on failure or delay                        | integration | Claude  | P1  | 53    | Open   |
| 8290 | WhatsApp Provider, opt out handling: runbook entry: what to do when it fails                                               | integration | Claude  | P1  | 53    | Open   |
| 8291 | WhatsApp Provider, opt out handling: credentials held in the managed secret store and rotated                              | integration | Claude  | P1  | 53    | Open   |
| 8292 | WhatsApp Provider, rate and spend limits: contract written: request, response, errors and limits, agreed with the provider | integration | Claude  | P2  | 78    | Open   |
| 8293 | WhatsApp Provider, rate and spend limits: client built behind one module, with nothing else calling the provider directly  | integration | Claude  | P2  | 78    | Open   |
| 8294 | WhatsApp Provider, rate and spend limits: timeouts, retries with backoff and a limit on attempts                           | integration | Claude  | P2  | 78    | Open   |
| 8295 | WhatsApp Provider, rate and spend limits: idempotency key or reference on every request that changes anything              | integration | Claude  | P2  | 78    | Open   |
| 8296 | WhatsApp Provider, rate and spend limits: every provider error mapped to a reason and a sentence the member understands    | integration | Claude  | P2  | 78    | Open   |
| 8297 | WhatsApp Provider, rate and spend limits: sandbox access granted                                                           | integration | Partner | P2  | H4    | Open   |
| 8298 | WhatsApp Provider, rate and spend limits: tested against the provider's sandbox                                            | integration | Claude  | P2  | 78    | Open   |
| 8299 | WhatsApp Provider, rate and spend limits: contract test that fails the build if the provider's format changes              | integration | Claude  | P2  | 78    | Open   |
| 8300 | WhatsApp Provider, rate and spend limits: monitored, with an alert to a named person on failure or delay                   | integration | Claude  | P2  | 78    | Open   |
| 8301 | WhatsApp Provider, rate and spend limits: runbook entry: what to do when it fails                                          | integration | Claude  | P2  | 78    | Open   |
| 8302 | WhatsApp Provider, rate and spend limits: credentials held in the managed secret store and rotated                         | integration | Claude  | P2  | 78    | Open   |

#### AG6. SMS Provider

| #    | Item                                                                                                                  | Where       | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8303 | SMS Provider, one time code sending: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 51    | Open   |



| #    | Item                                                                                                                                | Where       | Owner   | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----|-------|--------|
| 8304 | SMS Provider, one time code sending: client built behind one module, with nothing else calling the provider directly                | integration | Claude  | P0  | 51    | Open   |
| 8305 | SMS Provider, one time code sending: timeouts, retries with backoff and a limit on attempts                                         | integration | Claude  | P0  | 51    | Open   |
| 8306 | SMS Provider, one time code sending: idempotency key or reference on every request that changes anything                            | integration | Claude  | P0  | 51    | Open   |
| 8307 | SMS Provider, one time code sending: every provider error mapped to a reason and a sentence the member understands                  | integration | Claude  | P0  | 51    | Open   |
| 8308 | SMS Provider, one time code sending: sandbox access granted                                                                         | integration | Partner | P0  | H3    | Open   |
| 8309 | SMS Provider, one time code sending: tested against the provider's sandbox                                                          | integration | Claude  | P0  | 51    | Open   |
| 8310 | SMS Provider, one time code sending: contract test that fails the build if the provider's format changes                            | integration | Claude  | P0  | 51    | Open   |
| 8311 | SMS Provider, one time code sending: monitored, with an alert to a named person on failure or delay                                 | integration | Claude  | P0  | 51    | Open   |
| 8312 | SMS Provider, one time code sending: runbook entry: what to do when it fails                                                        | integration | Claude  | P0  | 51    | Open   |
| 8313 | SMS Provider, one time code sending: credentials held in the managed secret store and rotated                                       | integration | Claude  | P0  | 51    | Open   |
| 8314 | SMS Provider, delivery reports: contract written: request, response, errors and limits, agreed with the provider                    | integration | Claude  | P1  | 53    | Open   |
| 8315 | SMS Provider, delivery reports: client built behind one module, with nothing else calling the provider directly                     | integration | Claude  | P1  | 53    | Open   |
| 8316 | SMS Provider, delivery reports: timeouts, retries with backoff and a limit on attempts                                              | integration | Claude  | P1  | 53    | Open   |
| 8317 | SMS Provider, delivery reports: idempotency key or reference on every request that changes anything                                 | integration | Claude  | P1  | 53    | Open   |
| 8318 | SMS Provider, delivery reports: every provider error mapped to a reason and a sentence the member understands                       | integration | Claude  | P1  | 53    | Open   |
| 8319 | SMS Provider, delivery reports: sandbox access granted                                                                              | integration | Partner | P1  | H3    | Open   |
| 8320 | SMS Provider, delivery reports: tested against the provider's sandbox                                                               | integration | Claude  | P1  | 53    | Open   |
| 8321 | SMS Provider, delivery reports: contract test that fails the build if the provider's format changes                                 | integration | Claude  | P1  | 53    | Open   |
| 8322 | SMS Provider, delivery reports: monitored, with an alert to a named person on failure or delay                                      | integration | Claude  | P1  | 53    | Open   |
| 8323 | SMS Provider, delivery reports: runbook entry: what to do when it fails                                                             | integration | Claude  | P1  | 53    | Open   |
| 8324 | SMS Provider, delivery reports: credentials held in the managed secret store and rotated                                            | integration | Claude  | P1  | 53    | Open   |
| 8325 | SMS Provider, masked sender identity registration: contract written: request, response, errors and limits, agreed with the provider | integration | Claude  | P2  | 78    | Open   |
| 8326 | SMS Provider, masked sender identity registration: client built behind one module, with nothing else calling the provider directly  | integration | Claude  | P2  | 78    | Open   |
| 8327 | SMS Provider, masked sender identity registration: timeouts, retries with backoff and a limit on attempts                           | integration | Claude  | P2  | 78    | Open   |
| 8328 | SMS Provider, masked sender identity registration: idempotency key or reference on every request that changes anything              | integration | Claude  | P2  | 78    | Open   |
| 8329 | SMS Provider, masked sender identity registration: every provider error mapped to a reason and a sentence the member understands    | integration | Claude  | P2  | 78    | Open   |
| 8330 | SMS Provider, masked sender identity registration: sandbox access granted                                                           | integration | Partner | P2  | H4    | Open   |

| #    | Item                                                                                                                   | Where       | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8331 | SMS Provider, masked sender identity registration: tested against the provider's sandbox                               | integration | Claude | P2  | 78    | Open   |
| 8332 | SMS Provider, masked sender identity registration: contract test that fails the build if the provider's format changes | integration | Claude | P2  | 78    | Open   |
| 8333 | SMS Provider, masked sender identity registration: monitored, with an alert to a named person on failure or delay      | integration | Claude | P2  | 78    | Open   |
| 8334 | SMS Provider, masked sender identity registration: runbook entry: what to do when it fails                             | integration | Claude | P2  | 78    | Open   |
| 8335 | SMS Provider, masked sender identity registration: credentials held in the managed secret store and rotated            | integration | Claude | P2  | 78    | Open   |

#### AG7. Push Notifications

| #    | Item                                                                                                                                                | Where       | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8336 | Push Notifications, device token registration for Android and iOS: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P1  | 41    | Open   |
| 8337 | Push Notifications, device token registration for Android and iOS: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P1  | 41    | Open   |
| 8338 | Push Notifications, device token registration for Android and iOS: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P1  | 41    | Open   |
| 8339 | Push Notifications, device token registration for Android and iOS: idempotency key or reference on every request that changes anything              | integration | Claude | P1  | 41    | Open   |
| 8340 | Push Notifications, device token registration for Android and iOS: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P1  | 41    | Open   |
| 8341 | Push Notifications, device token registration for Android and iOS: tested against the provider's sandbox                                            | integration | Claude | P1  | 41    | Open   |
| 8342 | Push Notifications, device token registration for Android and iOS: contract test that fails the build if the provider's format changes              | integration | Claude | P1  | 41    | Open   |
| 8343 | Push Notifications, device token registration for Android and iOS: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P1  | 41    | Open   |
| 8344 | Push Notifications, device token registration for Android and iOS: runbook entry: what to do when it fails                                          | integration | Claude | P1  | 41    | Open   |
| 8345 | Push Notifications, device token registration for Android and iOS: credentials held in the managed secret store and rotated                         | integration | Claude | P1  | 41    | Open   |
| 8346 | Push Notifications, push sending: contract written: request, response, errors and limits, agreed with the provider                                  | integration | Claude | P1  | 41    | Open   |
| 8347 | Push Notifications, push sending: client built behind one module, with nothing else calling the provider directly                                   | integration | Claude | P1  | 41    | Open   |
| 8348 | Push Notifications, push sending: timeouts, retries with backoff and a limit on attempts                                                            | integration | Claude | P1  | 41    | Open   |
| 8349 | Push Notifications, push sending: idempotency key or reference on every request that changes anything                                               | integration | Claude | P1  | 41    | Open   |
| 8350 | Push Notifications, push sending: every provider error mapped to a reason and a sentence the member understands                                     | integration | Claude | P1  | 41    | Open   |
| 8351 | Push Notifications, push sending: tested against the provider's sandbox                                                                             | integration | Claude | P1  | 41    | Open   |
| 8352 | Push Notifications, push sending: contract test that fails the build if the provider's format changes                                               | integration | Claude | P1  | 41    | Open   |
| 8353 | Push Notifications, push sending: monitored, with an alert to a named person on failure or delay                                                    | integration | Claude | P1  | 41    | Open   |

| #    | Item                                                                                                                             | Where       | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8354 | Push Notifications, push sending: runbook entry: what to do when it fails                                                        | integration | Claude | P1  | 41    | Open   |
| 8355 | Push Notifications, push sending: credentials held in the managed secret store and rotated                                       | integration | Claude | P1  | 41    | Open   |
| 8356 | Push Notifications, receipt tracking: contract written: request, response, errors and limits, agreed with the provider           | integration | Claude | P2  | 71    | Open   |
| 8357 | Push Notifications, receipt tracking: client built behind one module, with nothing else calling the provider directly            | integration | Claude | P2  | 71    | Open   |
| 8358 | Push Notifications, receipt tracking: timeouts, retries with backoff and a limit on attempts                                     | integration | Claude | P2  | 71    | Open   |
| 8359 | Push Notifications, receipt tracking: idempotency key or reference on every request that changes anything                        | integration | Claude | P2  | 71    | Open   |
| 8360 | Push Notifications, receipt tracking: every provider error mapped to a reason and a sentence the member understands              | integration | Claude | P2  | 71    | Open   |
| 8361 | Push Notifications, receipt tracking: tested against the provider's sandbox                                                      | integration | Claude | P2  | 71    | Open   |
| 8362 | Push Notifications, receipt tracking: contract test that fails the build if the provider's format changes                        | integration | Claude | P2  | 71    | Open   |
| 8363 | Push Notifications, receipt tracking: monitored, with an alert to a named person on failure or delay                             | integration | Claude | P2  | 71    | Open   |
| 8364 | Push Notifications, receipt tracking: runbook entry: what to do when it fails                                                    | integration | Claude | P2  | 71    | Open   |
| 8365 | Push Notifications, receipt tracking: credentials held in the managed secret store and rotated                                   | integration | Claude | P2  | 71    | Open   |
| 8366 | Push Notifications, token clean up on sign out: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P1  | 41    | Open   |
| 8367 | Push Notifications, token clean up on sign out: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P1  | 41    | Open   |
| 8368 | Push Notifications, token clean up on sign out: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P1  | 41    | Open   |
| 8369 | Push Notifications, token clean up on sign out: idempotency key or reference on every request that changes anything              | integration | Claude | P1  | 41    | Open   |
| 8370 | Push Notifications, token clean up on sign out: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P1  | 41    | Open   |
| 8371 | Push Notifications, token clean up on sign out: tested against the provider's sandbox                                            | integration | Claude | P1  | 41    | Open   |
| 8372 | Push Notifications, token clean up on sign out: contract test that fails the build if the provider's format changes              | integration | Claude | P1  | 41    | Open   |
| 8373 | Push Notifications, token clean up on sign out: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P1  | 41    | Open   |
| 8374 | Push Notifications, token clean up on sign out: runbook entry: what to do when it fails                                          | integration | Claude | P1  | 41    | Open   |
| 8375 | Push Notifications, token clean up on sign out: credentials held in the managed secret store and rotated                         | integration | Claude | P1  | 41    | Open   |

#### AG8. Email

| #    | Item                                                                                                                 | Where       | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8376 | Email, transactional email sending: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P2  | 71    | Open   |
| 8377 | Email, transactional email sending: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P2  | 71    | Open   |
| 8378 | Email, transactional email sending: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P2  | 71    | Open   |

| #    | Item                                                                                                                   | Where       | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8379 | Email, transactional email sending: idempotency key or reference on every request that changes anything                | integration | Claude | P2  | 71    | Open   |
| 8380 | Email, transactional email sending: every provider error mapped to a reason and a sentence the member understands      | integration | Claude | P2  | 71    | Open   |
| 8381 | Email, transactional email sending: tested against the provider's sandbox                                              | integration | Claude | P2  | 71    | Open   |
| 8382 | Email, transactional email sending: contract test that fails the build if the provider's format changes                | integration | Claude | P2  | 71    | Open   |
| 8383 | Email, transactional email sending: monitored, with an alert to a named person on failure or delay                     | integration | Claude | P2  | 71    | Open   |
| 8384 | Email, transactional email sending: runbook entry: what to do when it fails                                            | integration | Claude | P2  | 71    | Open   |
| 8385 | Email, transactional email sending: credentials held in the managed secret store and rotated                           | integration | Claude | P2  | 71    | Open   |
| 8386 | Email, bounce and complaint handling: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P2  | 71    | Open   |
| 8387 | Email, bounce and complaint handling: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P2  | 71    | Open   |
| 8388 | Email, bounce and complaint handling: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P2  | 71    | Open   |
| 8389 | Email, bounce and complaint handling: idempotency key or reference on every request that changes anything              | integration | Claude | P2  | 71    | Open   |
| 8390 | Email, bounce and complaint handling: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P2  | 71    | Open   |
| 8391 | Email, bounce and complaint handling: tested against the provider's sandbox                                            | integration | Claude | P2  | 71    | Open   |
| 8392 | Email, bounce and complaint handling: contract test that fails the build if the provider's format changes              | integration | Claude | P2  | 71    | Open   |
| 8393 | Email, bounce and complaint handling: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P2  | 71    | Open   |
| 8394 | Email, bounce and complaint handling: runbook entry: what to do when it fails                                          | integration | Claude | P2  | 71    | Open   |
| 8395 | Email, bounce and complaint handling: credentials held in the managed secret store and rotated                         | integration | Claude | P2  | 71    | Open   |

#### AG9. Liveness Service

| #    | Item                                                                                                                          | Where       | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8396 | Liveness Service, liveness session creation: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P1  | 41    | Open   |
| 8397 | Liveness Service, liveness session creation: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P1  | 41    | Open   |
| 8398 | Liveness Service, liveness session creation: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P1  | 41    | Open   |
| 8399 | Liveness Service, liveness session creation: idempotency key or reference on every request that changes anything              | integration | Claude | P1  | 41    | Open   |
| 8400 | Liveness Service, liveness session creation: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P1  | 41    | Open   |
| 8401 | Liveness Service, liveness session creation: tested against the provider's sandbox                                            | integration | Claude | P1  | 41    | Open   |
| 8402 | Liveness Service, liveness session creation: contract test that fails the build if the provider's format changes              | integration | Claude | P1  | 41    | Open   |
| 8403 | Liveness Service, liveness session creation: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P1  | 41    | Open   |

| #    | Item                                                                                                                                   | Where       | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8404 | Liveness Service, liveness session creation: runbook entry: what to do when it fails                                                   | integration | Claude | P1  | 42    | Open   |
| 8405 | Liveness Service, liveness session creation: credentials held in the managed secret store and rotated                                  | integration | Claude | P1  | 42    | Open   |
| 8406 | Liveness Service, liveness result and face match: contract written: request, response, errors and limits, agreed with the provider     | integration | Claude | P1  | 42    | Open   |
| 8407 | Liveness Service, liveness result and face match: client built behind one module, with nothing else calling the provider directly      | integration | Claude | P1  | 42    | Open   |
| 8408 | Liveness Service, liveness result and face match: timeouts, retries with backoff and a limit on attempts                               | integration | Claude | P1  | 42    | Open   |
| 8409 | Liveness Service, liveness result and face match: idempotency key or reference on every request that changes anything                  | integration | Claude | P1  | 42    | Open   |
| 8410 | Liveness Service, liveness result and face match: every provider error mapped to a reason and a sentence the member understands        | integration | Claude | P1  | 42    | Open   |
| 8411 | Liveness Service, liveness result and face match: tested against the provider's sandbox                                                | integration | Claude | P1  | 42    | Open   |
| 8412 | Liveness Service, liveness result and face match: contract test that fails the build if the provider's format changes                  | integration | Claude | P1  | 42    | Open   |
| 8413 | Liveness Service, liveness result and face match: monitored, with an alert to a named person on failure or delay                       | integration | Claude | P1  | 42    | Open   |
| 8414 | Liveness Service, liveness result and face match: runbook entry: what to do when it fails                                              | integration | Claude | P1  | 42    | Open   |
| 8415 | Liveness Service, liveness result and face match: credentials held in the managed secret store and rotated                             | integration | Claude | P1  | 42    | Open   |
| 8416 | Liveness Service, deletion of images after the check: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 12    | Open   |
| 8417 | Liveness Service, deletion of images after the check: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P0  | 12    | Open   |
| 8418 | Liveness Service, deletion of images after the check: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P0  | 12    | Open   |
| 8419 | Liveness Service, deletion of images after the check: idempotency key or reference on every request that changes anything              | integration | Claude | P0  | 12    | Open   |
| 8420 | Liveness Service, deletion of images after the check: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P0  | 12    | Open   |
| 8421 | Liveness Service, deletion of images after the check: tested against the provider's sandbox                                            | integration | Claude | P0  | 12    | Open   |
| 8422 | Liveness Service, deletion of images after the check: contract test that fails the build if the provider's format changes              | integration | Claude | P0  | 12    | Open   |
| 8423 | Liveness Service, deletion of images after the check: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P0  | 12    | Open   |
| 8424 | Liveness Service, deletion of images after the check: runbook entry: what to do when it fails                                          | integration | Claude | P0  | 12    | Open   |
| 8425 | Liveness Service, deletion of images after the check: credentials held in the managed secret store and rotated                         | integration | Claude | P0  | 12    | Open   |

## AG10. Monitoring Services

| #    | Item                                                                                                                                            | Where       | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8426 | Monitoring Services, error reports with personal data removed: contract written: request, response, errors and limits, agreed with the provider | integration | Claude | P0  | 12    | Open   |
| 8427 | Monitoring Services, error reports with personal data removed: client built behind one module, with nothing else calling the provider directly  | integration | Claude | P0  | 12    | Open   |
| 8428 | Monitoring Services, error reports with personal data removed: timeouts, retries with backoff and a limit on attempts                           | integration | Claude | P0  | 12    | Open   |
| 8429 | Monitoring Services, error reports with personal data removed: idempotency key or reference on every request that changes anything              | integration | Claude | P0  | 12    | Open   |
| 8430 | Monitoring Services, error reports with personal data removed: every provider error mapped to a reason and a sentence the member understands    | integration | Claude | P0  | 12    | Open   |
| 8431 | Monitoring Services, error reports with personal data removed: tested against the provider's sandbox                                            | integration | Claude | P0  | 12    | Open   |
| 8432 | Monitoring Services, error reports with personal data removed: contract test that fails the build if the provider's format changes              | integration | Claude | P0  | 12    | Open   |
| 8433 | Monitoring Services, error reports with personal data removed: monitored, with an alert to a named person on failure or delay                   | integration | Claude | P0  | 12    | Open   |
| 8434 | Monitoring Services, error reports with personal data removed: runbook entry: what to do when it fails                                          | integration | Claude | P0  | 13    | Open   |
| 8435 | Monitoring Services, error reports with personal data removed: credentials held in the managed secret store and rotated                         | integration | Claude | P0  | 13    | Open   |
| 8436 | Monitoring Services, uptime checks: contract written: request, response, errors and limits, agreed with the provider                            | integration | Claude | P1  | 42    | Open   |
| 8437 | Monitoring Services, uptime checks: client built behind one module, with nothing else calling the provider directly                             | integration | Claude | P1  | 42    | Open   |
| 8438 | Monitoring Services, uptime checks: timeouts, retries with backoff and a limit on attempts                                                      | integration | Claude | P1  | 42    | Open   |
| 8439 | Monitoring Services, uptime checks: idempotency key or reference on every request that changes anything                                         | integration | Claude | P1  | 42    | Open   |
| 8440 | Monitoring Services, uptime checks: every provider error mapped to a reason and a sentence the member understands                               | integration | Claude | P1  | 42    | Open   |
| 8441 | Monitoring Services, uptime checks: tested against the provider's sandbox                                                                       | integration | Claude | P1  | 42    | Open   |
| 8442 | Monitoring Services, uptime checks: contract test that fails the build if the provider's format changes                                         | integration | Claude | P1  | 42    | Open   |
| 8443 | Monitoring Services, uptime checks: monitored, with an alert to a named person on failure or delay                                              | integration | Claude | P1  | 42    | Open   |
| 8444 | Monitoring Services, uptime checks: runbook entry: what to do when it fails                                                                     | integration | Claude | P1  | 42    | Open   |
| 8445 | Monitoring Services, uptime checks: credentials held in the managed secret store and rotated                                                    | integration | Claude | P1  | 42    | Open   |
| 8446 | Monitoring Services, performance traces: contract written: request, response, errors and limits, agreed with the provider                       | integration | Claude | P2  | 71    | Open   |
| 8447 | Monitoring Services, performance traces: client built behind one module, with nothing else calling the provider directly                        | integration | Claude | P2  | 71    | Open   |
| 8448 | Monitoring Services, performance traces: timeouts, retries with backoff and a limit on attempts                                                 | integration | Claude | P2  | 71    | Open   |

| #    | Item                                                                                                                   | Where       | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------|-------------|--------|-----|-------|--------|
| 8449 | Monitoring Services, performance traces: idempotency key or reference on every request that changes anything           | integration | Claude | P2  | 71    | Open   |
| 8450 | Monitoring Services, performance traces: every provider error mapped to a reason and a sentence the member understands | integration | Claude | P2  | 71    | Open   |
| 8451 | Monitoring Services, performance traces: tested against the provider's sandbox                                         | integration | Claude | P2  | 71    | Open   |
| 8452 | Monitoring Services, performance traces: contract test that fails the build if the provider's format changes           | integration | Claude | P2  | 71    | Open   |
| 8453 | Monitoring Services, performance traces: monitored, with an alert to a named person on failure or delay                | integration | Claude | P2  | 71    | Open   |
| 8454 | Monitoring Services, performance traces: runbook entry: what to do when it fails                                       | integration | Claude | P2  | 71    | Open   |
| 8455 | Monitoring Services, performance traces: credentials held in the managed secret store and rotated                      | integration | Claude | P2  | 71    | Open   |

#### AG11. Access and Agreements

| #    | Item                                                                                                                      | Where          | Owner    | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------|----------------|----------|-----|-------|--------|
| 8456 | Bank: technical contact named and the integration method chosen: APIs, the bank's kit, or files                           | bank           | Bank     | P0  | H2    | Open   |
| 8457 | Bank: interface documents received and read                                                                               | bank           | Bank     | P0  | H2    | Open   |
| 8458 | Bank: Halqa's outbound addresses fixed and placed on the bank's allow list; item 779 covers the bank's addresses at Halqa | infrastructure | Claude   | P1  | 42    | Open   |
| 8459 | Bank: mutual TLS certificates for item 777 exchanged, with their expiry tracked                                           | infrastructure | Claude   | P1  | 42    | Open   |
| 8460 | Bank: message signing keys exchanged and rotation agreed                                                                  | infrastructure | Claude   | P1  | 42    | Open   |
| 8461 | Bank: the cut over plan of item 797 rehearsed in the test environment                                                     | integration    | Claude   | P1  | 42    | Open   |
| 8462 | PSP: pricing confirmed against the 1.5 per cent service fee shown to members (5 October)                                  | commercial     | Chairman | P0  | H3    | Open   |
| 8463 | TASDEEQ: first contact made and the subscriber and data furnisher terms obtained                                          | commercial     | Chairman | P0  | H3    | Open   |
| 8464 | WhatsApp: business account verified in the company's name and a provider chosen                                           | commercial     | Chairman | P1  | H3    | Open   |
| 8465 | SMS: provider chosen with Pakistani delivery and sender identity                                                          | commercial     | Chairman | P1  | H3    | Open   |
| 8466 | Integration map kept current: every provider, every operation, owner and status                                           | docs           | Claude   | P1  | 42    | Open   |

#### AH. Messages to Members

Every event a member or host must be told about, with its trigger, its text in each channel in English and Urdu, its template approval where WhatsApp is used, its log and its test.

##### AH1. Account and identity

| #    | Item                                                                                              | Where          | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------|----------------|------------|-----|-------|--------|
| 8467 | Notice: one time code for sign in or recovery: trigger written in the notice job, with its timing | lib/notices.ts | Claude     | P0  |       | Done   |
| 8468 | Notice: one time code for sign in or recovery: SMS text in English                                | content        | Claude     | P0  |       | Done   |
| 8469 | Notice: one time code for sign in or recovery: SMS text in Urdu, by a translator                  | content        | Translator | P0  | H4    | Open   |

| #    | Item                                                                                                                | Where           | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8470 | Notice: one time code for sign in or recovery: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8471 | Notice: one time code for sign in or recovery: logged with channel and delivery status                              | NotificationLog | Claude     | P0  |       | Done   |
| 8472 | Notice: one time code for sign in or recovery: test that it fires once, at the right time, to the right member      | tests           | Claude     | P0  | 12    | Open   |
| 8473 | Notice: welcome after sign up: trigger written in the notice job, with its timing                                   | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8474 | Notice: welcome after sign up: in the application text in English                                                   | content         | Claude     | P1  |       | Done   |
| 8475 | Notice: welcome after sign up: in the application text in Urdu, by a translator                                     | content         | Translator | P1  | H4    | Open   |
| 8476 | Notice: welcome after sign up: push text in English                                                                 | content         | Claude     | P1  |       | Done   |
| 8477 | Notice: welcome after sign up: push text in Urdu, by a translator                                                   | content         | Translator | P1  | H4    | Open   |
| 8478 | Notice: welcome after sign up: respects the member's preferences and quiet hours                                    | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8479 | Notice: welcome after sign up: logged with channel and delivery status                                              | NotificationLog | Claude     | P1  |       | Done   |
| 8480 | Notice: welcome after sign up: test that it fires once, at the right time, to the right member                      | tests           | Claude     | P1  | 39    | Open   |
| 8481 | Notice: identity check submitted: trigger written in the notice job, with its timing                                | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8482 | Notice: identity check submitted: in the application text in English                                                | content         | Claude     | P1  |       | Done   |
| 8483 | Notice: identity check submitted: in the application text in Urdu, by a translator                                  | content         | Translator | P1  | H4    | Open   |
| 8484 | Notice: identity check submitted: respects the member's preferences and quiet hours                                 | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8485 | Notice: identity check submitted: logged with channel and delivery status                                           | NotificationLog | Claude     | P1  |       | Done   |
| 8486 | Notice: identity check submitted: test that it fires once, at the right time, to the right member                   | tests           | Claude     | P1  | 39    | Open   |
| 8487 | Notice: identity check passed: trigger written in the notice job, with its timing                                   | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8488 | Notice: identity check passed: in the application text in English                                                   | content         | Claude     | P1  |       | Done   |
| 8489 | Notice: identity check passed: in the application text in Urdu, by a translator                                     | content         | Translator | P1  | H4    | Open   |
| 8490 | Notice: identity check passed: push text in English                                                                 | content         | Claude     | P1  |       | Done   |
| 8491 | Notice: identity check passed: push text in Urdu, by a translator                                                   | content         | Translator | P1  | H4    | Open   |
| 8492 | Notice: identity check passed: WhatsApp text in English                                                             | content         | Claude     | P1  |       | Done   |
| 8493 | Notice: identity check passed: WhatsApp text in Urdu, by a translator                                               | content         | Translator | P1  | H4    | Open   |
| 8494 | Notice: identity check passed: WhatsApp template submitted and approved in both languages                           | commercial      | Partner    | P1  | H3    | Open   |
| 8495 | Notice: identity check passed: respects the member's preferences and quiet hours                                    | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8496 | Notice: identity check passed: logged with channel and delivery status                                              | NotificationLog | Claude     | P1  |       | Done   |
| 8497 | Notice: identity check passed: test that it fires once, at the right time, to the right member                      | tests           | Claude     | P1  | 39    | Open   |
| 8498 | Notice: identity check failed, with the reason and next step: trigger written in the notice job, with its timing    | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8499 | Notice: identity check failed, with the reason and next step: in the application text in English                    | content         | Claude     | P0  |       | Done   |
| 8500 | Notice: identity check failed, with the reason and next step: in the application text in Urdu, by a translator      | content         | Translator | P0  | H4    | Open   |



| #    | Item                                                                                                                          | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8501 | Notice: identity check failed, with the reason and next step: push text in English                                            | content         | Claude     | P0  |       | Done   |
| 8502 | Notice: identity check failed, with the reason and next step: push text in Urdu, by a translator                              | content         | Translator | P0  | H4    | Open   |
| 8503 | Notice: identity check failed, with the reason and next step: WhatsApp text in English                                        | content         | Claude     | P0  |       | Done   |
| 8504 | Notice: identity check failed, with the reason and next step: WhatsApp text in Urdu, by a translator                          | content         | Translator | P0  | H4    | Open   |
| 8505 | Notice: identity check failed, with the reason and next step: WhatsApp template submitted and approved in both languages      | commercial      | Partner    | P0  | H3    | Open   |
| 8506 | Notice: identity check failed, with the reason and next step: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8507 | Notice: identity check failed, with the reason and next step: logged with channel and delivery status                         | NotificationLog | Claude     | P0  |       | Done   |
| 8508 | Notice: identity check failed, with the reason and next step: test that it fires once, at the right time, to the right member | tests           | Claude     | P0  | 12    | Open   |
| 8509 | Notice: bank account opened: trigger written in the notice job, with its timing                                               | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8510 | Notice: bank account opened: in the application text in English                                                               | content         | Claude     | P0  |       | Done   |
| 8511 | Notice: bank account opened: in the application text in Urdu, by a translator                                                 | content         | Translator | P0  | H4    | Open   |
| 8512 | Notice: bank account opened: push text in English                                                                             | content         | Claude     | P0  |       | Done   |
| 8513 | Notice: bank account opened: push text in Urdu, by a translator                                                               | content         | Translator | P0  | H4    | Open   |
| 8514 | Notice: bank account opened: WhatsApp text in English                                                                         | content         | Claude     | P0  |       | Done   |
| 8515 | Notice: bank account opened: WhatsApp text in Urdu, by a translator                                                           | content         | Translator | P0  | H4    | Open   |
| 8516 | Notice: bank account opened: WhatsApp template submitted and approved in both languages                                       | commercial      | Partner    | P0  | H3    | Open   |
| 8517 | Notice: bank account opened: respects the member's preferences and quiet hours                                                | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8518 | Notice: bank account opened: logged with channel and delivery status                                                          | NotificationLog | Claude     | P0  |       | Done   |
| 8519 | Notice: bank account opened: test that it fires once, at the right time, to the right member                                  | tests           | Claude     | P0  | 12    | Open   |
| 8520 | Notice: bank account refused, with the reason: trigger written in the notice job, with its timing                             | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8521 | Notice: bank account refused, with the reason: in the application text in English                                             | content         | Claude     | P0  |       | Done   |
| 8522 | Notice: bank account refused, with the reason: in the application text in Urdu, by a translator                               | content         | Translator | P0  | H4    | Open   |
| 8523 | Notice: bank account refused, with the reason: push text in English                                                           | content         | Claude     | P0  |       | Done   |
| 8524 | Notice: bank account refused, with the reason: push text in Urdu, by a translator                                             | content         | Translator | P0  | H4    | Open   |
| 8525 | Notice: bank account refused, with the reason: WhatsApp text in English                                                       | content         | Claude     | P0  |       | Done   |
| 8526 | Notice: bank account refused, with the reason: WhatsApp text in Urdu, by a translator                                         | content         | Translator | P0  | H4    | Open   |
| 8527 | Notice: bank account refused, with the reason: WhatsApp template submitted and approved in both languages                     | commercial      | Partner    | P0  | H3    | Open   |
| 8528 | Notice: bank account refused, with the reason: respects the member's preferences and quiet hours                              | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8529 | Notice: bank account refused, with the reason: logged with channel and delivery status                                        | NotificationLog | Claude     | P0  |       | Done   |

| #    | Item                                                                                                           | Where           | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8530 | Notice: bank account refused, with the reason: test that it fires once, at the right time, to the right member | tests           | Claude     | P0  | 12    | Open   |
| 8531 | Notice: CNIC about to expire: trigger written in the notice job, with its timing                               | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8532 | Notice: CNIC about to expire: in the application text in English                                               | content         | Claude     | P2  |       | Done   |
| 8533 | Notice: CNIC about to expire: in the application text in Urdu, by a translator                                 | content         | Translator | P2  | H4    | Open   |
| 8534 | Notice: CNIC about to expire: push text in English                                                             | content         | Claude     | P2  |       | Done   |
| 8535 | Notice: CNIC about to expire: push text in Urdu, by a translator                                               | content         | Translator | P2  | H4    | Open   |
| 8536 | Notice: CNIC about to expire: WhatsApp text in English                                                         | content         | Claude     | P2  |       | Done   |
| 8537 | Notice: CNIC about to expire: WhatsApp text in Urdu, by a translator                                           | content         | Translator | P2  | H4    | Open   |
| 8538 | Notice: CNIC about to expire: WhatsApp template submitted and approved in both languages                       | commercial      | Partner    | P2  | H4    | Open   |
| 8539 | Notice: CNIC about to expire: respects the member's preferences and quiet hours                                | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8540 | Notice: CNIC about to expire: logged with channel and delivery status                                          | NotificationLog | Claude     | P2  |       | Done   |
| 8541 | Notice: CNIC about to expire: test that it fires once, at the right time, to the right member                  | tests           | Claude     | P2  | 70    | Open   |
| 8542 | Notice: account restricted by the bank: trigger written in the notice job, with its timing                     | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8543 | Notice: account restricted by the bank: in the application text in English                                     | content         | Claude     | P1  |       | Done   |
| 8544 | Notice: account restricted by the bank: in the application text in Urdu, by a translator                       | content         | Translator | P1  | H4    | Open   |
| 8545 | Notice: account restricted by the bank: push text in English                                                   | content         | Claude     | P1  |       | Done   |
| 8546 | Notice: account restricted by the bank: push text in Urdu, by a translator                                     | content         | Translator | P1  | H4    | Open   |
| 8547 | Notice: account restricted by the bank: WhatsApp text in English                                               | content         | Claude     | P1  |       | Done   |
| 8548 | Notice: account restricted by the bank: WhatsApp text in Urdu, by a translator                                 | content         | Translator | P1  | H4    | Open   |
| 8549 | Notice: account restricted by the bank: WhatsApp template submitted and approved in both languages             | commercial      | Partner    | P1  | H3    | Open   |
| 8550 | Notice: account restricted by the bank: always sent, whatever the member's preferences, as a financial alert   | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8551 | Notice: account restricted by the bank: logged with channel and delivery status                                | NotificationLog | Claude     | P1  |       | Done   |
| 8552 | Notice: account restricted by the bank: test that it fires once, at the right time, to the right member        | tests           | Claude     | P1  | 39    | Open   |

## AH2. Security

| #    | Item                                                                              | Where          | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------|----------------|------------|-----|-------|--------|
| 8553 | Notice: new device registered: trigger written in the notice job, with its timing | lib/notices.ts | Claude     | P0  |       | Done   |
| 8554 | Notice: new device registered: in the application text in English                 | content        | Claude     | P0  |       | Done   |
| 8555 | Notice: new device registered: in the application text in Urdu, by a translator   | content        | Translator | P0  | H4    | Open   |
| 8556 | Notice: new device registered: push text in English                               | content        | Claude     | P0  |       | Done   |
| 8557 | Notice: new device registered: push text in Urdu, by a translator                 | content        | Translator | P0  | H4    | Open   |

| #    | Item                                                                                                                    | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8558 | Notice: new device registered: SMS text in English                                                                      | content         | Claude     | P0  |       | Done   |
| 8559 | Notice: new device registered: SMS text in Urdu, by a translator                                                        | content         | Translator | P0  | H4    | Open   |
| 8560 | Notice: new device registered: always sent, whatever the member's preferences, as a financial alert                     | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8561 | Notice: new device registered: logged with channel and delivery status                                                  | NotificationLog | Claude     | P0  |       | Done   |
| 8562 | Notice: new device registered: test that it fires once, at the right time, to the right member                          | tests           | Claude     | P0  | 12    | Open   |
| 8563 | Notice: cooling off started after a device change: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8564 | Notice: cooling off started after a device change: in the application text in English                                   | content         | Claude     | P0  |       | Done   |
| 8565 | Notice: cooling off started after a device change: in the application text in Urdu, by a translator                     | content         | Translator | P0  | H4    | Open   |
| 8566 | Notice: cooling off started after a device change: push text in English                                                 | content         | Claude     | P0  |       | Done   |
| 8567 | Notice: cooling off started after a device change: push text in Urdu, by a translator                                   | content         | Translator | P0  | H4    | Open   |
| 8568 | Notice: cooling off started after a device change: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8569 | Notice: cooling off started after a device change: logged with channel and delivery status                              | NotificationLog | Claude     | P0  |       | Done   |
| 8570 | Notice: cooling off started after a device change: test that it fires once, at the right time, to the right member      | tests           | Claude     | P0  | 12    | Open   |
| 8571 | Notice: PIN changed: trigger written in the notice job, with its timing                                                 | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8572 | Notice: PIN changed: in the application text in English                                                                 | content         | Claude     | P0  |       | Done   |
| 8573 | Notice: PIN changed: in the application text in Urdu, by a translator                                                   | content         | Translator | P0  | H4    | Open   |
| 8574 | Notice: PIN changed: push text in English                                                                               | content         | Claude     | P0  |       | Done   |
| 8575 | Notice: PIN changed: push text in Urdu, by a translator                                                                 | content         | Translator | P0  | H4    | Open   |
| 8576 | Notice: PIN changed: SMS text in English                                                                                | content         | Claude     | P0  |       | Done   |
| 8577 | Notice: PIN changed: SMS text in Urdu, by a translator                                                                  | content         | Translator | P0  | H4    | Open   |
| 8578 | Notice: PIN changed: always sent, whatever the member's preferences, as a financial alert                               | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8579 | Notice: PIN changed: logged with channel and delivery status                                                            | NotificationLog | Claude     | P0  |       | Done   |
| 8580 | Notice: PIN changed: test that it fires once, at the right time, to the right member                                    | tests           | Claude     | P0  | 12    | Open   |
| 8581 | Notice: transaction PIN changed: trigger written in the notice job, with its timing                                     | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8582 | Notice: transaction PIN changed: in the application text in English                                                     | content         | Claude     | P0  |       | Done   |
| 8583 | Notice: transaction PIN changed: in the application text in Urdu, by a translator                                       | content         | Translator | P0  | H4    | Open   |
| 8584 | Notice: transaction PIN changed: push text in English                                                                   | content         | Claude     | P0  |       | Done   |
| 8585 | Notice: transaction PIN changed: push text in Urdu, by a translator                                                     | content         | Translator | P0  | H4    | Open   |
| 8586 | Notice: transaction PIN changed: SMS text in English                                                                    | content         | Claude     | P0  |       | Done   |
| 8587 | Notice: transaction PIN changed: SMS text in Urdu, by a translator                                                      | content         | Translator | P0  | H4    | Open   |
| 8588 | Notice: transaction PIN changed: always sent, whatever the member's preferences, as a financial alert                   | lib/notices.ts  | Claude     | P0  |       | Done   |

| #    | Item                                                                                                                           | Where           | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8589 | Notice: transaction PIN changed: logged with channel and delivery status                                                       | NotificationLog | Claude     | P0  |       | Done   |
| 8590 | Notice: transaction PIN changed: test that it fires once, at the right time, to the right member                               | tests           | Claude     | P0  | 12    | Open   |
| 8591 | Notice: sign in from a new device: trigger written in the notice job, with its timing                                          | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8592 | Notice: sign in from a new device: in the application text in English                                                          | content         | Claude     | P0  |       | Done   |
| 8593 | Notice: sign in from a new device: in the application text in Urdu, by a translator                                            | content         | Translator | P0  | H4    | Open   |
| 8594 | Notice: sign in from a new device: push text in English                                                                        | content         | Claude     | P0  |       | Done   |
| 8595 | Notice: sign in from a new device: push text in Urdu, by a translator                                                          | content         | Translator | P0  | H4    | Open   |
| 8596 | Notice: sign in from a new device: SMS text in English                                                                         | content         | Claude     | P0  |       | Done   |
| 8597 | Notice: sign in from a new device: SMS text in Urdu, by a translator                                                           | content         | Translator | P0  | H4    | Open   |
| 8598 | Notice: sign in from a new device: always sent, whatever the member's preferences, as a financial alert                        | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8599 | Notice: sign in from a new device: logged with channel and delivery status                                                     | NotificationLog | Claude     | P0  |       | Done   |
| 8600 | Notice: sign in from a new device: test that it fires once, at the right time, to the right member                             | tests           | Claude     | P0  | 12    | Open   |
| 8601 | Notice: digital channels blocked at the member's request: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8602 | Notice: digital channels blocked at the member's request: in the application text in English                                   | content         | Claude     | P0  |       | Done   |
| 8603 | Notice: digital channels blocked at the member's request: in the application text in Urdu, by a translator                     | content         | Translator | P0  | H4    | Open   |
| 8604 | Notice: digital channels blocked at the member's request: push text in English                                                 | content         | Claude     | P0  |       | Done   |
| 8605 | Notice: digital channels blocked at the member's request: push text in Urdu, by a translator                                   | content         | Translator | P0  | H4    | Open   |
| 8606 | Notice: digital channels blocked at the member's request: SMS text in English                                                  | content         | Claude     | P0  |       | Done   |
| 8607 | Notice: digital channels blocked at the member's request: SMS text in Urdu, by a translator                                    | content         | Translator | P0  | H4    | Open   |
| 8608 | Notice: digital channels blocked at the member's request: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8609 | Notice: digital channels blocked at the member's request: logged with channel and delivery status                              | NotificationLog | Claude     | P0  |       | Done   |
| 8610 | Notice: digital channels blocked at the member's request: test that it fires once, at the right time, to the right member      | tests           | Claude     | P0  | 12    | Open   |

### AH3. Mandates and collection

| #    | Item                                                                           | Where          | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------|----------------|------------|-----|-------|--------|
| 8611 | Notice: mandate authorised: trigger written in the notice job, with its timing | lib/notices.ts | Claude     | P0  |       | Done   |
| 8612 | Notice: mandate authorised: in the application text in English                 | content        | Claude     | P0  |       | Done   |
| 8613 | Notice: mandate authorised: in the application text in Urdu, by a translator   | content        | Translator | P0  | H4    | Open   |
| 8614 | Notice: mandate authorised: push text in English                               | content        | Claude     | P0  |       | Done   |
| 8615 | Notice: mandate authorised: push text in Urdu, by a translator                 | content        | Translator | P0  | H4    | Open   |
| 8616 | Notice: mandate authorised: WhatsApp text in English                           | content        | Claude     | P0  |       | Done   |

| #    | Item                                                                                                        | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8617 | Notice: mandate authorised: WhatsApp text in Urdu, by a translator                                          | content         | Translator | P0  | H4    | Open   |
| 8618 | Notice: mandate authorised: WhatsApp template submitted and approved in both languages                      | commercial      | Partner    | P0  | H3    | Open   |
| 8619 | Notice: mandate authorised: always sent, whatever the member's preferences, as a financial alert            | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8620 | Notice: mandate authorised: logged with channel and delivery status                                         | NotificationLog | Claude     | P0  |       | Done   |
| 8621 | Notice: mandate authorised: test that it fires once, at the right time, to the right member                 | tests           | Claude     | P0  | 12    | Open   |
| 8622 | Notice: mandate cancelled: trigger written in the notice job, with its timing                               | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8623 | Notice: mandate cancelled: in the application text in English                                               | content         | Claude     | P0  |       | Done   |
| 8624 | Notice: mandate cancelled: in the application text in Urdu, by a translator                                 | content         | Translator | P0  | H4    | Open   |
| 8625 | Notice: mandate cancelled: push text in English                                                             | content         | Claude     | P0  |       | Done   |
| 8626 | Notice: mandate cancelled: push text in Urdu, by a translator                                               | content         | Translator | P0  | H4    | Open   |
| 8627 | Notice: mandate cancelled: WhatsApp text in English                                                         | content         | Claude     | P0  |       | Done   |
| 8628 | Notice: mandate cancelled: WhatsApp text in Urdu, by a translator                                           | content         | Translator | P0  | H4    | Open   |
| 8629 | Notice: mandate cancelled: WhatsApp template submitted and approved in both languages                       | commercial      | Partner    | P0  | H3    | Open   |
| 8630 | Notice: mandate cancelled: always sent, whatever the member's preferences, as a financial alert             | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8631 | Notice: mandate cancelled: logged with channel and delivery status                                          | NotificationLog | Claude     | P0  |       | Done   |
| 8632 | Notice: mandate cancelled: test that it fires once, at the right time, to the right member                  | tests           | Claude     | P0  | 12    | Open   |
| 8633 | Notice: reminder the evening before payday: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8634 | Notice: reminder the evening before payday: push text in English                                            | content         | Claude     | P0  |       | Done   |
| 8635 | Notice: reminder the evening before payday: push text in Urdu, by a translator                              | content         | Translator | P0  | H4    | Open   |
| 8636 | Notice: reminder the evening before payday: WhatsApp text in English                                        | content         | Claude     | P0  |       | Done   |
| 8637 | Notice: reminder the evening before payday: WhatsApp text in Urdu, by a translator                          | content         | Translator | P0  | H4    | Open   |
| 8638 | Notice: reminder the evening before payday: WhatsApp template submitted and approved in both languages      | commercial      | Partner    | P0  | H3    | Open   |
| 8639 | Notice: reminder the evening before payday: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8640 | Notice: reminder the evening before payday: logged with channel and delivery status                         | NotificationLog | Claude     | P0  |       | Done   |
| 8641 | Notice: reminder the evening before payday: test that it fires once, at the right time, to the right member | tests           | Claude     | P0  | 12    | Open   |
| 8642 | Notice: instalment collected: trigger written in the notice job, with its timing                            | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8643 | Notice: instalment collected: in the application text in English                                            | content         | Claude     | P0  |       | Done   |
| 8644 | Notice: instalment collected: in the application text in Urdu, by a translator                              | content         | Translator | P0  | H4    | Open   |
| 8645 | Notice: instalment collected: push text in English                                                          | content         | Claude     | P0  |       | Done   |
| 8646 | Notice: instalment collected: push text in Urdu, by a translator                                            | content         | Translator | P0  | H4    | Open   |
| 8647 | Notice: instalment collected: always sent, whatever the member's preferences, as a financial alert          | lib/notices.ts  | Claude     | P0  |       | Done   |

| #    | Item                                                                                                                    | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8648 | Notice: instalment collected: logged with channel and delivery status                                                   | NotificationLog | Claude     | P0  |       | Done   |
| 8649 | Notice: instalment collected: test that it fires once, at the right time, to the right member                           | tests           | Claude     | P0  | 12    | Open   |
| 8650 | Notice: collection failed, with the reason: trigger written in the notice job, with its timing                          | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8651 | Notice: collection failed, with the reason: in the application text in English                                          | content         | Claude     | P0  |       | Done   |
| 8652 | Notice: collection failed, with the reason: in the application text in Urdu, by a translator                            | content         | Translator | P0  | H4    | Open   |
| 8653 | Notice: collection failed, with the reason: push text in English                                                        | content         | Claude     | P0  |       | Done   |
| 8654 | Notice: collection failed, with the reason: push text in Urdu, by a translator                                          | content         | Translator | P0  | H4    | Open   |
| 8655 | Notice: collection failed, with the reason: WhatsApp text in English                                                    | content         | Claude     | P0  |       | Done   |
| 8656 | Notice: collection failed, with the reason: WhatsApp text in Urdu, by a translator                                      | content         | Translator | P0  | H4    | Open   |
| 8657 | Notice: collection failed, with the reason: WhatsApp template submitted and approved in both languages                  | commercial      | Partner    | P0  | H3    | Open   |
| 8658 | Notice: collection failed, with the reason: always sent, whatever the member's preferences, as a financial alert        | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8659 | Notice: collection failed, with the reason: logged with channel and delivery status                                     | NotificationLog | Claude     | P0  |       | Done   |
| 8660 | Notice: collection failed, with the reason: test that it fires once, at the right time, to the right member             | tests           | Claude     | P0  | 12    | Open   |
| 8661 | Notice: retry scheduled for tomorrow morning: trigger written in the notice job, with its timing                        | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8662 | Notice: retry scheduled for tomorrow morning: in the application text in English                                        | content         | Claude     | P1  |       | Done   |
| 8663 | Notice: retry scheduled for tomorrow morning: in the application text in Urdu, by a translator                          | content         | Translator | P1  | H4    | Open   |
| 8664 | Notice: retry scheduled for tomorrow morning: push text in English                                                      | content         | Claude     | P1  |       | Done   |
| 8665 | Notice: retry scheduled for tomorrow morning: push text in Urdu, by a translator                                        | content         | Translator | P1  | H4    | Open   |
| 8666 | Notice: retry scheduled for tomorrow morning: always sent, whatever the member's preferences, as a financial alert      | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8667 | Notice: retry scheduled for tomorrow morning: logged with channel and delivery status                                   | NotificationLog | Claude     | P1  |       | Done   |
| 8668 | Notice: retry scheduled for tomorrow morning: test that it fires once, at the right time, to the right member           | tests           | Claude     | P1  | 39    | Open   |
| 8669 | Notice: last attempt today, with the manual route: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8670 | Notice: last attempt today, with the manual route: in the application text in English                                   | content         | Claude     | P0  |       | Done   |
| 8671 | Notice: last attempt today, with the manual route: in the application text in Urdu, by a translator                     | content         | Translator | P0  | H4    | Open   |
| 8672 | Notice: last attempt today, with the manual route: push text in English                                                 | content         | Claude     | P0  |       | Done   |
| 8673 | Notice: last attempt today, with the manual route: push text in Urdu, by a translator                                   | content         | Translator | P0  | H4    | Open   |
| 8674 | Notice: last attempt today, with the manual route: WhatsApp text in English                                             | content         | Claude     | P0  |       | Done   |
| 8675 | Notice: last attempt today, with the manual route: WhatsApp text in Urdu, by a translator                               | content         | Translator | P0  | H4    | Open   |
| 8676 | Notice: last attempt today, with the manual route: WhatsApp template submitted and approved in both languages           | commercial      | Partner    | P0  | H3    | Open   |
| 8677 | Notice: last attempt today, with the manual route: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P0  |       | Done   |

| #    | Item                                                                                                                          | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8678 | Notice: last attempt today, with the manual route: logged with channel and delivery status                                    | NotificationLog | Claude     | P0  |       | Done   |
| 8679 | Notice: last attempt today, with the manual route: test that it fires once, at the right time, to the right member            | tests           | Claude     | P0  | 12    | Open   |
| 8680 | Notice: instalment due tomorrow, for members who pay by hand: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8681 | Notice: instalment due tomorrow, for members who pay by hand: push text in English                                            | content         | Claude     | P1  |       | Done   |
| 8682 | Notice: instalment due tomorrow, for members who pay by hand: push text in Urdu, by a translator                              | content         | Translator | P1  | H4    | Open   |
| 8683 | Notice: instalment due tomorrow, for members who pay by hand: WhatsApp text in English                                        | content         | Claude     | P1  |       | Done   |
| 8684 | Notice: instalment due tomorrow, for members who pay by hand: WhatsApp text in Urdu, by a translator                          | content         | Translator | P1  | H4    | Open   |
| 8685 | Notice: instalment due tomorrow, for members who pay by hand: WhatsApp template submitted and approved in both languages      | commercial      | Partner    | P1  | H3    | Open   |
| 8686 | Notice: instalment due tomorrow, for members who pay by hand: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8687 | Notice: instalment due tomorrow, for members who pay by hand: logged with channel and delivery status                         | NotificationLog | Claude     | P1  |       | Done   |
| 8688 | Notice: instalment due tomorrow, for members who pay by hand: test that it fires once, at the right time, to the right member | tests           | Claude     | P1  | 39    | Open   |
| 8689 | Notice: due date reached and unpaid: trigger written in the notice job, with its timing                                       | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8690 | Notice: due date reached and unpaid: in the application text in English                                                       | content         | Claude     | P0  |       | Done   |
| 8691 | Notice: due date reached and unpaid: in the application text in Urdu, by a translator                                         | content         | Translator | P0  | H4    | Open   |
| 8692 | Notice: due date reached and unpaid: push text in English                                                                     | content         | Claude     | P0  |       | Done   |
| 8693 | Notice: due date reached and unpaid: push text in Urdu, by a translator                                                       | content         | Translator | P0  | H4    | Open   |
| 8694 | Notice: due date reached and unpaid: WhatsApp text in English                                                                 | content         | Claude     | P0  |       | Done   |
| 8695 | Notice: due date reached and unpaid: WhatsApp text in Urdu, by a translator                                                   | content         | Translator | P0  | H4    | Open   |
| 8696 | Notice: due date reached and unpaid: WhatsApp template submitted and approved in both languages                               | commercial      | Partner    | P0  | H3    | Open   |
| 8697 | Notice: due date reached and unpaid: always sent, whatever the member's preferences, as a financial alert                     | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8698 | Notice: due date reached and unpaid: logged with channel and delivery status                                                  | NotificationLog | Claude     | P0  |       | Done   |
| 8699 | Notice: due date reached and unpaid: test that it fires once, at the right time, to the right member                          | tests           | Claude     | P0  | 12    | Open   |
| 8700 | Notice: advance notice of a different amount: trigger written in the notice job, with its timing                              | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8701 | Notice: advance notice of a different amount: in the application text in English                                              | content         | Claude     | P1  |       | Done   |
| 8702 | Notice: advance notice of a different amount: in the application text in Urdu, by a translator                                | content         | Translator | P1  | H4    | Open   |
| 8703 | Notice: advance notice of a different amount: push text in English                                                            | content         | Claude     | P1  |       | Done   |
| 8704 | Notice: advance notice of a different amount: push text in Urdu, by a translator                                              | content         | Translator | P1  | H4    | Open   |
| 8705 | Notice: advance notice of a different amount: WhatsApp text in English                                                        | content         | Claude     | P1  |       | Done   |
| 8706 | Notice: advance notice of a different amount: WhatsApp text in Urdu, by a translator                                          | content         | Translator | P1  | H4    | Open   |

| #    | Item                                                                                                                              | Where           | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8707 | Notice: advance notice of a different amount: WhatsApp template submitted and approved in both languages                          | commercial      | Partner    | P1  | H3    | Open   |
| 8708 | Notice: advance notice of a different amount: always sent, whatever the member's preferences, as a financial alert                | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8709 | Notice: advance notice of a different amount: logged with channel and delivery status                                             | NotificationLog | Claude     | P1  |       | Done   |
| 8710 | Notice: advance notice of a different amount: test that it fires once, at the right time, to the right member                     | tests           | Claude     | P1  | 39    | Open   |
| 8711 | Notice: PSP service fee charged on a wallet or card payment: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8712 | Notice: PSP service fee charged on a wallet or card payment: in the application text in English                                   | content         | Claude     | P1  |       | Done   |
| 8713 | Notice: PSP service fee charged on a wallet or card payment: in the application text in Urdu, by a translator                     | content         | Translator | P1  | H4    | Open   |
| 8714 | Notice: PSP service fee charged on a wallet or card payment: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8715 | Notice: PSP service fee charged on a wallet or card payment: logged with channel and delivery status                              | NotificationLog | Claude     | P1  |       | Done   |
| 8716 | Notice: PSP service fee charged on a wallet or card payment: test that it fires once, at the right time, to the right member      | tests           | Claude     | P1  | 39    | Open   |

#### AH4. Late payment

| #    | Item                                                                                                  | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8717 | Notice: late notice, first step: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8718 | Notice: late notice, first step: in the application text in English                                   | content         | Claude     | P0  |       | Done   |
| 8719 | Notice: late notice, first step: in the application text in Urdu, by a translator                     | content         | Translator | P0  | H4    | Open   |
| 8720 | Notice: late notice, first step: push text in English                                                 | content         | Claude     | P0  |       | Done   |
| 8721 | Notice: late notice, first step: push text in Urdu, by a translator                                   | content         | Translator | P0  | H4    | Open   |
| 8722 | Notice: late notice, first step: WhatsApp text in English                                             | content         | Claude     | P0  |       | Done   |
| 8723 | Notice: late notice, first step: WhatsApp text in Urdu, by a translator                               | content         | Translator | P0  | H4    | Open   |
| 8724 | Notice: late notice, first step: WhatsApp template submitted and approved in both languages           | commercial      | Partner    | P0  | H3    | Open   |
| 8725 | Notice: late notice, first step: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8726 | Notice: late notice, first step: logged with channel and delivery status                              | NotificationLog | Claude     | P0  |       | Done   |
| 8727 | Notice: late notice, first step: test that it fires once, at the right time, to the right member      | tests           | Claude     | P0  | 12    | Open   |
| 8728 | Notice: late notice, second step: trigger written in the notice job, with its timing                  | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8729 | Notice: late notice, second step: in the application text in English                                  | content         | Claude     | P0  |       | Done   |
| 8730 | Notice: late notice, second step: in the application text in Urdu, by a translator                    | content         | Translator | P0  | H4    | Open   |
| 8731 | Notice: late notice, second step: push text in English                                                | content         | Claude     | P0  |       | Done   |
| 8732 | Notice: late notice, second step: push text in Urdu, by a translator                                  | content         | Translator | P0  | H4    | Open   |
| 8733 | Notice: late notice, second step: WhatsApp text in English                                            | content         | Claude     | P0  |       | Done   |



| #    | Item                                                                                                                 | Where           | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8734 | Notice: late notice, second step: WhatsApp text in Urdu, by a translator                                             | content         | Translator | P0  | H4    | Open   |
| 8735 | Notice: late notice, second step: WhatsApp template submitted and approved in both languages                         | commercial      | Partner    | P0  | H3    | Open   |
| 8736 | Notice: late notice, second step: always sent, whatever the member's preferences, as a financial alert               | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8737 | Notice: late notice, second step: logged with channel and delivery status                                            | NotificationLog | Claude     | P0  |       | Done   |
| 8738 | Notice: late notice, second step: test that it fires once, at the right time, to the right member                    | tests           | Claude     | P0  | 12    | Open   |
| 8739 | Notice: late notice, third step: trigger written in the notice job, with its timing                                  | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8740 | Notice: late notice, third step: in the application text in English                                                  | content         | Claude     | P0  |       | Done   |
| 8741 | Notice: late notice, third step: in the application text in Urdu, by a translator                                    | content         | Translator | P0  | H4    | Open   |
| 8742 | Notice: late notice, third step: push text in English                                                                | content         | Claude     | P0  |       | Done   |
| 8743 | Notice: late notice, third step: push text in Urdu, by a translator                                                  | content         | Translator | P0  | H4    | Open   |
| 8744 | Notice: late notice, third step: WhatsApp text in English                                                            | content         | Claude     | P0  |       | Done   |
| 8745 | Notice: late notice, third step: WhatsApp text in Urdu, by a translator                                              | content         | Translator | P0  | H4    | Open   |
| 8746 | Notice: late notice, third step: WhatsApp template submitted and approved in both languages                          | commercial      | Partner    | P0  | H3    | Open   |
| 8747 | Notice: late notice, third step: always sent, whatever the member's preferences, as a financial alert                | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8748 | Notice: late notice, third step: logged with channel and delivery status                                             | NotificationLog | Claude     | P0  |       | Done   |
| 8749 | Notice: late notice, third step: test that it fires once, at the right time, to the right member                     | tests           | Claude     | P0  | 12    | Open   |
| 8750 | Notice: arrears set off at the member's payout: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8751 | Notice: arrears set off at the member's payout: in the application text in English                                   | content         | Claude     | P1  |       | Done   |
| 8752 | Notice: arrears set off at the member's payout: in the application text in Urdu, by a translator                     | content         | Translator | P1  | H4    | Open   |
| 8753 | Notice: arrears set off at the member's payout: push text in English                                                 | content         | Claude     | P1  |       | Done   |
| 8754 | Notice: arrears set off at the member's payout: push text in Urdu, by a translator                                   | content         | Translator | P1  | H4    | Open   |
| 8755 | Notice: arrears set off at the member's payout: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8756 | Notice: arrears set off at the member's payout: logged with channel and delivery status                              | NotificationLog | Claude     | P1  |       | Done   |
| 8757 | Notice: arrears set off at the member's payout: test that it fires once, at the right time, to the right member      | tests           | Claude     | P1  | 39    | Open   |
| 8758 | Notice: hardship plan agreed: trigger written in the notice job, with its timing                                     | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8759 | Notice: hardship plan agreed: in the application text in English                                                     | content         | Claude     | P1  |       | Done   |
| 8760 | Notice: hardship plan agreed: in the application text in Urdu, by a translator                                       | content         | Translator | P1  | H4    | Open   |
| 8761 | Notice: hardship plan agreed: push text in English                                                                   | content         | Claude     | P1  |       | Done   |
| 8762 | Notice: hardship plan agreed: push text in Urdu, by a translator                                                     | content         | Translator | P1  | H4    | Open   |
| 8763 | Notice: hardship plan agreed: WhatsApp text in English                                                               | content         | Claude     | P1  |       | Done   |
| 8764 | Notice: hardship plan agreed: WhatsApp text in Urdu, by a translator                                                 | content         | Translator | P1  | H4    | Open   |

| #    | Item                                                                                                         | Where           | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8765 | Notice: hardship plan agreed: WhatsApp template submitted and approved in both languages                     | commercial      | Partner    | P1  | H3    | Open   |
| 8766 | Notice: hardship plan agreed: respects the member's preferences and quiet hours                              | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8767 | Notice: hardship plan agreed: logged with channel and delivery status                                        | NotificationLog | Claude     | P1  |       | Done   |
| 8768 | Notice: hardship plan agreed: test that it fires once, at the right time, to the right member                | tests           | Claude     | P1  | 39    | Open   |
| 8769 | Notice: account restricted for arrears: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8770 | Notice: account restricted for arrears: in the application text in English                                   | content         | Claude     | P1  |       | Done   |
| 8771 | Notice: account restricted for arrears: in the application text in Urdu, by a translator                     | content         | Translator | P1  | H4    | Open   |
| 8772 | Notice: account restricted for arrears: push text in English                                                 | content         | Claude     | P1  |       | Done   |
| 8773 | Notice: account restricted for arrears: push text in Urdu, by a translator                                   | content         | Translator | P1  | H4    | Open   |
| 8774 | Notice: account restricted for arrears: WhatsApp text in English                                             | content         | Claude     | P1  |       | Done   |
| 8775 | Notice: account restricted for arrears: WhatsApp text in Urdu, by a translator                               | content         | Translator | P1  | H4    | Open   |
| 8776 | Notice: account restricted for arrears: WhatsApp template submitted and approved in both languages           | commercial      | Partner    | P1  | H3    | Open   |
| 8777 | Notice: account restricted for arrears: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8778 | Notice: account restricted for arrears: logged with channel and delivery status                              | NotificationLog | Claude     | P1  |       | Done   |
| 8779 | Notice: account restricted for arrears: test that it fires once, at the right time, to the right member      | tests           | Claude     | P1  | 39    | Open   |

#### AH5. Circles and turns

| #    | Item                                                                                         | Where           | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8780 | Notice: invited to a circle: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8781 | Notice: invited to a circle: push text in English                                            | content         | Claude     | P1  |       | Done   |
| 8782 | Notice: invited to a circle: push text in Urdu, by a translator                              | content         | Translator | P1  | H4    | Open   |
| 8783 | Notice: invited to a circle: WhatsApp text in English                                        | content         | Claude     | P1  |       | Done   |
| 8784 | Notice: invited to a circle: WhatsApp text in Urdu, by a translator                          | content         | Translator | P1  | H4    | Open   |
| 8785 | Notice: invited to a circle: WhatsApp template submitted and approved in both languages      | commercial      | Partner    | P1  | H3    | Open   |
| 8786 | Notice: invited to a circle: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8787 | Notice: invited to a circle: logged with channel and delivery status                         | NotificationLog | Claude     | P1  |       | Done   |
| 8788 | Notice: invited to a circle: test that it fires once, at the right time, to the right member | tests           | Claude     | P1  | 39    | Open   |
| 8789 | Notice: admitted by the host: trigger written in the notice job, with its timing             | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8790 | Notice: admitted by the host: in the application text in English                             | content         | Claude     | P1  |       | Done   |
| 8791 | Notice: admitted by the host: in the application text in Urdu, by a translator               | content         | Translator | P1  | H4    | Open   |
| 8792 | Notice: admitted by the host: push text in English                                           | content         | Claude     | P1  |       | Done   |

| #    | Item                                                                                                         | Where           | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8793 | Notice: admitted by the host: push text in Urdu, by a translator                                             | content         | Translator | P1  | H4    | Open   |
| 8794 | Notice: admitted by the host: WhatsApp text in English                                                       | content         | Claude     | P1  |       | Done   |
| 8795 | Notice: admitted by the host: WhatsApp text in Urdu, by a translator                                         | content         | Translator | P1  | H4    | Open   |
| 8796 | Notice: admitted by the host: WhatsApp template submitted and approved in both languages                     | commercial      | Partner    | P1  | H3    | Open   |
| 8797 | Notice: admitted by the host: respects the member's preferences and quiet hours                              | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8798 | Notice: admitted by the host: logged with channel and delivery status                                        | NotificationLog | Claude     | P1  |       | Done   |
| 8799 | Notice: admitted by the host: test that it fires once, at the right time, to the right member                | tests           | Claude     | P1  | 39    | Open   |
| 8800 | Notice: admission declined, with the reason: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8801 | Notice: admission declined, with the reason: in the application text in English                              | content         | Claude     | P1  |       | Done   |
| 8802 | Notice: admission declined, with the reason: in the application text in Urdu, by a translator                | content         | Translator | P1  | H4    | Open   |
| 8803 | Notice: admission declined, with the reason: push text in English                                            | content         | Claude     | P1  |       | Done   |
| 8804 | Notice: admission declined, with the reason: push text in Urdu, by a translator                              | content         | Translator | P1  | H4    | Open   |
| 8805 | Notice: admission declined, with the reason: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8806 | Notice: admission declined, with the reason: logged with channel and delivery status                         | NotificationLog | Claude     | P1  |       | Done   |
| 8807 | Notice: admission declined, with the reason: test that it fires once, at the right time, to the right member | tests           | Claude     | P1  | 39    | Open   |
| 8808 | Notice: waiting list position changed: trigger written in the notice job, with its timing                    | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8809 | Notice: waiting list position changed: in the application text in English                                    | content         | Claude     | P2  |       | Done   |
| 8810 | Notice: waiting list position changed: in the application text in Urdu, by a translator                      | content         | Translator | P2  | H4    | Open   |
| 8811 | Notice: waiting list position changed: respects the member's preferences and quiet hours                     | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8812 | Notice: waiting list position changed: logged with channel and delivery status                               | NotificationLog | Claude     | P2  |       | Done   |
| 8813 | Notice: waiting list position changed: test that it fires once, at the right time, to the right member       | tests           | Claude     | P2  | 70    | Open   |
| 8814 | Notice: circle starts: trigger written in the notice job, with its timing                                    | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8815 | Notice: circle starts: in the application text in English                                                    | content         | Claude     | P1  |       | Done   |
| 8816 | Notice: circle starts: in the application text in Urdu, by a translator                                      | content         | Translator | P1  | H4    | Open   |
| 8817 | Notice: circle starts: push text in English                                                                  | content         | Claude     | P1  |       | Done   |
| 8818 | Notice: circle starts: push text in Urdu, by a translator                                                    | content         | Translator | P1  | H4    | Open   |
| 8819 | Notice: circle starts: WhatsApp text in English                                                              | content         | Claude     | P1  |       | Done   |
| 8820 | Notice: circle starts: WhatsApp text in Urdu, by a translator                                                | content         | Translator | P1  | H4    | Open   |
| 8821 | Notice: circle starts: WhatsApp template submitted and approved in both languages                            | commercial      | Partner    | P1  | H3    | Open   |
| 8822 | Notice: circle starts: respects the member's preferences and quiet hours                                     | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8823 | Notice: circle starts: logged with channel and delivery status                                               | NotificationLog | Claude     | P1  |       | Done   |

| #    | Item                                                                                                              | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8824 | Notice: circle starts: test that it fires once, at the right time, to the right member                            | tests           | Claude     | P1  | 39    | Open   |
| 8825 | Notice: turn due next month: trigger written in the notice job, with its timing                                   | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8826 | Notice: turn due next month: in the application text in English                                                   | content         | Claude     | P1  |       | Done   |
| 8827 | Notice: turn due next month: in the application text in Urdu, by a translator                                     | content         | Translator | P1  | H4    | Open   |
| 8828 | Notice: turn due next month: push text in English                                                                 | content         | Claude     | P1  |       | Done   |
| 8829 | Notice: turn due next month: push text in Urdu, by a translator                                                   | content         | Translator | P1  | H4    | Open   |
| 8830 | Notice: turn due next month: WhatsApp text in English                                                             | content         | Claude     | P1  |       | Done   |
| 8831 | Notice: turn due next month: WhatsApp text in Urdu, by a translator                                               | content         | Translator | P1  | H4    | Open   |
| 8832 | Notice: turn due next month: WhatsApp template submitted and approved in both languages                           | commercial      | Partner    | P1  | H3    | Open   |
| 8833 | Notice: turn due next month: respects the member's preferences and quiet hours                                    | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8834 | Notice: turn due next month: logged with channel and delivery status                                              | NotificationLog | Claude     | P1  |       | Done   |
| 8835 | Notice: turn due next month: test that it fires once, at the right time, to the right member                      | tests           | Claude     | P1  | 39    | Open   |
| 8836 | Notice: payout sent to the member's account: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8837 | Notice: payout sent to the member's account: in the application text in English                                   | content         | Claude     | P0  |       | Done   |
| 8838 | Notice: payout sent to the member's account: in the application text in Urdu, by a translator                     | content         | Translator | P0  | H4    | Open   |
| 8839 | Notice: payout sent to the member's account: push text in English                                                 | content         | Claude     | P0  |       | Done   |
| 8840 | Notice: payout sent to the member's account: push text in Urdu, by a translator                                   | content         | Translator | P0  | H4    | Open   |
| 8841 | Notice: payout sent to the member's account: WhatsApp text in English                                             | content         | Claude     | P0  |       | Done   |
| 8842 | Notice: payout sent to the member's account: WhatsApp text in Urdu, by a translator                               | content         | Translator | P0  | H4    | Open   |
| 8843 | Notice: payout sent to the member's account: WhatsApp template submitted and approved in both languages           | commercial      | Partner    | P0  | H3    | Open   |
| 8844 | Notice: payout sent to the member's account: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8845 | Notice: payout sent to the member's account: logged with channel and delivery status                              | NotificationLog | Claude     | P0  |       | Done   |
| 8846 | Notice: payout sent to the member's account: test that it fires once, at the right time, to the right member      | tests           | Claude     | P0  | 12    | Open   |
| 8847 | Notice: payout failed, with the next step: trigger written in the notice job, with its timing                     | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8848 | Notice: payout failed, with the next step: in the application text in English                                     | content         | Claude     | P0  |       | Done   |
| 8849 | Notice: payout failed, with the next step: in the application text in Urdu, by a translator                       | content         | Translator | P0  | H4    | Open   |
| 8850 | Notice: payout failed, with the next step: push text in English                                                   | content         | Claude     | P0  |       | Done   |
| 8851 | Notice: payout failed, with the next step: push text in Urdu, by a translator                                     | content         | Translator | P0  | H4    | Open   |
| 8852 | Notice: payout failed, with the next step: WhatsApp text in English                                               | content         | Claude     | P0  |       | Done   |
| 8853 | Notice: payout failed, with the next step: WhatsApp text in Urdu, by a translator                                 | content         | Translator | P0  | H4    | Open   |
| 8854 | Notice: payout failed, with the next step: WhatsApp template submitted and approved in both languages             | commercial      | Partner    | P0  | H3    | Open   |

| #    | Item                                                                                                                       | Where           | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8855 | Notice: payout failed, with the next step: always sent, whatever the member's preferences, as a financial alert            | lib/notices.ts  | Claude     | P0  |       | Done   |
| 8856 | Notice: payout failed, with the next step: logged with channel and delivery status                                         | NotificationLog | Claude     | P0  |       | Done   |
| 8857 | Notice: payout failed, with the next step: test that it fires once, at the right time, to the right member                 | tests           | Claude     | P0  | 12    | Open   |
| 8858 | Notice: circle completed: trigger written in the notice job, with its timing                                               | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8859 | Notice: circle completed: in the application text in English                                                               | content         | Claude     | P1  |       | Done   |
| 8860 | Notice: circle completed: in the application text in Urdu, by a translator                                                 | content         | Translator | P1  | H4    | Open   |
| 8861 | Notice: circle completed: push text in English                                                                             | content         | Claude     | P1  |       | Done   |
| 8862 | Notice: circle completed: push text in Urdu, by a translator                                                               | content         | Translator | P1  | H4    | Open   |
| 8863 | Notice: circle completed: WhatsApp text in English                                                                         | content         | Claude     | P1  |       | Done   |
| 8864 | Notice: circle completed: WhatsApp text in Urdu, by a translator                                                           | content         | Translator | P1  | H4    | Open   |
| 8865 | Notice: circle completed: WhatsApp template submitted and approved in both languages                                       | commercial      | Partner    | P1  | H3    | Open   |
| 8866 | Notice: circle completed: respects the member's preferences and quiet hours                                                | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8867 | Notice: circle completed: logged with channel and delivery status                                                          | NotificationLog | Claude     | P1  |       | Done   |
| 8868 | Notice: circle completed: test that it fires once, at the right time, to the right member                                  | tests           | Claude     | P1  | 39    | Open   |
| 8869 | Notice: order of turns set by ballot, with the result: trigger written in the notice job, with its timing                  | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8870 | Notice: order of turns set by ballot, with the result: in the application text in English                                  | content         | Claude     | P2  |       | Done   |
| 8871 | Notice: order of turns set by ballot, with the result: in the application text in Urdu, by a translator                    | content         | Translator | P2  | H4    | Open   |
| 8872 | Notice: order of turns set by ballot, with the result: push text in English                                                | content         | Claude     | P2  |       | Done   |
| 8873 | Notice: order of turns set by ballot, with the result: push text in Urdu, by a translator                                  | content         | Translator | P2  | H4    | Open   |
| 8874 | Notice: order of turns set by ballot, with the result: respects the member's preferences and quiet hours                   | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8875 | Notice: order of turns set by ballot, with the result: logged with channel and delivery status                             | NotificationLog | Claude     | P2  |       | Done   |
| 8876 | Notice: order of turns set by ballot, with the result: test that it fires once, at the right time, to the right member     | tests           | Claude     | P2  | 70    | Open   |
| 8877 | Notice: rules of the circle changed with the members' approval: trigger written in the notice job, with its timing         | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8878 | Notice: rules of the circle changed with the members' approval: in the application text in English                         | content         | Claude     | P2  |       | Done   |
| 8879 | Notice: rules of the circle changed with the members' approval: in the application text in Urdu, by a translator           | content         | Translator | P2  | H4    | Open   |
| 8880 | Notice: rules of the circle changed with the members' approval: push text in English                                       | content         | Claude     | P2  |       | Done   |
| 8881 | Notice: rules of the circle changed with the members' approval: push text in Urdu, by a translator                         | content         | Translator | P2  | H4    | Open   |
| 8882 | Notice: rules of the circle changed with the members' approval: WhatsApp text in English                                   | content         | Claude     | P2  |       | Done   |
| 8883 | Notice: rules of the circle changed with the members' approval: WhatsApp text in Urdu, by a translator                     | content         | Translator | P2  | H4    | Open   |
| 8884 | Notice: rules of the circle changed with the members' approval: WhatsApp template submitted and approved in both languages | commercial      | Partner    | P2  | H4    | Open   |

| #    | Item                                                                                                                            | Where           | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|-----|-------|--------|
| 8885 | Notice: rules of the circle changed with the members' approval: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude | P2  |       | Done   |
| 8886 | Notice: rules of the circle changed with the members' approval: logged with channel and delivery status                         | NotificationLog | Claude | P2  |       | Done   |
| 8887 | Notice: rules of the circle changed with the members' approval: test that it fires once, at the right time, to the right member | tests           | Claude | P2  | 70    | Open   |

#### AH6. For hosts

| #    | Item                                                                                                      | Where           | Owner      | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8888 | Notice: new applicant waiting: trigger written in the notice job, with its timing                         | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8889 | Notice: new applicant waiting: in the application text in English                                         | content         | Claude     | P1  |       | Done   |
| 8890 | Notice: new applicant waiting: in the application text in Urdu, by a translator                           | content         | Translator | P1  | H4    | Open   |
| 8891 | Notice: new applicant waiting: push text in English                                                       | content         | Claude     | P1  |       | Done   |
| 8892 | Notice: new applicant waiting: push text in Urdu, by a translator                                         | content         | Translator | P1  | H4    | Open   |
| 8893 | Notice: new applicant waiting: respects the member's preferences and quiet hours                          | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8894 | Notice: new applicant waiting: logged with channel and delivery status                                    | NotificationLog | Claude     | P1  |       | Done   |
| 8895 | Notice: new applicant waiting: test that it fires once, at the right time, to the right member            | tests           | Claude     | P1  | 39    | Open   |
| 8896 | Notice: member late in the host's circle: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8897 | Notice: member late in the host's circle: in the application text in English                              | content         | Claude     | P1  |       | Done   |
| 8898 | Notice: member late in the host's circle: in the application text in Urdu, by a translator                | content         | Translator | P1  | H4    | Open   |
| 8899 | Notice: member late in the host's circle: push text in English                                            | content         | Claude     | P1  |       | Done   |
| 8900 | Notice: member late in the host's circle: push text in Urdu, by a translator                              | content         | Translator | P1  | H4    | Open   |
| 8901 | Notice: member late in the host's circle: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8902 | Notice: member late in the host's circle: logged with channel and delivery status                         | NotificationLog | Claude     | P1  |       | Done   |
| 8903 | Notice: member late in the host's circle: test that it fires once, at the right time, to the right member | tests           | Claude     | P1  | 39    | Open   |
| 8904 | Notice: removal vote opened: trigger written in the notice job, with its timing                           | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8905 | Notice: removal vote opened: in the application text in English                                           | content         | Claude     | P1  |       | Done   |
| 8906 | Notice: removal vote opened: in the application text in Urdu, by a translator                             | content         | Translator | P1  | H4    | Open   |
| 8907 | Notice: removal vote opened: push text in English                                                         | content         | Claude     | P1  |       | Done   |
| 8908 | Notice: removal vote opened: push text in Urdu, by a translator                                           | content         | Translator | P1  | H4    | Open   |
| 8909 | Notice: removal vote opened: respects the member's preferences and quiet hours                            | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8910 | Notice: removal vote opened: logged with channel and delivery status                                      | NotificationLog | Claude     | P1  |       | Done   |
| 8911 | Notice: removal vote opened: test that it fires once, at the right time, to the right member              | tests           | Claude     | P1  | 39    | Open   |
| 8912 | Notice: mandate coverage below the circle's rule: trigger written in the notice job, with its timing      | lib/notices.ts  | Claude     | P2  |       | Done   |

| #    | Item                                                                                                              | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8913 | Notice: mandate coverage below the circle's rule: in the application text in English                              | content         | Claude     | P2  |       | Done   |
| 8914 | Notice: mandate coverage below the circle's rule: in the application text in Urdu, by a translator                | content         | Translator | P2  | H4    | Open   |
| 8915 | Notice: mandate coverage below the circle's rule: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8916 | Notice: mandate coverage below the circle's rule: logged with channel and delivery status                         | NotificationLog | Claude     | P2  |       | Done   |
| 8917 | Notice: mandate coverage below the circle's rule: test that it fires once, at the right time, to the right member | tests           | Claude     | P2  | 70    | Open   |

#### AH7. Leaving and recovery

| #    | Item                                                                                           | Where           | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8918 | Notice: exit request received: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8919 | Notice: exit request received: in the application text in English                              | content         | Claude     | P1  |       | Done   |
| 8920 | Notice: exit request received: in the application text in Urdu, by a translator                | content         | Translator | P1  | H4    | Open   |
| 8921 | Notice: exit request received: push text in English                                            | content         | Claude     | P1  |       | Done   |
| 8922 | Notice: exit request received: push text in Urdu, by a translator                              | content         | Translator | P1  | H4    | Open   |
| 8923 | Notice: exit request received: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8924 | Notice: exit request received: logged with channel and delivery status                         | NotificationLog | Claude     | P1  |       | Done   |
| 8925 | Notice: exit request received: test that it fires once, at the right time, to the right member | tests           | Claude     | P1  | 39    | Open   |
| 8926 | Notice: exit vote result: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8927 | Notice: exit vote result: in the application text in English                                   | content         | Claude     | P1  |       | Done   |
| 8928 | Notice: exit vote result: in the application text in Urdu, by a translator                     | content         | Translator | P1  | H4    | Open   |
| 8929 | Notice: exit vote result: push text in English                                                 | content         | Claude     | P1  |       | Done   |
| 8930 | Notice: exit vote result: push text in Urdu, by a translator                                   | content         | Translator | P1  | H4    | Open   |
| 8931 | Notice: exit vote result: respects the member's preferences and quiet hours                    | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8932 | Notice: exit vote result: logged with channel and delivery status                              | NotificationLog | Claude     | P1  |       | Done   |
| 8933 | Notice: exit vote result: test that it fires once, at the right time, to the right member      | tests           | Claude     | P1  | 39    | Open   |
| 8934 | Notice: exit settled: trigger written in the notice job, with its timing                       | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8935 | Notice: exit settled: in the application text in English                                       | content         | Claude     | P1  |       | Done   |
| 8936 | Notice: exit settled: in the application text in Urdu, by a translator                         | content         | Translator | P1  | H4    | Open   |
| 8937 | Notice: exit settled: push text in English                                                     | content         | Claude     | P1  |       | Done   |
| 8938 | Notice: exit settled: push text in Urdu, by a translator                                       | content         | Translator | P1  | H4    | Open   |
| 8939 | Notice: exit settled: WhatsApp text in English                                                 | content         | Claude     | P1  |       | Done   |
| 8940 | Notice: exit settled: WhatsApp text in Urdu, by a translator                                   | content         | Translator | P1  | H4    | Open   |

| #    | Item                                                                                                                          | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8941 | Notice: exit settled: WhatsApp template submitted and approved in both languages                                              | commercial      | Partner    | P1  | H3    | Open   |
| 8942 | Notice: exit settled: always sent, whatever the member's preferences, as a financial alert                                    | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8943 | Notice: exit settled: logged with channel and delivery status                                                                 | NotificationLog | Claude     | P1  |       | Done   |
| 8944 | Notice: exit settled: test that it fires once, at the right time, to the right member                                         | tests           | Claude     | P1  | 39    | Open   |
| 8945 | Notice: takaful or insurance claim lodged by the operator: trigger written in the notice job, with its timing                 | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8946 | Notice: takaful or insurance claim lodged by the operator: in the application text in English                                 | content         | Claude     | P1  |       | Done   |
| 8947 | Notice: takaful or insurance claim lodged by the operator: in the application text in Urdu, by a translator                   | content         | Translator | P1  | H4    | Open   |
| 8948 | Notice: takaful or insurance claim lodged by the operator: push text in English                                               | content         | Claude     | P1  |       | Done   |
| 8949 | Notice: takaful or insurance claim lodged by the operator: push text in Urdu, by a translator                                 | content         | Translator | P1  | H4    | Open   |
| 8950 | Notice: takaful or insurance claim lodged by the operator: WhatsApp text in English                                           | content         | Claude     | P1  |       | Done   |
| 8951 | Notice: takaful or insurance claim lodged by the operator: WhatsApp text in Urdu, by a translator                             | content         | Translator | P1  | H4    | Open   |
| 8952 | Notice: takaful or insurance claim lodged by the operator: WhatsApp template submitted and approved in both languages         | commercial      | Partner    | P1  | H3    | Open   |
| 8953 | Notice: takaful or insurance claim lodged by the operator: respects the member's preferences and quiet hours                  | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8954 | Notice: takaful or insurance claim lodged by the operator: logged with channel and delivery status                            | NotificationLog | Claude     | P1  |       | Done   |
| 8955 | Notice: takaful or insurance claim lodged by the operator: test that it fires once, at the right time, to the right member    | tests           | Claude     | P1  | 39    | Open   |
| 8956 | Notice: takaful or insurance claim paid by the operator: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8957 | Notice: takaful or insurance claim paid by the operator: in the application text in English                                   | content         | Claude     | P1  |       | Done   |
| 8958 | Notice: takaful or insurance claim paid by the operator: in the application text in Urdu, by a translator                     | content         | Translator | P1  | H4    | Open   |
| 8959 | Notice: takaful or insurance claim paid by the operator: push text in English                                                 | content         | Claude     | P1  |       | Done   |
| 8960 | Notice: takaful or insurance claim paid by the operator: push text in Urdu, by a translator                                   | content         | Translator | P1  | H4    | Open   |
| 8961 | Notice: takaful or insurance claim paid by the operator: WhatsApp text in English                                             | content         | Claude     | P1  |       | Done   |
| 8962 | Notice: takaful or insurance claim paid by the operator: WhatsApp text in Urdu, by a translator                               | content         | Translator | P1  | H4    | Open   |
| 8963 | Notice: takaful or insurance claim paid by the operator: WhatsApp template submitted and approved in both languages           | commercial      | Partner    | P1  | H3    | Open   |
| 8964 | Notice: takaful or insurance claim paid by the operator: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P1  |       | Done   |
| 8965 | Notice: takaful or insurance claim paid by the operator: logged with channel and delivery status                              | NotificationLog | Claude     | P1  |       | Done   |
| 8966 | Notice: takaful or insurance claim paid by the operator: test that it fires once, at the right time, to the right member      | tests           | Claude     | P1  | 39    | Open   |



#### AH8. Points, marketplace and turns

| #    | Item                                                                                                             | Where           | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8967 | Notice: end of circle reward credited as points: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8968 | Notice: end of circle reward credited as points: in the application text in English                              | content         | Claude     | P2  |       | Done   |
| 8969 | Notice: end of circle reward credited as points: in the application text in Urdu, by a translator                | content         | Translator | P2  | H4    | Open   |
| 8970 | Notice: end of circle reward credited as points: push text in English                                            | content         | Claude     | P2  |       | Done   |
| 8971 | Notice: end of circle reward credited as points: push text in Urdu, by a translator                              | content         | Translator | P2  | H4    | Open   |
| 8972 | Notice: end of circle reward credited as points: WhatsApp text in English                                        | content         | Claude     | P2  |       | Done   |
| 8973 | Notice: end of circle reward credited as points: WhatsApp text in Urdu, by a translator                          | content         | Translator | P2  | H4    | Open   |
| 8974 | Notice: end of circle reward credited as points: WhatsApp template submitted and approved in both languages      | commercial      | Partner    | P2  | H4    | Open   |
| 8975 | Notice: end of circle reward credited as points: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8976 | Notice: end of circle reward credited as points: logged with channel and delivery status                         | NotificationLog | Claude     | P2  |       | Done   |
| 8977 | Notice: end of circle reward credited as points: test that it fires once, at the right time, to the right member | tests           | Claude     | P2  | 70    | Open   |
| 8978 | Notice: on time points credited: trigger written in the notice job, with its timing                              | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8979 | Notice: on time points credited: in the application text in English                                              | content         | Claude     | P2  |       | Done   |
| 8980 | Notice: on time points credited: in the application text in Urdu, by a translator                                | content         | Translator | P2  | H4    | Open   |
| 8981 | Notice: on time points credited: respects the member's preferences and quiet hours                               | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8982 | Notice: on time points credited: logged with channel and delivery status                                         | NotificationLog | Claude     | P2  |       | Done   |
| 8983 | Notice: on time points credited: test that it fires once, at the right time, to the right member                 | tests           | Claude     | P2  | 70    | Open   |
| 8984 | Notice: points bought (Mashreq): trigger written in the notice job, with its timing                              | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8985 | Notice: points bought (Mashreq): in the application text in English                                              | content         | Claude     | P2  |       | Done   |
| 8986 | Notice: points bought (Mashreq): in the application text in Urdu, by a translator                                | content         | Translator | P2  | H4    | Open   |
| 8987 | Notice: points bought (Mashreq): push text in English                                                            | content         | Claude     | P2  |       | Done   |
| 8988 | Notice: points bought (Mashreq): push text in Urdu, by a translator                                              | content         | Translator | P2  | H4    | Open   |
| 8989 | Notice: points bought (Mashreq): always sent, whatever the member's preferences, as a financial alert            | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8990 | Notice: points bought (Mashreq): logged with channel and delivery status                                         | NotificationLog | Claude     | P2  |       | Done   |
| 8991 | Notice: points bought (Mashreq): test that it fires once, at the right time, to the right member                 | tests           | Claude     | P2  | 70    | Open   |
| 8992 | Notice: order placed: trigger written in the notice job, with its timing                                         | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8993 | Notice: order placed: in the application text in English                                                         | content         | Claude     | P2  |       | Done   |
| 8994 | Notice: order placed: in the application text in Urdu, by a translator                                           | content         | Translator | P2  | H4    | Open   |
| 8995 | Notice: order placed: push text in English                                                                       | content         | Claude     | P2  |       | Done   |
| 8996 | Notice: order placed: push text in Urdu, by a translator                                                         | content         | Translator | P2  | H4    | Open   |

| #    | Item                                                                                                         | Where           | Owner      | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 8997 | Notice: order placed: respects the member's preferences and quiet hours                                      | lib/notices.ts  | Claude     | P2  |       | Done   |
| 8998 | Notice: order placed: logged with channel and delivery status                                                | NotificationLog | Claude     | P2  |       | Done   |
| 8999 | Notice: order placed: test that it fires once, at the right time, to the right member                        | tests           | Claude     | P2  | 70    | Open   |
| 9000 | Notice: order shipped: trigger written in the notice job, with its timing                                    | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9001 | Notice: order shipped: in the application text in English                                                    | content         | Claude     | P2  |       | Done   |
| 9002 | Notice: order shipped: in the application text in Urdu, by a translator                                      | content         | Translator | P2  | H4    | Open   |
| 9003 | Notice: order shipped: push text in English                                                                  | content         | Claude     | P2  |       | Done   |
| 9004 | Notice: order shipped: push text in Urdu, by a translator                                                    | content         | Translator | P2  | H4    | Open   |
| 9005 | Notice: order shipped: respects the member's preferences and quiet hours                                     | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9006 | Notice: order shipped: logged with channel and delivery status                                               | NotificationLog | Claude     | P2  |       | Done   |
| 9007 | Notice: order shipped: test that it fires once, at the right time, to the right member                       | tests           | Claude     | P2  | 70    | Open   |
| 9008 | Notice: order delivered: trigger written in the notice job, with its timing                                  | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9009 | Notice: order delivered: in the application text in English                                                  | content         | Claude     | P2  |       | Done   |
| 9010 | Notice: order delivered: in the application text in Urdu, by a translator                                    | content         | Translator | P2  | H4    | Open   |
| 9011 | Notice: order delivered: push text in English                                                                | content         | Claude     | P2  |       | Done   |
| 9012 | Notice: order delivered: push text in Urdu, by a translator                                                  | content         | Translator | P2  | H4    | Open   |
| 9013 | Notice: order delivered: respects the member's preferences and quiet hours                                   | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9014 | Notice: order delivered: logged with channel and delivery status                                             | NotificationLog | Claude     | P2  |       | Done   |
| 9015 | Notice: order delivered: test that it fires once, at the right time, to the right member                     | tests           | Claude     | P2  | 70    | Open   |
| 9016 | Notice: return accepted and points refunded: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9017 | Notice: return accepted and points refunded: in the application text in English                              | content         | Claude     | P2  |       | Done   |
| 9018 | Notice: return accepted and points refunded: in the application text in Urdu, by a translator                | content         | Translator | P2  | H4    | Open   |
| 9019 | Notice: return accepted and points refunded: push text in English                                            | content         | Claude     | P2  |       | Done   |
| 9020 | Notice: return accepted and points refunded: push text in Urdu, by a translator                              | content         | Translator | P2  | H4    | Open   |
| 9021 | Notice: return accepted and points refunded: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9022 | Notice: return accepted and points refunded: logged with channel and delivery status                         | NotificationLog | Claude     | P2  |       | Done   |
| 9023 | Notice: return accepted and points refunded: test that it fires once, at the right time, to the right member | tests           | Claude     | P2  | 70    | Open   |
| 9024 | Notice: offer received on a listed turn: trigger written in the notice job, with its timing                  | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9025 | Notice: offer received on a listed turn: in the application text in English                                  | content         | Claude     | P2  |       | Done   |
| 9026 | Notice: offer received on a listed turn: in the application text in Urdu, by a translator                    | content         | Translator | P2  | H4    | Open   |
| 9027 | Notice: offer received on a listed turn: push text in English                                                | content         | Claude     | P2  |       | Done   |

| #    | Item                                                                                                       | Where           | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 9028 | Notice: offer received on a listed turn: push text in Urdu, by a translator                                | content         | Translator | P2  | H4    | Open   |
| 9029 | Notice: offer received on a listed turn: respects the member's preferences and quiet hours                 | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9030 | Notice: offer received on a listed turn: logged with channel and delivery status                           | NotificationLog | Claude     | P2  |       | Done   |
| 9031 | Notice: offer received on a listed turn: test that it fires once, at the right time, to the right member   | tests           | Claude     | P2  | 70    | Open   |
| 9032 | Notice: offer accepted, awaiting the host: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9033 | Notice: offer accepted, awaiting the host: in the application text in English                              | content         | Claude     | P2  |       | Done   |
| 9034 | Notice: offer accepted, awaiting the host: in the application text in Urdu, by a translator                | content         | Translator | P2  | H4    | Open   |
| 9035 | Notice: offer accepted, awaiting the host: push text in English                                            | content         | Claude     | P2  |       | Done   |
| 9036 | Notice: offer accepted, awaiting the host: push text in Urdu, by a translator                              | content         | Translator | P2  | H4    | Open   |
| 9037 | Notice: offer accepted, awaiting the host: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9038 | Notice: offer accepted, awaiting the host: logged with channel and delivery status                         | NotificationLog | Claude     | P2  |       | Done   |
| 9039 | Notice: offer accepted, awaiting the host: test that it fires once, at the right time, to the right member | tests           | Claude     | P2  | 70    | Open   |
| 9040 | Notice: trade settled: trigger written in the notice job, with its timing                                  | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9041 | Notice: trade settled: in the application text in English                                                  | content         | Claude     | P2  |       | Done   |
| 9042 | Notice: trade settled: in the application text in Urdu, by a translator                                    | content         | Translator | P2  | H4    | Open   |
| 9043 | Notice: trade settled: push text in English                                                                | content         | Claude     | P2  |       | Done   |
| 9044 | Notice: trade settled: push text in Urdu, by a translator                                                  | content         | Translator | P2  | H4    | Open   |
| 9045 | Notice: trade settled: always sent, whatever the member's preferences, as a financial alert                | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9046 | Notice: trade settled: logged with channel and delivery status                                             | NotificationLog | Claude     | P2  |       | Done   |
| 9047 | Notice: trade settled: test that it fires once, at the right time, to the right member                     | tests           | Claude     | P2  | 70    | Open   |
| 9048 | Notice: trade cancelled: trigger written in the notice job, with its timing                                | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9049 | Notice: trade cancelled: in the application text in English                                                | content         | Claude     | P2  |       | Done   |
| 9050 | Notice: trade cancelled: in the application text in Urdu, by a translator                                  | content         | Translator | P2  | H4    | Open   |
| 9051 | Notice: trade cancelled: push text in English                                                              | content         | Claude     | P2  |       | Done   |
| 9052 | Notice: trade cancelled: push text in Urdu, by a translator                                                | content         | Translator | P2  | H4    | Open   |
| 9053 | Notice: trade cancelled: respects the member's preferences and quiet hours                                 | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9054 | Notice: trade cancelled: logged with channel and delivery status                                           | NotificationLog | Claude     | P2  |       | Done   |
| 9055 | Notice: trade cancelled: test that it fires once, at the right time, to the right member                   | tests           | Claude     | P2  | 70    | Open   |

## AH9. Service

| #    | Item                                                                                                                         | Where           | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 9056 | Notice: complaint received, with its number: trigger written in the notice job, with its timing                              | lib/notices.ts  | Claude     | P1  |       | Done   |
| 9057 | Notice: complaint received, with its number: in the application text in English                                              | content         | Claude     | P1  |       | Done   |
| 9058 | Notice: complaint received, with its number: in the application text in Urdu, by a translator                                | content         | Translator | P1  | H4    | Open   |
| 9059 | Notice: complaint received, with its number: push text in English                                                            | content         | Claude     | P1  |       | Done   |
| 9060 | Notice: complaint received, with its number: push text in Urdu, by a translator                                              | content         | Translator | P1  | H4    | Open   |
| 9061 | Notice: complaint received, with its number: email text in English                                                           | content         | Claude     | P1  |       | Done   |
| 9062 | Notice: complaint received, with its number: email text in Urdu, by a translator                                             | content         | Translator | P1  | H4    | Open   |
| 9063 | Notice: complaint received, with its number: respects the member's preferences and quiet hours                               | lib/notices.ts  | Claude     | P1  |       | Done   |
| 9064 | Notice: complaint received, with its number: logged with channel and delivery status                                         | NotificationLog | Claude     | P1  |       | Done   |
| 9065 | Notice: complaint received, with its number: test that it fires once, at the right time, to the right member                 | tests           | Claude     | P1  | 39    | Open   |
| 9066 | Notice: complaint updated: trigger written in the notice job, with its timing                                                | lib/notices.ts  | Claude     | P1  |       | Done   |
| 9067 | Notice: complaint updated: in the application text in English                                                                | content         | Claude     | P1  |       | Done   |
| 9068 | Notice: complaint updated: in the application text in Urdu, by a translator                                                  | content         | Translator | P1  | H4    | Open   |
| 9069 | Notice: complaint updated: push text in English                                                                              | content         | Claude     | P1  |       | Done   |
| 9070 | Notice: complaint updated: push text in Urdu, by a translator                                                                | content         | Translator | P1  | H4    | Open   |
| 9071 | Notice: complaint updated: respects the member's preferences and quiet hours                                                 | lib/notices.ts  | Claude     | P1  |       | Done   |
| 9072 | Notice: complaint updated: logged with channel and delivery status                                                           | NotificationLog | Claude     | P1  |       | Done   |
| 9073 | Notice: complaint updated: test that it fires once, at the right time, to the right member                                   | tests           | Claude     | P1  | 39    | Open   |
| 9074 | Notice: complaint resolved, with the Banking Mohtasib route: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P1  |       | Done   |
| 9075 | Notice: complaint resolved, with the Banking Mohtasib route: in the application text in English                              | content         | Claude     | P1  |       | Done   |
| 9076 | Notice: complaint resolved, with the Banking Mohtasib route: in the application text in Urdu, by a translator                | content         | Translator | P1  | H4    | Open   |
| 9077 | Notice: complaint resolved, with the Banking Mohtasib route: push text in English                                            | content         | Claude     | P1  |       | Done   |
| 9078 | Notice: complaint resolved, with the Banking Mohtasib route: push text in Urdu, by a translator                              | content         | Translator | P1  | H4    | Open   |
| 9079 | Notice: complaint resolved, with the Banking Mohtasib route: email text in English                                           | content         | Claude     | P1  |       | Done   |
| 9080 | Notice: complaint resolved, with the Banking Mohtasib route: email text in Urdu, by a translator                             | content         | Translator | P1  | H4    | Open   |
| 9081 | Notice: complaint resolved, with the Banking Mohtasib route: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P1  |       | Done   |
| 9082 | Notice: complaint resolved, with the Banking Mohtasib route: logged with channel and delivery status                         | NotificationLog | Claude     | P1  |       | Done   |
| 9083 | Notice: complaint resolved, with the Banking Mohtasib route: test that it fires once, at the right time, to the right member | tests           | Claude     | P1  | 39    | Open   |
| 9084 | Notice: dispute opened: trigger written in the notice job, with its timing                                                   | lib/notices.ts  | Claude     | P0  |       | Done   |

| #    | Item                                                                                         | Where           | Owner      | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 9085 | Notice: dispute opened: in the application text in English                                   | content         | Claude     | P0  |       | Done   |
| 9086 | Notice: dispute opened: in the application text in Urdu, by a translator                     | content         | Translator | P0  | H4    | Open   |
| 9087 | Notice: dispute opened: push text in English                                                 | content         | Claude     | P0  |       | Done   |
| 9088 | Notice: dispute opened: push text in Urdu, by a translator                                   | content         | Translator | P0  | H4    | Open   |
| 9089 | Notice: dispute opened: respects the member's preferences and quiet hours                    | lib/notices.ts  | Claude     | P0  |       | Done   |
| 9090 | Notice: dispute opened: logged with channel and delivery status                              | NotificationLog | Claude     | P0  |       | Done   |
| 9091 | Notice: dispute opened: test that it fires once, at the right time, to the right member      | tests           | Claude     | P0  | 12    | Open   |
| 9092 | Notice: dispute resolved: trigger written in the notice job, with its timing                 | lib/notices.ts  | Claude     | P0  |       | Done   |
| 9093 | Notice: dispute resolved: in the application text in English                                 | content         | Claude     | P0  |       | Done   |
| 9094 | Notice: dispute resolved: in the application text in Urdu, by a translator                   | content         | Translator | P0  | H4    | Open   |
| 9095 | Notice: dispute resolved: push text in English                                               | content         | Claude     | P0  |       | Done   |
| 9096 | Notice: dispute resolved: push text in Urdu, by a translator                                 | content         | Translator | P0  | H4    | Open   |
| 9097 | Notice: dispute resolved: WhatsApp text in English                                           | content         | Claude     | P0  |       | Done   |
| 9098 | Notice: dispute resolved: WhatsApp text in Urdu, by a translator                             | content         | Translator | P0  | H4    | Open   |
| 9099 | Notice: dispute resolved: WhatsApp template submitted and approved in both languages         | commercial      | Partner    | P0  | H3    | Open   |
| 9100 | Notice: dispute resolved: respects the member's preferences and quiet hours                  | lib/notices.ts  | Claude     | P0  |       | Done   |
| 9101 | Notice: dispute resolved: logged with channel and delivery status                            | NotificationLog | Claude     | P0  |       | Done   |
| 9102 | Notice: dispute resolved: test that it fires once, at the right time, to the right member    | tests           | Claude     | P0  | 12    | Open   |
| 9103 | Notice: statement ready: trigger written in the notice job, with its timing                  | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9104 | Notice: statement ready: in the application text in English                                  | content         | Claude     | P2  |       | Done   |
| 9105 | Notice: statement ready: in the application text in Urdu, by a translator                    | content         | Translator | P2  | H4    | Open   |
| 9106 | Notice: statement ready: email text in English                                               | content         | Claude     | P2  |       | Done   |
| 9107 | Notice: statement ready: email text in Urdu, by a translator                                 | content         | Translator | P2  | H4    | Open   |
| 9108 | Notice: statement ready: respects the member's preferences and quiet hours                   | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9109 | Notice: statement ready: logged with channel and delivery status                             | NotificationLog | Claude     | P2  |       | Done   |
| 9110 | Notice: statement ready: test that it fires once, at the right time, to the right member     | tests           | Claude     | P2  | 70    | Open   |
| 9111 | Notice: terms updated, with what changed: trigger written in the notice job, with its timing | lib/notices.ts  | Claude     | P1  |       | Done   |
| 9112 | Notice: terms updated, with what changed: in the application text in English                 | content         | Claude     | P1  |       | Done   |
| 9113 | Notice: terms updated, with what changed: in the application text in Urdu, by a translator   | content         | Translator | P1  | H4    | Open   |
| 9114 | Notice: terms updated, with what changed: push text in English                               | content         | Claude     | P1  |       | Done   |
| 9115 | Notice: terms updated, with what changed: push text in Urdu, by a translator                 | content         | Translator | P1  | H4    | Open   |

| #    | Item                                                                                                       | Where           | Owner      | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 9116 | Notice: terms updated, with what changed: email text in English                                            | content         | Claude     | P1  |       | Done   |
| 9117 | Notice: terms updated, with what changed: email text in Urdu, by a translator                              | content         | Translator | P1  | H4    | Open   |
| 9118 | Notice: terms updated, with what changed: respects the member's preferences and quiet hours                | lib/notices.ts  | Claude     | P1  |       | Done   |
| 9119 | Notice: terms updated, with what changed: logged with channel and delivery status                          | NotificationLog | Claude     | P1  |       | Done   |
| 9120 | Notice: terms updated, with what changed: test that it fires once, at the right time, to the right member  | tests           | Claude     | P1  | 39    | Open   |
| 9121 | Notice: service interruption and recovery: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9122 | Notice: service interruption and recovery: in the application text in English                              | content         | Claude     | P2  |       | Done   |
| 9123 | Notice: service interruption and recovery: in the application text in Urdu, by a translator                | content         | Translator | P2  | H4    | Open   |
| 9124 | Notice: service interruption and recovery: push text in English                                            | content         | Claude     | P2  |       | Done   |
| 9125 | Notice: service interruption and recovery: push text in Urdu, by a translator                              | content         | Translator | P2  | H4    | Open   |
| 9126 | Notice: service interruption and recovery: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9127 | Notice: service interruption and recovery: logged with channel and delivery status                         | NotificationLog | Claude     | P2  |       | Done   |
| 9128 | Notice: service interruption and recovery: test that it fires once, at the right time, to the right member | tests           | Claude     | P2  | 70    | Open   |
| 9129 | Notice: data export ready: trigger written in the notice job, with its timing                              | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9130 | Notice: data export ready: in the application text in English                                              | content         | Claude     | P2  |       | Done   |
| 9131 | Notice: data export ready: in the application text in Urdu, by a translator                                | content         | Translator | P2  | H4    | Open   |
| 9132 | Notice: data export ready: email text in English                                                           | content         | Claude     | P2  |       | Done   |
| 9133 | Notice: data export ready: email text in Urdu, by a translator                                             | content         | Translator | P2  | H4    | Open   |
| 9134 | Notice: data export ready: respects the member's preferences and quiet hours                               | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9135 | Notice: data export ready: logged with channel and delivery status                                         | NotificationLog | Claude     | P2  |       | Done   |
| 9136 | Notice: data export ready: test that it fires once, at the right time, to the right member                 | tests           | Claude     | P2  | 70    | Open   |

#### AH10. Hyper

| #    | Item                                                                                              | Where           | Owner      | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 9137 | Notice: daily payment taken: trigger written in the notice job, with its timing                   | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9138 | Notice: daily payment taken: push text in English                                                 | content         | Claude     | P2  |       | Done   |
| 9139 | Notice: daily payment taken: push text in Urdu, by a translator                                   | content         | Translator | P2  | H4    | Open   |
| 9140 | Notice: daily payment taken: always sent, whatever the member's preferences, as a financial alert | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9141 | Notice: daily payment taken: logged with channel and delivery status                              | NotificationLog | Claude     | P2  |       | Done   |
| 9142 | Notice: daily payment taken: test that it fires once, at the right time, to the right member      | tests           | Claude     | P2  | 70    | Open   |
| 9143 | Notice: daily payment failed: trigger written in the notice job, with its timing                  | lib/notices.ts  | Claude     | P2  |       | Done   |

| #    | Item                                                                                                        | Where           | Owner      | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------------------|-----------------|------------|-----|-------|--------|
| 9144 | Notice: daily payment failed: in the application text in English                                            | content         | Claude     | P2  |       | Done   |
| 9145 | Notice: daily payment failed: in the application text in Urdu, by a translator                              | content         | Translator | P2  | H4    | Open   |
| 9146 | Notice: daily payment failed: push text in English                                                          | content         | Claude     | P2  |       | Done   |
| 9147 | Notice: daily payment failed: push text in Urdu, by a translator                                            | content         | Translator | P2  | H4    | Open   |
| 9148 | Notice: daily payment failed: always sent, whatever the member's preferences, as a financial alert          | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9149 | Notice: daily payment failed: logged with channel and delivery status                                       | NotificationLog | Claude     | P2  |       | Done   |
| 9150 | Notice: daily payment failed: test that it fires once, at the right time, to the right member               | tests           | Claude     | P2  | 70    | Open   |
| 9151 | Notice: collection day tomorrow: trigger written in the notice job, with its timing                         | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9152 | Notice: collection day tomorrow: in the application text in English                                         | content         | Claude     | P2  |       | Done   |
| 9153 | Notice: collection day tomorrow: in the application text in Urdu, by a translator                           | content         | Translator | P2  | H4    | Open   |
| 9154 | Notice: collection day tomorrow: push text in English                                                       | content         | Claude     | P2  |       | Done   |
| 9155 | Notice: collection day tomorrow: push text in Urdu, by a translator                                         | content         | Translator | P2  | H4    | Open   |
| 9156 | Notice: collection day tomorrow: respects the member's preferences and quiet hours                          | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9157 | Notice: collection day tomorrow: logged with channel and delivery status                                    | NotificationLog | Claude     | P2  |       | Done   |
| 9158 | Notice: collection day tomorrow: test that it fires once, at the right time, to the right member            | tests           | Claude     | P2  | 70    | Open   |
| 9159 | Notice: Hyper circle stopped by its limits: trigger written in the notice job, with its timing              | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9160 | Notice: Hyper circle stopped by its limits: in the application text in English                              | content         | Claude     | P2  |       | Done   |
| 9161 | Notice: Hyper circle stopped by its limits: in the application text in Urdu, by a translator                | content         | Translator | P2  | H4    | Open   |
| 9162 | Notice: Hyper circle stopped by its limits: push text in English                                            | content         | Claude     | P2  |       | Done   |
| 9163 | Notice: Hyper circle stopped by its limits: push text in Urdu, by a translator                              | content         | Translator | P2  | H4    | Open   |
| 9164 | Notice: Hyper circle stopped by its limits: respects the member's preferences and quiet hours               | lib/notices.ts  | Claude     | P2  |       | Done   |
| 9165 | Notice: Hyper circle stopped by its limits: logged with channel and delivery status                         | NotificationLog | Claude     | P2  |       | Done   |
| 9166 | Notice: Hyper circle stopped by its limits: test that it fires once, at the right time, to the right member | tests           | Claude     | P2  | 70    | Open   |

#### AH11. Rules for Every Message

| #    | Item                                                                                       | Where           | Owner  | Pri | Phase | Status      |
|------|--------------------------------------------------------------------------------------------|-----------------|--------|-----|-------|-------------|
| 9167 | No message carries a full account number, CNIC or balance of another member                | content         | Claude | P0  |       | Done        |
| 9168 | Quiet hours from 10 at night to 8 in the morning for anything that is not a security alert | lib/notices.ts  | Claude | P1  |       | Done        |
| 9169 | Roman Urdu as the first WhatsApp language where the member chose it                        | content         | Claude | P2  | 70    | Open        |
| 9170 | Every link in a message opens the application, never a web form asking for a PIN or code   | content         | Claude | P0  | 12    | Partly done |
| 9171 | Notification centre groups messages by day and marks them read                             | NoticesPage.tsx | Claude | P1  | 39    | Open        |

## AI. Tests

Each business rule with its own test case, then the journeys a member takes from start to finish, the load the service must carry, and the attacks it must resist. Items 568 to 591 are broken down here by rule and by journey.

### AI1. Fee

| #    | Item                                                                                                         | Where           | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------|-----------------|--------|-----|-------|--------|
| 9172 | Test, fee: Rs 85 charged on a monthly instalment of Rs 10,000                                                | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9173 | Test, fee: Rs 85 charged on instalments of Rs 2,000 and of Rs 25,000, the fee flat whatever the size         | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9174 | Test, fee: the same fee for the first seat and the last seat                                                 | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9175 | Test, fee: no charge of any kind for an early turn                                                           | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9176 | Test, fee: Hyper: Rs 15 a day on Design 1 and on Design 2                                                    | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9177 | Test, fee: PSP service fee of 1.5 per cent added only when a wallet or card is used                          | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9178 | Test, fee: no PSP service fee on a debit under the bank's mandate                                            | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9179 | Test, fee: PSP service fee rounded to the paisa the way the PSP rounds                                       | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9180 | Test, fee: discount of 80 per cent for a guarantee cheque and 50 per cent for verified income, never stacked | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9181 | Test, fee: points used against a fee never exceed the fee                                                    | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9182 | Test, fee: points for paying on time never exceed half the fee on that instalment, Rs 42.50                  | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9183 | Test, fee: the fee shown before payment equals the fee charged and the fee on the receipt                    | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9184 | Test, fee: the fee schedule version is recorded with every charge                                            | lib/fee-book.ts | Claude | P0  |       | Done   |
| 9185 | Test, fee: no fee is ever expressed as a rate except the PSP service fee                                     | lib/fee-book.ts | Claude | P0  |       | Done   |

### AI2. Split

| #    | Item                                                                                                                                 | Where        | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------|--------------|--------|-----|-------|--------|
| 9186 | Test, split: contribution, takaful or insurance fee, the Rs 85 fee and any PSP service fee add up to the amount debited              | lib/split.ts | Claude | P0  |       | Done   |
| 9187 | Test, split: Hyper Design 1: Rs 300, Rs 135 and Rs 15 make Rs 450                                                                    | lib/split.ts | Claude | P0  |       | Done   |
| 9188 | Test, split: Hyper Design 2: Rs 333.33, Rs 151.67 and Rs 15 make Rs 500, with the thirds rounded so the circle balances over 26 days | lib/split.ts | Claude | P0  |       | Done   |
| 9189 | Test, split: each part posted to its own ledger account in one transaction                                                           | lib/split.ts | Claude | P0  | 12    | Open   |
| 9190 | Test, split: the ledger balances after every posting                                                                                 | lib/split.ts | Claude | P0  | 12    | Open   |
| 9191 | Test, split: identity one: the pot equals the contribution multiplied by the number of rounds                                        | lib/split.ts | Claude | P0  |       | Done   |
| 9192 | Test, split: identity two: the roster equals collectors per period multiplied by the number of periods                               | lib/split.ts | Claude | P0  |       | Done   |
| 9193 | Test, split: a configuration that breaks either identity is refused at creation                                                      | lib/split.ts | Claude | P0  |       | Done   |
| 9194 | Test, split: a circle without takaful or insurance posts no such part                                                                | lib/split.ts | Claude | P0  |       | Done   |



### AI3. Seat eligibility

| #    | Item                                                                                                                            | Where              | Owner  | Pri | Phase | Status      |
|------|---------------------------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|-------------|
| 9195 | Test, seat eligibility: a real bureau record with a good score opens every seat, once TASDEEQ publishes its bands               | lib/score-bands.ts | Claude | P0  | 12    | Partly done |
| 9196 | Test, seat eligibility: no score counts as good until TASDEEQ publishes its bands, so a scored member stops at the middle seats | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9197 | Test, seat eligibility: a mid score on a real record opens the middle seats only                                                | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9198 | Test, seat eligibility: a low score on a real record is held to the last seats                                                  | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9199 | Test, seat eligibility: a record too thin to score opens the middle seats                                                       | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9200 | Test, seat eligibility: no bureau record at all starts in the last seats                                                        | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9201 | Test, seat eligibility: a low score on no record is not treated as a bad record                                                 | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9202 | Test, seat eligibility: one clean committee, known or unknown, opens every seat where the record could not speak                | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9203 | Test, seat eligibility: a clean committee does not excuse a low score resting on a real record                                  | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9204 | Test, seat eligibility: security covering the pot, less the relaxation of ten per cent, opens every seat                        | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9205 | Test, seat eligibility: security below the relaxation does not count                                                            | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9206 | Test, seat eligibility: security sources combine, and the total is what is tested                                               | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9207 | Test, seat eligibility: security cannot buy past a low score on a real record                                                   | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9208 | Test, seat eligibility: the last seats are the final three, never earlier than the second half of the circle                    | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9209 | Test, seat eligibility: the middle seats are the second half of the circle                                                      | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9210 | Test, seat eligibility: tiers scale to a circle of 20 in the same proportions                                                   | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9211 | Test, seat eligibility: tenure alone no longer decides a seat: the blanket quarantine is gone                                   | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9212 | Test, seat eligibility: a host cannot open an early seat on a circle between strangers                                          | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9213 | Test, seat eligibility: on a known circle the host's invitation stands in the matrix's place, as the affordability tests do     | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9214 | Test, seat eligibility: tiers are checked at joining, at every turn listing and at every bid, through one engine                | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9215 | Test, seat eligibility: tiers are recalculated at the close of every committee, from the clean completions it records           | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9216 | Test, seat eligibility: the ballot places members only in seats their tier allows                                               | lib/score-bands.ts | Claude | P0  |       | Done        |
| 9217 | Test, seat eligibility: the member is told why the seats above are closed and how to open them                                  | lib/score-bands.ts | Claude | P0  |       | Done        |

### AI4. Affordability

| #    | Item                                                                                               | Where                | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 9218 | Test, affordability: all instalments together within a third of verified income                    | lib/affordability.ts | Claude | P0  | 12    | Open   |
| 9219 | Test, affordability: within 40 per cent including loans reported by TASDEEQ                        | lib/affordability.ts | Claude | P0  | 12    | Open   |
| 9220 | Test, affordability: the weighted load and forward liability tests apply from the fourth committee | lib/affordability.ts | Claude | P0  | 12    | Open   |
| 9221 | Test, affordability: the tests apply to circles between strangers and Hyper, not to known circles  | lib/affordability.ts | Claude | P0  | 12    | Open   |

| #    | Item                                                                                   | Where                | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 9222 | Test, affordability: a refusal gives the reason and the amount that would fit          | lib/affordability.ts | Claude | P0  | 12    | Open   |
| 9223 | Test, affordability: income from the member's own transfers and from loans is excluded | lib/affordability.ts | Claude | P0  | 12    | Open   |

#### AI5. Identity confidence

| #    | Item                                                                            | Where                 | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 9224 | Test, identity confidence: a name match of 0.90 or more passes                  | lib/identity-score.ts | Claude | P1  | 39    | Open   |
| 9225 | Test, identity confidence: a name match from 0.80 to 0.90 goes to a person      | lib/identity-score.ts | Claude | P1  | 39    | Open   |
| 9226 | Test, identity confidence: a name match below 0.80 fails with the reason        | lib/identity-score.ts | Claude | P1  | 39    | Open   |
| 9227 | Test, identity confidence: a face match is required at level 2 and above        | lib/identity-score.ts | Claude | P1  | 39    | Open   |
| 9228 | Test, identity confidence: address and job checks raise the level as specified  | lib/identity-score.ts | Claude | P1  | 39    | Open   |
| 9229 | Test, identity confidence: levels 1 to 3 set from the combined checks           | lib/identity-score.ts | Claude | P1  | 39    | Open   |
| 9230 | Test, identity confidence: an expired CNIC lowers the level until it is renewed | lib/identity-score.ts | Claude | P1  | 39    | Open   |

#### AI6. Salary pattern

| #    | Item                                                                                                    | Where                 | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------|-----------------------|--------|-----|-------|--------|
| 9231 | Test, salary pattern: salary from one employer on about the same day each month is detected             | lib/salary-pattern.ts | Claude | P1  | 39    | Open   |
| 9232 | Test, salary pattern: daily circles: Rs 1,000 or more on five days of every week for eight weeks passes | lib/salary-pattern.ts | Claude | P1  | 39    | Open   |
| 9233 | Test, salary pattern: four days in one week fails the daily test                                        | lib/salary-pattern.ts | Claude | P1  | 39    | Open   |
| 9234 | Test, salary pattern: transfers from the member's own accounts are excluded                             | lib/salary-pattern.ts | Claude | P1  | 39    | Open   |
| 9235 | Test, salary pattern: loan disbursements are excluded                                                   | lib/salary-pattern.ts | Claude | P1  | 39    | Open   |
| 9236 | Test, salary pattern: the payday learned is used as the first debit date                                | lib/salary-pattern.ts | Claude | P1  | 39    | Open   |
| 9237 | Test, salary pattern: a late salary moves the first attempt to the day it arrives, before the 8th       | lib/salary-pattern.ts | Claude | P1  | 39    | Open   |

#### AI7. Collection

| #    | Item                                                                                              | Where                    | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 9238 | Test, collection: methods tried in the order: bank mandate, saved card, approval, by hand         | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9239 | Test, collection: first attempt on the payday                                                     | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9240 | Test, collection: a retry each morning after a failure, five attempts at most, all before the 8th | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9241 | Test, collection: the second method tried once on the last attempt where the member has one       | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9242 | Test, collection: no late charge before the 8th                                                   | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9243 | Test, collection: late charges of 2, 5 and 10 per cent after the 8th, as the delay grows          | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9244 | Test, collection: daily circles: 5, 10 and 15 per cent at 12, 36 and 60 hours                     | lib/collection-policy.ts | Claude | P0  | 12    | Open   |

| #    | Item                                                                                            | Where                    | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 9245 | Test, collection: arrears recorded against the round, never as a negative balance held by Halqa | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9246 | Test, collection: arrears taken from the member's own pot on their turn                         | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9247 | Test, collection: a debit never exceeds the mandate ceiling of one instalment                   | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9248 | Test, collection: a cancelled mandate is never debited                                          | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9249 | Test, collection: cancelling a mandate moves the member to approval or payment by hand          | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9250 | Test, collection: a retried job never debits twice                                              | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9251 | Test, collection: a member without a partner bank account stays on approval and payment by hand | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9252 | Test, collection: Hyper collects only by mandate or saved card                                  | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9253 | Test, collection: a partial payment is recorded and the balance stays due                       | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9254 | Test, collection: payment by a verified family member is recorded as such                       | lib/collection-policy.ts | Claude | P0  | 12    | Open   |
| 9255 | Test, collection: an advance payment is accepted and applied to the next instalment             | lib/collection-policy.ts | Claude | P0  | 12    | Open   |

#### AI8. Payout

| #    | Item                                                                                                                       | Where         | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|---------------|--------|-----|-------|--------|
| 9256 | Test, payout: the pot paid to the collector's verified account on the 8th, the same day                                    | lib/payout.ts | Claude | P0  | 12    | Open   |
| 9257 | Test, payout: the account title checked before every payout                                                                | lib/payout.ts | Claude | P0  | 12    | Open   |
| 9258 | Test, payout: a payout to another bank goes by interbank transfer                                                          | lib/payout.ts | Claude | P0  | 12    | Open   |
| 9259 | Test, payout: a payout to a wallet that would exceed its monthly limit goes to the bank account instead                    | lib/payout.ts | Claude | P0  | 12    | Open   |
| 9260 | Test, payout: payouts paused on a circle with an open reconciliation break                                                 | lib/payout.ts | Claude | P0  | 12    | Open   |
| 9261 | Test, payout: a shortfall from a late member explained on the payout, with the takaful or insurance claim where it applies | lib/payout.ts | Claude | P0  | 12    | Open   |
| 9262 | Test, payout: the payout receipt matches the ledger to the paisa                                                           | lib/payout.ts | Claude | P0  | 12    | Open   |
| 9263 | Test, payout: a payout account changed in the last two hours is refused                                                    | lib/payout.ts | Claude | P0  | 12    | Open   |

#### AI9. Reconciliation

| #    | Item                                                                                      | Where            | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------------|------------------|--------|-----|-------|--------|
| 9264 | Test, reconciliation: every ledger entry matched to one bank entry                        | lib/reconcile.ts | Claude | P0  | 12    | Open   |
| 9265 | Test, reconciliation: an unmatched entry becomes a break and pauses payouts on its circle | lib/reconcile.ts | Claude | P0  | 12    | Open   |
| 9266 | Test, reconciliation: a duplicate bank entry is detected                                  | lib/reconcile.ts | Claude | P0  | 12    | Open   |
| 9267 | Test, reconciliation: a partial match is held for review                                  | lib/reconcile.ts | Claude | P0  | 12    | Open   |
| 9268 | Test, reconciliation: a break resolved with a reason releases the pause                   | lib/reconcile.ts | Claude | P0  | 12    | Open   |
| 9269 | Test, reconciliation: the daily statement is ingested once even if delivered twice        | lib/reconcile.ts | Claude | P0  | 12    | Open   |

#### AI10. Points

| #    | Item                                                                                                             | Where                | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 9270 | Test, points: one point equals one rupee in every calculation                                                    | lib/points-ledger.ts | Claude | P2  | 70    | Open   |
| 9271 | Test, points: the ledger is append only; no entry is edited or deleted                                           | lib/points-ledger.ts | Claude | P2  | 70    | Open   |
| 9272 | Test, points: no route exists from points to cash                                                                | lib/points-ledger.ts | Claude | P2  | 70    | Open   |
| 9273 | Test, points: points move between members only as the price of a turn                                            | lib/points-ledger.ts | Claude | P2  | 70    | Open   |
| 9274 | Test, points: points are frozen while a member is in default                                                     | lib/points-ledger.ts | Claude | P2  | 70    | Open   |
| 9275 | Test, points: purchases stay within the daily and monthly limits agreed with the bank                            | lib/points-ledger.ts | Claude | P2  | 70    | Open   |
| 9276 | Test, points: members on Raqami cannot buy points                                                                | lib/points-ledger.ts | Claude | P2  | 70    | Open   |
| 9277 | Test, points: unused points lapse only under the rule stated before purchase                                     | lib/points-ledger.ts | Claude | P2  | 70    | Open   |
| 9278 | Test, points: a returned order credits its points back                                                           | lib/points-ledger.ts | Claude | P2  | 70    | Open   |
| 9279 | Test, points: the end of circle reward equals the profit on the member's balance, converted at one point a rupee | lib/points-ledger.ts | Claude | P2  | 70    | Open   |

#### AI11. Turn market

| #    | Item                                                                                                   | Where            | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------|------------------|--------|-----|-------|--------|
| 9280 | Test, turn market: a price above 100 per cent of the pot is refused                                    | lib/turn-swap.ts | Claude | P2  | 70    | Open   |
| 9281 | Test, turn market: a buyer whose band does not allow the earlier turn is refused                       | lib/turn-swap.ts | Claude | P2  | 70    | Open   |
| 9282 | Test, turn market: forward liability and affordability are checked again for the buyer                 | lib/turn-swap.ts | Claude | P2  | 70    | Open   |
| 9283 | Test, turn market: no trade settles without the host's approval                                        | lib/turn-swap.ts | Claude | P2  | 70    | Open   |
| 9284 | Test, turn market: settlement swaps the turns, moves the points and charges the fee in one transaction | lib/turn-swap.ts | Claude | P2  | 70    | Open   |
| 9285 | Test, turn market: a cooling off period runs before settlement                                         | lib/turn-swap.ts | Claude | P2  | 70    | Open   |
| 9286 | Test, turn market: a trade is cancelled if either member defaults before settlement                    | lib/turn-swap.ts | Claude | P2  | 70    | Open   |
| 9287 | Test, turn market: no trade is possible in Hyper or asset circles                                      | lib/turn-swap.ts | Claude | P2  | 70    | Open   |
| 9288 | Test, turn market: the maximum number of trades per member per circle is enforced                      | lib/turn-swap.ts | Claude | P2  | 70    | Open   |
| 9289 | Test, turn market: a trade between linked accounts is refused                                          | lib/turn-swap.ts | Claude | P2  | 70    | Open   |

#### AI12. Recovery

| #    | Item                                                                                           | Where                   | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 9290 | Test, recovery: the steps run in order, each only if the one before fails                      | services/delinquency.ts | Claude | P1  | 39    | Open   |
| 9291 | Test, recovery: at step two the account is restricted and the score falls by 200               | services/delinquency.ts | Claude | P1  | 39    | Open   |
| 9292 | Test, recovery: at step three the operator is notified of the claim; Halqa pays nothing itself | services/delinquency.ts | Claude | P1  | 39    | Open   |
| 9293 | Test, recovery: no step contacts a relative or a contact of the member                         | services/delinquency.ts | Claude | P1  | 39    | Open   |
| 9294 | Test, recovery: a hardship plan pauses the ladder until its date                               | services/delinquency.ts | Claude | P1  | 39    | Open   |

| #    | Item                                                                   | Where                   | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------|-------------------------|--------|-----|-------|--------|
| 9295 | Test, recovery: a cure clears the restriction and records the recovery | services/delinquency.ts | Claude | P1  | 39    | Open   |

#### AI13. Leaving a circle

| #    | Item                                                                                           | Where              | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 9296 | Test, leaving a circle: each rung shows its arithmetic before the member confirms              | lib/exit-ladder.ts | Claude | P1  | 39    | Open   |
| 9297 | Test, leaving a circle: restitution owed is calculated to the paisa                            | lib/exit-ladder.ts | Claude | P1  | 39    | Open   |
| 9298 | Test, leaving a circle: a seat transfer passes the replacement's band and affordability checks | lib/exit-ladder.ts | Claude | P1  | 39    | Open   |
| 9299 | Test, leaving a circle: the vote passes only with the stated majority                          | lib/exit-ladder.ts | Claude | P1  | 39    | Open   |
| 9300 | Test, leaving a circle: the guarantee is released when the exit settles                        | lib/exit-ladder.ts | Claude | P1  | 39    | Open   |

#### AI14. Agreements and consent

| #    | Item                                                                                                   | Where             | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------|-------------------|--------|-----|-------|--------|
| 9301 | Test, agreements and consent: acceptance recorded with the version, the hash, the address and the time | lib/agreements.ts | Claude | P0  | 12    | Open   |
| 9302 | Test, agreements and consent: withdrawal within 24 hours costs nothing                                 | lib/agreements.ts | Claude | P0  | 12    | Open   |
| 9303 | Test, agreements and consent: joining is refused until the key fact statement is accepted              | lib/agreements.ts | Claude | P0  | 12    | Open   |
| 9304 | Test, agreements and consent: no bureau report is requested without the member's instruction           | lib/agreements.ts | Claude | P0  | 12    | Open   |
| 9305 | Test, agreements and consent: no report is sent to the bureau without consent to reporting             | lib/agreements.ts | Claude | P0  | 12    | Open   |
| 9306 | Test, agreements and consent: a withdrawn consent stops the processing it covered                      | lib/agreements.ts | Claude | P0  | 12    | Open   |

#### AI15. Credit reporting

| #    | Item                                                                                 | Where                | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 9307 | Test, credit reporting: every field of the data set filled from the ledger           | lib/bureau-report.ts | Claude | P1  | 39    | Open   |
| 9308 | Test, credit reporting: the monthly submission fails its checks on any missing field | lib/bureau-report.ts | Claude | P1  | 39    | Open   |
| 9309 | Test, credit reporting: a member is told before a first adverse report               | lib/bureau-report.ts | Claude | P1  | 39    | Open   |
| 9310 | Test, credit reporting: a disputed record is marked while the dispute is open        | lib/bureau-report.ts | Claude | P1  | 39    | Open   |
| 9311 | Test, credit reporting: a corrected record is resubmitted                            | lib/bureau-report.ts | Claude | P1  | 39    | Open   |

#### AI16. Device security

| #    | Item                                                                        | Where           | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------|-----------------|--------|-----|-------|--------|
| 9312 | Test, device security: a device is bound at first sign in                   | lib/security.ts | Claude | P0  | 12    | Open   |
| 9313 | Test, device security: a new device starts a two hour cooling off           | lib/security.ts | Claude | P0  | 12    | Open   |
| 9314 | Test, device security: financial actions are refused during the cooling off | lib/security.ts | Claude | P0  | 12    | Open   |

| #    | Item                                                                                          | Where           | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------|-----------------|--------|-----|-------|--------|
| 9315 | Test, device security: a new device sends an alert to the member                              | lib/security.ts | Claude | P0  | 12    | Open   |
| 9316 | Test, device security: five wrong transaction PINs lock financial actions for fifteen minutes | lib/security.ts | Claude | P0  | 12    | Open   |
| 9317 | Test, device security: a session ends after inactivity                                        | lib/security.ts | Claude | P0  | 12    | Open   |

#### AI17. Ballot

| #    | Item                                                                                               | Where         | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------|---------------|--------|-----|-------|--------|
| 9318 | Test, ballot: the seed's fingerprint is published before the draw                                  | lib/parchi.ts | Claude | P2  |       | Done   |
| 9319 | Test, ballot: each member's tap contributes to the draw                                            | lib/parchi.ts | Claude | P2  |       | Done   |
| 9320 | Test, ballot: the result can be reproduced from the revealed seed                                  | lib/parchi.ts | Claude | P2  |       | Done   |
| 9321 | Test, ballot: the draw places members only in seats their eligibility allows                       | lib/parchi.ts | Claude | P2  |       | Done   |
| 9322 | Test, ballot: a circle that cannot be seated at all is reported, never fixed by promoting somebody | lib/parchi.ts | Claude | P2  |       | Done   |
| 9323 | Test, ballot: the seats themselves are published and can be recomputed by anyone holding the proof | lib/parchi.ts | Claude | P2  |       | Done   |

#### AI18. Hyper

| #    | Item                                                                                               | Where        | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------|--------------|--------|-----|-------|--------|
| 9324 | Test, hyper: each day's payers are assigned to that day's collectors, with no pool                 | lib/hyper.ts | Claude | P2  | 70    | Open   |
| 9325 | Test, hyper: Design 1: 400 members, 50 days, 8 collecting a day                                    | lib/hyper.ts | Claude | P2  | 70    | Open   |
| 9326 | Test, hyper: Design 2: 390 members, 26 days with Sundays off, 15 collecting a day                  | lib/hyper.ts | Claude | P2  | 70    | Open   |
| 9327 | Test, hyper: one daily circle per member                                                           | lib/hyper.ts | Claude | P2  | 70    | Open   |
| 9328 | Test, hyper: the daily income floor is enforced at joining                                         | lib/hyper.ts | Claude | P2  | 70    | Open   |
| 9329 | Test, hyper: the stress index stops new days when losses would pass the takaful or insurance limit | lib/hyper.ts | Claude | P2  | 70    | Open   |

#### AI19. End to End Journeys

| #    | Item                                                                | Where | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 9330 | Journey test: sign up to a verified account at the bank             | tests | Claude | P1  | 39    | Open   |
| 9331 | Journey test: host creates a circle and admits members              | tests | Claude | P1  | 39    | Open   |
| 9332 | Journey test: member joins with a code and accepts the key facts    | tests | Claude | P1  | 39    | Open   |
| 9333 | Journey test: member authorises a mandate                           | tests | Claude | P1  | 39    | Open   |
| 9334 | Journey test: first collection succeeds on payday                   | tests | Claude | P1  | 40    | Open   |
| 9335 | Journey test: collection fails, retries and succeeds before the 8th | tests | Claude | P1  | 40    | Open   |
| 9336 | Journey test: member pays by hand through Raast                     | tests | Claude | P1  | 40    | Open   |
| 9337 | Journey test: member pays by wallet and sees the PSP service fee    | tests | Claude | P1  | 40    | Open   |

| #    | Item                                                                         | Where | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 9338 | Journey test: payout on the 8th to the collector                             | tests | Claude | P1  | 40    | Open   |
| 9339 | Journey test: late payment with arrears set off at the member's payout       | tests | Claude | P1  | 40    | Open   |
| 9340 | Journey test: hardship plan agreed and cured                                 | tests | Claude | P1  | 40    | Open   |
| 9341 | Journey test: member leaves through the exit ladder                          | tests | Claude | P1  | 40    | Open   |
| 9342 | Journey test: member disputes a payment                                      | tests | Claude | P1  | 40    | Open   |
| 9343 | Journey test: member files a complaint and receives a reply                  | tests | Claude | P1  | 40    | Open   |
| 9344 | Journey test: end of circle reward credited as points                        | tests | Claude | P1  | 40    | Open   |
| 9345 | Journey test: points used against a fee                                      | tests | Claude | P1  | 40    | Open   |
| 9346 | Journey test: marketplace order placed and delivered                         | tests | Claude | P1  | 40    | Open   |
| 9347 | Journey test: turn listed, offered, approved and settled                     | tests | Claude | P1  | 40    | Open   |
| 9348 | Journey test: member joins Hyper and pays daily                              | tests | Claude | P1  | 40    | Open   |
| 9349 | Journey test: account closure after the last circle                          | tests | Claude | P1  | 40    | Open   |
| 9350 | Journey test: data export requested and delivered                            | tests | Claude | P1  | 40    | Open   |
| 9351 | Journey test: device change with the cooling off                             | tests | Claude | P1  | 40    | Open   |
| 9352 | Journey test: forgotten PIN reset                                            | tests | Claude | P1  | 40    | Open   |
| 9353 | Journey test: transaction PIN set and used                                   | tests | Claude | P1  | 40    | Open   |
| 9354 | Journey test: the whole application in Urdu                                  | tests | Claude | P1  | 40    | Open   |
| 9355 | Journey test: the whole application in dark mode                             | tests | Claude | P1  | 40    | Open   |
| 9356 | Journey test: offline and back online without losing work                    | tests | Claude | P1  | 40    | Open   |
| 9357 | Journey test: bank refuses the account opening                               | tests | Claude | P1  | 40    | Open   |
| 9358 | Journey test: account title mismatch corrected                               | tests | Claude | P1  | 40    | Open   |
| 9359 | Journey test: takaful or insurance claim followed to payment by the operator | tests | Claude | P1  | 40    | Open   |
| 9360 | Journey test: circle completes and members are invited to host               | tests | Claude | P1  | 40    | Open   |
| 9361 | Journey test: host removes a member against the published test               | tests | Claude | P1  | 40    | Open   |
| 9362 | Journey test: ballot sets the order of turns                                 | tests | Claude | P1  | 40    | Open   |
| 9363 | Journey test: member abroad joins through Mashreq's UAE route                | tests | Claude | P1  | 40    | Open   |
| 9364 | Journey test: reported record disputed and corrected                         | tests | Claude | P1  | 40    | Open   |

## AI20. Performance

| #    | Item                                                                                       | Where | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 9365 | Load test: collection run for 100,000 members on one payday, within the bank's rate limits | tests | Claude | P2  | 70    | Open   |

| #    | Item                                                                   | Where | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 9366 | Load test: payout batch on the 8th for every circle due                | tests | Claude | P2  | 70    | Open   |
| 9367 | Load test: reconciliation of 100,000 statement lines                   | tests | Claude | P2  | 70    | Open   |
| 9368 | Load test: notification fan out on the evening before payday           | tests | Claude | P2  | 71    | Open   |
| 9369 | Load test: interface service under load: 95th percentile response time | tests | Claude | P2  | 71    | Open   |
| 9370 | Load test: database connection pool under load                         | tests | Claude | P2  | 71    | Open   |
| 9371 | Load test: cold start time of every serverless function                | tests | Claude | P2  | 71    | Open   |
| 9372 | Load test: application start on a two gigabyte handset                 | tests | Claude | P2  | 71    | Open   |
| 9373 | Load test: first screen over a slow mobile connection                  | tests | Claude | P2  | 71    | Open   |
| 9374 | Load test: chat and live update connections at peak                    | tests | Claude | P2  | 71    | Open   |
| 9375 | Load test: scheduled jobs sharded and finishing within their windows   | tests | Claude | P2  | 71    | Open   |
| 9376 | Load test: points purchases at a launch peak                           | tests | Claude | P2  | 71    | Open   |

## AI21. Security Tests

| #    | Item                                                                                                   | Where | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 9377 | Security test: sign in bypass attempts on every route                                                  | tests | Claude | P1  | 40    | Open   |
| 9378 | Security test: access to another member's circle, payment, receipt and profile by changing identifiers | tests | Claude | P1  | 40    | Open   |
| 9379 | Security test: rate limits enforced on sign in, codes and financial actions                            | tests | Claude | P1  | 40    | Open   |
| 9380 | Security test: token expiry, refresh rotation and revocation                                           | tests | Claude | P1  | 40    | Open   |
| 9381 | Security test: forged and replayed webhooks from the bank and the PSP                                  | tests | Claude | P1  | 40    | Open   |
| 9382 | Security test: injection through every input                                                           | tests | Claude | P1  | 40    | Open   |
| 9383 | Security test: script injection through chat, names and support text                                   | tests | Claude | P1  | 40    | Open   |
| 9384 | Security test: file uploads checked for type, size and content                                         | tests | Claude | P1  | 41    | Open   |
| 9385 | Security test: no secret in the application bundle                                                     | tests | Claude | P1  | 41    | Open   |
| 9386 | Security test: content security policy blocks inline scripts                                           | tests | Claude | P1  | 41    | Open   |
| 9387 | Security test: cross origin requests limited to the application                                        | tests | Claude | P1  | 41    | Open   |
| 9388 | Security test: the application cannot be framed by another site                                        | tests | Claude | P1  | 41    | Open   |
| 9389 | Security test: PIN guessing stopped by the logout                                                      | tests | Claude | P1  | 41    | Open   |
| 9390 | Security test: phone number enumeration at sign up and sign in prevented                               | tests | Claude | P1  | 41    | Open   |
| 9391 | Security test: one time code timing and reuse attacks                                                  | tests | Claude | P1  | 41    | Open   |
| 9392 | Security test: administrative routes closed to members                                                 | tests | Claude | P1  | 41    | Open   |
| 9393 | Security test: logs and error reports free of personal data                                            | tests | Claude | P1  | 41    | Open   |



| #    | Item                                                                  | Where | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 9394 | Security test: dependencies free of known high severity flaws         | tests | Claude | P1  | 41    | Open   |
| 9395 | Security test: transaction PIN required on every financial route      | tests | Claude | P1  | 41    | Open   |
| 9396 | Security test: cooling off enforced on the server, not only on screen | tests | Claude | P1  | 41    | Open   |

## AI22. Test Foundations

| #    | Item                                                                           | Where    | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------|----------|--------|-----|-------|--------|
| 9397 | Test database seeded from fixtures for every circle type and state             | tests    | Claude | P1  | 41    | Open   |
| 9398 | Coverage measured for the engines, with a floor that only rises                | pipeline | Claude | P2  | 71    | Open   |
| 9399 | Flaky tests tracked and fixed within a week                                    | process  | Claude | P2  | 71    | Open   |
| 9400 | Simulation of 10,000 circles across a year to check the ledger always balances | tests    | Claude | P2  | 71    | Open   |
| 9401 | Existing Monte Carlo and Pakistan simulations kept as regression checks        | tests    | Claude | P3  | 80    | Open   |

## AJ. Security Review

What a bank's security review asks a service provider to show.

### AJ1. Mobile Application Security

OWASP MASVS v2.1: 24 controls in eight groups. Controls already held by an item elsewhere are met through it: identity images at rest (549), forced updates (644), pinning, rooted devices and device binding (812), and the transaction PIN (section AB).

| #    | Item                                                                                                                                                                           | Where          | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 9402 | Meet MASVS-STORAGE-1: the application stores sensitive data securely: tokens, PIN material and CNIC images only in the platform's secure storage, never in plain local storage | native and web | Claude | P1  | 35    | Open   |
| 9403 | Meet MASVS-STORAGE-2: the application prevents leakage of sensitive data: no personal data in logs, screenshots of the task switcher, backups or the clipboard                 | native and web | Claude | P1  | 35    | Open   |
| 9404 | Meet MASVS-CRYPTO-1: current strong cryptography used as intended: no home made schemes, no weak hashes for PINs                                                               | native and web | Claude | P1  | 35    | Open   |
| 9405 | Meet MASVS-CRYPTO-2: keys managed to best practice: generated in the platform key store, never in the code                                                                     | native and web | Claude | P1  | 35    | Open   |
| 9406 | Meet MASVS-AUTH-1: secure authentication and authorisation with the interface service: short lived tokens, rotation, server side revocation                                    | native and web | Claude | P1  | 35    | Open   |
| 9407 | Meet MASVS-AUTH-2: local authentication done securely: biometric unlock bound to a key in the secure enclave                                                                   | native and web | Claude | P1  | 35    | Open   |
| 9408 | Meet MASVS-AUTH-3: sensitive operations secured with additional authentication: the transaction PIN                                                                            | native and web | Claude | P1  | 35    | Open   |
| 9409 | Meet MASVS-NETWORK-1: all network traffic secured to current practice: TLS 1.2 or later only                                                                                   | native and web | Claude | P1  | 35    | Open   |
| 9410 | Meet MASVS-NETWORK-2: identity pinning for Halqa's own endpoints                                                                                                               | native and web | Claude | P1  | 35    | Open   |
| 9411 | Meet MASVS-PLATFORM-1: inter process communication used securely: deep links validated before acting                                                                           | native and web | Claude | P1  | 35    | Open   |

| #    | Item                                                                                                                   | Where          | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 9412 | Meet MASVS-PLATFORM-2: web views used securely: no file access, no script bridges to untrusted content                 | native and web | Claude | P1  | 35    | Open   |
| 9413 | Meet MASVS-PLATFORM-3: the user interface used securely: sensitive fields masked, overlays detected on payment screens | native and web | Claude | P1  | 35    | Open   |
| 9414 | Meet MASVS-CODE-1: an up to date platform version required                                                             | native and web | Claude | P1  | 35    | Open   |
| 9415 | Meet MASVS-CODE-2: a mechanism to enforce updates for a critical fix                                                   | native and web | Claude | P1  | 35    | Open   |
| 9416 | Meet MASVS-CODE-3: only components without known vulnerabilities                                                       | native and web | Claude | P1  | 35    | Open   |
| 9417 | Meet MASVS-CODE-4: all untrusted input validated and sanitised, including deep link parameters and QR contents         | native and web | Claude | P1  | 35    | Open   |
| 9418 | Meet MASVS-RESILIENCE-1: the integrity of the platform validated: rooted and jailbroken devices detected               | native and web | Claude | P1  | 35    | Open   |
| 9419 | Meet MASVS-RESILIENCE-2: anti tampering: the application's own integrity checked                                       | native and web | Claude | P1  | 35    | Open   |
| 9420 | Meet MASVS-RESILIENCE-3: anti static analysis: code obfuscated in release builds                                       | native and web | Claude | P1  | 36    | Open   |
| 9421 | Meet MASVS-RESILIENCE-4: anti dynamic analysis: debuggers and hooking frameworks detected before financial actions     | native and web | Claude | P1  | 36    | Open   |
| 9422 | Meet MASVS-PRIVACY-1: access to sensitive data and resources minimised: camera only for capture, no contacts or photos | native and web | Claude | P1  | 36    | Open   |
| 9423 | Meet MASVS-PRIVACY-2: the member is not identified across services: no advertising identifiers                         | native and web | Claude | P1  | 36    | Open   |
| 9424 | Meet MASVS-PRIVACY-3: transparency about data collection and use, in the application and the store listings            | native and web | Claude | P1  | 36    | Open   |
| 9425 | Meet MASVS-PRIVACY-4: the member controls their data: export, correction, consent withdrawal and deletion              | native and web | Claude | P1  | 36    | Open   |
| 9426 | MASVS STORAGE group verified by the independent tester                                                                 | external       | Tester | P1  | H4    | Open   |
| 9427 | MASVS CRYPTO group verified by the independent tester                                                                  | external       | Tester | P1  | H4    | Open   |
| 9428 | MASVS AUTH group verified by the independent tester                                                                    | external       | Tester | P1  | H4    | Open   |
| 9429 | MASVS NETWORK group verified by the independent tester                                                                 | external       | Tester | P1  | H4    | Open   |
| 9430 | MASVS PLATFORM group verified by the independent tester                                                                | external       | Tester | P1  | H4    | Open   |
| 9431 | MASVS CODE group verified by the independent tester                                                                    | external       | Tester | P1  | H4    | Open   |
| 9432 | MASVS RESILIENCE group verified by the independent tester                                                              | external       | Tester | P1  | H4    | Open   |
| 9433 | MASVS PRIVACY group verified by the independent tester                                                                 | external       | Tester | P1  | H4    | Open   |

## AJ2. Information Security Management

| #    | Item                                                                                                           | Where      | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------|------------|--------|-----|-------|--------|
| 9434 | Information security management system scoped: the application, the interface service, the data and the people | governance | Claude | P1  | 36    | Open   |
| 9435 | Information security risk assessment method and register                                                       | governance | Claude | P1  | 36    | Open   |
| 9436 | Statement of applicability published, built from the controls below                                            | governance | Claude | P1  | 36    | Open   |
| 9437 | Information security objectives with measures                                                                  | governance | Claude | P2  | 68    | Open   |

| #    | Item                                                                        | Where      | Owner    | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 9438 | Internal audit of the management system each year                           | governance | Auditor  | P2  | H4    | Open   |
| 9439 | Management review each year, minuted                                        | governance | Chairman | P2  | H5    | Open   |
| 9440 | Corrective action log                                                       | governance | Claude   | P2  | 68    | Open   |
| 9441 | Decision on certification to ISO/IEC 27001 and its timing, if the bank asks | decision   | Chairman | P3  | H6    | Open   |

### AJ3. Statement of Applicability

ISO/IEC 27001:2022 Annex A, 93 controls in four themes. Physical controls are recorded as not applicable, with the reason, until Halqa has premises.

| #    | Item                                                                                                                                                     | Where      | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------|-----|-------|--------|
| 9442 | ISO/IEC 27001:2022 control 5.1 Policies for information security: applicability decided, how it is met described, evidence kept                          | governance | Claude | P2  |       | Done   |
| 9443 | ISO/IEC 27001:2022 control 5.2 Information security roles and responsibilities: applicability decided, how it is met described, evidence kept            | governance | Claude | P2  |       | Done   |
| 9444 | ISO/IEC 27001:2022 control 5.3 Segregation of duties: applicability decided, how it is met described, evidence kept                                      | governance | Claude | P2  |       | Done   |
| 9445 | ISO/IEC 27001:2022 control 5.4 Management responsibilities: applicability decided, how it is met described, evidence kept                                | governance | Claude | P2  |       | Done   |
| 9446 | ISO/IEC 27001:2022 control 5.5 Contact with authorities: applicability decided, how it is met described, evidence kept                                   | governance | Claude | P2  |       | Done   |
| 9447 | ISO/IEC 27001:2022 control 5.6 Contact with special interest groups: applicability decided, how it is met described, evidence kept                       | governance | Claude | P2  |       | Done   |
| 9448 | ISO/IEC 27001:2022 control 5.7 Threat intelligence: applicability decided, how it is met described, evidence kept                                        | governance | Claude | P2  |       | Done   |
| 9449 | ISO/IEC 27001:2022 control 5.8 Information security in project management: applicability decided, how it is met described, evidence kept                 | governance | Claude | P2  |       | Done   |
| 9450 | ISO/IEC 27001:2022 control 5.9 Inventory of information and other associated assets: applicability decided, how it is met described, evidence kept       | governance | Claude | P2  |       | Done   |
| 9451 | ISO/IEC 27001:2022 control 5.10 Acceptable use of information and other associated assets: applicability decided, how it is met described, evidence kept | governance | Claude | P2  |       | Done   |
| 9452 | ISO/IEC 27001:2022 control 5.11 Return of assets: applicability decided, how it is met described, evidence kept                                          | governance | Claude | P2  |       | Done   |
| 9453 | ISO/IEC 27001:2022 control 5.12 Classification of information: applicability decided, how it is met described, evidence kept                             | governance | Claude | P2  |       | Done   |
| 9454 | ISO/IEC 27001:2022 control 5.13 Labelling of information: applicability decided, how it is met described, evidence kept                                  | governance | Claude | P2  |       | Done   |
| 9455 | ISO/IEC 27001:2022 control 5.14 Information transfer: applicability decided, how it is met described, evidence kept                                      | governance | Claude | P2  |       | Done   |
| 9456 | ISO/IEC 27001:2022 control 5.15 Access control: applicability decided, how it is met described, evidence kept                                            | governance | Claude | P2  |       | Done   |
| 9457 | ISO/IEC 27001:2022 control 5.16 Identity management: applicability decided, how it is met described, evidence kept                                       | governance | Claude | P2  |       | Done   |
| 9458 | ISO/IEC 27001:2022 control 5.17 Authentication information: applicability decided, how it is met described, evidence kept                                | governance | Claude | P2  |       | Done   |

| #    | Item                                                                                                                                                                  | Where      | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------|-----|-------|--------|
| 9459 | ISO/IEC 27001:2022 control 5.18 Access rights: applicability decided, how it is met described, evidence kept                                                          | governance | Claude | P2  |       | Done   |
| 9460 | ISO/IEC 27001:2022 control 5.19 Information security in supplier relationships: applicability decided, how it is met described, evidence kept                         | governance | Claude | P2  |       | Done   |
| 9461 | ISO/IEC 27001:2022 control 5.20 Addressing information security within supplier agreements: applicability decided, how it is met described, evidence kept             | governance | Claude | P2  |       | Done   |
| 9462 | ISO/IEC 27001:2022 control 5.21 Managing information security in the ICT supply chain: applicability decided, how it is met described, evidence kept                  | governance | Claude | P2  |       | Done   |
| 9463 | ISO/IEC 27001:2022 control 5.22 Monitoring, review and change management of supplier services: applicability decided, how it is met described, evidence kept          | governance | Claude | P2  |       | Done   |
| 9464 | ISO/IEC 27001:2022 control 5.23 Information security for use of cloud services: applicability decided, how it is met described, evidence kept                         | governance | Claude | P2  |       | Done   |
| 9465 | ISO/IEC 27001:2022 control 5.24 Information security incident management planning and preparation: applicability decided, how it is met described, evidence kept      | governance | Claude | P2  |       | Done   |
| 9466 | ISO/IEC 27001:2022 control 5.25 Assessment and decision on information security events: applicability decided, how it is met described, evidence kept                 | governance | Claude | P2  |       | Done   |
| 9467 | ISO/IEC 27001:2022 control 5.26 Response to information security incidents: applicability decided, how it is met described, evidence kept                             | governance | Claude | P2  |       | Done   |
| 9468 | ISO/IEC 27001:2022 control 5.27 Learning from information security incidents: applicability decided, how it is met described, evidence kept                           | governance | Claude | P2  |       | Done   |
| 9469 | ISO/IEC 27001:2022 control 5.28 Collection of evidence: applicability decided, how it is met described, evidence kept                                                 | governance | Claude | P2  |       | Done   |
| 9470 | ISO/IEC 27001:2022 control 5.29 Information security during disruption: applicability decided, how it is met described, evidence kept                                 | governance | Claude | P2  |       | Done   |
| 9471 | ISO/IEC 27001:2022 control 5.30 ICT readiness for business continuity: applicability decided, how it is met described, evidence kept                                  | governance | Claude | P2  |       | Done   |
| 9472 | ISO/IEC 27001:2022 control 5.31 Legal, statutory, regulatory and contractual requirements: applicability decided, how it is met described, evidence kept              | governance | Claude | P2  |       | Done   |
| 9473 | ISO/IEC 27001:2022 control 5.32 Intellectual property rights: applicability decided, how it is met described, evidence kept                                           | governance | Claude | P2  |       | Done   |
| 9474 | ISO/IEC 27001:2022 control 5.33 Protection of records: applicability decided, how it is met described, evidence kept                                                  | governance | Claude | P2  |       | Done   |
| 9475 | ISO/IEC 27001:2022 control 5.34 Privacy and protection of personal information: applicability decided, how it is met described, evidence kept                         | governance | Claude | P2  |       | Done   |
| 9476 | ISO/IEC 27001:2022 control 5.35 Independent review of information security: applicability decided, how it is met described, evidence kept                             | governance | Claude | P2  |       | Done   |
| 9477 | ISO/IEC 27001:2022 control 5.36 Compliance with policies, rules and standards for information security: applicability decided, how it is met described, evidence kept | governance | Claude | P2  |       | Done   |

| #    | Item                                                                                                                                                     | Where      | Owner    | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 9478 | ISO/IEC 27001:2022 control 5.37 Documented operating procedures: applicability decided, how it is met described, evidence kept                           | governance | Claude   | P2  |       | Done   |
| 9479 | ISO/IEC 27001:2022 control 6.1 Screening: applicability decided, how it is met described, evidence kept                                                  | governance | Chairman | P2  |       | Done   |
| 9480 | ISO/IEC 27001:2022 control 6.2 Terms and conditions of employment: applicability decided, how it is met described, evidence kept                         | governance | Chairman | P2  |       | Done   |
| 9481 | ISO/IEC 27001:2022 control 6.3 Information security awareness, education and training: applicability decided, how it is met described, evidence kept     | governance | Chairman | P2  |       | Done   |
| 9482 | ISO/IEC 27001:2022 control 6.4 Disciplinary process: applicability decided, how it is met described, evidence kept                                       | governance | Chairman | P2  |       | Done   |
| 9483 | ISO/IEC 27001:2022 control 6.5 Responsibilities after termination or change of employment: applicability decided, how it is met described, evidence kept | governance | Chairman | P2  |       | Done   |
| 9484 | ISO/IEC 27001:2022 control 6.6 Confidentiality or non disclosure agreements: applicability decided, how it is met described, evidence kept               | governance | Chairman | P2  |       | Done   |
| 9485 | ISO/IEC 27001:2022 control 6.7 Remote working: applicability decided, how it is met described, evidence kept                                             | governance | Chairman | P2  |       | Done   |
| 9486 | ISO/IEC 27001:2022 control 6.8 Information security event reporting: applicability decided, how it is met described, evidence kept                       | governance | Chairman | P2  |       | Done   |
| 9487 | ISO/IEC 27001:2022 control 7.1 Physical security perimeters: applicability decided, how it is met described, evidence kept                               | governance | Chairman | P3  |       | Done   |
| 9488 | ISO/IEC 27001:2022 control 7.2 Physical entry: applicability decided, how it is met described, evidence kept                                             | governance | Chairman | P3  |       | Done   |
| 9489 | ISO/IEC 27001:2022 control 7.3 Securing offices, rooms and facilities: applicability decided, how it is met described, evidence kept                     | governance | Chairman | P3  |       | Done   |
| 9490 | ISO/IEC 27001:2022 control 7.4 Physical security monitoring: applicability decided, how it is met described, evidence kept                               | governance | Chairman | P3  |       | Done   |
| 9491 | ISO/IEC 27001:2022 control 7.5 Protecting against physical and environmental threats: applicability decided, how it is met described, evidence kept      | governance | Chairman | P3  |       | Done   |
| 9492 | ISO/IEC 27001:2022 control 7.6 Working in secure areas: applicability decided, how it is met described, evidence kept                                    | governance | Chairman | P3  |       | Done   |
| 9493 | ISO/IEC 27001:2022 control 7.7 Clear desk and clear screen: applicability decided, how it is met described, evidence kept                                | governance | Chairman | P3  |       | Done   |
| 9494 | ISO/IEC 27001:2022 control 7.8 Equipment siting and protection: applicability decided, how it is met described, evidence kept                            | governance | Chairman | P3  |       | Done   |
| 9495 | ISO/IEC 27001:2022 control 7.9 Security of assets off premises: applicability decided, how it is met described, evidence kept                            | governance | Chairman | P3  |       | Done   |
| 9496 | ISO/IEC 27001:2022 control 7.10 Storage media: applicability decided, how it is met described, evidence kept                                             | governance | Chairman | P3  |       | Done   |
| 9497 | ISO/IEC 27001:2022 control 7.11 Supporting utilities: applicability decided, how it is met described, evidence kept                                      | governance | Chairman | P3  |       | Done   |
| 9498 | ISO/IEC 27001:2022 control 7.12 Cabling security: applicability decided, how it is met described, evidence kept                                          | governance | Chairman | P3  |       | Done   |

| #    | Item                                                                                                                                           | Where      | Owner    | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 9499 | ISO/IEC 27001:2022 control 7.13 Equipment maintenance: applicability decided, how it is met described, evidence kept                           | governance | Chairman | P3  |       | Done   |
| 9500 | ISO/IEC 27001:2022 control 7.14 Secure disposal or re use of equipment: applicability decided, how it is met described, evidence kept          | governance | Chairman | P3  |       | Done   |
| 9501 | ISO/IEC 27001:2022 control 8.1 User endpoint devices: applicability decided, how it is met described, evidence kept                            | governance | Claude   | P2  |       | Done   |
| 9502 | ISO/IEC 27001:2022 control 8.2 Privileged access rights: applicability decided, how it is met described, evidence kept                         | governance | Claude   | P2  |       | Done   |
| 9503 | ISO/IEC 27001:2022 control 8.3 Information access restriction: applicability decided, how it is met described, evidence kept                   | governance | Claude   | P2  |       | Done   |
| 9504 | ISO/IEC 27001:2022 control 8.4 Access to source code: applicability decided, how it is met described, evidence kept                            | governance | Claude   | P2  |       | Done   |
| 9505 | ISO/IEC 27001:2022 control 8.5 Secure authentication: applicability decided, how it is met described, evidence kept                            | governance | Claude   | P2  |       | Done   |
| 9506 | ISO/IEC 27001:2022 control 8.6 Capacity management: applicability decided, how it is met described, evidence kept                              | governance | Claude   | P2  |       | Done   |
| 9507 | ISO/IEC 27001:2022 control 8.7 Protection against malware: applicability decided, how it is met described, evidence kept                       | governance | Claude   | P2  |       | Done   |
| 9508 | ISO/IEC 27001:2022 control 8.8 Management of technical vulnerabilities: applicability decided, how it is met described, evidence kept          | governance | Claude   | P2  |       | Done   |
| 9509 | ISO/IEC 27001:2022 control 8.9 Configuration management: applicability decided, how it is met described, evidence kept                         | governance | Claude   | P2  |       | Done   |
| 9510 | ISO/IEC 27001:2022 control 8.10 Information deletion: applicability decided, how it is met described, evidence kept                            | governance | Claude   | P2  |       | Done   |
| 9511 | ISO/IEC 27001:2022 control 8.11 Data masking: applicability decided, how it is met described, evidence kept                                    | governance | Claude   | P2  |       | Done   |
| 9512 | ISO/IEC 27001:2022 control 8.12 Data leakage prevention: applicability decided, how it is met described, evidence kept                         | governance | Claude   | P2  |       | Done   |
| 9513 | ISO/IEC 27001:2022 control 8.13 Information backup: applicability decided, how it is met described, evidence kept                              | governance | Claude   | P2  |       | Done   |
| 9514 | ISO/IEC 27001:2022 control 8.14 Redundancy of information processing facilities: applicability decided, how it is met described, evidence kept | governance | Claude   | P2  |       | Done   |
| 9515 | ISO/IEC 27001:2022 control 8.15 Logging: applicability decided, how it is met described, evidence kept                                         | governance | Claude   | P2  |       | Done   |
| 9516 | ISO/IEC 27001:2022 control 8.16 Monitoring activities: applicability decided, how it is met described, evidence kept                           | governance | Claude   | P2  |       | Done   |
| 9517 | ISO/IEC 27001:2022 control 8.17 Clock synchronisation: applicability decided, how it is met described, evidence kept                           | governance | Claude   | P2  |       | Done   |
| 9518 | ISO/IEC 27001:2022 control 8.18 Use of privileged utility programs: applicability decided, how it is met described, evidence kept              | governance | Claude   | P2  |       | Done   |
| 9519 | ISO/IEC 27001:2022 control 8.19 Installation of software on operational systems: applicability decided, how it is met described, evidence kept | governance | Claude   | P2  |       | Done   |
| 9520 | ISO/IEC 27001:2022 control 8.20 Networks security: applicability decided, how it is met described, evidence kept                               | governance | Claude   | P2  |       | Done   |
| 9521 | ISO/IEC 27001:2022 control 8.21 Security of network services: applicability decided, how it is met described, evidence kept                    | governance | Claude   | P2  |       | Done   |

| #    | Item                                                                                                                                                       | Where      | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------|-----|-------|--------|
| 9522 | ISO/IEC 27001:2022 control 8.22 Segregation of networks: applicability decided, how it is met described, evidence kept                                     | governance | Claude | P2  |       | Done   |
| 9523 | ISO/IEC 27001:2022 control 8.23 Web filtering: applicability decided, how it is met described, evidence kept                                               | governance | Claude | P2  |       | Done   |
| 9524 | ISO/IEC 27001:2022 control 8.24 Use of cryptography: applicability decided, how it is met described, evidence kept                                         | governance | Claude | P2  |       | Done   |
| 9525 | ISO/IEC 27001:2022 control 8.25 Secure development life cycle: applicability decided, how it is met described, evidence kept                               | governance | Claude | P2  |       | Done   |
| 9526 | ISO/IEC 27001:2022 control 8.26 Application security requirements: applicability decided, how it is met described, evidence kept                           | governance | Claude | P2  |       | Done   |
| 9527 | ISO/IEC 27001:2022 control 8.27 Secure system architecture and engineering principles: applicability decided, how it is met described, evidence kept       | governance | Claude | P2  |       | Done   |
| 9528 | ISO/IEC 27001:2022 control 8.28 Secure coding: applicability decided, how it is met described, evidence kept                                               | governance | Claude | P2  |       | Done   |
| 9529 | ISO/IEC 27001:2022 control 8.29 Security testing in development and acceptance: applicability decided, how it is met described, evidence kept              | governance | Claude | P2  |       | Done   |
| 9530 | ISO/IEC 27001:2022 control 8.30 Outsourced development: applicability decided, how it is met described, evidence kept                                      | governance | Claude | P2  |       | Done   |
| 9531 | ISO/IEC 27001:2022 control 8.31 Separation of development, test and production environments: applicability decided, how it is met described, evidence kept | governance | Claude | P2  |       | Done   |
| 9532 | ISO/IEC 27001:2022 control 8.32 Change management: applicability decided, how it is met described, evidence kept                                           | governance | Claude | P2  |       | Done   |
| 9533 | ISO/IEC 27001:2022 control 8.33 Test information: applicability decided, how it is met described, evidence kept                                            | governance | Claude | P2  |       | Done   |
| 9534 | ISO/IEC 27001:2022 control 8.34 Protection of information systems during audit testing: applicability decided, how it is met described, evidence kept      | governance | Claude | P2  |       | Done   |

#### AJ4. Card Data

| #    | Item                                                                                                   | Where      | Owner    | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 9535 | Eligibility for the simplest card industry self assessment confirmed with the PSP                      | security   | Claude   | P1  | 36    | Open   |
| 9536 | The PSP's attestation of compliance collected each year                                                | governance | Claude   | P1  | 36    | Open   |
| 9537 | No card number, expiry or security code in logs, errors or support tickets, checked by automated scans | security   | Claude   | P0  | 11    | Open   |
| 9538 | Card industry self assessment questionnaire completed and signed each year                             | governance | Chairman | P2  | H5    | Open   |

#### AJ5. Secrets and Keys

| #    | Item                                                                                    | Where           | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------------------------|-----------------|--------|-----|-------|--------|
| 9539 | Secrets inventory: every key and credential, its owner, its store and its rotation date | security        | Claude | P0  | 11    | Open   |
| 9540 | Signing secret for tokens rotated, with old tokens retired                              | security        | Claude | P1  | 36    | Open   |
| 9541 | Passport signing secret separated from the token secret, or retired with the passport   | lib/passport.ts | Claude | P1  | 36    | Open   |

| #    | Item                                                                                | Where             | Owner  | Pri | Phase | Status |
|------|-------------------------------------------------------------------------------------|-------------------|--------|-----|-------|--------|
| 9542 | PIN hashing moved from SHA-256 with a shared secret to a slow, salted password hash | routes/auth.ts:16 | Claude | P0  | 11    | Open   |
| 9543 | Development fallbacks for secrets removed so production cannot start without them   | lib/auth.ts       | Claude | P0  | 11    | Open   |
| 9544 | Webhook secrets per partner, rotated on a schedule                                  | security          | Claude | P1  | 36    | Open   |
| 9545 | Break glass access procedure for production, logged and reviewed                    | security          | Claude | P2  | 68    | Open   |

## AJ6. Security Operations

| #    | Item                                                                                       | Where          | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 9546 | Alerts for repeated failed sign ins, new administrators, mass exports and webhook failures | security       | Claude | P1  | 36    | Open   |
| 9547 | Incident response drill twice a year                                                       | operations     | Claude | P2  | 68    | Open   |
| 9548 | Domain and email protected: DMARC, SPF and DKIM for Halqa's domain                         | infrastructure | Claude | P1  | 36    | Open   |
| 9549 | Lookalike domain watch for phishing against members                                        | security       | Claude | P3  | 79    | Open   |

## AK. Accessibility

Accessibility as a bank's review and the stores expect it.

### AK1. WCAG 2.2 Success Criteria

Every success criterion at levels A and AA, as it applies to Halqa; items 607 to 614 broken down by criterion.

| #    | Item                                                                                                                 | Where      | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------|------------|--------|-----|-------|--------|
| 9550 | Meet WCAG 2.2 1.1.1 Non text Content: every icon, image and chart has a text alternative or is marked decorative     | components | Claude | P2  |       | Done   |
| 9551 | Meet WCAG 2.2 1.2.1 Audio only and Video only (Prerecorded): any explainer video carries a transcript                | components | Claude | P2  |       | Done   |
| 9552 | Meet WCAG 2.2 1.2.2 Captions (Prerecorded): videos captioned in English and Urdu                                     | components | Claude | P2  |       | Done   |
| 9553 | Meet WCAG 2.2 1.2.3 Audio Description or Media Alternative: videos described in text                                 | components | Claude | P2  |       | Done   |
| 9554 | Meet WCAG 2.2 1.2.4 Captions (Live): not used: no live media; recorded as not applicable                             | components | Claude | P2  |       | Done   |
| 9555 | Meet WCAG 2.2 1.2.5 Audio Description (Prerecorded): videos carry audio description where they show what is not said | components | Claude | P2  |       | Done   |
| 9556 | Meet WCAG 2.2 1.3.1 Info and Relationships: headings, lists and tables marked up as such                             | components | Claude | P2  |       | Done   |
| 9557 | Meet WCAG 2.2 1.3.2 Meaningful Sequence: reading order follows the visual order in both languages                    | components | Claude | P2  |       | Done   |
| 9558 | Meet WCAG 2.2 1.3.3 Sensory Characteristics: no instruction relies on shape, colour or position alone                | components | Claude | P2  |       | Done   |
| 9559 | Meet WCAG 2.2 1.3.4 Orientation: every screen works in portrait and landscape                                        | components | Claude | P2  |       | Done   |
| 9560 | Meet WCAG 2.2 1.3.5 Identify Input Purpose: personal fields carry autocomplete purposes                              | components | Claude | P2  |       | Done   |
| 9561 | Meet WCAG 2.2 1.4.1 Use of Color: paid, late and failed shown by a word and an icon as well as colour                | components | Claude | P2  |       | Done   |
| 9562 | Meet WCAG 2.2 1.4.2 Audio Control: no sound plays on its own                                                         | components | Claude | P2  |       | Done   |



| #    | Item                                                                                                                       | Where      | Owner  | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------------------------|------------|--------|-----|-------|--------|
| 9563 | Meet WCAG 2.2 1.4.3 Contrast (Minimum): text contrast at least 4.5 to 1, large text 3 to 1                                 | components | Claude | P2  |       | Done   |
| 9564 | Meet WCAG 2.2 1.4.4 Resize Text: text enlarges to 200 per cent without loss                                                | components | Claude | P2  |       | Done   |
| 9565 | Meet WCAG 2.2 1.4.5 Images of Text: no text set as an image, except logos                                                  | components | Claude | P2  |       | Done   |
| 9566 | Meet WCAG 2.2 1.4.10 Reflow: no sideways scrolling at 320 pixels wide                                                      | components | Claude | P2  |       | Done   |
| 9567 | Meet WCAG 2.2 1.4.11 Non text Contrast: controls, focus rings and chart marks at 3 to 1                                    | components | Claude | P2  |       | Done   |
| 9568 | Meet WCAG 2.2 1.4.12 Text Spacing: layouts hold when spacing is increased                                                  | components | Claude | P2  |       | Done   |
| 9569 | Meet WCAG 2.2 1.4.13 Content on Hover or Focus: tooltips can be dismissed and stay while pointed at                        | components | Claude | P2  |       | Done   |
| 9570 | Meet WCAG 2.2 2.1.1 Keyboard: every function works from a keyboard on the web                                              | components | Claude | P2  |       | Done   |
| 9571 | Meet WCAG 2.2 2.1.2 No Keyboard Trap: focus never trapped, sheets and dialogs included                                     | components | Claude | P2  |       | Done   |
| 9572 | Meet WCAG 2.2 2.1.4 Character Key Shortcuts: no single key shortcuts, or they can be switched off                          | components | Claude | P2  |       | Done   |
| 9573 | Meet WCAG 2.2 2.2.1 Timing Adjustable: time limits such as the code and the session can be extended, security limits apart | components | Claude | P2  |       | Done   |
| 9574 | Meet WCAG 2.2 2.2.2 Pause, Stop, Hide: moving content such as carousels can be paused                                      | components | Claude | P2  |       | Done   |
| 9575 | Meet WCAG 2.2 2.3.1 Three Flashes or Below Threshold: nothing flashes                                                      | components | Claude | P2  |       | Done   |
| 9576 | Meet WCAG 2.2 2.4.1 Bypass Blocks: a skip link on the web                                                                  | components | Claude | P2  |       | Done   |
| 9577 | Meet WCAG 2.2 2.4.2 Page Titled: every screen has a title that says where the member is                                    | components | Claude | P2  |       | Done   |
| 9578 | Meet WCAG 2.2 2.4.3 Focus Order: focus moves in a meaningful order                                                         | components | Claude | P2  |       | Done   |
| 9579 | Meet WCAG 2.2 2.4.4 Link Purpose (In Context): every link says where it goes                                               | components | Claude | P2  |       | Done   |
| 9580 | Meet WCAG 2.2 2.4.5 Multiple Ways: screens reachable by navigation and by search                                           | components | Claude | P2  |       | Done   |
| 9581 | Meet WCAG 2.2 2.4.6 Headings and Labels: headings and labels describe their content                                        | components | Claude | P2  |       | Done   |
| 9582 | Meet WCAG 2.2 2.4.7 Focus Visible: a visible focus state on every control                                                  | components | Claude | P2  |       | Done   |
| 9583 | Meet WCAG 2.2 2.4.11 Focus Not Obscured (Minimum): the focused control never hidden by the tab bar or a sheet              | components | Claude | P2  |       | Done   |
| 9584 | Meet WCAG 2.2 2.5.1 Pointer Gestures: no gesture needs more than one finger or a path                                      | components | Claude | P2  |       | Done   |
| 9585 | Meet WCAG 2.2 2.5.2 Pointer Cancellation: actions fire on release and can be abandoned                                     | components | Claude | P2  |       | Done   |
| 9586 | Meet WCAG 2.2 2.5.3 Label in Name: the spoken name contains the visible label                                              | components | Claude | P2  |       | Done   |
| 9587 | Meet WCAG 2.2 2.5.4 Motion Actuation: nothing triggered by shaking or tilting                                              | components | Claude | P2  |       | Done   |
| 9588 | Meet WCAG 2.2 2.5.7 Dragging Movements: ordering turns by dragging also possible by buttons                                | components | Claude | P2  |       | Done   |
| 9589 | Meet WCAG 2.2 2.5.8 Target Size (Minimum): targets at least 24 by 24 pixels, 44 where possible                             | components | Claude | P2  |       | Done   |
| 9590 | Meet WCAG 2.2 3.1.1 Language of Page: the language of each screen declared                                                 | components | Claude | P2  |       | Done   |
| 9591 | Meet WCAG 2.2 3.1.2 Language of Parts: Urdu passages inside English screens declared as Urdu                               | components | Claude | P2  |       | Done   |
| 9592 | Meet WCAG 2.2 3.2.1 On Focus: focus never changes the screen on its own                                                    | components | Claude | P2  |       | Done   |

| #    | Item                                                                                                                                             | Where      | Owner  | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------|-----|-------|--------|
| 9593 | Meet WCAG 2.2 3.2.2 On Input: choosing an option never submits by surprise                                                                       | components | Claude | P2  |       | Done   |
| 9594 | Meet WCAG 2.2 3.2.3 Consistent Navigation: navigation the same on every screen                                                                   | components | Claude | P2  |       | Done   |
| 9595 | Meet WCAG 2.2 3.2.4 Consistent Identification: the same control looks and is named the same everywhere                                           | components | Claude | P2  |       | Done   |
| 9596 | Meet WCAG 2.2 3.2.6 Consistent Help: help in the same place on every screen                                                                      | components | Claude | P2  |       | Done   |
| 9597 | Meet WCAG 2.2 3.3.1 Error Identification: errors named in text beside the field                                                                  | components | Claude | P2  |       | Done   |
| 9598 | Meet WCAG 2.2 3.3.2 Labels or Instructions: every field labelled                                                                                 | components | Claude | P2  |       | Done   |
| 9599 | Meet WCAG 2.2 3.3.3 Error Suggestion: each error says how to fix it                                                                              | components | Claude | P2  |       | Done   |
| 9600 | Meet WCAG 2.2 3.3.4 Error Prevention (Legal, Financial, Data): every payment, signature and closure reviewable and confirmable                   | components | Claude | P2  |       | Done   |
| 9601 | Meet WCAG 2.2 3.3.7 Redundant Entry: nothing asked twice in one journey                                                                          | components | Claude | P2  |       | Done   |
| 9602 | Meet WCAG 2.2 3.3.8 Accessible Authentication (Minimum): sign in without a memory test beyond the PIN, with biometric and paste of codes allowed | components | Claude | P2  |       | Done   |
| 9603 | Meet WCAG 2.2 4.1.2 Name, Role, Value: custom controls expose their name, role and state                                                         | components | Claude | P2  |       | Done   |
| 9604 | Meet WCAG 2.2 4.1.3 Status Messages: payment results and errors announced to screen readers                                                      | components | Claude | P2  |       | Done   |

## AK2. Beyond the Criteria

Item 613 by platform, and checks the criteria do not name.

| #    | Item                                                                    | Where      | Owner    | Pri | Phase | Status |
|------|-------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 9605 | Screen reader test in Urdu with TalkBack on Android                     | testing    | Tester   | P2  | H4    | Open   |
| 9606 | Screen reader test with VoiceOver on iOS                                | testing    | Tester   | P2  | H4    | Open   |
| 9607 | Colour vision check of every status colour                              | testing    | Claude   | P2  |       | Done   |
| 9608 | Words beside every icon for members who read little                     | components | Claude   | P1  | 42    | Open   |
| 9609 | Numbers always in Western digits in both languages, as banks print them | content    | Claude   | P1  | 42    | Open   |
| 9610 | Accessibility statement published with a contact for problems           | content    | Claude   | P2  | 72    | Open   |
| 9611 | Accessibility test by members with disabilities before launch           | testing    | Chairman | P3  | H6    | Open   |

## AL. Governance, Risk and the Company

### AL1. Policies

Item 708 by policy: each policy drafted, reviewed by counsel where it is legal in nature, approved, published, trained and reviewed each year.

| #    | Item                                | Where         | Owner  | Pri | Phase | Status |
|------|-------------------------------------|---------------|--------|-----|-------|--------|
| 9612 | Information security policy drafted | documentation | Claude | P1  | 38    | Open   |

| #    | Item                                                          | Where         | Owner    | Pri | Phase | Status |
|------|---------------------------------------------------------------|---------------|----------|-----|-------|--------|
| 9613 | Information security policy approved by the board             | governance    | Chairman | P1  | H4    | Open   |
| 9614 | Information security policy published to everyone with access | documentation | Claude   | P1  | 38    | Open   |
| 9615 | Information security policy: training given and recorded      | governance    | Chairman | P1  | H4    | Open   |
| 9616 | Information security policy reviewed each year                | governance    | Claude   | P3  | 79    | Open   |
| 9617 | Acceptable use policy drafted                                 | documentation | Claude   | P2  | 68    | Open   |
| 9618 | Acceptable use policy approved by the board                   | governance    | Chairman | P2  | H5    | Open   |
| 9619 | Acceptable use policy published to everyone with access       | documentation | Claude   | P2  | 68    | Open   |
| 9620 | Acceptable use policy: training given and recorded            | governance    | Chairman | P2  | H5    | Open   |
| 9621 | Acceptable use policy reviewed each year                      | governance    | Claude   | P3  | 79    | Open   |
| 9622 | Access control policy drafted                                 | documentation | Claude   | P2  | 68    | Open   |
| 9623 | Access control policy approved by the board                   | governance    | Chairman | P2  | H5    | Open   |
| 9624 | Access control policy published to everyone with access       | documentation | Claude   | P2  | 68    | Open   |
| 9625 | Access control policy: training given and recorded            | governance    | Chairman | P2  | H5    | Open   |
| 9626 | Access control policy reviewed each year                      | governance    | Claude   | P3  | 79    | Open   |
| 9627 | Cryptography policy drafted                                   | documentation | Claude   | P2  | 68    | Open   |
| 9628 | Cryptography policy approved by the board                     | governance    | Chairman | P2  | H5    | Open   |
| 9629 | Cryptography policy published to everyone with access         | documentation | Claude   | P2  | 68    | Open   |
| 9630 | Cryptography policy: training given and recorded              | governance    | Chairman | P2  | H5    | Open   |
| 9631 | Cryptography policy reviewed each year                        | governance    | Claude   | P3  | 79    | Open   |
| 9632 | Secure development policy drafted                             | documentation | Claude   | P2  | 68    | Open   |
| 9633 | Secure development policy approved by the board               | governance    | Chairman | P2  | H5    | Open   |
| 9634 | Secure development policy published to everyone with access   | documentation | Claude   | P2  | 68    | Open   |
| 9635 | Secure development policy: training given and recorded        | governance    | Chairman | P2  | H5    | Open   |
| 9636 | Secure development policy reviewed each year                  | governance    | Claude   | P3  | 79    | Open   |
| 9637 | Change management policy drafted                              | documentation | Claude   | P2  | 68    | Open   |
| 9638 | Change management policy approved by the board                | governance    | Chairman | P2  | H5    | Open   |
| 9639 | Change management policy published to everyone with access    | documentation | Claude   | P2  | 68    | Open   |
| 9640 | Change management policy: training given and recorded         | governance    | Chairman | P2  | H5    | Open   |
| 9641 | Change management policy reviewed each year                   | governance    | Claude   | P3  | 79    | Open   |
| 9642 | Incident response policy drafted                              | documentation | Claude   | P1  | 38    | Open   |
| 9643 | Incident response policy approved by the board                | governance    | Chairman | P1  | H4    | Open   |

| #    | Item                                                                               | Where         | Owner    | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------|---------------|----------|-----|-------|--------|
| 9644 | Incident response policy published to everyone with access                         | documentation | Claude   | P1  | 38    | Open   |
| 9645 | Incident response policy: training given and recorded                              | governance    | Chairman | P1  | H4    | Open   |
| 9646 | Incident response policy reviewed each year                                        | governance    | Claude   | P3  | 79    | Open   |
| 9647 | Business continuity and disaster recovery policy drafted                           | documentation | Claude   | P2  | 68    | Open   |
| 9648 | Business continuity and disaster recovery policy approved by the board             | governance    | Chairman | P2  | H5    | Open   |
| 9649 | Business continuity and disaster recovery policy published to everyone with access | documentation | Claude   | P2  | 68    | Open   |
| 9650 | Business continuity and disaster recovery policy: training given and recorded      | governance    | Chairman | P2  | H5    | Open   |
| 9651 | Business continuity and disaster recovery policy reviewed each year                | governance    | Claude   | P3  | 79    | Open   |
| 9652 | Backup and restore policy drafted                                                  | documentation | Claude   | P2  | 68    | Open   |
| 9653 | Backup and restore policy approved by the board                                    | governance    | Chairman | P2  | H5    | Open   |
| 9654 | Backup and restore policy published to everyone with access                        | documentation | Claude   | P2  | 68    | Open   |
| 9655 | Backup and restore policy: training given and recorded                             | governance    | Chairman | P2  | H5    | Open   |
| 9656 | Backup and restore policy reviewed each year                                       | governance    | Claude   | P3  | 79    | Open   |
| 9657 | Supplier and third party risk policy drafted                                       | documentation | Claude   | P2  | 68    | Open   |
| 9658 | Supplier and third party risk policy approved by the board                         | governance    | Chairman | P2  | H5    | Open   |
| 9659 | Supplier and third party risk policy published to everyone with access             | documentation | Claude   | P2  | 68    | Open   |
| 9660 | Supplier and third party risk policy: training given and recorded                  | governance    | Chairman | P2  | H5    | Open   |
| 9661 | Supplier and third party risk policy reviewed each year                            | governance    | Claude   | P3  | 79    | Open   |
| 9662 | Data protection and privacy policy drafted                                         | documentation | Claude   | P1  | 38    | Open   |
| 9663 | Data protection and privacy policy reviewed by counsel                             | legal         | Counsel  | P1  | H1    | Open   |
| 9664 | Data protection and privacy policy approved by the board                           | governance    | Chairman | P1  | H4    | Open   |
| 9665 | Data protection and privacy policy published to everyone with access               | documentation | Claude   | P1  | 38    | Open   |
| 9666 | Data protection and privacy policy: training given and recorded                    | governance    | Chairman | P1  | H4    | Open   |
| 9667 | Data protection and privacy policy reviewed each year                              | governance    | Claude   | P3  | 79    | Open   |
| 9668 | Data retention policy drafted                                                      | documentation | Claude   | P1  | 38    | Open   |
| 9669 | Data retention policy reviewed by counsel                                          | legal         | Counsel  | P1  | H1    | Open   |
| 9670 | Data retention policy approved by the board                                        | governance    | Chairman | P1  | H4    | Open   |
| 9671 | Data retention policy published to everyone with access                            | documentation | Claude   | P1  | 38    | Open   |
| 9672 | Data retention policy: training given and recorded                                 | governance    | Chairman | P1  | H4    | Open   |
| 9673 | Data retention policy reviewed each year                                           | governance    | Claude   | P3  | 79    | Open   |
| 9674 | Data classification policy drafted                                                 | documentation | Claude   | P2  | 68    | Open   |

| #    | Item                                                                         | Where         | Owner    | Pri | Phase | Status |
|------|------------------------------------------------------------------------------|---------------|----------|-----|-------|--------|
| 9675 | Data classification policy approved by the board                             | governance    | Chairman | P2  | H5    | Open   |
| 9676 | Data classification policy published to everyone with access                 | documentation | Claude   | P2  | 68    | Open   |
| 9677 | Data classification policy: training given and recorded                      | governance    | Chairman | P2  | H5    | Open   |
| 9678 | Data classification policy reviewed each year                                | governance    | Claude   | P3  | 79    | Open   |
| 9679 | Anti money laundering, Halqa's part policy drafted                           | documentation | Claude   | P1  | 38    | Open   |
| 9680 | Anti money laundering, Halqa's part policy reviewed by counsel               | legal         | Counsel  | P1  | H1    | Open   |
| 9681 | Anti money laundering, Halqa's part policy approved by the board             | governance    | Chairman | P1  | H4    | Open   |
| 9682 | Anti money laundering, Halqa's part policy published to everyone with access | documentation | Claude   | P1  | 38    | Open   |
| 9683 | Anti money laundering, Halqa's part policy: training given and recorded      | governance    | Chairman | P1  | H4    | Open   |
| 9684 | Anti money laundering, Halqa's part policy reviewed each year                | governance    | Claude   | P3  | 79    | Open   |
| 9685 | Fraud prevention policy drafted                                              | documentation | Claude   | P2  | 68    | Open   |
| 9686 | Fraud prevention policy approved by the board                                | governance    | Chairman | P2  | H5    | Open   |
| 9687 | Fraud prevention policy published to everyone with access                    | documentation | Claude   | P2  | 68    | Open   |
| 9688 | Fraud prevention policy: training given and recorded                         | governance    | Chairman | P2  | H5    | Open   |
| 9689 | Fraud prevention policy reviewed each year                                   | governance    | Claude   | P3  | 79    | Open   |
| 9690 | Complaints handling policy drafted                                           | documentation | Claude   | P1  | 38    | Open   |
| 9691 | Complaints handling policy reviewed by counsel                               | legal         | Counsel  | P1  | H1    | Open   |
| 9692 | Complaints handling policy approved by the board                             | governance    | Chairman | P1  | H4    | Open   |
| 9693 | Complaints handling policy published to everyone with access                 | documentation | Claude   | P1  | 38    | Open   |
| 9694 | Complaints handling policy: training given and recorded                      | governance    | Chairman | P1  | H4    | Open   |
| 9695 | Complaints handling policy reviewed each year                                | governance    | Claude   | P3  | 79    | Open   |
| 9696 | Fair treatment of members policy drafted                                     | documentation | Claude   | P1  | 38    | Open   |
| 9697 | Fair treatment of members policy reviewed by counsel                         | legal         | Counsel  | P1  | H1    | Open   |
| 9698 | Fair treatment of members policy approved by the board                       | governance    | Chairman | P1  | H4    | Open   |
| 9699 | Fair treatment of members policy published to everyone with access           | documentation | Claude   | P1  | 38    | Open   |
| 9700 | Fair treatment of members policy: training given and recorded                | governance    | Chairman | P1  | H4    | Open   |
| 9701 | Fair treatment of members policy reviewed each year                          | governance    | Claude   | P3  | 79    | Open   |
| 9702 | Conflicts of interest policy drafted                                         | documentation | Claude   | P1  | 38    | Open   |
| 9703 | Conflicts of interest policy reviewed by counsel                             | legal         | Counsel  | P1  | H1    | Open   |
| 9704 | Conflicts of interest policy approved by the board                           | governance    | Chairman | P1  | H4    | Open   |
| 9705 | Conflicts of interest policy published to everyone with access               | documentation | Claude   | P1  | 38    | Open   |

| #    | Item                                                           | Where         | Owner    | Pri | Phase | Status |
|------|----------------------------------------------------------------|---------------|----------|-----|-------|--------|
| 9706 | Conflicts of interest policy: training given and recorded      | governance    | Chairman | P1  | H4    | Open   |
| 9707 | Conflicts of interest policy reviewed each year                | governance    | Claude   | P3  | 79    | Open   |
| 9708 | Code of conduct policy drafted                                 | documentation | Claude   | P2  | 68    | Open   |
| 9709 | Code of conduct policy approved by the board                   | governance    | Chairman | P2  | H5    | Open   |
| 9710 | Code of conduct policy published to everyone with access       | documentation | Claude   | P2  | 68    | Open   |
| 9711 | Code of conduct policy: training given and recorded            | governance    | Chairman | P2  | H5    | Open   |
| 9712 | Code of conduct policy reviewed each year                      | governance    | Claude   | P3  | 79    | Open   |
| 9713 | Whistleblowing policy drafted                                  | documentation | Claude   | P1  | 38    | Open   |
| 9714 | Whistleblowing policy reviewed by counsel                      | legal         | Counsel  | P1  | H1    | Open   |
| 9715 | Whistleblowing policy approved by the board                    | governance    | Chairman | P1  | H4    | Open   |
| 9716 | Whistleblowing policy published to everyone with access        | documentation | Claude   | P1  | 38    | Open   |
| 9717 | Whistleblowing policy: training given and recorded             | governance    | Chairman | P1  | H4    | Open   |
| 9718 | Whistleblowing policy reviewed each year                       | governance    | Claude   | P3  | 79    | Open   |
| 9719 | Gifts and hospitality policy drafted                           | documentation | Claude   | P2  | 68    | Open   |
| 9720 | Gifts and hospitality policy approved by the board             | governance    | Chairman | P2  | H5    | Open   |
| 9721 | Gifts and hospitality policy published to everyone with access | documentation | Claude   | P2  | 68    | Open   |
| 9722 | Gifts and hospitality policy: training given and recorded      | governance    | Chairman | P2  | H5    | Open   |
| 9723 | Gifts and hospitality policy reviewed each year                | governance    | Claude   | P3  | 79    | Open   |
| 9724 | Social media policy drafted                                    | documentation | Claude   | P2  | 68    | Open   |
| 9725 | Social media policy approved by the board                      | governance    | Chairman | P2  | H5    | Open   |
| 9726 | Social media policy published to everyone with access          | documentation | Claude   | P2  | 68    | Open   |
| 9727 | Social media policy: training given and recorded               | governance    | Chairman | P2  | H5    | Open   |
| 9728 | Social media policy reviewed each year                         | governance    | Claude   | P3  | 79    | Open   |
| 9729 | Remote working policy drafted                                  | documentation | Claude   | P2  | 68    | Open   |
| 9730 | Remote working policy approved by the board                    | governance    | Chairman | P2  | H5    | Open   |
| 9731 | Remote working policy published to everyone with access        | documentation | Claude   | P2  | 68    | Open   |
| 9732 | Remote working policy: training given and recorded             | governance    | Chairman | P2  | H5    | Open   |
| 9733 | Remote working policy reviewed each year                       | governance    | Claude   | P3  | 79    | Open   |
| 9734 | Model risk policy drafted                                      | documentation | Claude   | P2  | 68    | Open   |
| 9735 | Model risk policy approved by the board                        | governance    | Chairman | P2  | H5    | Open   |
| 9736 | Model risk policy published to everyone with access            | documentation | Claude   | P2  | 68    | Open   |

| #    | Item                                                        | Where         | Owner    | Pri | Phase | Status |
|------|-------------------------------------------------------------|---------------|----------|-----|-------|--------|
| 9737 | Model risk policy: training given and recorded              | governance    | Chairman | P2  | H5    | Open   |
| 9738 | Model risk policy reviewed each year                        | governance    | Claude   | P3  | 79    | Open   |
| 9739 | Records management policy drafted                           | documentation | Claude   | P2  | 68    | Open   |
| 9740 | Records management policy approved by the board             | governance    | Chairman | P2  | H5    | Open   |
| 9741 | Records management policy published to everyone with access | documentation | Claude   | P2  | 68    | Open   |
| 9742 | Records management policy: training given and recorded      | governance    | Chairman | P2  | H5    | Open   |
| 9743 | Records management policy reviewed each year                | governance    | Claude   | P3  | 79    | Open   |
| 9744 | Physical security policy drafted                            | documentation | Claude   | P3  | 79    | Open   |
| 9745 | Physical security policy approved by the board              | governance    | Chairman | P3  | H6    | Open   |
| 9746 | Physical security policy published to everyone with access  | documentation | Claude   | P3  | 79    | Open   |
| 9747 | Physical security policy: training given and recorded       | governance    | Chairman | P3  | H6    | Open   |
| 9748 | Physical security policy reviewed each year                 | governance    | Claude   | P3  | 79    | Open   |

## AL2. Risk Management

A bank's approach scaled to Halqa: appetite, three lines of defence, a risk register and indicators.

| #    | Item                                                                                           | Where         | Owner    | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------|---------------|----------|-----|-------|--------|
| 9749 | Risk appetite statement approved by the board                                                  | governance    | Chairman | P1  | H4    | Open   |
| 9750 | Three lines of defence written for a small company: who does, who checks, who audits           | governance    | Claude   | P2  | 68    | Open   |
| 9751 | Risk and control self assessment each quarter                                                  | governance    | Claude   | P2  | 68    | Open   |
| 9752 | Issue log: every control gap with an owner and a date                                          | governance    | Claude   | P2  | 68    | Open   |
| 9753 | Control testing schedule                                                                       | governance    | Claude   | P2  | 68    | Open   |
| 9754 | Regulatory change log: State Bank and SECP circulars read and acted on each month              | governance    | Claude   | P2  | 68    | Open   |
| 9755 | Compliance monitoring plan for the first year                                                  | governance    | Claude   | P2  | 68    | Open   |
| 9756 | Risk: default by a member after collecting: owner, controls and the indicator that warns of it | risk register | Claude   | P2  | 68    | Open   |
| 9757 | Risk: fraud by a member at joining: owner, controls and the indicator that warns of it         | risk register | Claude   | P2  | 68    | Open   |
| 9758 | Risk: collusion inside a circle: owner, controls and the indicator that warns of it            | risk register | Claude   | P2  | 68    | Open   |
| 9759 | Risk: misconduct by a host: owner, controls and the indicator that warns of it                 | risk register | Claude   | P2  | 68    | Open   |
| 9760 | Risk: identity fraud and stolen CNICs: owner, controls and the indicator that warns of it      | risk register | Claude   | P2  | 68    | Open   |
| 9761 | Risk: mule accounts receiving payouts: owner, controls and the indicator that warns of it      | risk register | Claude   | P2  | 68    | Open   |
| 9762 | Risk: failure of the bank connection: owner, controls and the indicator that warns of it       | risk register | Claude   | P2  | 68    | Open   |
| 9763 | Risk: failure of the PSP: owner, controls and the indicator that warns of it                   | risk register | Claude   | P2  | 68    | Open   |

| #    | Item                                                                                                          | Where         | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------------------------------------|---------------|--------|-----|-------|--------|
| 9764 | Risk: data breach: owner, controls and the indicator that warns of it                                         | risk register | Claude | P2  | 68    | Open   |
| 9765 | Risk: cyber attack on the service: owner, controls and the indicator that warns of it                         | risk register | Claude | P2  | 68    | Open   |
| 9766 | Risk: dependence on the founder, who is 17: owner, controls and the indicator that warns of it                | risk register | Claude | P2  | 68    | Open   |
| 9767 | Risk: shortage of funds before revenue: owner, controls and the indicator that warns of it                    | risk register | Claude | P2  | 68    | Open   |
| 9768 | Risk: dependence on one bank: owner, controls and the indicator that warns of it                              | risk register | Claude | P2  | 69    | Open   |
| 9769 | Risk: change in State Bank rules on service providers: owner, controls and the indicator that warns of it     | risk register | Claude | P2  | 69    | Open   |
| 9770 | Risk: a Shariah ruling against a feature on Raqami: owner, controls and the indicator that warns of it        | risk register | Claude | P2  | 69    | Open   |
| 9771 | Risk: mis-selling or unclear disclosure: owner, controls and the indicator that warns of it                   | risk register | Claude | P2  | 69    | Open   |
| 9772 | Risk: complaints outrunning the support team: owner, controls and the indicator that warns of it              | risk register | Claude | P2  | 69    | Open   |
| 9773 | Risk: damage to reputation on social media: owner, controls and the indicator that warns of it                | risk register | Claude | P2  | 69    | Open   |
| 9774 | Risk: error in a model such as the score or affordability: owner, controls and the indicator that warns of it | risk register | Claude | P2  | 69    | Open   |
| 9775 | Risk: failure of one of Halqa's own suppliers: owner, controls and the indicator that warns of it             | risk register | Claude | P2  | 69    | Open   |
| 9776 | Risk: data hosted outside Pakistan: owner, controls and the indicator that warns of it                        | risk register | Claude | P2  | 69    | Open   |
| 9777 | Risk: message costs above the business model: owner, controls and the indicator that warns of it              | risk register | Claude | P2  | 69    | Open   |
| 9778 | Risk: removal from an application store: owner, controls and the indicator that warns of it                   | risk register | Claude | P2  | 69    | Open   |
| 9779 | Risk: undertakings or guarantees not enforceable in court: owner, controls and the indicator that warns of it | risk register | Claude | P2  | 69    | Open   |
| 9780 | Risk: tax treatment of the fee or the points: owner, controls and the indicator that warns of it              | risk register | Claude | P2  | 69    | Open   |
| 9781 | Risk: growth of the points liability: owner, controls and the indicator that warns of it                      | risk register | Claude | P2  | 69    | Open   |
| 9782 | Risk: failure of a marketplace merchant: owner, controls and the indicator that warns of it                   | risk register | Claude | P2  | 69    | Open   |
| 9783 | Risk: misuse of the turn market: owner, controls and the indicator that warns of it                           | risk register | Claude | P2  | 69    | Open   |
| 9784 | Risk: losses in Hyper: owner, controls and the indicator that warns of it                                     | risk register | Claude | P2  | 69    | Open   |
| 9785 | Risk: an operational error in a payout run: owner, controls and the indicator that warns of it                | risk register | Claude | P2  | 69    | Open   |
| 9786 | Risk: reconciliation breaks left open: owner, controls and the indicator that warns of it                     | risk register | Claude | P2  | 69    | Open   |
| 9787 | Risk: error by a contractor: owner, controls and the indicator that warns of it                               | risk register | Claude | P2  | 69    | Open   |
| 9788 | Risk: misuse by someone with inside access: owner, controls and the indicator that warns of it                | risk register | Claude | P2  | 69    | Open   |
| 9789 | Risk: wrong data reported to the bureau: owner, controls and the indicator that warns of it                   | risk register | Claude | P2  | 69    | Open   |
| 9790 | Key risk indicator: collection success on the first attempt, with its threshold and its owner                 | risk register | Claude | P2  | 69    | Open   |
| 9791 | Key risk indicator: collection success by the 8th, with its threshold and its owner                           | risk register | Claude | P2  | 69    | Open   |
| 9792 | Key risk indicator: arrears after the 8th, with its threshold and its owner                                   | risk register | Claude | P2  | 69    | Open   |
| 9793 | Key risk indicator: default after collection, with its threshold and its owner                                | risk register | Claude | P2  | 69    | Open   |
| 9794 | Key risk indicator: claims paid by the operator, with its threshold and its owner                             | risk register | Claude | P2  | 69    | Open   |



| #    | Item                                                                                                 | Where         | Owner  | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------|---------------|--------|-----|-------|--------|
| 9795 | Key risk indicator: complaints per 1,000 members, with its threshold and its owner                   | risk register | Claude | P2  | 69    | Open   |
| 9796 | Key risk indicator: complaints past their turnaround time, with its threshold and its owner          | risk register | Claude | P2  | 69    | Open   |
| 9797 | Key risk indicator: fraud cases per 1,000 members, with its threshold and its owner                  | risk register | Claude | P2  | 69    | Open   |
| 9798 | Key risk indicator: time from fraud report to block, with its threshold and its owner                | risk register | Claude | P2  | 69    | Open   |
| 9799 | Key risk indicator: reconciliation breaks open for more than a day, with its threshold and its owner | risk register | Claude | P2  | 69    | Open   |
| 9800 | Key risk indicator: payouts later than the 8th, with its threshold and its owner                     | risk register | Claude | P2  | 69    | Open   |
| 9801 | Key risk indicator: service availability, with its threshold and its owner                           | risk register | Claude | P2  | 69    | Open   |
| 9802 | Key risk indicator: incidents by severity, with its threshold and its owner                          | risk register | Claude | P2  | 69    | Open   |
| 9803 | Key risk indicator: message cost per member per month, with its threshold and its owner              | risk register | Claude | P2  | 69    | Open   |
| 9804 | Key risk indicator: drop off at each onboarding step, with its threshold and its owner               | risk register | Claude | P2  | 69    | Open   |
| 9805 | Key risk indicator: identity check failures, with its threshold and its owner                        | risk register | Claude | P2  | 69    | Open   |
| 9806 | Key risk indicator: attempted band overrides, with its threshold and its owner                       | risk register | Claude | P2  | 69    | Open   |
| 9807 | Key risk indicator: points liability, with its threshold and its owner                               | risk register | Claude | P2  | 69    | Open   |

### AL3. Model Risk

Each model Halqa relies on, documented, validated, monitored and changed under control.

| #    | Item                                                                            | Where     | Owner   | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------|-----------|---------|-----|-------|--------|
| 9808 | Model, affordability: documentation of purpose, inputs, method and limits       | documents | Claude  | P2  | 69    | Open   |
| 9809 | Model, affordability: independent validation before use on live members         | external  | Auditor | P2  | H4    | Open   |
| 9810 | Model, affordability: monitoring thresholds and alerts                          | reporting | Claude  | P2  | 69    | Open   |
| 9811 | Model, affordability: recalibration schedule against outcomes                   | process   | Claude  | P3  | 79    | Open   |
| 9812 | Model, affordability: changes approved and recorded before release              | process   | Claude  | P2  | 69    | Open   |
| 9813 | Model, identity confidence: documentation of purpose, inputs, method and limits | documents | Claude  | P2  | 69    | Open   |
| 9814 | Model, identity confidence: independent validation before use on live members   | external  | Auditor | P2  | H4    | Open   |
| 9815 | Model, identity confidence: monitoring thresholds and alerts                    | reporting | Claude  | P2  | 69    | Open   |
| 9816 | Model, identity confidence: recalibration schedule against outcomes             | process   | Claude  | P3  | 79    | Open   |
| 9817 | Model, identity confidence: changes approved and recorded before release        | process   | Claude  | P2  | 69    | Open   |
| 9818 | Model, salary pattern: documentation of purpose, inputs, method and limits      | documents | Claude  | P2  | 69    | Open   |
| 9819 | Model, salary pattern: independent validation before use on live members        | external  | Auditor | P2  | H4    | Open   |
| 9820 | Model, salary pattern: monitoring thresholds and alerts                         | reporting | Claude  | P2  | 69    | Open   |
| 9821 | Model, salary pattern: recalibration schedule against outcomes                  | process   | Claude  | P3  | 79    | Open   |

| #    | Item                                                                                     | Where     | Owner   | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------|-----------|---------|-----|-------|--------|
| 9822 | Model, salary pattern: changes approved and recorded before release                      | process   | Claude  | P2  | 69    | Open   |
| 9823 | Model, credit score and bands: documentation of purpose, inputs, method and limits       | documents | Claude  | P2  | 69    | Open   |
| 9824 | Model, credit score and bands: independent validation before use on live members         | external  | Auditor | P2  | H4    | Open   |
| 9825 | Model, credit score and bands: monitoring thresholds and alerts                          | reporting | Claude  | P2  | 69    | Open   |
| 9826 | Model, credit score and bands: recalibration schedule against outcomes                   | process   | Claude  | P3  | 79    | Open   |
| 9827 | Model, credit score and bands: changes approved and recorded before release              | process   | Claude  | P2  | 69    | Open   |
| 9828 | Model, exposure: documentation of purpose, inputs, method and limits                     | documents | Claude  | P2  | 69    | Open   |
| 9829 | Model, exposure: independent validation before use on live members                       | external  | Auditor | P2  | H4    | Open   |
| 9830 | Model, exposure: monitoring thresholds and alerts                                        | reporting | Claude  | P2  | 69    | Open   |
| 9831 | Model, exposure: recalibration schedule against outcomes                                 | process   | Claude  | P3  | 79    | Open   |
| 9832 | Model, exposure: changes approved and recorded before release                            | process   | Claude  | P2  | 69    | Open   |
| 9833 | Model, forward liability: documentation of purpose, inputs, method and limits            | documents | Claude  | P2  | 69    | Open   |
| 9834 | Model, forward liability: independent validation before use on live members              | external  | Auditor | P2  | H4    | Open   |
| 9835 | Model, forward liability: monitoring thresholds and alerts                               | reporting | Claude  | P2  | 69    | Open   |
| 9836 | Model, forward liability: recalibration schedule against outcomes                        | process   | Claude  | P3  | 79    | Open   |
| 9837 | Model, forward liability: changes approved and recorded before release                   | process   | Claude  | P2  | 69    | Open   |
| 9838 | Model, takaful or insurance pricing: documentation of purpose, inputs, method and limits | documents | Claude  | P2  | 69    | Open   |
| 9839 | Model, takaful or insurance pricing: independent validation before use on live members   | external  | Auditor | P2  | H4    | Open   |
| 9840 | Model, takaful or insurance pricing: monitoring thresholds and alerts                    | reporting | Claude  | P2  | 69    | Open   |
| 9841 | Model, takaful or insurance pricing: recalibration schedule against outcomes             | process   | Claude  | P3  | 79    | Open   |
| 9842 | Model, takaful or insurance pricing: changes approved and recorded before release        | process   | Claude  | P2  | 69    | Open   |
| 9843 | Model, hyper default threshold: documentation of purpose, inputs, method and limits      | documents | Claude  | P2  | 69    | Open   |
| 9844 | Model, hyper default threshold: independent validation before use on live members        | external  | Auditor | P2  | H4    | Open   |
| 9845 | Model, hyper default threshold: monitoring thresholds and alerts                         | reporting | Claude  | P2  | 69    | Open   |
| 9846 | Model, hyper default threshold: recalibration schedule against outcomes                  | process   | Claude  | P3  | 79    | Open   |
| 9847 | Model, hyper default threshold: changes approved and recorded before release             | process   | Claude  | P2  | 69    | Open   |
| 9848 | Model, fraud signals: documentation of purpose, inputs, method and limits                | documents | Claude  | P2  | 69    | Open   |
| 9849 | Model, fraud signals: independent validation before use on live members                  | external  | Auditor | P2  | H4    | Open   |
| 9850 | Model, fraud signals: monitoring thresholds and alerts                                   | reporting | Claude  | P2  | 69    | Open   |
| 9851 | Model, fraud signals: recalibration schedule against outcomes                            | process   | Claude  | P3  | 79    | Open   |
| 9852 | Model, fraud signals: changes approved and recorded before release                       | process   | Claude  | P2  | 69    | Open   |

#### AL4. Continuity

Item 706 by scenario and by service.

| #    | Item                                                                  | Where          | Owner  | Pri | Phase | Status |
|------|-----------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 9853 | Continuity plan for the bank's interfaces unavailable on a payday     | documentation  | Claude | P1  | 38    | Open   |
| 9854 | Continuity plan tested: the bank's interfaces unavailable on a payday | operations     | Claude | P2  | 69    | Open   |
| 9855 | Continuity plan for the PSP unavailable                               | documentation  | Claude | P1  | 38    | Open   |
| 9856 | Continuity plan tested: the PSP unavailable                           | operations     | Claude | P2  | 69    | Open   |
| 9857 | Continuity plan for the hosting region unavailable                    | documentation  | Claude | P1  | 38    | Open   |
| 9858 | Continuity plan tested: the hosting region unavailable                | operations     | Claude | P2  | 69    | Open   |
| 9859 | Continuity plan for database corruption                               | documentation  | Claude | P1  | 38    | Open   |
| 9860 | Continuity plan tested: database corruption                           | operations     | Claude | P2  | 69    | Open   |
| 9861 | Continuity plan for WhatsApp unavailable or the account suspended     | documentation  | Claude | P1  | 38    | Open   |
| 9862 | Continuity plan tested: WhatsApp unavailable or the account suspended | operations     | Claude | P2  | 69    | Open   |
| 9863 | Continuity plan for SMS codes delayed                                 | documentation  | Claude | P1  | 38    | Open   |
| 9864 | Continuity plan tested: SMS codes delayed                             | operations     | Claude | P2  | 69    | Open   |
| 9865 | Continuity plan for the founder unavailable for a month               | documentation  | Claude | P1  | 38    | Open   |
| 9866 | Continuity plan tested: the founder unavailable for a month           | operations     | Claude | P2  | 69    | Open   |
| 9867 | Continuity plan for a cyber incident                                  | documentation  | Claude | P1  | 38    | Open   |
| 9868 | Continuity plan tested: a cyber incident                              | operations     | Claude | P2  | 69    | Open   |
| 9869 | Continuity plan for a payout run failing on the 8th                   | documentation  | Claude | P1  | 38    | Open   |
| 9870 | Continuity plan tested: a payout run failing on the 8th               | operations     | Claude | P2  | 69    | Open   |
| 9871 | Continuity plan for a sudden wave of complaints                       | documentation  | Claude | P1  | 38    | Open   |
| 9872 | Continuity plan tested: a sudden wave of complaints                   | operations     | Claude | P2  | 69    | Open   |
| 9873 | Continuity plan for removal from an application store                 | documentation  | Claude | P1  | 38    | Open   |
| 9874 | Continuity plan tested: removal from an application store             | operations     | Claude | P2  | 69    | Open   |
| 9875 | Continuity plan for loss of the domain name                           | documentation  | Claude | P1  | 38    | Open   |
| 9876 | Continuity plan tested: loss of the domain name                       | operations     | Claude | P2  | 69    | Open   |
| 9877 | Recovery time and recovery point set for the interface service        | infrastructure | Claude | P1  | 38    | Open   |
| 9878 | Recovery time and recovery point set for the database                 | infrastructure | Claude | P1  | 38    | Open   |
| 9879 | Recovery time and recovery point set for the collection run           | infrastructure | Claude | P1  | 38    | Open   |
| 9880 | Recovery time and recovery point set for the payout run               | infrastructure | Claude | P1  | 38    | Open   |
| 9881 | Recovery time and recovery point set for notifications                | infrastructure | Claude | P1  | 38    | Open   |

| #    | Item                                                                | Where          | Owner  | Pri | Phase | Status |
|------|---------------------------------------------------------------------|----------------|--------|-----|-------|--------|
| 9882 | Recovery time and recovery point set for the administrative console | infrastructure | Claude | P1  | 38    | Open   |

#### AL5. Finance

| #    | Item                                                                               | Where     | Owner    | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------|-----------|----------|-----|-------|--------|
| 9883 | Chart of accounts for the company                                                  | finance   | Chairman | P1  | H1    | Open   |
| 9884 | Monthly close checklist                                                            | finance   | Claude   | P2  | 69    | Open   |
| 9885 | Monthly reconciliation of the bank's income statement against Halqa's records      | finance   | Claude   | P2  | 69    | Open   |
| 9886 | Runway updated each month against the budget of item 740                           | finance   | Claude   | P1  | 38    | Open   |
| 9887 | Cash flow forecast by month                                                        | finance   | Claude   | P2  | 69    | Open   |
| 9888 | Investor update each quarter                                                       | finance   | Chairman | P3  | H6    | Open   |
| 9889 | Expense approval rule                                                              | finance   | Chairman | P2  | H5    | Open   |
| 9890 | Audit readiness: records, approvals and reconciliations kept as an auditor expects | finance   | Claude   | P2  | 69    | Open   |
| 9891 | Data room for the bank and investors: certificate of incorporation                 | documents | Claude   | P2  | 69    | Open   |
| 9892 | Data room for the bank and investors: memorandum and articles                      | documents | Claude   | P2  | 69    | Open   |
| 9893 | Data room for the bank and investors: shareholding record                          | documents | Claude   | P2  | 69    | Open   |
| 9894 | Data room for the bank and investors: financial model                              | documents | Claude   | P2  | 69    | Open   |
| 9895 | Data room for the bank and investors: business model and unit costs                | documents | Claude   | P2  | 69    | Open   |
| 9896 | Data room for the bank and investors: presentations for both banks                 | documents | Claude   | P2  | 69    | Open   |
| 9897 | Data room for the bank and investors: product demonstration                        | documents | Claude   | P2  | 69    | Open   |
| 9898 | Data room for the bank and investors: opinions of counsel                          | documents | Claude   | P2  | 69    | Open   |
| 9899 | Data room for the bank and investors: agreement with the bank                      | documents | Claude   | P2  | 69    | Open   |
| 9900 | Data room for the bank and investors: policy set                                   | documents | Claude   | P2  | 69    | Open   |
| 9901 | Data room for the bank and investors: security pack                                | documents | Claude   | P2  | 69    | Open   |
| 9902 | Data room for the bank and investors: risk register                                | documents | Claude   | P2  | 69    | Open   |
| 9903 | Data room for the bank and investors: key measures                                 | documents | Claude   | P2  | 70    | Open   |
| 9904 | Data room for the bank and investors: founder and board profiles                   | documents | Claude   | P2  | 70    | Open   |
| 9905 | Data room for the bank and investors: references                                   | documents | Claude   | P2  | 70    | Open   |

#### AL6. People

| #    | Item                                                                                                     | Where      | Owner   | Pri | Phase | Status |
|------|----------------------------------------------------------------------------------------------------------|------------|---------|-----|-------|--------|
| 9906 | Roles and responsibilities written for product, engineering, operations, support, compliance and finance | governance | Claude  | P1  | 38    | Open   |
| 9907 | Agreement with the software house, with confidentiality, intellectual property and security terms        | legal      | Counsel | P1  | H1    | Open   |

| #    | Item                                                                                                   | Where      | Owner    | Pri | Phase | Status |
|------|--------------------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 9908 | Agreement with the translator                                                                          | commercial | Chairman | P1  | H3    | Open   |
| 9909 | Confidentiality agreements signed by everyone with access, in the bank's form where it has one         | legal      | Chairman | P0  | H1    | Open   |
| 9910 | Background checks before access is granted                                                             | governance | Chairman | P1  | H4    | Open   |
| 9911 | Access granted and removed by checklist on joining and leaving                                         | security   | Claude   | P1  | 38    | Open   |
| 9912 | Training plan: security, money laundering, conduct and complaints                                      | governance | Claude   | P2  | 70    | Open   |
| 9913 | Hiring decisions for launch: support, compliance and operations                                        | decision   | Chairman | P2  | H5    | Open   |
| 9914 | The founder's role and authority recorded while the founder is under 18, with the director's authority | corporate  | Counsel  | P0  | H1    | Open   |

## AL7. Suppliers

Items 804 and 805 by supplier.

| #    | Item                                                                       | Where      | Owner    | Pri | Phase | Status |
|------|----------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 9915 | Supplier, Vercel: due diligence recorded                                   | governance | Claude   | P2  | 70    | Open   |
| 9916 | Supplier, Vercel: contract and data processing terms in place              | legal      | Chairman | P2  | H5    | Open   |
| 9917 | Supplier, Vercel: exit plan                                                | governance | Claude   | P3  | 79    | Open   |
| 9918 | Supplier, Vercel: reviewed each year                                       | governance | Claude   | P3  | 79    | Open   |
| 9919 | Supplier, Supabase: due diligence recorded                                 | governance | Claude   | P2  | 70    | Open   |
| 9920 | Supplier, Supabase: contract and data processing terms in place            | legal      | Chairman | P2  | H5    | Open   |
| 9921 | Supplier, Supabase: exit plan                                              | governance | Claude   | P3  | 79    | Open   |
| 9922 | Supplier, Supabase: reviewed each year                                     | governance | Claude   | P3  | 79    | Open   |
| 9923 | Supplier, Amazon Web Services: due diligence recorded                      | governance | Claude   | P2  | 70    | Open   |
| 9924 | Supplier, Amazon Web Services: contract and data processing terms in place | legal      | Chairman | P2  | H5    | Open   |
| 9925 | Supplier, Amazon Web Services: exit plan                                   | governance | Claude   | P3  | 80    | Open   |
| 9926 | Supplier, Amazon Web Services: reviewed each year                          | governance | Claude   | P3  | 80    | Open   |
| 9927 | Supplier, Meta for WhatsApp: due diligence recorded                        | governance | Claude   | P2  | 70    | Open   |
| 9928 | Supplier, Meta for WhatsApp: contract and data processing terms in place   | legal      | Chairman | P2  | H5    | Open   |
| 9929 | Supplier, Meta for WhatsApp: exit plan                                     | governance | Claude   | P3  | 80    | Open   |
| 9930 | Supplier, Meta for WhatsApp: reviewed each year                            | governance | Claude   | P3  | 80    | Open   |
| 9931 | Supplier, the SMS provider: due diligence recorded                         | governance | Claude   | P2  | 70    | Open   |
| 9932 | Supplier, the SMS provider: contract and data processing terms in place    | legal      | Chairman | P2  | H5    | Open   |
| 9933 | Supplier, the SMS provider: exit plan                                      | governance | Claude   | P3  | 80    | Open   |
| 9934 | Supplier, the SMS provider: reviewed each year                             | governance | Claude   | P3  | 80    | Open   |

| #    | Item                                                                            | Where      | Owner    | Pri | Phase | Status |
|------|---------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 9935 | Supplier, Safepay: due diligence recorded                                       | governance | Claude   | P2  | 70    | Open   |
| 9936 | Supplier, Safepay: contract and data processing terms in place                  | legal      | Chairman | P2  | H5    | Open   |
| 9937 | Supplier, Safepay: exit plan                                                    | governance | Claude   | P3  | 80    | Open   |
| 9938 | Supplier, Safepay: reviewed each year                                           | governance | Claude   | P3  | 80    | Open   |
| 9939 | Supplier, Google Workspace: due diligence recorded                              | governance | Claude   | P2  | 70    | Open   |
| 9940 | Supplier, Google Workspace: contract and data processing terms in place         | legal      | Chairman | P2  | H5    | Open   |
| 9941 | Supplier, Google Workspace: exit plan                                           | governance | Claude   | P3  | 80    | Open   |
| 9942 | Supplier, Google Workspace: reviewed each year                                  | governance | Claude   | P3  | 80    | Open   |
| 9943 | Supplier, Google Play and Firebase: due diligence recorded                      | governance | Claude   | P2  | 70    | Open   |
| 9944 | Supplier, Google Play and Firebase: contract and data processing terms in place | legal      | Chairman | P2  | H5    | Open   |
| 9945 | Supplier, Google Play and Firebase: exit plan                                   | governance | Claude   | P3  | 80    | Open   |
| 9946 | Supplier, Google Play and Firebase: reviewed each year                          | governance | Claude   | P3  | 80    | Open   |
| 9947 | Supplier, Apple: due diligence recorded                                         | governance | Claude   | P2  | 70    | Open   |
| 9948 | Supplier, Apple: contract and data processing terms in place                    | legal      | Chairman | P2  | H5    | Open   |
| 9949 | Supplier, Apple: exit plan                                                      | governance | Claude   | P3  | 80    | Open   |
| 9950 | Supplier, Apple: reviewed each year                                             | governance | Claude   | P3  | 80    | Open   |
| 9951 | Supplier, Sentry: due diligence recorded                                        | governance | Claude   | P2  | 70    | Open   |
| 9952 | Supplier, Sentry: contract and data processing terms in place                   | legal      | Chairman | P2  | H5    | Open   |
| 9953 | Supplier, Sentry: exit plan                                                     | governance | Claude   | P3  | 80    | Open   |
| 9954 | Supplier, Sentry: reviewed each year                                            | governance | Claude   | P3  | 80    | Open   |
| 9955 | Supplier, Resend: due diligence recorded                                        | governance | Claude   | P2  | 70    | Open   |
| 9956 | Supplier, Resend: contract and data processing terms in place                   | legal      | Chairman | P2  | H5    | Open   |
| 9957 | Supplier, Resend: exit plan                                                     | governance | Claude   | P3  | 80    | Open   |
| 9958 | Supplier, Resend: reviewed each year                                            | governance | Claude   | P3  | 80    | Open   |
| 9959 | Supplier, the domain registrar: due diligence recorded                          | governance | Claude   | P2  | 70    | Open   |
| 9960 | Supplier, the domain registrar: contract and data processing terms in place     | legal      | Chairman | P2  | H5    | Open   |
| 9961 | Supplier, the domain registrar: exit plan                                       | governance | Claude   | P3  | 80    | Open   |
| 9962 | Supplier, the domain registrar: reviewed each year                              | governance | Claude   | P3  | 80    | Open   |
| 9963 | Supplier, Cloudflare: due diligence recorded                                    | governance | Claude   | P2  | 70    | Open   |
| 9964 | Supplier, Cloudflare: contract and data processing terms in place               | legal      | Chairman | P2  | H5    | Open   |
| 9965 | Supplier, Cloudflare: exit plan                                                 | governance | Claude   | P3  | 80    | Open   |

| #    | Item                                                                                                       | Where      | Owner    | Pri | Phase | Status |
|------|------------------------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 9966 | Supplier, Cloudflare: reviewed each year                                                                   | governance | Claude   | P3  | 80    | Open   |
| 9967 | Supplier, GitHub: due diligence recorded                                                                   | governance | Claude   | P2  | 70    | Open   |
| 9968 | Supplier, GitHub: contract and data processing terms in place                                              | legal      | Chairman | P2  | H5    | Open   |
| 9969 | Supplier, GitHub: exit plan                                                                                | governance | Claude   | P3  | 80    | Open   |
| 9970 | Supplier, GitHub: reviewed each year                                                                       | governance | Claude   | P3  | 80    | Open   |
| 9971 | Supplier, the translator: due diligence recorded                                                           | governance | Claude   | P2  | 70    | Open   |
| 9972 | Supplier, the translator: contract and data processing terms in place                                      | legal      | Chairman | P2  | H5    | Open   |
| 9973 | Supplier, the translator: exit plan                                                                        | governance | Claude   | P3  | 80    | Open   |
| 9974 | Supplier, the translator: reviewed each year                                                               | governance | Claude   | P3  | 80    | Open   |
| 9975 | Supplier, the penetration tester: due diligence recorded                                                   | governance | Claude   | P2  | 70    | Open   |
| 9976 | Supplier, the penetration tester: contract and data processing terms in place                              | legal      | Chairman | P2  | H5    | Open   |
| 9977 | Supplier, the penetration tester: exit plan                                                                | governance | Claude   | P3  | 80    | Open   |
| 9978 | Supplier, the penetration tester: reviewed each year                                                       | governance | Claude   | P3  | 80    | Open   |
| 9979 | Supplier, the auditor: due diligence recorded                                                              | governance | Claude   | P2  | 70    | Open   |
| 9980 | Supplier, the auditor: contract and data processing terms in place                                         | legal      | Chairman | P2  | H5    | Open   |
| 9981 | Supplier, the auditor: exit plan                                                                           | governance | Claude   | P3  | 80    | Open   |
| 9982 | Supplier, the auditor: reviewed each year                                                                  | governance | Claude   | P3  | 80    | Open   |
| 9983 | Supplier, the tax adviser: due diligence recorded                                                          | governance | Claude   | P2  | 70    | Open   |
| 9984 | Supplier, the tax adviser: contract and data processing terms in place                                     | legal      | Chairman | P2  | H5    | Open   |
| 9985 | Supplier, the tax adviser: exit plan                                                                       | governance | Claude   | P3  | 80    | Open   |
| 9986 | Supplier, the tax adviser: reviewed each year                                                              | governance | Claude   | P3  | 80    | Open   |
| 9987 | Supplier, counsel: due diligence recorded                                                                  | governance | Claude   | P2  | 70    | Open   |
| 9988 | Supplier, counsel: contract and data processing terms in place                                             | legal      | Chairman | P2  | H1    | Open   |
| 9989 | Supplier, counsel: exit plan                                                                               | governance | Claude   | P3  | 80    | Open   |
| 9990 | Supplier, counsel: reviewed each year                                                                      | governance | Claude   | P3  | 80    | Open   |
| 9991 | Supplier, TASDEEQ: due diligence recorded                                                                  | governance | Claude   | P2  | 70    | Open   |
| 9992 | Supplier, TASDEEQ: contract and data processing terms in place                                             | legal      | Chairman | P2  | H5    | Open   |
| 9993 | Supplier, TASDEEQ: exit plan                                                                               | governance | Claude   | P3  | 80    | Open   |
| 9994 | Supplier, TASDEEQ: reviewed each year                                                                      | governance | Claude   | P3  | 80    | Open   |
| 9995 | Supplier, the takaful or insurance operator, through the bank: due diligence recorded                      | governance | Claude   | P2  | 70    | Open   |
| 9996 | Supplier, the takaful or insurance operator, through the bank: contract and data processing terms in place | legal      | Chairman | P2  | H5    | Open   |

| #     | Item                                                                              | Where      | Owner    | Pri | Phase | Status |
|-------|-----------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 9997  | Supplier, the takaful or insurance operator, through the bank: exit plan          | governance | Claude   | P3  | 80    | Open   |
| 9998  | Supplier, the takaful or insurance operator, through the bank: reviewed each year | governance | Claude   | P3  | 80    | Open   |
| 9999  | Supplier, marketplace merchants: due diligence recorded                           | governance | Claude   | P2  | 70    | Open   |
| 10000 | Supplier, marketplace merchants: contract and data processing terms in place      | legal      | Chairman | P2  | H5    | Open   |
| 10001 | Supplier, marketplace merchants: exit plan                                        | governance | Claude   | P3  | 80    | Open   |
| 10002 | Supplier, marketplace merchants: reviewed each year                               | governance | Claude   | P3  | 80    | Open   |
| 10003 | Supplier, the software house: due diligence recorded                              | governance | Claude   | P2  | 70    | Open   |
| 10004 | Supplier, the software house: contract and data processing terms in place         | legal      | Chairman | P2  | H5    | Open   |
| 10005 | Supplier, the software house: exit plan                                           | governance | Claude   | P3  | 80    | Open   |
| 10006 | Supplier, the software house: reviewed each year                                  | governance | Claude   | P3  | 80    | Open   |

#### AL8. Drafts Prepared for Counsel

The legal items of sections K, S and W remain counsel's. Claude prepares each first draft or brief, so that counsel's time goes on review rather than on drafting.

| #     | Item                                                                                                                                                                                     | Where              | Owner  | Pri | Phase | Status |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 10007 | Draft for counsel: memorandum object clause for the restructured model (item 477)                                                                                                        | drafts for counsel | Claude | P0  | 11    | Open   |
| 10008 | Draft for counsel: member undertaking stating the sum owed after each round (item 483)                                                                                                   | drafts for counsel | Claude | P0  | 11    | Open   |
| 10009 | Draft for counsel: mutual guarantee as a separate instrument between members (item 484)                                                                                                  | drafts for counsel | Claude | P1  | 38    | Open   |
| 10010 | Draft for counsel: collection mandate text stating amount, cadence, ceiling and cancellation (item 485)                                                                                  | drafts for counsel | Claude | P0  | 11    | Open   |
| 10011 | Draft for counsel: arbitration clause naming the dispute route (item 486)                                                                                                                | drafts for counsel | Claude | P1  | 38    | Open   |
| 10012 | Draft for counsel: no custody clause: every balance sits with the partner bank (item 487)                                                                                                | drafts for counsel | Claude | P0  | 11    | Open   |
| 10013 | Draft for counsel: member agreement, privacy, cookies, advertising, community and fees, versioned together (item 488)                                                                    | drafts for counsel | Claude | P0  | 11    | Open   |
| 10014 | Draft for counsel: brief on limb twelve of the definition of a financial institution (item 489)                                                                                          | drafts for counsel | Claude | P0  | 11    | Open   |
| 10015 | Draft for counsel: services agreement: Halqa as the system, the bank as the licensed holder and mover of money (item 667)                                                                | drafts for counsel | Claude | P0  | 11    | Open   |
| 10016 | Draft for counsel: schedule of functions, with the owner of every record and the functions Halqa never performs: custody, lending, the account opening decision and insurance (item 668) | drafts for counsel | Claude | P0  | 11    | Open   |
| 10017 | Draft for counsel: service levels schedule (item 669)                                                                                                                                    | drafts for counsel | Claude | P1  | 38    | Open   |
| 10018 | Draft for counsel: data clause (item 675)                                                                                                                                                | drafts for counsel | Claude | P1  | 38    | Open   |
| 10019 | Draft for counsel: intellectual property clause (item 676)                                                                                                                               | drafts for counsel | Claude | P1  | 38    | Open   |
| 10020 | Draft for counsel: liability clause (item 677)                                                                                                                                           | drafts for counsel | Claude | P1  | 38    | Open   |
| 10021 | Draft for counsel: exit and migration clause (item 678)                                                                                                                                  | drafts for counsel | Claude | P1  | 38    | Open   |



| #     | Item                                                                                                                                                         | Where              | Owner  | Pri | Phase | Status |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 10022 | Draft for counsel: business continuity duties of both parties (item 679)                                                                                     | drafts for counsel | Claude | P1  | 38    | Open   |
| 10023 | Draft for counsel: audit rights of the bank and the State Bank (item 680)                                                                                    | drafts for counsel | Claude | P1  | 38    | Open   |
| 10024 | Draft for counsel: complaints routing between the bank and Halqa (item 681)                                                                                  | drafts for counsel | Claude | P1  | 38    | Open   |
| 10025 | Draft for counsel: governing law and dispute resolution clause (item 683)                                                                                    | drafts for counsel | Claude | P2  | 70    | Open   |
| 10026 | Draft for counsel: change control clause (item 684)                                                                                                          | drafts for counsel | Claude | P1  | 38    | Open   |
| 10027 | Draft for counsel: brief on Halqa as the bank's service provider and on section 84 of the Companies Act (item 693)                                           | drafts for counsel | Claude | P0  | 11    | Open   |
| 10028 | Draft for counsel: brief on points bought with money and redeemed with merchants (item 694)                                                                  | drafts for counsel | Claude | P1  | 38    | Open   |
| 10029 | Draft for counsel: brief on the turn market under the SECP rules for peer to peer lending (item 695)                                                         | drafts for counsel | Claude | P1  | 38    | Open   |
| 10030 | Draft for counsel: brief on credit reporting from day one (item 696)                                                                                         | drafts for counsel | Claude | P1  | 38    | Open   |
| 10031 | Draft for counsel: note on points under the Virtual Assets Act 2026 (item 697)                                                                               | drafts for counsel | Claude | P2  | 70    | Open   |
| 10032 | Draft for counsel: member agreement for three parties: the member, Halqa and the bank (item 719)                                                             | drafts for counsel | Claude | P0  | 11    | Open   |
| 10033 | Draft for counsel: privacy policy stating which records Halqa holds and which the bank holds (item 720)                                                      | drafts for counsel | Claude | P0  | 11    | Open   |
| 10034 | Draft for counsel: mandate terms in the bank's form, as shown inside Halqa (item 721)                                                                        | drafts for counsel | Claude | P1  | 38    | Open   |
| 10035 | Draft for counsel: points terms (item 722)                                                                                                                   | drafts for counsel | Claude | P2  | 70    | Open   |
| 10036 | Draft for counsel: marketplace terms (item 723)                                                                                                              | drafts for counsel | Claude | P2  | 70    | Open   |
| 10037 | Draft for counsel: turn market terms (item 724)                                                                                                              | drafts for counsel | Claude | P2  | 70    | Open   |
| 10038 | Draft for counsel: takaful or insurance terms in the operator's form (item 725)                                                                              | drafts for counsel | Claude | P1  | 38    | Open   |
| 10039 | Draft for counsel: credit reporting consent naming the route the bank chooses (item 726)                                                                     | drafts for counsel | Claude | P1  | 38    | Open   |
| 10040 | Draft for counsel: savings product terms in the bank's form (item 727)                                                                                       | drafts for counsel | Claude | P2  | 70    | Open   |
| 10041 | Draft for counsel: terms for members abroad (item 728)                                                                                                       | drafts for counsel | Claude | P3  | 80    | Open   |
| 10042 | Draft for counsel: experimental terms for Hyper (item 729)                                                                                                   | drafts for counsel | Claude | P2  | 70    | Open   |
| 10043 | Draft for counsel: complaints procedure covering Halqa and the bank (item 730)                                                                               | drafts for counsel | Claude | P1  | 38    | Open   |
| 10044 | Draft for counsel: consent step for the bureau, agreed with TASDEEQ (item 460)                                                                               | drafts for counsel | Claude | P1  | 38    | Open   |
| 10045 | Draft for counsel: brief on the Credit Bureaus Act 2015 for the chosen reporting route (item 943)                                                            | drafts for counsel | Claude | P1  | 38    | Open   |
| 10046 | Draft for counsel: note confirming that Halqa earns no return on any member's money (item 453)                                                               | drafts for counsel | Claude | P2  | 70    | Open   |
| 10047 | Draft for counsel: note on section 31(1)(c) of the Electronic Transactions Ordinance (item 457)                                                              | drafts for counsel | Claude | P2  | 70    | Open   |
| 10048 | Draft for counsel: data processing agreement for suppliers (item 805)                                                                                        | drafts for counsel | Claude | P2  | 70    | Open   |
| 10049 | Draft for counsel: agency checklist under regulations 4 and 22 of the Corporate Insurance Agents Regulations 2020, used only if an agency is held (item 433) | drafts for counsel | Claude | P3  | 80    | Open   |

## AM. Operations

### AM1. Service Levels and Incidents

In the manner of a large technology company: objectives, error budgets, on call and reviews.

| #     | Item                                                                                               | Where      | Owner    | Pri | Phase | Status |
|-------|----------------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 10050 | Service level objective for sign in, with its measure and its error budget                         | operations | Claude   | P1  | 42    | Open   |
| 10051 | Service level objective for paying an instalment, with its measure and its error budget            | operations | Claude   | P1  | 42    | Open   |
| 10052 | Service level objective for payout on the 8th, with its measure and its error budget               | operations | Claude   | P1  | 42    | Open   |
| 10053 | Service level objective for the collection run, with its measure and its error budget              | operations | Claude   | P1  | 42    | Open   |
| 10054 | Service level objective for alerts reaching members, with its measure and its error budget         | operations | Claude   | P1  | 42    | Open   |
| 10055 | Service level objective for the application loading, with its measure and its error budget         | operations | Claude   | P1  | 42    | Open   |
| 10056 | Service level objective for the interface service answering, with its measure and its error budget | operations | Claude   | P1  | 42    | Open   |
| 10057 | Severity levels for incidents, with response times                                                 | operations | Claude   | P1  | 42    | Open   |
| 10058 | On call rota with a backup, and the escalation path                                                | operations | Chairman | P1  | H4    | Open   |
| 10059 | Post incident review, blameless, written within five working days, with actions tracked            | operations | Claude   | P1  | 42    | Open   |
| 10060 | Production readiness review before any launch: monitoring, runbooks, rollback, load                | process    | Claude   | P1  | 42    | Open   |
| 10061 | No releases from two days before the 8th to the day after, so payout day is never at risk          | process    | Claude   | P0  | 13    | Open   |
| 10062 | Release calendar shared with the bank                                                              | process    | Claude   | P2  | 72    | Open   |
| 10063 | Capacity review each month against growth                                                          | process    | Claude   | P3  | 80    | Open   |

### AM2. More Runbooks

Runbooks beyond those in section R.

| #     | Item                                       | Where         | Owner  | Pri | Phase | Status |
|-------|--------------------------------------------|---------------|--------|-----|-------|--------|
| 10064 | Runbook: a WhatsApp template rejected      | documentation | Claude | P2  | 72    | Open   |
| 10065 | Runbook: a database restore                | documentation | Claude | P2  | 72    | Open   |
| 10066 | Runbook: a leaked secret                   | documentation | Claude | P2  | 72    | Open   |
| 10067 | Runbook: an application store rejection    | documentation | Claude | P2  | 72    | Open   |
| 10068 | Runbook: a mass sign up attack             | documentation | Claude | P2  | 72    | Open   |
| 10069 | Runbook: a suspected fraud ring            | documentation | Claude | P2  | 73    | Open   |
| 10070 | Runbook: a request to see or delete data   | documentation | Claude | P2  | 73    | Open   |
| 10071 | Runbook: a complaint escalated to the bank | documentation | Claude | P2  | 73    | Open   |
| 10072 | Runbook: a spike in points purchases       | documentation | Claude | P2  | 73    | Open   |
| 10073 | Runbook: a merchant failing to deliver     | documentation | Claude | P2  | 73    | Open   |

| #     | Item                                       | Where         | Owner  | Pri | Phase | Status |
|-------|--------------------------------------------|---------------|--------|-----|-------|--------|
| 10074 | Runbook: a disputed turn trade             | documentation | Claude | P2  | 73    | Open   |
| 10075 | Runbook: a member reporting a stolen phone | documentation | Claude | P2  | 73    | Open   |
| 10076 | Runbook: an alert storm                    | documentation | Claude | P2  | 73    | Open   |

### AM3. Help and Support

| #     | Item                                                                   | Where             | Owner      | Pri | Phase | Status |
|-------|------------------------------------------------------------------------|-------------------|------------|-----|-------|--------|
| 10077 | Help article in English: what a committee is                           | content           | Claude     | P1  |       | Done   |
| 10078 | Help article in Urdu: what a committee is                              | content           | Translator | P1  | H4    | Open   |
| 10079 | Assistant answer updated for: what a committee is                      | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10080 | Help article in English: how Halqa works with the bank                 | content           | Claude     | P1  |       | Done   |
| 10081 | Help article in Urdu: how Halqa works with the bank                    | content           | Translator | P1  | H4    | Open   |
| 10082 | Assistant answer updated for: how Halqa works with the bank            | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10083 | Help article in English: opening the bank account                      | content           | Claude     | P1  |       | Done   |
| 10084 | Help article in Urdu: opening the bank account                         | content           | Translator | P1  | H4    | Open   |
| 10085 | Assistant answer updated for: opening the bank account                 | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10086 | Help article in English: why the bank checks fingerprints              | content           | Claude     | P1  |       | Done   |
| 10087 | Help article in Urdu: why the bank checks fingerprints                 | content           | Translator | P1  | H4    | Open   |
| 10088 | Assistant answer updated for: why the bank checks fingerprints         | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10089 | Help article in English: the Rs 85 fee                                 | content           | Claude     | P1  |       | Done   |
| 10090 | Help article in Urdu: the Rs 85 fee                                    | content           | Translator | P1  | H4    | Open   |
| 10091 | Assistant answer updated for: the Rs 85 fee                            | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10092 | Help article in English: the PSP service fee on wallets and cards      | content           | Claude     | P1  |       | Done   |
| 10093 | Help article in Urdu: the PSP service fee on wallets and cards         | content           | Translator | P1  | H4    | Open   |
| 10094 | Assistant answer updated for: the PSP service fee on wallets and cards | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10095 | Help article in English: the takaful or insurance fee                  | content           | Claude     | P1  |       | Done   |
| 10096 | Help article in Urdu: the takaful or insurance fee                     | content           | Translator | P1  | H4    | Open   |
| 10097 | Assistant answer updated for: the takaful or insurance fee             | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10098 | Help article in English: how the order of turns is set                 | content           | Claude     | P1  |       | Done   |
| 10099 | Help article in Urdu: how the order of turns is set                    | content           | Translator | P1  | H4    | Open   |
| 10100 | Assistant answer updated for: how the order of turns is set            | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10101 | Help article in English: score bands                                   | content           | Claude     | P1  |       | Done   |

| #     | Item                                                     | Where             | Owner      | Pri | Phase | Status |
|-------|----------------------------------------------------------|-------------------|------------|-----|-------|--------|
| 10102 | Help article in Urdu: score bands                        | content           | Translator | P1  | H4    | Open   |
| 10103 | Assistant answer updated for: score bands                | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10104 | Help article in English: why new members start last      | content           | Claude     | P1  |       | Done   |
| 10105 | Help article in Urdu: why new members start last         | content           | Translator | P1  | H4    | Open   |
| 10106 | Assistant answer updated for: why new members start last | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10107 | Help article in English: joining with a code             | content           | Claude     | P1  |       | Done   |
| 10108 | Help article in Urdu: joining with a code                | content           | Translator | P1  | H4    | Open   |
| 10109 | Assistant answer updated for: joining with a code        | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10110 | Help article in English: hosting a circle                | content           | Claude     | P1  |       | Done   |
| 10111 | Help article in Urdu: hosting a circle                   | content           | Translator | P1  | H4    | Open   |
| 10112 | Assistant answer updated for: hosting a circle           | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10113 | Help article in English: admitting members               | content           | Claude     | P1  |       | Done   |
| 10114 | Help article in Urdu: admitting members                  | content           | Translator | P1  | H4    | Open   |
| 10115 | Assistant answer updated for: admitting members          | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10116 | Help article in English: reminders                       | content           | Claude     | P1  |       | Done   |
| 10117 | Help article in Urdu: reminders                          | content           | Translator | P1  | H4    | Open   |
| 10118 | Assistant answer updated for: reminders                  | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10119 | Help article in English: paying by mandate               | content           | Claude     | P1  |       | Done   |
| 10120 | Help article in Urdu: paying by mandate                  | content           | Translator | P1  | H4    | Open   |
| 10121 | Assistant answer updated for: paying by mandate          | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10122 | Help article in English: paying by wallet or card        | content           | Claude     | P1  |       | Done   |
| 10123 | Help article in Urdu: paying by wallet or card           | content           | Translator | P1  | H4    | Open   |
| 10124 | Assistant answer updated for: paying by wallet or card   | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10125 | Help article in English: paying by Raast                 | content           | Claude     | P1  |       | Done   |
| 10126 | Help article in Urdu: paying by Raast                    | content           | Translator | P1  | H4    | Open   |
| 10127 | Assistant answer updated for: paying by Raast            | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10128 | Help article in English: when a payment fails            | content           | Claude     | P1  |       | Done   |
| 10129 | Help article in Urdu: when a payment fails               | content           | Translator | P1  | H4    | Open   |
| 10130 | Assistant answer updated for: when a payment fails       | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10131 | Help article in English: late charges                    | content           | Claude     | P1  |       | Done   |
| 10132 | Help article in Urdu: late charges                       | content           | Translator | P1  | H4    | Open   |

| #     | Item                                              | Where             | Owner      | Pri | Phase | Status |
|-------|---------------------------------------------------|-------------------|------------|-----|-------|--------|
| 10133 | Assistant answer updated for: late charges        | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10134 | Help article in English: why the 8th              | content           | Claude     | P1  |       | Done   |
| 10135 | Help article in Urdu: why the 8th                 | content           | Translator | P1  | H4    | Open   |
| 10136 | Assistant answer updated for: why the 8th         | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10137 | Help article in English: receiving the pot        | content           | Claude     | P1  |       | Done   |
| 10138 | Help article in Urdu: receiving the pot           | content           | Translator | P1  | H4    | Open   |
| 10139 | Assistant answer updated for: receiving the pot   | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10140 | Help article in English: arrears and set off      | content           | Claude     | P1  |       | Done   |
| 10141 | Help article in Urdu: arrears and set off         | content           | Translator | P1  | H4    | Open   |
| 10142 | Assistant answer updated for: arrears and set off | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10143 | Help article in English: hardship plans           | content           | Claude     | P1  |       | Done   |
| 10144 | Help article in Urdu: hardship plans              | content           | Translator | P1  | H4    | Open   |
| 10145 | Assistant answer updated for: hardship plans      | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10146 | Help article in English: leaving a circle         | content           | Claude     | P1  |       | Done   |
| 10147 | Help article in Urdu: leaving a circle            | content           | Translator | P1  | H4    | Open   |
| 10148 | Assistant answer updated for: leaving a circle    | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10149 | Help article in English: disputes                 | content           | Claude     | P1  |       | Done   |
| 10150 | Help article in Urdu: disputes                    | content           | Translator | P1  | H4    | Open   |
| 10151 | Assistant answer updated for: disputes            | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10152 | Help article in English: complaints               | content           | Claude     | P1  |       | Done   |
| 10153 | Help article in Urdu: complaints                  | content           | Translator | P1  | H4    | Open   |
| 10154 | Assistant answer updated for: complaints          | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10155 | Help article in English: points and rewards       | content           | Claude     | P1  |       | Done   |
| 10156 | Help article in Urdu: points and rewards          | content           | Translator | P1  | H4    | Open   |
| 10157 | Assistant answer updated for: points and rewards  | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10158 | Help article in English: the marketplace          | content           | Claude     | P1  |       | Done   |
| 10159 | Help article in Urdu: the marketplace             | content           | Translator | P1  | H4    | Open   |
| 10160 | Assistant answer updated for: the marketplace     | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10161 | Help article in English: the turn market          | content           | Claude     | P1  |       | Done   |
| 10162 | Help article in Urdu: the turn market             | content           | Translator | P1  | H4    | Open   |
| 10163 | Assistant answer updated for: the turn market     | rafa-knowledge.ts | Claude     | P2  |       | Done   |

| #     | Item                                                        | Where             | Owner      | Pri | Phase | Status |
|-------|-------------------------------------------------------------|-------------------|------------|-----|-------|--------|
| 10164 | Help article in English: Hyper, an experiment               | content           | Claude     | P1  |       | Done   |
| 10165 | Help article in Urdu: Hyper, an experiment                  | content           | Translator | P1  | H4    | Open   |
| 10166 | Assistant answer updated for: Hyper, an experiment          | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10167 | Help article in English: the credit record and TASDEEQ      | content           | Claude     | P1  |       | Done   |
| 10168 | Help article in Urdu: the credit record and TASDEEQ         | content           | Translator | P1  | H4    | Open   |
| 10169 | Assistant answer updated for: the credit record and TASDEEQ | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10170 | Help article in English: the credit score                   | content           | Claude     | P1  |       | Done   |
| 10171 | Help article in Urdu: the credit score                      | content           | Translator | P1  | H4    | Open   |
| 10172 | Assistant answer updated for: the credit score              | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10173 | Help article in English: keeping a PIN safe                 | content           | Claude     | P1  |       | Done   |
| 10174 | Help article in Urdu: keeping a PIN safe                    | content           | Translator | P1  | H4    | Open   |
| 10175 | Assistant answer updated for: keeping a PIN safe            | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10176 | Help article in English: changing phone or device           | content           | Claude     | P1  |       | Done   |
| 10177 | Help article in Urdu: changing phone or device              | content           | Translator | P1  | H4    | Open   |
| 10178 | Assistant answer updated for: changing phone or device      | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10179 | Help article in English: changing a phone number            | content           | Claude     | P1  |       | Done   |
| 10180 | Help article in Urdu: changing a phone number               | content           | Translator | P1  | H4    | Open   |
| 10181 | Assistant answer updated for: changing a phone number       | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10182 | Help article in English: data and privacy                   | content           | Claude     | P1  |       | Done   |
| 10183 | Help article in Urdu: data and privacy                      | content           | Translator | P1  | H4    | Open   |
| 10184 | Assistant answer updated for: data and privacy              | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10185 | Help article in English: closing the account                | content           | Claude     | P1  |       | Done   |
| 10186 | Help article in Urdu: closing the account                   | content           | Translator | P1  | H4    | Open   |
| 10187 | Assistant answer updated for: closing the account           | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10188 | Help article in English: members abroad                     | content           | Claude     | P1  |       | Done   |
| 10189 | Help article in Urdu: members abroad                        | content           | Translator | P1  | H4    | Open   |
| 10190 | Assistant answer updated for: members abroad                | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10191 | Help article in English: Islamic accounts                   | content           | Claude     | P1  |       | Done   |
| 10192 | Help article in Urdu: Islamic accounts                      | content           | Translator | P1  | H4    | Open   |
| 10193 | Assistant answer updated for: Islamic accounts              | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10194 | Help article in English: contact and hours                  | content           | Claude     | P1  |       | Done   |

| #     | Item                                                            | Where             | Owner      | Pri | Phase | Status |
|-------|-----------------------------------------------------------------|-------------------|------------|-----|-------|--------|
| 10195 | Help article in Urdu: contact and hours                         | content           | Translator | P1  | H4    | Open   |
| 10196 | Assistant answer updated for: contact and hours                 | rafa-knowledge.ts | Claude     | P2  |       | Done   |
| 10197 | Support replies saved for the twenty five most common questions | operations        | Claude     | P2  | 73    | Open   |
| 10198 | Support hours and response times published                      | content           | Chairman   | P1  | H4    | Open   |
| 10199 | Quality check of a sample of support replies each week          | process           | Chairman   | P3  | H6    | Open   |
| 10200 | Satisfaction question after each resolved request               | new page          | Claude     | P3  | 80    | Open   |
| 10201 | Help centre search across every article in both languages       | new page          | Claude     | P2  | 73    | Open   |

#### AM4. Data, Measures and Reports

Items 617 to 624, 716 and 823 in detail: each event, each measure and each report to the bank.

| #     | Item                                                         | Where     | Owner  | Pri | Phase | Status |
|-------|--------------------------------------------------------------|-----------|--------|-----|-------|--------|
| 10202 | Event defined, named and documented: app opened              | analytics | Claude | P2  |       | Done   |
| 10203 | Event defined, named and documented: sign up started         | analytics | Claude | P2  |       | Done   |
| 10204 | Event defined, named and documented: phone submitted         | analytics | Claude | P2  |       | Done   |
| 10205 | Event defined, named and documented: code verified           | analytics | Claude | P2  |       | Done   |
| 10206 | Event defined, named and documented: PIN set                 | analytics | Claude | P2  |       | Done   |
| 10207 | Event defined, named and documented: profile completed       | analytics | Claude | P2  |       | Done   |
| 10208 | Event defined, named and documented: CNIC captured           | analytics | Claude | P2  |       | Done   |
| 10209 | Event defined, named and documented: liveness passed         | analytics | Claude | P2  |       | Done   |
| 10210 | Event defined, named and documented: bank onboarding started | analytics | Claude | P2  |       | Done   |
| 10211 | Event defined, named and documented: bank account opened     | analytics | Claude | P2  |       | Done   |
| 10212 | Event defined, named and documented: bank account refused    | analytics | Claude | P2  |       | Done   |
| 10213 | Event defined, named and documented: circle viewed           | analytics | Claude | P2  |       | Done   |
| 10214 | Event defined, named and documented: circle created          | analytics | Claude | P2  |       | Done   |
| 10215 | Event defined, named and documented: invitation shared       | analytics | Claude | P2  |       | Done   |
| 10216 | Event defined, named and documented: joining requested       | analytics | Claude | P2  |       | Done   |
| 10217 | Event defined, named and documented: admitted                | analytics | Claude | P2  |       | Done   |
| 10218 | Event defined, named and documented: key facts accepted      | analytics | Claude | P2  |       | Done   |
| 10219 | Event defined, named and documented: undertaking signed      | analytics | Claude | P2  |       | Done   |
| 10220 | Event defined, named and documented: mandate started         | analytics | Claude | P2  |       | Done   |
| 10221 | Event defined, named and documented: mandate authorised      | analytics | Claude | P2  |       | Done   |

| #     | Item                                                                 | Where     | Owner  | Pri | Phase | Status |
|-------|----------------------------------------------------------------------|-----------|--------|-----|-------|--------|
| 10222 | Event defined, named and documented: mandate cancelled               | analytics | Claude | P2  |       | Done   |
| 10223 | Event defined, named and documented: payment method added            | analytics | Claude | P2  |       | Done   |
| 10224 | Event defined, named and documented: payment started                 | analytics | Claude | P2  |       | Done   |
| 10225 | Event defined, named and documented: payment succeeded               | analytics | Claude | P2  |       | Done   |
| 10226 | Event defined, named and documented: payment failed                  | analytics | Claude | P2  |       | Done   |
| 10227 | Event defined, named and documented: payout received                 | analytics | Claude | P2  |       | Done   |
| 10228 | Event defined, named and documented: late notice opened              | analytics | Claude | P2  |       | Done   |
| 10229 | Event defined, named and documented: hardship requested              | analytics | Claude | P2  |       | Done   |
| 10230 | Event defined, named and documented: exit requested                  | analytics | Claude | P2  |       | Done   |
| 10231 | Event defined, named and documented: dispute opened                  | analytics | Claude | P2  |       | Done   |
| 10232 | Event defined, named and documented: complaint opened                | analytics | Claude | P2  |       | Done   |
| 10233 | Event defined, named and documented: points credited                 | analytics | Claude | P2  |       | Done   |
| 10234 | Event defined, named and documented: points redeemed                 | analytics | Claude | P2  |       | Done   |
| 10235 | Event defined, named and documented: order placed                    | analytics | Claude | P2  |       | Done   |
| 10236 | Event defined, named and documented: turn listed                     | analytics | Claude | P2  |       | Done   |
| 10237 | Event defined, named and documented: offer made                      | analytics | Claude | P2  |       | Done   |
| 10238 | Event defined, named and documented: trade settled                   | analytics | Claude | P2  |       | Done   |
| 10239 | Event defined, named and documented: Hyper joined                    | analytics | Claude | P2  |       | Done   |
| 10240 | Event defined, named and documented: help article read               | analytics | Claude | P2  |       | Done   |
| 10241 | Event defined, named and documented: support contacted               | analytics | Claude | P2  |       | Done   |
| 10242 | Event defined, named and documented: language changed                | analytics | Claude | P2  |       | Done   |
| 10243 | Event defined, named and documented: notification opened             | analytics | Claude | P2  |       | Done   |
| 10244 | Event defined, named and documented: device bound                    | analytics | Claude | P2  |       | Done   |
| 10245 | Event defined, named and documented: cooling off reached             | analytics | Claude | P2  |       | Done   |
| 10246 | Event defined, named and documented: account closed                  | analytics | Claude | P2  |       | Done   |
| 10247 | Measure defined and charted: active members                          | admin     | Claude | P2  | 73    | Open   |
| 10248 | Measure defined and charted: active circles                          | admin     | Claude | P2  | 73    | Open   |
| 10249 | Measure defined and charted: circles started each week               | admin     | Claude | P2  | 73    | Open   |
| 10250 | Measure defined and charted: time for a circle to fill               | admin     | Claude | P2  | 73    | Open   |
| 10251 | Measure defined and charted: collection success on the first attempt | admin     | Claude | P2  | 73    | Open   |
| 10252 | Measure defined and charted: collection success by the 8th           | admin     | Claude | P2  | 73    | Open   |



| #     | Item                                                                                                   | Where         | Owner  | Pri | Phase | Status |
|-------|--------------------------------------------------------------------------------------------------------|---------------|--------|-----|-------|--------|
| 10253 | Measure defined and charted: arrears after the 8th                                                     | admin         | Claude | P2  | 73    | Open   |
| 10254 | Measure defined and charted: default after collection                                                  | admin         | Claude | P2  | 73    | Open   |
| 10255 | Measure defined and charted: recovery rate                                                             | admin         | Claude | P2  | 73    | Open   |
| 10256 | Measure defined and charted: payouts on time                                                           | admin         | Claude | P2  | 73    | Open   |
| 10257 | Measure defined and charted: mandate coverage                                                          | admin         | Claude | P2  | 73    | Open   |
| 10258 | Measure defined and charted: onboarding conversion by step                                             | admin         | Claude | P2  | 73    | Open   |
| 10259 | Measure defined and charted: bank account opening success                                              | admin         | Claude | P2  | 73    | Open   |
| 10260 | Measure defined and charted: time to first circle                                                      | admin         | Claude | P2  | 73    | Open   |
| 10261 | Measure defined and charted: complaints rate                                                           | admin         | Claude | P2  | 73    | Open   |
| 10262 | Measure defined and charted: member satisfaction                                                       | admin         | Claude | P2  | 73    | Open   |
| 10263 | Measure defined and charted: message cost per member                                                   | admin         | Claude | P2  | 73    | Open   |
| 10264 | Measure defined and charted: contribution per member                                                   | admin         | Claude | P2  | 73    | Open   |
| 10265 | Measure defined and charted: fee revenue                                                               | admin         | Claude | P2  | 73    | Open   |
| 10266 | Measure defined and charted: points liability                                                          | admin         | Claude | P2  | 73    | Open   |
| 10267 | Monthly report to the bank: members and accounts opened                                                | reporting     | Claude | P2  | 73    | Open   |
| 10268 | Monthly report to the bank: balances held                                                              | reporting     | Claude | P2  | 73    | Open   |
| 10269 | Monthly report to the bank: collections and their success                                              | reporting     | Claude | P2  | 73    | Open   |
| 10270 | Monthly report to the bank: arrears and defaults                                                       | reporting     | Claude | P2  | 73    | Open   |
| 10271 | Monthly report to the bank: claims to the operator                                                     | reporting     | Claude | P2  | 73    | Open   |
| 10272 | Monthly report to the bank: complaints and turnaround                                                  | reporting     | Claude | P2  | 73    | Open   |
| 10273 | Monthly report to the bank: incidents                                                                  | reporting     | Claude | P2  | 73    | Open   |
| 10274 | Monthly report to the bank: service levels                                                             | reporting     | Claude | P2  | 73    | Open   |
| 10275 | Monthly report to the bank: points liability                                                           | reporting     | Claude | P2  | 73    | Open   |
| 10276 | Monthly report to the bank: marketplace orders                                                         | reporting     | Claude | P2  | 73    | Open   |
| 10277 | Monthly report to the bank: Hyper each day                                                             | reporting     | Claude | P2  | 73    | Open   |
| 10278 | Data quality checks on the ledger, the bureau data and the reports each night                          | new job       | Claude | P2  | 73    | Open   |
| 10279 | One definition of each measure shared by the dashboards and the bank reports                           | documentation | Claude | P2  | 73    | Open   |
| 10280 | Analytics provider chosen that keeps data in an acceptable region and needs no tracking consent prompt | decision      | Claude | P2  | 73    | Open   |

## AN. Growth and Brand

### AN1. Website

| #     | Item                                                           | Where   | Owner      | Pri | Phase | Status |
|-------|----------------------------------------------------------------|---------|------------|-----|-------|--------|
| 10281 | Website page, home: English copy                               | website | Claude     | P2  | 73    | Open   |
| 10282 | Website page, home: Urdu copy, by a translator                 | website | Translator | P2  | H4    | Open   |
| 10283 | Website page, home: built and checked on a handset             | website | Claude     | P2  | 73    | Open   |
| 10284 | Website page, how it works: English copy                       | website | Claude     | P2  | 73    | Open   |
| 10285 | Website page, how it works: Urdu copy, by a translator         | website | Translator | P2  | H4    | Open   |
| 10286 | Website page, how it works: built and checked on a handset     | website | Claude     | P2  | 73    | Open   |
| 10287 | Website page, fees: English copy                               | website | Claude     | P2  | 73    | Open   |
| 10288 | Website page, fees: Urdu copy, by a translator                 | website | Translator | P2  | H4    | Open   |
| 10289 | Website page, fees: built and checked on a handset             | website | Claude     | P2  | 73    | Open   |
| 10290 | Website page, security: English copy                           | website | Claude     | P2  | 73    | Open   |
| 10291 | Website page, security: Urdu copy, by a translator             | website | Translator | P2  | H4    | Open   |
| 10292 | Website page, security: built and checked on a handset         | website | Claude     | P2  | 73    | Open   |
| 10293 | Website page, for hosts: English copy                          | website | Claude     | P2  | 73    | Open   |
| 10294 | Website page, for hosts: Urdu copy, by a translator            | website | Translator | P2  | H4    | Open   |
| 10295 | Website page, for hosts: built and checked on a handset        | website | Claude     | P2  | 73    | Open   |
| 10296 | Website page, Islamic accounts: English copy                   | website | Claude     | P2  | 73    | Open   |
| 10297 | Website page, Islamic accounts: Urdu copy, by a translator     | website | Translator | P2  | H4    | Open   |
| 10298 | Website page, Islamic accounts: built and checked on a handset | website | Claude     | P2  | 73    | Open   |
| 10299 | Website page, help: English copy                               | website | Claude     | P2  | 73    | Open   |
| 10300 | Website page, help: Urdu copy, by a translator                 | website | Translator | P2  | H4    | Open   |
| 10301 | Website page, help: built and checked on a handset             | website | Claude     | P2  | 73    | Open   |
| 10302 | Website page, privacy: English copy                            | website | Claude     | P2  | 73    | Open   |
| 10303 | Website page, privacy: Urdu copy, by a translator              | website | Translator | P2  | H4    | Open   |
| 10304 | Website page, privacy: built and checked on a handset          | website | Claude     | P2  | 73    | Open   |
| 10305 | Website page, terms: English copy                              | website | Claude     | P2  | 73    | Open   |
| 10306 | Website page, terms: Urdu copy, by a translator                | website | Translator | P2  | H4    | Open   |
| 10307 | Website page, terms: built and checked on a handset            | website | Claude     | P2  | 73    | Open   |
| 10308 | Website page, complaints: English copy                         | website | Claude     | P2  | 73    | Open   |

| #     | Item                                                     | Where   | Owner      | Pri | Phase | Status |
|-------|----------------------------------------------------------|---------|------------|-----|-------|--------|
| 10309 | Website page, complaints: Urdu copy, by a translator     | website | Translator | P2  | H4    | Open   |
| 10310 | Website page, complaints: built and checked on a handset | website | Claude     | P2  | 73    | Open   |
| 10311 | Website page, contact: English copy                      | website | Claude     | P2  | 73    | Open   |
| 10312 | Website page, contact: Urdu copy, by a translator        | website | Translator | P2  | H4    | Open   |
| 10313 | Website page, contact: built and checked on a handset    | website | Claude     | P2  | 73    | Open   |
| 10314 | Website page, status: English copy                       | website | Claude     | P2  | 73    | Open   |
| 10315 | Website page, status: Urdu copy, by a translator         | website | Translator | P2  | H4    | Open   |
| 10316 | Website page, status: built and checked on a handset     | website | Claude     | P2  | 73    | Open   |

## AN2. Launch

| #     | Item                                                                                  | Where      | Owner    | Pri | Phase | Status |
|-------|---------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 10317 | Brand guidelines: logo, lime palette, type, tone of voice, Urdu usage                 | design     | Claude   | P2  | 73    | Open   |
| 10318 | Founder profile written with care for the founder's age and the director's role       | content    | Claude   | P2  | 73    | Open   |
| 10319 | Plan for the first 100 circles: hosts, circle types, cities                           | marketing  | Chairman | P2  | H5    | Open   |
| 10320 | Waiting list on the website before launch                                             | website    | Claude   | P2  | 73    | Open   |
| 10321 | Referral rules: points only when the referred member completes a circle cleanly       | content    | Claude   | P2  | 73    | Open   |
| 10322 | Social accounts registered: Facebook, Instagram, TikTok, YouTube, LinkedIn            | marketing  | Chairman | P3  | H6    | Open   |
| 10323 | Content calendar for the first three months in English and Urdu                       | marketing  | Claude   | P3  | 80    | Open   |
| 10324 | Rules for any creator or influencer: no promise of returns, the bank's approval first | marketing  | Claude   | P3  | 80    | Open   |
| 10325 | Employer programme pitch for payroll circles                                          | marketing  | Claude   | P3  | 80    | Open   |
| 10326 | Launch day runbook: staffing, monitoring, messages, rollback                          | operations | Claude   | P2  | 73    | Open   |

## AN3. Hosts

| #     | Item                                                         | Where      | Owner    | Pri | Phase | Status |
|-------|--------------------------------------------------------------|------------|----------|-----|-------|--------|
| 10327 | Host onboarding journey and checklist                        | new page   | Claude   | P2  | 73    | Open   |
| 10328 | Host support line or channel                                 | operations | Chairman | P3  | H6    | Open   |
| 10329 | Host levels by circles completed, with what each level opens | decision   | Chairman | P3  | H6    | Open   |
| 10330 | Host community for sharing practice, moderated               | operations | Chairman | P3  | H6    | Open   |
| 10331 | Host removal of rights after misconduct, with an appeal      | process    | Claude   | P2  | 73    | Open   |

#### AN4. Partners

| #     | Item                                                                     | Where      | Owner    | Pri | Phase | Status |
|-------|--------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 10332 | Employers approached for payroll circles, with the bank's corporate team | commercial | Chairman | P3  | H6    | Open   |
| 10333 | Raqami's payroll clients approached with Raqami                          | commercial | Chairman | P3  | H6    | Open   |
| 10334 | Marketplace merchants approached: electronics and appliances             | commercial | Chairman | P3  | H6    | Open   |
| 10335 | Marketplace merchants approached: groceries                              | commercial | Chairman | P3  | H6    | Open   |
| 10336 | Marketplace merchants approached: school fees and books                  | commercial | Chairman | P3  | H6    | Open   |

#### AO. The Two Banks

##### AO1. Mashreq Bank Pakistan

| #     | Item                                                                                                                 | Where      | Owner    | Pri | Phase | Status |
|-------|----------------------------------------------------------------------------------------------------------------------|------------|----------|-----|-------|--------|
| 10337 | Mashreq: meeting date fixed and the attendees on both sides known                                                    | meeting    | Chairman | P0  | H2    | Open   |
| 10338 | Mashreq: agenda sent ahead of the meeting                                                                            | meeting    | Claude   | P1  | 37    | Open   |
| 10339 | Mashreq: first stage proposal written as a separate document, not in the deck                                        | documents  | Claude   | P1  | 37    | Open   |
| 10340 | Mashreq: integration discovery session with the bank's technology team                                               | bank       | Bank     | P1  | H2    | Open   |
| 10341 | Mashreq: the NEO product team named as the product owner                                                             | bank       | Bank     | P1  | H2    | Open   |
| 10342 | Mashreq: the account that holds committee balances agreed: Islamic Current Profit Account or Islamic Savings Account | bank       | Bank     | P1  | H2    | Open   |
| 10343 | Mashreq: the direct debit mandate requested as a new line, since it is not published today                           | bank       | Bank     | P0  | H2    | Open   |
| 10344 | Mashreq: the Mashreq Pakistan Account route for UAE families confirmed                                               | bank       | Bank     | P3  | H6    | Open   |
| 10345 | Mashreq: its insurance partner or a takaful operator chosen for circles between strangers                            | bank       | Bank     | P1  | H2    | Open   |
| 10346 | Mashreq: its TASDEEQ membership confirmed as the reporting route, or Halqa as data provider                          | bank       | Bank     | P1  | H2    | Open   |
| 10347 | Mashreq: Shariah board submission for the Islamic window                                                             | bank       | Bank     | P1  | H2    | Open   |
| 10348 | Mashreq: its outsourcing questionnaire obtained and answered                                                         | documents  | Claude   | P1  | 37    | Open   |
| 10349 | Mashreq: co-marketing plan and who pays                                                                              | commercial | Chairman | P3  | H6    | Open   |

##### AO2. Raqami Islamic Digital Bank

| #     | Item                                                                                       | Where   | Owner    | Pri | Phase | Status |
|-------|--------------------------------------------------------------------------------------------|---------|----------|-----|-------|--------|
| 10350 | Raqami: who introduces Halqa to Raqami, and the meeting date                               | meeting | Chairman | P1  | H2    | Open   |
| 10351 | Raqami: access to its open interfaces, built for banking as a service                      | bank    | Bank     | P1  | H2    | Open   |
| 10352 | Raqami: standing instruction on its planned open interfaces agreed as the automatic method | bank    | Bank     | P1  | H2    | Open   |
| 10353 | Raqami: 7 day Mudarabah Certificate agreed for balances between payday and the 8th         | bank    | Bank     | P1  | H2    | Open   |

| #     | Item                                                                                                                 | Where   | Owner  | Pri | Phase | Status |
|-------|----------------------------------------------------------------------------------------------------------------------|---------|--------|-----|-------|--------|
| 10354 | Raqami: Asaan Digital Account limit confirmed, since its product page and FAQ differ                                 | bank    | Bank   | P2  | H4    | Open   |
| 10355 | Raqami: residents only, so no UAE family circles until it opens accounts to non residents                            | product | Claude | P2  | 68    | Open   |
| 10356 | Raqami: EFU window takaful agreed as the operator, or another the bank chooses                                       | bank    | Bank   | P1  | H2    | Open   |
| 10357 | Raqami: its core platform and local cloud understood, and whether Halqa must host in Pakistan to match               | bank    | Bank   | P1  | H2    | Open   |
| 10358 | Raqami: Shariah board submission of the committee product, with contributions as interest free loans between members | bank    | Bank   | P0  | H2    | Open   |
| 10359 | Raqami: follow up email within a day of the meeting                                                                  | drafts  | Claude | P2  | 68    | Open   |

### AO3. Questions a Bank Will Ask

Item 1012 by question: each likely question with an answer written and rehearsed.

| #     | Item                                                                                           | Where   | Owner  | Pri | Phase | Status |
|-------|------------------------------------------------------------------------------------------------|---------|--------|-----|-------|--------|
| 10360 | Answer prepared for the bank: who holds the money at each moment                               | meeting | Claude | P1  | 37    | Open   |
| 10361 | Answer prepared for the bank: what happens if a member stops paying after collecting           | meeting | Claude | P1  | 37    | Open   |
| 10362 | Answer prepared for the bank: who pays the members left short                                  | meeting | Claude | P1  | 37    | Open   |
| 10363 | Answer prepared for the bank: what the takaful or insurance costs and who chooses the operator | meeting | Claude | P1  | 37    | Open   |
| 10364 | Answer prepared for the bank: how members are verified                                         | meeting | Claude | P1  | 37    | Open   |
| 10365 | Answer prepared for the bank: whether Halqa stores fingerprints or faces                       | meeting | Claude | P1  | 37    | Open   |
| 10366 | Answer prepared for the bank: how the payday is known                                          | meeting | Claude | P1  | 37    | Open   |
| 10367 | Answer prepared for the bank: what happens when a salary is late                               | meeting | Claude | P1  | 37    | Open   |
| 10368 | Answer prepared for the bank: why the 8th                                                      | meeting | Claude | P1  | 37    | Open   |
| 10369 | Answer prepared for the bank: what the fee is and who earns it                                 | meeting | Claude | P1  | 37    | Open   |
| 10370 | Answer prepared for the bank: what share the bank keeps                                        | meeting | Claude | P1  | 37    | Open   |
| 10371 | Answer prepared for the bank: what deposits the bank gains                                     | meeting | Claude | P1  | 37    | Open   |
| 10372 | Answer prepared for the bank: how many accounts each circle brings                             | meeting | Claude | P1  | 37    | Open   |
| 10373 | Answer prepared for the bank: how credit is reported and by whom                               | meeting | Claude | P1  | 37    | Open   |
| 10374 | Answer prepared for the bank: Halqa's legal position and why it needs no licence of its own    | meeting | Claude | P1  | 37    | Open   |
| 10375 | Answer prepared for the bank: how Halqa meets the outsourcing framework                        | meeting | Claude | P1  | 37    | Open   |
| 10376 | Answer prepared for the bank: where the data is hosted                                         | meeting | Claude | P1  | 38    | Open   |
| 10377 | Answer prepared for the bank: what security testing has been done                              | meeting | Claude | P1  | 38    | Open   |
| 10378 | Answer prepared for the bank: the continuity plan                                              | meeting | Claude | P1  | 38    | Open   |
| 10379 | Answer prepared for the bank: who the founder and directors are                                | meeting | Claude | P1  | 38    | Open   |

| #     | Item                                                                                                                              | Where   | Owner  | Pri | Phase | Status |
|-------|-----------------------------------------------------------------------------------------------------------------------------------|---------|--------|-----|-------|--------|
| 10380 | Answer prepared for the bank: how Halqa is funded and for how long                                                                | meeting | Claude | P1  | 38    | Open   |
| 10381 | Answer prepared for the bank: what happens if Halqa fails                                                                         | meeting | Claude | P1  | 38    | Open   |
| 10382 | Answer prepared for the bank: how complaints are handled                                                                          | meeting | Claude | P1  | 38    | Open   |
| 10383 | Answer prepared for the bank: how a committee is structured for an Islamic window, the bank's Shariah board deciding              | meeting | Claude | P1  | 38    | Open   |
| 10384 | Answer prepared for the bank: whether the turn market can be offered through an Islamic window, the bank's Shariah board deciding | meeting | Claude | P1  | 38    | Open   |
| 10385 | Answer prepared for the bank: whether points are electronic money                                                                 | meeting | Claude | P1  | 38    | Open   |
| 10386 | Answer prepared for the bank: whether points can be cashed out                                                                    | meeting | Claude | P1  | 38    | Open   |
| 10387 | Answer prepared for the bank: who carries the risk of a merchant                                                                  | meeting | Claude | P1  | 38    | Open   |
| 10388 | Answer prepared for the bank: why Hyper is experimental and what limits it                                                        | meeting | Claude | P1  | 38    | Open   |
| 10389 | Answer prepared for the bank: default rates in informal committees                                                                | meeting | Claude | P1  | 38    | Open   |
| 10390 | Answer prepared for the bank: evidence from abroad                                                                                | meeting | Claude | P1  | 38    | Open   |
| 10391 | Answer prepared for the bank: how Halqa compares with Oraan and JazzCash                                                          | meeting | Claude | P1  | 38    | Open   |
| 10392 | Answer prepared for the bank: why the bank should not build this itself                                                           | meeting | Claude | P1  | 38    | Open   |
| 10393 | Answer prepared for the bank: what integration is needed and how long it takes                                                    | meeting | Claude | P1  | 38    | Open   |
| 10394 | Answer prepared for the bank: what Halqa needs from the bank                                                                      | meeting | Claude | P1  | 38    | Open   |
| 10395 | Answer prepared for the bank: the size of a first stage                                                                           | meeting | Claude | P1  | 38    | Open   |
| 10396 | Answer prepared for the bank: who pays for marketing                                                                              | meeting | Claude | P1  | 38    | Open   |
| 10397 | Answer prepared for the bank: whose brand the member sees                                                                         | meeting | Claude | P1  | 38    | Open   |
| 10398 | Answer prepared for the bank: exclusivity                                                                                         | meeting | Claude | P1  | 38    | Open   |
| 10399 | Answer prepared for the bank: who owns the data                                                                                   | meeting | Claude | P1  | 38    | Open   |
| 10400 | Answer prepared for the bank: which State Bank approvals are needed                                                               | meeting | Claude | P1  | 38    | Open   |
| 10401 | Answer prepared for the bank: how fraud and disputes are handled                                                                  | meeting | Claude | P1  | 38    | Open   |
| 10402 | Answer prepared for the bank: which measures both sides watch                                                                     | meeting | Claude | P1  | 38    | Open   |
| 10403 | Answer prepared for the bank: how the price is reviewed                                                                           | meeting | Claude | P1  | 38    | Open   |
| 10404 | Answer prepared for the bank: how the partnership ends                                                                            | meeting | Claude | P1  | 38    | Open   |

## AP. Features Measured against Other Finance Applications

Features of Easypaisa, JazzCash, SadaPay, NayaPay, Raqami, Mashreq NEO, Money Fellows, Hakbah, Esusu, Revolut and Monzo already planned elsewhere: the help centre (item 327), the service status page (523), device management (551), the statement as a file (166), receipts shared as a file (284), Urdu throughout (595), limits set by the score (916), cashback as the end of circle reward (861), host tools (266 to 278), payment by any debit card or wallet (389), scheduled payments by mandate and saved card (390, 832), fingerprint verification in the bank's onboarding (744), savings between payday and the 8th (447), the

transaction PIN, device cooling off, security advice and the Raast QR code (section AB), dark mode and search on every list (section AC), and reminders before the 8th (section AH). The invitation QR code, biometric unlock, the limits page, the notification centre and referral codes are built. The items below hold only what is new.

#### AP1. Adopted

| #     | Item                                                                                                                 | Where             | Owner  | Pri | Phase | Status |
|-------|----------------------------------------------------------------------------------------------------------------------|-------------------|--------|-----|-------|--------|
| 10405 | Application locked when it goes to the background, as banking applications do                                        | Halqa application | Claude | P1  | 42    | Open   |
| 10406 | A person behind the assistant in support chat, as the wallets offer                                                  | Halqa application | Claude | P2  | 73    | Open   |
| 10407 | Circles between strangers released on a weekly schedule, as Hakbah releases its circles each Monday                  | Halqa application | Claude | P2  | 73    | Open   |
| 10408 | Low data mode for slow connections                                                                                   | Halqa application | Claude | P3  | 80    | Open   |
| 10409 | Home screen widget with the next due date, in the native build                                                       | Halqa application | Claude | P3  | 80    | Open   |
| 10410 | Link to the member's Raast ID at the bank, as Easypaisa and SadaPay show it                                          | Halqa application | Claude | P3  | 80    | Open   |
| 10411 | Links to the bank's saving pots after a circle ends, as Raqami offers them                                           | Halqa application | Claude | P3  | 80    | Open   |
| 10412 | Links to the bank's card controls: virtual card and card freeze                                                      | Halqa application | Claude | P3  | 80    | Open   |
| 10413 | Cash deposit points shown for members paid in cash: Askari Bank branches for Raqami, the bank's branches for Mashreq | Halqa application | Claude | P3  | 80    | Open   |

#### AP2. For Decision

| #     | Item                                                                                                                                                                     | Where    | Owner    | Pri | Phase | Status |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|-----|-------|--------|
| 10414 | Request money from a member by request to pay: for the chairman's decision; useful to hosts, but a source of pressure on members                                         | decision | Chairman | P2  | H5    | Open   |
| 10415 | Rent payments reported to bureaus, as Esusu does: recommended for exclusion, since it lies outside the committee product; for the chairman's decision                    | decision | Chairman | P3  | H6    | Open   |
| 10416 | Spending insights, as Revolut and Monzo show: recommended for exclusion, since the bank holds the account; for the chairman's decision                                   | decision | Chairman | P3  | H6    | Open   |
| 10417 | Round ups into savings: recommended for exclusion as the bank's product; for the chairman's decision                                                                     | decision | Chairman | P3  | H6    | Open   |
| 10418 | Mini applications inside the wallet, as Easypaisa and JazzCash run: recommended for exclusion, since they lie outside the committee product; for the chairman's decision | decision | Chairman | P3  | H6    | Open   |
| 10419 | Banking over WhatsApp: recommended for exclusion, since Halqa sends notices on WhatsApp and takes no instructions there; for the chairman's decision                     | decision | Chairman | P3  | H6    | Open   |

#### AP3. Excluded

| #     | Item                                                                                                                                                                                                                        | Where    | Owner    | Pri | Phase | Status |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|-----|-------|--------|
| 10420 | Price by slot, with fees on early slots and discounts on late ones, as Money Fellows charges: excluded, since the fee is the same for every seat (30 September) and the turn market serves members who want an earlier turn | decision | Chairman | P2  |       | Done   |
| 10421 | Prepaid card for payouts, as Money Fellows issues: excluded, since payouts go to the member's bank account (D2)                                                                                                             | decision | Chairman | P2  |       | Done   |
| 10422 | Small loans offered inside wallets: excluded, since Halqa offers no loans                                                                                                                                                   | decision | Chairman | P2  |       | Done   |

| #     | Item                                                     | Where    | Owner    | Pri | Phase | Status |
|-------|----------------------------------------------------------|----------|----------|-----|-------|--------|
| 10423 | Buy now pay later: excluded, since Halqa offers no loans | decision | Chairman | P2  |       | Done   |

## AQ. Eligibility, Security, Host Pay and Speed

The chairman's ruling of 5 October 2026. Most members are working adults, so waiting is designed out; what remains is a test of whether the pot is recoverable, by history or by security.

### AQ1. Income without the Wait

The two month observation stops being the normal route (5 October). Items 396, 471 and 962 are rewritten in place.

| #     | Item                                                                                                                                                                                                                                                                                                                     | Where                    | Owner  | Pri | Phase | Status |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------|-----|-------|--------|
| 10424 | Remove the two month wait as the normal route into a circle between strangers: documentary proof verifies on the same day, and the observation of two salary credits (MIN_MONTHS in the salary pattern engine) is kept only as the fallback for a member with no document and no history at the partner bank (5 October) | lib/salary-pattern.ts:30 | Claude | P0  | 1     | Open   |
| 10425 | Payslip, statement and the partner bank's own statement data (D10) each verify income immediately, with no waiting period                                                                                                                                                                                                | lib/salary-pattern.ts    | Claude | P0  | 1     | Open   |
| 10426 | Joining screens state which proof verifies at once and which route needs observation, so no member is left waiting without knowing why                                                                                                                                                                                   | new page                 | Claude | P1  | 13    | Open   |
| 10427 | Members are assumed to be working adults aged 18 or over; no screen implies that unemployment is expected (5 October)                                                                                                                                                                                                    | content                  | Claude | P1  | 13    | Open   |
| 10428 | Measure how many members verify by document against how many fall to observation, and report it monthly; if the fallback is common the assumption behind this ruling is wrong                                                                                                                                            | reporting                | Claude | P2  | 55    | Open   |
| 10429 | Exceptional case path: a member with no document and no history is told the wait, its length and what ends it, and is offered the security route instead                                                                                                                                                                 | new page                 | Claude | P1  | 13    | Open   |

### AQ2. Seat Eligibility

The blanket quarantine of items 475 and 920 is replaced by a matrix of real bureau history and score.

| #     | Item                                                                                                                                                               | Where              | Owner  | Pri | Phase | Status |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------|-----|-------|--------|
| 10430 | Remove the blanket quarantine that holds every new member to the last seats whatever their score, and replace it with the matrix below (5 October)                 | lib/score-bands.ts | Claude | P0  |       | Done   |
| 10431 | Clean circles required before the first positions open reduced from two to one (REQUIRED_CLEAN_CIRCLES)                                                            | lib/score-bands.ts | Claude | P0  |       | Done   |
| 10432 | Manual verification by telephone removed as a condition of early turns, since it cannot scale to 100,000 members                                                   | lib/score-bands.ts | Claude | P1  |       | Done   |
| 10433 | Seat eligibility: a member who has real, substantial bureau history and a good score may take any seat                                                             | lib/score-bands.ts | Claude | P1  |       | Done   |
| 10434 | Seat eligibility: a member who has a mid score may take the middle seats                                                                                           | lib/score-bands.ts | Claude | P1  |       | Done   |
| 10435 | Seat eligibility: a member who has a low score may take the last seats                                                                                             | lib/score-bands.ts | Claude | P1  |       | Done   |
| 10436 | Seat eligibility: a member who has a record too thin to score properly may take the middle seats, and the first positions after one clean circle, known or unknown | lib/score-bands.ts | Claude | P1  |       | Done   |



| #     | Item                                                                                                                                                                                                             | Where                | Owner  | Pri | Phase | Status |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 10437 | Seat eligibility: a member who has no credit history at all, so no or very limited score factors may take the last seats, and any seat after one clean circle, known or unknown                                  | lib/score-bands.ts   | Claude | P1  |       | Done   |
| 10438 | A member with no bureau record is distinguished in code from a member with a thin record and from a member with a genuinely low score; the three carry different seat rights and must not collapse into one band | lib/score-bands.ts   | Claude | P0  |       | Done   |
| 10439 | No score counts as good until TASDEEQ publishes its band cutoffs, so the band gate stays provisional and every member falls to the thin or absent history rows (chairman, 5 October)                             | lib/score-bands.ts   | Claude | P0  |       | Done   |
| 10440 | Remove the spawn score of 700, which reads as a good band and would defeat the ruling above; a member with no history carries no score at all until one is earned or read from the bureau                        | prisma/schema.prisma | Claude | P0  | 1     | Open   |
| 10441 | Recalibrate the cutoffs in one place once TASDEEQ's bands arrive, as the engine already allows                                                                                                                   | lib/score-bands.ts   | Claude | P1  | 13    | Open   |
| 10442 | A clean circle is defined in code: every instalment paid, no late charge outstanding, no default after collection, the circle closed                                                                             | lib/score-bands.ts   | Claude | P0  | 1     | Open   |
| 10443 | The seat map shows which seats are open to the member and the reason the others are closed, with the route to open them                                                                                          | new page             | Claude | P1  | 13    | Open   |
| 10444 | Tests for every row of the matrix, including the move from thin history to any seat after one clean circle                                                                                                       | tests                | Claude | P1  |       | Done   |

### AQ3. Security in Place of Credit History

Where the pot is recoverable from security the member holds, no credit history is required. The money stays in the member's own account, held by the bank, and earns the bank's profit throughout.

| #     | Item                                                                                                                                                                                            | Where               | Owner  | Pri | Phase | Status      |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------|-----|-------|-------------|
| 10445 | Security route: a member needs no credit history where the pot is recoverable from security they hold (5 October)                                                                               | new lib/security.ts | Claude | P1  | 35    | Partly done |
| 10446 | Security accepted: enrolment in an asset committee whose dates and pot align with the circle                                                                                                    | new lib/security.ts | Claude | P1  | 35    | Open        |
| 10447 | Security accepted: points, which may be bought with money                                                                                                                                       | new lib/security.ts | Claude | P2  | 67    | Open        |
| 10448 | Security accepted: money of roughly the same amount in the member's savings account at the partner bank                                                                                         | new lib/security.ts | Claude | P1  | 35    | Open        |
| 10449 | Sources combine: points, savings and an asset committee are added together and tested against the pot                                                                                           | new lib/security.ts | Claude | P1  |       | Done        |
| 10450 | Relaxation of 10 per cent: security counts as sufficient at 90 per cent of the pot or more, in every case (5 October)                                                                           | new lib/security.ts | Claude | P1  |       | Done        |
| 10451 | The member signs a clause not to withdraw the money for the circle's duration                                                                                                                   | new page            | Claude | P1  | 35    | Open        |
| 10452 | The bank places the hold on the member's own account; Halqa never holds the money, so the no custody position stands (5 October)                                                                | integration         | Claude | P0  | 11    | Open        |
| 10453 | Held money sits in the partner bank's savings product and earns its profit for the member throughout the lock, so giving security costs the member nothing (chairman, 5 October: not too harsh) | integration         | Bank   | P0  | H2    | Open        |
| 10454 | The savings product used for security is the same one that holds instalments between payday and the 8th (D12), so the bank needs no second product                                              | bank                | Bank   | P1  | H2    | Open        |
| 10455 | Profit earned on held security shown to the member during the circle                                                                                                                            | new page            | Claude | P2  | 67    | Open        |
| 10456 | The hold is released the moment the member's last instalment is paid, automatically                                                                                                             | integration         | Claude | P1  | 35    | Open        |

| #     | Item                                                                                                                                                                   | Where                  | Owner   | Pri | Phase | Status |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---------|-----|-------|--------|
| 10457 | The security route does NOT open the gate for a member whose score is low on substantial, real credit factors; security cannot buy past a known bad record (5 October) | new lib/security.ts    | Claude  | P0  |       | Done   |
| 10458 | An asset committee offered as security must align with the circle's dates and pot, so the member cannot collect and run (5 October)                                    | lib/asset-committee.ts | Claude  | P1  | 35    | Open   |
| 10459 | Security is rechecked when a member trades for an earlier turn, since the pot at risk changes                                                                          | lib/turn-swap.ts       | Claude  | P1  | 35    | Open   |
| 10460 | Points pledged as security are frozen in the points ledger and cannot be spent or transferred                                                                          | lib/points-ledger.ts   | Claude  | P1  | 35    | Open   |
| 10461 | Counsel on the hold: whether a bank lien over a member's own savings is enforceable in Pakistan and what the member must sign for it                                   | legal                  | Counsel | P0  | H1    | Open   |
| 10462 | Shariah view on holding a member's savings as security for a committee, for the Islamic window                                                                         | bank                   | Bank    | P1  | H2    | Open   |
| 10463 | Tests: security short by 9 per cent passes, short by 11 per cent fails, and a combination of sources is added correctly                                                | tests                  | Claude  | P1  |       | Done   |

#### AQ4. Host Commission

Ten per cent of the profit the circle made for Halqa, paid when the circle closes.

| #     | Item                                                                                                                                                                                                                                             | Where                      | Owner       | Pri | Phase | Status |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------|-----|-------|--------|
| 10464 | Host commission: 10 per cent of the profit the circle made for Halqa, not of its revenue, paid at the end of each circle (5 October)                                                                                                             | new lib/host-commission.ts | Claude      | P2  | 67    | Open   |
| 10465 | Profit of a circle defined in code: Halqa's share of the fees actually collected, less the running cost of each payment taken, less points and fee waivers issued on that circle at 1 point = Rs 1, less anything Halqa itself bore on a default | new lib/host-commission.ts | Claude      | P2  | 67    | Open   |
| 10466 | Commission floored at zero: a circle that made Halqa nothing pays the host nothing, and no commission is ever negative                                                                                                                           | new lib/host-commission.ts | Claude      | P2  | 67    | Open   |
| 10467 | Commission calculated only when the circle closes with every member collected and no arrears open                                                                                                                                                | new lib/host-commission.ts | Claude      | P2  | 67    | Open   |
| 10468 | The host chooses points or cash; cash is paid by the bank to the host's account, points through the points ledger at 1 point = Rs 1 (5 October)                                                                                                  | new page                   | Claude      | P2  | 67    | Open   |
| 10469 | Worked example shown to the host before they create a circle: on 12 members at Rs 10,000 a month the circle earns Halqa about Rs 7,200 and the host about Rs 720                                                                                 | content                    | Claude      | P2  | 67    | Open   |
| 10470 | Running estimate of the commission shown during the circle, marked as an estimate                                                                                                                                                                | new page                   | Claude      | P2  | 67    | Open   |
| 10471 | Commission statement for the host: fees collected, costs deducted, profit and the 10 per cent                                                                                                                                                    | new page                   | Claude      | P2  | 68    | Open   |
| 10472 | Commission recorded as a cost of the circle in the business model, so the Rs 50 contribution a member a month is restated net of it                                                                                                              | documents                  | Claude      | P1  | 35    | Open   |
| 10473 | Tax treatment of a host's commission confirmed, and withholding applied if it is due                                                                                                                                                             | tax                        | Tax adviser | P2  | H4    | Open   |
| 10474 | Commission terms in the host agreement, including that it is discretionary on a circle that ends early                                                                                                                                           | legal                      | Counsel     | P2  | H4    | Open   |
| 10475 | A host may not take commission on a circle in which they themselves defaulted                                                                                                                                                                    | new lib/host-commission.ts | Claude      | P2  | 68    | Open   |
| 10476 | Controls against a host creating circles of friends purely to earn commission: limits per host and a review of circles that fail early                                                                                                           | new lib/host-commission.ts | Claude      | P2  | 68    | Open   |

| #     | Item                                                                                                            | Where | Owner  | Pri | Phase | Status |
|-------|-----------------------------------------------------------------------------------------------------------------|-------|--------|-----|-------|--------|
| 10477 | Tests for the profit formula at a clean circle, a circle with a default and a circle with heavy points issuance | tests | Claude | P2  | 68    | Open   |

#### AQ5. Host Eligibility

| #     | Item                                                                                                                                          | Where                | Owner  | Pri | Phase | Status |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 10478 | To create a circle a member needs one of: a good score with substantial proof; two clean known committees; or the security of AQ3 (5 October) | routes/committees.ts | Claude | P1  | 35    | Open   |
| 10479 | Remove the hosting gate of a score of 700 or more, which cannot stand while no score counts as good                                           | lib/score-bands.ts   | Claude | P1  | 35    | Open   |
| 10480 | The host route is shown to a member who does not yet qualify, with what is missing                                                            | new page             | Claude | P2  | 68    | Open   |
| 10481 | Security pledged to qualify as a host is tested against the pot of the circle being created, with the same 10 per cent relaxation             | new lib/security.ts  | Claude | P1  | 35    | Open   |
| 10482 | Tests for each of the three host routes, and for refusal when none is met                                                                     | tests                | Claude | P1  | 35    | Open   |

#### AQ6. Ten Minutes to an Account

The chairman's limit, and the measurement that shows the journey does not meet it today.

| #     | Item                                                                                                                                                                                                  | Where  | Owner  | Pri | Phase | Status |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|-----|-------|--------|
| 10483 | Account opening must complete in under ten minutes, measured from the welcome screen to a verified account (chairman, 5 October)                                                                      | app    | Claude | P0  | 1     | Open   |
| 10484 | MEASURED 5 OCTOBER: twenty one screens stand between the welcome screen and a verified account, which does not fit ten minutes even when nothing goes wrong. The steps below are the budget that does | review | Claude | P0  | 1     | Open   |
| 10485 | Time budget, Welcome: 5 seconds (keep)                                                                                                                                                                | app    | Claude | P1  | 13    | Open   |
| 10486 | Time budget, Phone number: 20 seconds (keep)                                                                                                                                                          | app    | Claude | P1  | 13    | Open   |
| 10487 | Time budget, One time code: 25 seconds (keep; autofill the code)                                                                                                                                      | app    | Claude | P1  | 13    | Open   |
| 10488 | Time budget, PIN set and confirmed: 25 seconds (keep; one screen with two steps)                                                                                                                      | app    | Claude | P1  | 13    | Open   |
| 10489 | Time budget, Name and date of birth: 40 seconds (keep; read both from the CNIC where the capture succeeds)                                                                                            | app    | Claude | P1  | 13    | Open   |
| 10490 | Time budget, Address and city: 50 seconds (keep, since the bank needs it to open the account)                                                                                                         | app    | Claude | P1  | 13    | Open   |
| 10491 | Time budget, CNIC front, back and review: 90 seconds (keep; read the fields rather than ask them again)                                                                                               | app    | Claude | P1  | 13    | Open   |
| 10492 | Time budget, Liveness: 45 seconds (keep)                                                                                                                                                              | app    | Claude | P1  | 13    | Open   |
| 10493 | Time budget, Identity check: 45 seconds (keep; show progress, never a blank wait)                                                                                                                     | app    | Claude | P1  | 13    | Open   |
| 10494 | Time budget, Bank account opening and the biometric check: 180 seconds (the bank's own journey; the longest step and not Halqa's to shorten)                                                          | app    | Claude | P1  | 13    | Open   |
| 10495 | Time budget, Biometric unlock offer: 10 seconds (keep; one tap, skippable)                                                                                                                            | app    | Claude | P1  | 13    | Open   |
| 10496 | Move Occupation and employer off account opening and into joining a circle, since it is not needed to hold an account                                                                                 | app    | Claude | P0  | 1     | Open   |
| 10497 | Move Income declaration off account opening and into joining a circle, since it is not needed to hold an account                                                                                      | app    | Claude | P0  | 1     | Open   |

| #     | Item                                                                                                                                                                     | Where                | Owner  | Pri | Phase | Status |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|-----|-------|--------|
| 10498 | Move Income verification upload off account opening and into joining a circle between strangers, since it is not needed to hold an account                               | app                  | Claude | P0  | 1     | Open   |
| 10499 | Move Income verification status off account opening and into joining a circle between strangers, since it is not needed to hold an account                               | app                  | Claude | P0  | 1     | Open   |
| 10500 | Move Verification levels off account opening and into an explanation reached from the account screen, since it is not needed to hold an account                          | app                  | Claude | P0  | 1     | Open   |
| 10501 | Move Bureau instruction off account opening and into joining a circle between strangers, since it is not needed to hold an account                                       | app                  | Claude | P0  | 1     | Open   |
| 10502 | Move Bureau instruction confirmation off account opening and into joining a circle between strangers, since it is not needed to hold an account                          | app                  | Claude | P0  | 1     | Open   |
| 10503 | Move Adverse action disclosure off account opening and into the refusal it belongs to, since it is not needed to hold an account                                         | app                  | Claude | P0  | 1     | Open   |
| 10504 | Total budget of the steps above is 535 seconds, just under nine minutes, leaving a minute for the member to think; any new step on this path must take time from another | review               | Claude | P1  | 13    | Open   |
| 10505 | Time to open an account measured in the application and reported, with the slowest step named                                                                            | analytics            | Claude | P1  | 13    | Open   |
| 10506 | Alert when the median time to open an account passes eight minutes                                                                                                       | monitoring           | Claude | P2  | 55    | Open   |
| 10507 | Fields read from the CNIC rather than typed again: name, date of birth, CNIC number and expiry                                                                           | new lib/cnic-read.ts | Claude | P1  | 13    | Open   |
| 10508 | Every screen on the path loads in under one second on a low end handset over a third generation connection                                                               | app                  | Claude | P1  | 13    | Open   |
| 10509 | The bank's own account opening journey timed with the bank, and shortened where the bank allows                                                                          | bank                 | Bank   | P1  | H2    | Open   |
| 10510 | A member who abandons the journey resumes where they left off, with nothing typed twice                                                                                  | app                  | Claude | P1  | 13    | Open   |
| 10511 | End to end test that walks the whole path and fails if it exceeds ten minutes of scripted interaction                                                                    | tests                | Claude | P1  | 13    | Open   |

## Summary

This register holds 10,511 items of work between the application today and a service run with a partner bank for 100,000 members: 2,618 done, 35 partly done and 7,858 open, of which 1,648 are P0. Claude holds 6,914 open items in 81 phases of at most 100 items each, 18 of them gated on the bank or the partners; phase 1 starts with the corrections and the application. The rest is held by the chairman, the bank, counsel, the partners, the translator, the tester, the auditor and the tax adviser across six milestones, beginning with the company and counsel (H1) and the agreement with the bank (H2). The meeting with Mashreq Bank Pakistan has no date yet; Raqami Islamic Digital Bank is pursued in parallel.