

Work Register to Operational at 100,000 Users

Every item of work between the application today and a service run with a partner bank that can carry 100,000 members, with its owner, priority, phase and status.

Reference HQ-IN-02. 5 October 2026.

Scope

10,511 items: 2,551 done, 35 partly done and 7,925 open. The 1,039 items of 28 September keep their numbers; 84 of them were rewritten in place where a decision of 29 September to 5 October overturned or closed them. Sections AA to AP, items 1,040 to 10,511, come from ten passes over the plan, set out under Method.

Statuses were read from the code as it stood on 5 October 2026: 123 endpoints in seventeen route files, of which 116 require sign in, 67 check their input against a schema, 56 write the audit log, 29 use a database transaction and 12 accept an idempotency key, with 19 lists still unbounded; 39 database models; and the 30 pages of the web application. A status of Done means the code already does it.

Each item has one owner. Claude holds the work in code, content and documents that can be done in a session. The chairman holds decisions and commercial steps. The bank, counsel, the partners, the translator, the tester, the auditor and the tax adviser hold their own items. Priority P0 is legal exposure or a blocker of the meeting with the bank, P1 is needed for the first members, P2 for public launch and P3 for scale.

Claude's 6,981 open items fall into 81 phases. A phase holds at most 100 items and at most 100 effort points, a small item counting 1, a medium item 3 and a large item 8, so that one phase fits one Claude Pro usage window. The Phase column gives the phase of each of Claude's items and the milestone, H1 to H6, of everyone else's; 979 items are held by people other than Claude.

Owner	Items	Not done
Claude	9,488	6,981
Chairman	236	192
Bank	99	99
Counsel	65	65
Partner	53	53
Translator	536	536
Tester	16	16
Auditor	11	11
Tax adviser	7	7

Decisions

The decisions taken since 28 September, as recorded in section AA.

#	Decision	Status
1040	Bank route kept with Mashreq Bank Pakistan first; Raqami Islamic Digital Bank pursued in parallel, with no exclusivity preference (29 September)	Done
1041	Presenter and signatory: Taha Kayani, Founder, Halqa; the chairman is 17 (29 and 30 September)	Done
1042	Due date for salary circles: the 8th of the month (29 September); closes item 956	Done
1043	Points: 1 point = Rs 1; points for paying on time never more than half of Halqa's fee on that instalment (29 September); closes item 860	Done

#	Decision	Status
1044	Price of a turn capped at 100 per cent of the pot (29 September); closes item 893	Done
1045	Hyper fee Rs 15 a day on both designs (29 September); the takaful or insurance part, Rs 135 or Rs 151.67 a day in the design of 29 September, is set by the operator and named without an amount (30 September); closes item 953	Done
1046	No Shariah or non Shariah labels in decks or documents (29 September)	Done
1047	No Halqa cover and no bank guarantee: only takaful or insurance from a licensed operator chosen by the bank (29 September); closes item 923	Done
1048	Fixed cost counted as technical only: about Rs 61,000 a month for hosting, database, monitoring, mail and the developer account (30 September)	Done
1049	Fee of Rs 85 on every monthly instalment: the running cost of one payment, at most Rs 35, plus Rs 50 (30 September); closes item 945	Done
1050	PSP service fee of 1.5 per cent on wallet and card payments only; none on the bank's direct debit (5 October)	Done
1051	Takaful or insurance fee named without an amount and kept outside the fee and Halqa's income (30 September)	Done
1052	Partner decks: the version 5 boxes and wording, logos in place of names, all text black, charts drawn as shapes; icon tiles rejected as informal (30 September)	Done
1053	Work register: phases of about 100 items, one Claude Pro usage window each, with items at the finest level (5 October)	Done
1054	Company not incorporated and TASDEEQ not contacted, as confirmed on 29 September; both remain open, as items 476 and 459	Open
1055	Mashreq meeting date not fixed (5 October); phase 1 starts the corrections and the application	Open

Method

The register was built in ten passes. Each pass asked one question of the whole plan, read the sources named below, and added the items the answer required. Items already present were not added again; where a new section breaks an older item into parts, its preamble names the older item.

Pass	Question	Sources	Sections	Items
1	What has changed since 28 September?	The chairman's decisions of 29 September to 5 October, the master context, the code as read on 5 October	Rewrites in place, AA	121
2	What does the State Bank require of a bank's service provider and of a bank's digital channels?	State Bank circulars on outsourcing, cloud, technology governance, onboarding, digital channels, fraud, complaints, conduct, key facts, payments and cyber security	AB	148
3	What does every screen need in each of its states?	The 30 pages of the web application, the screens still missing, Easypaisa, JazzCash, SadaPay, NayaPay, Raqami, Mashreq NEO, Money Fellows and Hakbah	AC	3,733
4	What rule, message and language does every field need?	The forms of the web application and the onboarding framework	AD	394
5	What does every endpoint and every record need?	The 123 endpoints in seventeen route files and the 39 database models, read on 5 October	AE, AF	2,423
6	What does every connection to a partner need?	The operations of the bank, the PSP, NADRA through the bank, TASDEEQ and the message providers	AG	692
7	What must every member be told, and when?	The alert rules for digital channels, the complaint rules and WhatsApp pricing	AH	705
8	What proves each rule?	The engines of the interface service and the journeys a member takes	AI	230
9	What will a bank's security review and the application stores ask to see?	OWASP MASVS 2.1, ISO/IEC 27001:2022 Annex A, the card industry rules and WCAG 2.2	AJ, AK	210
10	What does a regulated company run on, and what do other finance applications do?	Bank practice in governance, risk and continuity; service levels and runbooks as large technology companies keep them; the two banks; features of eleven applications	AL to AP	812

Phases

Phases run in order. A phase with a gate starts only when that milestone is reached: H2 when the bank opens its interface documents and test environment, H3 when the PSP, TASDEEQ and the message providers do. Until then the next phase without a gate is taken. Phase 1 starts with the corrections and the application. Checks name how the end of a phase is shown: Build, the interface service tests and the web build pass, and every changed screen is reached in the preview; Tests, the new tests run in the suite and pass; Documents, each document is filed in HALQA CORPORATE in the house style; Partners, each connection passes against the provider's test environment; Controls, each control is shown working, with evidence kept for the bank's review. Every phase also ends with the statuses in this register, the master context and the memory brought up to date.

Phase	Title	Gate	Items	Points	P0	P1	P2	P3	Sub-sections	Checks
	Corrections, the application and the documents for the bank									
1	Ten minutes to an account; removals; models to remove		58	100	58				E (23), AQ6 (10), AF1 (9), AA2 (5), C3 (3), Y1 (3), AQ1 (2), AQ2 (2), F (1)	Build, Documents
2	Checks on kept endpoints; new endpoints		76	100	76				AE4 (45), AE3 (17), AF2 (3), Y5 (3), AF3 (3), AE5 (2), AF1 (1), C5 (1), G (1)	Build, Documents, Controls
3	Checks on kept models; states of existing screens		86	100	86				AF3 (63), AC1 (18), AF5 (5)	Build, Documents, Controls
4	States of existing screens; screen states: onboarding, part 1		100	100	100				AC2 (78), AC1 (22)	Build
5	Screen states: onboarding and identity, part 1		100	100	100				AC3 (67), AC2 (33)	Build
6	Screen states: identity and accounts and payment routes, part 1		100	100	100				AC4 (75), AC3 (25)	Build
7	Screen states: circles		100	100	100				AC5 (90), AC4 (10)	Build
8	Screen states: circles and money		100	100	100				AC7 (80), AC5 (20)	Build
9	Screen states: money and key facts and complaints		100	100	100				AC7 (77), AC16 (17), AC9 (3), AC10 (3)	Build
10	Screen states: device security		96	100	96				AC17 (58), AD1 (8), AD4 (7), AD6 (5), AD2 (4), AD3 (4), AC19 (3), AD9 (2), AD10 (2), M (2), AQ3 (1)	Build, Partners
11	Drafts for counsel		59	100	59				AL8 (11), AB5 (6), K (5), Z1 (5), M (4), AH1 (4), AJ5 (3), AB6 (3), AB9 (3), AB14 (3), L (2), AB4 (2), AB11 (2), S2 (2), AJ4 (1), AB2 (1), AB10 (1), AH2 (1)	Build, Tests, Documents, Controls
12	Tests: collection		96	100	94	2			AI7 (18), AG9 (10), AG10 (10), AI8 (8), AH3 (7), AI4 (6), AI9 (6), AI14 (6), AI16 (6), AH2 (5), AH4 (3), AH5 (2), AH9 (2), AI2 (2), AA2 (2), AH11 (1), AI3 (1), AM1 (1)	Build, Tests, Documents, Partners
13	Ten minutes to an account; fee rules; screens		67	100		67			AQ6 (17), C1 (14), F (12), AE2 (9), C2 (8), AQ1 (3), AA2 (2), AQ2 (2)	Build, Tests, Documents
14	Screens		79	98		79			C5 (64), C2 (8), Y5 (7)	Build, Tests
15	Collection; missing screens		84	100		84			G (37), D (30), Y6 (7), X1 (7), Y5 (3)	Build, Documents, Partners, Controls
16	Missing screens		100	100		100			D (100)	Build

Phase	Title	Gate	Items	Points	P0	P1	P2	P3	Sub-sections	Checks
17	Checks on kept endpoints		100	100		100			AE3 (100)	Build
18	New endpoints, part 1		79	99		79			AE4 (72), AE3 (7)	Build
19	New endpoints, part 2		78	100		78			AE4 (78)	Build
20	New endpoints; checks on kept models		92	100		92			AF3 (66), AE4 (22), AE5 (4)	Build, Tests
21	New models, part 1		78	100		78			AF4 (76), AF3 (2)	Build
22	New models, part 2		78	100		78			AF4 (78)	Build
23	States of existing screens		100	100		100			AC1 (99), AF5 (1)	Build, Controls
24	States of existing screens; screen states: onboarding, part 2		100	100		100			AC1 (63), AC2 (37)	Build
25	Screen states: onboarding and identity, part 2		100	100		100			AC2 (62), AC3 (38)	Build
26	Screen states: identity and accounts and payment routes, part 2		100	100		100			AC4 (67), AC3 (33)	Build
27	Screen states: accounts and payment routes		100	100		100			AC4 (90), AC5 (10)	Build
28	Screen states: circles and host		100	100		100			AC5 (73), AC6 (27)	Build
29	Screen states: host, part 1		100	100		100			AC6 (99), AC7 (1)	Build
30	Screen states: money and recovery, part 1		100	100		100			AC7 (62), AC8 (38)	Build
31	Screen states: recovery and leaving a circle		100	100		100			AC8 (58), AC9 (42)	Build
32	Screen states: leaving a circle and takaful or insurance		100	100		100			AC11 (53), AC9 (47)	Build
33	Screen states: takaful or insurance, support and settings		100	100		100			AC13 (58), AC14 (22), AC11 (20)	Build
34	Screen states: settings and key facts and complaints		100	100		100			AC16 (49), AC14 (46), AD1 (5)	Build
35	Fields: support and settings; security		88	100		88			M (23), AD9 (12), AD4 (9), AJ1 (9), AQ3 (8), AD3 (6), AD7 (5), AD5 (4), AQ5 (4), AD1 (3), AD10 (2), AD2 (1), AD6 (1), AQ4 (1)	Build, Tests, Documents, Partners, Controls
36	Security review; platform		74	100		74			L (35), AJ1 (15), AB2 (6), AB1 (4), AB3 (4), AJ2 (3), AJ5 (3), AJ4 (2), AJ6 (2)	Build, Tests, Documents, Controls
37	Partner bank; bank meeting and documents		81	100		81			Z2 (13), S3 (8), AB8 (7), AO3 (7), AB16 (5), AB3 (4), AB4 (4), AB6 (4), AB7 (4), AB9 (4), AB14 (4), AB11 (3), AB13 (3), AO1 (3), AB5 (2), AB10 (2), AB12 (2), S5 (2)	Build, Documents, Controls
38	Answers for the bank; governance: policies; drafts for counsel		100	100		100			AO3 (38), AL8 (20), AL1 (18), AL4 (18), H (3), AL6 (2), AL5 (1)	Build, Documents, Controls
39	Credit data		82	100		82			J (14), H (7), AI5 (7), AI6 (7), AH5 (6), AI12 (6), AH7 (5), AI13 (5), AI15 (5), AH1 (4), AH3 (4), AH9 (4), AH4 (3), AH6 (3), AH11 (1), AI19 (1)	Build, Tests, Documents
40	Journey tests		33	99		33			AI19 (33)	Tests

Phase	Title	Gate	Items	Points	P0	P1	P2	P3	Sub-sections	Checks
41	Security tests; testing; partner connections: push notifications		76	100		76			AG7 (30), N (24), AI21 (20), AI19 (1), AI22 (1)	Build, Tests, Documents, Partners, Controls
42	Partner connections: liveness service; bank integration; operations		83	91		83			AG9 (20), T7 (16), R (12), AG10 (10), AM1 (10), T8 (7), AG11 (5), AK2 (2), AP1 (1)	Build, Documents, Partners, Controls
	Work on the bank's interfaces									
43	Partner connections: partner bank, part 1	H2	79	95	79				AG1 (79)	Partners
44	Partner connections: partner bank, part 2	H2	79	95	79				AG1 (71), AE4 (8)	Build, Partners
45	New endpoints, part 3	H2	75	95	75				AE4 (75)	Build
46	New endpoints; screen states: bank account	H2	79	91	79				AE4 (45), AC15 (34)	Build
47	Screen states: bank account; partner connections: partner bank	H2	79	91	18	61			AG1 (61), AC15 (12), AC18 (6)	Build, Partners
48	Partner connections: partner bank and NADRA through the bank; bank integration	H2	75	95		75			AG1 (29), T1 (11), AG3 (10), T2 (10), T3 (8), T4 (7)	Build, Partners, Controls
49	Bank integration; new models	H2	73	95		73			AF4 (56), T5 (7), T6 (6), T4 (3), U (1)	Build, Tests, Documents, Partners, Controls
50	Collection with the bank; screen states: bank account	H2	78	88		78			AC15 (41), U (29), X2 (8)	Build, Tests, Documents, Partners
	Work on the partners' interfaces									
51	Partner connections: SMS provider and PSP	H3	80	96	10	70			AG2 (70), AG6 (10)	Partners
52	Partner connections: PSP, TASDEEQ and WhatsApp provider	H3	80	96		80			AG4 (40), AG2 (20), AG5 (20)	Partners
53	Partner connections: WhatsApp provider; new models; new endpoints	H3	76	96		76			AE4 (35), AF4 (21), AG5 (10), AG6 (10)	Build, Partners
54	New endpoints; screen states: credit history	H3	78	92		78			AE4 (36), AC22 (34), X3 (8)	Build
	Public launch									
55	Screens; product changes; new endpoints		90	100			90		AE4 (43), C6 (28), Y4 (8), Y2 (4), Y7 (4), AQ1 (1), AQ6 (1), Y3 (1)	Build, Documents, Controls
56	New endpoints, part 4		80	100			80		AE4 (80)	Build
57	New endpoints; new models; states of existing screens		91	100			91		AE4 (33), AC1 (32), AF4 (22), AF5 (3), AE5 (1)	Build, Documents, Controls
58	States of existing screens; screen states: onboarding, part 3		95	95			95		AC1 (60), AC2 (26), AC3 (9)	Build
59	Screen states: identity, accounts and payment routes and circles		95	95			95		AC5 (41), AC4 (32), AC3 (15), AC6 (7)	Build
60	Screen states: host, part 2		95	95			95		AC6 (95)	Build

Phase	Title	Gate	Items	Points	P0	P1	P2	P3	Sub-sections	Checks
61	Screen states: money and recovery, part 2		95	95			95		AC7 (62), AC8 (32), AC6 (1)	Build
62	Screen states: leaving a circle and rewards		95	95			95		AC10 (79), AC9 (12), AC11 (3), AC8 (1)	Build
63	Screen states: savings at the bank and support		95	95			95		AC12 (66), AC13 (19), AC11 (7), AC14 (3)	Build
64	Screen states: turn market		95	95			95		AC19 (74), AC16 (8), AC17 (8), AC14 (5)	Build
65	Screen states: turn market and Hyper		95	95			95		AC19 (54), AC23 (41)	Build
66	Screen states: Hyper; administration console		95	95			95		AC24 (68), AC23 (27)	Build
67	Administration console		95	99			95		AC24 (67), AD8 (8), AQ4 (7), AD9 (6), AD5 (2), AD6 (2), AQ3 (2), AD7 (1)	Build, Documents
68	Governance: policies and risk management		94	100			94		AL1 (32), AL2 (18), Z3 (7), AB3 (5), AQ4 (4), S6 (4), AB2 (3), AJ2 (2), AB4 (2), AB7 (2), AO2 (2), AQ5 (1), AJ5 (1), AJ6 (1), AB1 (1), AB5 (1), AB6 (1), AB8 (1), AB9 (1), AB11 (1), AB13 (1), AB14 (1), AB16 (1), S4 (1)	Build, Tests, Documents, Controls
69	Governance: risk management, model risk and finance		95	95			95		AL2 (40), AL3 (27), AL5 (16), AL4 (12)	Documents
70	Governance: suppliers; messages: points, marketplace and turns		90	98			90		AL7 (23), AH8 (11), AL8 (10), AI10 (10), AI11 (10), AI18 (6), AH10 (4), AL5 (3), AH5 (3), AH9 (3), AI20 (3), AL6 (1), AH1 (1), AH6 (1), AH11 (1)	Tests, Documents
71	Partner connections: push notifications and email; turn market		65	99			65		AG8 (20), W (13), AG7 (10), AG10 (10), AI20 (9), AI22 (3)	Build, Tests, Documents, Partners
72	Visual system; content; measurement		86	100			86		A (22), O (20), P (12), W (10), B (8), I (7), AM2 (5), AK2 (1), AM1 (1)	Build, Tests, Documents, Partners, Controls
73	Operations: data, measures and reports; distribution; growth		92	92			92		AM4 (34), AN1 (24), Q (15), AM2 (8), AN2 (5), AM3 (2), AN3 (2), AP1 (2)	Build, Tests, Documents, Controls
	Public launch on the bank's interfaces									
74	Partner connections: partner bank and NADRA through the bank; new endpoints	H2	81	93			81		AG1 (40), AE4 (23), AG3 (10), AF4 (8)	Build, Partners
75	Points and marketplace; screen states: bank account and points and marketplace	H2	85	93			85		AC18 (56), AC15 (14), V1 (12), AE4 (3)	Build, Documents
76	Screen states: points and marketplace, part 1	H2	88	88			88		AC18 (88)	Build
77	Screen states: points and marketplace, part 2	H2	86	86			86		AC18 (74), AC20 (8), AC21 (4)	Build
	Public launch on the partners' interfaces									
78	Partner connections: WhatsApp provider and SMS provider; new endpoints	H3	64	76			64		AG5 (20), AE4 (18), AG6 (10), V2 (9), AC22 (4), AF4 (3)	Build, Documents, Partners
	Scale									

Phase	Title	Gate	Items	Points	P0	P1	P2	P3	Sub-sections	Checks
79	Governance: policies and model risk		55	59				55	AL1 (28), AL3 (9), AL7 (4), C5 (3), Y3 (3), Y5 (2), L (2), AC1 (1), AD9 (1), AJ6 (1), AB14 (1)	Build, Documents, Partners, Controls
80	Governance: suppliers		57	57				57	AL7 (42), AP1 (6), AN2 (3), AL8 (2), AI22 (1), AM1 (1), AM3 (1), Q (1)	Build, Tests, Documents
	Scale on the bank's interfaces									
81	Screen states: asset financing and members abroad	H2	78	78				78	AC20 (60), AC21 (18)	Build

Milestones

Items held by people other than Claude, by the milestone they belong to. The P0 column lists the item numbers that are legal exposure or block the meeting with the bank.

Milestone	Scope	Items	Not done	Owners	P0 not done
H1, Company and counsel	The company incorporated, its board and shareholding settled, counsel engaged and the opinions and reviews that come before any agreement.	81	72	Chairman 13, Counsel 59	476, 477, 478, 479, 481, 483, 484, 485, 486, 487, 488, 489, 495, 496, 667, 668, 669, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 693, 694, 695, 696, 697, 700, 702, 1054, 9909, 9914, 10461
H2, Bank agreement	Heads of terms and the services agreement signed, the bank's approvals obtained, and its interface documents and test environment opened to Halqa.	105	102	Chairman 25, Bank 77	480, 482, 497, 666, 670, 671, 672, 673, 674, 685, 686, 688, 689, 690, 691, 692, 698, 699, 1011, 1013, 1061, 1077, 1089, 1114, 1136, 1170, 7780, 7791, 7802, 7813, 7835, 7879, 7890, 7912, 7923, 7934, 7945, 7956, 7967, 8022, 8033, 8456, 8457, 10337, 10343, 10358, 10453
H3, Partners	The PSP, TASDEEQ, the WhatsApp and SMS providers and the takaful or insurance operator chosen by the bank, each under agreement with a test environment.	58	56	Chairman 9, Partner 47	1065, 8308, 8462, 8463, 8505, 8516, 8527, 8618, 8629, 8638, 8657, 8676, 8696, 8724, 8735, 8746, 8843, 8854, 9099
H4, Pilot readiness	Penetration test passed, translations done, policies approved, store accounts and declarations in place, and the testers' and auditors' work complete.	629	629	Chairman 34, Bank 20, Counsel 6, Partner 6, Translator 529, Tester 16, Auditor 11, Tax adviser 7	1165, 1398, 1543, 1575, 1790, 1807, 1825, 1845, 1865, 1885, 1905, 1945, 2061, 2080, 2100, 2120, 2138, 2154, 2387, 2411, 2427, 2491, 2507, 2521, 2611, 2631, 2645, 2663, 2683, 2702, 2760, 3040, 3066, 3084, 3100, 3114, 3132, 3176, 3192, 3206, 3278, 3290, 3988, 4004, 4020, 4034, 4102, 4180, 4200, 4214, 4230, 4959, 4963, 4967, 4970, 4973, 4977, 4981, 4985, 4989, 5025, 5029, 5033, 5037, 5041, 5069, 5073, 5077, 5085, 5125, 5129, 5133, 5137, 5141, 5145, 5149, 5177, 5181, 5185, 5189, 5197, 5333, 5337, 8469, 8500, 8502, 8504, 8511, 8513, 8515, 8522, 8524, 8526, 8555, 8557, 8559, 8565, 8567, 8573, 8575, 8577, 8583, 8585, 8587, 8593, 8595, 8597, 8603, 8605, 8607, 8613, 8615, 8617, 8624, 8626, 8628, 8635, 8637, 8644, 8646, 8652, 8654, 8656, 8671, 8673, 8675, 8691, 8693, 8695, 8719, 8721, 8723, 8730, 8732, 8734, 8741, 8743, 8745, 8838, 8840, 8842, 8849, 8851, 8853, 9086, 9088, 9094, 9096, 9098
H5, Launch	The public launch with the bank: store listings, announcement, campaigns and the host programme.	100	84	Chairman 84	
H6, Scale	Work for later stages: members abroad, asset financing and growth beyond the first year.	50	36	Chairman 27, Bank 2, Translator 7	

Sources

Source	Used in	Link
State Bank of Pakistan, Framework for Risk Management in Outsourcing Arrangements by Financial Institutions, BPRD Circular No. 06 of 2017, revised by BPRD Circular No. 06 of 2019	AB1	https://www.sbp.org.pk/bprd/2017/C6.htm , https://www.sbp.org.pk/bprd/2019/C6.htm
State Bank of Pakistan, Framework on Outsourcing to Cloud Service Providers, BPRD Circular No. 01 of 2023	AB2 and the hosting question in AA2	https://www.sbp.org.pk/bprd/2023/C1-Annex-A.pdf
State Bank of Pakistan, Enterprise Technology Governance and Risk Management Framework, BPRD Circular No. 05 of 2017	AB3	https://www.sbp.org.pk/bprd/2017/C5.htm
State Bank of Pakistan, Consolidated Customer Onboarding Framework, BPRD Circular No. 01 of 2025	AB4	https://www.sbp.org.pk/bprd/2025/C1-Consolidated-Customer-Onboarding-Framework.pdf
State Bank of Pakistan, PSP&OD Circular No. 01 of 2024 on the security of digital channels	AB5, AH2	https://www.sbp.org.pk/psd/2024/C1.htm
State Bank of Pakistan, BPRD Circular No. 04 of 2023 on digital fraud	AB6	https://www.sbp.org.pk/bprd/2023/C4.htm
State Bank of Pakistan, BC&CPD Circular Letter No. 02 of 2021 on complaint handling	AB7, AH9	https://www.sbp.org.pk/cpd/2021/CL2.htm
State Bank of Pakistan, BC&CPD Circular No. 02 of 2016 and Circular No. 02 of 2020 on key fact statements	AB9	https://www.sbp.org.pk/cpd/2016/C2.htm , https://www.sbp.org.pk/cpd/2020/C2.htm
State Bank of Pakistan, Licensing and Regulatory Framework for Digital Banks, BPRD Circular No. 01 of 2022	AO2	https://www.sbp.org.pk/bprd/2022/C1.htm
State Bank of Pakistan, PSP&OD Circular No. 04 of 2023 and the Raast person to merchant service	AB11	https://www.sbp.org.pk/psd/2023/C4.htm
State Bank of Pakistan, BSD-1 Circular No. 01 of 2024 and CRMD Circular Letter No. 01 of 2026	AB13	https://www.sbp.org.pk/bsd-1/2024/C1.htm , https://www.sbp.org.pk/CRMD/2026/CL01.htm
State Bank of Pakistan, AML, CFT and CPF Regulations under section 6A(2) of the Anti Money Laundering Act 2010	AB10	
OWASP Mobile Application Security Verification Standard, version 2.1	AJ1	https://mas.owasp.org/MASVS/
ISO/IEC 27001:2022, Annex A	AJ3	
W3C, Web Content Accessibility Guidelines 2.2	AK1	https://www.w3.org/TR/WCAG22/
Google Play policy on personal loan applications in Pakistan, reported July 2023	AB16	https://propakistani.pk/2023/07/18/google-introduces-strict-policy-against-loans-apps-in-pakistan/amp/
Meta, WhatsApp Business Platform pricing	AA2, item 847	https://developers.facebook.com/documentation/business-messaging/whatsapp/pricing
Raqami Islamic Digital Bank: products, questions and profit rates	AO2	https://raqamidigital.com/products/ , https://raqamidigital.com/faqs/ , https://raqamidigital.com/profit-rates/
Mashreq Bank Pakistan: NEO, its schedule of charges and the account for non resident Pakistanis	AO1	https://www.mashreq.com/en/pk/neo/ , https://www.mashreq.com/en/uae/neo/accounts/non-resident-pakistan-account
Money Fellows	AP1	https://moneyfellows.com/en-us/how-it-works/
Hakbah	AP1	https://hakbah.sa/faq/?lang=en
Esusu	AP1	https://www.esusurent.com/about
JazzCash schedule of charges	AP1	https://www.jazzcash.com.pk/schedule-of-charges-soc/
NayaPay schedule of charges	AP1	https://www.nayapay.com/soc

Source	Used in	Link
SadaPay, as described by Profit	AP1	https://profit.pakistantoday.com.pk/2023/07/02/fast-dependable-and-easy-to-use-can-sadapay-revolutionize-the-fintech-landscape-in-pakistan/
Easypaisa, store listing	AP1	https://apps.apple.com/pk/app/easypaisa-a-digital-bank/id1227725092
Halqa code as read on 5 October 2026: route files, schema and screens of halqa-api and halqa-web	AC, AE, AF	

Status by Section

Section	Items	Done	Partly done	Open	Claude	Others
A. Visual System	34	12	15	7	34	0
B. Navigation	22	14	6	2	22	0
C. Screens	155	26	3	126	155	0
D. Missing Screens	130	0	0	130	130	0
E. Removals	29	6	0	23	29	0
F. Additions	18	5	0	13	18	0
G. Collection	43	1	0	42	39	4
H. Takaful or Insurance	15	0	0	15	10	5
I. Savings	12	0	0	12	7	5
J. Credit Data	17	0	0	17	14	3
K. Registrations and Governance	22	0	0	22	5	17
L. Platform and Scale	40	0	1	39	39	1
M. Security	30	0	0	30	29	1
N. Testing and Release	24	0	1	23	24	0
O. Content and Accessibility	24	1	0	23	21	3
P. Measurement	14	1	2	11	13	1
Q. Distribution	20	0	0	20	16	4
R. Operations	16	0	0	16	12	4
S. Partner Bank	78	0	0	78	17	61
T. Bank Integration	85	0	0	85	75	10
U. Collection with the Bank	30	0	0	30	30	0
V. Points and Marketplace	32	1	0	31	21	11
W. Turn Market	25	1	0	24	23	2
X. Credit and Takaful or Insurance	29	1	0	28	24	5

Section	Items	Done	Partly done	Open	Claude	Others
Y. Product Changes	61	4	0	57	47	14
Z. Bank Meeting and Documents	34	7	2	25	32	2
AA. Decisions and Work since 28 September	37	23	0	14	18	19
AB. Regulatory Compliance through the Partner Bank	148	0	0	148	105	43
AC. Screen States and Checks	3,733	252	0	3,481	3,533	200
AD. Fields	394	196	1	197	296	98
AE. Interface Service Endpoints	1,866	1,109	0	757	1,865	1
AF. Database Records	557	137	1	419	557	0
AG. Connections to Partners	692	0	0	692	635	57
AH. Messages to Members	705	412	1	292	491	214
AI. Tests	230	49	1	180	230	0
AJ. Security Review	148	93	0	55	114	34
AK. Accessibility	62	56	0	6	59	3
AL. Governance, Risk and the Company	438	0	0	438	337	101
AM. Operations	231	125	0	106	188	43
AN. Growth and Brand	56	0	0	56	34	22
AO. The Two Banks	68	0	0	68	50	18
AP. Features Measured against Other Finance Applications	19	4	0	15	9	10
AQ. Eligibility, Security, Host Pay and Speed	88	15	1	72	81	7
Total	10,511	2,551	35	7,925	9,488	1,023

A. Visual System

The application already carries a bright green ramp in its stylesheet. It is not applied consistently, five competing accent themes sit beside it, and the supporting material was drawn in a different palette entirely. This section makes one palette govern everything.

#	Item	Where	Owner	Pri	Phase	Status
1	Adopt the bright green ramp as the only brand palette, across the application, the maps, the deck and every document	index.css	Claude	P2		Done
2	Retire the pine, sand, clay, indigo and plum accent themes, which dilute the brand and triple the visual QA surface	index.css:569	Claude	P2		Done
3	Remove the accent picker from the appearance screen and reduce it to light and dark	AppearancePage.tsx	Claude	P2	72	Open
4	Publish the token set as the single source of truth: ramp, neutrals, status, radii, elevation, spacing	new tokens.css	Claude	P2		Done
5	Replace every hard coded colour literal in components with a token reference	40 components	Claude	P2	72	Open
6	Define three named elevations and delete every one off shadow value	six stylesheets	Claude	P2	72	Partly done
7	Define one spacing scale and remove every off scale margin and padding	six stylesheets	Claude	P2	72	Partly done
8	Define a type scale with named roles and remove every one off font size	six stylesheets	Claude	P2	72	Partly done
9	Select and self host one display typeface rather than relying on the system stack, which renders differently on every handset	index.css:47	Claude	P2		Done
10	Select and self host an Urdu typeface that sets Nastaliq correctly	index.css	Claude	P2		Done
11	Subset and preload both typefaces so the first paint does not shift	index.html	Claude	P2	72	Partly done
12	Normalise every icon to one family, one stroke weight and one grid size	components	Claude	P2	72	Open
13	Replace the mascot with a flat brand device, or remove it; in its present form it overlaps content on the home, committees, credit and account screens	RafaBot.tsx	Claude	P2		Done
14	Give the assistant a fixed entry point in the header rather than a floating character	RafaBot.tsx	Claude	P2	72	Partly done
15	Redraw the green header as a defined surface with a controlled edge rather than a slab carrying a stray lighter circle	index.css:53	Claude	P2		Done
16	Make the header treatment identical on every screen that uses one	HomePage, CreditPage, ProfilePage	Claude	P2	72	Partly done
17	Replace the blue credit score ring, which clashes with the brand, with the brand ramp	CreditPage.tsx, ProfilePage.tsx	Claude	P2		Done
18	Stop the score ring being clipped by the header edge on the account screen	ProfilePage.tsx	Claude	P2		Done
19	Replace the red outgoing arrows in the activity list, which read as errors, with a neutral treatment	HomePage.tsx	Claude	P2		Done
20	Establish a status colour convention and document it: success, warning, failure, information	tokens	Claude	P2		Done
21	Define one card component with a fixed radius, padding, border and elevation, and route every surface through it	ui.tsx	Claude	P2	72	Partly done
22	Stop nesting grey tiles inside white cards, which produces a muddy surface	CreditPage.tsx	Claude	P2	72	Open
23	Define one list row component with a title, an optional subtitle, an optional leading icon and an optional trailing control	ui.tsx	Claude	P2	72	Partly done
24	Make every list row either carry a subtitle or not, rather than mixing the two in one list	ProfilePage.tsx	Claude	P2	72	Open

#	Item	Where	Owner	Pri	Phase	Status
25	Define one button component with primary, secondary, tertiary and destructive variants and three sizes	ui.tsx	Claude	P2	72	Partly done
26	Define one form field component with label, hint, error and disabled states	ui.tsx	Claude	P2	72	Partly done
27	Define one badge component and stop badges overlapping the tile above them	HomePage.tsx	Claude	P2	72	Partly done
28	Define a skeleton for every card, list and chart; the application presently carries five in total	ui.tsx	Claude	P2	72	Partly done
29	Define an empty state component with an illustration slot, a sentence and an action	ui.tsx	Claude	P2	72	Partly done
30	Define an error state component with a reason and a retry	ui.tsx	Claude	P2	72	Partly done
31	Add a dark theme and honour the system preference	tokens	Claude	P2	72	Partly done
32	Add a reduced motion preference and honour it in every transition	tokens	Claude	P2		Done
33	Produce a one page visual specification for anyone building a new screen	documentation	Claude	P2	72	Open
34	Fold the five stylesheets that accumulated outside the system into the token set and delete them	styles-*.css	Claude	P2	72	Open

B. Navigation

Three different navigation patterns are presently in use and the floating controls collide with content and with one another.

#	Item	Where	Owner	Pri	Phase	Status
35	Settle one navigation pattern: a large left aligned page title, a back affordance where one applies, and at most two trailing actions	all pages	Claude	P2	72	Partly done
36	Remove the centred bare title bar used on the committees screen	CirclesPage.tsx	Claude	P2		Done
37	Remove the grey circle back button used on the credit screen and adopt the standard affordance	CreditPage.tsx	Claude	P2		Done
38	Stop the join button overlapping the start a committee button on the committees screen	CirclesPage.tsx	Claude	P2		Done
39	Stop the join button label being cut off at the bottom of the viewport	Shell.tsx	Claude	P2		Done
40	Decide whether joining is a tab, a floating button or a grid action; at present it is all three	Shell.tsx, HomePage.tsx	Claude	P2		Done
41	Remove the vault tab while the surface is withdrawn	Shell.tsx	Claude	P2		Done
42	Reduce the tab bar to four destinations and give each a filled and an outline state	Shell.tsx	Claude	P2		Done
43	Add a search entry point to the home header, which both reference applications carry	HomePage.tsx	Claude	P2		Done
44	Add a notifications entry point with an unread count that clears on read	HomePage.tsx	Claude	P2	72	Partly done
45	Respect the safe area inset at the bottom on handsets with a gesture bar	index.css	Claude	P2		Done
46	Respect the safe area inset at the top on handsets with a notch	index.css	Claude	P2		Done
47	Give every screen a working hardware back behaviour	App.tsx	Claude	P2	72	Partly done
48	Preserve scroll position when returning to a list	App.tsx	Claude	P2	72	Open
49	Add a page transition that communicates depth rather than a hard swap	App.tsx	Claude	P2		Done
50	Add a loading indicator for navigation between lazy boundaries	App.tsx	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
51	Give every one of the twenty eight screens a deep link that restores its full state	App.tsx	Claude	P2		Done
52	Fix the committee deep link, which presently shows an unending loading indicator	App.tsx, CommitteePage.tsx	Claude	P2		Done
53	Add a context line inside a committee so the member knows which circle they are in	CommitteePage.tsx	Claude	P2	72	Open
54	Add a bottom sheet component and use it for secondary actions rather than navigating away	ui.tsx	Claude	P2	72	Partly done
55	Add a modal component with focus trapping and an escape route	ui.tsx	Claude	P2	72	Partly done
56	Add a confirmation pattern for destructive actions, with the consequence stated	ui.tsx	Claude	P2	72	Partly done

C. Screens

Every screen except Home is rebuilt to the standard of the JazzCash, Easypaisa and SadaPay applications, studied from their own store screenshots on 23 September 2026. The audit behind this section was made on 24 September 2026 by opening every screen of the running application at phone width: 28 screens, the five committee tabs, the sign-in and sign-up screens, and the 25 components that render inside them. Home is the one screen kept as it stands. Sign up and sign in are redesigned from nothing. Part C1 applies to every screen and is checked on each one as it is rebuilt; parts C3 and C4 are done first, because C3 is a legal exposure and C4 is a screen that does not open.

C1. Common Rules

#	Item	Where	Owner	Pri	Phase	Status
57	No bezels: no bordered or framed container around a section, and never a card inside a card. Surfaces are separated by fill and space	all screens	Claude	P1	13	Open
58	No rounded pill or badge shapes, under the standing design rule. Buttons, chips, filters and status labels use square or lightly rounded corners; status is an icon, a colour and a word. The component set built on 23 September uses pill buttons and pill badges and is corrected first	system.css, all screens	Claude	P1		Done
59	No emojis in any screen, share text or notification. The country flag in the number field is the one the app shows today; the API's document verification page carries two symbols	PhoneInput.tsx:13, halqa-api/src/app.ts:106	Claude	P1	13	Open
60	No playful or self-referential copy: the assistant's greeting lines, exclamation marks, the tab title "Committee savings, made rewarding", the sign-in slogan, and the error screen's "not a ledger one"	RafaBot.tsx, rafa-knowledge.ts, index.html, AuthPage.tsx, ErrorBoundary.tsx	Claude	P1	13	Open
61	No over-explaining: at most one line of supporting text under a title. Every explanatory paragraph is cut, or moved behind a single How it works link	all screens	Claude	P1	13	Open
62	No list-of-rows navigation. A screen whose job is to send the member somewhere becomes an icon grid and cards, in the manner of the JazzCash and Easypaisa inner pages. Rows stay only where the content is itself a ledger: payments, members, turns	ProfilePage, SettingsPage, VerifyPage, ReferPage, FeesPage, AutoPayPage	Claude	P1	13	Open
63	No eyebrow labels above titles and no capitalised section labels; nine files carry them	AgreementGate, Appearance, CnicCapture, CollectionOrder, ExitSheet, JoinSheet, AuthPage, CommitteePage, CreateCirclePage	Claude	P1	13	Open
64	No stack of equal-weight panels. A screen opens with its one answer, then the evidence, then the actions. The committee's first tab stacks six panels	CommitteePage.tsx:79	Claude	P1	13	Open

#	Item	Where	Owner	Pri	Phase	Status
65	No decorative circles on any header, hero or band	AuthPage, RewardsPage, VaultPage, HyperPage, CommitteePage	Claude	P1	13	Open
66	No off-brand colour on a surface: the orange streak card, the blue status chip, the blue information rule	RewardsPage, CommitteePage, MarketplacePage	Claude	P1	13	Open
67	No raw undefined, NaN or null on screen. Seen on Rewards (Points NaN, Longest run undefined, NaN to go) and on the committee Safety tab (score undefined against every member). Every number and name passes through a guard	format.ts, RewardsPage, ProtectionCenter	Claude	P1	13	Open
68	No segmented control that wraps to two lines; the committee tabs do	CommitteePage	Claude	P1	13	Open
69	Row actions (Remove, Make default, Remind) open in a sheet from the row, instead of sitting as buttons under every row	CardsPage, ProtectionCenter	Claude	P1	13	Open
70	No truncated title in a header; the committee name is cut to "Gulshan ..."	CommitteePage	Claude	P1	13	Open
71	Every screen checked in dark mode as it is rebuilt, since the older stylesheets hard code white	all screens	Claude	P1	13	Open

C2. Sign Up and Sign In

The individual onboarding and identity screens are listed in section D. This part sets the flow and the standard they are built to.

#	Item	Where	Owner	Pri	Phase	Status
72	Remove the demo credentials printed on the sign-in screen. The line has no environment guard, so "+92 300 1234567 · halqa123" is on the live page for anyone	AuthPage.tsx:538	Claude	P1	13	Open
73	Welcome screen: the mark, one line, and two actions, Create account and Sign in. No slogan, no capitalised strapline, no paragraph	AuthPage	Claude	P1	13	Open
74	Remove the green marketing banner that fills 40 per cent of every sign-in and sign-up screen	AuthPage	Claude	P1	13	Open
75	Sign in with phone number and PIN, as the wallets do. No password	AuthPage	Claude	P1	13	Open
76	Cut sign-up from ten steps to five: phone, code, name, CNIC, PIN. Address, work, bank account and review move to verification after the account exists, where they open seats rather than block entry	AuthPage.tsx:48	Claude	P1	13	Open
77	Drop the password step. The PIN is the credential on the device and a phone code recovers it	AuthPage	Claude	P1	13	Open
78	The question is the heading of each step, not "Step 1 of 10"; progress is a thin bar only	AuthPage.tsx:542	Claude	P1	13	Open
79	Phone entry: +92 fixed, numeric keypad, digits grouped as they are typed, no flag	PhoneInput.tsx	Claude	P1	13	Open
80	Code entry: six boxes, automatic advance, paste from the SMS, resend with a visible countdown, and a change number link	AuthPage, otp step	Claude	P1	14	Open
81	PIN set and confirm on a full screen numeric keypad of its own, matching the unlock screen	AuthPage, PinLock	Claude	P1	14	Open
82	CNIC step opens the camera capture first and typing second	AuthPage, CnicCapture	Claude	P1	14	Open
83	Remove the card-within-a-card frame around every step	AuthPage	Claude	P1	14	Open
84	Remove the nine-link website footer (Cookie Policy, Ad Choices, Advertising and the rest) from sign in; its links also run together with no spaces. Terms and privacy become one line under the final button	LegalFooter.tsx	Claude	P1	14	Open
85	One specific error per field, shown under that field, and a retry on network failure	AuthPage	Claude	P1	14	Open

#	Item	Where	Owner	Pri	Phase	Status
86	Forgotten PIN: phone code, then a new PIN	AuthPage	Claude	P1	14	Open
87	Sign-up tested end to end against a staging API, since it cannot be tested on production without creating a real account	testing	Claude	P1	14	Open

C3. Retired Terms

These screens tell a member things the Legal Position says Halqa does not do. They are fixed before anything else in section C.

#	Item	Where	Owner	Pri	Phase	Status
88	Hyper shows "30 days · 7 collect a day · 210 members" and "Rs 500 a day for 30 days". Replace with the two fixed configurations and the three way split	HyperPage.tsx	Claude	P0		Done
89	Hyper entry checks ask for "Daily earnings, or a vault balance" with a "Vault minimum Rs 15,000". Remove the vault	HyperPage.tsx	Claude	P0		Done
90	Fees lists an early turn fee that "goes to the other members" and turn selling at "whatever the buyer bids". Remove the early turn fee; restate turn selling as the turn market of section W, priced in points and capped at 100 per cent of the pot (D9, 29 September)	FeesPage.tsx	Claude	P0		Done
91	Fees does not list the service fee at all. Add the flat fee of Rs 85 on every monthly instalment, the 1.5 per cent PSP service fee on wallet and card payments, the takaful or insurance fee by name, and the Hyper split of Rs 15 a day	FeesPage.tsx	Claude	P0		Done
92	Pay says "No charge to contribute. Raast is instant and free." State the Rs 85 fee on every payment, and the 1.5 per cent PSP service fee when a wallet or card is used	PayPage.tsx	Claude	P0		Done
93	The committee screen carries a chip reading "Turn pricing · 1% early fee → late bonus". Remove it from every circle	ui.tsx TurnPricingChip, CommitteePage	Claude	P0		Done
94	The committee Safety tab shows "Payout holdback 15%: On", "Deposit held" and "Payout held back". Remove them	ProtectionCenter.tsx	Claude	P0		Done
95	The committee Safety tab shows "Credit-weighted turns: On". That ordering was replaced by score bands; remove it	ProtectionCenter.tsx	Claude	P0		Done
96	The turn marketplace says Buy a turn, for sale, bid, and List one of my turns. Restate it for the turn market of section W: an asking price in points, offers, the seller choosing, host approval, and the price capped at 100 per cent of the pot (D9, 29 September)	MarketplacePage.tsx, HomePage.tsx	Claude	P0		Done
97	The vault is still reachable by link, showing a "Recorded balance" earning "11.19% a year" and "Cover a missed instalment, settled from this balance". Make it unreachable; savings move to the bank savings screen (D12)	VaultPage.tsx, App.tsx	Claude	P0	1	Open
98	Save for something promises the member will "own it outright" at Halqa's "Rs 50 a month". Hold it behind its flag until the bank's financing product is agreed (D13)	AssetPage.tsx	Claude	P0	1	Open
99	About states "What a member pays Halqa: Rs 0" and calls Halqa "a record that cannot be argued with". State the Rs 85 fee and remove the record framing	AboutPage.tsx	Claude	P0		Done
100	Remove every remaining use of record, recorded or recording to describe what Halqa is	all screens	Claude	P0	1	Open

C4. Screen Failures

#	Item	Where	Owner	Pri	Phase	Status
101	Support crashes on open with "Something broke on this screen": it reads tickets.length from an unchecked response	SupportPage.tsx:62	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
102	Statement crashes on open: it reads totals.paidInPaisa from an unchecked response	StatementPage.tsx:68	Claude	P1		Done
103	Limits crashes on open	LimitsPage.tsx:36	Claude	P1		Done
104	Devices crashes on open	DevicesPage.tsx:31	Claude	P1		Done
105	Preview mode has no data for these four endpoints, which is what exposes the missing guards. Add it, since preview is the mode used for demonstrations	preview.ts	Claude	P1		Done
106	Every bottom sheet closed the instant it opened: the back-button handler re-armed on each render and fired its own history entry. Rewritten so a sheet closes only on a real back gesture	lib/back.ts	Claude	P1		Done
107	The tab bar stood seven pixels clear of the bottom edge because two stylesheets set different heights. One height token now governs both	tokens.css, index.css	Claude	P1		Done
108	Rupee amounts broke across lines and read as "Rs215,000" where a narrow space was dropped. A normal non-breaking space is used	lib/format.ts	Claude	P1		Done

C5. Individual Screens

#	Item	Where	Owner	Pri	Phase	Status
109	Home: fix the truncated due in figure, which reads 2 days, 23 and stops	HomePage.tsx	Claude	P1	14	Open
110	Home: replace total recorded with a phrase that names the figure	HomePage.tsx	Claude	P1		Done
111	Home: state what the member owes next, and when, as the first thing on the screen	HomePage.tsx	Claude	P1	14	Open
112	Home: search field in the header, as both reference applications carry	HomePage.tsx	Claude	P1		Done
113	Home: customisable action grid with an edit control, as JazzCash does	HomePage.tsx	Claude	P3	79	Open
114	Home: reduce the grid to actions used weekly and move the rest behind a More tile	HomePage.tsx	Claude	P1	14	Open
115	Home: every grid tile the same icon size, label length and tap target	HomePage.tsx	Claude	P1	14	Open
116	Home: New and Popular badges inside the tile bounds, and then replaced, since badges fall under the standing rule	HomePage.tsx	Claude	P1	14	Partly done
117	Home: activity grouped by date	HomePage.tsx	Claude	P1	14	Open
118	Home: each activity row opens its receipt	HomePage.tsx	Claude	P1	14	Open
119	Home: circles held as a horizontal card carousel rather than stacked cards	HomePage.tsx	Claude	P3	79	Open
120	Home: pull to refresh	HomePage.tsx	Claude	P1	14	Open
121	Home: a skeleton for every block rather than a full screen spinner	HomePage.tsx	Claude	P1	14	Open
122	Committees: design the single item case, which leaves half the screen empty	CirclesPage.tsx	Claude	P1	14	Open
123	Committees: committee cards at full contrast; they read as disabled	CirclesPage.tsx	Claude	P1		Done
124	Committees: search across the circles held	CirclesPage.tsx	Claude	P1	14	Open
125	Committees: filters for status, cadence and role	CirclesPage.tsx	Claude	P1	14	Open
126	Committees: sort by next due date, amount and name	CirclesPage.tsx	Claude	P1	14	Open

#	Item	Where	Owner	Pri	Phase	Status
127	Committees: design the Discover tab, an unstyled list today	CirclesPage.tsx	Claude	P1	14	Open
128	Committees: design the zero circles empty state	CirclesPage.tsx	Claude	P1	14	Open
129	Committee: header uses a grey circle back button, cuts the name to "Gulshan ..." and carries a Member view pill. Rebuild on the standard page header	CommitteePage.tsx	Claude	P1	14	Open
130	Committee: in preview the hero says "Your turn is 1 of 12" while the order below shows the member at turn 3, and reads "Turn 4 of 2". Confirm against production data and correct the formula	CommitteePage.tsx	Claude	P1	14	Open
131	Committee: the Running status sits in a blue pill	CommitteePage.tsx	Claude	P1	14	Open
132	Committee: the loading state that never resolved when a circle is opened by link	CommitteePage.tsx	Claude	P1		Done
133	Committee: replace the six second polling loop with a subscription, or lengthen it with backoff	CommitteePage.tsx:261	Claude	P1	14	Open
134	Committee: a clear payment state per member, with a filter for unpaid	CommitteePage.tsx	Claude	P1	14	Open
135	Committee: the member's own position and next due date above everything else	CommitteePage.tsx	Claude	P1	14	Open
136	Committee: chat in its own tab rather than a section in a long scroll	CommitteePage.tsx	Claude	P1	14	Open
137	Committee: an unread marker on the chat tab	CommitteePage.tsx	Claude	P1	14	Open
138	Committee: a members tab with standing, seat and payment history	CommitteePage.tsx	Claude	P1	14	Open
139	Committee: a rules tab restating the configuration the member agreed to	CommitteePage.tsx	Claude	P1	14	Open
140	Committee, turns tab: six stacked panels become one hero, the turn strip, and the members grid	CommitteePage.tsx:79	Claude	P1	14	Open
141	Committee, safety tab: a list of fourteen switches becomes three cards: what protects this circle, what happens when someone is late, and the member's own standing	ProtectionCenter.tsx	Claude	P1	14	Open
142	Committee, payments tab: rebuilt to the rules	CommitteePage.tsx	Claude	P1	14	Open
143	Committee, messages tab: a chat layout in the manner of the wallets	CommitteePage.tsx	Claude	P1	14	Open
144	Credit report: remove the assistant bubble that covered the affordability section	CreditPage.tsx	Claude	P1		Done
145	Credit report: last three instalments labelled with dates and amounts	CreditPage.tsx	Claude	P1	14	Open
146	Credit report: score chart with an axis, dates and a readable scale	CreditPage.tsx	Claude	P1	14	Open
147	Credit report: each score factor explained with the member's own figures	CreditPage.tsx	Claude	P1	14	Open
148	Credit report: internal score and any bureau figure separated and labelled	CreditPage.tsx	Claude	P1	14	Open
149	Credit report: the stat strip of three grey tiles inside a white card	CreditPage.tsx	Claude	P1	14	Open
150	Account: rebuilt as a grid of tiles under three headings, in place of the long list	ProfilePage.tsx	Claude	P1	14	Open
151	Account: the credit report control in the header as a real button	ProfilePage.tsx	Claude	P1	14	Open
152	Account: a sign out control, absent today	ProfilePage.tsx	Claude	P1	14	Open
153	Create a circle: uses its own header (a Back text link, an eyebrow, a small title) instead of the standard one	CreateCirclePage.tsx	Claude	P1	14	Open
154	Create a circle: the step chips are pills and the third is cut off	CreateCirclePage.tsx	Claude	P1	14	Open
155	Create a circle: "Give the circle a name first" shows before the member has typed anything	CreateCirclePage.tsx	Claude	P1	14	Open

#	Item	Where	Owner	Pri	Phase	Status
156	Create a circle: full cost of the configuration, every fee included, before commitment	CreateCirclePage.tsx	Claude	P0	2	Open
157	Create a circle: validate each step before the next opens	CreateCirclePage.tsx	Claude	P1	14	Open
158	Create a circle: live preview of the schedule as the configuration changes	CreateCirclePage.tsx	Claude	P1	14	Open
159	Pay: the amount reads "Rs 10000", unformatted, with Rs sitting below the figure	PayPage.tsx	Claude	P1	14	Open
160	Pay: half the screen is empty; the rail choice or a keypad belongs there	PayPage.tsx	Claude	P1	14	Open
161	Pay: the parts of the payment shown before the member confirms: the instalment, the Rs 85 fee, the PSP service fee where a wallet or card is used, and the takaful or insurance fee by name	PayPage.tsx	Claude	P0		Done
162	Pay: the 1.5 per cent PSP service fee shown with its rupee amount before a wallet or card is chosen, and no charge shown on the bank's direct debit (5 October)	PayPage.tsx	Claude	P0		Done
163	Pay: pending, settled and failed states, with a reason on failure	PayPage.tsx	Claude	P1	14	Open
164	Schedule: in preview shows Nothing due while Home shows an instalment due in two days. Confirm against production data	SchedulePage.tsx	Claude	P1	14	Open
165	Schedule: a calendar as well as a list	SchedulePage.tsx	Claude	P3	79	Open
166	Statement: exportable as a file	StatementPage.tsx	Claude	P1	14	Open
167	Rewards: the orange streak card, the grey tiles inside a white card, and reward titles cut mid-word. Rebuild as a progress hero and a grid of reward tiles	RewardsPage.tsx	Claude	P1	14	Open
168	Hyper: rebuild as the two configuration cards side by side, with the entry checks as one compact progress figure	HyperPage.tsx	Claude	P1	14	Partly done
169	Activity: keep it as a ledger, and group each day's rows in one card instead of one card per row	ActivityPage.tsx	Claude	P1	14	Open
170	Payment methods: Remove and Make default buttons under every account move into a sheet; the buttons are pills	CardsPage.tsx	Claude	P1	14	Open
171	Verification: a progress figure and a grid of checks in place of two lists; remove the capitalised VERIFIED label	VerifyPage.tsx	Claude	P1	14	Open
172	Settings: a grid in place of the list; the footer links run together with no spaces	SettingsPage.tsx, LegalFooter.tsx	Claude	P1	14	Open
173	Appearance: remove the accent colour picker, a dead control since the themes were retired	Appearance.tsx	Claude	P1	14	Open
174	Appearance: the photo control renders as a letter and a broken icon	Appearance.tsx	Claude	P1	14	Open
175	Appearance: two titles on one screen (Look and feel, then Appearance and personalisation); theme and language chosen from pills	Appearance.tsx	Claude	P1	14	Open
176	Notifications: Mark everything read has its tick on a line of its own; groups are ordered oldest first	NoticesPage.tsx	Claude	P1	14	Open
177	Invite: the capitalised YOUR CODE label; the bottom button sits behind the tab bar	ReferPage.tsx	Claude	P1	14	Open
178	Auto-pay: the capitalised COLLECTED AUTOMATICALLY label	AutoPayPage.tsx	Claude	P1	14	Open
179	Turn marketplace: grey tiles inside a white card, and a blue information rule	MarketplacePage.tsx	Claude	P1	14	Open
180	Vault: no header and no back control	VaultPage.tsx	Claude	P1	14	Open
181	About: essay paragraphs become three short facts and one link	AboutPage.tsx	Claude	P1	14	Open
182	Error screen: one line and a retry, in place of "Something broke on this screen, your data is safe, this is a display error, not a ledger one"	ErrorBoundary.tsx	Claude	P1	14	Open

#	Item	Where	Owner	Pri	Phase	Status
183	Search: kept; checked against C1	SearchPage.tsx	Claude	P1	14	Open

C6. Components

Each is rebuilt to the rules in C1.

#	Item	Where	Owner	Pri	Phase	Status
184	Turns you can take: layout rewritten on 23 September; its style is not yet applied and its copy still over-explains	SeatEligibility.tsx	Claude	P2	55	Partly done
185	Circle eligibility	GroupCredit	Claude	P2	55	Open
186	What you would still owe	ForwardLiability.tsx	Claude	P2	55	Open
187	Exit votes	ExitVotes.tsx	Claude	P2	55	Open
188	Collection order	CollectionOrder.tsx	Claude	P2	55	Open
189	Confirming window	ConfirmingWindow.tsx	Claude	P2	55	Open
190	Affordability	Affordability.tsx	Claude	P2	55	Open
191	Score simulator	ScoreSimulator.tsx	Claude	P2	55	Open
192	Fee schedule	FeeSchedule.tsx	Claude	P2	55	Open
193	Collection calendar	CollectionCalendar.tsx	Claude	P2	55	Open
194	Join by code	JoinByCode.tsx	Claude	P2	55	Open
195	Join sheet	JoinSheet.tsx	Claude	P2	55	Open
196	Exit sheet	ExitSheet.tsx	Claude	P2	55	Open
197	Agreements list	MyAgreements.tsx	Claude	P2	55	Open
198	Weekly undertaking overlay	AgreementGate.tsx	Claude	P2	55	Open
199	Protection centre	ProtectionCenter.tsx	Claude	P2	55	Open
200	Risk console	RiskConsole.tsx	Claude	P2	55	Open
201	Invite share	InviteShare.tsx	Claude	P2	55	Open
202	Host card	HostCard.tsx	Claude	P2	55	Open
203	Linked accounts and their manager	LinkedAccounts.tsx, LinkedAccountsManager.tsx	Claude	P2	55	Open
204	Add a payment source	AddSource.tsx	Claude	P2	55	Open
205	CNIC capture	CnicCapture.tsx	Claude	P2	55	Open
206	PIN lock	PinLock.tsx	Claude	P2	55	Open
207	Receipt	Receipt.tsx	Claude	P2	55	Open
208	Growth and projection charts	PersonalGrowthChart.tsx, ProjectionChart.tsx	Claude	P2	55	Open

#	Item	Where	Owner	Pri	Phase	Status
209	Member status	MemberStatus.tsx	Claude	P2	55	Open
210	Committee photo prompt	CommitteePage.tsx	Claude	P2	55	Open
211	The assistant panel	RafaBot.tsx	Claude	P2	55	Open

D. Missing Screens

The application presently carries twenty eight screens. Every item below is a screen a member, a host or an administrator needs and cannot reach, because it was never built or because it exists only as a section inside another screen.

#	Item	Where	Owner	Pri	Phase	Status
212	Welcome and what the product is, shown before the number is asked for	Onboarding	Claude	P1	15	Open
213	Phone number entry, with the reason for the request stated	Onboarding	Claude	P1	15	Open
214	Passcode entry, with resend, a timer and a change number route	Onboarding	Claude	P1	15	Open
215	Set the application PIN	Onboarding	Claude	P1	15	Open
216	Confirm the application PIN	Onboarding	Claude	P1	15	Open
217	Forgotten PIN recovery	Onboarding	Claude	P1	15	Open
218	Biometric enrolment offer	Onboarding	Claude	P1	15	Open
219	Name and date of birth capture	Onboarding	Claude	P1	15	Open
220	Address and city capture	Onboarding	Claude	P1	15	Open
221	Occupation and employer capture	Onboarding	Claude	P1	15	Open
222	Income declaration, with the reason it is asked	Onboarding	Claude	P1	15	Open
223	Income verification upload	Onboarding	Claude	P1	15	Open
224	Income verification status and outcome	Onboarding	Claude	P1	15	Open
225	CNIC front capture with an alignment guide	Identity	Claude	P1	15	Open
226	CNIC back capture with an alignment guide	Identity	Claude	P1	15	Open
227	CNIC manual entry fallback	Identity	Claude	P1	15	Open
228	CNIC review and confirm before submission	Identity	Claude	P1	15	Open
229	Identity check in progress	Identity	Claude	P1	15	Open
230	Identity check failed, with the reason and the next step	Identity	Claude	P1	15	Open
231	Liveness capture instructions	Identity	Claude	P1	15	Open
232	Liveness capture	Identity	Claude	P1	15	Open
233	Verification levels: what each one opens	Identity	Claude	P1	15	Open
234	Bureau instruction, on a screen of its own	Identity	Claude	P1	15	Open

#	Item	Where	Owner	Pri	Phase	Status
235	Bureau instruction confirmation and record	Identity	Claude	P1	15	Open
236	Adverse action disclosure pack	Identity	Claude	P1	15	Open
237	Linked accounts list	Accounts and rails	Claude	P1	15	Open
238	Add a bank account	Accounts and rails	Claude	P1	15	Open
239	Add a wallet account	Accounts and rails	Claude	P1	15	Open
240	Account title verification in progress	Accounts and rails	Claude	P1	15	Open
241	Account title mismatch, with the route to correct it	Accounts and rails	Claude	P1	15	Open
242	Set the default collection account	Accounts and rails	Claude	P1	16	Open
243	Remove a linked account, with the consequences stated	Accounts and rails	Claude	P1	16	Open
244	Collection mandate explainer	Accounts and rails	Claude	P1	16	Open
245	Authorise a collection mandate	Accounts and rails	Claude	P1	16	Open
246	Mandate authorised confirmation	Accounts and rails	Claude	P1	16	Open
247	Mandate list, one row per circle	Accounts and rails	Claude	P1	16	Open
248	Vary a mandate ceiling	Accounts and rails	Claude	P1	16	Open
249	Cancel a mandate, with the consequences stated	Accounts and rails	Claude	P1	16	Open
250	Mandate cancelled confirmation	Accounts and rails	Claude	P1	16	Open
251	Mandate collection failed, with the reason and the manual route	Accounts and rails	Claude	P1	16	Open
252	Advance notice of a differing amount	Accounts and rails	Claude	P1	16	Open
253	Circle templates, for a member who does not know what to configure	Circles	Claude	P1	16	Open
254	Cadence chooser, with a plain explanation of each	Circles	Claude	P1	16	Open
255	Roster size chooser, with the pot shown live	Circles	Claude	P1	16	Open
256	Seat chooser, with each unavailable seat carrying its reason	Circles	Claude	P1	16	Open
257	Join sheet as a screen of its own	Circles	Claude	P1	16	Open
258	Split disclosure: what each part of the payment is for	Circles	Claude	P1	16	Open
259	Mutual guarantee signing	Circles	Claude	P1	16	Open
260	Undertaking signing	Circles	Claude	P1	16	Open
261	Signature capture	Circles	Claude	P1	16	Open
262	Agreement archive	Circles	Claude	P1	16	Open
263	Confirming window countdown	Circles	Claude	P1	16	Open
264	Withdraw before start	Circles	Claude	P1	16	Open
265	Waiting list position	Circles	Claude	P1	16	Open

#	Item	Where	Owner	Pri	Phase	Status
266	Host admission queue	Host	Claude	P1	16	Open
267	Applicant detail, with standing and related accounts	Host	Claude	P1	16	Open
268	Admission decision record	Host	Claude	P1	16	Open
269	Roster fill request to Halqa	Host	Claude	P1	16	Open
270	Collection order assignment	Host	Claude	P1	16	Open
271	Circle policy settings	Host	Claude	P1	16	Open
272	Circle risk band explainer	Host	Claude	P1	16	Open
273	Mandate coverage across the roster	Host	Claude	P1	16	Open
274	Reminder composer	Host	Claude	P1	16	Open
275	Removal against the published test	Host	Claude	P1	16	Open
276	Member vote on a removal	Host	Claude	P1	16	Open
277	Host accountability record	Host	Claude	P1	16	Open
278	Circle dissolution	Host	Claude	P1	16	Open
279	Payment method chooser	Money	Claude	P1	16	Open
280	Payment confirmation with the full split	Money	Claude	P1	16	Open
281	Payment pending	Money	Claude	P1	16	Open
282	Payment failed, with the reason	Money	Claude	P1	16	Open
283	Receipt detail	Money	Claude	P1	16	Open
284	Receipt share	Money	Claude	P1	16	Open
285	Dispute a payment	Money	Claude	P1	16	Open
286	Dispute status	Money	Claude	P1	16	Open
287	Payout destination confirmation	Money	Claude	P1	16	Open
288	Payout released	Money	Claude	P1	16	Open
289	Payout receipt	Money	Claude	P1	16	Open
290	Shortfall explanation on a payout	Money	Claude	P1	16	Open
291	Set off explanation where a member collects and owes in the same round	Money	Claude	P1	16	Open
292	Partial payment record	Money	Claude	P1	16	Open
293	Arrears position, stated as owed to the round	Money	Claude	P1	16	Open
294	Fee schedule, the whole grid	Money	Claude	P1	16	Open
295	The fee applied to this circle	Money	Claude	P1	16	Open
296	Discount eligibility: cheque, income, income account	Money	Claude	P1	16	Open

#	Item	Where	Owner	Pri	Phase	Status
297	Guarantee cheque registration	Money	Claude	P1	16	Open
298	Late notice, step one	Recovery	Claude	P1	16	Open
299	Late notice, step two	Recovery	Claude	P1	16	Open
300	Late notice, step three	Recovery	Claude	P1	16	Open
301	Hardship declaration	Recovery	Claude	P1	16	Open
302	Revised date agreement	Recovery	Claude	P1	16	Open
303	Cure confirmation	Recovery	Claude	P1	16	Open
304	Restitution arithmetic	Recovery	Claude	P1	16	Open
305	Recovery case status	Recovery	Claude	P1	16	Open
306	Write off record	Recovery	Claude	P1	16	Open
307	Exit ladder chooser	Exit	Claude	P1	16	Open
308	Exit sheet with the arithmetic	Exit	Claude	P1	16	Open
309	Exit cooling window	Exit	Claude	P1	16	Open
310	Exit confirmation with PIN and face	Exit	Claude	P1	16	Open
311	Seat transfer to a replacement	Exit	Claude	P1	16	Open
312	Guarantee release	Exit	Claude	P1	16	Open
313	Points ledger, with the reason for each entry	Rewards	Claude	P1	16	Open
314	Waiver ledger	Rewards	Claude	P1	16	Open
315	Redemption against a future fee	Rewards	Claude	P1	16	Open
316	Points redeemed in the Halqa marketplace for goods from partner merchants and exchanged with the bank's rewards; no cash out (D4, D9)	Rewards	Claude	P1	16	Open
317	Referral invitation and status	Rewards	Claude	P1	16	Open
318	Takaful or insurance explainer, naming the operator the bank chose; never called Halqa cover	Takaful	Claude	P1	16	Open
319	Takaful or insurance fee shown and accepted at joining as the operator's product	Takaful	Claude	P1	16	Open
320	Takaful or insurance certificate issued by the operator	Takaful	Claude	P1	16	Open
321	Claim lodged with the operator, with the payment record attached as evidence	Takaful	Claude	P1	16	Open
322	Claim status from the operator, visible to the member	Takaful	Claude	P1	16	Open
323	Savings explainer for the bank's short term savings product, named as the bank's (D12)	Savings	Claude	P1	16	Open
324	Savings subscription	Savings	Claude	P1	16	Open
325	Savings holding	Savings	Claude	P1	16	Open
326	Savings redemption	Savings	Claude	P1	16	Open

#	Item	Where	Owner	Pri	Phase	Status
327	Help centre index	Support	Claude	P1	16	Open
328	Help article	Support	Claude	P1	16	Open
329	Contact support	Support	Claude	P1	16	Open
330	Complaint record	Support	Claude	P1	16	Open
331	Service status	Support	Claude	P1	16	Open
332	Devices and sessions	Settings	Claude	P1	16	Open
333	Notification preferences	Settings	Claude	P1	16	Open
334	Language chooser	Settings	Claude	P1	16	Open
335	Data export request	Settings	Claude	P1	16	Open
336	Account closure	Settings	Claude	P1	16	Open
337	Administrative console: circles at risk	Administration	Claude	P1	16	Open
338	Administrative console: reconciliation exceptions	Administration	Claude	P1	16	Open
339	Administrative console: identity queue	Administration	Claude	P1	16	Open
340	Administrative console: dispute queue	Administration	Claude	P1	16	Open
341	Administrative console: mandate failures	Administration	Claude	P1	16	Open

E. Removals

Each construct below implements the previous design and must be gone before the services agreement with the payment partner is executed.

#	Item	Where	Owner	Pri	Phase	Status
342	Set SIMPLE_MODE to true to withdraw the vault and the earning engines; the turn market returns in its new form under section W (D9)	halqa-web/src/config.ts:21	Claude	P0	1	Open
343	Replace the turn premium ledger entry from buyer to seller with a points transfer through the points ledger (D9)	routes/exchange.ts:156	Claude	P0	1	Open
344	Replace the ten per cent marketplace fee on the premium with the exchange fee in the fee schedule (D5, D9)	routes/exchange.ts:157	Claude	P0	1	Open
345	Re-express premiumPaisa as an asking price in points (D9)	routes/exchange.ts:69	Claude	P0	1	Open
346	Restore competitive offers on listings, priced in points, the seller choosing (D9)	routes/exchange.ts:95	Claude	P0	1	Open
347	Keep a ceiling on the price of a turn as a share of the pot, as protection for buyers (D9)	routes/exchange.ts:84	Claude	P0		Done
348	Keep the swap at no price as an option on every tier, beside priced turns (D9)	routes/exchange.ts	Claude	P0	1	Open
349	Turn market between members: a turn listed with an asking price in points, offers, the price agreed by the two members, the buyer's credit band checked, host approval and the exchange fee (D7, D9). No Shariah or non Shariah label; the bank's Shariah board decides whether it is offered through an Islamic window	lib/turn-swap.ts	Claude	P0	1	Open
350	Points ledger for the bank's stored value: append only entries for issue, purchase with money, transfer between members, redemption in the marketplace and lapse; no cash out (D4, D9)	new lib/points-ledger.ts	Claude	P0	1	Open

#	Item	Where	Owner	Pri	Phase	Status
351	Asset committees financed by the partner bank first, with the modaraba lease kept as the alternative (D13)	lib/asset-committee.ts	Claude	P0	1	Open
352	Remove earlyFeeBps from the create schema and every dependent branch, fourteen occurrences	routes/committees.ts	Claude	P0	1	Open
353	Remove the engine copy describing an early fee paid to other members	routes/committees.ts:326	Claude	P0	1	Open
354	Remove dividendPooled and the patience weighted split between members	routes/committees.ts, schema.prisma	Claude	P0	1	Open
355	Remove prizeDrawEnabled from the schema, the create route and round processing	schema.prisma:357, routes/committees.ts:203	Claude	P0	1	Open
356	Remove CREDIT_WEIGHTED from the circle creation route, whose default is still credit weighted ordering. Keep the ballot (RANDOM_BALLOT) beside the host's fixed order and selection, drawn only among the seats each member's score band allows (presentation edit, 30 September)	routes/committees.ts:197	Claude	P0	1	Open
357	Repurpose the time value engine to size the points and waivers owed to later seats. It still computes an early fee charged to early seats and credited to later ones	lib/time-value.ts	Claude	P0	1	Open
358	Delete bidAprBps	lib/hyper.ts:109	Claude	P0		Done
359	Delete MAX_APR_BPS	lib/hyper.ts:59	Claude	P0		Done
360	Delete MAX_DAY_ONE_PAISA	lib/hyper.ts:61	Claude	P0		Done
361	Rewrite the hyper header comment, which presently describes a priced advance and an annualised ceiling	lib/hyper.ts:1	Claude	P0	1	Open
362	Re-express the Hyper seat price as the flat fee of Rs 15 a day payable to Halqa, with the takaful or insurance part set by the operator, rather than a bid between members (29 and 30 September)	lib/hyper.ts	Claude	P0		Done
363	Unmount the vault route; savings move to the partner bank's short term savings account (D12)	app.ts:139	Claude	P0	1	Open
364	Stop populating accruedYieldPaisa on security deposits	schema.prisma:504, routes/protection.ts	Claude	P0	1	Open
365	Stop creating payout holdbacks	schema.prisma:521	Claude	P0	1	Open
366	Delete the float sweep and the mudarib fee; any return on balances is the bank's, shared with Halqa and paid to members as an end of circle reward (D4, D5)	lib/sukoon.ts:23	Claude	P0	1	Open
367	Remove the vault auto cover path from the delinquency pass	services/delinquency.ts	Claude	P0	1	Open
368	Remove rate and cover copy from six front end files	rafa-knowledge.ts, format.ts, HyperPage.tsx, ProfilePage.tsx, VaultPage.tsx, preview.ts	Claude	P0	1	Open
369	Remove the Halqa cover facility from the fee book	lib/fee-book.ts	Claude	P0		Done
370	Confine asset committee code behind a flag until the bank's financing product is agreed (D13)	lib/asset-committee.ts, AssetPage.tsx	Claude	P0	1	Open

F. Additions

#	Item	Where	Owner	Pri	Phase	Status
371	Flat member fee of Rs 85 on every monthly instalment, the same for every seat: the running cost of one payment, at most Rs 35, plus Rs 50; charged by the partner bank, with Halqa paid its share (D5, 30 September)	lib/fee-book.ts	Claude	P0		Done
372	Correct the per instalment fee constant, which presently stands at Rs 50, to Rs 85; the grid of Rs 100 to Rs 500 is withdrawn (30 September)	lib/fee-book.ts	Claude	P0		Done
373	Flat fee rule on the daily cadence, asserted in code so a graded fee cannot be configured there	lib/hyper.ts	Claude	P1		Done
374	Split engine: contribution, takaful or insurance fee, the Rs 85 fee and the PSP service fee where it applies, each to its own ledger account	new lib/split.ts	Claude	P0	1	Open
375	Assert identity one at creation: pot equals contribution multiplied by the number of rounds	routes/committees.ts	Claude	P1	13	Open
376	Assert identity two at creation: roster equals members collecting each period multiplied by the number of periods	routes/committees.ts	Claude	P1	13	Open
377	Points ledger, issued by Halqa, as compensation to later seats	new model	Claude	P1	13	Open
378	Fee waiver credit, issued by Halqa, as compensation to later seats	new model	Claude	P1	13	Open
379	Redemption path for points against fees and in the Halqa marketplace (D4)	routes/rewards.ts	Claude	P1	13	Open
380	Host required on every circle, including daily cadence circles	routes/committees.ts	Claude	P1	13	Open
381	Host accountability record: who admitted each member to the roster	new model	Claude	P1	13	Open
382	Fee display that states the flat fee in rupees and never a rate; the PSP service fee of 1.5 per cent is the one rate shown, always with its rupee amount	components	Claude	P0		Done
383	Bureau consent capture as a separate screen naming the bureau and the request	new page	Claude	P1	13	Open
384	Bureau consent record hashed and timestamped on the pattern of the undertaking	routes/agreements.ts	Claude	P1	13	Open
385	Adverse action pack: the report relied on, the bureau name, address and telephone number, the statutory summary of rights and a statement that the bureau did not decide	new page	Claude	P1	13	Open
386	Review and gate member visible credit scores inside a circle	CommitteePage.tsx	Claude	P1	13	Open
387	Fee schedule surface stating every charge before a member commits	FeesPage.tsx	Claude	P1		Done
388	Correct the discount constants to eighty per cent for a cheque and fifty per cent for verified income, checked against the Rs 85 fee, and a mandatory income account on unknown committees and Hyper	lib/discounts.ts	Claude	P1	13	Open

G. Collection

#	Item	Where	Owner	Pri	Phase	Status
389	Implement tier one: payment by card, wallet or Raast Request to Pay through Safepay, one approval each time, with each part settled to its owner (HQ-CP-09)	lib/payment-provider.ts	Claude	P1	15	Open
390	Implement tier two, the auto debit: a saved debit card charged by Safepay as a merchant initiated payment, mandatory on unknown committees and Hyper, with a second saved card tried once when the first is declined for lack of funds (HQ-CP-02)	lib/auto-debit.ts	Claude	P1	15	Open

#	Item	Where	Owner	Pri	Phase	Status
391	Card saving through Safepay: Safepay's own card page in the application, the card bank's 3-D Secure check, and only the customer and token references stored (HQ-CP-02)	new lib/safepay-cards.ts	Claude	P1	15	Open
392	Charges scheduled as merchant initiated payments on the saved card, never above one instalment, each settled into the collecting member's account at the partner bank with the takaful or insurance fee and the Rs 85 fee posted separately (D3)	lib/auto-debit.ts	Claude	P1	15	Open
393	Webhook receiver: signature and time stamp verified, messages older than five minutes or already received rejected, outcome written to the ledger in one transaction	new routes/partner-webhook.ts	Claude	P1	15	Open
394	Wallet limit check at seat allocation: a pot that would take the collecting member's wallet past its monthly limit is paid to their bank account instead (EMI Regulations 2023, para 14.II(a))	lib/payout.ts	Claude	P1	15	Open
395	Card disputes: an evidence pack for each dispute, and a dispute after collection treated as a default after collection (HQ-CP-02)	new lib/disputes.ts	Claude	P1	15	Open
396	Income account verification: title inquiry, statement integrity checks and the salary pattern score, with documentary proof verifying on the same day and observation kept only as the fallback (5 October); the Hyper daily income floor of Rs 1,000 on at least five days of every week for eight weeks stands (HQ-MF-03)	lib/salary-pattern.ts	Claude	P1	15	Open
397	Implement tier three: the member sends over Raast to the collecting member's Raast ID shown in the application, matched by its reference. Cash and bank transfers stay recorded against a reference and confirmed by the host	new send screen, routes/payments.ts	Claude	P1	15	Open
398	Member fee charged by the partner bank with each instalment, and Halqa paid its share under the partnership (D5)	lib/fee-collection.ts	Claude	P1	15	Open
399	Assign each day's Hyper payers to that day's collectors, so every payer pays one collector directly and no pool exists	new lib/hyper-assign.ts	Claude	P1	15	Open
400	Select the tier automatically by cadence, instalment size and the member own history	new lib/collection-policy.ts	Claude	P1	15	Open
401	Mandate register: account, ceiling, cadence, the text authorised, the time and the address	new model	Claude	P1	15	Open
402	Mandate authorisation flow, with the terms stated on their own screen	new page	Claude	P1	15	Open
403	Mandate cancellation inside the application, effective without a call or a form	new page	Claude	P1	15	Open
404	Advance notice where an amount will differ from the amount stated at authorisation	new job	Claude	P1	15	Open
405	Confirmation to the member of every collection taken under a mandate	new job	Claude	P1	15	Open
406	Daily mandate run, sharded, idempotent and resumable	new job	Claude	P1	15	Open
407	Retry policy for a failed mandate collection, with a stated schedule and a ceiling on attempts	new job	Claude	P1	15	Open
408	Reason codes for every failure, mapped to a sentence the member understands	new lib	Claude	P1	15	Open
409	Arrears recorded against the round, never as a negative balance held by Halqa	routes/payments.ts	Claude	P1	15	Open
410	Assertion in code that no member balance can be created	routes/payments.ts	Claude	P1	15	Open
411	Reconciliation against the partner's settlement report, on a schedule	new job	Claude	P1	15	Open
412	Exception queue for reconciliation breaks	new admin page	Claude	P1	15	Open
413	Refund and reversal path through the same rail, with the ledger entry reversed with it	routes/payments.ts	Claude	P1	15	Open
414	Dispute suspends the mandate while it is open	routes/payments.ts	Claude	P1	15	Open
415	Idempotency key on every settlement, enforced at the database level	schema.prisma	Claude	P1	15	Open

#	Item	Where	Owner	Pri	Phase	Status
416	Signed callback verification on every provider confirmation	routes/payments.ts	Claude	P1	15	Open
417	Circuit breaker on persistent provider failure, directing members to another rail	lib/payment-provider.ts	Claude	P1	15	Open
418	Title inquiry before an account anchors collection	lib/payment-provider.ts	Claude	P1	15	Open
419	Rail cost display before a charged rail is chosen: the 1.5 per cent PSP service fee on wallet and card, with its rupee amount	PayPage.tsx	Claude	P0		Done
420	Rail selection policy documented against instalment size: the PSP service fee of 1.5 per cent is paid by the member on wallet and card payments only, and none on the bank's direct debit (5 October)	documentation	Claude	P0	2	Open
421	Consolidated daily notice on the daily cadence, one message rather than one per member per day	new job	Claude	P1	15	Open
422	Merchant agreement with Safepay kept for tier one card and wallet payments and the card auto debit, settling each contribution into the collecting member's account at the partner bank (D3)	commercial	Chairman	P1	H2	Open
423	Fallback: contributions moved between members' accounts at the partner bank, with Safepay limited to card and wallet payments (D2, D3)	commercial	Chairman	P1	H2	Open
424	Mandate facility added to that agreement as a commercial term	commercial	Chairman	P1	H4	Open
425	Sandbox integration completed and signed off	integration	Claude	P1	15	Open
426	Production credentials held in the managed secret store	infrastructure	Claude	P1	15	Open
427	Live rail enabled behind a flag, with a staged rollout	lib/payment-provider.ts	Claude	P1	15	Open
428	Settlement account opened in the company name for fee revenue only	commercial	Chairman	P1	H4	Open
429	Daily settlement report ingested automatically rather than by hand	new job	Claude	P1	15	Open
430	Payment operations runbook written and rehearsed	documentation	Claude	P1	15	Open
431	Remove the live branch that throws not implemented once the rail is connected	lib/payment-provider.ts	Claude	P1	15	Open

H. Takaful or Insurance

Takaful or insurance from a licensed operator chosen by the bank is the only protection against default. Halqa holds no cover of its own and promises no payment (29 September).

#	Item	Where	Owner	Pri	Phase	Status
432	Only if the bank asks Halqa to act as agent: written agency agreement with the operator the bank chooses, under section 96(2) of the Insurance Ordinance 2000, with Halqa in the operator's register of agents under section 98; otherwise no agency is held	commercial	Chairman	P1	H2	Open
433	Only if an agency is held (item 432): the agreement checked against regulation 4 of the Corporate Insurance Agents Regulations 2020, and staff who sell takaful or insurance certified under regulation 22	legal	Counsel	P1	H1	Open
434	Takaful or insurance product for circles between strangers and Hyper, chosen and priced by the bank with its operator; the stress case pricing of HQ-MF-05 offered as evidence	commercial	Chairman	P1	H2	Open
435	Product terms agreed: what is covered, what is excluded, and how it is priced	commercial	Chairman	P1	H4	Open
436	Takaful or insurance fee taken as a fixed part of every payment on the circles that carry it	lib/split.ts	Claude	P1	38	Open

#	Item	Where	Owner	Pri	Phase	Status
437	Takaful or insurance fee remitted to the operator, or for takaful to the participants risk fund, and never held by Halqa	lib/split.ts	Claude	P1	38	Open
438	Separate ledger account for the risk fund, reconciled separately	ledger	Claude	P1	38	Open
439	Takaful or insurance mandatory on every circle between strangers and on Hyper, its fee named before commitment; optional on known circles	new page	Claude	P1	39	Open
440	Takaful or insurance certificate issued to the member by the operator	new page	Claude	P1	39	Open
441	Claim submission with the payment record attached as evidence	new page	Claude	P1	39	Open
442	Claim status visible to the member and to the host	new page	Claude	P1	39	Open
443	Any commission from the operator, if the bank shares it, recorded as revenue and disclosed to the member; not counted in Halqa's income in the business model (30 September)	ledger	Claude	P1	39	Open
444	Surplus and deficit treatment documented for the member: surplus belongs to participants, deficit is met by an operator advance	content	Claude	P1	39	Open
445	Assertion in code that Halqa never promises to pay on another member loss	review	Claude	P1	39	Open
446	Counsel review of any agency arrangement before takaful or insurance is offered through Halqa	legal	Counsel	P1	H1	Open

I. Savings

The savings product built on a trustee and an asset manager is retired. Savings now sit in the partner bank's own short term product (D12).

#	Item	Where	Owner	Pri	Phase	Status
447	Savings through the partner bank's short term savings account for the gap of about seven days between salary and the due date on the 8th (D12)	bank	Bank	P2	H4	Open
448	Bank savings product agreed: profit calculated on the daily balance for money held a few days	commercial	Chairman	P2	H5	Open
449	Salary credited to the member's account at the partner bank moves to the short term savings product until the due date	integration	Claude	P2	72	Open
450	Automatic transfer from savings to the committee debit on the due date	integration	Claude	P2	72	Open
451	Profit on the savings product credited by the bank to the member's account	bank	Bank	P2	H4	Open
452	Savings screen showing the bank's product, its rate and its terms, stated as the bank's product	new page	Claude	P2	72	Open
453	No return earned by Halqa on any member's money; all balances held and remunerated by the bank	legal	Counsel	P2	H4	Open
454	Halqa's share of bank income recorded as revenue under the partnership agreement (D5)	ledger	Claude	P2	72	Open
455	Retire the trustee and fund distribution structure from every document and screen	documents	Claude	P2	72	Open
456	Rates stated as the bank's published rates, never promised by Halqa	content	Claude	P2	72	Open
457	Electronic Transactions Ordinance section 31(1)(c) checked: no circle constituted as an express trust on an electronic signature	legal	Counsel	P2	H4	Open
458	Vault route replaced by the bank savings screen	app.ts	Claude	P2	72	Open

J. Credit Data

#	Item	Where	Owner	Pri	Phase	Status
459	Subscriber agreement with TASDEEQ, with DataCheck as the alternate	commercial	Chairman	P1	H3	Open
460	Bureau consent step agreed with TASDEEQ, so the instruction reaches the bureau from the member. No electronic power of attorney is relied on, since the Electronic Transactions Ordinance 2002 excludes it at section 31(1)(b)	legal	Counsel	P1	H1	Open
461	Bureau request made only on a member instruction, enforced in code	new lib	Claude	P1	39	Open
462	Instruction record hashed, timestamped and addressed	routes/agreements.ts	Claude	P1	39	Open
463	Bureau report stored separately from the internal score and on its own scale	schema.prisma	Claude	P1	39	Open
464	Adverse action obligation implemented before any score based restriction operates	new page	Claude	P1	39	Open
465	Disclosure limits reviewed: bureau derived information not shown to other members	CommitteePage.tsx	Claude	P1	39	Open
466	Dispute route to the bureau correction process, with the entry marked while open	new page	Claude	P1	39	Open
467	Internal score explained to the member in terms of their own record	CreditPage.tsx	Claude	P1	39	Open
468	Score bands documented and applied only to which seats may be claimed	lib/score-bands.ts	Claude	P1	39	Open
469	Credit reporting from launch day one: committee payment records reported through TASDEEQ or directly by the partner bank, the bank deciding (D11)	section X	Claude	P1	39	Open
470	Reporting to the State Bank's credit information bureau by the partner bank, if it reports directly (D11)	bank	Bank	P1	H2	Open
471	Affordability gate rebuilt to the five tests of the Affordability Model (HQ-MF-02), on unknown committees and Hyper only: a third of verified income, 40 per cent with TASDEEQ reported loans, and weighted load and forward liability from the fourth committee. Affordability is unchanged by the ruling of 5 October: security opens a seat, it never excuses a member who cannot afford the instalment	lib/affordability.ts	Claude	P1	39	Open
472	Identity confidence score combining the name, face, address, account, phone and job checks, setting levels 1 to 3 (HQ-MF-04)	new lib/identity-score.ts	Claude	P1	39	Open
473	Exposure summed across every circle held	lib/exposure-score.ts	Claude	P1	39	Open
474	Forward liability measured at the point of seat selection	lib/forward-liability.ts	Claude	P1	39	Open
475	New member seat rights set by the matrix of section AQ2: real bureau history and a good score open any seat, a thin record opens the middle seats, no record opens the last seats, and one clean circle opens the rest (5 October); the blanket confinement to the final seats until two clean circles is withdrawn	lib/score-bands.ts	Claude	P1	39	Open

K. Registrations and Governance

#	Item	Where	Owner	Pri	Phase	Status
476	SECP incorporation as a private limited company through eZfile, with the registered office in Islamabad	registration	Chairman	P0	H1	Open
477	Memorandum object clause drafted to the restructured model	legal	Counsel	P0	H1	Open
478	National Tax Number from the Federal Board of Revenue	registration	Chairman	P0	H1	Open

#	Item	Where	Owner	Pri	Phase	Status
479	Sales tax registration in the Islamabad Capital Territory; IT enabled services at 15 per cent, the classification confirmed by a tax adviser	registration	Chairman	P0	H1	Open
480	Company account at the partner bank for Halqa's own revenue	commercial	Chairman	P0	H2	Open
481	Trademark filing with the Intellectual Property Organisation	registration	Chairman	P0	H1	Open
482	NADRA checks: the bank's own at account opening; Halqa's Verisys agreement only for checks the bank does not share (D10)	commercial	Chairman	P0	H2	Open
483	Member undertaking reviewed by counsel: the sum owed stated after each round, enforceable by civil suit; the summary procedure of Order XXXVII applies only to a guarantee cheque	legal	Counsel	P0	H1	Open
484	Mutual guarantee reviewed by counsel as a separate member to member instrument	legal	Counsel	P0	H1	Open
485	Collection mandate text reviewed by counsel, stating amount, cadence, ceiling and cancellation	legal	Counsel	P0	H1	Open
486	Arbitration clause naming the dispute route before a dispute arises	legal	Counsel	P0	H1	Open
487	No custody clause stating that Halqa holds no member money: all balances sit with the partner bank	legal	Counsel	P0	H1	Open
488	Member agreement, privacy, cookies, advertising, community and fees, versioned together	legal	Counsel	P0	H1	Open
489	Written opinion of counsel on limb twelve of the financial institution definition	legal	Counsel	P0	H1	Open
490	Confirmation that no product surface proposes a payment determined by the drawing of a lot; the ballot sets only the order of turns, and every member receives the same pot	review	Claude	P0	11	Open
491	Data protection position documented, including where records sit	documentation	Claude	P0	11	Open
492	Record retention schedule for identity and transaction records	documentation	Claude	P0	11	Open
493	Complaints procedure published	documentation	Claude	P0	11	Open
494	Terms acceptance recorded with the version, the hash, the address and the time	routes/agreements.ts	Claude	P0	11	Open
495	Board and shareholding settled before the first external agreement: the chairman's father as director and first chief executive, with a second adult director or as a single member company, and Taha Kayani's shares held as counsel advises until Taha Kayani is 18 (Companies Act 2017, sections 153, 154 and 186)	corporate	Counsel	P0	H1	Open
496	Insurance for the company itself: directors and officers, professional liability and cyber, at the level the bank requires, separate from the members' takaful or insurance	commercial	Chairman	P0	H1	Open
497	Regulatory position under the partner bank: product approvals obtained by the bank and Halqa assessed under the bank's outsourcing framework (D15)	documentation	Bank	P0	H2	Open

L. Platform and Scale

#	Item	Where	Owner	Pri	Phase	Status
498	Create the migration history; the project presently has no migrations directory at all	prisma/migrations	Claude	P0	11	Open
499	Apply to production the additive SQL for the two user columns that exist in code and not in production. The SQL is written, at prisma/additive-2026-07-23-locality-jobtitle.sql	prisma	Claude	P0	11	Partly done

#	Item	Where	Owner	Pri	Phase	Status
500	Adopt a migrate deploy step in the release pipeline rather than pushing the schema	pipeline	Claude	P1	36	Open
501	Bound every unbounded query: 50 of the 62 findMany calls in the API fetch without a limit, 21 of them in routes/committees.ts	halqa-api/src	Claude	P1	36	Open
502	Add cursor pagination to every list endpoint	halqa-api/src/routes	Claude	P1	36	Open
503	Add an index for every list query and every foreign key that drives one	prisma/schema.prisma	Claude	P1	36	Open
504	Review every N plus one query introduced by nested includes	halqa-api/src	Claude	P1	36	Open
505	Add a connection pool sized for the serverless execution model	prisma	Claude	P1	36	Open
506	Move the delinquency sweep to a sharded job rather than one pass	services/delinquency.ts	Claude	P1	36	Open
507	Move payouts to a queue with retry and a dead letter path	new queue	Claude	P1	36	Open
508	Move notifications to a queue with rate limiting per member	new queue	Claude	P1	36	Open
509	Add idempotency to every job so a retry cannot double process	jobs	Claude	P1	36	Open
510	Add a scheduled job monitor that alerts when a run is missed	monitoring	Claude	P1	36	Open
511	Add caching for reference data rather than fetching it per request	halqa-api/src	Claude	P1	36	Open
512	Add a read path that does not touch the primary for heavy list views	infrastructure	Claude	P1	36	Open
513	Load test the collection path at one hundred thousand members and a daily cadence	testing	Claude	P1	36	Open
514	Load test the round close and payout path at the same scale	testing	Claude	P1	36	Open
515	Measure and record the cost per member per month at that scale	documentation	Claude	P1	36	Open
516	Confirm the serverless execution ceiling is not reached by any job	infrastructure	Claude	P1	36	Open
517	Add point in time recovery and an independent nightly copy	infrastructure	Claude	P1	36	Open
518	Rehearse a restore and record how long it takes	operations	Claude	P1	36	Open
519	Add structured logging with a request identifier carried end to end	halqa-api/src	Claude	P1	36	Open
520	Add error monitoring with alerting to a named person; there is presently none	infrastructure	Claude	P1	36	Open
521	Add performance monitoring on the payment and payout paths	infrastructure	Claude	P1	36	Open
522	Add uptime monitoring on the application, the API and the rails	infrastructure	Claude	P1	36	Open
523	Add a public status page	infrastructure	Claude	P1	36	Open
524	Add a staging environment with its own database	infrastructure	Claude	P1	36	Open
525	Add a documented rollback procedure	operations	Claude	P1	36	Open
526	Add a feature flag service so a surface can be withdrawn without a deploy	infrastructure	Claude	P1	36	Open
527	Review the region placement of the database against the users it serves	infrastructure	Claude	P1	36	Open
528	Add a data export job that produces a member record in full	new job	Claude	P1	36	Open
529	Add a data deletion job that honours a closure request	new job	Claude	P1	36	Open

#	Item	Where	Owner	Pri	Phase	Status
530	Add an append only audit log, retained separately from the application database	infrastructure	Claude	P1	36	Open
531	Add a double entry assertion that debits equal credits, run on a schedule	new job	Claude	P1	36	Open
532	Add a ledger integrity check against the settlement report	new job	Claude	P1	36	Open
533	Add a bundle size budget and enforce it in the build	pipeline	Claude	P1	36	Open
534	Measure and improve first contentful paint on a low end handset	halqa-web	Claude	P1	36	Open
535	Add an offline path for reading a schedule and a receipt	halqa-web	Claude	P3	79	Open
536	Add a service worker with a considered cache policy	halqa-web	Claude	P3	79	Open
537	Confirm the application works on a two gigabyte handset over a third generation connection	testing	Tester	P1	H4	Open

M. Security

#	Item	Where	Owner	Pri	Phase	Status
538	Correct the permissions policy header, which sets camera and geolocation to none and so breaks CNIC capture and the home location pin in production (confirmed against the live headers on 24 September)	halqa-web/vercel.json:11	Claude	P0	10	Open
539	Review the content security policy and remove any unsafe directive	halqa-web/vercel.json	Claude	P1	35	Open
540	Confirm strict transport security across the domain	halqa-web/vercel.json	Claude	P1	35	Open
541	Confirm the cross origin policy admits only the application origins	halqa-api/src/app.ts	Claude	P1	35	Open
542	Rate limit every route, per member and per address, tighter on authentication	halqa-api/src	Claude	P1	35	Open
543	Add a bot challenge before an account is created	routes/auth.ts	Claude	P1	35	Open
544	Add signup velocity limits per device and per address	routes/auth.ts	Claude	P1	35	Open
545	Confirm every route checks membership, hosting or ownership before acting	halqa-api/src/routes	Claude	P0	10	Open
546	Confirm every request is validated against a schema before reaching business logic	halqa-api/src/routes	Claude	P0	11	Open
547	Confirm internal fields never reach the client	halqa-api/src	Claude	P0	11	Open
548	Move every credential into a managed store and rotate on a schedule	infrastructure	Claude	P0	11	Open
549	Encrypt identity images at rest and log every access	infrastructure	Claude	P1	35	Open
550	Confirm rail tokens are held by the partner and never stored by Halqa	lib/payment-provider.ts	Claude	P1	35	Open
551	Add server side session revocation and a device list the member controls	routes/auth.ts	Claude	P1	35	Open
552	Add step up authentication before a payout destination is changed	routes/account.ts	Claude	P1	35	Open
553	Add step up authentication before a mandate is authorised	new route	Claude	P1	35	Open
554	Add anomaly detection on collection destination changes	new job	Claude	P1	35	Open
555	Separate administrative access from application access, in named accounts	infrastructure	Claude	P1	35	Open
556	Require two factor authentication on hosting, database and domain accounts	infrastructure	Claude	P0	11	Open

#	Item	Where	Owner	Pri	Phase	Status
557	Add dependency scanning to the build and fail on high severity	pipeline	Claude	P1	35	Open
558	Add secret scanning across the repository and its history	pipeline	Claude	P1	35	Open
559	Add static analysis for injection and authorisation defects	pipeline	Claude	P1	35	Open
560	Commission a penetration test before real money moves	external	Chairman	P1	H4	Open
561	Write an incident response plan with a named owner	documentation	Claude	P1	35	Open
562	Write a breach notification procedure	documentation	Claude	P1	35	Open
563	Add a vulnerability disclosure route	documentation	Claude	P1	35	Open
564	Sanctions and politically exposed person screening done by the bank at onboarding and continuously; Halqa acts on the bank's result at once	new lib	Claude	P1	35	Open
565	Ongoing monitoring of patterns against the declared profile done by the bank on Halqa's data feed (item 698)	new job	Claude	P1	35	Open
566	Add fraud rules for repeated identity submissions and unusual account linking	new lib	Claude	P1	35	Open
567	Suspicious activity escalated to the bank's compliance officer; the suspicious transaction report is the bank's to make	new job	Claude	P1	35	Open

N. Testing and Release

#	Item	Where	Owner	Pri	Phase	Status
568	Extend the API test suite to the routes; the 18 test files in the service cover the engines only	halqa-api/tests	Claude	P1	41	Partly done
569	Unit test the split engine against both hyper configurations	testing	Claude	P1	41	Open
570	Unit test the two identities and confirm a breaking configuration is refused	testing	Claude	P1	41	Open
571	Unit test the fee grid at every band	testing	Claude	P1	41	Open
572	Unit test the discount grid, including that discounts do not stack	testing	Claude	P1	41	Open
573	Unit test the threshold engine at green, amber and red	testing	Claude	P1	41	Open
574	Unit test the exit ladder arithmetic	testing	Claude	P1	41	Open
575	Unit test the delinquency ladder at each step	testing	Claude	P1	41	Open
576	Unit test set off where a member collects and owes in the same round	testing	Claude	P1	41	Open
577	Unit test idempotency on settlement	testing	Claude	P1	41	Open
578	Integration test the whole collection path against the partner's sandbox	testing	Claude	P1	41	Open
579	Integration test the payout path	testing	Claude	P1	41	Open
580	Integration test mandate authorisation, variation and cancellation	testing	Claude	P1	41	Open
581	End to end test the twenty most common member journeys	testing	Claude	P1	41	Open
582	End to end test the host journeys	testing	Claude	P1	41	Open
583	Visual regression test every screen at three widths	testing	Claude	P1	41	Open

#	Item	Where	Owner	Pri	Phase	Status
584	Accessibility test every screen against the published criteria	testing	Claude	P1	41	Open
585	Add type checking, linting and tests as required checks on every change	pipeline	Claude	P1	41	Open
586	Add a preview deployment for every change	pipeline	Claude	P1	41	Open
587	Add a release checklist and require sign off	process	Claude	P1	41	Open
588	Add a staged rollout mechanism	pipeline	Claude	P1	41	Open
589	Add a kill switch for the collection job	operations	Claude	P1	41	Open
590	Record a manual test script for the journeys automation does not cover	documentation	Claude	P1	41	Open
591	Run the full suite against production data shapes before the first live collection	testing	Claude	P1	41	Open

O. Content and Accessibility

#	Item	Where	Owner	Pri	Phase	Status
592	Write every screen in plain language for a member with no financial background	content	Claude	P2	72	Open
593	Remove every term that implies Halqa holds money	content	Claude	P2	72	Open
594	Remove every term that implies a rate, a return or an advance	content	Claude	P2	72	Open
595	Write the Urdu translation of every string, by a translator rather than by machine	content	Translator	P2	H4	Open
596	Add a language chooser and remember the choice	SettingsPage.tsx	Claude	P2	72	Open
597	Confirm the layout holds when a string is twice as long	testing	Claude	P2	72	Open
598	Write the error message for every failure reason, in both languages	content	Claude	P2	72	Open
599	Write the empty state for every list, in both languages	content	Claude	P2	72	Open
600	Write the help article for every feature	content	Claude	P2	72	Open
601	Write the onboarding explanation of what a committee is	content	Claude	P2	72	Open
602	Write the explanation of the three way split	content	Claude	P2	72	Open
603	Write the explanation of the mandate and how to cancel it	content	Claude	P2	72	Open
604	Write the explanation of the fee and why it is flat	content	Claude	P2	72	Open
605	Write the explanation of the takaful or insurance and who provides it; never called Halqa cover	content	Claude	P2	72	Open
606	Write the explanation of the credit score and what moves it	content	Claude	P2	72	Open
607	Give every interactive element an accessible name	components	Claude	P2	72	Open
608	Give every image and icon alternative text or an explicit hidden marking	components	Claude	P2	72	Open
609	Confirm every tap target meets the minimum size	components	Claude	P2	72	Open
610	Confirm colour is never the only carrier of meaning	components	Claude	P2	72	Open
611	Confirm contrast on every text and control against the background	components	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
612	Add a visible focus state to every interactive element	components	Claude	P2	72	Open
613	Confirm the application is usable with a screen reader end to end	testing	Tester	P2	H4	Open
614	Confirm the application is usable at the largest system text size	testing	Tester	P2	H4	Open
615	Add a text size preference inside the application	SettingsPage.tsx	Claude	P2	72	Open

P. Measurement

#	Item	Where	Owner	Pri	Phase	Status
616	Add product analytics with a defined event taxonomy	infrastructure	Claude	P2	72	Partly done
617	Instrument the signup funnel end to end	analytics	Claude	P2	72	Partly done
618	Instrument the identity verification funnel	analytics	Claude	P2	72	Open
619	Instrument circle creation and join	analytics	Claude	P2	72	Open
620	Instrument mandate authorisation	analytics	Claude	P2	72	Open
621	Instrument collection success by rail and by tier	analytics	Claude	P2	72	Open
622	Instrument first payment failure and recovery	analytics	Claude	P2	72	Open
623	Instrument default by circle, by cadence and by seat	analytics	Claude	P2	72	Open
624	Instrument the threshold bands across live circles	analytics	Claude	P2	72	Open
625	Build the operating dashboard: signups, active circles, collection rate, mandate coverage, default rate	admin	Claude	P2	72	Open
626	Build the risk dashboard: expected loss against the takaful or insurance limit, per circle	admin	Claude	P2	72	Open
627	Build the finance dashboard: fee revenue, rail cost, commission, net	admin	Claude	P2	72	Open
628	Define the weekly review and who attends it	process	Chairman	P2	H5	Open
629	Confirm no analytics event carries personal data into a third party	review	Claude	P2		Done

Q. Distribution

#	Item	Where	Owner	Pri	Phase	Status
630	Decide between a wrapped web application and a native build, and record the reason	decision	Chairman	P2	H5	Open
631	Register an Apple developer account in the company name	registration	Chairman	P2	H5	Open
632	Register a Google Play developer account in the company name	registration	Chairman	P2	H5	Open
633	Complete Apple financial services declarations	compliance	Claude	P2	73	Open
634	Complete Google Play financial services declarations, which are strict for Pakistani lending adjacent applications	compliance	Claude	P2	73	Open
635	Prepare the data safety declaration honestly against what is actually collected	compliance	Claude	P2	73	Open
636	Prepare the privacy policy at a public address	content	Claude	P2	73	Open

#	Item	Where	Owner	Pri	Phase	Status
637	Prepare the account deletion route required by both stores	compliance	Claude	P2	73	Open
638	Produce the application icon at every required size	design	Claude	P2	73	Open
639	Produce store screenshots at every required size, in both languages	design	Claude	P2	73	Open
640	Write the store listing in both languages	content	Claude	P2	73	Open
641	Produce a preview video	design	Claude	P3	80	Open
642	Set up staged rollout and a rollback path on both stores	operations	Claude	P2	73	Open
643	Set up crash reporting on the released build	infrastructure	Claude	P2	73	Open
644	Set up a forced update mechanism for a critical fix	infrastructure	Claude	P2	73	Open
645	Confirm the build runs on the oldest supported operating system version	testing	Tester	P2	H4	Open
646	Confirm deep links open the application rather than the browser	testing	Claude	P2	73	Open
647	Confirm push notification permission is requested at a sensible moment	testing	Claude	P2	73	Open
648	Prepare the review response process for store reviews	process	Claude	P2	73	Open
649	Prepare for the first store rejection, which is likely on a financial application	process	Claude	P2	73	Open

R. Operations

#	Item	Where	Owner	Pri	Phase	Status
650	Staff a support channel with a stated response time	operations	Chairman	P1	H4	Open
651	Write the runbook for a failed collection run	documentation	Claude	P1	42	Open
652	Write the runbook for a failed payout	documentation	Claude	P1	42	Open
653	Write the runbook for a partner outage	documentation	Claude	P1	42	Open
654	Write the runbook for a reconciliation break	documentation	Claude	P1	42	Open
655	Write the runbook for a disputed collection	documentation	Claude	P1	42	Open
656	Write the runbook for a circle that crosses the threshold	documentation	Claude	P1	42	Open
657	Write the escalation path and who is on it	documentation	Claude	P1	42	Open
658	Define the hardship path and who may grant it	process	Chairman	P1	H4	Open
659	Define the write off authority and its ceiling	process	Chairman	P1	H4	Open
660	Define the removal review, so a host decision can be appealed	process	Claude	P1	42	Open
661	Train whoever answers support on what Halqa may and may not say about money	process	Chairman	P1	H4	Open
662	Confirm no process permits a collections telephone call	review	Claude	P1	42	Open
663	Confirm no process permits contacting a third party about a member debt	review	Claude	P1	42	Open
664	Record every complaint with its outcome	operations	Claude	P1	42	Open

#	Item	Where	Owner	Pri	Phase	Status
665	Review the register itself monthly against what has shipped	process	Claude	P1	42	Open

S. Partner Bank

The commercial, legal and governance work of the partnership with the bank (D1, D15).

S1. Agreement

#	Item	Where	Owner	Pri	Phase	Status
666	Heads of terms with the partner bank, Mashreq Bank Pakistan first and Raqami Islamic Digital Bank in parallel: roles, exclusivity, member fee, profit share, data and branding	commercial	Chairman	P0	H2	Open
667	Services agreement stating Halqa as the system and the bank as the licensed holder and mover of money (D15)	legal	Counsel	P0	H1	Open
668	Schedule of functions: each function assigned to Halqa or to the bank, with the owner of every record	legal	Counsel	P0	H1	Open
669	Service levels: availability of the bank's interfaces, response times, incident notice periods	legal	Counsel	P0	H1	Open
670	Member fee charged by the bank, with the share of income paid to Halqa and the formula for it (D5)	commercial	Chairman	P0	H2	Open
671	Profit share on committee balances paid to Halqa monthly, with the bank's calculation shown line by line	commercial	Chairman	P0	H2	Open
672	Minimum monthly amount to Halqa during the pilot, covering its operating cost	commercial	Chairman	P0	H2	Open
673	Exclusivity for committee accounts for an agreed period, tied to pilot and launch dates	commercial	Chairman	P0	H2	Open
674	Branding: Halqa is the brand the member uses; the bank is named as the holder of money on payment screens and receipts	commercial	Chairman	P0	H2	Open
675	Data clause: purposes, member consent, retention, deletion, and use limited to the partnership	legal	Counsel	P0	H1	Open
676	Intellectual property: Halqa owns the committee engine, the models and the interface; the bank owns account data	legal	Counsel	P0	H1	Open
677	Liability: the bank for account and payment errors; Halqa for committee rules and calculations	legal	Counsel	P0	H1	Open
678	Exit: migration of accounts and committee records if the partnership ends, with no member losing money or history	legal	Counsel	P0	H1	Open
679	Business continuity duties of both parties	legal	Counsel	P0	H1	Open
680	Audit rights of the bank and of the State Bank over Halqa's systems and records	legal	Counsel	P0	H1	Open
681	Complaints routed between the bank's complaint unit and Halqa's support, with stated timelines	legal	Counsel	P0	H1	Open
682	Confidentiality agreement signed before the first technical session	legal	Counsel	P0	H1	Open
683	Governing law and dispute resolution	legal	Counsel	P0	H1	Open
684	Change control: product rules changed only with both parties' approval	legal	Counsel	P0	H1	Open
685	Annual pricing review	commercial	Chairman	P0	H2	Open

S2. Regulatory

#	Item	Where	Owner	Pri	Phase	Status
686	The bank's board approval of the arrangement under the State Bank's framework for outsourcing	bank	Bank	P0	H2	Open
687	Halqa's pack for the bank's outsourcing assessment: company, ownership, finances, security and continuity	documents	Claude	P0	11	Open
688	Whether committee accounts need State Bank approval or notice as a new product	bank	Bank	P0	H2	Open
689	Limits that apply to a digital retail bank during the pilot and the transition phase	bank	Bank	P0	H2	Open
690	Shariah board approval of the committee product for the Islamic window	bank	Bank	P0	H2	Open
691	Shariah board ruling on the end of circle reward paid in points (D4)	bank	Bank	P0	H2	Open
692	Shariah board ruling on the turn market; Halqa's own materials carry no Shariah or non Shariah label (29 September)	bank	Bank	P0	H2	Open
693	Opinion of counsel on Halqa as the bank's service provider, and on section 84 of the Companies Act now resolved	legal	Counsel	P0	H1	Open
694	Opinion of counsel on points bought with money and redeemed with merchants as the bank's stored value (D4, D9)	legal	Counsel	P0	H1	Open
695	Opinion of counsel on the turn market under the SECP rules for peer to peer lending (D9)	legal	Counsel	P0	H1	Open
696	Opinion of counsel on credit reporting from day one, through TASDEEQ or the bank (D11)	legal	Counsel	P0	H1	Open
697	Virtual Assets Act 2026 position restated: points as the bank's rupee denominated stored value	legal	Counsel	P0	H1	Open
698	Money laundering: the bank's programme applied to committee flows, with Halqa's data feed for monitoring	compliance	Bank	P0	H2	Open
699	Consumer protection: the bank's fair treatment rules applied to committee products; disclosures agreed	compliance	Bank	P0	H2	Open
700	Data protection: which party controls each record and where it is kept	compliance	Counsel	P0	H1	Open
701	Record retention aligned with the bank: ten years for identity and transaction records	compliance	Claude	P0	11	Open

S3. Due Diligence

#	Item	Where	Owner	Pri	Phase	Status
702	Company incorporated before any agreement, with the registered office in Islamabad	corporate	Chairman	P0	H1	Open
703	Management accounts, shareholding and funding plan for the bank's review	finance	Claude	P1	37	Open
704	Information security questionnaire answered	security	Claude	P1	37	Open
705	Independent penetration test, with every finding fixed	security	Tester	P1	H4	Open
706	Business continuity and disaster recovery plan, tested	security	Claude	P1	37	Open
707	Vetting policy for staff and contractors, including the software house	governance	Claude	P1	37	Open
708	Policies: information security, data protection, acceptable use, incident response, vendor management	governance	Claude	P1	37	Open
709	The document set and its verification method offered as evidence of Halqa's models	documents	Claude	P1	37	Open
710	Demonstration environment with test data only, for the bank	technology	Claude	P1	37	Open
711	Fallback banks prepared with contacts: Meezan Bank, BankIslami, JS Bank, Bank Alfalah (D1); Raqami is pursued in parallel since 29 September	commercial	Chairman	P1	H2	Open

#	Item	Where	Owner	Pri	Phase	Status
712	Pitch pack adaptable to each fallback bank	documents	Claude	P1	37	Open

S4. Governance

#	Item	Where	Owner	Pri	Phase	Status
713	Partnership steering committee with members from both sides, meeting monthly	governance	Chairman	P2	H5	Open
714	Joint risk review of arrears, complaints and fraud each month	governance	Chairman	P2	H5	Open
715	Joint product committee for every rule change	governance	Chairman	P2	H5	Open
716	Monthly report to the bank: members, balances, collections, arrears, complaints	reporting	Claude	P2	68	Open
717	Pilot measures agreed in advance, with the decision rule for scaling	reporting	Chairman	P2	H5	Open
718	Named contacts on both sides for operations, technology, compliance and escalation	governance	Chairman	P2	H5	Open

S5. Member Terms

#	Item	Where	Owner	Pri	Phase	Status
719	Member agreement rewritten for three parties: the member, Halqa and the bank	legal	Counsel	P1	H1	Open
720	Privacy policy rewritten: which records Halqa holds and which the bank holds	legal	Counsel	P1	H1	Open
721	Direct debit mandate terms in the bank's form, shown inside Halqa	legal	Counsel	P1	H1	Open
722	Points terms: issue, purchase, transfer as the price of a turn, redemption, expiry and no cash out	legal	Counsel	P1	H1	Open
723	Marketplace terms: the merchant as seller, delivery, returns and refunds in points	legal	Counsel	P1	H1	Open
724	Turn market terms: listing, offers, price ceiling, host approval, cooling off and cancellation	legal	Counsel	P1	H1	Open
725	Takaful or insurance terms in the operator's form, as the only protection against default (29 September)	legal	Counsel	P1	H1	Open
726	Credit reporting consent, naming the reporting route the bank chooses	legal	Counsel	P1	H1	Open
727	Savings product terms in the bank's form	legal	Counsel	P1	H1	Open
728	Terms for members abroad using accounts for non resident Pakistanis	legal	Counsel	P1	H1	Open
729	Experimental terms for Hyper	legal	Counsel	P1	H1	Open
730	Complaints procedure covering both Halqa and the bank	legal	Counsel	P1	H1	Open
731	Every member document translated into Urdu and checked by a translator	content	Translator	P1	H4	Open
732	Versioning of every member document, with acceptance recorded	routes/agreements.ts	Claude	P1	37	Open
733	Summary of key terms on one screen before each commitment	new page	Claude	P1	37	Open

S6. Finance

#	Item	Where	Owner	Pri	Phase	Status
734	Halqa's share of bank income recognised as revenue each month, with the bank's statement as support	finance	Claude	P2	68	Open

#	Item	Where	Owner	Pri	Phase	Status
735	Invoices to the bank for Halqa's share and service fees	finance	Claude	P2	68	Open
736	Sales tax on services to the bank checked with a tax adviser	tax	Tax adviser	P2	H4	Open
737	Withholding tax on payments from the bank recorded	tax	Tax adviser	P2	H4	Open
738	Bookkeeping system set up for the company	finance	Chairman	P2	H1	Open
739	Monthly management accounts	finance	Claude	P2	68	Open
740	Budget and runway to the end of the pilot	finance	Claude	P2	68	Open
741	Funding plan: investors approached with the bank partnership in place	finance	Chairman	P2	H5	Open
742	Shareholding record kept current	corporate	Chairman	P2	H1	Open
743	Annual audit arranged	finance	Chairman	P2	H5	Open

T. Bank Integration

The technical connection between Halqa and the bank (D2, D3, D4, D14).

T1. Accounts

#	Item	Where	Owner	Pri	Phase	Status
744	Account opening inside the Halqa application through the bank's own screens or kit, returning an account reference (D2)	new lib/bank-accounts.ts	Claude	P1	48	Open
745	Account status kept in step: pending, active, restricted, closed	lib/bank-accounts.ts	Claude	P1	48	Open
746	Linking an existing account at the partner bank	lib/bank-accounts.ts	Claude	P1	48	Open
747	Return link from the bank's screens to Halqa after account opening	app	Claude	P1	48	Open
748	Rejected account openings: the reason shown and tier one payment methods offered	new page	Claude	P1	48	Open
749	Age of 18 or over checked by both parties	lib/bank-accounts.ts	Claude	P1	48	Open
750	Accounts for non resident Pakistanis opened from the bank's UAE application (D14); Mashreq only, since Raqami onboards residents only	integration	Claude	P1	48	Open
751	One designated committee account for a member with several accounts	lib/bank-accounts.ts	Claude	P1	48	Open
752	Account title inquiry before any payout	lib/payout.ts	Claude	P1	48	Open
753	Balance of the committee account shown in Halqa	new page	Claude	P1	48	Open
754	Account closure blocked while the member owes a circle	lib/bank-accounts.ts	Claude	P1	48	Open
755	Dormant account handling agreed with the bank	bank	Bank	P1	H2	Open

T2. Payments

#	Item	Where	Owner	Pri	Phase	Status
756	Internal transfer from payer to collector inside the bank	new lib/bank-payments.ts	Claude	P1	48	Open
757	Each part posted in one transaction: contribution, takaful or insurance fee, the Rs 85 fee and any PSP service fee	lib/split.ts	Claude	P1	48	Open
758	Raast Request to Pay issued by the bank for members paying from other banks	lib/bank-payments.ts	Claude	P1	48	Open
759	1LINK 1BILL bill numbers issued through the bank as a tier one option	lib/bank-payments.ts	Claude	P1	48	Open
760	Payout credited to the collector's account on the payout date	lib/payout.ts	Claude	P1	48	Open
761	Interbank payout where a member's payout account is at another bank	lib/payout.ts	Claude	P1	48	Open
762	Arrears taken from the late member's pot and paid by the bank to members left short	lib/arrears.ts	Claude	P1	48	Open
763	Refund and reversal through the bank, with the ledger reversed	routes/payments.ts	Claude	P1	48	Open
764	Idempotency key on every instruction to the bank	lib/bank-payments.ts	Claude	P1	48	Open
765	Cut off times, value dates, weekends and holidays agreed	bank	Bank	P1	H2	Open
766	Transfer limits per member and per day agreed with the bank	bank	Bank	P1	H2	Open
767	Hyper daily batch: up to 400 debits and 8 or 15 credits a day, within the bank's rate limits	lib/hyper.ts	Claude	P1	48	Open

T3. Direct Debit Mandate

#	Item	Where	Owner	Pri	Phase	Status
768	Direct debit mandate on the member's account at the bank, authorised in Halqa with the bank's own check (D3)	new lib/bank-mandate.ts	Claude	P1	48	Open
769	Mandate reference, amount ceiling of one instalment and cadence stored	schema.prisma	Claude	P1	48	Open
770	Debit on salary credit where the bank supports it, within the payday window	lib/bank-mandate.ts	Claude	P1	48	Open
771	Mandate cancellation reflected both ways at once	lib/bank-mandate.ts	Claude	P1	48	Open
772	Mandate status events from the bank	routes/bank-webhook.ts	Claude	P1	48	Open
773	Mandate terms screen in English and Urdu	new page	Claude	P1	48	Open
774	Mandate for Hyper: one debit a day at the fixed time	lib/bank-mandate.ts	Claude	P1	48	Open
775	Mandate records kept as evidence under the Payment Systems and Electronic Fund Transfers Act 2007	ledger	Claude	P1	48	Open

T4. Messages and Security

#	Item	Where	Owner	Pri	Phase	Status
776	Signed webhooks from the bank for every event, verified before any write	new routes/bank-webhook.ts	Claude	P1	48	Open
777	Mutual TLS between Halqa and the bank	infrastructure	Claude	P1	48	Open
778	Key storage in a managed vault, with rotation	infrastructure	Claude	P1	48	Open
779	Allow lists for the bank's addresses	infrastructure	Claude	P1	48	Open
780	Rate limits and retries with backoff	lib/bank-client.ts	Claude	P1	48	Open

#	Item	Where	Owner	Pri	Phase	Status
781	Versioned message schemas	lib/bank-client.ts	Claude	P1	48	Open
782	Replay protection by time stamp and message identifier	routes/bank-webhook.ts	Claude	P1	48	Open
783	Logs of every request and response, with personal data masked	infrastructure	Claude	P1	49	Open
784	Timeouts and a fallback screen when the bank does not answer	app	Claude	P1	49	Open
785	Circuit breaker that pauses instructions during a bank outage	lib/bank-client.ts	Claude	P1	49	Open

T5. Reconciliation and Reporting

#	Item	Where	Owner	Pri	Phase	Status
786	Daily statement from the bank ingested automatically	new job	Claude	P1	49	Open
787	Matching engine: every ledger entry to a bank entry	new lib/reconcile.ts	Claude	P1	49	Open
788	Breaks held and investigated; payouts on an affected circle paused	new admin page	Claude	P1	49	Open
789	Monthly statement of the bank's income on committee balances and Halqa's share (D5)	bank	Bank	P1	H2	Open
790	Reward calculation: profit on each member's committee balance over the circle (D4)	new lib/rewards.ts	Claude	P1	49	Open
791	Reward credited as points at 1 point per rupee at the end of the circle (D4)	lib/rewards.ts	Claude	P1	49	Open
792	Fee statement for members, showing the Rs 85 fee, the PSP service fee where paid and the takaful or insurance fee	new page	Claude	P1	49	Open
793	Monthly report pack generated for the bank	new job	Claude	P1	49	Open

T6. Environments

#	Item	Where	Owner	Pri	Phase	Status
794	Access to the bank's test environment	bank	Bank	P1	H2	Open
795	Test data set covering every circle type and failure case	tests	Claude	P1	49	Open
796	Acceptance testing signed off by both parties	integration	Bank	P1	H2	Open
797	Production cut over plan with a rollback	integration	Claude	P1	49	Open
798	Monitoring dashboards for the bank connection	infrastructure	Claude	P1	49	Open
799	Alerts on failed instructions, webhook gaps and reconciliation breaks	infrastructure	Claude	P1	49	Open
800	Run book for bank outages and delayed statements	documentation	Claude	P1	49	Open
801	Contract tests that fail the build if the bank's message format changes	tests	Claude	P1	49	Open

T7. Security for the Bank

#	Item	Where	Owner	Pri	Phase	Status
802	Encryption of data in transit and at rest, with keys in a managed vault	infrastructure	Claude	P1	42	Open
803	Region for hosting and data chosen to meet the bank's rules on data kept in Pakistan	infrastructure	Claude	P1	42	Open

#	Item	Where	Owner	Pri	Phase	Status
804	Assessment of each supplier: Vercel, Supabase, Amazon Web Services, Meta, Safepay	governance	Claude	P1	42	Open
805	Data processing agreements with each supplier	legal	Counsel	P1	H1	Open
806	Card data kept outside Halqa's systems, so card industry rules apply only to Safepay	security	Claude	P1	42	Open
807	Privileged access with two factor sign in and an audit trail	security	Claude	P1	42	Open
808	Access reviews every quarter	security	Chairman	P1	H2	Open
809	Central security logs kept and watched	security	Claude	P1	42	Open
810	Monthly vulnerability scans with fixes on a stated timetable	security	Claude	P1	42	Open
811	Code review, dependency scanning and secret scanning on every change	pipeline	Claude	P1	42	Open
812	Mobile application hardening: certificate pinning, rooted device checks, device binding	app	Claude	P1	42	Open
813	Session limits and sign out on a new device	app	Claude	P1	42	Open
814	Backups encrypted, with a restore tested each quarter	infrastructure	Claude	P1	42	Open
815	Recovery targets agreed with the bank for time and data loss	infrastructure	Bank	P1	H2	Open
816	Incident response plan with notice to the bank within agreed hours	security	Claude	P1	42	Open
817	Breach notice to members and regulators as the law requires	security	Claude	P1	42	Open
818	Protection against denial of service and a web application firewall	infrastructure	Claude	P1	42	Open
819	Security training for everyone with access	governance	Chairman	P1	H2	Open
820	Route for outside researchers to report weaknesses	security	Claude	P1	42	Open
821	Security readiness report for the bank before the pilot	documents	Claude	P1	42	Open

T8. Data

#	Item	Where	Owner	Pri	Phase	Status
822	Data store for reporting, separate from the live database	infrastructure	Claude	P1	42	Open
823	Measures for the bank: accounts opened, balances, collections, arrears, complaints	reporting	Claude	P1	42	Open
824	Cohort reports by circle type and month of joining	reporting	Claude	P1	42	Open
825	Default analysis after collection, by band and by circle type	reporting	Claude	P1	42	Open
826	Credit score calibrated against actual outcomes each quarter	lib/score-bands.ts	Claude	P1	42	Open
827	Reports shared with the bank without names where names are not needed	reporting	Claude	P1	42	Open
828	Deletion of data when retention periods end	infrastructure	Claude	P1	42	Open

U. Collection with the Bank

The three collection tiers and the payment companies stay; the bank's direct debit mandate is added (D3).

#	Item	Where	Owner	Pri	Phase	Status
829	Keep tier one unchanged: card, wallet or Raast approval through Safepay (D3)	lib/payment-provider.ts	Claude	P1	49	Open
830	Keep tier two unchanged: the card auto debit through Safepay, now beside the bank mandate (D3)	lib/auto-debit.ts	Claude	P1	50	Open
831	Keep tier three unchanged: manual Raast to the collector, matched by reference (D3)	routes/payments.ts	Claude	P1	50	Open
832	Add the bank's direct debit mandate as the first automatic method for partner bank accounts (D3)	lib/collection-policy.ts	Claude	P1	50	Open
833	Tier selection order: bank mandate, then saved card, then approval, then manual	lib/collection-policy.ts	Claude	P1	50	Open
834	Payday window run on the bank mandate: first attempt on the payday, then each morning, five at most	lib/bank-mandate.ts	Claude	P1	50	Open
835	Retry schedule on the bank mandate, with the reason given at each decline	lib/bank-mandate.ts	Claude	P1	50	Open
836	Decline reasons from the bank mapped to sentences a member understands	lib/reason-codes.ts	Claude	P1	50	Open
837	Second method tried once on the last attempt where the member has one	lib/collection-policy.ts	Claude	P1	50	Open
838	Role of each operator documented: the bank, 1LINK, Raast, Safepay	documentation	Claude	P1	50	Open
839	Cost of each method to the member and to Halqa compared and shown	documentation	Claude	P1	50	Open
840	Settlement of card and wallet payments into partner bank accounts through Safepay	integration	Claude	P1	50	Open
841	Card disputes still handled through Safepay's dispute process	lib/disputes.ts	Claude	P1	50	Open
842	Salary account moved to the partner bank offered with a lower fee	new page	Claude	P1	50	Open
843	Members without a partner bank account kept on tier one to three	lib/collection-policy.ts	Claude	P1	50	Open
844	Hyper collection only by bank mandate or saved card	lib/hyper.ts	Claude	P1	50	Open
845	Evening notice before each attempt removed where the member chose fewer messages	lib/notices.ts	Claude	P1	50	Open
846	Push notices inside the application used before WhatsApp to cut message cost	lib/notices.ts	Claude	P1	50	Open
847	WhatsApp message count per member per month monitored against the Business Model	reporting	Claude	P1	50	Open
848	Mandate and card both cancelled when a member leaves after their final instalment	lib/collection-policy.ts	Claude	P1	50	Open
849	Collection calendar screen showing every attempt planned	new page	Claude	P1	50	Open
850	Reconciliation of Safepay settlements against partner bank credits	lib/reconcile.ts	Claude	P1	50	Open
851	Fees for card payments shown before the member chooses a card	PayPage.tsx	Claude	P1	50	Open
852	Instalment advance payment accepted into the member's committee account	routes/payments.ts	Claude	P1	50	Open
853	Partial payment of an instalment recorded, the balance still due	routes/payments.ts	Claude	P1	50	Open
854	Payment by a verified family member into the member's committee account, recorded as such	routes/payments.ts	Claude	P1	50	Open
855	Tests for each method, each failure and each retry	tests	Claude	P1	50	Open
856	Collection design document rewritten around the bank (HQ-CP-09)	documents	Claude	P1	50	Open
857	Auto Debit document rewritten with the bank mandate first (HQ-CP-02)	documents	Claude	P1	50	Open

#	Item	Where	Owner	Pri	Phase	Status
858	Safepay email redrafted: cards and wallets only, settlement to partner bank accounts	drafts	Claude	P1	50	Open

V. Points and Marketplace

Points as the bank's stored value, the end of circle reward and the marketplace (D4, D9).

V1. Points

#	Item	Where	Owner	Pri	Phase	Status
859	Points issued as the partner bank's rupee denominated stored value, under its licence (D4, D9)	bank	Bank	P2	H4	Open
860	Point value decided: 1 point = Rs 1 everywhere (29 September)	decision	Chairman	P2		Done
861	End of circle reward: the profit on the member's committee balance, credited as points at 1 point per rupee (D4)	lib/rewards.ts	Claude	P2	75	Open
862	Reward shown during the circle as an estimate and confirmed at the end	new page	Claude	P2	75	Open
863	Points bought with money from the member's account at the bank (D9); Mashreq only, not offered through Raqami	new lib/points-purchase.ts	Claude	P2	75	Open
864	Purchase limits per day and per month agreed with the bank	bank	Bank	P2	H4	Open
865	Points balance and history screen	new page	Claude	P2	75	Open
866	Points for paying on time capped at half of Halqa's fee on that instalment, at most Rs 42.50 with the Rs 85 fee (29 and 30 September)	lib/rewards.ts	Claude	P2	75	Open
867	Host and referral points kept	lib/rewards.ts	Claude	P2	75	Open
868	Transfer of points between members only as the price of a turn	lib/points-ledger.ts	Claude	P2	75	Open
869	No cash out of points to any account	lib/points-ledger.ts	Claude	P2	75	Open
870	Expiry rule for unused points stated before purchase	content	Claude	P2	75	Open
871	Points frozen while a member is in default	lib/points-ledger.ts	Claude	P2	75	Open
872	Points liability reported to the bank monthly	reporting	Claude	P2	75	Open
873	Fraud controls: purchase velocity, device checks, unusual transfers	new lib/points-risk.ts	Claude	P2	75	Open
874	Points terms and conditions drafted with the bank	legal	Counsel	P2	H4	Open

V2. Marketplace

#	Item	Where	Owner	Pri	Phase	Status
875	Halqa marketplace inside the application: catalogue, cart, order and tracking (D4)	new pages	Claude	P2	78	Open
876	Merchant onboarding: agreement, catalogue feed, prices, delivery and returns	commercial	Chairman	P2	H5	Open
877	E-commerce partners approached: Daraz and other Pakistani marketplaces	commercial	Chairman	P2	H5	Open
878	Gold coins from a certified refiner as a catalogue line	commercial	Chairman	P3	H6	Open
879	Bank rewards joined: points exchanged with the partner bank's own rewards and card discounts	bank	Bank	P2	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
880	Merchant settlement in rupees by the bank for points redeemed	bank	Bank	P2	H4	Open
881	Commission from merchants recorded as Halqa revenue	ledger	Claude	P2	78	Open
882	Returns and refunds credited back as points	lib/points-ledger.ts	Claude	P2	78	Open
883	Delivery status from merchants shown in the application	integration	Claude	P2	78	Open
884	Sales tax and withholding on marketplace sales handled by merchants and confirmed by a tax adviser	tax	Tax adviser	P2	H4	Open
885	Consumer protection disclosures for marketplace orders	content	Claude	P2	78	Open
886	Catalogue rules: no loans, no lottery, no prohibited goods	content	Claude	P2	78	Open
887	Search and categories in the marketplace	new page	Claude	P2	78	Open
888	Order support routed to the merchant with Halqa as first contact	operations	Claude	P2	78	Open
889	Marketplace reporting: orders, redemptions, returns, merchant payments	reporting	Claude	P2	78	Open
890	Rewarded advertisements considered only as fees only points, since Google requires rewards that cannot be transferred	decision	Chairman	P3	H6	Open

W. Turn Market

Buying and selling turns between members (D9).

#	Item	Where	Owner	Pri	Phase	Status
891	Turn listed for sale with an asking price in points (D9)	lib/turn-swap.ts	Claude	P2	71	Open
892	Offers and counter offers; competing offers allowed; the seller chooses	lib/turn-swap.ts	Claude	P2	71	Open
893	Ceiling on the price of a turn decided: 100 per cent of the pot (29 September)	decision	Chairman	P2		Done
894	Buyer's credit band must allow the earlier turn (D7)	lib/score-bands.ts	Claude	P2	71	Open
895	Forward liability check on the buyer before acceptance	lib/forward-liability.ts	Claude	P2	71	Open
896	Affordability recheck on the buyer	lib/affordability.ts	Claude	P2	71	Open
897	Host approval of each trade	new page	Claude	P2	71	Open
898	Trade settled in one transaction: turns swapped, points moved, fee charged	lib/turn-swap.ts	Claude	P2	71	Open
899	Points bought with money at the moment of purchase if the buyer is short	lib/points-purchase.ts	Claude	P2	71	Open
900	Exchange fee in the fee schedule (D5)	lib/fee-book.ts	Claude	P2	71	Open
901	Cost of an earlier turn shown to the buyer in rupees and as a share of the pot	new page	Claude	P2	71	Open
902	No Shariah or non Shariah label on the turn market (29 September); the bank's Shariah board decides whether it is offered through the Islamic window	content	Claude	P2	71	Open
903	Turn market kept out of Hyper and asset committees	lib/turn-swap.ts	Claude	P2	71	Open
904	Price history for each circle shown to members	new page	Claude	P2	71	Open

#	Item	Where	Owner	Pri	Phase	Status
905	Controls against collusion and trades between linked accounts	new lib/turn-risk.ts	Claude	P2	72	Open
906	Cooling off period on a trade before it settles	lib/turn-swap.ts	Claude	P2	72	Open
907	Dispute route for a failed trade	new page	Claude	P2	72	Open
908	Trade cancelled if either member defaults before settlement	lib/turn-swap.ts	Claude	P2	72	Open
909	Seller's later turn and new obligations shown before listing	new page	Claude	P2	72	Open
910	Maximum number of trades per member per circle	lib/turn-swap.ts	Claude	P2	72	Open
911	Notifications to both members and the host at each step	lib/notices.ts	Claude	P2	72	Open
912	Reporting of trades to the bank	reporting	Claude	P2	72	Open
913	Tests for every trade path and failure	tests	Claude	P2	72	Open
914	Seat Exchange and Points document rewritten for the new turn market (HQ-CP-04)	documents	Claude	P2	72	Open
915	Opinion of counsel on the turn market before launch	legal	Counsel	P2	H4	Open

X. Credit and Takaful or Insurance

Mandatory credit bands, takaful or insurance chosen by the bank, and credit reporting from day one (D7, D11). There is no Halqa cover and no bank guarantee (29 September).

X1. Credit Bands

#	Item	Where	Owner	Pri	Phase	Status
916	Credit bands mandatory on every circle, with no exception (D7), except where security under section AQ3 makes the pot recoverable and the member's score is not low on substantial credit factors (5 October)	lib/score-bands.ts	Claude	P1	15	Open
917	Early seat bands mandatory: a band that does not allow an early seat cannot take one, unless security under section AQ3 covers the pot (5 October)	lib/score-bands.ts	Claude	P1	15	Open
918	Bands enforced at joining, at every turn trade and at every host change	lib/score-bands.ts	Claude	P1	15	Open
919	Host override removed	lib/score-bands.ts	Claude	P1	15	Open
920	New members placed by the matrix of section AQ2 rather than confined to the final seats; one clean circle, known or unknown, opens the first positions (5 October)	lib/score-bands.ts	Claude	P1	15	Open
921	Band rules published to members	content	Claude	P1	15	Open
922	Band changes recalculated after each circle	new job	Claude	P1	15	Open

X2. Takaful or Insurance through the Bank

#	Item	Where	Owner	Pri	Phase	Status
923	Bank guarantee option withdrawn: default protection is only takaful or insurance from a licensed operator (29 September)	decision	Claude	P1		Done
924	Insurance through the bank's own insurer or insurance partner, the bank choosing	presentation	Claude	P1	50	Open

#	Item	Where	Owner	Pri	Phase	Status
925	Takaful through an operator the bank chooses, with Halqa as agent only if the bank asks	presentation	Claude	P1	50	Open
926	Pricing evidence from the Takaful Pricing Model (HQ-MF-05) for the operator the bank chooses	documents	Claude	P1	50	Open
927	Claims process for each option	documents	Claude	P1	50	Open
928	Data feed of defaults after collection for the chosen option	integration	Claude	P1	50	Open
929	Takaful or insurance fee named to the member before joining, with no promise of payment by Halqa	new page	Claude	P1	50	Open
930	Operator's certificate issued to the member	new page	Claude	P1	50	Open
931	Claim status from the operator visible to the member and the host	new page	Claude	P1	50	Open

X3. Credit Reporting from Day One

#	Item	Where	Owner	Pri	Phase	Status
932	Reporting from launch day one, non negotiable (D11)	decision	Chairman	P1	H5	Open
933	Option one: reporting through TASDEEQ as a furnisher of data	commercial	Chairman	P1	H3	Open
934	Option two: the partner bank reports directly to the bureaus	bank	Bank	P1	H2	Open
935	The bank decides between the two options	presentation	Bank	P1	H2	Open
936	Data set: obligation, instalment, due dates, payments, arrears and closure	new lib/bureau-report.ts	Claude	P1	54	Open
937	Member consent to reporting at joining	new page	Claude	P1	54	Open
938	Monthly submission with checks before sending	new job	Claude	P1	54	Open
939	Corrections and disputes handled within stated times	new page	Claude	P1	54	Open
940	Notice to a member before a first adverse report	lib/notices.ts	Claude	P1	54	Open
941	Reports kept for audit	ledger	Claude	P1	54	Open
942	Credit history screen for the member, showing what was reported	CreditPage.tsx	Claude	P1	54	Open
943	Credit Bureaus Act 2015 requirements checked for the chosen route	legal	Counsel	P1	H1	Open
944	TASDEEQ report on joining kept for admission, on the member's instruction	lib/bureau.ts	Claude	P1	54	Open

Y. Product Changes

Fees, Hyper, savings, assets, members abroad, the computational methods and the application build (D5, D8, D10, D12 to D14, D16).

Y1. Fees

#	Item	Where	Owner	Pri	Phase	Status
945	Member fee set at Rs 85 a monthly instalment, the running cost plus Rs 50; the takaful or insurance fee separate (30 September)	decision	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
946	Business Model and Unit Costs rebuilt on the Rs 85 fee: contribution about Rs 50 a member a month before the host's commission of 10 per cent of circle profit (5 October), technical cost about Rs 61,000 a month, break even about 1,220 members (30 September)	documents	Claude	P0	1	Open
947	Total cost per instalment shown: the Rs 85 fee, the takaful or insurance fee and, on wallet or card, the 1.5 per cent PSP service fee	new page	Claude	P0		Done
948	Discounts for a guarantee cheque and a verified payslip kept	lib/discounts.ts	Claude	P0	1	Open
949	Lower fee for members whose salary is paid into the partner bank	lib/discounts.ts	Claude	P0	1	Open

Y2. Hyper

#	Item	Where	Owner	Pri	Phase	Status
950	Hyper kept as designed and labelled Experimental on every screen and document (D8)	HyperPage.tsx	Claude	P2	55	Open
951	Experimental terms: limits, disclosures and the right to stop a circle	legal	Counsel	P2	H4	Open
952	Hyper only on partner bank accounts or saved cards	lib/hyper.ts	Claude	P2	55	Open
953	Hyper fee decided: Rs 15 a day on both designs (29 September); the takaful or insurance part is set by the operator and named without an amount (30 September)	decision	Chairman	P2		Done
954	Stress index and hard stop kept	lib/hyper.ts	Claude	P2	55	Open
955	Hyper report to the bank daily	reporting	Claude	P2	55	Open

Y3. Savings, Assets and Members Abroad

#	Item	Where	Owner	Pri	Phase	Status
956	Due date for salary circles decided: the 8th of the month (29 September)	decision	Chairman	P2		Done
957	Short term savings between salary and the 8th, through the bank (D12)	section I	Claude	P2	55	Open
958	Asset financing by the bank: catalogue, application, the bank's credit decision and repayment by mandate (D13)	lib/asset-committee.ts	Claude	P3	79	Open
959	Dealer network for motorcycles and appliances agreed with the bank	commercial	Chairman	P3	H6	Open
960	Members in the UAE joining through the bank's accounts for non resident Pakistanis (D14); Mashreq only	integration	Claude	P3	79	Open
961	Committees across the UAE and Pakistan: contributions in rupees from the member's account	lib/committees.ts	Claude	P3	79	Open

Y4. Computational Methods

#	Item	Where	Owner	Pri	Phase	Status
962	Income account model run on the partner bank's statement data with the member's consent (D10), which verifies on the same day for a member whose salary already reaches that bank (5 October)	lib/salary-pattern.ts	Claude	P2	55	Open
963	Affordability model kept	lib/affordability.ts	Claude	P2	55	Open
964	Identity confidence score using the bank's verification plus Halqa's checks	lib/identity-score.ts	Claude	P2	55	Open
965	Exposure across all circles and forward liability kept	lib/exposure-score.ts	Claude	P2	55	Open

#	Item	Where	Owner	Pri	Phase	Status
966	Credit score and bands kept	lib/score-bands.ts	Claude	P2	55	Open
967	Takaful or insurance pricing model kept	lib/cover-pricing.ts	Claude	P2	55	Open
968	Hyper default threshold model kept	lib/hyper.ts	Claude	P2	55	Open
969	Each model's inputs listed for the bank	documents	Claude	P2	55	Open

Y5. Application Build

#	Item	Where	Owner	Pri	Phase	Status
970	Build the application with every new and updated feature (D16)	app	Claude	P1	14	Open
971	Account opening journey at the bank	new pages	Claude	P1	14	Open
972	Mandate journey	new pages	Claude	P1	14	Open
973	Rewards and points screens	new pages	Claude	P1	14	Open
974	Marketplace screens	new pages	Claude	P1	14	Open
975	Turn market screens	new pages	Claude	P1	14	Open
976	Savings screen	new page	Claude	P1	14	Open
977	Asset financing screens	new pages	Claude	P3	79	Open
978	Members abroad journey	new pages	Claude	P3	79	Open
979	Credit history and reporting screens	new pages	Claude	P1	15	Open
980	Experimental label on Hyper	HyperPage.tsx	Claude	P1	15	Open
981	Every payment screen and receipt naming the bank as holder of money	components	Claude	P1	15	Open
982	Features that conflict with the plan removed before any bank sees the application	app	Claude	P0	2	Open
983	Demonstration accounts removed from the production database	database	Claude	P0	2	Open
984	Database password changed	infrastructure	Claude	P0	2	Open
985	Urdu for every new screen	content	Translator	P1	H4	Open

Y6. Operations

#	Item	Where	Owner	Pri	Phase	Status
986	Support model with the bank: who answers which question, and how a question moves between them	operations	Chairman	P1	H2	Open
987	Support scripts for account opening, mandates, rewards, marketplace and turn trades	operations	Claude	P1	15	Open
988	Answers in the application guide updated for the bank model	rafa-knowledge.ts	Claude	P1	15	Open
989	Collections work queue for arrears, with steps and times	new admin page	Claude	P1	15	Open
990	Fraud review queue for points purchases and turn trades	new admin page	Claude	P1	15	Open
991	Host guide for the bank model	content	Claude	P1	15	Open

#	Item	Where	Owner	Pri	Phase	Status
992	Training for hosts on the new rules	operations	Claude	P1	15	Open
993	Daily operations check: collections, payouts, reconciliation, alerts	operations	Chairman	P1	H4	Open
994	Weekly review of complaints with the bank	operations	Chairman	P1	H2	Open
995	Service measures published to members	content	Claude	P1	15	Open

Y7. Launch and Growth

#	Item	Where	Owner	Pri	Phase	Status
996	Joint launch announcement with the bank	marketing	Chairman	P2	H5	Open
997	Joining offer: lower fee for members who open an account at the bank	marketing	Chairman	P2	H5	Open
998	Host programme to bring existing committees onto Halqa	marketing	Chairman	P2	H5	Open
999	Referral points kept for the launch	marketing	Claude	P2	55	Open
1000	Campaign for women savers in Urdu and English	marketing	Chairman	P2	H5	Open
1001	Campaign for Pakistanis in the UAE with the bank's UAE team; Mashreq only	marketing	Chairman	P3	H6	Open
1002	Application store listing updated to name the bank and the Islamic window	distribution	Claude	P2	55	Open
1003	Google Play financial features declaration stating that Halqa offers no loans	distribution	Claude	P2	55	Open
1004	Launch measures dashboard for the chairman and the bank	reporting	Claude	P2	55	Open
1005	Press material approved by the bank before release	marketing	Chairman	P2	H5	Open

Z. Bank Meeting and Documents

The presentation, the documents and the work paused on 28 September.

Z1. Bank Meeting

#	Item	Where	Owner	Pri	Phase	Status
1006	Presentation for the bank: Mashreq version 7 and Raqami version 5 built and filed (30 September); import into Google Slides and check every slide there	presentation	Claude	P0	11	Partly done
1007	Takaful or insurance shown as the only default protection, chosen by the bank (built in the decks, 30 September)	presentation	Claude	P0		Done
1008	Credit reporting slide: TASDEEQ or the bank, the bank deciding (D11), built in the decks	presentation	Claude	P0		Done
1009	Economics slide for the bank with stated assumptions: the Revenue and Business Model slide, built	presentation	Claude	P0		Done
1010	No pilot, timeline or requests slide (removed 29 September); the pilot is discussed in the meeting	presentation	Claude	P0		Done
1011	Rehearsal of the presentation with timing	meeting	Chairman	P0	H2	Open
1012	Questions the bank may ask, with answers prepared	meeting	Claude	P0	11	Open
1013	Printed copies and a copy on a phone	meeting	Chairman	P0	H2	Open

#	Item	Where	Owner	Pri	Phase	Status
1014	Note of thanks to the mentor after the introduction	drafts	Claude	P0	11	Open
1015	Follow up email to the bank within a day of the meeting	drafts	Claude	P0	11	Open
1016	Data room with the document set for the bank	documents	Claude	P0	11	Open

22. Documents

#	Item	Where	Owner	Pri	Phase	Status
1017	Oraan (HQ-RS-01)	Google Docs	Claude	P1		Done
1018	Bank Partnership Revisions (HQ-BK-01)	Google Docs	Claude	P1		Done
1019	Partner Bank Proposition (HQ-BK-02)	Google Docs	Claude	P1		Done
1020	Revisions and Proposition updated to record the chairman's decisions of 28 September	Google Docs	Claude	P1	37	Open
1021	Legal Position rewritten for the bank (HQ-LG-01)	documents	Claude	P1	37	Open
1022	Business Model and Unit Costs rebuilt: the Rs 85 fee, the PSP service fee, technical only fixed cost and the profit share (HQ-CP-03)	documents	Claude	P1	37	Open
1023	Default Prevention updated: bank mandate first and takaful or insurance only (HQ-CP-05)	documents	Claude	P1	37	Open
1024	Hyper Committee labelled Experimental, bank accounts added, stale references removed (HQ-CP-08)	documents	Claude	P1	37	Open
1025	Asset Committees: bank financing first (HQ-CP-01)	documents	Claude	P1	37	Open
1026	Complete Feature and Process List updated for D1 to D16 (HQ-CP-07)	documents	Claude	P1	37	Open
1027	Registrations and Licences Required updated for the bank (HQ-LD-01)	documents	Claude	P1	37	Open
1028	Income account model updated for partner bank statements (HQ-MF-03, HQ-MI-03)	documents	Claude	P1	37	Open
1029	Maps rebuilt with the bank at the centre of every money route	maps	Claude	P1	37	Open
1030	Transaction routes map drawn as routes that connect, not lists	maps	Claude	P1	37	Open
1031	Master deck rebuilt for the bank model	deck	Claude	P1	37	Open
1032	Every document rebuilt and verified, then synced to HALQA CORPORATE	documents	Claude	P1	37	Open

23. Work Paused on 28 September

#	Item	Where	Owner	Pri	Phase	Status
1033	Business Model: every cost explained, including cloud per member and the statement check	documents	Claude	P2	68	Open
1034	Business Model: figures in brackets explained	documents	Claude	P2	68	Open
1035	Business Model: no staff except counsel; a software house for one to two weeks	documents	Claude	P2	68	Open
1036	Business Model: software cost table each month, with a table by number of members; the technical cost model of 30 September is the starting point	documents	Claude	P2	68	Partly done
1037	Business Model: three week Google Ads campaign priced	documents	Claude	P2	68	Open

#	Item	Where	Owner	Pri	Phase	Status
1038	Payday window written into the documents and built	documents	Claude	P2	68	Open
1039	Payment by a family member for another member, designed without lending	documents	Claude	P2	68	Open

AA. Decisions and Work since 28 September

AA1. Decisions

Each decision is the chairman's, with its date. Items of revision 6 that they overturned are rewritten in place below and keep their sections.

#	Item	Where	Owner	Pri	Phase	Status
1040	Bank route kept with Mashreq Bank Pakistan first; Raqami Islamic Digital Bank pursued in parallel, with no exclusivity preference (29 September)	decision	Chairman	P0		Done
1041	Presenter and signatory: Taha Kayani, Founder, Halqa; the chairman is 17 (29 and 30 September)	decision	Chairman	P0		Done
1042	Due date for salary circles: the 8th of the month (29 September); closes item 956	decision	Chairman	P0		Done
1043	Points: 1 point = Rs 1; points for paying on time never more than half of Halqa's fee on that instalment (29 September); closes item 860	decision	Chairman	P0		Done
1044	Price of a turn capped at 100 per cent of the pot (29 September); closes item 893	decision	Chairman	P0		Done
1045	Hyper fee Rs 15 a day on both designs (29 September); the takaful or insurance part, Rs 135 or Rs 151.67 a day in the design of 29 September, is set by the operator and named without an amount (30 September); closes item 953	decision	Chairman	P0		Done
1046	No Shariah or non Shariah labels in decks or documents (29 September)	decision	Chairman	P0		Done
1047	No Halqa cover and no bank guarantee: only takaful or insurance from a licensed operator chosen by the bank (29 September); closes item 923	decision	Chairman	P0		Done
1048	Fixed cost counted as technical only: about Rs 61,000 a month for hosting, database, monitoring, mail and the developer account (30 September)	decision	Chairman	P0		Done
1049	Fee of Rs 85 on every monthly instalment: the running cost of one payment, at most Rs 35, plus Rs 50 (30 September); closes item 945	decision	Chairman	P0		Done
1050	PSP service fee of 1.5 per cent on wallet and card payments only; none on the bank's direct debit (5 October)	decision	Chairman	P0		Done
1051	Takaful or insurance fee named without an amount and kept outside the fee and Halqa's income (30 September)	decision	Chairman	P0		Done
1052	Partner decks: the version 5 boxes and wording, logos in place of names, all text black, charts drawn as shapes; icon tiles rejected as informal (30 September)	decision	Chairman	P0		Done
1053	Work register: phases of about 100 items, one Claude Pro usage window each, with items at the finest level (5 October)	register	Chairman	P0		Done
1054	Company not incorporated and TASDEEQ not contacted, as confirmed on 29 September; both remain open, as items 476 and 459	status	Chairman	P0	H1	Open
1055	Mashreq meeting date not fixed (5 October); phase 1 starts the corrections and the application	status	Chairman	P1	H2	Open

AA2. Follow Up

#	Item	Where	Owner	Pri	Phase	Status
1056	Replace the old surname with Kayani in every document, deck, script and preview data set, including the two screenshot scripts that rename the preview user	documents, shoot scripts	Claude	P0	1	Open
1057	Remove the word cover where it describes protection by Halqa from every screen, notice, help answer and preview string: ProtectionCenter, FeesPage, HyperPage, rafa-knowledge.ts, preview.ts	halqa-web	Claude	P0	1	Open
1058	Show the PSP service fee only when the member chooses a wallet or a card, and never on the bank's direct debit	PayPage.tsx, lib/fee-book.ts	Claude	P1	12	Open
1059	Send Hyper's daily reminders by free push notification rather than WhatsApp, since at Rs 15 a day a WhatsApp message on every daily payment makes Hyper lose money (30 September)	lib/notices.ts	Claude	P1	12	Open
1060	Raqami: no points bought with money and no turn market priced in money; anything its Shariah board cannot approve is not offered through Raqami	product	Chairman	P1	H2	Open
1061	Confirm with the bank whether hosting in Singapore (Vercel sin1, Supabase on AWS ap-southeast-1) is acceptable under the State Bank's cloud framework, which requires State Bank approval for a bank's material workloads on an offshore cloud, or whether an onshore provider is required	bank	Bank	P0	H2	Open
1062	Update the master context and memory after every change to this register	HANDOVER	Claude	P1	13	Open
1063	Wire the ballot to an endpoint: lib/parchi.ts holds the whole commit and reveal ceremony, the seat constrained draw and the public verification, and no route calls any of it, so no circle has ever drawn its seats. Needs the sealed seed stored against the circle, a tap endpoint, a draw endpoint that refuses an unseatable circle, and the proof published to every member	routes/committees.ts, lib/parchi.ts	Claude	P1	13	Open
1064	Carry the security route into the database: creditStanding and the pledged security amount are read by lib/score-bands.ts through standingOf and exist on no table, so every member is read as having a record too thin to score. Needs the additive columns and the bank's hold on the member's own savings	prisma/schema.prisma	Claude	P0	1	Open
1065	Confirm the interim reading of the seat matrix while no bureau is connected: with TASDEEQ not contacted nobody has a bureau record, so read strictly every member sits in the last seats and no circle can fill its early ones. The code treats a member Halqa holds a score for as having a record too thin to score, which opens the middle seats, and one clean committee opens the rest (BUREAU_CONNECTED in lib/score-bands.ts)	product	Chairman	P0	H3	Open
1066	Production migration for the schema work of 6 October: 42 indexes, 34 delete rules and three status columns moved from free text to an enum. The indexes and the delete rules are additive and safe; the three enum columns are not, because an enum column is dropped and recreated, so they need their own additive SQL written and applied before any deploy. Nothing is deployed until this exists	prisma/schema.prisma, additive SQL	Claude	P0	1	Open
1067	Remove the spawn score of 700 given to every new account: it is Halqa's own number, not a bureau's, and while it stands a member with no history reads as creditworthy	routes/auth.ts, prisma/schema.prisma	Claude	P0	1	Open

AA3. Work Done

#	Item	Where	Owner	Pri	Phase	Status
1068	Oraan research document built on the chairman's own edited version (28 September)	Google Docs	Claude	P1		Done
1069	Complete position deck of 81 slides filed separately (29 September)	01 Presentation	Claude	P2		Done
1070	Master context created as the cold start brief, version controlled (29 September)	HANDOVER	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
1071	Mashreq presentation rebuilt through versions 2 to 7, the chairman's own edits applied (29 and 30 September)	01 Presentation	Claude	P1		Done
1072	Raqami presentation built and rebuilt through versions 1 to 5 in Raqami's colours (29 and 30 September)	01 Presentation	Claude	P1		Done
1073	Technical only cost model with verified prices (30 September)	scratchpad tech_costs.py	Claude	P1		Done
1074	Generated application screens in the application's own kit for screens not yet built: account opening, consent, types, full cost, Hyper, payment methods, points (30 September)	shots_v5	Claude	P2		Done
1075	Full cost screen regenerated with the Rs 85 fee, the PSP service fee and the takaful or insurance fee by name (30 September)	shots_v5	Claude	P2		Done
1076	Work register of 5 October: verified against the code and the decisions, extended in ten passes, and divided into phases	07 Internal	Claude	P1		Done

AB. Regulatory Compliance through the Partner Bank

Each item maps a requirement that applies to the bank, or to Halqa as its service provider, to the work that meets it. The bank's compliance function confirms the final list.

AB1. Outsourcing

Halqa is assessed as the bank's service provider (BPRD Circular 06 of 2017, revised 2019).

#	Item	Where	Owner	Pri	Phase	Status
1077	The bank's materiality assessment of the Halqa arrangement under its outsourcing framework (BPRD Circular 06 of 2017, revised by Circular 06 of 2019)	bank	Bank	P0	H2	Open
1078	List of Halqa's own suppliers with what each processes: Vercel, Supabase, Amazon Web Services, Meta, Safepay, Google, Sentry, Resend, the domain registrar	documentation	Claude	P1	36	Open
1079	No further subcontracting of a material function without the bank's written consent	legal	Counsel	P1	H1	Open
1080	Exit plan behind the clause of item 678: return of every record, transfer to another provider or to the bank, within a stated period	documentation	Claude	P1	36	Open
1081	Concentration statement: Halqa depends on one bank and the bank on one committee provider, with mitigations	documentation	Claude	P1	36	Open
1082	Root cause report to the bank within the agreed days after each incident notice of item 816	documentation	Claude	P1	36	Open
1083	Annual review of the arrangement by the bank	bank	Bank	P2	H4	Open
1084	Halqa entered in the bank's register of outsourcing arrangements	bank	Bank	P2	H4	Open
1085	Confirmation that no function reserved to the bank is outsourced to Halqa, including the account opening and due diligence decision	legal	Counsel	P1	H1	Open
1086	Quarterly report to the bank's outsourcing unit: service measures, incidents, security measures, changes, suppliers	reporting	Claude	P2	68	Open
1087	Sign off of the arrangement's risk assessment by the bank's risk function	bank	Bank	P1	H2	Open

AB2. Cloud

State Bank criteria for cloud outsourcing (January 2023): for banks, material workloads on an offshore provider need approval; Halqa is hosted in Singapore today.

#	Item	Where	Owner	Pri	Phase	Status
1088	Workload inventory: every Halqa system, what it does and what data it holds	infrastructure	Claude	P0	11	Open
1089	Each workload classified with the bank as material or non material under the State Bank's cloud criteria (January 2023)	bank	Bank	P0	H2	Open
1090	Onshore hosting options compared: providers in Pakistan, cost, effort and the services each lacks	infrastructure	Claude	P1	36	Open
1091	Migration plan if onshore hosting is required: database, interface service, files, backups, monitoring	infrastructure	Claude	P1	36	Open
1092	No lock in: data export format documented and an export to another provider rehearsed	infrastructure	Claude	P2	68	Open
1093	Audit rights over the cloud providers for the bank and the State Bank, through Halqa's contracts	legal	Counsel	P1	H1	Open
1094	Provider assurance reports collected and kept: SOC 2 and ISO 27001 for each provider	governance	Claude	P1	36	Open
1095	Logging of cloud console activity retained and reviewed	security	Claude	P1	36	Open
1096	Shared responsibility matrix for each provider	governance	Claude	P1	36	Open
1097	Region pinned for every service, including error monitoring, email and analytics	infrastructure	Claude	P1	36	Open
1098	Annual review of the cloud arrangements against the criteria	governance	Claude	P2	68	Open
1099	Provider status pages monitored with alerts	infrastructure	Claude	P2	68	Open

AB3. Technology Governance

Enterprise Technology Governance and Risk Management Framework (BPRD Circular 05 of 2017), applied through the bank.

#	Item	Where	Owner	Pri	Phase	Status
1100	Technology governance roles written down: owner of systems, owner of data, owner of security, under the bank's Enterprise Technology Governance and Risk Management Framework (BPRD Circular 05 of 2017)	governance	Claude	P1	36	Open
1101	Technology strategy for the partnership: architecture, suppliers, growth to 100,000 members	documentation	Claude	P2	68	Open
1102	Technology risk assessment, refreshed each quarter for the bank's board reporting	governance	Claude	P1	36	Open
1103	Change management procedure: request, review, approval, test, release, record	process	Claude	P1	36	Open
1104	Project management record for every integration with the bank	process	Claude	P2	68	Open
1105	Secure development life cycle documented: design review, code review, tests, scans, release approval	process	Claude	P1	36	Open
1106	System acquisition checklist for any new supplier or library	process	Claude	P2	68	Open
1107	Information technology operations manual: jobs, schedules, monitoring, backups, restores	documentation	Claude	P2	68	Open
1108	Capacity plan for 100,000 members: database, jobs, messages, bank calls	infrastructure	Claude	P2	68	Open
1109	Patch management: dependencies updated on a schedule, urgent fixes within stated days	process	Claude	P1	37	Open
1110	Configuration management: every environment's settings recorded and reviewed	infrastructure	Claude	P1	37	Open
1111	Asset inventory: domains, accounts, keys, devices, licences, with owners	governance	Claude	P1	37	Open

#	Item	Where	Owner	Pri	Phase	Status
1112	Logging and monitoring standard: what is logged, where, for how long, who reviews	security	Claude	P1	37	Open
1113	Independent technology audit of Halqa before the pilot, if the bank requires it	external	Auditor	P2	H4	Open

AB4. Customer Onboarding

Consolidated Customer Onboarding Framework (BPRD Circular 01 of 2025).

#	Item	Where	Owner	Pri	Phase	Status
1114	Biometric verification by the bank as the primary method under the Consolidated Customer Onboarding Framework (BPRD Circular 01 of 2025)	bank	Bank	P0	H2	Open
1115	Fallback order agreed: Verisys with the CNIC and mobile number pairing and a code, then Verisys with a debit block, then a branch	bank	Bank	P1	H2	Open
1116	Each fallback step shown in Halqa's journey in plain words, with what the member must do next	app	Claude	P1	37	Open
1117	Route for members abroad holding a NICOP or POC, for Mashreq's accounts for non resident Pakistanis	bank	Bank	P2	H4	Open
1118	Route for senior citizens and for members with disabilities, where the framework allows Verisys instead	bank	Bank	P2	H4	Open
1119	Evidence pack for the bank's annual audit of digital onboarding: journey, logs, error rates	reporting	Claude	P2	68	Open
1120	No biometric template stored by Halqa	security	Claude	P0	11	Open
1121	Halqa's own liveness check used only where the bank does not share its result	lib/identity-score.ts	Claude	P1	37	Open
1122	Joining a circle blocked until the bank confirms the account is verified and active	lib/bank-accounts.ts	Claude	P0	11	Open
1123	CNIC expiry tracked: renewal requested before expiry, joining paused after it	lib/identity-score.ts	Claude	P1	37	Open
1124	Change of mobile number: re-pairing with the CNIC at the bank before Halqa updates its record	bank	Bank	P1	H2	Open
1125	Onboarding funnel report for the bank: started, verified, failed, abandoned, by step	reporting	Claude	P2	68	Open
1126	Name match between the CNIC, the bank account title and the Halqa profile, with the 0.90 and 0.80 thresholds	lib/identity-score.ts	Claude	P1	37	Open

AB5. Digital Channel Security

PSP&OD Circular 01 of 2024, in force from 1 January 2025.

#	Item	Where	Owner	Pri	Phase	Status
1127	Transaction PIN, separate from the unlock PIN, for every financial action in Halqa: authorising a mandate, buying points, changing the payout account, accepting a turn trade (PSP&OD Circular 01 of 2024)	routes/auth.ts	Claude	P0	11	Open
1128	Alerts for financial events by push and in the application that the member cannot switch off	lib/notices.ts	Claude	P0	11	Open
1129	Complete log of every alert sent, kept for disputes and claims	schema.prisma	Claude	P0	11	Open
1130	Device binding: one bound device per member, bound at first sign in	routes/auth.ts	Claude	P0	11	Open
1131	Two hour cooling off after a device change: no mandate authorisation, payout change or points purchase	lib/security.ts	Claude	P0	11	Open
1132	No SMS code used to authorise a financial action where the bank uses a transaction PIN	routes/auth.ts	Claude	P1	37	Open

#	Item	Where	Owner	Pri	Phase	Status
1133	Screen capture blocked on the PIN, CNIC, account and receipt screens in the native build	native	Claude	P1	37	Open
1134	Emulator detection before financial actions in the native build	native	Claude	P2	68	Open
1135	Fraud reports routed to the bank the same day, so the bank's liability framework (BPRD Circular 04 of 2023) is not triggered by Halqa's delay	operations	Claude	P0	11	Open
1136	The bank's mobile application security baseline obtained, so Halqa's application meets it	bank	Bank	P0	H2	Open

AB6. Digital Fraud

BPRD Circular 04 of 2023 on digital fraud.

#	Item	Where	Owner	Pri	Phase	Status
1137	Security advice to members inside the application: Halqa never asks for a PIN or a code	content	Claude	P0	11	Open
1138	Fraud signals sent to the bank's fraud unit: device changes, many accounts on one device, rapid joins, payout account changes	new lib/fraud-signals.ts	Claude	P1	37	Open
1139	Block request from the member passed to the bank immediately, with a reference returned	new route	Claude	P0	11	Open
1140	Dispute raised in the application reaches the bank the same day	routes/disputes.ts	Claude	P0	11	Open
1141	Warning before a payout account change: who may be asking and why	content	Claude	P1	37	Open
1142	Monthly fraud report to the bank: cases, losses, time to block	reporting	Claude	P2	68	Open
1143	Payouts to accounts opened in the last few days held for review	lib/payout.ts	Claude	P1	37	Open
1144	Limit on circles joined per member per day	lib/score-bands.ts	Claude	P1	37	Open

AB7. Complaints

BC&CPD Circular Letter 02 of 2021 on the consumer grievance mechanism.

#	Item	Where	Owner	Pri	Phase	Status
1145	Complaint intake inside the application with categories agreed with the bank	new page	Claude	P1	37	Open
1146	Turnaround to the bank's rules: 3 working days for simple matters, 7 for others, all within 15 days, and fraud within 30 days (BC&CPD Circular Letter 02 of 2021)	process	Claude	P1	37	Open
1147	Account and payment complaints handed to the bank's complaint unit, with the member told	operations	Claude	P1	37	Open
1148	Root cause review for any complaint category that repeats	process	Claude	P2	68	Open
1149	Complaints between hosts and members handled under the host rules, apart from service complaints	process	Claude	P1	37	Open
1150	Complaint turnaround dashboard	new admin page	Claude	P2	68	Open

AB8. Conduct

Conduct Assessment Framework and fair treatment of customers.

#	Item	Where	Owner	Pri	Phase	Status
1151	Product approval paper for the committee product with its conduct risks, for the bank's committee	documentation	Claude	P1	37	Open
1152	Evidence of fair pricing: one flat fee for every seat, no rate, no charge for an early turn	documentation	Claude	P1	37	Open
1153	Members needing more help: first time users, older members, Urdu readers; a support route for each	process	Claude	P1	37	Open
1154	Rewards for hosting tied to circles completed cleanly, never to the number recruited	lib/rewards.ts	Claude	P1	37	Open
1155	24 hours to withdraw at no cost after joining	lib/agreements.ts	Claude	P1	37	Open
1156	Input to the bank's annual conduct self assessment under its Conduct Assessment Framework	reporting	Claude	P2	68	Open
1157	Marketing material approved by the bank before use	bank	Bank	P2	H4	Open
1158	Plain statement of what happens when someone stops paying, shown before joining	content	Claude	P1	37	Open
1159	Host code of conduct: admission, reminders, removal, no pressure and no public shaming	content	Claude	P1	37	Open

AB9. Key Fact Statement

#	Item	Where	Owner	Pri	Phase	Status
1160	Key fact statement for the committee product in the bank's format (BC&CPD Circulars 2 of 2016 and 02 of 2020)	content	Claude	P0	11	Open
1161	Key fact statement contents: instalment, members, order of turns, the Rs 85 fee, the PSP service fee on wallet and card, the takaful or insurance fee by name, late charges, points, leaving, complaints	content	Claude	P0	11	Open
1162	Key fact statement shown before commitment and accepted in the application	new page	Claude	P0	11	Open
1163	Accepted key fact statement kept with the member's agreement and a copy given to the member	routes/agreements.ts	Claude	P1	37	Open
1164	Key fact statement available on the website and in the application at all times	content	Claude	P1	37	Open
1165	Key fact statement in Urdu	content	Translator	P0	H4	Open
1166	Key fact statement versioned, with notice to members of any change	routes/agreements.ts	Claude	P1	37	Open
1167	Key fact statement for Hyper, marked experimental	content	Claude	P1	37	Open
1168	Key fact statement for buying points with money (Mashreq)	content	Claude	P2	68	Open
1169	Key fact statement of the bank's savings product used between payday and the 8th	bank	Bank	P1	H2	Open

AB10. Money Laundering and Sanctions

The bank's AML, CFT and CPF regulations under section 6A(2) of the Anti Money Laundering Act 2010.

#	Item	Where	Owner	Pri	Phase	Status
1170	Customer due diligence by the bank on every member before any circle	bank	Bank	P0	H2	Open
1171	Committee typologies agreed with the bank: circular payments, many circles for one person, payouts to third parties, structuring into small instalments	documentation	Claude	P1	37	Open

#	Item	Where	Owner	Pri	Phase	Status
1172	A member the bank flags is blocked from joining, paying out and trading turns at once	lib/bank-accounts.ts	Claude	P0	11	Open
1173	No message that could tip off a member under review	content	Claude	P1	37	Open
1174	Hosts screened like members	bank	Bank	P1	H2	Open
1175	Politically exposed persons handled under the bank's enhanced due diligence	bank	Bank	P1	H2	Open
1176	Source of funds questions agreed for the large circles at Rs 25,000 an instalment	bank	Bank	P2	H4	Open
1177	Annual money laundering risk assessment of the committee product	bank	Bank	P2	H4	Open

AB11. Payments

#	Item	Where	Owner	Pri	Phase	Status
1178	Check that no automatic debit runs without a recorded mandate; item 775 keeps the records under the Payment Systems and Electronic Fund Transfers Act 2007	lib/bank-mandate.ts	Claude	P0	11	Open
1179	Raast request to pay costs the payer nothing, as the State Bank requires for P2M payments	lib/bank-payments.ts	Claude	P1	37	Open
1180	Raast request to pay supported for paying now and for paying later	lib/bank-payments.ts	Claude	P1	37	Open
1181	Raast QR for paying a collector directly	new component	Claude	P2	68	Open
1182	Wallet limits respected for payouts to wallets, under the EMI regulations of 2023	lib/payout.ts	Claude	P1	37	Open
1183	Payments initiated only through licensed entities: the bank and the PSP	lib/payment-provider.ts	Claude	P0	11	Open
1184	The PSP's licence and its scope recorded and checked each year	commercial	Chairman	P1	H3	Open
1185	Halqa's merchant category agreed with the PSP	commercial	Chairman	P2	H5	Open

AB12. Shariah Governance

For the Islamic window at Mashreq and for Raqami.

#	Item	Where	Owner	Pri	Phase	Status
1186	Late charges on Raqami circles paid to charity, recorded and reported	ledger	Claude	P1	37	Open
1187	Takaful only for Raqami, no conventional insurance	bank	Bank	P1	H2	Open
1188	Annual Shariah audit of the product by the bank	bank	Bank	P2	H4	Open
1189	No Shariah label in Halqa's own materials; the bank's own approval statement only where the bank requires it	content	Claude	P1	37	Open
1190	Fee documented as ujrah for service on Raqami circles	bank	Bank	P1	H2	Open

AB13. Cyber Security

#	Item	Where	Owner	Pri	Phase	Status
1191	Halqa's security programme mapped to the bank's cyber resilience requirements under the State Bank's Cyber Shield strategy (CRMD Circular Letter 01 of 2026)	security	Claude	P1	37	Open
1192	Threat intelligence sources followed and logged	security	Claude	P2	68	Open

#	Item	Where	Owner	Pri	Phase	Status
1193	Security event logging to the bank's standard	security	Claude	P1	37	Open
1194	Penetration test repeated each year after the first (item 705), with every finding fixed	external	Tester	P2	H4	Open
1195	Red team exercise if the bank requires one	bank	Bank	P3	H6	Open
1196	Phishing exercise for everyone with access	governance	Chairman	P3	H6	Open
1197	Secure configuration baselines for every service	security	Claude	P1	37	Open

AB14. Data Protection

#	Item	Where	Owner	Pri	Phase	Status
1198	Consent record for each purpose, with the time, the version and the address	schema.prisma	Claude	P0	11	Open
1199	Transfer of data to Singapore disclosed and consented, and accepted by the bank	content	Claude	P0	11	Open
1200	Requests from members to see, correct or delete their data, with stated times	new page	Claude	P1	37	Open
1201	Review of every field collected against the purpose it serves	review	Claude	P1	37	Open
1202	Personal Data Protection Bill watched, since Pakistan has no data protection law in force; readiness noted	documentation	Claude	P3	79	Open
1203	Prevention of Electronic Crimes Act 2016 considered in the security controls	documentation	Claude	P2	68	Open
1204	No data collected from anyone under 18	routes/auth.ts	Claude	P1	37	Open
1205	Location as a one time pin only, never tracked	app	Claude	P1	37	Open
1206	No access to contacts, photos or call logs	app	Claude	P0	11	Open

AB15. Company Filings

#	Item	Where	Owner	Pri	Phase	Status
1207	Statutory registers kept: members, directors, charges, beneficial owners	corporate	Chairman	P1	H1	Open
1208	Board meetings held and minuted, with resolutions filed where required	corporate	Chairman	P1	H4	Open
1209	Annual return filed with the SECP each year	corporate	Chairman	P2	H5	Open
1210	Financial statements prepared, audited and filed each year	finance	Chairman	P2	H5	Open
1211	Income tax return filed each year	tax	Tax adviser	P2	H4	Open
1212	Withholding tax deducted and statements filed	tax	Tax adviser	P2	H4	Open
1213	Sales tax returns on services filed each month in the Islamabad Capital Territory	tax	Tax adviser	P2	H4	Open
1214	Beneficial ownership declaration filed	corporate	Chairman	P1	H4	Open
1215	Registered office notice kept current	corporate	Chairman	P3	H6	Open
1216	Compliance calendar with every filing date and owner	corporate	Chairman	P1	H4	Open
1217	Directors' duties briefing for the board	P2	Counsel	P1	H1	Open

AB16. Application Stores

#	Item	Where	Owner	Pri	Phase	Status
1218	Target platform version kept current for Google Play	native	Claude	P2	68	Open
1219	Permission declarations for the camera, used for CNIC capture only	compliance	Claude	P1	37	Open
1220	Apple privacy labels answered from the data inventory	compliance	Claude	P1	37	Open
1221	No tracking across other companies' applications, so no tracking prompt is needed	review	Claude	P1	37	Open
1222	Review notes for both stores explaining the partner bank and test accounts	distribution	Claude	P1	37	Open
1223	Store screenshots free of real member data	design	Claude	P1	37	Open
1224	Store contact details and support address in the company's name	distribution	Chairman	P1	H5	Open

AC. Screen States and Checks

Every screen, with one item for each state it must show and each check it must pass: loading, empty, error, offline, dark mode, Urdu and right to left, large text, narrow handsets, screen readers, contrast, events and tests. Building the screen itself is its own item in sections C, D and Y.

AC1. Screens That Exist

The 27 pages kept in the application today, the committee page counted by its tabs, each with every state it needs. Deep links already work on every one (item 51). The vault and the scheme terminal are withdrawn; Save for something is held.

#	Item	Where	Owner	Pri	Phase	Status
1225	Home: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	HomePage.tsx	Claude	P1	23	Open
1226	Home: error state with the reason in plain words and a retry	HomePage.tsx	Claude	P1	23	Open
1227	Home: offline state showing the last data held and when it was fetched, with actions disabled	HomePage.tsx	Claude	P1	23	Open
1228	Home: deep link restores the screen with its state	HomePage.tsx	Claude	P1		Done
1229	Home: empty state: a member with no circles: Start a committee and Join with a code	HomePage.tsx	Claude	P1	23	Open
1230	Home: checked in dark mode, with no hard coded white or black	HomePage.tsx	Claude	P1		Done
1231	Home: Urdu text for every string, by a translator	HomePage.tsx	Translator	P1	H4	Open
1232	Home: right to left layout checked with the Urdu text	HomePage.tsx	Claude	P1	23	Open
1233	Home: usable at the largest system text size, with nothing cut off	HomePage.tsx	Claude	P1		Done
1234	Home: usable at 320 pixels wide	HomePage.tsx	Claude	P1		Done
1235	Home: every control named for screen readers, in a logical focus order	HomePage.tsx	Claude	P1		Done
1236	Home: contrast of every text and control checked	HomePage.tsx	Claude	P1		Done
1237	Home: screen view and main action recorded, with no personal data in the events	HomePage.tsx	Claude	P2		Done
1238	Home: component test of every state	HomePage.tsx	Claude	P1	23	Open
1239	Home: end to end test of its main path	HomePage.tsx	Claude	P1	23	Open

#	Item	Where	Owner	Pri	Phase	Status
1240	Home: visual regression snapshot at three widths	HomePage.tsx	Claude	P2	57	Open
1241	Home: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	HomePage.tsx	Claude	P1		Done
1242	Committees: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	CirclesPage.tsx	Claude	P1	23	Open
1243	Committees: loading skeleton in the final layout, never a full screen spinner	CirclesPage.tsx	Claude	P1	23	Open
1244	Committees: error state with the reason in plain words and a retry	CirclesPage.tsx	Claude	P1	23	Open
1245	Committees: offline state showing the last data held and when it was fetched, with actions disabled	CirclesPage.tsx	Claude	P1	23	Open
1246	Committees: deep link restores the screen with its state	CirclesPage.tsx	Claude	P1		Done
1247	Committees: pull to refresh	CirclesPage.tsx	Claude	P1	23	Open
1248	Committees: pages loaded as the member scrolls, with an end of list marker	CirclesPage.tsx	Claude	P1	23	Open
1249	Committees: checked in dark mode, with no hard coded white or black	CirclesPage.tsx	Claude	P1		Done
1250	Committees: Urdu text for every string, by a translator	CirclesPage.tsx	Translator	P1	H4	Open
1251	Committees: right to left layout checked with the Urdu text	CirclesPage.tsx	Claude	P1	23	Open
1252	Committees: usable at the largest system text size, with nothing cut off	CirclesPage.tsx	Claude	P1		Done
1253	Committees: usable at 320 pixels wide	CirclesPage.tsx	Claude	P1		Done
1254	Committees: every control named for screen readers, in a logical focus order	CirclesPage.tsx	Claude	P1		Done
1255	Committees: contrast of every text and control checked	CirclesPage.tsx	Claude	P1		Done
1256	Committees: screen view and main action recorded, with no personal data in the events	CirclesPage.tsx	Claude	P2		Done
1257	Committees: component test of every state	CirclesPage.tsx	Claude	P1	23	Open
1258	Committees: end to end test of its main path	CirclesPage.tsx	Claude	P1	23	Open
1259	Committees: visual regression snapshot at three widths	CirclesPage.tsx	Claude	P2	57	Open
1260	Committees: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	CirclesPage.tsx	Claude	P1		Done
1261	Committee, turns tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	CommitteePage.tsx	Claude	P1	23	Open
1262	Committee, turns tab: loading skeleton in the final layout, never a full screen spinner	CommitteePage.tsx	Claude	P1	23	Open
1263	Committee, turns tab: error state with the reason in plain words and a retry	CommitteePage.tsx	Claude	P1	23	Open
1264	Committee, turns tab: offline state showing the last data held and when it was fetched, with actions disabled	CommitteePage.tsx	Claude	P1	23	Open
1265	Committee, turns tab: deep link restores the screen with its state	CommitteePage.tsx	Claude	P1		Done
1266	Committee, turns tab: not found and no access states, each with a route back	CommitteePage.tsx	Claude	P1	23	Open
1267	Committee, turns tab: checked in dark mode, with no hard coded white or black	CommitteePage.tsx	Claude	P1		Done
1268	Committee, turns tab: Urdu text for every string, by a translator	CommitteePage.tsx	Translator	P1	H4	Open
1269	Committee, turns tab: right to left layout checked with the Urdu text	CommitteePage.tsx	Claude	P1	23	Open

#	Item	Where	Owner	Pri	Phase	Status
1270	Committee, turns tab: usable at the largest system text size, with nothing cut off	CommitteePage.tsx	Claude	P1		Done
1271	Committee, turns tab: usable at 320 pixels wide	CommitteePage.tsx	Claude	P1		Done
1272	Committee, turns tab: every control named for screen readers, in a logical focus order	CommitteePage.tsx	Claude	P1		Done
1273	Committee, turns tab: contrast of every text and control checked	CommitteePage.tsx	Claude	P1		Done
1274	Committee, turns tab: screen view and main action recorded, with no personal data in the events	CommitteePage.tsx	Claude	P2		Done
1275	Committee, turns tab: component test of every state	CommitteePage.tsx	Claude	P1	23	Open
1276	Committee, turns tab: end to end test of its main path	CommitteePage.tsx	Claude	P1	23	Open
1277	Committee, turns tab: visual regression snapshot at three widths	CommitteePage.tsx	Claude	P2	57	Open
1278	Committee, turns tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	CommitteePage.tsx	Claude	P1		Done
1279	Committee, payments tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	CommitteePage.tsx	Claude	P1	23	Open
1280	Committee, payments tab: loading skeleton in the final layout, never a full screen spinner	CommitteePage.tsx	Claude	P1	23	Open
1281	Committee, payments tab: error state with the reason in plain words and a retry	CommitteePage.tsx	Claude	P1	23	Open
1282	Committee, payments tab: offline state showing the last data held and when it was fetched, with actions disabled	CommitteePage.tsx	Claude	P1	23	Open
1283	Committee, payments tab: deep link restores the screen with its state	CommitteePage.tsx	Claude	P1		Done
1284	Committee, payments tab: not found and no access states, each with a route back	CommitteePage.tsx	Claude	P1	23	Open
1285	Committee, payments tab: checked in dark mode, with no hard coded white or black	CommitteePage.tsx	Claude	P1		Done
1286	Committee, payments tab: Urdu text for every string, by a translator	CommitteePage.tsx	Translator	P1	H4	Open
1287	Committee, payments tab: right to left layout checked with the Urdu text	CommitteePage.tsx	Claude	P1	23	Open
1288	Committee, payments tab: usable at the largest system text size, with nothing cut off	CommitteePage.tsx	Claude	P1		Done
1289	Committee, payments tab: usable at 320 pixels wide	CommitteePage.tsx	Claude	P1		Done
1290	Committee, payments tab: every control named for screen readers, in a logical focus order	CommitteePage.tsx	Claude	P1		Done
1291	Committee, payments tab: contrast of every text and control checked	CommitteePage.tsx	Claude	P1		Done
1292	Committee, payments tab: screen view and main action recorded, with no personal data in the events	CommitteePage.tsx	Claude	P2		Done
1293	Committee, payments tab: component test of every state	CommitteePage.tsx	Claude	P1	23	Open
1294	Committee, payments tab: end to end test of its main path	CommitteePage.tsx	Claude	P1	23	Open
1295	Committee, payments tab: visual regression snapshot at three widths	CommitteePage.tsx	Claude	P2	57	Open
1296	Committee, payments tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	CommitteePage.tsx	Claude	P1		Done
1297	Committee, members tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	CommitteePage.tsx	Claude	P1	23	Open

#	Item	Where	Owner	Pri	Phase	Status
1298	Committee, members tab: loading skeleton in the final layout, never a full screen spinner	CommitteePage.tsx	Claude	P1	23	Open
1299	Committee, members tab: error state with the reason in plain words and a retry	CommitteePage.tsx	Claude	P1	23	Open
1300	Committee, members tab: offline state showing the last data held and when it was fetched, with actions disabled	CommitteePage.tsx	Claude	P1	23	Open
1301	Committee, members tab: deep link restores the screen with its state	CommitteePage.tsx	Claude	P1		Done
1302	Committee, members tab: not found and no access states, each with a route back	CommitteePage.tsx	Claude	P1	23	Open
1303	Committee, members tab: checked in dark mode, with no hard coded white or black	CommitteePage.tsx	Claude	P1		Done
1304	Committee, members tab: Urdu text for every string, by a translator	CommitteePage.tsx	Translator	P1	H4	Open
1305	Committee, members tab: right to left layout checked with the Urdu text	CommitteePage.tsx	Claude	P1	23	Open
1306	Committee, members tab: usable at the largest system text size, with nothing cut off	CommitteePage.tsx	Claude	P1		Done
1307	Committee, members tab: usable at 320 pixels wide	CommitteePage.tsx	Claude	P1		Done
1308	Committee, members tab: every control named for screen readers, in a logical focus order	CommitteePage.tsx	Claude	P1		Done
1309	Committee, members tab: contrast of every text and control checked	CommitteePage.tsx	Claude	P1		Done
1310	Committee, members tab: screen view and main action recorded, with no personal data in the events	CommitteePage.tsx	Claude	P2		Done
1311	Committee, members tab: component test of every state	CommitteePage.tsx	Claude	P1	23	Open
1312	Committee, members tab: end to end test of its main path	CommitteePage.tsx	Claude	P1	23	Open
1313	Committee, members tab: visual regression snapshot at three widths	CommitteePage.tsx	Claude	P2	57	Open
1314	Committee, members tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	CommitteePage.tsx	Claude	P1		Done
1315	Committee, safety tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	ProtectionCenter.tsx	Claude	P1	23	Open
1316	Committee, safety tab: loading skeleton in the final layout, never a full screen spinner	ProtectionCenter.tsx	Claude	P1	23	Open
1317	Committee, safety tab: error state with the reason in plain words and a retry	ProtectionCenter.tsx	Claude	P1	23	Open
1318	Committee, safety tab: offline state showing the last data held and when it was fetched, with actions disabled	ProtectionCenter.tsx	Claude	P1	23	Open
1319	Committee, safety tab: deep link restores the screen with its state	ProtectionCenter.tsx	Claude	P1		Done
1320	Committee, safety tab: not found and no access states, each with a route back	ProtectionCenter.tsx	Claude	P1	23	Open
1321	Committee, safety tab: checked in dark mode, with no hard coded white or black	ProtectionCenter.tsx	Claude	P1		Done
1322	Committee, safety tab: Urdu text for every string, by a translator	ProtectionCenter.tsx	Translator	P1	H4	Open
1323	Committee, safety tab: right to left layout checked with the Urdu text	ProtectionCenter.tsx	Claude	P1	23	Open
1324	Committee, safety tab: usable at the largest system text size, with nothing cut off	ProtectionCenter.tsx	Claude	P1		Done
1325	Committee, safety tab: usable at 320 pixels wide	ProtectionCenter.tsx	Claude	P1		Done
1326	Committee, safety tab: every control named for screen readers, in a logical focus order	ProtectionCenter.tsx	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
1327	Committee, safety tab: contrast of every text and control checked	ProtectionCenter.tsx	Claude	P1		Done
1328	Committee, safety tab: screen view and main action recorded, with no personal data in the events	ProtectionCenter.tsx	Claude	P2		Done
1329	Committee, safety tab: component test of every state	ProtectionCenter.tsx	Claude	P1	23	Open
1330	Committee, safety tab: end to end test of its main path	ProtectionCenter.tsx	Claude	P1	23	Open
1331	Committee, safety tab: visual regression snapshot at three widths	ProtectionCenter.tsx	Claude	P2	57	Open
1332	Committee, safety tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	ProtectionCenter.tsx	Claude	P1		Done
1333	Committee, messages tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	CommitteePage.tsx	Claude	P1	23	Open
1334	Committee, messages tab: loading skeleton in the final layout, never a full screen spinner	CommitteePage.tsx	Claude	P1	23	Open
1335	Committee, messages tab: error state with the reason in plain words and a retry	CommitteePage.tsx	Claude	P1	23	Open
1336	Committee, messages tab: offline state showing the last data held and when it was fetched, with actions disabled	CommitteePage.tsx	Claude	P1	23	Open
1337	Committee, messages tab: deep link restores the screen with its state	CommitteePage.tsx	Claude	P1		Done
1338	Committee, messages tab: pull to refresh	CommitteePage.tsx	Claude	P1	23	Open
1339	Committee, messages tab: empty state: no messages yet, with a first message prompt	CommitteePage.tsx	Claude	P1	23	Open
1340	Committee, messages tab: pages loaded as the member scrolls, with an end of list marker	CommitteePage.tsx	Claude	P1	23	Open
1341	Committee, messages tab: checked in dark mode, with no hard coded white or black	CommitteePage.tsx	Claude	P1		Done
1342	Committee, messages tab: Urdu text for every string, by a translator	CommitteePage.tsx	Translator	P1	H4	Open
1343	Committee, messages tab: right to left layout checked with the Urdu text	CommitteePage.tsx	Claude	P1	23	Open
1344	Committee, messages tab: usable at the largest system text size, with nothing cut off	CommitteePage.tsx	Claude	P1		Done
1345	Committee, messages tab: usable at 320 pixels wide	CommitteePage.tsx	Claude	P1		Done
1346	Committee, messages tab: every control named for screen readers, in a logical focus order	CommitteePage.tsx	Claude	P1		Done
1347	Committee, messages tab: contrast of every text and control checked	CommitteePage.tsx	Claude	P1		Done
1348	Committee, messages tab: screen view and main action recorded, with no personal data in the events	CommitteePage.tsx	Claude	P2		Done
1349	Committee, messages tab: component test of every state	CommitteePage.tsx	Claude	P1	23	Open
1350	Committee, messages tab: end to end test of its main path	CommitteePage.tsx	Claude	P1	23	Open
1351	Committee, messages tab: visual regression snapshot at three widths	CommitteePage.tsx	Claude	P2	57	Open
1352	Committee, messages tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	CommitteePage.tsx	Claude	P1		Done
1353	Committee, rules tab: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	CommitteePage.tsx	Claude	P1	23	Open
1354	Committee, rules tab: deep link opens it directly	CommitteePage.tsx	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
1355	Committee, rules tab: checked in dark mode, with no hard coded white or black	CommitteePage.tsx	Claude	P1		Done
1356	Committee, rules tab: Urdu text for every string, by a translator	CommitteePage.tsx	Translator	P1	H4	Open
1357	Committee, rules tab: right to left layout checked with the Urdu text	CommitteePage.tsx	Claude	P1	23	Open
1358	Committee, rules tab: usable at the largest system text size, with nothing cut off	CommitteePage.tsx	Claude	P1		Done
1359	Committee, rules tab: usable at 320 pixels wide	CommitteePage.tsx	Claude	P1		Done
1360	Committee, rules tab: every control named for screen readers, in a logical focus order	CommitteePage.tsx	Claude	P1		Done
1361	Committee, rules tab: contrast of every text and control checked	CommitteePage.tsx	Claude	P1		Done
1362	Committee, rules tab: screen view and main action recorded, with no personal data in the events	CommitteePage.tsx	Claude	P2		Done
1363	Committee, rules tab: visual regression snapshot at three widths	CommitteePage.tsx	Claude	P2	57	Open
1364	Committee, rules tab: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	CommitteePage.tsx	Claude	P1		Done
1365	Create a circle: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	CreateCirclePage.tsx	Claude	P1	23	Open
1366	Create a circle: each field checked as it is typed, with one specific message under the field (fields in section AD)	CreateCirclePage.tsx	Claude	P1	23	Open
1367	Create a circle: submitting state: the button busy and a second tap ignored	CreateCirclePage.tsx	Claude	P1	23	Open
1368	Create a circle: a refusal from the server shown with the reason and what to change	CreateCirclePage.tsx	Claude	P1	23	Open
1369	Create a circle: offline: submission held back with a message, and entered data kept	CreateCirclePage.tsx	Claude	P1	23	Open
1370	Create a circle: the keyboard never hides the focused field or the main button	CreateCirclePage.tsx	Claude	P1	23	Open
1371	Create a circle: leaving with unsaved changes asks for confirmation	CreateCirclePage.tsx	Claude	P1	23	Open
1372	Create a circle: success state stating what happened and what comes next	CreateCirclePage.tsx	Claude	P1	23	Open
1373	Create a circle: checked in dark mode, with no hard coded white or black	CreateCirclePage.tsx	Claude	P1		Done
1374	Create a circle: Urdu text for every string, by a translator	CreateCirclePage.tsx	Translator	P1	H4	Open
1375	Create a circle: right to left layout checked with the Urdu text	CreateCirclePage.tsx	Claude	P1	23	Open
1376	Create a circle: usable at the largest system text size, with nothing cut off	CreateCirclePage.tsx	Claude	P1		Done
1377	Create a circle: usable at 320 pixels wide	CreateCirclePage.tsx	Claude	P1		Done
1378	Create a circle: every control named for screen readers, in a logical focus order	CreateCirclePage.tsx	Claude	P1		Done
1379	Create a circle: contrast of every text and control checked	CreateCirclePage.tsx	Claude	P1		Done
1380	Create a circle: screen view and main action recorded, with no personal data in the events	CreateCirclePage.tsx	Claude	P2		Done
1381	Create a circle: component test of every state	CreateCirclePage.tsx	Claude	P1	23	Open
1382	Create a circle: end to end test of its main path	CreateCirclePage.tsx	Claude	P1	23	Open
1383	Create a circle: visual regression snapshot at three widths	CreateCirclePage.tsx	Claude	P2	57	Open
1384	Create a circle: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	CreateCirclePage.tsx	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
1385	Pay: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	PayPage.tsx	Claude	P0	3	Open
1386	Pay: each field checked as it is typed, with one specific message under the field (fields in section AD)	PayPage.tsx	Claude	P0	3	Open
1387	Pay: submitting state: the button busy and a second tap ignored	PayPage.tsx	Claude	P0	3	Open
1388	Pay: a refusal from the server shown with the reason and what to change	PayPage.tsx	Claude	P0	3	Open
1389	Pay: offline: submission held back with a message, and entered data kept	PayPage.tsx	Claude	P0	3	Open
1390	Pay: the keyboard never hides the focused field or the main button	PayPage.tsx	Claude	P0	3	Open
1391	Pay: leaving with unsaved changes asks for confirmation	PayPage.tsx	Claude	P0	3	Open
1392	Pay: success state stating what happened and what comes next	PayPage.tsx	Claude	P0	3	Open
1393	Pay: transaction PIN required before the action	PayPage.tsx	Claude	P0	3	Open
1394	Pay: refused during the two hour cooling off after a device change, with the time remaining	PayPage.tsx	Claude	P0	3	Open
1395	Pay: one request per confirmation, carried by an idempotency key	PayPage.tsx	Claude	P0	3	Open
1396	Pay: receipt after completion, saved to Activity	PayPage.tsx	Claude	P0	3	Open
1397	Pay: checked in dark mode, with no hard coded white or black	PayPage.tsx	Claude	P0		Done
1398	Pay: Urdu text for every string, by a translator	PayPage.tsx	Translator	P0	H4	Open
1399	Pay: right to left layout checked with the Urdu text	PayPage.tsx	Claude	P0	3	Open
1400	Pay: usable at the largest system text size, with nothing cut off	PayPage.tsx	Claude	P0		Done
1401	Pay: usable at 320 pixels wide	PayPage.tsx	Claude	P0		Done
1402	Pay: every control named for screen readers, in a logical focus order	PayPage.tsx	Claude	P0		Done
1403	Pay: contrast of every text and control checked	PayPage.tsx	Claude	P0		Done
1404	Pay: screen view and main action recorded, with no personal data in the events	PayPage.tsx	Claude	P2		Done
1405	Pay: component test of every state	PayPage.tsx	Claude	P0	3	Open
1406	Pay: end to end test of its main path	PayPage.tsx	Claude	P0	3	Open
1407	Pay: visual regression snapshot at three widths	PayPage.tsx	Claude	P2	57	Open
1408	Pay: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	PayPage.tsx	Claude	P0		Done
1409	Schedule: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	SchedulePage.tsx	Claude	P1	23	Open
1410	Schedule: loading skeleton in the final layout, never a full screen spinner	SchedulePage.tsx	Claude	P1	23	Open
1411	Schedule: error state with the reason in plain words and a retry	SchedulePage.tsx	Claude	P1	23	Open
1412	Schedule: offline state showing the last data held and when it was fetched, with actions disabled	SchedulePage.tsx	Claude	P1	23	Open
1413	Schedule: deep link restores the screen with its state	SchedulePage.tsx	Claude	P1		Done
1414	Schedule: pull to refresh	SchedulePage.tsx	Claude	P1	23	Open
1415	Schedule: empty state: nothing due, with the next due date	SchedulePage.tsx	Claude	P1	23	Open

#	Item	Where	Owner	Pri	Phase	Status
1416	Schedule: pages loaded as the member scrolls, with an end of list marker	SchedulePage.tsx	Claude	P1	23	Open
1417	Schedule: checked in dark mode, with no hard coded white or black	SchedulePage.tsx	Claude	P1		Done
1418	Schedule: Urdu text for every string, by a translator	SchedulePage.tsx	Translator	P1	H4	Open
1419	Schedule: right to left layout checked with the Urdu text	SchedulePage.tsx	Claude	P1	23	Open
1420	Schedule: usable at the largest system text size, with nothing cut off	SchedulePage.tsx	Claude	P1		Done
1421	Schedule: usable at 320 pixels wide	SchedulePage.tsx	Claude	P1		Done
1422	Schedule: every control named for screen readers, in a logical focus order	SchedulePage.tsx	Claude	P1		Done
1423	Schedule: contrast of every text and control checked	SchedulePage.tsx	Claude	P1		Done
1424	Schedule: screen view and main action recorded, with no personal data in the events	SchedulePage.tsx	Claude	P2		Done
1425	Schedule: component test of every state	SchedulePage.tsx	Claude	P1	23	Open
1426	Schedule: end to end test of its main path	SchedulePage.tsx	Claude	P1	23	Open
1427	Schedule: visual regression snapshot at three widths	SchedulePage.tsx	Claude	P2	57	Open
1428	Schedule: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	SchedulePage.tsx	Claude	P1		Done
1429	Activity: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	ActivityPage.tsx	Claude	P1	23	Open
1430	Activity: loading skeleton in the final layout, never a full screen spinner	ActivityPage.tsx	Claude	P1	23	Open
1431	Activity: error state with the reason in plain words and a retry	ActivityPage.tsx	Claude	P1	23	Open
1432	Activity: offline state showing the last data held and when it was fetched, with actions disabled	ActivityPage.tsx	Claude	P1	23	Open
1433	Activity: deep link restores the screen with its state	ActivityPage.tsx	Claude	P1		Done
1434	Activity: pull to refresh	ActivityPage.tsx	Claude	P1	23	Open
1435	Activity: empty state: no activity yet	ActivityPage.tsx	Claude	P1	23	Open
1436	Activity: pages loaded as the member scrolls, with an end of list marker	ActivityPage.tsx	Claude	P1	23	Open
1437	Activity: search within the list	ActivityPage.tsx	Claude	P1	23	Open
1438	Activity: filters: paid, received, due and date	ActivityPage.tsx	Claude	P1	23	Open
1439	Activity: checked in dark mode, with no hard coded white or black	ActivityPage.tsx	Claude	P1		Done
1440	Activity: Urdu text for every string, by a translator	ActivityPage.tsx	Translator	P1	H4	Open
1441	Activity: right to left layout checked with the Urdu text	ActivityPage.tsx	Claude	P1	23	Open
1442	Activity: usable at the largest system text size, with nothing cut off	ActivityPage.tsx	Claude	P1		Done
1443	Activity: usable at 320 pixels wide	ActivityPage.tsx	Claude	P1		Done
1444	Activity: every control named for screen readers, in a logical focus order	ActivityPage.tsx	Claude	P1		Done
1445	Activity: contrast of every text and control checked	ActivityPage.tsx	Claude	P1		Done
1446	Activity: screen view and main action recorded, with no personal data in the events	ActivityPage.tsx	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
1447	Activity: component test of every state	ActivityPage.tsx	Claude	P1	23	Open
1448	Activity: end to end test of its main path	ActivityPage.tsx	Claude	P1	23	Open
1449	Activity: visual regression snapshot at three widths	ActivityPage.tsx	Claude	P2	57	Open
1450	Activity: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	ActivityPage.tsx	Claude	P1		Done
1451	Statement: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	StatementPage.tsx	Claude	P1	23	Open
1452	Statement: loading skeleton in the final layout, never a full screen spinner	StatementPage.tsx	Claude	P1	23	Open
1453	Statement: error state with the reason in plain words and a retry	StatementPage.tsx	Claude	P1	23	Open
1454	Statement: offline state showing the last data held and when it was fetched, with actions disabled	StatementPage.tsx	Claude	P1	23	Open
1455	Statement: deep link restores the screen with its state	StatementPage.tsx	Claude	P1		Done
1456	Statement: pull to refresh	StatementPage.tsx	Claude	P1	23	Open
1457	Statement: empty state: no payments in the chosen dates	StatementPage.tsx	Claude	P1	23	Open
1458	Statement: pages loaded as the member scrolls, with an end of list marker	StatementPage.tsx	Claude	P1	24	Open
1459	Statement: filters: date range	StatementPage.tsx	Claude	P1	24	Open
1460	Statement: checked in dark mode, with no hard coded white or black	StatementPage.tsx	Claude	P1		Done
1461	Statement: Urdu text for every string, by a translator	StatementPage.tsx	Translator	P1	H4	Open
1462	Statement: right to left layout checked with the Urdu text	StatementPage.tsx	Claude	P1	24	Open
1463	Statement: usable at the largest system text size, with nothing cut off	StatementPage.tsx	Claude	P1		Done
1464	Statement: usable at 320 pixels wide	StatementPage.tsx	Claude	P1		Done
1465	Statement: every control named for screen readers, in a logical focus order	StatementPage.tsx	Claude	P1		Done
1466	Statement: contrast of every text and control checked	StatementPage.tsx	Claude	P1		Done
1467	Statement: screen view and main action recorded, with no personal data in the events	StatementPage.tsx	Claude	P2		Done
1468	Statement: component test of every state	StatementPage.tsx	Claude	P1	24	Open
1469	Statement: end to end test of its main path	StatementPage.tsx	Claude	P1	24	Open
1470	Statement: visual regression snapshot at three widths	StatementPage.tsx	Claude	P2	57	Open
1471	Statement: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	StatementPage.tsx	Claude	P1		Done
1472	Credit report: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	CreditPage.tsx	Claude	P1	24	Open
1473	Credit report: loading skeleton in the final layout, never a full screen spinner	CreditPage.tsx	Claude	P1	24	Open
1474	Credit report: error state with the reason in plain words and a retry	CreditPage.tsx	Claude	P1	24	Open
1475	Credit report: offline state showing the last data held and when it was fetched, with actions disabled	CreditPage.tsx	Claude	P1	24	Open
1476	Credit report: deep link restores the screen with its state	CreditPage.tsx	Claude	P1		Done
1477	Credit report: not found and no access states, each with a route back	CreditPage.tsx	Claude	P1	24	Open

#	Item	Where	Owner	Pri	Phase	Status
1478	Credit report: checked in dark mode, with no hard coded white or black	CreditPage.tsx	Claude	P1		Done
1479	Credit report: Urdu text for every string, by a translator	CreditPage.tsx	Translator	P1	H4	Open
1480	Credit report: right to left layout checked with the Urdu text	CreditPage.tsx	Claude	P1	24	Open
1481	Credit report: usable at the largest system text size, with nothing cut off	CreditPage.tsx	Claude	P1		Done
1482	Credit report: usable at 320 pixels wide	CreditPage.tsx	Claude	P1		Done
1483	Credit report: every control named for screen readers, in a logical focus order	CreditPage.tsx	Claude	P1		Done
1484	Credit report: contrast of every text and control checked	CreditPage.tsx	Claude	P1		Done
1485	Credit report: screen view and main action recorded, with no personal data in the events	CreditPage.tsx	Claude	P2		Done
1486	Credit report: component test of every state	CreditPage.tsx	Claude	P1	24	Open
1487	Credit report: end to end test of its main path	CreditPage.tsx	Claude	P1	24	Open
1488	Credit report: visual regression snapshot at three widths	CreditPage.tsx	Claude	P2	57	Open
1489	Credit report: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	CreditPage.tsx	Claude	P1		Done
1490	Account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	ProfilePage.tsx	Claude	P1	24	Open
1491	Account: deep link opens it directly	ProfilePage.tsx	Claude	P1		Done
1492	Account: checked in dark mode, with no hard coded white or black	ProfilePage.tsx	Claude	P1		Done
1493	Account: Urdu text for every string, by a translator	ProfilePage.tsx	Translator	P1	H4	Open
1494	Account: right to left layout checked with the Urdu text	ProfilePage.tsx	Claude	P1	24	Open
1495	Account: usable at the largest system text size, with nothing cut off	ProfilePage.tsx	Claude	P1		Done
1496	Account: usable at 320 pixels wide	ProfilePage.tsx	Claude	P1		Done
1497	Account: every control named for screen readers, in a logical focus order	ProfilePage.tsx	Claude	P1		Done
1498	Account: contrast of every text and control checked	ProfilePage.tsx	Claude	P1		Done
1499	Account: screen view and main action recorded, with no personal data in the events	ProfilePage.tsx	Claude	P2		Done
1500	Account: visual regression snapshot at three widths	ProfilePage.tsx	Claude	P2	57	Open
1501	Account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	ProfilePage.tsx	Claude	P1		Done
1502	Settings: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	SettingsPage.tsx	Claude	P1	24	Open
1503	Settings: deep link opens it directly	SettingsPage.tsx	Claude	P1		Done
1504	Settings: checked in dark mode, with no hard coded white or black	SettingsPage.tsx	Claude	P1		Done
1505	Settings: Urdu text for every string, by a translator	SettingsPage.tsx	Translator	P1	H4	Open
1506	Settings: right to left layout checked with the Urdu text	SettingsPage.tsx	Claude	P1	24	Open
1507	Settings: usable at the largest system text size, with nothing cut off	SettingsPage.tsx	Claude	P1		Done
1508	Settings: usable at 320 pixels wide	SettingsPage.tsx	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
1509	Settings: every control named for screen readers, in a logical focus order	SettingsPage.tsx	Claude	P1		Done
1510	Settings: contrast of every text and control checked	SettingsPage.tsx	Claude	P1		Done
1511	Settings: screen view and main action recorded, with no personal data in the events	SettingsPage.tsx	Claude	P2		Done
1512	Settings: visual regression snapshot at three widths	SettingsPage.tsx	Claude	P2	57	Open
1513	Settings: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	SettingsPage.tsx	Claude	P1		Done
1514	Appearance: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	AppearancePage.tsx	Claude	P2	57	Open
1515	Appearance: each field checked as it is typed, with one specific message under the field (fields in section AD)	AppearancePage.tsx	Claude	P2	57	Open
1516	Appearance: submitting state: the button busy and a second tap ignored	AppearancePage.tsx	Claude	P2	57	Open
1517	Appearance: a refusal from the server shown with the reason and what to change	AppearancePage.tsx	Claude	P2	57	Open
1518	Appearance: offline: submission held back with a message, and entered data kept	AppearancePage.tsx	Claude	P2	57	Open
1519	Appearance: the keyboard never hides the focused field or the main button	AppearancePage.tsx	Claude	P2	57	Open
1520	Appearance: leaving with unsaved changes asks for confirmation	AppearancePage.tsx	Claude	P2	57	Open
1521	Appearance: success state stating what happened and what comes next	AppearancePage.tsx	Claude	P2	57	Open
1522	Appearance: checked in dark mode, with no hard coded white or black	AppearancePage.tsx	Claude	P2		Done
1523	Appearance: Urdu text for every string, by a translator	AppearancePage.tsx	Translator	P2	H4	Open
1524	Appearance: right to left layout checked with the Urdu text	AppearancePage.tsx	Claude	P2	57	Open
1525	Appearance: usable at the largest system text size, with nothing cut off	AppearancePage.tsx	Claude	P2		Done
1526	Appearance: usable at 320 pixels wide	AppearancePage.tsx	Claude	P2		Done
1527	Appearance: every control named for screen readers, in a logical focus order	AppearancePage.tsx	Claude	P2		Done
1528	Appearance: contrast of every text and control checked	AppearancePage.tsx	Claude	P2		Done
1529	Appearance: screen view and main action recorded, with no personal data in the events	AppearancePage.tsx	Claude	P2		Done
1530	Appearance: component test of every state	AppearancePage.tsx	Claude	P2	57	Open
1531	Appearance: end to end test of its main path	AppearancePage.tsx	Claude	P2	57	Open
1532	Appearance: visual regression snapshot at three widths	AppearancePage.tsx	Claude	P2	57	Open
1533	Appearance: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	AppearancePage.tsx	Claude	P2		Done
1534	Devices: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	DevicesPage.tsx	Claude	P0	3	Open
1535	Devices: loading skeleton in the final layout, never a full screen spinner	DevicesPage.tsx	Claude	P0	3	Open
1536	Devices: error state with the reason in plain words and a retry	DevicesPage.tsx	Claude	P0	3	Open
1537	Devices: offline state showing the last data held and when it was fetched, with actions disabled	DevicesPage.tsx	Claude	P0	4	Open
1538	Devices: deep link restores the screen with its state	DevicesPage.tsx	Claude	P0		Done
1539	Devices: pull to refresh	DevicesPage.tsx	Claude	P0	4	Open

#	Item	Where	Owner	Pri	Phase	Status
1540	Devices: empty state: only this device	DevicesPage.tsx	Claude	P0	4	Open
1541	Devices: pages loaded as the member scrolls, with an end of list marker	DevicesPage.tsx	Claude	P0	4	Open
1542	Devices: checked in dark mode, with no hard coded white or black	DevicesPage.tsx	Claude	P0		Done
1543	Devices: Urdu text for every string, by a translator	DevicesPage.tsx	Translator	P0	H4	Open
1544	Devices: right to left layout checked with the Urdu text	DevicesPage.tsx	Claude	P0	4	Open
1545	Devices: usable at the largest system text size, with nothing cut off	DevicesPage.tsx	Claude	P0		Done
1546	Devices: usable at 320 pixels wide	DevicesPage.tsx	Claude	P0		Done
1547	Devices: every control named for screen readers, in a logical focus order	DevicesPage.tsx	Claude	P0		Done
1548	Devices: contrast of every text and control checked	DevicesPage.tsx	Claude	P0		Done
1549	Devices: screen view and main action recorded, with no personal data in the events	DevicesPage.tsx	Claude	P2		Done
1550	Devices: component test of every state	DevicesPage.tsx	Claude	P0	4	Open
1551	Devices: end to end test of its main path	DevicesPage.tsx	Claude	P0	4	Open
1552	Devices: visual regression snapshot at three widths	DevicesPage.tsx	Claude	P2	57	Open
1553	Devices: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	DevicesPage.tsx	Claude	P0		Done
1554	Limits: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	LimitsPage.tsx	Claude	P2	57	Open
1555	Limits: loading skeleton in the final layout, never a full screen spinner	LimitsPage.tsx	Claude	P2	57	Open
1556	Limits: error state with the reason in plain words and a retry	LimitsPage.tsx	Claude	P2	57	Open
1557	Limits: offline state showing the last data held and when it was fetched, with actions disabled	LimitsPage.tsx	Claude	P2	58	Open
1558	Limits: deep link restores the screen with its state	LimitsPage.tsx	Claude	P2		Done
1559	Limits: not found and no access states, each with a route back	LimitsPage.tsx	Claude	P2	58	Open
1560	Limits: checked in dark mode, with no hard coded white or black	LimitsPage.tsx	Claude	P2		Done
1561	Limits: Urdu text for every string, by a translator	LimitsPage.tsx	Translator	P2	H4	Open
1562	Limits: right to left layout checked with the Urdu text	LimitsPage.tsx	Claude	P2	58	Open
1563	Limits: usable at the largest system text size, with nothing cut off	LimitsPage.tsx	Claude	P2		Done
1564	Limits: usable at 320 pixels wide	LimitsPage.tsx	Claude	P2		Done
1565	Limits: every control named for screen readers, in a logical focus order	LimitsPage.tsx	Claude	P2		Done
1566	Limits: contrast of every text and control checked	LimitsPage.tsx	Claude	P2		Done
1567	Limits: screen view and main action recorded, with no personal data in the events	LimitsPage.tsx	Claude	P2		Done
1568	Limits: component test of every state	LimitsPage.tsx	Claude	P2	58	Open
1569	Limits: end to end test of its main path	LimitsPage.tsx	Claude	P2	58	Open
1570	Limits: visual regression snapshot at three widths	LimitsPage.tsx	Claude	P2	58	Open

#	Item	Where	Owner	Pri	Phase	Status
1571	Limits: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	LimitsPage.tsx	Claude	P2		Done
1572	Fees: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	FeesPage.tsx	Claude	P0	4	Open
1573	Fees: deep link opens it directly	FeesPage.tsx	Claude	P0		Done
1574	Fees: checked in dark mode, with no hard coded white or black	FeesPage.tsx	Claude	P0		Done
1575	Fees: Urdu text for every string, by a translator	FeesPage.tsx	Translator	P0	H4	Open
1576	Fees: right to left layout checked with the Urdu text	FeesPage.tsx	Claude	P0	4	Open
1577	Fees: usable at the largest system text size, with nothing cut off	FeesPage.tsx	Claude	P0		Done
1578	Fees: usable at 320 pixels wide	FeesPage.tsx	Claude	P0		Done
1579	Fees: every control named for screen readers, in a logical focus order	FeesPage.tsx	Claude	P0		Done
1580	Fees: contrast of every text and control checked	FeesPage.tsx	Claude	P0		Done
1581	Fees: screen view and main action recorded, with no personal data in the events	FeesPage.tsx	Claude	P2		Done
1582	Fees: visual regression snapshot at three widths	FeesPage.tsx	Claude	P2	58	Open
1583	Fees: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	FeesPage.tsx	Claude	P0		Done
1584	Payment methods: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	CardsPage.tsx	Claude	P1	24	Open
1585	Payment methods: loading skeleton in the final layout, never a full screen spinner	CardsPage.tsx	Claude	P1	24	Open
1586	Payment methods: error state with the reason in plain words and a retry	CardsPage.tsx	Claude	P1	24	Open
1587	Payment methods: offline state showing the last data held and when it was fetched, with actions disabled	CardsPage.tsx	Claude	P1	24	Open
1588	Payment methods: deep link restores the screen with its state	CardsPage.tsx	Claude	P1		Done
1589	Payment methods: pull to refresh	CardsPage.tsx	Claude	P1	24	Open
1590	Payment methods: empty state: no payment method: Add a bank account or wallet	CardsPage.tsx	Claude	P1	24	Open
1591	Payment methods: pages loaded as the member scrolls, with an end of list marker	CardsPage.tsx	Claude	P1	24	Open
1592	Payment methods: checked in dark mode, with no hard coded white or black	CardsPage.tsx	Claude	P1		Done
1593	Payment methods: Urdu text for every string, by a translator	CardsPage.tsx	Translator	P1	H4	Open
1594	Payment methods: right to left layout checked with the Urdu text	CardsPage.tsx	Claude	P1	24	Open
1595	Payment methods: usable at the largest system text size, with nothing cut off	CardsPage.tsx	Claude	P1		Done
1596	Payment methods: usable at 320 pixels wide	CardsPage.tsx	Claude	P1		Done
1597	Payment methods: every control named for screen readers, in a logical focus order	CardsPage.tsx	Claude	P1		Done
1598	Payment methods: contrast of every text and control checked	CardsPage.tsx	Claude	P1		Done
1599	Payment methods: screen view and main action recorded, with no personal data in the events	CardsPage.tsx	Claude	P2		Done
1600	Payment methods: component test of every state	CardsPage.tsx	Claude	P1	24	Open
1601	Payment methods: end to end test of its main path	CardsPage.tsx	Claude	P1	24	Open

#	Item	Where	Owner	Pri	Phase	Status
1602	Payment methods: visual regression snapshot at three widths	CardsPage.tsx	Claude	P2	58	Open
1603	Payment methods: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	CardsPage.tsx	Claude	P1		Done
1604	Auto-pay: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	AutoPayPage.tsx	Claude	P1	24	Open
1605	Auto-pay: loading skeleton in the final layout, never a full screen spinner	AutoPayPage.tsx	Claude	P1	24	Open
1606	Auto-pay: error state with the reason in plain words and a retry	AutoPayPage.tsx	Claude	P1	24	Open
1607	Auto-pay: offline state showing the last data held and when it was fetched, with actions disabled	AutoPayPage.tsx	Claude	P1	24	Open
1608	Auto-pay: deep link restores the screen with its state	AutoPayPage.tsx	Claude	P1		Done
1609	Auto-pay: not found and no access states, each with a route back	AutoPayPage.tsx	Claude	P1	24	Open
1610	Auto-pay: checked in dark mode, with no hard coded white or black	AutoPayPage.tsx	Claude	P1		Done
1611	Auto-pay: Urdu text for every string, by a translator	AutoPayPage.tsx	Translator	P1	H4	Open
1612	Auto-pay: right to left layout checked with the Urdu text	AutoPayPage.tsx	Claude	P1	24	Open
1613	Auto-pay: usable at the largest system text size, with nothing cut off	AutoPayPage.tsx	Claude	P1		Done
1614	Auto-pay: usable at 320 pixels wide	AutoPayPage.tsx	Claude	P1		Done
1615	Auto-pay: every control named for screen readers, in a logical focus order	AutoPayPage.tsx	Claude	P1		Done
1616	Auto-pay: contrast of every text and control checked	AutoPayPage.tsx	Claude	P1		Done
1617	Auto-pay: screen view and main action recorded, with no personal data in the events	AutoPayPage.tsx	Claude	P2		Done
1618	Auto-pay: component test of every state	AutoPayPage.tsx	Claude	P1	24	Open
1619	Auto-pay: end to end test of its main path	AutoPayPage.tsx	Claude	P1	24	Open
1620	Auto-pay: visual regression snapshot at three widths	AutoPayPage.tsx	Claude	P2	58	Open
1621	Auto-pay: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	AutoPayPage.tsx	Claude	P1		Done
1622	Verification: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	VerifyPage.tsx	Claude	P1	24	Open
1623	Verification: loading skeleton in the final layout, never a full screen spinner	VerifyPage.tsx	Claude	P1	24	Open
1624	Verification: error state with the reason in plain words and a retry	VerifyPage.tsx	Claude	P1	24	Open
1625	Verification: offline state showing the last data held and when it was fetched, with actions disabled	VerifyPage.tsx	Claude	P1	24	Open
1626	Verification: deep link restores the screen with its state	VerifyPage.tsx	Claude	P1		Done
1627	Verification: not found and no access states, each with a route back	VerifyPage.tsx	Claude	P1	24	Open
1628	Verification: checked in dark mode, with no hard coded white or black	VerifyPage.tsx	Claude	P1		Done
1629	Verification: Urdu text for every string, by a translator	VerifyPage.tsx	Translator	P1	H4	Open
1630	Verification: right to left layout checked with the Urdu text	VerifyPage.tsx	Claude	P1	24	Open
1631	Verification: usable at the largest system text size, with nothing cut off	VerifyPage.tsx	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
1632	Verification: usable at 320 pixels wide	VerifyPage.tsx	Claude	P1		Done
1633	Verification: every control named for screen readers, in a logical focus order	VerifyPage.tsx	Claude	P1		Done
1634	Verification: contrast of every text and control checked	VerifyPage.tsx	Claude	P1		Done
1635	Verification: screen view and main action recorded, with no personal data in the events	VerifyPage.tsx	Claude	P2		Done
1636	Verification: component test of every state	VerifyPage.tsx	Claude	P1	24	Open
1637	Verification: end to end test of its main path	VerifyPage.tsx	Claude	P1	24	Open
1638	Verification: visual regression snapshot at three widths	VerifyPage.tsx	Claude	P2	58	Open
1639	Verification: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	VerifyPage.tsx	Claude	P1		Done
1640	Rewards: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	RewardsPage.tsx	Claude	P2	58	Open
1641	Rewards: loading skeleton in the final layout, never a full screen spinner	RewardsPage.tsx	Claude	P2	58	Open
1642	Rewards: error state with the reason in plain words and a retry	RewardsPage.tsx	Claude	P2	58	Open
1643	Rewards: offline state showing the last data held and when it was fetched, with actions disabled	RewardsPage.tsx	Claude	P2	58	Open
1644	Rewards: deep link restores the screen with its state	RewardsPage.tsx	Claude	P2		Done
1645	Rewards: not found and no access states, each with a route back	RewardsPage.tsx	Claude	P2	58	Open
1646	Rewards: checked in dark mode, with no hard coded white or black	RewardsPage.tsx	Claude	P2		Done
1647	Rewards: Urdu text for every string, by a translator	RewardsPage.tsx	Translator	P2	H4	Open
1648	Rewards: right to left layout checked with the Urdu text	RewardsPage.tsx	Claude	P2	58	Open
1649	Rewards: usable at the largest system text size, with nothing cut off	RewardsPage.tsx	Claude	P2		Done
1650	Rewards: usable at 320 pixels wide	RewardsPage.tsx	Claude	P2		Done
1651	Rewards: every control named for screen readers, in a logical focus order	RewardsPage.tsx	Claude	P2		Done
1652	Rewards: contrast of every text and control checked	RewardsPage.tsx	Claude	P2		Done
1653	Rewards: screen view and main action recorded, with no personal data in the events	RewardsPage.tsx	Claude	P2		Done
1654	Rewards: component test of every state	RewardsPage.tsx	Claude	P2	58	Open
1655	Rewards: end to end test of its main path	RewardsPage.tsx	Claude	P2	58	Open
1656	Rewards: visual regression snapshot at three widths	RewardsPage.tsx	Claude	P2	58	Open
1657	Rewards: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	RewardsPage.tsx	Claude	P2		Done
1658	Invite: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	ReferPage.tsx	Claude	P2	58	Open
1659	Invite: deep link opens it directly	ReferPage.tsx	Claude	P2		Done
1660	Invite: share text in English and Urdu, with no emoji	ReferPage.tsx	Claude	P2	58	Open
1661	Invite: checked in dark mode, with no hard coded white or black	ReferPage.tsx	Claude	P2		Done
1662	Invite: Urdu text for every string, by a translator	ReferPage.tsx	Translator	P2	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
1663	Invite: right to left layout checked with the Urdu text	ReferPage.tsx	Claude	P2	58	Open
1664	Invite: usable at the largest system text size, with nothing cut off	ReferPage.tsx	Claude	P2		Done
1665	Invite: usable at 320 pixels wide	ReferPage.tsx	Claude	P2		Done
1666	Invite: every control named for screen readers, in a logical focus order	ReferPage.tsx	Claude	P2		Done
1667	Invite: contrast of every text and control checked	ReferPage.tsx	Claude	P2		Done
1668	Invite: screen view and main action recorded, with no personal data in the events	ReferPage.tsx	Claude	P2		Done
1669	Invite: visual regression snapshot at three widths	ReferPage.tsx	Claude	P2	58	Open
1670	Invite: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	ReferPage.tsx	Claude	P2		Done
1671	Notifications: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	NoticesPage.tsx	Claude	P1	24	Open
1672	Notifications: loading skeleton in the final layout, never a full screen spinner	NoticesPage.tsx	Claude	P1	24	Open
1673	Notifications: error state with the reason in plain words and a retry	NoticesPage.tsx	Claude	P1	24	Open
1674	Notifications: offline state showing the last data held and when it was fetched, with actions disabled	NoticesPage.tsx	Claude	P1	24	Open
1675	Notifications: deep link restores the screen with its state	NoticesPage.tsx	Claude	P1		Done
1676	Notifications: pull to refresh	NoticesPage.tsx	Claude	P1	24	Open
1677	Notifications: empty state: no notifications	NoticesPage.tsx	Claude	P1	24	Open
1678	Notifications: pages loaded as the member scrolls, with an end of list marker	NoticesPage.tsx	Claude	P1	24	Open
1679	Notifications: checked in dark mode, with no hard coded white or black	NoticesPage.tsx	Claude	P1		Done
1680	Notifications: Urdu text for every string, by a translator	NoticesPage.tsx	Translator	P1	H4	Open
1681	Notifications: right to left layout checked with the Urdu text	NoticesPage.tsx	Claude	P1	24	Open
1682	Notifications: usable at the largest system text size, with nothing cut off	NoticesPage.tsx	Claude	P1		Done
1683	Notifications: usable at 320 pixels wide	NoticesPage.tsx	Claude	P1		Done
1684	Notifications: every control named for screen readers, in a logical focus order	NoticesPage.tsx	Claude	P1		Done
1685	Notifications: contrast of every text and control checked	NoticesPage.tsx	Claude	P1		Done
1686	Notifications: screen view and main action recorded, with no personal data in the events	NoticesPage.tsx	Claude	P2		Done
1687	Notifications: component test of every state	NoticesPage.tsx	Claude	P1	24	Open
1688	Notifications: end to end test of its main path	NoticesPage.tsx	Claude	P1	24	Open
1689	Notifications: visual regression snapshot at three widths	NoticesPage.tsx	Claude	P2	58	Open
1690	Notifications: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	NoticesPage.tsx	Claude	P1		Done
1691	Support: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	SupportPage.tsx	Claude	P1	24	Open
1692	Support: loading skeleton in the final layout, never a full screen spinner	SupportPage.tsx	Claude	P1	24	Open
1693	Support: error state with the reason in plain words and a retry	SupportPage.tsx	Claude	P1	24	Open

#	Item	Where	Owner	Pri	Phase	Status
1694	Support: offline state showing the last data held and when it was fetched, with actions disabled	SupportPage.tsx	Claude	P1	24	Open
1695	Support: deep link restores the screen with its state	SupportPage.tsx	Claude	P1		Done
1696	Support: pull to refresh	SupportPage.tsx	Claude	P1	24	Open
1697	Support: empty state: no requests: Contact support	SupportPage.tsx	Claude	P1	24	Open
1698	Support: pages loaded as the member scrolls, with an end of list marker	SupportPage.tsx	Claude	P1	24	Open
1699	Support: checked in dark mode, with no hard coded white or black	SupportPage.tsx	Claude	P1		Done
1700	Support: Urdu text for every string, by a translator	SupportPage.tsx	Translator	P1	H4	Open
1701	Support: right to left layout checked with the Urdu text	SupportPage.tsx	Claude	P1	24	Open
1702	Support: usable at the largest system text size, with nothing cut off	SupportPage.tsx	Claude	P1		Done
1703	Support: usable at 320 pixels wide	SupportPage.tsx	Claude	P1		Done
1704	Support: every control named for screen readers, in a logical focus order	SupportPage.tsx	Claude	P1		Done
1705	Support: contrast of every text and control checked	SupportPage.tsx	Claude	P1		Done
1706	Support: screen view and main action recorded, with no personal data in the events	SupportPage.tsx	Claude	P2		Done
1707	Support: component test of every state	SupportPage.tsx	Claude	P1	24	Open
1708	Support: end to end test of its main path	SupportPage.tsx	Claude	P1	24	Open
1709	Support: visual regression snapshot at three widths	SupportPage.tsx	Claude	P2	58	Open
1710	Support: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	SupportPage.tsx	Claude	P1		Done
1711	Search: loading skeleton in the final layout, never a full screen spinner	SearchPage.tsx	Claude	P2	58	Open
1712	Search: error state with the reason in plain words and a retry	SearchPage.tsx	Claude	P2	58	Open
1713	Search: offline state showing the last data held and when it was fetched, with actions disabled	SearchPage.tsx	Claude	P2	58	Open
1714	Search: deep link restores the screen with its state	SearchPage.tsx	Claude	P2		Done
1715	Search: pull to refresh	SearchPage.tsx	Claude	P2	58	Open
1716	Search: empty state: no results: what was searched and a suggestion	SearchPage.tsx	Claude	P2	58	Open
1717	Search: pages loaded as the member scrolls, with an end of list marker	SearchPage.tsx	Claude	P2	58	Open
1718	Search: checked in dark mode, with no hard coded white or black	SearchPage.tsx	Claude	P2		Done
1719	Search: Urdu text for every string, by a translator	SearchPage.tsx	Translator	P2	H4	Open
1720	Search: right to left layout checked with the Urdu text	SearchPage.tsx	Claude	P2	58	Open
1721	Search: usable at the largest system text size, with nothing cut off	SearchPage.tsx	Claude	P2		Done
1722	Search: usable at 320 pixels wide	SearchPage.tsx	Claude	P2		Done
1723	Search: every control named for screen readers, in a logical focus order	SearchPage.tsx	Claude	P2		Done
1724	Search: contrast of every text and control checked	SearchPage.tsx	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
1725	Search: screen view and main action recorded, with no personal data in the events	SearchPage.tsx	Claude	P2		Done
1726	Search: component test of every state	SearchPage.tsx	Claude	P2	58	Open
1727	Search: end to end test of its main path	SearchPage.tsx	Claude	P2	58	Open
1728	Search: visual regression snapshot at three widths	SearchPage.tsx	Claude	P2	58	Open
1729	Search: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	SearchPage.tsx	Claude	P2		Done
1730	Hyper: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	HyperPage.tsx	Claude	P2	58	Open
1731	Hyper: labelled Experimental at the top	HyperPage.tsx	Claude	P2	58	Open
1732	Hyper: loading skeleton in the final layout, never a full screen spinner	HyperPage.tsx	Claude	P2	58	Open
1733	Hyper: error state with the reason in plain words and a retry	HyperPage.tsx	Claude	P2	58	Open
1734	Hyper: offline state showing the last data held and when it was fetched, with actions disabled	HyperPage.tsx	Claude	P2	58	Open
1735	Hyper: deep link restores the screen with its state	HyperPage.tsx	Claude	P2		Done
1736	Hyper: not found and no access states, each with a route back	HyperPage.tsx	Claude	P2	58	Open
1737	Hyper: checked in dark mode, with no hard coded white or black	HyperPage.tsx	Claude	P2		Done
1738	Hyper: Urdu text for every string, by a translator	HyperPage.tsx	Translator	P2	H4	Open
1739	Hyper: right to left layout checked with the Urdu text	HyperPage.tsx	Claude	P2	58	Open
1740	Hyper: usable at the largest system text size, with nothing cut off	HyperPage.tsx	Claude	P2		Done
1741	Hyper: usable at 320 pixels wide	HyperPage.tsx	Claude	P2		Done
1742	Hyper: every control named for screen readers, in a logical focus order	HyperPage.tsx	Claude	P2		Done
1743	Hyper: contrast of every text and control checked	HyperPage.tsx	Claude	P2		Done
1744	Hyper: screen view and main action recorded, with no personal data in the events	HyperPage.tsx	Claude	P2		Done
1745	Hyper: component test of every state	HyperPage.tsx	Claude	P2	58	Open
1746	Hyper: end to end test of its main path	HyperPage.tsx	Claude	P2	58	Open
1747	Hyper: visual regression snapshot at three widths	HyperPage.tsx	Claude	P2	58	Open
1748	Hyper: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	HyperPage.tsx	Claude	P2		Done
1749	Turn market: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	MarketplacePage.tsx	Claude	P2	58	Open
1750	Turn market: loading skeleton in the final layout, never a full screen spinner	MarketplacePage.tsx	Claude	P2	58	Open
1751	Turn market: error state with the reason in plain words and a retry	MarketplacePage.tsx	Claude	P2	58	Open
1752	Turn market: offline state showing the last data held and when it was fetched, with actions disabled	MarketplacePage.tsx	Claude	P2	58	Open
1753	Turn market: deep link restores the screen with its state	MarketplacePage.tsx	Claude	P2		Done
1754	Turn market: pull to refresh	MarketplacePage.tsx	Claude	P2	58	Open
1755	Turn market: empty state: no turns listed in the member's circles	MarketplacePage.tsx	Claude	P2	58	Open

#	Item	Where	Owner	Pri	Phase	Status
1756	Turn market: pages loaded as the member scrolls, with an end of list marker	MarketplacePage.tsx	Claude	P2	58	Open
1757	Turn market: checked in dark mode, with no hard coded white or black	MarketplacePage.tsx	Claude	P2		Done
1758	Turn market: Urdu text for every string, by a translator	MarketplacePage.tsx	Translator	P2	H4	Open
1759	Turn market: right to left layout checked with the Urdu text	MarketplacePage.tsx	Claude	P2	58	Open
1760	Turn market: usable at the largest system text size, with nothing cut off	MarketplacePage.tsx	Claude	P2		Done
1761	Turn market: usable at 320 pixels wide	MarketplacePage.tsx	Claude	P2		Done
1762	Turn market: every control named for screen readers, in a logical focus order	MarketplacePage.tsx	Claude	P2		Done
1763	Turn market: contrast of every text and control checked	MarketplacePage.tsx	Claude	P2		Done
1764	Turn market: screen view and main action recorded, with no personal data in the events	MarketplacePage.tsx	Claude	P2		Done
1765	Turn market: component test of every state	MarketplacePage.tsx	Claude	P2	58	Open
1766	Turn market: end to end test of its main path	MarketplacePage.tsx	Claude	P2	58	Open
1767	Turn market: visual regression snapshot at three widths	MarketplacePage.tsx	Claude	P2	58	Open
1768	Turn market: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	MarketplacePage.tsx	Claude	P2		Done
1769	About: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	AboutPage.tsx	Claude	P2	58	Open
1770	About: deep link opens it directly	AboutPage.tsx	Claude	P2		Done
1771	About: checked in dark mode, with no hard coded white or black	AboutPage.tsx	Claude	P2		Done
1772	About: Urdu text for every string, by a translator	AboutPage.tsx	Translator	P2	H4	Open
1773	About: right to left layout checked with the Urdu text	AboutPage.tsx	Claude	P2	58	Open
1774	About: usable at the largest system text size, with nothing cut off	AboutPage.tsx	Claude	P2		Done
1775	About: usable at 320 pixels wide	AboutPage.tsx	Claude	P2		Done
1776	About: every control named for screen readers, in a logical focus order	AboutPage.tsx	Claude	P2		Done
1777	About: contrast of every text and control checked	AboutPage.tsx	Claude	P2		Done
1778	About: screen view and main action recorded, with no personal data in the events	AboutPage.tsx	Claude	P2		Done
1779	About: visual regression snapshot at three widths	AboutPage.tsx	Claude	P2	58	Open
1780	About: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	AboutPage.tsx	Claude	P2		Done
1781	Sign in: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	AuthPage.tsx	Claude	P0	4	Open
1782	Sign in: each field checked as it is typed, with one specific message under the field (fields in section AD)	AuthPage.tsx	Claude	P0	4	Open
1783	Sign in: submitting state: the button busy and a second tap ignored	AuthPage.tsx	Claude	P0	4	Open
1784	Sign in: a refusal from the server shown with the reason and what to change	AuthPage.tsx	Claude	P0	4	Open
1785	Sign in: offline: submission held back with a message, and entered data kept	AuthPage.tsx	Claude	P0	4	Open
1786	Sign in: the keyboard never hides the focused field or the main button	AuthPage.tsx	Claude	P0	4	Open

#	Item	Where	Owner	Pri	Phase	Status
1787	Sign in: leaving with unsaved changes asks for confirmation	AuthPage.tsx	Claude	P0	4	Open
1788	Sign in: success state stating what happened and what comes next	AuthPage.tsx	Claude	P0	4	Open
1789	Sign in: checked in dark mode, with no hard coded white or black	AuthPage.tsx	Claude	P0		Done
1790	Sign in: Urdu text for every string, by a translator	AuthPage.tsx	Translator	P0	H4	Open
1791	Sign in: right to left layout checked with the Urdu text	AuthPage.tsx	Claude	P0	4	Open
1792	Sign in: usable at the largest system text size, with nothing cut off	AuthPage.tsx	Claude	P0		Done
1793	Sign in: usable at 320 pixels wide	AuthPage.tsx	Claude	P0		Done
1794	Sign in: every control named for screen readers, in a logical focus order	AuthPage.tsx	Claude	P0		Done
1795	Sign in: contrast of every text and control checked	AuthPage.tsx	Claude	P0		Done
1796	Sign in: screen view and main action recorded, with no personal data in the events	AuthPage.tsx	Claude	P2		Done
1797	Sign in: component test of every state	AuthPage.tsx	Claude	P0	4	Open
1798	Sign in: end to end test of its main path	AuthPage.tsx	Claude	P0	4	Open
1799	Sign in: visual regression snapshot at three widths	AuthPage.tsx	Claude	P2	58	Open
1800	Sign in: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	AuthPage.tsx	Claude	P0		Done
1801	Vault: no states are built; the screen is withdrawn and its route removed (D12)	VaultPage.tsx	Claude	P0	4	Open
1802	Where idle money sits (the scheme terminal of investment products): withdrawn with its route, since Halqa invests no member money	TerminalPage.tsx	Claude	P0	4	Open
1803	Save for something: kept behind its flag; states built only when the bank's financing product is agreed (D13)	AssetPage.tsx	Claude	P3	79	Open

AC2. Missing Screens: Onboarding

#	Item	Where	Owner	Pri	Phase	Status
1804	Welcome: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	4	Open
1805	Welcome: deep link opens it directly	new page	Claude	P0	4	Open
1806	Welcome: checked in dark mode, with no hard coded white or black	new page	Claude	P0	4	Open
1807	Welcome: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
1808	Welcome: right to left layout checked with the Urdu text	new page	Claude	P0	4	Open
1809	Welcome: usable at the largest system text size, with nothing cut off	new page	Claude	P0	4	Open
1810	Welcome: usable at 320 pixels wide	new page	Claude	P0	4	Open
1811	Welcome: every control named for screen readers, in a logical focus order	new page	Claude	P0	4	Open
1812	Welcome: contrast of every text and control checked	new page	Claude	P0	4	Open
1813	Welcome: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
1814	Welcome: visual regression snapshot at three widths	new page	Claude	P2	58	Open

#	Item	Where	Owner	Pri	Phase	Status
1815	Welcome: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	4	Open
1816	Phone number entry: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	4	Open
1817	Phone number entry: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	4	Open
1818	Phone number entry: submitting state: the button busy and a second tap ignored	new page	Claude	P0	4	Open
1819	Phone number entry: a refusal from the server shown with the reason and what to change	new page	Claude	P0	4	Open
1820	Phone number entry: offline: submission held back with a message, and entered data kept	new page	Claude	P0	4	Open
1821	Phone number entry: the keyboard never hides the focused field or the main button	new page	Claude	P0	4	Open
1822	Phone number entry: leaving with unsaved changes asks for confirmation	new page	Claude	P0	4	Open
1823	Phone number entry: success state stating what happened and what comes next	new page	Claude	P0	4	Open
1824	Phone number entry: checked in dark mode, with no hard coded white or black	new page	Claude	P0	4	Open
1825	Phone number entry: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
1826	Phone number entry: right to left layout checked with the Urdu text	new page	Claude	P0	4	Open
1827	Phone number entry: usable at the largest system text size, with nothing cut off	new page	Claude	P0	4	Open
1828	Phone number entry: usable at 320 pixels wide	new page	Claude	P0	4	Open
1829	Phone number entry: every control named for screen readers, in a logical focus order	new page	Claude	P0	4	Open
1830	Phone number entry: contrast of every text and control checked	new page	Claude	P0	4	Open
1831	Phone number entry: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
1832	Phone number entry: component test of every state	new page	Claude	P0	4	Open
1833	Phone number entry: end to end test of its main path	new page	Claude	P0	4	Open
1834	Phone number entry: visual regression snapshot at three widths	new page	Claude	P2	58	Open
1835	Phone number entry: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	4	Open
1836	Passcode entry: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	4	Open
1837	Passcode entry: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	4	Open
1838	Passcode entry: submitting state: the button busy and a second tap ignored	new page	Claude	P0	4	Open
1839	Passcode entry: a refusal from the server shown with the reason and what to change	new page	Claude	P0	4	Open
1840	Passcode entry: offline: submission held back with a message, and entered data kept	new page	Claude	P0	4	Open
1841	Passcode entry: the keyboard never hides the focused field or the main button	new page	Claude	P0	4	Open
1842	Passcode entry: leaving with unsaved changes asks for confirmation	new page	Claude	P0	4	Open
1843	Passcode entry: success state stating what happened and what comes next	new page	Claude	P0	4	Open

#	Item	Where	Owner	Pri	Phase	Status
1844	Passcode entry: checked in dark mode, with no hard coded white or black	new page	Claude	P0	4	Open
1845	Passcode entry: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
1846	Passcode entry: right to left layout checked with the Urdu text	new page	Claude	P0	4	Open
1847	Passcode entry: usable at the largest system text size, with nothing cut off	new page	Claude	P0	4	Open
1848	Passcode entry: usable at 320 pixels wide	new page	Claude	P0	4	Open
1849	Passcode entry: every control named for screen readers, in a logical focus order	new page	Claude	P0	4	Open
1850	Passcode entry: contrast of every text and control checked	new page	Claude	P0	4	Open
1851	Passcode entry: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
1852	Passcode entry: component test of every state	new page	Claude	P0	4	Open
1853	Passcode entry: end to end test of its main path	new page	Claude	P0	4	Open
1854	Passcode entry: visual regression snapshot at three widths	new page	Claude	P2	58	Open
1855	Passcode entry: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	4	Open
1856	Set the application PIN: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	4	Open
1857	Set the application PIN: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	4	Open
1858	Set the application PIN: submitting state: the button busy and a second tap ignored	new page	Claude	P0	4	Open
1859	Set the application PIN: a refusal from the server shown with the reason and what to change	new page	Claude	P0	4	Open
1860	Set the application PIN: offline: submission held back with a message, and entered data kept	new page	Claude	P0	4	Open
1861	Set the application PIN: the keyboard never hides the focused field or the main button	new page	Claude	P0	4	Open
1862	Set the application PIN: leaving with unsaved changes asks for confirmation	new page	Claude	P0	4	Open
1863	Set the application PIN: success state stating what happened and what comes next	new page	Claude	P0	4	Open
1864	Set the application PIN: checked in dark mode, with no hard coded white or black	new page	Claude	P0	4	Open
1865	Set the application PIN: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
1866	Set the application PIN: right to left layout checked with the Urdu text	new page	Claude	P0	4	Open
1867	Set the application PIN: usable at the largest system text size, with nothing cut off	new page	Claude	P0	4	Open
1868	Set the application PIN: usable at 320 pixels wide	new page	Claude	P0	4	Open
1869	Set the application PIN: every control named for screen readers, in a logical focus order	new page	Claude	P0	4	Open
1870	Set the application PIN: contrast of every text and control checked	new page	Claude	P0	4	Open
1871	Set the application PIN: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
1872	Set the application PIN: component test of every state	new page	Claude	P0	4	Open

#	Item	Where	Owner	Pri	Phase	Status
1873	Set the application PIN: end to end test of its main path	new page	Claude	P0	4	Open
1874	Set the application PIN: visual regression snapshot at three widths	new page	Claude	P2	58	Open
1875	Set the application PIN: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	4	Open
1876	Confirm the application PIN: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	4	Open
1877	Confirm the application PIN: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	4	Open
1878	Confirm the application PIN: submitting state: the button busy and a second tap ignored	new page	Claude	P0	4	Open
1879	Confirm the application PIN: a refusal from the server shown with the reason and what to change	new page	Claude	P0	4	Open
1880	Confirm the application PIN: offline: submission held back with a message, and entered data kept	new page	Claude	P0	4	Open
1881	Confirm the application PIN: the keyboard never hides the focused field or the main button	new page	Claude	P0	4	Open
1882	Confirm the application PIN: leaving with unsaved changes asks for confirmation	new page	Claude	P0	4	Open
1883	Confirm the application PIN: success state stating what happened and what comes next	new page	Claude	P0	4	Open
1884	Confirm the application PIN: checked in dark mode, with no hard coded white or black	new page	Claude	P0	4	Open
1885	Confirm the application PIN: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
1886	Confirm the application PIN: right to left layout checked with the Urdu text	new page	Claude	P0	4	Open
1887	Confirm the application PIN: usable at the largest system text size, with nothing cut off	new page	Claude	P0	4	Open
1888	Confirm the application PIN: usable at 320 pixels wide	new page	Claude	P0	4	Open
1889	Confirm the application PIN: every control named for screen readers, in a logical focus order	new page	Claude	P0	4	Open
1890	Confirm the application PIN: contrast of every text and control checked	new page	Claude	P0	4	Open
1891	Confirm the application PIN: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
1892	Confirm the application PIN: component test of every state	new page	Claude	P0	4	Open
1893	Confirm the application PIN: end to end test of its main path	new page	Claude	P0	4	Open
1894	Confirm the application PIN: visual regression snapshot at three widths	new page	Claude	P2	58	Open
1895	Confirm the application PIN: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	4	Open
1896	Forgotten PIN recovery: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	4	Open
1897	Forgotten PIN recovery: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	5	Open
1898	Forgotten PIN recovery: submitting state: the button busy and a second tap ignored	new page	Claude	P0	5	Open
1899	Forgotten PIN recovery: a refusal from the server shown with the reason and what to change	new page	Claude	P0	5	Open

#	Item	Where	Owner	Pri	Phase	Status
1900	Forgotten PIN recovery: offline: submission held back with a message, and entered data kept	new page	Claude	P0	5	Open
1901	Forgotten PIN recovery: the keyboard never hides the focused field or the main button	new page	Claude	P0	5	Open
1902	Forgotten PIN recovery: leaving with unsaved changes asks for confirmation	new page	Claude	P0	5	Open
1903	Forgotten PIN recovery: success state stating what happened and what comes next	new page	Claude	P0	5	Open
1904	Forgotten PIN recovery: checked in dark mode, with no hard coded white or black	new page	Claude	P0	5	Open
1905	Forgotten PIN recovery: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
1906	Forgotten PIN recovery: right to left layout checked with the Urdu text	new page	Claude	P0	5	Open
1907	Forgotten PIN recovery: usable at the largest system text size, with nothing cut off	new page	Claude	P0	5	Open
1908	Forgotten PIN recovery: usable at 320 pixels wide	new page	Claude	P0	5	Open
1909	Forgotten PIN recovery: every control named for screen readers, in a logical focus order	new page	Claude	P0	5	Open
1910	Forgotten PIN recovery: contrast of every text and control checked	new page	Claude	P0	5	Open
1911	Forgotten PIN recovery: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
1912	Forgotten PIN recovery: component test of every state	new page	Claude	P0	5	Open
1913	Forgotten PIN recovery: end to end test of its main path	new page	Claude	P0	5	Open
1914	Forgotten PIN recovery: visual regression snapshot at three widths	new page	Claude	P2	58	Open
1915	Forgotten PIN recovery: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	5	Open
1916	Biometric enrolment offer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	24	Open
1917	Biometric enrolment offer: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	24	Open
1918	Biometric enrolment offer: submitting state: the button busy and a second tap ignored	new page	Claude	P1	24	Open
1919	Biometric enrolment offer: a refusal from the server shown with the reason and what to change	new page	Claude	P1	24	Open
1920	Biometric enrolment offer: offline: submission held back with a message, and entered data kept	new page	Claude	P1	24	Open
1921	Biometric enrolment offer: the keyboard never hides the focused field or the main button	new page	Claude	P1	24	Open
1922	Biometric enrolment offer: leaving with unsaved changes asks for confirmation	new page	Claude	P1	24	Open
1923	Biometric enrolment offer: success state stating what happened and what comes next	new page	Claude	P1	24	Open
1924	Biometric enrolment offer: checked in dark mode, with no hard coded white or black	new page	Claude	P1	24	Open
1925	Biometric enrolment offer: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
1926	Biometric enrolment offer: right to left layout checked with the Urdu text	new page	Claude	P1	24	Open
1927	Biometric enrolment offer: usable at the largest system text size, with nothing cut off	new page	Claude	P1	24	Open
1928	Biometric enrolment offer: usable at 320 pixels wide	new page	Claude	P1	24	Open

#	Item	Where	Owner	Pri	Phase	Status
1929	Biometric enrolment offer: every control named for screen readers, in a logical focus order	new page	Claude	P1	24	Open
1930	Biometric enrolment offer: contrast of every text and control checked	new page	Claude	P1	24	Open
1931	Biometric enrolment offer: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
1932	Biometric enrolment offer: component test of every state	new page	Claude	P1	24	Open
1933	Biometric enrolment offer: end to end test of its main path	new page	Claude	P1	24	Open
1934	Biometric enrolment offer: visual regression snapshot at three widths	new page	Claude	P2	58	Open
1935	Biometric enrolment offer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	24	Open
1936	Name and date of birth: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	5	Open
1937	Name and date of birth: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	5	Open
1938	Name and date of birth: submitting state: the button busy and a second tap ignored	new page	Claude	P0	5	Open
1939	Name and date of birth: a refusal from the server shown with the reason and what to change	new page	Claude	P0	5	Open
1940	Name and date of birth: offline: submission held back with a message, and entered data kept	new page	Claude	P0	5	Open
1941	Name and date of birth: the keyboard never hides the focused field or the main button	new page	Claude	P0	5	Open
1942	Name and date of birth: leaving with unsaved changes asks for confirmation	new page	Claude	P0	5	Open
1943	Name and date of birth: success state stating what happened and what comes next	new page	Claude	P0	5	Open
1944	Name and date of birth: checked in dark mode, with no hard coded white or black	new page	Claude	P0	5	Open
1945	Name and date of birth: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
1946	Name and date of birth: right to left layout checked with the Urdu text	new page	Claude	P0	5	Open
1947	Name and date of birth: usable at the largest system text size, with nothing cut off	new page	Claude	P0	5	Open
1948	Name and date of birth: usable at 320 pixels wide	new page	Claude	P0	5	Open
1949	Name and date of birth: every control named for screen readers, in a logical focus order	new page	Claude	P0	5	Open
1950	Name and date of birth: contrast of every text and control checked	new page	Claude	P0	5	Open
1951	Name and date of birth: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
1952	Name and date of birth: component test of every state	new page	Claude	P0	5	Open
1953	Name and date of birth: end to end test of its main path	new page	Claude	P0	5	Open
1954	Name and date of birth: visual regression snapshot at three widths	new page	Claude	P2	58	Open
1955	Name and date of birth: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	5	Open
1956	Address and city: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	24	Open

#	Item	Where	Owner	Pri	Phase	Status
1957	Address and city: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	24	Open
1958	Address and city: submitting state: the button busy and a second tap ignored	new page	Claude	P1	24	Open
1959	Address and city: a refusal from the server shown with the reason and what to change	new page	Claude	P1	24	Open
1960	Address and city: offline: submission held back with a message, and entered data kept	new page	Claude	P1	24	Open
1961	Address and city: the keyboard never hides the focused field or the main button	new page	Claude	P1	24	Open
1962	Address and city: leaving with unsaved changes asks for confirmation	new page	Claude	P1	24	Open
1963	Address and city: success state stating what happened and what comes next	new page	Claude	P1	24	Open
1964	Address and city: checked in dark mode, with no hard coded white or black	new page	Claude	P1	24	Open
1965	Address and city: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
1966	Address and city: right to left layout checked with the Urdu text	new page	Claude	P1	24	Open
1967	Address and city: usable at the largest system text size, with nothing cut off	new page	Claude	P1	24	Open
1968	Address and city: usable at 320 pixels wide	new page	Claude	P1	24	Open
1969	Address and city: every control named for screen readers, in a logical focus order	new page	Claude	P1	24	Open
1970	Address and city: contrast of every text and control checked	new page	Claude	P1	24	Open
1971	Address and city: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
1972	Address and city: component test of every state	new page	Claude	P1	24	Open
1973	Address and city: end to end test of its main path	new page	Claude	P1	24	Open
1974	Address and city: visual regression snapshot at three widths	new page	Claude	P2	58	Open
1975	Address and city: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	24	Open
1976	Occupation and employer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	24	Open
1977	Occupation and employer: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	24	Open
1978	Occupation and employer: submitting state: the button busy and a second tap ignored	new page	Claude	P1	24	Open
1979	Occupation and employer: a refusal from the server shown with the reason and what to change	new page	Claude	P1	25	Open
1980	Occupation and employer: offline: submission held back with a message, and entered data kept	new page	Claude	P1	25	Open
1981	Occupation and employer: the keyboard never hides the focused field or the main button	new page	Claude	P1	25	Open
1982	Occupation and employer: leaving with unsaved changes asks for confirmation	new page	Claude	P1	25	Open
1983	Occupation and employer: success state stating what happened and what comes next	new page	Claude	P1	25	Open
1984	Occupation and employer: checked in dark mode, with no hard coded white or black	new page	Claude	P1	25	Open
1985	Occupation and employer: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
1986	Occupation and employer: right to left layout checked with the Urdu text	new page	Claude	P1	25	Open
1987	Occupation and employer: usable at the largest system text size, with nothing cut off	new page	Claude	P1	25	Open
1988	Occupation and employer: usable at 320 pixels wide	new page	Claude	P1	25	Open
1989	Occupation and employer: every control named for screen readers, in a logical focus order	new page	Claude	P1	25	Open
1990	Occupation and employer: contrast of every text and control checked	new page	Claude	P1	25	Open
1991	Occupation and employer: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
1992	Occupation and employer: component test of every state	new page	Claude	P1	25	Open
1993	Occupation and employer: end to end test of its main path	new page	Claude	P1	25	Open
1994	Occupation and employer: visual regression snapshot at three widths	new page	Claude	P2	58	Open
1995	Occupation and employer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	25	Open
1996	Income declaration: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	25	Open
1997	Income declaration: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	25	Open
1998	Income declaration: submitting state: the button busy and a second tap ignored	new page	Claude	P1	25	Open
1999	Income declaration: a refusal from the server shown with the reason and what to change	new page	Claude	P1	25	Open
2000	Income declaration: offline: submission held back with a message, and entered data kept	new page	Claude	P1	25	Open
2001	Income declaration: the keyboard never hides the focused field or the main button	new page	Claude	P1	25	Open
2002	Income declaration: leaving with unsaved changes asks for confirmation	new page	Claude	P1	25	Open
2003	Income declaration: success state stating what happened and what comes next	new page	Claude	P1	25	Open
2004	Income declaration: checked in dark mode, with no hard coded white or black	new page	Claude	P1	25	Open
2005	Income declaration: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2006	Income declaration: right to left layout checked with the Urdu text	new page	Claude	P1	25	Open
2007	Income declaration: usable at the largest system text size, with nothing cut off	new page	Claude	P1	25	Open
2008	Income declaration: usable at 320 pixels wide	new page	Claude	P1	25	Open
2009	Income declaration: every control named for screen readers, in a logical focus order	new page	Claude	P1	25	Open
2010	Income declaration: contrast of every text and control checked	new page	Claude	P1	25	Open
2011	Income declaration: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
2012	Income declaration: component test of every state	new page	Claude	P1	25	Open
2013	Income declaration: end to end test of its main path	new page	Claude	P1	25	Open
2014	Income declaration: visual regression snapshot at three widths	new page	Claude	P2	58	Open

#	Item	Where	Owner	Pri	Phase	Status
2015	Income declaration: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	25	Open
2016	Income verification upload: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	25	Open
2017	Income verification upload: the reason for the camera stated before the system asks	new page	Claude	P1	25	Open
2018	Income verification upload: camera refused: how to allow it in settings, and a typed route where one exists	new page	Claude	P1	25	Open
2019	Income verification upload: guide frame and live hints while capturing	new page	Claude	P1	25	Open
2020	Income verification upload: low light and glare detected, with advice	new page	Claude	P1	25	Open
2021	Income verification upload: review and retake before submission	new page	Claude	P1	25	Open
2022	Income verification upload: upload progress and a retry on failure	new page	Claude	P1	25	Open
2023	Income verification upload: checked in dark mode, with no hard coded white or black	new page	Claude	P1	25	Open
2024	Income verification upload: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2025	Income verification upload: right to left layout checked with the Urdu text	new page	Claude	P1	25	Open
2026	Income verification upload: usable at the largest system text size, with nothing cut off	new page	Claude	P1	25	Open
2027	Income verification upload: usable at 320 pixels wide	new page	Claude	P1	25	Open
2028	Income verification upload: every control named for screen readers, in a logical focus order	new page	Claude	P1	25	Open
2029	Income verification upload: contrast of every text and control checked	new page	Claude	P1	25	Open
2030	Income verification upload: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
2031	Income verification upload: component test of every state	new page	Claude	P1	25	Open
2032	Income verification upload: end to end test of its main path	new page	Claude	P1	25	Open
2033	Income verification upload: visual regression snapshot at three widths	new page	Claude	P2	58	Open
2034	Income verification upload: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	25	Open
2035	Income verification status: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	25	Open
2036	Income verification status: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	25	Open
2037	Income verification status: error state with the reason in plain words and a retry	new page	Claude	P1	25	Open
2038	Income verification status: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	25	Open
2039	Income verification status: deep link restores the screen with its state	new page	Claude	P1	25	Open
2040	Income verification status: not found and no access states, each with a route back	new page	Claude	P1	25	Open
2041	Income verification status: checked in dark mode, with no hard coded white or black	new page	Claude	P1	25	Open
2042	Income verification status: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
2043	Income verification status: right to left layout checked with the Urdu text	new page	Claude	P1	25	Open
2044	Income verification status: usable at the largest system text size, with nothing cut off	new page	Claude	P1	25	Open
2045	Income verification status: usable at 320 pixels wide	new page	Claude	P1	25	Open
2046	Income verification status: every control named for screen readers, in a logical focus order	new page	Claude	P1	25	Open
2047	Income verification status: contrast of every text and control checked	new page	Claude	P1	25	Open
2048	Income verification status: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
2049	Income verification status: component test of every state	new page	Claude	P1	25	Open
2050	Income verification status: end to end test of its main path	new page	Claude	P1	25	Open
2051	Income verification status: visual regression snapshot at three widths	new page	Claude	P2	58	Open
2052	Income verification status: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	25	Open

AC3. Missing Screens: Identity

#	Item	Where	Owner	Pri	Phase	Status
2053	CNIC front capture: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	5	Open
2054	CNIC front capture: the reason for the camera stated before the system asks	new page	Claude	P0	5	Open
2055	CNIC front capture: camera refused: how to allow it in settings, and a typed route where one exists	new page	Claude	P0	5	Open
2056	CNIC front capture: guide frame and live hints while capturing	new page	Claude	P0	5	Open
2057	CNIC front capture: low light and glare detected, with advice	new page	Claude	P0	5	Open
2058	CNIC front capture: review and retake before submission	new page	Claude	P0	5	Open
2059	CNIC front capture: upload progress and a retry on failure	new page	Claude	P0	5	Open
2060	CNIC front capture: checked in dark mode, with no hard coded white or black	new page	Claude	P0	5	Open
2061	CNIC front capture: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2062	CNIC front capture: right to left layout checked with the Urdu text	new page	Claude	P0	5	Open
2063	CNIC front capture: usable at the largest system text size, with nothing cut off	new page	Claude	P0	5	Open
2064	CNIC front capture: usable at 320 pixels wide	new page	Claude	P0	5	Open
2065	CNIC front capture: every control named for screen readers, in a logical focus order	new page	Claude	P0	5	Open
2066	CNIC front capture: contrast of every text and control checked	new page	Claude	P0	5	Open
2067	CNIC front capture: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
2068	CNIC front capture: component test of every state	new page	Claude	P0	5	Open
2069	CNIC front capture: end to end test of its main path	new page	Claude	P0	5	Open
2070	CNIC front capture: visual regression snapshot at three widths	new page	Claude	P2	58	Open

#	Item	Where	Owner	Pri	Phase	Status
2071	CNIC front capture: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	5	Open
2072	CNIC back capture: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	5	Open
2073	CNIC back capture: the reason for the camera stated before the system asks	new page	Claude	P0	5	Open
2074	CNIC back capture: camera refused: how to allow it in settings, and a typed route where one exists	new page	Claude	P0	5	Open
2075	CNIC back capture: guide frame and live hints while capturing	new page	Claude	P0	5	Open
2076	CNIC back capture: low light and glare detected, with advice	new page	Claude	P0	5	Open
2077	CNIC back capture: review and retake before submission	new page	Claude	P0	5	Open
2078	CNIC back capture: upload progress and a retry on failure	new page	Claude	P0	5	Open
2079	CNIC back capture: checked in dark mode, with no hard coded white or black	new page	Claude	P0	5	Open
2080	CNIC back capture: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2081	CNIC back capture: right to left layout checked with the Urdu text	new page	Claude	P0	5	Open
2082	CNIC back capture: usable at the largest system text size, with nothing cut off	new page	Claude	P0	5	Open
2083	CNIC back capture: usable at 320 pixels wide	new page	Claude	P0	5	Open
2084	CNIC back capture: every control named for screen readers, in a logical focus order	new page	Claude	P0	5	Open
2085	CNIC back capture: contrast of every text and control checked	new page	Claude	P0	5	Open
2086	CNIC back capture: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
2087	CNIC back capture: component test of every state	new page	Claude	P0	5	Open
2088	CNIC back capture: end to end test of its main path	new page	Claude	P0	5	Open
2089	CNIC back capture: visual regression snapshot at three widths	new page	Claude	P2	58	Open
2090	CNIC back capture: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	5	Open
2091	CNIC manual entry: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	5	Open
2092	CNIC manual entry: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	5	Open
2093	CNIC manual entry: submitting state: the button busy and a second tap ignored	new page	Claude	P0	5	Open
2094	CNIC manual entry: a refusal from the server shown with the reason and what to change	new page	Claude	P0	5	Open
2095	CNIC manual entry: offline: submission held back with a message, and entered data kept	new page	Claude	P0	5	Open
2096	CNIC manual entry: the keyboard never hides the focused field or the main button	new page	Claude	P0	5	Open
2097	CNIC manual entry: leaving with unsaved changes asks for confirmation	new page	Claude	P0	5	Open
2098	CNIC manual entry: success state stating what happened and what comes next	new page	Claude	P0	5	Open
2099	CNIC manual entry: checked in dark mode, with no hard coded white or black	new page	Claude	P0	5	Open

#	Item	Where	Owner	Pri	Phase	Status
2100	CNIC manual entry: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2101	CNIC manual entry: right to left layout checked with the Urdu text	new page	Claude	P0	5	Open
2102	CNIC manual entry: usable at the largest system text size, with nothing cut off	new page	Claude	P0	5	Open
2103	CNIC manual entry: usable at 320 pixels wide	new page	Claude	P0	5	Open
2104	CNIC manual entry: every control named for screen readers, in a logical focus order	new page	Claude	P0	5	Open
2105	CNIC manual entry: contrast of every text and control checked	new page	Claude	P0	5	Open
2106	CNIC manual entry: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
2107	CNIC manual entry: component test of every state	new page	Claude	P0	5	Open
2108	CNIC manual entry: end to end test of its main path	new page	Claude	P0	5	Open
2109	CNIC manual entry: visual regression snapshot at three widths	new page	Claude	P2	58	Open
2110	CNIC manual entry: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	5	Open
2111	CNIC review before submission: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	5	Open
2112	CNIC review before submission: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	5	Open
2113	CNIC review before submission: submitting state: the button busy and a second tap ignored	new page	Claude	P0	5	Open
2114	CNIC review before submission: a refusal from the server shown with the reason and what to change	new page	Claude	P0	5	Open
2115	CNIC review before submission: offline: submission held back with a message, and entered data kept	new page	Claude	P0	5	Open
2116	CNIC review before submission: the keyboard never hides the focused field or the main button	new page	Claude	P0	5	Open
2117	CNIC review before submission: leaving with unsaved changes asks for confirmation	new page	Claude	P0	5	Open
2118	CNIC review before submission: success state stating what happened and what comes next	new page	Claude	P0	5	Open
2119	CNIC review before submission: checked in dark mode, with no hard coded white or black	new page	Claude	P0	5	Open
2120	CNIC review before submission: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2121	CNIC review before submission: right to left layout checked with the Urdu text	new page	Claude	P0	5	Open
2122	CNIC review before submission: usable at the largest system text size, with nothing cut off	new page	Claude	P0	5	Open
2123	CNIC review before submission: usable at 320 pixels wide	new page	Claude	P0	5	Open
2124	CNIC review before submission: every control named for screen readers, in a logical focus order	new page	Claude	P0	5	Open
2125	CNIC review before submission: contrast of every text and control checked	new page	Claude	P0	5	Open
2126	CNIC review before submission: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
2127	CNIC review before submission: component test of every state	new page	Claude	P0	5	Open
2128	CNIC review before submission: end to end test of its main path	new page	Claude	P0	5	Open

#	Item	Where	Owner	Pri	Phase	Status
2129	CNIC review before submission: visual regression snapshot at three widths	new page	Claude	P2	58	Open
2130	CNIC review before submission: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	5	Open
2131	Identity check in progress: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	5	Open
2132	Identity check in progress: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P0	6	Open
2133	Identity check in progress: error state with the reason in plain words and a retry	new page	Claude	P0	6	Open
2134	Identity check in progress: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P0	6	Open
2135	Identity check in progress: deep link restores the screen with its state	new page	Claude	P0	6	Open
2136	Identity check in progress: not found and no access states, each with a route back	new page	Claude	P0	6	Open
2137	Identity check in progress: checked in dark mode, with no hard coded white or black	new page	Claude	P0	6	Open
2138	Identity check in progress: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2139	Identity check in progress: right to left layout checked with the Urdu text	new page	Claude	P0	6	Open
2140	Identity check in progress: usable at the largest system text size, with nothing cut off	new page	Claude	P0	6	Open
2141	Identity check in progress: usable at 320 pixels wide	new page	Claude	P0	6	Open
2142	Identity check in progress: every control named for screen readers, in a logical focus order	new page	Claude	P0	6	Open
2143	Identity check in progress: contrast of every text and control checked	new page	Claude	P0	6	Open
2144	Identity check in progress: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	58	Open
2145	Identity check in progress: component test of every state	new page	Claude	P0	6	Open
2146	Identity check in progress: end to end test of its main path	new page	Claude	P0	6	Open
2147	Identity check in progress: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2148	Identity check in progress: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	6	Open
2149	Identity check failed: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	6	Open
2150	Identity check failed: every figure and reference shown matches the ledger	new page	Claude	P0	6	Open
2151	Identity check failed: the next step offered	new page	Claude	P0	6	Open
2152	Identity check failed: share as an image or a PDF with account numbers masked	new page	Claude	P0	6	Open
2153	Identity check failed: checked in dark mode, with no hard coded white or black	new page	Claude	P0	6	Open
2154	Identity check failed: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2155	Identity check failed: right to left layout checked with the Urdu text	new page	Claude	P0	6	Open
2156	Identity check failed: usable at the largest system text size, with nothing cut off	new page	Claude	P0	6	Open

#	Item	Where	Owner	Pri	Phase	Status
2157	Identity check failed: usable at 320 pixels wide	new page	Claude	P0	6	Open
2158	Identity check failed: every control named for screen readers, in a logical focus order	new page	Claude	P0	6	Open
2159	Identity check failed: contrast of every text and control checked	new page	Claude	P0	6	Open
2160	Identity check failed: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2161	Identity check failed: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2162	Identity check failed: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	6	Open
2163	Liveness instructions: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	25	Open
2164	Liveness instructions: deep link opens it directly	new page	Claude	P1	25	Open
2165	Liveness instructions: checked in dark mode, with no hard coded white or black	new page	Claude	P1	25	Open
2166	Liveness instructions: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2167	Liveness instructions: right to left layout checked with the Urdu text	new page	Claude	P1	25	Open
2168	Liveness instructions: usable at the largest system text size, with nothing cut off	new page	Claude	P1	25	Open
2169	Liveness instructions: usable at 320 pixels wide	new page	Claude	P1	25	Open
2170	Liveness instructions: every control named for screen readers, in a logical focus order	new page	Claude	P1	25	Open
2171	Liveness instructions: contrast of every text and control checked	new page	Claude	P1	25	Open
2172	Liveness instructions: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2173	Liveness instructions: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2174	Liveness instructions: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	25	Open
2175	Liveness capture: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	25	Open
2176	Liveness capture: the reason for the camera stated before the system asks	new page	Claude	P1	25	Open
2177	Liveness capture: camera refused: how to allow it in settings, and a typed route where one exists	new page	Claude	P1	25	Open
2178	Liveness capture: guide frame and live hints while capturing	new page	Claude	P1	25	Open
2179	Liveness capture: low light and glare detected, with advice	new page	Claude	P1	25	Open
2180	Liveness capture: review and retake before submission	new page	Claude	P1	25	Open
2181	Liveness capture: upload progress and a retry on failure	new page	Claude	P1	25	Open
2182	Liveness capture: checked in dark mode, with no hard coded white or black	new page	Claude	P1	25	Open
2183	Liveness capture: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2184	Liveness capture: right to left layout checked with the Urdu text	new page	Claude	P1	25	Open
2185	Liveness capture: usable at the largest system text size, with nothing cut off	new page	Claude	P1	25	Open

#	Item	Where	Owner	Pri	Phase	Status
2186	Liveness capture: usable at 320 pixels wide	new page	Claude	P1	25	Open
2187	Liveness capture: every control named for screen readers, in a logical focus order	new page	Claude	P1	25	Open
2188	Liveness capture: contrast of every text and control checked	new page	Claude	P1	25	Open
2189	Liveness capture: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2190	Liveness capture: component test of every state	new page	Claude	P1	25	Open
2191	Liveness capture: end to end test of its main path	new page	Claude	P1	25	Open
2192	Liveness capture: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2193	Liveness capture: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	25	Open
2194	Verification levels: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	25	Open
2195	Verification levels: deep link opens it directly	new page	Claude	P1	25	Open
2196	Verification levels: checked in dark mode, with no hard coded white or black	new page	Claude	P1	25	Open
2197	Verification levels: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2198	Verification levels: right to left layout checked with the Urdu text	new page	Claude	P1	25	Open
2199	Verification levels: usable at the largest system text size, with nothing cut off	new page	Claude	P1	25	Open
2200	Verification levels: usable at 320 pixels wide	new page	Claude	P1	25	Open
2201	Verification levels: every control named for screen readers, in a logical focus order	new page	Claude	P1	25	Open
2202	Verification levels: contrast of every text and control checked	new page	Claude	P1	25	Open
2203	Verification levels: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2204	Verification levels: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2205	Verification levels: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	25	Open
2206	Bureau instruction: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	25	Open
2207	Bureau instruction: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	25	Open
2208	Bureau instruction: submitting state: the button busy and a second tap ignored	new page	Claude	P1	25	Open
2209	Bureau instruction: a refusal from the server shown with the reason and what to change	new page	Claude	P1	25	Open
2210	Bureau instruction: offline: submission held back with a message, and entered data kept	new page	Claude	P1	26	Open
2211	Bureau instruction: the keyboard never hides the focused field or the main button	new page	Claude	P1	26	Open
2212	Bureau instruction: leaving with unsaved changes asks for confirmation	new page	Claude	P1	26	Open
2213	Bureau instruction: success state stating what happened and what comes next	new page	Claude	P1	26	Open
2214	Bureau instruction: checked in dark mode, with no hard coded white or black	new page	Claude	P1	26	Open

#	Item	Where	Owner	Pri	Phase	Status
2215	Bureau instruction: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2216	Bureau instruction: right to left layout checked with the Urdu text	new page	Claude	P1	26	Open
2217	Bureau instruction: usable at the largest system text size, with nothing cut off	new page	Claude	P1	26	Open
2218	Bureau instruction: usable at 320 pixels wide	new page	Claude	P1	26	Open
2219	Bureau instruction: every control named for screen readers, in a logical focus order	new page	Claude	P1	26	Open
2220	Bureau instruction: contrast of every text and control checked	new page	Claude	P1	26	Open
2221	Bureau instruction: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2222	Bureau instruction: component test of every state	new page	Claude	P1	26	Open
2223	Bureau instruction: end to end test of its main path	new page	Claude	P1	26	Open
2224	Bureau instruction: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2225	Bureau instruction: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	26	Open
2226	Bureau instruction confirmation: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	26	Open
2227	Bureau instruction confirmation: every figure and reference shown matches the ledger	new page	Claude	P1	26	Open
2228	Bureau instruction confirmation: the next step offered	new page	Claude	P1	26	Open
2229	Bureau instruction confirmation: share as an image or a PDF with account numbers masked	new page	Claude	P1	26	Open
2230	Bureau instruction confirmation: checked in dark mode, with no hard coded white or black	new page	Claude	P1	26	Open
2231	Bureau instruction confirmation: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2232	Bureau instruction confirmation: right to left layout checked with the Urdu text	new page	Claude	P1	26	Open
2233	Bureau instruction confirmation: usable at the largest system text size, with nothing cut off	new page	Claude	P1	26	Open
2234	Bureau instruction confirmation: usable at 320 pixels wide	new page	Claude	P1	26	Open
2235	Bureau instruction confirmation: every control named for screen readers, in a logical focus order	new page	Claude	P1	26	Open
2236	Bureau instruction confirmation: contrast of every text and control checked	new page	Claude	P1	26	Open
2237	Bureau instruction confirmation: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2238	Bureau instruction confirmation: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2239	Bureau instruction confirmation: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	26	Open
2240	Adverse action disclosure: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	26	Open
2241	Adverse action disclosure: deep link opens it directly	new page	Claude	P1	26	Open
2242	Adverse action disclosure: checked in dark mode, with no hard coded white or black	new page	Claude	P1	26	Open

#	Item	Where	Owner	Pri	Phase	Status
2243	Adverse action disclosure: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2244	Adverse action disclosure: right to left layout checked with the Urdu text	new page	Claude	P1	26	Open
2245	Adverse action disclosure: usable at the largest system text size, with nothing cut off	new page	Claude	P1	26	Open
2246	Adverse action disclosure: usable at 320 pixels wide	new page	Claude	P1	26	Open
2247	Adverse action disclosure: every control named for screen readers, in a logical focus order	new page	Claude	P1	26	Open
2248	Adverse action disclosure: contrast of every text and control checked	new page	Claude	P1	26	Open
2249	Adverse action disclosure: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2250	Adverse action disclosure: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2251	Adverse action disclosure: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	26	Open

AC4. Missing Screens: Accounts and payment routes

#	Item	Where	Owner	Pri	Phase	Status
2252	Linked accounts: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	26	Open
2253	Linked accounts: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	26	Open
2254	Linked accounts: error state with the reason in plain words and a retry	new page	Claude	P1	26	Open
2255	Linked accounts: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	26	Open
2256	Linked accounts: deep link restores the screen with its state	new page	Claude	P1	26	Open
2257	Linked accounts: pull to refresh	new page	Claude	P1	26	Open
2258	Linked accounts: empty state: the reason and one action	new page	Claude	P1	26	Open
2259	Linked accounts: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P1	26	Open
2260	Linked accounts: checked in dark mode, with no hard coded white or black	new page	Claude	P1	26	Open
2261	Linked accounts: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2262	Linked accounts: right to left layout checked with the Urdu text	new page	Claude	P1	26	Open
2263	Linked accounts: usable at the largest system text size, with nothing cut off	new page	Claude	P1	26	Open
2264	Linked accounts: usable at 320 pixels wide	new page	Claude	P1	26	Open
2265	Linked accounts: every control named for screen readers, in a logical focus order	new page	Claude	P1	26	Open
2266	Linked accounts: contrast of every text and control checked	new page	Claude	P1	26	Open
2267	Linked accounts: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2268	Linked accounts: component test of every state	new page	Claude	P1	26	Open
2269	Linked accounts: end to end test of its main path	new page	Claude	P1	26	Open
2270	Linked accounts: visual regression snapshot at three widths	new page	Claude	P2	59	Open

#	Item	Where	Owner	Pri	Phase	Status
2271	Linked accounts: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	26	Open
2272	Add a bank account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	26	Open
2273	Add a bank account: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	26	Open
2274	Add a bank account: submitting state: the button busy and a second tap ignored	new page	Claude	P1	26	Open
2275	Add a bank account: a refusal from the server shown with the reason and what to change	new page	Claude	P1	26	Open
2276	Add a bank account: offline: submission held back with a message, and entered data kept	new page	Claude	P1	26	Open
2277	Add a bank account: the keyboard never hides the focused field or the main button	new page	Claude	P1	26	Open
2278	Add a bank account: leaving with unsaved changes asks for confirmation	new page	Claude	P1	26	Open
2279	Add a bank account: success state stating what happened and what comes next	new page	Claude	P1	26	Open
2280	Add a bank account: checked in dark mode, with no hard coded white or black	new page	Claude	P1	26	Open
2281	Add a bank account: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2282	Add a bank account: right to left layout checked with the Urdu text	new page	Claude	P1	26	Open
2283	Add a bank account: usable at the largest system text size, with nothing cut off	new page	Claude	P1	26	Open
2284	Add a bank account: usable at 320 pixels wide	new page	Claude	P1	26	Open
2285	Add a bank account: every control named for screen readers, in a logical focus order	new page	Claude	P1	26	Open
2286	Add a bank account: contrast of every text and control checked	new page	Claude	P1	26	Open
2287	Add a bank account: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2288	Add a bank account: component test of every state	new page	Claude	P1	26	Open
2289	Add a bank account: end to end test of its main path	new page	Claude	P1	26	Open
2290	Add a bank account: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2291	Add a bank account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	26	Open
2292	Add a wallet account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	26	Open
2293	Add a wallet account: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	26	Open
2294	Add a wallet account: submitting state: the button busy and a second tap ignored	new page	Claude	P1	26	Open
2295	Add a wallet account: a refusal from the server shown with the reason and what to change	new page	Claude	P1	26	Open
2296	Add a wallet account: offline: submission held back with a message, and entered data kept	new page	Claude	P1	26	Open
2297	Add a wallet account: the keyboard never hides the focused field or the main button	new page	Claude	P1	26	Open
2298	Add a wallet account: leaving with unsaved changes asks for confirmation	new page	Claude	P1	26	Open
2299	Add a wallet account: success state stating what happened and what comes next	new page	Claude	P1	26	Open

#	Item	Where	Owner	Pri	Phase	Status
2300	Add a wallet account: checked in dark mode, with no hard coded white or black	new page	Claude	P1	26	Open
2301	Add a wallet account: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2302	Add a wallet account: right to left layout checked with the Urdu text	new page	Claude	P1	26	Open
2303	Add a wallet account: usable at the largest system text size, with nothing cut off	new page	Claude	P1	26	Open
2304	Add a wallet account: usable at 320 pixels wide	new page	Claude	P1	26	Open
2305	Add a wallet account: every control named for screen readers, in a logical focus order	new page	Claude	P1	26	Open
2306	Add a wallet account: contrast of every text and control checked	new page	Claude	P1	26	Open
2307	Add a wallet account: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2308	Add a wallet account: component test of every state	new page	Claude	P1	26	Open
2309	Add a wallet account: end to end test of its main path	new page	Claude	P1	26	Open
2310	Add a wallet account: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2311	Add a wallet account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	26	Open
2312	Account title check in progress: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	26	Open
2313	Account title check in progress: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	26	Open
2314	Account title check in progress: error state with the reason in plain words and a retry	new page	Claude	P1	26	Open
2315	Account title check in progress: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	26	Open
2316	Account title check in progress: deep link restores the screen with its state	new page	Claude	P1	26	Open
2317	Account title check in progress: not found and no access states, each with a route back	new page	Claude	P1	26	Open
2318	Account title check in progress: checked in dark mode, with no hard coded white or black	new page	Claude	P1	26	Open
2319	Account title check in progress: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2320	Account title check in progress: right to left layout checked with the Urdu text	new page	Claude	P1	26	Open
2321	Account title check in progress: usable at the largest system text size, with nothing cut off	new page	Claude	P1	26	Open
2322	Account title check in progress: usable at 320 pixels wide	new page	Claude	P1	26	Open
2323	Account title check in progress: every control named for screen readers, in a logical focus order	new page	Claude	P1	26	Open
2324	Account title check in progress: contrast of every text and control checked	new page	Claude	P1	26	Open
2325	Account title check in progress: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2326	Account title check in progress: component test of every state	new page	Claude	P1	26	Open
2327	Account title check in progress: end to end test of its main path	new page	Claude	P1	26	Open
2328	Account title check in progress: visual regression snapshot at three widths	new page	Claude	P2	59	Open

#	Item	Where	Owner	Pri	Phase	Status
2329	Account title check in progress: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	26	Open
2330	Account title mismatch: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	26	Open
2331	Account title mismatch: every figure and reference shown matches the ledger	new page	Claude	P1	27	Open
2332	Account title mismatch: the next step offered	new page	Claude	P1	27	Open
2333	Account title mismatch: share as an image or a PDF with account numbers masked	new page	Claude	P1	27	Open
2334	Account title mismatch: checked in dark mode, with no hard coded white or black	new page	Claude	P1	27	Open
2335	Account title mismatch: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2336	Account title mismatch: right to left layout checked with the Urdu text	new page	Claude	P1	27	Open
2337	Account title mismatch: usable at the largest system text size, with nothing cut off	new page	Claude	P1	27	Open
2338	Account title mismatch: usable at 320 pixels wide	new page	Claude	P1	27	Open
2339	Account title mismatch: every control named for screen readers, in a logical focus order	new page	Claude	P1	27	Open
2340	Account title mismatch: contrast of every text and control checked	new page	Claude	P1	27	Open
2341	Account title mismatch: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2342	Account title mismatch: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2343	Account title mismatch: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	27	Open
2344	Set the default collection account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	27	Open
2345	Set the default collection account: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	27	Open
2346	Set the default collection account: submitting state: the button busy and a second tap ignored	new page	Claude	P1	27	Open
2347	Set the default collection account: a refusal from the server shown with the reason and what to change	new page	Claude	P1	27	Open
2348	Set the default collection account: offline: submission held back with a message, and entered data kept	new page	Claude	P1	27	Open
2349	Set the default collection account: the keyboard never hides the focused field or the main button	new page	Claude	P1	27	Open
2350	Set the default collection account: leaving with unsaved changes asks for confirmation	new page	Claude	P1	27	Open
2351	Set the default collection account: success state stating what happened and what comes next	new page	Claude	P1	27	Open
2352	Set the default collection account: checked in dark mode, with no hard coded white or black	new page	Claude	P1	27	Open
2353	Set the default collection account: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2354	Set the default collection account: right to left layout checked with the Urdu text	new page	Claude	P1	27	Open
2355	Set the default collection account: usable at the largest system text size, with nothing cut off	new page	Claude	P1	27	Open

#	Item	Where	Owner	Pri	Phase	Status
2356	Set the default collection account: usable at 320 pixels wide	new page	Claude	P1	27	Open
2357	Set the default collection account: every control named for screen readers, in a logical focus order	new page	Claude	P1	27	Open
2358	Set the default collection account: contrast of every text and control checked	new page	Claude	P1	27	Open
2359	Set the default collection account: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2360	Set the default collection account: component test of every state	new page	Claude	P1	27	Open
2361	Set the default collection account: end to end test of its main path	new page	Claude	P1	27	Open
2362	Set the default collection account: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2363	Set the default collection account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	27	Open
2364	Remove a linked account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	27	Open
2365	Remove a linked account: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	27	Open
2366	Remove a linked account: submitting state: the button busy and a second tap ignored	new page	Claude	P1	27	Open
2367	Remove a linked account: a refusal from the server shown with the reason and what to change	new page	Claude	P1	27	Open
2368	Remove a linked account: offline: submission held back with a message, and entered data kept	new page	Claude	P1	27	Open
2369	Remove a linked account: the keyboard never hides the focused field or the main button	new page	Claude	P1	27	Open
2370	Remove a linked account: leaving with unsaved changes asks for confirmation	new page	Claude	P1	27	Open
2371	Remove a linked account: success state stating what happened and what comes next	new page	Claude	P1	27	Open
2372	Remove a linked account: checked in dark mode, with no hard coded white or black	new page	Claude	P1	27	Open
2373	Remove a linked account: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2374	Remove a linked account: right to left layout checked with the Urdu text	new page	Claude	P1	27	Open
2375	Remove a linked account: usable at the largest system text size, with nothing cut off	new page	Claude	P1	27	Open
2376	Remove a linked account: usable at 320 pixels wide	new page	Claude	P1	27	Open
2377	Remove a linked account: every control named for screen readers, in a logical focus order	new page	Claude	P1	27	Open
2378	Remove a linked account: contrast of every text and control checked	new page	Claude	P1	27	Open
2379	Remove a linked account: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2380	Remove a linked account: component test of every state	new page	Claude	P1	27	Open
2381	Remove a linked account: end to end test of its main path	new page	Claude	P1	27	Open
2382	Remove a linked account: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2383	Remove a linked account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	27	Open

#	Item	Where	Owner	Pri	Phase	Status
2384	Mandate explainer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	6	Open
2385	Mandate explainer: deep link opens it directly	new page	Claude	P0	6	Open
2386	Mandate explainer: checked in dark mode, with no hard coded white or black	new page	Claude	P0	6	Open
2387	Mandate explainer: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2388	Mandate explainer: right to left layout checked with the Urdu text	new page	Claude	P0	6	Open
2389	Mandate explainer: usable at the largest system text size, with nothing cut off	new page	Claude	P0	6	Open
2390	Mandate explainer: usable at 320 pixels wide	new page	Claude	P0	6	Open
2391	Mandate explainer: every control named for screen readers, in a logical focus order	new page	Claude	P0	6	Open
2392	Mandate explainer: contrast of every text and control checked	new page	Claude	P0	6	Open
2393	Mandate explainer: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2394	Mandate explainer: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2395	Mandate explainer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	6	Open
2396	Authorise a mandate: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	6	Open
2397	Authorise a mandate: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	6	Open
2398	Authorise a mandate: submitting state: the button busy and a second tap ignored	new page	Claude	P0	6	Open
2399	Authorise a mandate: a refusal from the server shown with the reason and what to change	new page	Claude	P0	6	Open
2400	Authorise a mandate: offline: submission held back with a message, and entered data kept	new page	Claude	P0	6	Open
2401	Authorise a mandate: the keyboard never hides the focused field or the main button	new page	Claude	P0	6	Open
2402	Authorise a mandate: leaving with unsaved changes asks for confirmation	new page	Claude	P0	6	Open
2403	Authorise a mandate: success state stating what happened and what comes next	new page	Claude	P0	6	Open
2404	Authorise a mandate: review step showing every amount before confirmation: the amount and every charge	new page	Claude	P0	6	Open
2405	Authorise a mandate: transaction PIN required before the action	new page	Claude	P0	6	Open
2406	Authorise a mandate: refused during the two hour cooling off after a device change, with the time remaining	new page	Claude	P0	6	Open
2407	Authorise a mandate: one request per confirmation, carried by an idempotency key	new page	Claude	P0	6	Open
2408	Authorise a mandate: receipt after completion, saved to Activity	new page	Claude	P0	6	Open
2409	Authorise a mandate: amounts shown as Rs with thousands grouped and no stray decimals	new page	Claude	P0	6	Open
2410	Authorise a mandate: checked in dark mode, with no hard coded white or black	new page	Claude	P0	6	Open
2411	Authorise a mandate: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2412	Authorise a mandate: right to left layout checked with the Urdu text	new page	Claude	P0	6	Open

#	Item	Where	Owner	Pri	Phase	Status
2413	Authorise a mandate: usable at the largest system text size, with nothing cut off	new page	Claude	P0	6	Open
2414	Authorise a mandate: usable at 320 pixels wide	new page	Claude	P0	6	Open
2415	Authorise a mandate: every control named for screen readers, in a logical focus order	new page	Claude	P0	6	Open
2416	Authorise a mandate: contrast of every text and control checked	new page	Claude	P0	6	Open
2417	Authorise a mandate: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2418	Authorise a mandate: component test of every state	new page	Claude	P0	6	Open
2419	Authorise a mandate: end to end test of its main path	new page	Claude	P0	6	Open
2420	Authorise a mandate: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2421	Authorise a mandate: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	6	Open
2422	Mandate authorised: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	6	Open
2423	Mandate authorised: every figure and reference shown matches the ledger	new page	Claude	P0	6	Open
2424	Mandate authorised: the next step offered	new page	Claude	P0	6	Open
2425	Mandate authorised: share as an image or a PDF with account numbers masked	new page	Claude	P0	6	Open
2426	Mandate authorised: checked in dark mode, with no hard coded white or black	new page	Claude	P0	6	Open
2427	Mandate authorised: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2428	Mandate authorised: right to left layout checked with the Urdu text	new page	Claude	P0	6	Open
2429	Mandate authorised: usable at the largest system text size, with nothing cut off	new page	Claude	P0	6	Open
2430	Mandate authorised: usable at 320 pixels wide	new page	Claude	P0	6	Open
2431	Mandate authorised: every control named for screen readers, in a logical focus order	new page	Claude	P0	6	Open
2432	Mandate authorised: contrast of every text and control checked	new page	Claude	P0	6	Open
2433	Mandate authorised: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2434	Mandate authorised: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2435	Mandate authorised: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	6	Open
2436	Mandates: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	27	Open
2437	Mandates: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	27	Open
2438	Mandates: error state with the reason in plain words and a retry	new page	Claude	P1	27	Open
2439	Mandates: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	27	Open
2440	Mandates: deep link restores the screen with its state	new page	Claude	P1	27	Open
2441	Mandates: pull to refresh	new page	Claude	P1	27	Open

#	Item	Where	Owner	Pri	Phase	Status
2442	Mandates: empty state: the reason and one action	new page	Claude	P1	27	Open
2443	Mandates: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P1	27	Open
2444	Mandates: checked in dark mode, with no hard coded white or black	new page	Claude	P1	27	Open
2445	Mandates: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2446	Mandates: right to left layout checked with the Urdu text	new page	Claude	P1	27	Open
2447	Mandates: usable at the largest system text size, with nothing cut off	new page	Claude	P1	27	Open
2448	Mandates: usable at 320 pixels wide	new page	Claude	P1	27	Open
2449	Mandates: every control named for screen readers, in a logical focus order	new page	Claude	P1	27	Open
2450	Mandates: contrast of every text and control checked	new page	Claude	P1	27	Open
2451	Mandates: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2452	Mandates: component test of every state	new page	Claude	P1	27	Open
2453	Mandates: end to end test of its main path	new page	Claude	P1	27	Open
2454	Mandates: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2455	Mandates: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	27	Open
2456	Change a mandate ceiling: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	27	Open
2457	Change a mandate ceiling: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	27	Open
2458	Change a mandate ceiling: submitting state: the button busy and a second tap ignored	new page	Claude	P1	27	Open
2459	Change a mandate ceiling: a refusal from the server shown with the reason and what to change	new page	Claude	P1	27	Open
2460	Change a mandate ceiling: offline: submission held back with a message, and entered data kept	new page	Claude	P1	27	Open
2461	Change a mandate ceiling: the keyboard never hides the focused field or the main button	new page	Claude	P1	27	Open
2462	Change a mandate ceiling: leaving with unsaved changes asks for confirmation	new page	Claude	P1	27	Open
2463	Change a mandate ceiling: success state stating what happened and what comes next	new page	Claude	P1	27	Open
2464	Change a mandate ceiling: review step showing every amount before confirmation: the amount and every charge	new page	Claude	P1	27	Open
2465	Change a mandate ceiling: transaction PIN required before the action	new page	Claude	P0	6	Open
2466	Change a mandate ceiling: refused during the two hour cooling off after a device change, with the time remaining	new page	Claude	P0	6	Open
2467	Change a mandate ceiling: one request per confirmation, carried by an idempotency key	new page	Claude	P0	6	Open
2468	Change a mandate ceiling: receipt after completion, saved to Activity	new page	Claude	P1	27	Open
2469	Change a mandate ceiling: amounts shown as Rs with thousands grouped and no stray decimals	new page	Claude	P1	27	Open
2470	Change a mandate ceiling: checked in dark mode, with no hard coded white or black	new page	Claude	P1	27	Open

#	Item	Where	Owner	Pri	Phase	Status
2471	Change a mandate ceiling: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2472	Change a mandate ceiling: right to left layout checked with the Urdu text	new page	Claude	P1	27	Open
2473	Change a mandate ceiling: usable at the largest system text size, with nothing cut off	new page	Claude	P1	27	Open
2474	Change a mandate ceiling: usable at 320 pixels wide	new page	Claude	P1	27	Open
2475	Change a mandate ceiling: every control named for screen readers, in a logical focus order	new page	Claude	P1	27	Open
2476	Change a mandate ceiling: contrast of every text and control checked	new page	Claude	P1	27	Open
2477	Change a mandate ceiling: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2478	Change a mandate ceiling: component test of every state	new page	Claude	P1	27	Open
2479	Change a mandate ceiling: end to end test of its main path	new page	Claude	P1	27	Open
2480	Change a mandate ceiling: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2481	Change a mandate ceiling: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	27	Open
2482	Cancel a mandate: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	6	Open
2483	Cancel a mandate: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	6	Open
2484	Cancel a mandate: submitting state: the button busy and a second tap ignored	new page	Claude	P0	6	Open
2485	Cancel a mandate: a refusal from the server shown with the reason and what to change	new page	Claude	P0	6	Open
2486	Cancel a mandate: offline: submission held back with a message, and entered data kept	new page	Claude	P0	6	Open
2487	Cancel a mandate: the keyboard never hides the focused field or the main button	new page	Claude	P0	6	Open
2488	Cancel a mandate: leaving with unsaved changes asks for confirmation	new page	Claude	P0	6	Open
2489	Cancel a mandate: success state stating what happened and what comes next	new page	Claude	P0	6	Open
2490	Cancel a mandate: checked in dark mode, with no hard coded white or black	new page	Claude	P0	6	Open
2491	Cancel a mandate: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2492	Cancel a mandate: right to left layout checked with the Urdu text	new page	Claude	P0	6	Open
2493	Cancel a mandate: usable at the largest system text size, with nothing cut off	new page	Claude	P0	6	Open
2494	Cancel a mandate: usable at 320 pixels wide	new page	Claude	P0	6	Open
2495	Cancel a mandate: every control named for screen readers, in a logical focus order	new page	Claude	P0	6	Open
2496	Cancel a mandate: contrast of every text and control checked	new page	Claude	P0	6	Open
2497	Cancel a mandate: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2498	Cancel a mandate: component test of every state	new page	Claude	P0	6	Open
2499	Cancel a mandate: end to end test of its main path	new page	Claude	P0	6	Open
2500	Cancel a mandate: visual regression snapshot at three widths	new page	Claude	P2	59	Open

#	Item	Where	Owner	Pri	Phase	Status
2501	Cancel a mandate: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	6	Open
2502	Mandate cancelled: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	6	Open
2503	Mandate cancelled: every figure and reference shown matches the ledger	new page	Claude	P0	6	Open
2504	Mandate cancelled: the next step offered	new page	Claude	P0	6	Open
2505	Mandate cancelled: share as an image or a PDF with account numbers masked	new page	Claude	P0	6	Open
2506	Mandate cancelled: checked in dark mode, with no hard coded white or black	new page	Claude	P0	6	Open
2507	Mandate cancelled: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2508	Mandate cancelled: right to left layout checked with the Urdu text	new page	Claude	P0	6	Open
2509	Mandate cancelled: usable at the largest system text size, with nothing cut off	new page	Claude	P0	6	Open
2510	Mandate cancelled: usable at 320 pixels wide	new page	Claude	P0	6	Open
2511	Mandate cancelled: every control named for screen readers, in a logical focus order	new page	Claude	P0	6	Open
2512	Mandate cancelled: contrast of every text and control checked	new page	Claude	P0	6	Open
2513	Mandate cancelled: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2514	Mandate cancelled: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2515	Mandate cancelled: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	6	Open
2516	Mandate collection failed: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	6	Open
2517	Mandate collection failed: every figure and reference shown matches the ledger	new page	Claude	P0	7	Open
2518	Mandate collection failed: the next step offered	new page	Claude	P0	7	Open
2519	Mandate collection failed: share as an image or a PDF with account numbers masked	new page	Claude	P0	7	Open
2520	Mandate collection failed: checked in dark mode, with no hard coded white or black	new page	Claude	P0	7	Open
2521	Mandate collection failed: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2522	Mandate collection failed: right to left layout checked with the Urdu text	new page	Claude	P0	7	Open
2523	Mandate collection failed: usable at the largest system text size, with nothing cut off	new page	Claude	P0	7	Open
2524	Mandate collection failed: usable at 320 pixels wide	new page	Claude	P0	7	Open
2525	Mandate collection failed: every control named for screen readers, in a logical focus order	new page	Claude	P0	7	Open
2526	Mandate collection failed: contrast of every text and control checked	new page	Claude	P0	7	Open
2527	Mandate collection failed: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2528	Mandate collection failed: visual regression snapshot at three widths	new page	Claude	P2	59	Open

#	Item	Where	Owner	Pri	Phase	Status
2529	Mandate collection failed: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	7	Open
2530	Advance notice of a different amount: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	27	Open
2531	Advance notice of a different amount: deep link opens it directly	new page	Claude	P1	27	Open
2532	Advance notice of a different amount: checked in dark mode, with no hard coded white or black	new page	Claude	P1	27	Open
2533	Advance notice of a different amount: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2534	Advance notice of a different amount: right to left layout checked with the Urdu text	new page	Claude	P1	27	Open
2535	Advance notice of a different amount: usable at the largest system text size, with nothing cut off	new page	Claude	P1	27	Open
2536	Advance notice of a different amount: usable at 320 pixels wide	new page	Claude	P1	27	Open
2537	Advance notice of a different amount: every control named for screen readers, in a logical focus order	new page	Claude	P1	27	Open
2538	Advance notice of a different amount: contrast of every text and control checked	new page	Claude	P1	27	Open
2539	Advance notice of a different amount: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2540	Advance notice of a different amount: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2541	Advance notice of a different amount: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	27	Open

AC5. Missing Screens: Circles

#	Item	Where	Owner	Pri	Phase	Status
2542	Circle templates: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	27	Open
2543	Circle templates: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	27	Open
2544	Circle templates: error state with the reason in plain words and a retry	new page	Claude	P1	27	Open
2545	Circle templates: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	27	Open
2546	Circle templates: deep link restores the screen with its state	new page	Claude	P1	27	Open
2547	Circle templates: pull to refresh	new page	Claude	P1	27	Open
2548	Circle templates: empty state: the reason and one action	new page	Claude	P1	27	Open
2549	Circle templates: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P1	27	Open
2550	Circle templates: checked in dark mode, with no hard coded white or black	new page	Claude	P1	27	Open
2551	Circle templates: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2552	Circle templates: right to left layout checked with the Urdu text	new page	Claude	P1	27	Open
2553	Circle templates: usable at the largest system text size, with nothing cut off	new page	Claude	P1	28	Open
2554	Circle templates: usable at 320 pixels wide	new page	Claude	P1	28	Open

#	Item	Where	Owner	Pri	Phase	Status
2555	Circle templates: every control named for screen readers, in a logical focus order	new page	Claude	P1	28	Open
2556	Circle templates: contrast of every text and control checked	new page	Claude	P1	28	Open
2557	Circle templates: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2558	Circle templates: component test of every state	new page	Claude	P1	28	Open
2559	Circle templates: end to end test of its main path	new page	Claude	P1	28	Open
2560	Circle templates: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2561	Circle templates: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	28	Open
2562	Cadence chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	28	Open
2563	Cadence chooser: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	28	Open
2564	Cadence chooser: submitting state: the button busy and a second tap ignored	new page	Claude	P1	28	Open
2565	Cadence chooser: a refusal from the server shown with the reason and what to change	new page	Claude	P1	28	Open
2566	Cadence chooser: offline: submission held back with a message, and entered data kept	new page	Claude	P1	28	Open
2567	Cadence chooser: the keyboard never hides the focused field or the main button	new page	Claude	P1	28	Open
2568	Cadence chooser: leaving with unsaved changes asks for confirmation	new page	Claude	P1	28	Open
2569	Cadence chooser: success state stating what happened and what comes next	new page	Claude	P1	28	Open
2570	Cadence chooser: checked in dark mode, with no hard coded white or black	new page	Claude	P1	28	Open
2571	Cadence chooser: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2572	Cadence chooser: right to left layout checked with the Urdu text	new page	Claude	P1	28	Open
2573	Cadence chooser: usable at the largest system text size, with nothing cut off	new page	Claude	P1	28	Open
2574	Cadence chooser: usable at 320 pixels wide	new page	Claude	P1	28	Open
2575	Cadence chooser: every control named for screen readers, in a logical focus order	new page	Claude	P1	28	Open
2576	Cadence chooser: contrast of every text and control checked	new page	Claude	P1	28	Open
2577	Cadence chooser: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2578	Cadence chooser: component test of every state	new page	Claude	P1	28	Open
2579	Cadence chooser: end to end test of its main path	new page	Claude	P1	28	Open
2580	Cadence chooser: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2581	Cadence chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	28	Open
2582	Roster size chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	28	Open
2583	Roster size chooser: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	28	Open

#	Item	Where	Owner	Pri	Phase	Status
2584	Roster size chooser: submitting state: the button busy and a second tap ignored	new page	Claude	P1	28	Open
2585	Roster size chooser: a refusal from the server shown with the reason and what to change	new page	Claude	P1	28	Open
2586	Roster size chooser: offline: submission held back with a message, and entered data kept	new page	Claude	P1	28	Open
2587	Roster size chooser: the keyboard never hides the focused field or the main button	new page	Claude	P1	28	Open
2588	Roster size chooser: leaving with unsaved changes asks for confirmation	new page	Claude	P1	28	Open
2589	Roster size chooser: success state stating what happened and what comes next	new page	Claude	P1	28	Open
2590	Roster size chooser: checked in dark mode, with no hard coded white or black	new page	Claude	P1	28	Open
2591	Roster size chooser: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2592	Roster size chooser: right to left layout checked with the Urdu text	new page	Claude	P1	28	Open
2593	Roster size chooser: usable at the largest system text size, with nothing cut off	new page	Claude	P1	28	Open
2594	Roster size chooser: usable at 320 pixels wide	new page	Claude	P1	28	Open
2595	Roster size chooser: every control named for screen readers, in a logical focus order	new page	Claude	P1	28	Open
2596	Roster size chooser: contrast of every text and control checked	new page	Claude	P1	28	Open
2597	Roster size chooser: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2598	Roster size chooser: component test of every state	new page	Claude	P1	28	Open
2599	Roster size chooser: end to end test of its main path	new page	Claude	P1	28	Open
2600	Roster size chooser: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2601	Roster size chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	28	Open
2602	Seat chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	7	Open
2603	Seat chooser: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	7	Open
2604	Seat chooser: submitting state: the button busy and a second tap ignored	new page	Claude	P0	7	Open
2605	Seat chooser: a refusal from the server shown with the reason and what to change	new page	Claude	P0	7	Open
2606	Seat chooser: offline: submission held back with a message, and entered data kept	new page	Claude	P0	7	Open
2607	Seat chooser: the keyboard never hides the focused field or the main button	new page	Claude	P0	7	Open
2608	Seat chooser: leaving with unsaved changes asks for confirmation	new page	Claude	P0	7	Open
2609	Seat chooser: success state stating what happened and what comes next	new page	Claude	P0	7	Open
2610	Seat chooser: checked in dark mode, with no hard coded white or black	new page	Claude	P0	7	Open
2611	Seat chooser: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2612	Seat chooser: right to left layout checked with the Urdu text	new page	Claude	P0	7	Open
2613	Seat chooser: usable at the largest system text size, with nothing cut off	new page	Claude	P0	7	Open

#	Item	Where	Owner	Pri	Phase	Status
2614	Seat chooser: usable at 320 pixels wide	new page	Claude	P0	7	Open
2615	Seat chooser: every control named for screen readers, in a logical focus order	new page	Claude	P0	7	Open
2616	Seat chooser: contrast of every text and control checked	new page	Claude	P0	7	Open
2617	Seat chooser: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2618	Seat chooser: component test of every state	new page	Claude	P0	7	Open
2619	Seat chooser: end to end test of its main path	new page	Claude	P0	7	Open
2620	Seat chooser: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2621	Seat chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	7	Open
2622	Join a circle: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	7	Open
2623	Join a circle: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	7	Open
2624	Join a circle: submitting state: the button busy and a second tap ignored	new page	Claude	P0	7	Open
2625	Join a circle: a refusal from the server shown with the reason and what to change	new page	Claude	P0	7	Open
2626	Join a circle: offline: submission held back with a message, and entered data kept	new page	Claude	P0	7	Open
2627	Join a circle: the keyboard never hides the focused field or the main button	new page	Claude	P0	7	Open
2628	Join a circle: leaving with unsaved changes asks for confirmation	new page	Claude	P0	7	Open
2629	Join a circle: success state stating what happened and what comes next	new page	Claude	P0	7	Open
2630	Join a circle: checked in dark mode, with no hard coded white or black	new page	Claude	P0	7	Open
2631	Join a circle: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2632	Join a circle: right to left layout checked with the Urdu text	new page	Claude	P0	7	Open
2633	Join a circle: usable at the largest system text size, with nothing cut off	new page	Claude	P0	7	Open
2634	Join a circle: usable at 320 pixels wide	new page	Claude	P0	7	Open
2635	Join a circle: every control named for screen readers, in a logical focus order	new page	Claude	P0	7	Open
2636	Join a circle: contrast of every text and control checked	new page	Claude	P0	7	Open
2637	Join a circle: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2638	Join a circle: component test of every state	new page	Claude	P0	7	Open
2639	Join a circle: end to end test of its main path	new page	Claude	P0	7	Open
2640	Join a circle: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2641	Join a circle: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	7	Open
2642	Split disclosure: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	7	Open
2643	Split disclosure: deep link opens it directly	new page	Claude	P0	7	Open
2644	Split disclosure: checked in dark mode, with no hard coded white or black	new page	Claude	P0	7	Open

#	Item	Where	Owner	Pri	Phase	Status
2645	Split disclosure: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2646	Split disclosure: right to left layout checked with the Urdu text	new page	Claude	P0	7	Open
2647	Split disclosure: usable at the largest system text size, with nothing cut off	new page	Claude	P0	7	Open
2648	Split disclosure: usable at 320 pixels wide	new page	Claude	P0	7	Open
2649	Split disclosure: every control named for screen readers, in a logical focus order	new page	Claude	P0	7	Open
2650	Split disclosure: contrast of every text and control checked	new page	Claude	P0	7	Open
2651	Split disclosure: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2652	Split disclosure: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2653	Split disclosure: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	7	Open
2654	Mutual guarantee signing: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	7	Open
2655	Mutual guarantee signing: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	7	Open
2656	Mutual guarantee signing: submitting state: the button busy and a second tap ignored	new page	Claude	P0	7	Open
2657	Mutual guarantee signing: a refusal from the server shown with the reason and what to change	new page	Claude	P0	7	Open
2658	Mutual guarantee signing: offline: submission held back with a message, and entered data kept	new page	Claude	P0	7	Open
2659	Mutual guarantee signing: the keyboard never hides the focused field or the main button	new page	Claude	P0	7	Open
2660	Mutual guarantee signing: leaving with unsaved changes asks for confirmation	new page	Claude	P0	7	Open
2661	Mutual guarantee signing: success state stating what happened and what comes next	new page	Claude	P0	7	Open
2662	Mutual guarantee signing: checked in dark mode, with no hard coded white or black	new page	Claude	P0	7	Open
2663	Mutual guarantee signing: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2664	Mutual guarantee signing: right to left layout checked with the Urdu text	new page	Claude	P0	7	Open
2665	Mutual guarantee signing: usable at the largest system text size, with nothing cut off	new page	Claude	P0	7	Open
2666	Mutual guarantee signing: usable at 320 pixels wide	new page	Claude	P0	7	Open
2667	Mutual guarantee signing: every control named for screen readers, in a logical focus order	new page	Claude	P0	7	Open
2668	Mutual guarantee signing: contrast of every text and control checked	new page	Claude	P0	7	Open
2669	Mutual guarantee signing: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2670	Mutual guarantee signing: component test of every state	new page	Claude	P0	7	Open
2671	Mutual guarantee signing: end to end test of its main path	new page	Claude	P0	7	Open
2672	Mutual guarantee signing: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2673	Mutual guarantee signing: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	7	Open

#	Item	Where	Owner	Pri	Phase	Status
2674	Undertaking signing: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	7	Open
2675	Undertaking signing: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	7	Open
2676	Undertaking signing: submitting state: the button busy and a second tap ignored	new page	Claude	P0	7	Open
2677	Undertaking signing: a refusal from the server shown with the reason and what to change	new page	Claude	P0	7	Open
2678	Undertaking signing: offline: submission held back with a message, and entered data kept	new page	Claude	P0	7	Open
2679	Undertaking signing: the keyboard never hides the focused field or the main button	new page	Claude	P0	7	Open
2680	Undertaking signing: leaving with unsaved changes asks for confirmation	new page	Claude	P0	7	Open
2681	Undertaking signing: success state stating what happened and what comes next	new page	Claude	P0	7	Open
2682	Undertaking signing: checked in dark mode, with no hard coded white or black	new page	Claude	P0	7	Open
2683	Undertaking signing: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2684	Undertaking signing: right to left layout checked with the Urdu text	new page	Claude	P0	7	Open
2685	Undertaking signing: usable at the largest system text size, with nothing cut off	new page	Claude	P0	7	Open
2686	Undertaking signing: usable at 320 pixels wide	new page	Claude	P0	7	Open
2687	Undertaking signing: every control named for screen readers, in a logical focus order	new page	Claude	P0	7	Open
2688	Undertaking signing: contrast of every text and control checked	new page	Claude	P0	7	Open
2689	Undertaking signing: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2690	Undertaking signing: component test of every state	new page	Claude	P0	7	Open
2691	Undertaking signing: end to end test of its main path	new page	Claude	P0	7	Open
2692	Undertaking signing: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2693	Undertaking signing: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	7	Open
2694	Signature capture: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	7	Open
2695	Signature capture: the reason for the camera stated before the system asks	new page	Claude	P0	7	Open
2696	Signature capture: camera refused: how to allow it in settings, and a typed route where one exists	new page	Claude	P0	7	Open
2697	Signature capture: guide frame and live hints while capturing	new page	Claude	P0	7	Open
2698	Signature capture: low light and glare detected, with advice	new page	Claude	P0	7	Open
2699	Signature capture: review and retake before submission	new page	Claude	P0	7	Open
2700	Signature capture: upload progress and a retry on failure	new page	Claude	P0	7	Open
2701	Signature capture: checked in dark mode, with no hard coded white or black	new page	Claude	P0	7	Open
2702	Signature capture: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
2703	Signature capture: right to left layout checked with the Urdu text	new page	Claude	P0	7	Open
2704	Signature capture: usable at the largest system text size, with nothing cut off	new page	Claude	P0	7	Open
2705	Signature capture: usable at 320 pixels wide	new page	Claude	P0	7	Open
2706	Signature capture: every control named for screen readers, in a logical focus order	new page	Claude	P0	7	Open
2707	Signature capture: contrast of every text and control checked	new page	Claude	P0	7	Open
2708	Signature capture: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2709	Signature capture: component test of every state	new page	Claude	P0	8	Open
2710	Signature capture: end to end test of its main path	new page	Claude	P0	8	Open
2711	Signature capture: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2712	Signature capture: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	8	Open
2713	Agreement archive: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	28	Open
2714	Agreement archive: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	28	Open
2715	Agreement archive: error state with the reason in plain words and a retry	new page	Claude	P1	28	Open
2716	Agreement archive: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	28	Open
2717	Agreement archive: deep link restores the screen with its state	new page	Claude	P1	28	Open
2718	Agreement archive: pull to refresh	new page	Claude	P1	28	Open
2719	Agreement archive: empty state: the reason and one action	new page	Claude	P1	28	Open
2720	Agreement archive: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P1	28	Open
2721	Agreement archive: checked in dark mode, with no hard coded white or black	new page	Claude	P1	28	Open
2722	Agreement archive: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2723	Agreement archive: right to left layout checked with the Urdu text	new page	Claude	P1	28	Open
2724	Agreement archive: usable at the largest system text size, with nothing cut off	new page	Claude	P1	28	Open
2725	Agreement archive: usable at 320 pixels wide	new page	Claude	P1	28	Open
2726	Agreement archive: every control named for screen readers, in a logical focus order	new page	Claude	P1	28	Open
2727	Agreement archive: contrast of every text and control checked	new page	Claude	P1	28	Open
2728	Agreement archive: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2729	Agreement archive: component test of every state	new page	Claude	P1	28	Open
2730	Agreement archive: end to end test of its main path	new page	Claude	P1	28	Open
2731	Agreement archive: visual regression snapshot at three widths	new page	Claude	P2	59	Open

#	Item	Where	Owner	Pri	Phase	Status
2732	Agreement archive: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	28	Open
2733	Confirming window countdown: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	28	Open
2734	Confirming window countdown: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	28	Open
2735	Confirming window countdown: error state with the reason in plain words and a retry	new page	Claude	P1	28	Open
2736	Confirming window countdown: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	28	Open
2737	Confirming window countdown: deep link restores the screen with its state	new page	Claude	P1	28	Open
2738	Confirming window countdown: not found and no access states, each with a route back	new page	Claude	P1	28	Open
2739	Confirming window countdown: checked in dark mode, with no hard coded white or black	new page	Claude	P1	28	Open
2740	Confirming window countdown: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2741	Confirming window countdown: right to left layout checked with the Urdu text	new page	Claude	P1	28	Open
2742	Confirming window countdown: usable at the largest system text size, with nothing cut off	new page	Claude	P1	28	Open
2743	Confirming window countdown: usable at 320 pixels wide	new page	Claude	P1	28	Open
2744	Confirming window countdown: every control named for screen readers, in a logical focus order	new page	Claude	P1	28	Open
2745	Confirming window countdown: contrast of every text and control checked	new page	Claude	P1	28	Open
2746	Confirming window countdown: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2747	Confirming window countdown: component test of every state	new page	Claude	P1	28	Open
2748	Confirming window countdown: end to end test of its main path	new page	Claude	P1	28	Open
2749	Confirming window countdown: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2750	Confirming window countdown: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	28	Open
2751	Withdraw before the start: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	8	Open
2752	Withdraw before the start: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	8	Open
2753	Withdraw before the start: submitting state: the button busy and a second tap ignored	new page	Claude	P0	8	Open
2754	Withdraw before the start: a refusal from the server shown with the reason and what to change	new page	Claude	P0	8	Open
2755	Withdraw before the start: offline: submission held back with a message, and entered data kept	new page	Claude	P0	8	Open
2756	Withdraw before the start: the keyboard never hides the focused field or the main button	new page	Claude	P0	8	Open
2757	Withdraw before the start: leaving with unsaved changes asks for confirmation	new page	Claude	P0	8	Open
2758	Withdraw before the start: success state stating what happened and what comes next	new page	Claude	P0	8	Open

#	Item	Where	Owner	Pri	Phase	Status
2759	Withdraw before the start: checked in dark mode, with no hard coded white or black	new page	Claude	P0	8	Open
2760	Withdraw before the start: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
2761	Withdraw before the start: right to left layout checked with the Urdu text	new page	Claude	P0	8	Open
2762	Withdraw before the start: usable at the largest system text size, with nothing cut off	new page	Claude	P0	8	Open
2763	Withdraw before the start: usable at 320 pixels wide	new page	Claude	P0	8	Open
2764	Withdraw before the start: every control named for screen readers, in a logical focus order	new page	Claude	P0	8	Open
2765	Withdraw before the start: contrast of every text and control checked	new page	Claude	P0	8	Open
2766	Withdraw before the start: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2767	Withdraw before the start: component test of every state	new page	Claude	P0	8	Open
2768	Withdraw before the start: end to end test of its main path	new page	Claude	P0	8	Open
2769	Withdraw before the start: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2770	Withdraw before the start: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	8	Open
2771	Waiting list position: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	59	Open
2772	Waiting list position: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	59	Open
2773	Waiting list position: error state with the reason in plain words and a retry	new page	Claude	P2	59	Open
2774	Waiting list position: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	59	Open
2775	Waiting list position: deep link restores the screen with its state	new page	Claude	P2	59	Open
2776	Waiting list position: not found and no access states, each with a route back	new page	Claude	P2	59	Open
2777	Waiting list position: checked in dark mode, with no hard coded white or black	new page	Claude	P2	59	Open
2778	Waiting list position: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
2779	Waiting list position: right to left layout checked with the Urdu text	new page	Claude	P2	59	Open
2780	Waiting list position: usable at the largest system text size, with nothing cut off	new page	Claude	P2	59	Open
2781	Waiting list position: usable at 320 pixels wide	new page	Claude	P2	59	Open
2782	Waiting list position: every control named for screen readers, in a logical focus order	new page	Claude	P2	59	Open
2783	Waiting list position: contrast of every text and control checked	new page	Claude	P2	59	Open
2784	Waiting list position: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2785	Waiting list position: component test of every state	new page	Claude	P2	59	Open
2786	Waiting list position: end to end test of its main path	new page	Claude	P2	59	Open
2787	Waiting list position: visual regression snapshot at three widths	new page	Claude	P2	59	Open

#	Item	Where	Owner	Pri	Phase	Status
2788	Waiting list position: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	59	Open

AC6. Missing Screens: Host

#	Item	Where	Owner	Pri	Phase	Status
2789	Host admission queue: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	28	Open
2790	Host admission queue: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	28	Open
2791	Host admission queue: error state with the reason in plain words and a retry	new page	Claude	P1	28	Open
2792	Host admission queue: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	28	Open
2793	Host admission queue: deep link restores the screen with its state	new page	Claude	P1	28	Open
2794	Host admission queue: pull to refresh	new page	Claude	P1	28	Open
2795	Host admission queue: empty state: the reason and one action	new page	Claude	P1	28	Open
2796	Host admission queue: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P1	28	Open
2797	Host admission queue: checked in dark mode, with no hard coded white or black	new page	Claude	P1	28	Open
2798	Host admission queue: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2799	Host admission queue: right to left layout checked with the Urdu text	new page	Claude	P1	28	Open
2800	Host admission queue: usable at the largest system text size, with nothing cut off	new page	Claude	P1	28	Open
2801	Host admission queue: usable at 320 pixels wide	new page	Claude	P1	28	Open
2802	Host admission queue: every control named for screen readers, in a logical focus order	new page	Claude	P1	28	Open
2803	Host admission queue: contrast of every text and control checked	new page	Claude	P1	28	Open
2804	Host admission queue: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2805	Host admission queue: component test of every state	new page	Claude	P1	28	Open
2806	Host admission queue: end to end test of its main path	new page	Claude	P1	28	Open
2807	Host admission queue: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2808	Host admission queue: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	28	Open
2809	Applicant detail: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	28	Open
2810	Applicant detail: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	28	Open
2811	Applicant detail: error state with the reason in plain words and a retry	new page	Claude	P1	28	Open
2812	Applicant detail: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	28	Open
2813	Applicant detail: deep link restores the screen with its state	new page	Claude	P1	28	Open

#	Item	Where	Owner	Pri	Phase	Status
2814	Applicant detail: not found and no access states, each with a route back	new page	Claude	P1	28	Open
2815	Applicant detail: checked in dark mode, with no hard coded white or black	new page	Claude	P1	28	Open
2816	Applicant detail: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2817	Applicant detail: right to left layout checked with the Urdu text	new page	Claude	P1	28	Open
2818	Applicant detail: usable at the largest system text size, with nothing cut off	new page	Claude	P1	28	Open
2819	Applicant detail: usable at 320 pixels wide	new page	Claude	P1	28	Open
2820	Applicant detail: every control named for screen readers, in a logical focus order	new page	Claude	P1	29	Open
2821	Applicant detail: contrast of every text and control checked	new page	Claude	P1	29	Open
2822	Applicant detail: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2823	Applicant detail: component test of every state	new page	Claude	P1	29	Open
2824	Applicant detail: end to end test of its main path	new page	Claude	P1	29	Open
2825	Applicant detail: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2826	Applicant detail: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	29	Open
2827	Admission decision record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	29	Open
2828	Admission decision record: every figure and reference shown matches the ledger	new page	Claude	P1	29	Open
2829	Admission decision record: the next step offered	new page	Claude	P1	29	Open
2830	Admission decision record: share as an image or a PDF with account numbers masked	new page	Claude	P1	29	Open
2831	Admission decision record: checked in dark mode, with no hard coded white or black	new page	Claude	P1	29	Open
2832	Admission decision record: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2833	Admission decision record: right to left layout checked with the Urdu text	new page	Claude	P1	29	Open
2834	Admission decision record: usable at the largest system text size, with nothing cut off	new page	Claude	P1	29	Open
2835	Admission decision record: usable at 320 pixels wide	new page	Claude	P1	29	Open
2836	Admission decision record: every control named for screen readers, in a logical focus order	new page	Claude	P1	29	Open
2837	Admission decision record: contrast of every text and control checked	new page	Claude	P1	29	Open
2838	Admission decision record: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	59	Open
2839	Admission decision record: visual regression snapshot at three widths	new page	Claude	P2	59	Open
2840	Admission decision record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	29	Open
2841	Roster fill request: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	59	Open
2842	Roster fill request: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	60	Open

#	Item	Where	Owner	Pri	Phase	Status
2843	Roster fill request: submitting state: the button busy and a second tap ignored	new page	Claude	P2	60	Open
2844	Roster fill request: a refusal from the server shown with the reason and what to change	new page	Claude	P2	60	Open
2845	Roster fill request: offline: submission held back with a message, and entered data kept	new page	Claude	P2	60	Open
2846	Roster fill request: the keyboard never hides the focused field or the main button	new page	Claude	P2	60	Open
2847	Roster fill request: leaving with unsaved changes asks for confirmation	new page	Claude	P2	60	Open
2848	Roster fill request: success state stating what happened and what comes next	new page	Claude	P2	60	Open
2849	Roster fill request: checked in dark mode, with no hard coded white or black	new page	Claude	P2	60	Open
2850	Roster fill request: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
2851	Roster fill request: right to left layout checked with the Urdu text	new page	Claude	P2	60	Open
2852	Roster fill request: usable at the largest system text size, with nothing cut off	new page	Claude	P2	60	Open
2853	Roster fill request: usable at 320 pixels wide	new page	Claude	P2	60	Open
2854	Roster fill request: every control named for screen readers, in a logical focus order	new page	Claude	P2	60	Open
2855	Roster fill request: contrast of every text and control checked	new page	Claude	P2	60	Open
2856	Roster fill request: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	60	Open
2857	Roster fill request: component test of every state	new page	Claude	P2	60	Open
2858	Roster fill request: end to end test of its main path	new page	Claude	P2	60	Open
2859	Roster fill request: visual regression snapshot at three widths	new page	Claude	P2	60	Open
2860	Roster fill request: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	60	Open
2861	Order of turns assignment, fixed or by ballot: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	29	Open
2862	Order of turns assignment, fixed or by ballot: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	29	Open
2863	Order of turns assignment, fixed or by ballot: submitting state: the button busy and a second tap ignored	new page	Claude	P1	29	Open
2864	Order of turns assignment, fixed or by ballot: a refusal from the server shown with the reason and what to change	new page	Claude	P1	29	Open
2865	Order of turns assignment, fixed or by ballot: offline: submission held back with a message, and entered data kept	new page	Claude	P1	29	Open
2866	Order of turns assignment, fixed or by ballot: the keyboard never hides the focused field or the main button	new page	Claude	P1	29	Open
2867	Order of turns assignment, fixed or by ballot: leaving with unsaved changes asks for confirmation	new page	Claude	P1	29	Open
2868	Order of turns assignment, fixed or by ballot: success state stating what happened and what comes next	new page	Claude	P1	29	Open
2869	Order of turns assignment, fixed or by ballot: checked in dark mode, with no hard coded white or black	new page	Claude	P1	29	Open
2870	Order of turns assignment, fixed or by ballot: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2871	Order of turns assignment, fixed or by ballot: right to left layout checked with the Urdu text	new page	Claude	P1	29	Open

#	Item	Where	Owner	Pri	Phase	Status
2872	Order of turns assignment, fixed or by ballot: usable at the largest system text size, with nothing cut off	new page	Claude	P1	29	Open
2873	Order of turns assignment, fixed or by ballot: usable at 320 pixels wide	new page	Claude	P1	29	Open
2874	Order of turns assignment, fixed or by ballot: every control named for screen readers, in a logical focus order	new page	Claude	P1	29	Open
2875	Order of turns assignment, fixed or by ballot: contrast of every text and control checked	new page	Claude	P1	29	Open
2876	Order of turns assignment, fixed or by ballot: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	60	Open
2877	Order of turns assignment, fixed or by ballot: component test of every state	new page	Claude	P1	29	Open
2878	Order of turns assignment, fixed or by ballot: end to end test of its main path	new page	Claude	P1	29	Open
2879	Order of turns assignment, fixed or by ballot: visual regression snapshot at three widths	new page	Claude	P2	60	Open
2880	Order of turns assignment, fixed or by ballot: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	29	Open
2881	Circle policy settings: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	29	Open
2882	Circle policy settings: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	29	Open
2883	Circle policy settings: submitting state: the button busy and a second tap ignored	new page	Claude	P1	29	Open
2884	Circle policy settings: a refusal from the server shown with the reason and what to change	new page	Claude	P1	29	Open
2885	Circle policy settings: offline: submission held back with a message, and entered data kept	new page	Claude	P1	29	Open
2886	Circle policy settings: the keyboard never hides the focused field or the main button	new page	Claude	P1	29	Open
2887	Circle policy settings: leaving with unsaved changes asks for confirmation	new page	Claude	P1	29	Open
2888	Circle policy settings: success state stating what happened and what comes next	new page	Claude	P1	29	Open
2889	Circle policy settings: checked in dark mode, with no hard coded white or black	new page	Claude	P1	29	Open
2890	Circle policy settings: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2891	Circle policy settings: right to left layout checked with the Urdu text	new page	Claude	P1	29	Open
2892	Circle policy settings: usable at the largest system text size, with nothing cut off	new page	Claude	P1	29	Open
2893	Circle policy settings: usable at 320 pixels wide	new page	Claude	P1	29	Open
2894	Circle policy settings: every control named for screen readers, in a logical focus order	new page	Claude	P1	29	Open
2895	Circle policy settings: contrast of every text and control checked	new page	Claude	P1	29	Open
2896	Circle policy settings: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	60	Open
2897	Circle policy settings: component test of every state	new page	Claude	P1	29	Open
2898	Circle policy settings: end to end test of its main path	new page	Claude	P1	29	Open
2899	Circle policy settings: visual regression snapshot at three widths	new page	Claude	P2	60	Open

#	Item	Where	Owner	Pri	Phase	Status
2900	Circle policy settings: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	29	Open
2901	Circle risk band explainer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	60	Open
2902	Circle risk band explainer: deep link opens it directly	new page	Claude	P2	60	Open
2903	Circle risk band explainer: checked in dark mode, with no hard coded white or black	new page	Claude	P2	60	Open
2904	Circle risk band explainer: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
2905	Circle risk band explainer: right to left layout checked with the Urdu text	new page	Claude	P2	60	Open
2906	Circle risk band explainer: usable at the largest system text size, with nothing cut off	new page	Claude	P2	60	Open
2907	Circle risk band explainer: usable at 320 pixels wide	new page	Claude	P2	60	Open
2908	Circle risk band explainer: every control named for screen readers, in a logical focus order	new page	Claude	P2	60	Open
2909	Circle risk band explainer: contrast of every text and control checked	new page	Claude	P2	60	Open
2910	Circle risk band explainer: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	60	Open
2911	Circle risk band explainer: visual regression snapshot at three widths	new page	Claude	P2	60	Open
2912	Circle risk band explainer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	60	Open
2913	Mandate coverage across the roster: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	29	Open
2914	Mandate coverage across the roster: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	29	Open
2915	Mandate coverage across the roster: error state with the reason in plain words and a retry	new page	Claude	P1	29	Open
2916	Mandate coverage across the roster: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	29	Open
2917	Mandate coverage across the roster: deep link restores the screen with its state	new page	Claude	P1	29	Open
2918	Mandate coverage across the roster: not found and no access states, each with a route back	new page	Claude	P1	29	Open
2919	Mandate coverage across the roster: checked in dark mode, with no hard coded white or black	new page	Claude	P1	29	Open
2920	Mandate coverage across the roster: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2921	Mandate coverage across the roster: right to left layout checked with the Urdu text	new page	Claude	P1	29	Open
2922	Mandate coverage across the roster: usable at the largest system text size, with nothing cut off	new page	Claude	P1	29	Open
2923	Mandate coverage across the roster: usable at 320 pixels wide	new page	Claude	P1	29	Open
2924	Mandate coverage across the roster: every control named for screen readers, in a logical focus order	new page	Claude	P1	29	Open
2925	Mandate coverage across the roster: contrast of every text and control checked	new page	Claude	P1	29	Open
2926	Mandate coverage across the roster: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	60	Open

#	Item	Where	Owner	Pri	Phase	Status
2927	Mandate coverage across the roster: component test of every state	new page	Claude	P1	29	Open
2928	Mandate coverage across the roster: end to end test of its main path	new page	Claude	P1	29	Open
2929	Mandate coverage across the roster: visual regression snapshot at three widths	new page	Claude	P2	60	Open
2930	Mandate coverage across the roster: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	29	Open
2931	Reminder composer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	60	Open
2932	Reminder composer: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	60	Open
2933	Reminder composer: submitting state: the button busy and a second tap ignored	new page	Claude	P2	60	Open
2934	Reminder composer: a refusal from the server shown with the reason and what to change	new page	Claude	P2	60	Open
2935	Reminder composer: offline: submission held back with a message, and entered data kept	new page	Claude	P2	60	Open
2936	Reminder composer: the keyboard never hides the focused field or the main button	new page	Claude	P2	60	Open
2937	Reminder composer: leaving with unsaved changes asks for confirmation	new page	Claude	P2	60	Open
2938	Reminder composer: success state stating what happened and what comes next	new page	Claude	P2	60	Open
2939	Reminder composer: checked in dark mode, with no hard coded white or black	new page	Claude	P2	60	Open
2940	Reminder composer: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
2941	Reminder composer: right to left layout checked with the Urdu text	new page	Claude	P2	60	Open
2942	Reminder composer: usable at the largest system text size, with nothing cut off	new page	Claude	P2	60	Open
2943	Reminder composer: usable at 320 pixels wide	new page	Claude	P2	60	Open
2944	Reminder composer: every control named for screen readers, in a logical focus order	new page	Claude	P2	60	Open
2945	Reminder composer: contrast of every text and control checked	new page	Claude	P2	60	Open
2946	Reminder composer: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	60	Open
2947	Reminder composer: component test of every state	new page	Claude	P2	60	Open
2948	Reminder composer: end to end test of its main path	new page	Claude	P2	60	Open
2949	Reminder composer: visual regression snapshot at three widths	new page	Claude	P2	60	Open
2950	Reminder composer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	60	Open
2951	Removal against the published test: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	29	Open
2952	Removal against the published test: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	29	Open
2953	Removal against the published test: submitting state: the button busy and a second tap ignored	new page	Claude	P1	29	Open

#	Item	Where	Owner	Pri	Phase	Status
2954	Removal against the published test: a refusal from the server shown with the reason and what to change	new page	Claude	P1	29	Open
2955	Removal against the published test: offline: submission held back with a message, and entered data kept	new page	Claude	P1	29	Open
2956	Removal against the published test: the keyboard never hides the focused field or the main button	new page	Claude	P1	29	Open
2957	Removal against the published test: leaving with unsaved changes asks for confirmation	new page	Claude	P1	29	Open
2958	Removal against the published test: success state stating what happened and what comes next	new page	Claude	P1	29	Open
2959	Removal against the published test: checked in dark mode, with no hard coded white or black	new page	Claude	P1	29	Open
2960	Removal against the published test: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2961	Removal against the published test: right to left layout checked with the Urdu text	new page	Claude	P1	29	Open
2962	Removal against the published test: usable at the largest system text size, with nothing cut off	new page	Claude	P1	29	Open
2963	Removal against the published test: usable at 320 pixels wide	new page	Claude	P1	29	Open
2964	Removal against the published test: every control named for screen readers, in a logical focus order	new page	Claude	P1	29	Open
2965	Removal against the published test: contrast of every text and control checked	new page	Claude	P1	29	Open
2966	Removal against the published test: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	60	Open
2967	Removal against the published test: component test of every state	new page	Claude	P1	29	Open
2968	Removal against the published test: end to end test of its main path	new page	Claude	P1	29	Open
2969	Removal against the published test: visual regression snapshot at three widths	new page	Claude	P2	60	Open
2970	Removal against the published test: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	29	Open
2971	Member vote on a removal: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	29	Open
2972	Member vote on a removal: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	29	Open
2973	Member vote on a removal: submitting state: the button busy and a second tap ignored	new page	Claude	P1	29	Open
2974	Member vote on a removal: a refusal from the server shown with the reason and what to change	new page	Claude	P1	29	Open
2975	Member vote on a removal: offline: submission held back with a message, and entered data kept	new page	Claude	P1	29	Open
2976	Member vote on a removal: the keyboard never hides the focused field or the main button	new page	Claude	P1	29	Open
2977	Member vote on a removal: leaving with unsaved changes asks for confirmation	new page	Claude	P1	29	Open
2978	Member vote on a removal: success state stating what happened and what comes next	new page	Claude	P1	29	Open
2979	Member vote on a removal: checked in dark mode, with no hard coded white or black	new page	Claude	P1	29	Open
2980	Member vote on a removal: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
2981	Member vote on a removal: right to left layout checked with the Urdu text	new page	Claude	P1	29	Open
2982	Member vote on a removal: usable at the largest system text size, with nothing cut off	new page	Claude	P1	29	Open

#	Item	Where	Owner	Pri	Phase	Status
2983	Member vote on a removal: usable at 320 pixels wide	new page	Claude	P1	29	Open
2984	Member vote on a removal: every control named for screen readers, in a logical focus order	new page	Claude	P1	29	Open
2985	Member vote on a removal: contrast of every text and control checked	new page	Claude	P1	29	Open
2986	Member vote on a removal: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	60	Open
2987	Member vote on a removal: component test of every state	new page	Claude	P1	29	Open
2988	Member vote on a removal: end to end test of its main path	new page	Claude	P1	29	Open
2989	Member vote on a removal: visual regression snapshot at three widths	new page	Claude	P2	60	Open
2990	Member vote on a removal: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	29	Open
2991	Host accountability record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	60	Open
2992	Host accountability record: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	60	Open
2993	Host accountability record: error state with the reason in plain words and a retry	new page	Claude	P2	60	Open
2994	Host accountability record: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	60	Open
2995	Host accountability record: deep link restores the screen with its state	new page	Claude	P2	60	Open
2996	Host accountability record: pull to refresh	new page	Claude	P2	60	Open
2997	Host accountability record: empty state: the reason and one action	new page	Claude	P2	60	Open
2998	Host accountability record: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P2	60	Open
2999	Host accountability record: checked in dark mode, with no hard coded white or black	new page	Claude	P2	60	Open
3000	Host accountability record: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3001	Host accountability record: right to left layout checked with the Urdu text	new page	Claude	P2	60	Open
3002	Host accountability record: usable at the largest system text size, with nothing cut off	new page	Claude	P2	60	Open
3003	Host accountability record: usable at 320 pixels wide	new page	Claude	P2	60	Open
3004	Host accountability record: every control named for screen readers, in a logical focus order	new page	Claude	P2	60	Open
3005	Host accountability record: contrast of every text and control checked	new page	Claude	P2	60	Open
3006	Host accountability record: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	60	Open
3007	Host accountability record: component test of every state	new page	Claude	P2	60	Open
3008	Host accountability record: end to end test of its main path	new page	Claude	P2	60	Open
3009	Host accountability record: visual regression snapshot at three widths	new page	Claude	P2	60	Open
3010	Host accountability record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	60	Open
3011	Circle dissolution: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	60	Open

#	Item	Where	Owner	Pri	Phase	Status
3012	Circle dissolution: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	60	Open
3013	Circle dissolution: submitting state: the button busy and a second tap ignored	new page	Claude	P2	60	Open
3014	Circle dissolution: a refusal from the server shown with the reason and what to change	new page	Claude	P2	60	Open
3015	Circle dissolution: offline: submission held back with a message, and entered data kept	new page	Claude	P2	60	Open
3016	Circle dissolution: the keyboard never hides the focused field or the main button	new page	Claude	P2	60	Open
3017	Circle dissolution: leaving with unsaved changes asks for confirmation	new page	Claude	P2	60	Open
3018	Circle dissolution: success state stating what happened and what comes next	new page	Claude	P2	60	Open
3019	Circle dissolution: checked in dark mode, with no hard coded white or black	new page	Claude	P2	60	Open
3020	Circle dissolution: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3021	Circle dissolution: right to left layout checked with the Urdu text	new page	Claude	P2	60	Open
3022	Circle dissolution: usable at the largest system text size, with nothing cut off	new page	Claude	P2	60	Open
3023	Circle dissolution: usable at 320 pixels wide	new page	Claude	P2	60	Open
3024	Circle dissolution: every control named for screen readers, in a logical focus order	new page	Claude	P2	60	Open
3025	Circle dissolution: contrast of every text and control checked	new page	Claude	P2	60	Open
3026	Circle dissolution: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	60	Open
3027	Circle dissolution: component test of every state	new page	Claude	P2	60	Open
3028	Circle dissolution: end to end test of its main path	new page	Claude	P2	60	Open
3029	Circle dissolution: visual regression snapshot at three widths	new page	Claude	P2	60	Open
3030	Circle dissolution: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	61	Open

AC7. Missing Screens: Money

#	Item	Where	Owner	Pri	Phase	Status
3031	Payment method chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	8	Open
3032	Payment method chooser: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	8	Open
3033	Payment method chooser: submitting state: the button busy and a second tap ignored	new page	Claude	P0	8	Open
3034	Payment method chooser: a refusal from the server shown with the reason and what to change	new page	Claude	P0	8	Open
3035	Payment method chooser: offline: submission held back with a message, and entered data kept	new page	Claude	P0	8	Open
3036	Payment method chooser: the keyboard never hides the focused field or the main button	new page	Claude	P0	8	Open
3037	Payment method chooser: leaving with unsaved changes asks for confirmation	new page	Claude	P0	8	Open

#	Item	Where	Owner	Pri	Phase	Status
3038	Payment method chooser: success state stating what happened and what comes next	new page	Claude	P0	8	Open
3039	Payment method chooser: checked in dark mode, with no hard coded white or black	new page	Claude	P0	8	Open
3040	Payment method chooser: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3041	Payment method chooser: right to left layout checked with the Urdu text	new page	Claude	P0	8	Open
3042	Payment method chooser: usable at the largest system text size, with nothing cut off	new page	Claude	P0	8	Open
3043	Payment method chooser: usable at 320 pixels wide	new page	Claude	P0	8	Open
3044	Payment method chooser: every control named for screen readers, in a logical focus order	new page	Claude	P0	8	Open
3045	Payment method chooser: contrast of every text and control checked	new page	Claude	P0	8	Open
3046	Payment method chooser: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3047	Payment method chooser: component test of every state	new page	Claude	P0	8	Open
3048	Payment method chooser: end to end test of its main path	new page	Claude	P0	8	Open
3049	Payment method chooser: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3050	Payment method chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	8	Open
3051	Payment confirmation with the full split: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	8	Open
3052	Payment confirmation with the full split: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	8	Open
3053	Payment confirmation with the full split: submitting state: the button busy and a second tap ignored	new page	Claude	P0	8	Open
3054	Payment confirmation with the full split: a refusal from the server shown with the reason and what to change	new page	Claude	P0	8	Open
3055	Payment confirmation with the full split: offline: submission held back with a message, and entered data kept	new page	Claude	P0	8	Open
3056	Payment confirmation with the full split: the keyboard never hides the focused field or the main button	new page	Claude	P0	8	Open
3057	Payment confirmation with the full split: leaving with unsaved changes asks for confirmation	new page	Claude	P0	8	Open
3058	Payment confirmation with the full split: success state stating what happened and what comes next	new page	Claude	P0	8	Open
3059	Payment confirmation with the full split: review step showing every amount before confirmation: the amount and every charge	new page	Claude	P0	8	Open
3060	Payment confirmation with the full split: transaction PIN required before the action	new page	Claude	P0	8	Open
3061	Payment confirmation with the full split: refused during the two hour cooling off after a device change, with the time remaining	new page	Claude	P0	8	Open
3062	Payment confirmation with the full split: one request per confirmation, carried by an idempotency key	new page	Claude	P0	8	Open
3063	Payment confirmation with the full split: receipt after completion, saved to Activity	new page	Claude	P0	8	Open
3064	Payment confirmation with the full split: amounts shown as Rs with thousands grouped and no stray decimals	new page	Claude	P0	8	Open

#	Item	Where	Owner	Pri	Phase	Status
3065	Payment confirmation with the full split: checked in dark mode, with no hard coded white or black	new page	Claude	P0	8	Open
3066	Payment confirmation with the full split: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3067	Payment confirmation with the full split: right to left layout checked with the Urdu text	new page	Claude	P0	8	Open
3068	Payment confirmation with the full split: usable at the largest system text size, with nothing cut off	new page	Claude	P0	8	Open
3069	Payment confirmation with the full split: usable at 320 pixels wide	new page	Claude	P0	8	Open
3070	Payment confirmation with the full split: every control named for screen readers, in a logical focus order	new page	Claude	P0	8	Open
3071	Payment confirmation with the full split: contrast of every text and control checked	new page	Claude	P0	8	Open
3072	Payment confirmation with the full split: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3073	Payment confirmation with the full split: component test of every state	new page	Claude	P0	8	Open
3074	Payment confirmation with the full split: end to end test of its main path	new page	Claude	P0	8	Open
3075	Payment confirmation with the full split: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3076	Payment confirmation with the full split: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	8	Open
3077	Payment pending: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	8	Open
3078	Payment pending: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P0	8	Open
3079	Payment pending: error state with the reason in plain words and a retry	new page	Claude	P0	8	Open
3080	Payment pending: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P0	8	Open
3081	Payment pending: deep link restores the screen with its state	new page	Claude	P0	8	Open
3082	Payment pending: not found and no access states, each with a route back	new page	Claude	P0	8	Open
3083	Payment pending: checked in dark mode, with no hard coded white or black	new page	Claude	P0	8	Open
3084	Payment pending: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3085	Payment pending: right to left layout checked with the Urdu text	new page	Claude	P0	8	Open
3086	Payment pending: usable at the largest system text size, with nothing cut off	new page	Claude	P0	8	Open
3087	Payment pending: usable at 320 pixels wide	new page	Claude	P0	8	Open
3088	Payment pending: every control named for screen readers, in a logical focus order	new page	Claude	P0	8	Open
3089	Payment pending: contrast of every text and control checked	new page	Claude	P0	8	Open
3090	Payment pending: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3091	Payment pending: component test of every state	new page	Claude	P0	8	Open
3092	Payment pending: end to end test of its main path	new page	Claude	P0	8	Open
3093	Payment pending: visual regression snapshot at three widths	new page	Claude	P2	61	Open

#	Item	Where	Owner	Pri	Phase	Status
3094	Payment pending: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	8	Open
3095	Payment failed: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	8	Open
3096	Payment failed: every figure and reference shown matches the ledger	new page	Claude	P0	8	Open
3097	Payment failed: the next step offered	new page	Claude	P0	8	Open
3098	Payment failed: share as an image or a PDF with account numbers masked	new page	Claude	P0	8	Open
3099	Payment failed: checked in dark mode, with no hard coded white or black	new page	Claude	P0	8	Open
3100	Payment failed: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3101	Payment failed: right to left layout checked with the Urdu text	new page	Claude	P0	8	Open
3102	Payment failed: usable at the largest system text size, with nothing cut off	new page	Claude	P0	8	Open
3103	Payment failed: usable at 320 pixels wide	new page	Claude	P0	8	Open
3104	Payment failed: every control named for screen readers, in a logical focus order	new page	Claude	P0	8	Open
3105	Payment failed: contrast of every text and control checked	new page	Claude	P0	8	Open
3106	Payment failed: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3107	Payment failed: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3108	Payment failed: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	8	Open
3109	Receipt: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	8	Open
3110	Receipt: every figure and reference shown matches the ledger	new page	Claude	P0	8	Open
3111	Receipt: the next step offered	new page	Claude	P0	8	Open
3112	Receipt: share as an image or a PDF with account numbers masked	new page	Claude	P0	8	Open
3113	Receipt: checked in dark mode, with no hard coded white or black	new page	Claude	P0	8	Open
3114	Receipt: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3115	Receipt: right to left layout checked with the Urdu text	new page	Claude	P0	8	Open
3116	Receipt: usable at the largest system text size, with nothing cut off	new page	Claude	P0	8	Open
3117	Receipt: usable at 320 pixels wide	new page	Claude	P0	8	Open
3118	Receipt: every control named for screen readers, in a logical focus order	new page	Claude	P0	8	Open
3119	Receipt: contrast of every text and control checked	new page	Claude	P0	8	Open
3120	Receipt: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3121	Receipt: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3122	Receipt: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	8	Open
3123	Dispute a payment: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	8	Open

#	Item	Where	Owner	Pri	Phase	Status
3124	Dispute a payment: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	8	Open
3125	Dispute a payment: submitting state: the button busy and a second tap ignored	new page	Claude	P0	8	Open
3126	Dispute a payment: a refusal from the server shown with the reason and what to change	new page	Claude	P0	9	Open
3127	Dispute a payment: offline: submission held back with a message, and entered data kept	new page	Claude	P0	9	Open
3128	Dispute a payment: the keyboard never hides the focused field or the main button	new page	Claude	P0	9	Open
3129	Dispute a payment: leaving with unsaved changes asks for confirmation	new page	Claude	P0	9	Open
3130	Dispute a payment: success state stating what happened and what comes next	new page	Claude	P0	9	Open
3131	Dispute a payment: checked in dark mode, with no hard coded white or black	new page	Claude	P0	9	Open
3132	Dispute a payment: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3133	Dispute a payment: right to left layout checked with the Urdu text	new page	Claude	P0	9	Open
3134	Dispute a payment: usable at the largest system text size, with nothing cut off	new page	Claude	P0	9	Open
3135	Dispute a payment: usable at 320 pixels wide	new page	Claude	P0	9	Open
3136	Dispute a payment: every control named for screen readers, in a logical focus order	new page	Claude	P0	9	Open
3137	Dispute a payment: contrast of every text and control checked	new page	Claude	P0	9	Open
3138	Dispute a payment: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3139	Dispute a payment: component test of every state	new page	Claude	P0	9	Open
3140	Dispute a payment: end to end test of its main path	new page	Claude	P0	9	Open
3141	Dispute a payment: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3142	Dispute a payment: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	9	Open
3143	Dispute status: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	29	Open
3144	Dispute status: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	30	Open
3145	Dispute status: error state with the reason in plain words and a retry	new page	Claude	P1	30	Open
3146	Dispute status: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	30	Open
3147	Dispute status: deep link restores the screen with its state	new page	Claude	P1	30	Open
3148	Dispute status: not found and no access states, each with a route back	new page	Claude	P1	30	Open
3149	Dispute status: checked in dark mode, with no hard coded white or black	new page	Claude	P1	30	Open
3150	Dispute status: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3151	Dispute status: right to left layout checked with the Urdu text	new page	Claude	P1	30	Open
3152	Dispute status: usable at the largest system text size, with nothing cut off	new page	Claude	P1	30	Open
3153	Dispute status: usable at 320 pixels wide	new page	Claude	P1	30	Open

#	Item	Where	Owner	Pri	Phase	Status
3154	Dispute status: every control named for screen readers, in a logical focus order	new page	Claude	P1	30	Open
3155	Dispute status: contrast of every text and control checked	new page	Claude	P1	30	Open
3156	Dispute status: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3157	Dispute status: component test of every state	new page	Claude	P1	30	Open
3158	Dispute status: end to end test of its main path	new page	Claude	P1	30	Open
3159	Dispute status: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3160	Dispute status: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	30	Open
3161	Payout destination confirmation: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	9	Open
3162	Payout destination confirmation: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	9	Open
3163	Payout destination confirmation: submitting state: the button busy and a second tap ignored	new page	Claude	P0	9	Open
3164	Payout destination confirmation: a refusal from the server shown with the reason and what to change	new page	Claude	P0	9	Open
3165	Payout destination confirmation: offline: submission held back with a message, and entered data kept	new page	Claude	P0	9	Open
3166	Payout destination confirmation: the keyboard never hides the focused field or the main button	new page	Claude	P0	9	Open
3167	Payout destination confirmation: leaving with unsaved changes asks for confirmation	new page	Claude	P0	9	Open
3168	Payout destination confirmation: success state stating what happened and what comes next	new page	Claude	P0	9	Open
3169	Payout destination confirmation: review step showing every amount before confirmation: the amount and every charge	new page	Claude	P0	9	Open
3170	Payout destination confirmation: transaction PIN required before the action	new page	Claude	P0	9	Open
3171	Payout destination confirmation: refused during the two hour cooling off after a device change, with the time remaining	new page	Claude	P0	9	Open
3172	Payout destination confirmation: one request per confirmation, carried by an idempotency key	new page	Claude	P0	9	Open
3173	Payout destination confirmation: receipt after completion, saved to Activity	new page	Claude	P0	9	Open
3174	Payout destination confirmation: amounts shown as Rs with thousands grouped and no stray decimals	new page	Claude	P0	9	Open
3175	Payout destination confirmation: checked in dark mode, with no hard coded white or black	new page	Claude	P0	9	Open
3176	Payout destination confirmation: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3177	Payout destination confirmation: right to left layout checked with the Urdu text	new page	Claude	P0	9	Open
3178	Payout destination confirmation: usable at the largest system text size, with nothing cut off	new page	Claude	P0	9	Open
3179	Payout destination confirmation: usable at 320 pixels wide	new page	Claude	P0	9	Open
3180	Payout destination confirmation: every control named for screen readers, in a logical focus order	new page	Claude	P0	9	Open
3181	Payout destination confirmation: contrast of every text and control checked	new page	Claude	P0	9	Open

#	Item	Where	Owner	Pri	Phase	Status
3182	Payout destination confirmation: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3183	Payout destination confirmation: component test of every state	new page	Claude	P0	9	Open
3184	Payout destination confirmation: end to end test of its main path	new page	Claude	P0	9	Open
3185	Payout destination confirmation: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3186	Payout destination confirmation: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	9	Open
3187	Payout released: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	9	Open
3188	Payout released: every figure and reference shown matches the ledger	new page	Claude	P0	9	Open
3189	Payout released: the next step offered	new page	Claude	P0	9	Open
3190	Payout released: share as an image or a PDF with account numbers masked	new page	Claude	P0	9	Open
3191	Payout released: checked in dark mode, with no hard coded white or black	new page	Claude	P0	9	Open
3192	Payout released: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3193	Payout released: right to left layout checked with the Urdu text	new page	Claude	P0	9	Open
3194	Payout released: usable at the largest system text size, with nothing cut off	new page	Claude	P0	9	Open
3195	Payout released: usable at 320 pixels wide	new page	Claude	P0	9	Open
3196	Payout released: every control named for screen readers, in a logical focus order	new page	Claude	P0	9	Open
3197	Payout released: contrast of every text and control checked	new page	Claude	P0	9	Open
3198	Payout released: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3199	Payout released: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3200	Payout released: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	9	Open
3201	Payout receipt: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	9	Open
3202	Payout receipt: every figure and reference shown matches the ledger	new page	Claude	P0	9	Open
3203	Payout receipt: the next step offered	new page	Claude	P0	9	Open
3204	Payout receipt: share as an image or a PDF with account numbers masked	new page	Claude	P0	9	Open
3205	Payout receipt: checked in dark mode, with no hard coded white or black	new page	Claude	P0	9	Open
3206	Payout receipt: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3207	Payout receipt: right to left layout checked with the Urdu text	new page	Claude	P0	9	Open
3208	Payout receipt: usable at the largest system text size, with nothing cut off	new page	Claude	P0	9	Open
3209	Payout receipt: usable at 320 pixels wide	new page	Claude	P0	9	Open
3210	Payout receipt: every control named for screen readers, in a logical focus order	new page	Claude	P0	9	Open
3211	Payout receipt: contrast of every text and control checked	new page	Claude	P0	9	Open

#	Item	Where	Owner	Pri	Phase	Status
3212	Payout receipt: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3213	Payout receipt: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3214	Payout receipt: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	9	Open
3215	Shortfall explanation on a payout: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	30	Open
3216	Shortfall explanation on a payout: deep link opens it directly	new page	Claude	P1	30	Open
3217	Shortfall explanation on a payout: checked in dark mode, with no hard coded white or black	new page	Claude	P1	30	Open
3218	Shortfall explanation on a payout: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3219	Shortfall explanation on a payout: right to left layout checked with the Urdu text	new page	Claude	P1	30	Open
3220	Shortfall explanation on a payout: usable at the largest system text size, with nothing cut off	new page	Claude	P1	30	Open
3221	Shortfall explanation on a payout: usable at 320 pixels wide	new page	Claude	P1	30	Open
3222	Shortfall explanation on a payout: every control named for screen readers, in a logical focus order	new page	Claude	P1	30	Open
3223	Shortfall explanation on a payout: contrast of every text and control checked	new page	Claude	P1	30	Open
3224	Shortfall explanation on a payout: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3225	Shortfall explanation on a payout: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3226	Shortfall explanation on a payout: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	30	Open
3227	Set off explanation: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	30	Open
3228	Set off explanation: deep link opens it directly	new page	Claude	P1	30	Open
3229	Set off explanation: checked in dark mode, with no hard coded white or black	new page	Claude	P1	30	Open
3230	Set off explanation: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3231	Set off explanation: right to left layout checked with the Urdu text	new page	Claude	P1	30	Open
3232	Set off explanation: usable at the largest system text size, with nothing cut off	new page	Claude	P1	30	Open
3233	Set off explanation: usable at 320 pixels wide	new page	Claude	P1	30	Open
3234	Set off explanation: every control named for screen readers, in a logical focus order	new page	Claude	P1	30	Open
3235	Set off explanation: contrast of every text and control checked	new page	Claude	P1	30	Open
3236	Set off explanation: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3237	Set off explanation: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3238	Set off explanation: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	30	Open
3239	Partial payment record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	30	Open

#	Item	Where	Owner	Pri	Phase	Status
3240	Partial payment record: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	30	Open
3241	Partial payment record: error state with the reason in plain words and a retry	new page	Claude	P1	30	Open
3242	Partial payment record: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	30	Open
3243	Partial payment record: deep link restores the screen with its state	new page	Claude	P1	30	Open
3244	Partial payment record: not found and no access states, each with a route back	new page	Claude	P1	30	Open
3245	Partial payment record: checked in dark mode, with no hard coded white or black	new page	Claude	P1	30	Open
3246	Partial payment record: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3247	Partial payment record: right to left layout checked with the Urdu text	new page	Claude	P1	30	Open
3248	Partial payment record: usable at the largest system text size, with nothing cut off	new page	Claude	P1	30	Open
3249	Partial payment record: usable at 320 pixels wide	new page	Claude	P1	30	Open
3250	Partial payment record: every control named for screen readers, in a logical focus order	new page	Claude	P1	30	Open
3251	Partial payment record: contrast of every text and control checked	new page	Claude	P1	30	Open
3252	Partial payment record: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3253	Partial payment record: component test of every state	new page	Claude	P1	30	Open
3254	Partial payment record: end to end test of its main path	new page	Claude	P1	30	Open
3255	Partial payment record: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3256	Partial payment record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	30	Open
3257	Arrears position: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	30	Open
3258	Arrears position: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	30	Open
3259	Arrears position: error state with the reason in plain words and a retry	new page	Claude	P1	30	Open
3260	Arrears position: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	30	Open
3261	Arrears position: deep link restores the screen with its state	new page	Claude	P1	30	Open
3262	Arrears position: not found and no access states, each with a route back	new page	Claude	P1	30	Open
3263	Arrears position: checked in dark mode, with no hard coded white or black	new page	Claude	P1	30	Open
3264	Arrears position: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3265	Arrears position: right to left layout checked with the Urdu text	new page	Claude	P1	30	Open
3266	Arrears position: usable at the largest system text size, with nothing cut off	new page	Claude	P1	30	Open
3267	Arrears position: usable at 320 pixels wide	new page	Claude	P1	30	Open
3268	Arrears position: every control named for screen readers, in a logical focus order	new page	Claude	P1	30	Open
3269	Arrears position: contrast of every text and control checked	new page	Claude	P1	30	Open

#	Item	Where	Owner	Pri	Phase	Status
3270	Arrears position: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3271	Arrears position: component test of every state	new page	Claude	P1	30	Open
3272	Arrears position: end to end test of its main path	new page	Claude	P1	30	Open
3273	Arrears position: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3274	Arrears position: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	30	Open
3275	Fee schedule: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	9	Open
3276	Fee schedule: deep link opens it directly	new page	Claude	P0	9	Open
3277	Fee schedule: checked in dark mode, with no hard coded white or black	new page	Claude	P0	9	Open
3278	Fee schedule: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3279	Fee schedule: right to left layout checked with the Urdu text	new page	Claude	P0	9	Open
3280	Fee schedule: usable at the largest system text size, with nothing cut off	new page	Claude	P0	9	Open
3281	Fee schedule: usable at 320 pixels wide	new page	Claude	P0	9	Open
3282	Fee schedule: every control named for screen readers, in a logical focus order	new page	Claude	P0	9	Open
3283	Fee schedule: contrast of every text and control checked	new page	Claude	P0	9	Open
3284	Fee schedule: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3285	Fee schedule: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3286	Fee schedule: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	9	Open
3287	Fee applied to this circle: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	9	Open
3288	Fee applied to this circle: deep link opens it directly	new page	Claude	P0	9	Open
3289	Fee applied to this circle: checked in dark mode, with no hard coded white or black	new page	Claude	P0	9	Open
3290	Fee applied to this circle: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3291	Fee applied to this circle: right to left layout checked with the Urdu text	new page	Claude	P0	9	Open
3292	Fee applied to this circle: usable at the largest system text size, with nothing cut off	new page	Claude	P0	9	Open
3293	Fee applied to this circle: usable at 320 pixels wide	new page	Claude	P0	9	Open
3294	Fee applied to this circle: every control named for screen readers, in a logical focus order	new page	Claude	P0	9	Open
3295	Fee applied to this circle: contrast of every text and control checked	new page	Claude	P0	9	Open
3296	Fee applied to this circle: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3297	Fee applied to this circle: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3298	Fee applied to this circle: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	9	Open

#	Item	Where	Owner	Pri	Phase	Status
3299	Discount eligibility: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	61	Open
3300	Discount eligibility: deep link opens it directly	new page	Claude	P2	61	Open
3301	Discount eligibility: checked in dark mode, with no hard coded white or black	new page	Claude	P2	61	Open
3302	Discount eligibility: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3303	Discount eligibility: right to left layout checked with the Urdu text	new page	Claude	P2	61	Open
3304	Discount eligibility: usable at the largest system text size, with nothing cut off	new page	Claude	P2	61	Open
3305	Discount eligibility: usable at 320 pixels wide	new page	Claude	P2	61	Open
3306	Discount eligibility: every control named for screen readers, in a logical focus order	new page	Claude	P2	61	Open
3307	Discount eligibility: contrast of every text and control checked	new page	Claude	P2	61	Open
3308	Discount eligibility: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3309	Discount eligibility: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3310	Discount eligibility: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	61	Open
3311	Guarantee cheque registration: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	61	Open
3312	Guarantee cheque registration: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	61	Open
3313	Guarantee cheque registration: submitting state: the button busy and a second tap ignored	new page	Claude	P2	61	Open
3314	Guarantee cheque registration: a refusal from the server shown with the reason and what to change	new page	Claude	P2	61	Open
3315	Guarantee cheque registration: offline: submission held back with a message, and entered data kept	new page	Claude	P2	61	Open
3316	Guarantee cheque registration: the keyboard never hides the focused field or the main button	new page	Claude	P2	61	Open
3317	Guarantee cheque registration: leaving with unsaved changes asks for confirmation	new page	Claude	P2	61	Open
3318	Guarantee cheque registration: success state stating what happened and what comes next	new page	Claude	P2	61	Open
3319	Guarantee cheque registration: checked in dark mode, with no hard coded white or black	new page	Claude	P2	61	Open
3320	Guarantee cheque registration: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3321	Guarantee cheque registration: right to left layout checked with the Urdu text	new page	Claude	P2	61	Open
3322	Guarantee cheque registration: usable at the largest system text size, with nothing cut off	new page	Claude	P2	61	Open
3323	Guarantee cheque registration: usable at 320 pixels wide	new page	Claude	P2	61	Open
3324	Guarantee cheque registration: every control named for screen readers, in a logical focus order	new page	Claude	P2	61	Open
3325	Guarantee cheque registration: contrast of every text and control checked	new page	Claude	P2	61	Open
3326	Guarantee cheque registration: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3327	Guarantee cheque registration: component test of every state	new page	Claude	P2	61	Open

#	Item	Where	Owner	Pri	Phase	Status
3328	Guarantee cheque registration: end to end test of its main path	new page	Claude	P2	61	Open
3329	Guarantee cheque registration: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3330	Guarantee cheque registration: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	61	Open

AC8. Missing Screens: Recovery

#	Item	Where	Owner	Pri	Phase	Status
3331	Late notice, first step: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	30	Open
3332	Late notice, first step: deep link opens it directly	new page	Claude	P1	30	Open
3333	Late notice, first step: checked in dark mode, with no hard coded white or black	new page	Claude	P1	30	Open
3334	Late notice, first step: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3335	Late notice, first step: right to left layout checked with the Urdu text	new page	Claude	P1	30	Open
3336	Late notice, first step: usable at the largest system text size, with nothing cut off	new page	Claude	P1	30	Open
3337	Late notice, first step: usable at 320 pixels wide	new page	Claude	P1	30	Open
3338	Late notice, first step: every control named for screen readers, in a logical focus order	new page	Claude	P1	30	Open
3339	Late notice, first step: contrast of every text and control checked	new page	Claude	P1	30	Open
3340	Late notice, first step: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3341	Late notice, first step: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3342	Late notice, first step: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	30	Open
3343	Late notice, second step: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	30	Open
3344	Late notice, second step: deep link opens it directly	new page	Claude	P1	30	Open
3345	Late notice, second step: checked in dark mode, with no hard coded white or black	new page	Claude	P1	30	Open
3346	Late notice, second step: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3347	Late notice, second step: right to left layout checked with the Urdu text	new page	Claude	P1	30	Open
3348	Late notice, second step: usable at the largest system text size, with nothing cut off	new page	Claude	P1	30	Open
3349	Late notice, second step: usable at 320 pixels wide	new page	Claude	P1	30	Open
3350	Late notice, second step: every control named for screen readers, in a logical focus order	new page	Claude	P1	30	Open
3351	Late notice, second step: contrast of every text and control checked	new page	Claude	P1	30	Open
3352	Late notice, second step: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open

#	Item	Where	Owner	Pri	Phase	Status
3353	Late notice, second step: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3354	Late notice, second step: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	30	Open
3355	Late notice, third step: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	30	Open
3356	Late notice, third step: deep link opens it directly	new page	Claude	P1	30	Open
3357	Late notice, third step: checked in dark mode, with no hard coded white or black	new page	Claude	P1	30	Open
3358	Late notice, third step: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3359	Late notice, third step: right to left layout checked with the Urdu text	new page	Claude	P1	30	Open
3360	Late notice, third step: usable at the largest system text size, with nothing cut off	new page	Claude	P1	30	Open
3361	Late notice, third step: usable at 320 pixels wide	new page	Claude	P1	30	Open
3362	Late notice, third step: every control named for screen readers, in a logical focus order	new page	Claude	P1	30	Open
3363	Late notice, third step: contrast of every text and control checked	new page	Claude	P1	30	Open
3364	Late notice, third step: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3365	Late notice, third step: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3366	Late notice, third step: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	30	Open
3367	Hardship declaration: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	30	Open
3368	Hardship declaration: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	30	Open
3369	Hardship declaration: submitting state: the button busy and a second tap ignored	new page	Claude	P1	30	Open
3370	Hardship declaration: a refusal from the server shown with the reason and what to change	new page	Claude	P1	30	Open
3371	Hardship declaration: offline: submission held back with a message, and entered data kept	new page	Claude	P1	30	Open
3372	Hardship declaration: the keyboard never hides the focused field or the main button	new page	Claude	P1	30	Open
3373	Hardship declaration: leaving with unsaved changes asks for confirmation	new page	Claude	P1	30	Open
3374	Hardship declaration: success state stating what happened and what comes next	new page	Claude	P1	30	Open
3375	Hardship declaration: checked in dark mode, with no hard coded white or black	new page	Claude	P1	30	Open
3376	Hardship declaration: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3377	Hardship declaration: right to left layout checked with the Urdu text	new page	Claude	P1	30	Open
3378	Hardship declaration: usable at the largest system text size, with nothing cut off	new page	Claude	P1	30	Open
3379	Hardship declaration: usable at 320 pixels wide	new page	Claude	P1	31	Open
3380	Hardship declaration: every control named for screen readers, in a logical focus order	new page	Claude	P1	31	Open

#	Item	Where	Owner	Pri	Phase	Status
3381	Hardship declaration: contrast of every text and control checked	new page	Claude	P1	31	Open
3382	Hardship declaration: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3383	Hardship declaration: component test of every state	new page	Claude	P1	31	Open
3384	Hardship declaration: end to end test of its main path	new page	Claude	P1	31	Open
3385	Hardship declaration: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3386	Hardship declaration: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	31	Open
3387	Revised date agreement: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	31	Open
3388	Revised date agreement: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	31	Open
3389	Revised date agreement: submitting state: the button busy and a second tap ignored	new page	Claude	P1	31	Open
3390	Revised date agreement: a refusal from the server shown with the reason and what to change	new page	Claude	P1	31	Open
3391	Revised date agreement: offline: submission held back with a message, and entered data kept	new page	Claude	P1	31	Open
3392	Revised date agreement: the keyboard never hides the focused field or the main button	new page	Claude	P1	31	Open
3393	Revised date agreement: leaving with unsaved changes asks for confirmation	new page	Claude	P1	31	Open
3394	Revised date agreement: success state stating what happened and what comes next	new page	Claude	P1	31	Open
3395	Revised date agreement: checked in dark mode, with no hard coded white or black	new page	Claude	P1	31	Open
3396	Revised date agreement: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3397	Revised date agreement: right to left layout checked with the Urdu text	new page	Claude	P1	31	Open
3398	Revised date agreement: usable at the largest system text size, with nothing cut off	new page	Claude	P1	31	Open
3399	Revised date agreement: usable at 320 pixels wide	new page	Claude	P1	31	Open
3400	Revised date agreement: every control named for screen readers, in a logical focus order	new page	Claude	P1	31	Open
3401	Revised date agreement: contrast of every text and control checked	new page	Claude	P1	31	Open
3402	Revised date agreement: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3403	Revised date agreement: component test of every state	new page	Claude	P1	31	Open
3404	Revised date agreement: end to end test of its main path	new page	Claude	P1	31	Open
3405	Revised date agreement: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3406	Revised date agreement: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	31	Open
3407	Cure confirmation: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	31	Open
3408	Cure confirmation: every figure and reference shown matches the ledger	new page	Claude	P1	31	Open

#	Item	Where	Owner	Pri	Phase	Status
3409	Cure confirmation: the next step offered	new page	Claude	P1	31	Open
3410	Cure confirmation: share as an image or a PDF with account numbers masked	new page	Claude	P1	31	Open
3411	Cure confirmation: checked in dark mode, with no hard coded white or black	new page	Claude	P1	31	Open
3412	Cure confirmation: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3413	Cure confirmation: right to left layout checked with the Urdu text	new page	Claude	P1	31	Open
3414	Cure confirmation: usable at the largest system text size, with nothing cut off	new page	Claude	P1	31	Open
3415	Cure confirmation: usable at 320 pixels wide	new page	Claude	P1	31	Open
3416	Cure confirmation: every control named for screen readers, in a logical focus order	new page	Claude	P1	31	Open
3417	Cure confirmation: contrast of every text and control checked	new page	Claude	P1	31	Open
3418	Cure confirmation: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3419	Cure confirmation: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3420	Cure confirmation: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	31	Open
3421	Restitution arithmetic: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	31	Open
3422	Restitution arithmetic: deep link opens it directly	new page	Claude	P1	31	Open
3423	Restitution arithmetic: checked in dark mode, with no hard coded white or black	new page	Claude	P1	31	Open
3424	Restitution arithmetic: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3425	Restitution arithmetic: right to left layout checked with the Urdu text	new page	Claude	P1	31	Open
3426	Restitution arithmetic: usable at the largest system text size, with nothing cut off	new page	Claude	P1	31	Open
3427	Restitution arithmetic: usable at 320 pixels wide	new page	Claude	P1	31	Open
3428	Restitution arithmetic: every control named for screen readers, in a logical focus order	new page	Claude	P1	31	Open
3429	Restitution arithmetic: contrast of every text and control checked	new page	Claude	P1	31	Open
3430	Restitution arithmetic: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3431	Restitution arithmetic: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3432	Restitution arithmetic: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	31	Open
3433	Recovery case status: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	31	Open
3434	Recovery case status: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	31	Open
3435	Recovery case status: error state with the reason in plain words and a retry	new page	Claude	P1	31	Open
3436	Recovery case status: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	31	Open

#	Item	Where	Owner	Pri	Phase	Status
3437	Recovery case status: deep link restores the screen with its state	new page	Claude	P1	31	Open
3438	Recovery case status: not found and no access states, each with a route back	new page	Claude	P1	31	Open
3439	Recovery case status: checked in dark mode, with no hard coded white or black	new page	Claude	P1	31	Open
3440	Recovery case status: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3441	Recovery case status: right to left layout checked with the Urdu text	new page	Claude	P1	31	Open
3442	Recovery case status: usable at the largest system text size, with nothing cut off	new page	Claude	P1	31	Open
3443	Recovery case status: usable at 320 pixels wide	new page	Claude	P1	31	Open
3444	Recovery case status: every control named for screen readers, in a logical focus order	new page	Claude	P1	31	Open
3445	Recovery case status: contrast of every text and control checked	new page	Claude	P1	31	Open
3446	Recovery case status: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3447	Recovery case status: component test of every state	new page	Claude	P1	31	Open
3448	Recovery case status: end to end test of its main path	new page	Claude	P1	31	Open
3449	Recovery case status: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3450	Recovery case status: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	31	Open
3451	Write off record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	61	Open
3452	Write off record: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	61	Open
3453	Write off record: error state with the reason in plain words and a retry	new page	Claude	P2	61	Open
3454	Write off record: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	61	Open
3455	Write off record: deep link restores the screen with its state	new page	Claude	P2	61	Open
3456	Write off record: not found and no access states, each with a route back	new page	Claude	P2	61	Open
3457	Write off record: checked in dark mode, with no hard coded white or black	new page	Claude	P2	61	Open
3458	Write off record: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3459	Write off record: right to left layout checked with the Urdu text	new page	Claude	P2	61	Open
3460	Write off record: usable at the largest system text size, with nothing cut off	new page	Claude	P2	61	Open
3461	Write off record: usable at 320 pixels wide	new page	Claude	P2	61	Open
3462	Write off record: every control named for screen readers, in a logical focus order	new page	Claude	P2	61	Open
3463	Write off record: contrast of every text and control checked	new page	Claude	P2	61	Open
3464	Write off record: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	61	Open
3465	Write off record: component test of every state	new page	Claude	P2	61	Open
3466	Write off record: end to end test of its main path	new page	Claude	P2	61	Open

#	Item	Where	Owner	Pri	Phase	Status
3467	Write off record: visual regression snapshot at three widths	new page	Claude	P2	61	Open
3468	Write off record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	62	Open

AC9. Missing Screens: Leaving a circle

#	Item	Where	Owner	Pri	Phase	Status
3469	Exit ladder chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	31	Open
3470	Exit ladder chooser: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	31	Open
3471	Exit ladder chooser: submitting state: the button busy and a second tap ignored	new page	Claude	P1	31	Open
3472	Exit ladder chooser: a refusal from the server shown with the reason and what to change	new page	Claude	P1	31	Open
3473	Exit ladder chooser: offline: submission held back with a message, and entered data kept	new page	Claude	P1	31	Open
3474	Exit ladder chooser: the keyboard never hides the focused field or the main button	new page	Claude	P1	31	Open
3475	Exit ladder chooser: leaving with unsaved changes asks for confirmation	new page	Claude	P1	31	Open
3476	Exit ladder chooser: success state stating what happened and what comes next	new page	Claude	P1	31	Open
3477	Exit ladder chooser: checked in dark mode, with no hard coded white or black	new page	Claude	P1	31	Open
3478	Exit ladder chooser: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3479	Exit ladder chooser: right to left layout checked with the Urdu text	new page	Claude	P1	31	Open
3480	Exit ladder chooser: usable at the largest system text size, with nothing cut off	new page	Claude	P1	31	Open
3481	Exit ladder chooser: usable at 320 pixels wide	new page	Claude	P1	31	Open
3482	Exit ladder chooser: every control named for screen readers, in a logical focus order	new page	Claude	P1	31	Open
3483	Exit ladder chooser: contrast of every text and control checked	new page	Claude	P1	31	Open
3484	Exit ladder chooser: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3485	Exit ladder chooser: component test of every state	new page	Claude	P1	31	Open
3486	Exit ladder chooser: end to end test of its main path	new page	Claude	P1	31	Open
3487	Exit ladder chooser: visual regression snapshot at three widths	new page	Claude	P2	62	Open
3488	Exit ladder chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	31	Open
3489	Exit arithmetic: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	31	Open
3490	Exit arithmetic: deep link opens it directly	new page	Claude	P1	31	Open
3491	Exit arithmetic: checked in dark mode, with no hard coded white or black	new page	Claude	P1	31	Open
3492	Exit arithmetic: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3493	Exit arithmetic: right to left layout checked with the Urdu text	new page	Claude	P1	31	Open

#	Item	Where	Owner	Pri	Phase	Status
3494	Exit arithmetic: usable at the largest system text size, with nothing cut off	new page	Claude	P1	31	Open
3495	Exit arithmetic: usable at 320 pixels wide	new page	Claude	P1	31	Open
3496	Exit arithmetic: every control named for screen readers, in a logical focus order	new page	Claude	P1	31	Open
3497	Exit arithmetic: contrast of every text and control checked	new page	Claude	P1	31	Open
3498	Exit arithmetic: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3499	Exit arithmetic: visual regression snapshot at three widths	new page	Claude	P2	62	Open
3500	Exit arithmetic: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	31	Open
3501	Exit cooling window: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	31	Open
3502	Exit cooling window: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	31	Open
3503	Exit cooling window: error state with the reason in plain words and a retry	new page	Claude	P1	31	Open
3504	Exit cooling window: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	31	Open
3505	Exit cooling window: deep link restores the screen with its state	new page	Claude	P1	31	Open
3506	Exit cooling window: not found and no access states, each with a route back	new page	Claude	P1	31	Open
3507	Exit cooling window: checked in dark mode, with no hard coded white or black	new page	Claude	P1	31	Open
3508	Exit cooling window: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3509	Exit cooling window: right to left layout checked with the Urdu text	new page	Claude	P1	31	Open
3510	Exit cooling window: usable at the largest system text size, with nothing cut off	new page	Claude	P1	31	Open
3511	Exit cooling window: usable at 320 pixels wide	new page	Claude	P1	31	Open
3512	Exit cooling window: every control named for screen readers, in a logical focus order	new page	Claude	P1	31	Open
3513	Exit cooling window: contrast of every text and control checked	new page	Claude	P1	31	Open
3514	Exit cooling window: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3515	Exit cooling window: component test of every state	new page	Claude	P1	31	Open
3516	Exit cooling window: end to end test of its main path	new page	Claude	P1	31	Open
3517	Exit cooling window: visual regression snapshot at three widths	new page	Claude	P2	62	Open
3518	Exit cooling window: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	31	Open
3519	Exit confirmation with PIN and face: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	31	Open
3520	Exit confirmation with PIN and face: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	32	Open
3521	Exit confirmation with PIN and face: submitting state: the button busy and a second tap ignored	new page	Claude	P1	32	Open

#	Item	Where	Owner	Pri	Phase	Status
3522	Exit confirmation with PIN and face: a refusal from the server shown with the reason and what to change	new page	Claude	P1	32	Open
3523	Exit confirmation with PIN and face: offline: submission held back with a message, and entered data kept	new page	Claude	P1	32	Open
3524	Exit confirmation with PIN and face: the keyboard never hides the focused field or the main button	new page	Claude	P1	32	Open
3525	Exit confirmation with PIN and face: leaving with unsaved changes asks for confirmation	new page	Claude	P1	32	Open
3526	Exit confirmation with PIN and face: success state stating what happened and what comes next	new page	Claude	P1	32	Open
3527	Exit confirmation with PIN and face: review step showing every amount before confirmation: the amount and every charge	new page	Claude	P1	32	Open
3528	Exit confirmation with PIN and face: transaction PIN required before the action	new page	Claude	P0	9	Open
3529	Exit confirmation with PIN and face: refused during the two hour cooling off after a device change, with the time remaining	new page	Claude	P0	9	Open
3530	Exit confirmation with PIN and face: one request per confirmation, carried by an idempotency key	new page	Claude	P0	9	Open
3531	Exit confirmation with PIN and face: receipt after completion, saved to Activity	new page	Claude	P1	32	Open
3532	Exit confirmation with PIN and face: amounts shown as Rs with thousands grouped and no stray decimals	new page	Claude	P1	32	Open
3533	Exit confirmation with PIN and face: checked in dark mode, with no hard coded white or black	new page	Claude	P1	32	Open
3534	Exit confirmation with PIN and face: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3535	Exit confirmation with PIN and face: right to left layout checked with the Urdu text	new page	Claude	P1	32	Open
3536	Exit confirmation with PIN and face: usable at the largest system text size, with nothing cut off	new page	Claude	P1	32	Open
3537	Exit confirmation with PIN and face: usable at 320 pixels wide	new page	Claude	P1	32	Open
3538	Exit confirmation with PIN and face: every control named for screen readers, in a logical focus order	new page	Claude	P1	32	Open
3539	Exit confirmation with PIN and face: contrast of every text and control checked	new page	Claude	P1	32	Open
3540	Exit confirmation with PIN and face: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3541	Exit confirmation with PIN and face: component test of every state	new page	Claude	P1	32	Open
3542	Exit confirmation with PIN and face: end to end test of its main path	new page	Claude	P1	32	Open
3543	Exit confirmation with PIN and face: visual regression snapshot at three widths	new page	Claude	P2	62	Open
3544	Exit confirmation with PIN and face: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	32	Open
3545	Seat transfer to a replacement: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	32	Open
3546	Seat transfer to a replacement: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	32	Open
3547	Seat transfer to a replacement: submitting state: the button busy and a second tap ignored	new page	Claude	P1	32	Open
3548	Seat transfer to a replacement: a refusal from the server shown with the reason and what to change	new page	Claude	P1	32	Open

#	Item	Where	Owner	Pri	Phase	Status
3549	Seat transfer to a replacement: offline: submission held back with a message, and entered data kept	new page	Claude	P1	32	Open
3550	Seat transfer to a replacement: the keyboard never hides the focused field or the main button	new page	Claude	P1	32	Open
3551	Seat transfer to a replacement: leaving with unsaved changes asks for confirmation	new page	Claude	P1	32	Open
3552	Seat transfer to a replacement: success state stating what happened and what comes next	new page	Claude	P1	32	Open
3553	Seat transfer to a replacement: checked in dark mode, with no hard coded white or black	new page	Claude	P1	32	Open
3554	Seat transfer to a replacement: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3555	Seat transfer to a replacement: right to left layout checked with the Urdu text	new page	Claude	P1	32	Open
3556	Seat transfer to a replacement: usable at the largest system text size, with nothing cut off	new page	Claude	P1	32	Open
3557	Seat transfer to a replacement: usable at 320 pixels wide	new page	Claude	P1	32	Open
3558	Seat transfer to a replacement: every control named for screen readers, in a logical focus order	new page	Claude	P1	32	Open
3559	Seat transfer to a replacement: contrast of every text and control checked	new page	Claude	P1	32	Open
3560	Seat transfer to a replacement: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3561	Seat transfer to a replacement: component test of every state	new page	Claude	P1	32	Open
3562	Seat transfer to a replacement: end to end test of its main path	new page	Claude	P1	32	Open
3563	Seat transfer to a replacement: visual regression snapshot at three widths	new page	Claude	P2	62	Open
3564	Seat transfer to a replacement: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	32	Open
3565	Guarantee release: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	32	Open
3566	Guarantee release: every figure and reference shown matches the ledger	new page	Claude	P1	32	Open
3567	Guarantee release: the next step offered	new page	Claude	P1	32	Open
3568	Guarantee release: share as an image or a PDF with account numbers masked	new page	Claude	P1	32	Open
3569	Guarantee release: checked in dark mode, with no hard coded white or black	new page	Claude	P1	32	Open
3570	Guarantee release: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3571	Guarantee release: right to left layout checked with the Urdu text	new page	Claude	P1	32	Open
3572	Guarantee release: usable at the largest system text size, with nothing cut off	new page	Claude	P1	32	Open
3573	Guarantee release: usable at 320 pixels wide	new page	Claude	P1	32	Open
3574	Guarantee release: every control named for screen readers, in a logical focus order	new page	Claude	P1	32	Open
3575	Guarantee release: contrast of every text and control checked	new page	Claude	P1	32	Open
3576	Guarantee release: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3577	Guarantee release: visual regression snapshot at three widths	new page	Claude	P2	62	Open

#	Item	Where	Owner	Pri	Phase	Status
3578	Guarantee release: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	32	Open

AC10. Missing Screens: Rewards

#	Item	Where	Owner	Pri	Phase	Status
3579	Points ledger: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	62	Open
3580	Points ledger: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	62	Open
3581	Points ledger: error state with the reason in plain words and a retry	new page	Claude	P2	62	Open
3582	Points ledger: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	62	Open
3583	Points ledger: deep link restores the screen with its state	new page	Claude	P2	62	Open
3584	Points ledger: pull to refresh	new page	Claude	P2	62	Open
3585	Points ledger: empty state: the reason and one action	new page	Claude	P2	62	Open
3586	Points ledger: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P2	62	Open
3587	Points ledger: checked in dark mode, with no hard coded white or black	new page	Claude	P2	62	Open
3588	Points ledger: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3589	Points ledger: right to left layout checked with the Urdu text	new page	Claude	P2	62	Open
3590	Points ledger: usable at the largest system text size, with nothing cut off	new page	Claude	P2	62	Open
3591	Points ledger: usable at 320 pixels wide	new page	Claude	P2	62	Open
3592	Points ledger: every control named for screen readers, in a logical focus order	new page	Claude	P2	62	Open
3593	Points ledger: contrast of every text and control checked	new page	Claude	P2	62	Open
3594	Points ledger: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3595	Points ledger: component test of every state	new page	Claude	P2	62	Open
3596	Points ledger: end to end test of its main path	new page	Claude	P2	62	Open
3597	Points ledger: visual regression snapshot at three widths	new page	Claude	P2	62	Open
3598	Points ledger: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	62	Open
3599	Fee waivers: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	62	Open
3600	Fee waivers: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	62	Open
3601	Fee waivers: error state with the reason in plain words and a retry	new page	Claude	P2	62	Open
3602	Fee waivers: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	62	Open
3603	Fee waivers: deep link restores the screen with its state	new page	Claude	P2	62	Open
3604	Fee waivers: pull to refresh	new page	Claude	P2	62	Open
3605	Fee waivers: empty state: the reason and one action	new page	Claude	P2	62	Open

#	Item	Where	Owner	Pri	Phase	Status
3606	Fee waivers: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P2	62	Open
3607	Fee waivers: checked in dark mode, with no hard coded white or black	new page	Claude	P2	62	Open
3608	Fee waivers: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3609	Fee waivers: right to left layout checked with the Urdu text	new page	Claude	P2	62	Open
3610	Fee waivers: usable at the largest system text size, with nothing cut off	new page	Claude	P2	62	Open
3611	Fee waivers: usable at 320 pixels wide	new page	Claude	P2	62	Open
3612	Fee waivers: every control named for screen readers, in a logical focus order	new page	Claude	P2	62	Open
3613	Fee waivers: contrast of every text and control checked	new page	Claude	P2	62	Open
3614	Fee waivers: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3615	Fee waivers: component test of every state	new page	Claude	P2	62	Open
3616	Fee waivers: end to end test of its main path	new page	Claude	P2	62	Open
3617	Fee waivers: visual regression snapshot at three widths	new page	Claude	P2	62	Open
3618	Fee waivers: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	62	Open
3619	Redeem points against a fee: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	62	Open
3620	Redeem points against a fee: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	62	Open
3621	Redeem points against a fee: submitting state: the button busy and a second tap ignored	new page	Claude	P2	62	Open
3622	Redeem points against a fee: a refusal from the server shown with the reason and what to change	new page	Claude	P2	62	Open
3623	Redeem points against a fee: offline: submission held back with a message, and entered data kept	new page	Claude	P2	62	Open
3624	Redeem points against a fee: the keyboard never hides the focused field or the main button	new page	Claude	P2	62	Open
3625	Redeem points against a fee: leaving with unsaved changes asks for confirmation	new page	Claude	P2	62	Open
3626	Redeem points against a fee: success state stating what happened and what comes next	new page	Claude	P2	62	Open
3627	Redeem points against a fee: review step showing every amount before confirmation: the amount and every charge	new page	Claude	P2	62	Open
3628	Redeem points against a fee: transaction PIN required before the action	new page	Claude	P0	9	Open
3629	Redeem points against a fee: refused during the two hour cooling off after a device change, with the time remaining	new page	Claude	P0	9	Open
3630	Redeem points against a fee: one request per confirmation, carried by an idempotency key	new page	Claude	P0	9	Open
3631	Redeem points against a fee: receipt after completion, saved to Activity	new page	Claude	P2	62	Open
3632	Redeem points against a fee: amounts shown as Rs with thousands grouped and no stray decimals	new page	Claude	P2	62	Open
3633	Redeem points against a fee: checked in dark mode, with no hard coded white or black	new page	Claude	P2	62	Open
3634	Redeem points against a fee: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
3635	Redeem points against a fee: right to left layout checked with the Urdu text	new page	Claude	P2	62	Open
3636	Redeem points against a fee: usable at the largest system text size, with nothing cut off	new page	Claude	P2	62	Open
3637	Redeem points against a fee: usable at 320 pixels wide	new page	Claude	P2	62	Open
3638	Redeem points against a fee: every control named for screen readers, in a logical focus order	new page	Claude	P2	62	Open
3639	Redeem points against a fee: contrast of every text and control checked	new page	Claude	P2	62	Open
3640	Redeem points against a fee: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3641	Redeem points against a fee: component test of every state	new page	Claude	P2	62	Open
3642	Redeem points against a fee: end to end test of its main path	new page	Claude	P2	62	Open
3643	Redeem points against a fee: visual regression snapshot at three widths	new page	Claude	P2	62	Open
3644	Redeem points against a fee: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	62	Open
3645	Referral invitations: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	62	Open
3646	Referral invitations: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	62	Open
3647	Referral invitations: error state with the reason in plain words and a retry	new page	Claude	P2	62	Open
3648	Referral invitations: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	62	Open
3649	Referral invitations: deep link restores the screen with its state	new page	Claude	P2	62	Open
3650	Referral invitations: pull to refresh	new page	Claude	P2	62	Open
3651	Referral invitations: empty state: the reason and one action	new page	Claude	P2	62	Open
3652	Referral invitations: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P2	62	Open
3653	Referral invitations: checked in dark mode, with no hard coded white or black	new page	Claude	P2	62	Open
3654	Referral invitations: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3655	Referral invitations: right to left layout checked with the Urdu text	new page	Claude	P2	62	Open
3656	Referral invitations: usable at the largest system text size, with nothing cut off	new page	Claude	P2	62	Open
3657	Referral invitations: usable at 320 pixels wide	new page	Claude	P2	62	Open
3658	Referral invitations: every control named for screen readers, in a logical focus order	new page	Claude	P2	62	Open
3659	Referral invitations: contrast of every text and control checked	new page	Claude	P2	62	Open
3660	Referral invitations: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3661	Referral invitations: component test of every state	new page	Claude	P2	62	Open
3662	Referral invitations: end to end test of its main path	new page	Claude	P2	62	Open
3663	Referral invitations: visual regression snapshot at three widths	new page	Claude	P2	62	Open

#	Item	Where	Owner	Pri	Phase	Status
3664	Referral invitations: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	62	Open

AC11. Missing Screens: Takaful or insurance

#	Item	Where	Owner	Pri	Phase	Status
3665	Takaful or insurance explainer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	32	Open
3666	Takaful or insurance explainer: deep link opens it directly	new page	Claude	P1	32	Open
3667	Takaful or insurance explainer: checked in dark mode, with no hard coded white or black	new page	Claude	P1	32	Open
3668	Takaful or insurance explainer: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3669	Takaful or insurance explainer: right to left layout checked with the Urdu text	new page	Claude	P1	32	Open
3670	Takaful or insurance explainer: usable at the largest system text size, with nothing cut off	new page	Claude	P1	32	Open
3671	Takaful or insurance explainer: usable at 320 pixels wide	new page	Claude	P1	32	Open
3672	Takaful or insurance explainer: every control named for screen readers, in a logical focus order	new page	Claude	P1	32	Open
3673	Takaful or insurance explainer: contrast of every text and control checked	new page	Claude	P1	32	Open
3674	Takaful or insurance explainer: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3675	Takaful or insurance explainer: visual regression snapshot at three widths	new page	Claude	P2	62	Open
3676	Takaful or insurance explainer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	32	Open
3677	Takaful or insurance acceptance: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	32	Open
3678	Takaful or insurance acceptance: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	32	Open
3679	Takaful or insurance acceptance: submitting state: the button busy and a second tap ignored	new page	Claude	P1	32	Open
3680	Takaful or insurance acceptance: a refusal from the server shown with the reason and what to change	new page	Claude	P1	32	Open
3681	Takaful or insurance acceptance: offline: submission held back with a message, and entered data kept	new page	Claude	P1	32	Open
3682	Takaful or insurance acceptance: the keyboard never hides the focused field or the main button	new page	Claude	P1	32	Open
3683	Takaful or insurance acceptance: leaving with unsaved changes asks for confirmation	new page	Claude	P1	32	Open
3684	Takaful or insurance acceptance: success state stating what happened and what comes next	new page	Claude	P1	32	Open
3685	Takaful or insurance acceptance: checked in dark mode, with no hard coded white or black	new page	Claude	P1	32	Open
3686	Takaful or insurance acceptance: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3687	Takaful or insurance acceptance: right to left layout checked with the Urdu text	new page	Claude	P1	32	Open
3688	Takaful or insurance acceptance: usable at the largest system text size, with nothing cut off	new page	Claude	P1	32	Open

#	Item	Where	Owner	Pri	Phase	Status
3689	Takaful or insurance acceptance: usable at 320 pixels wide	new page	Claude	P1	32	Open
3690	Takaful or insurance acceptance: every control named for screen readers, in a logical focus order	new page	Claude	P1	32	Open
3691	Takaful or insurance acceptance: contrast of every text and control checked	new page	Claude	P1	32	Open
3692	Takaful or insurance acceptance: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	62	Open
3693	Takaful or insurance acceptance: component test of every state	new page	Claude	P1	32	Open
3694	Takaful or insurance acceptance: end to end test of its main path	new page	Claude	P1	32	Open
3695	Takaful or insurance acceptance: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3696	Takaful or insurance acceptance: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	32	Open
3697	Takaful or insurance certificate: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	32	Open
3698	Takaful or insurance certificate: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	32	Open
3699	Takaful or insurance certificate: error state with the reason in plain words and a retry	new page	Claude	P1	32	Open
3700	Takaful or insurance certificate: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	32	Open
3701	Takaful or insurance certificate: deep link restores the screen with its state	new page	Claude	P1	32	Open
3702	Takaful or insurance certificate: not found and no access states, each with a route back	new page	Claude	P1	32	Open
3703	Takaful or insurance certificate: checked in dark mode, with no hard coded white or black	new page	Claude	P1	32	Open
3704	Takaful or insurance certificate: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3705	Takaful or insurance certificate: right to left layout checked with the Urdu text	new page	Claude	P1	32	Open
3706	Takaful or insurance certificate: usable at the largest system text size, with nothing cut off	new page	Claude	P1	32	Open
3707	Takaful or insurance certificate: usable at 320 pixels wide	new page	Claude	P1	32	Open
3708	Takaful or insurance certificate: every control named for screen readers, in a logical focus order	new page	Claude	P1	32	Open
3709	Takaful or insurance certificate: contrast of every text and control checked	new page	Claude	P1	32	Open
3710	Takaful or insurance certificate: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3711	Takaful or insurance certificate: component test of every state	new page	Claude	P1	32	Open
3712	Takaful or insurance certificate: end to end test of its main path	new page	Claude	P1	32	Open
3713	Takaful or insurance certificate: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3714	Takaful or insurance certificate: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	32	Open
3715	Claim lodged: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	32	Open
3716	Claim lodged: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	32	Open
3717	Claim lodged: submitting state: the button busy and a second tap ignored	new page	Claude	P1	32	Open

#	Item	Where	Owner	Pri	Phase	Status
3718	Claim lodged: a refusal from the server shown with the reason and what to change	new page	Claude	P1	32	Open
3719	Claim lodged: offline: submission held back with a message, and entered data kept	new page	Claude	P1	32	Open
3720	Claim lodged: the keyboard never hides the focused field or the main button	new page	Claude	P1	32	Open
3721	Claim lodged: leaving with unsaved changes asks for confirmation	new page	Claude	P1	32	Open
3722	Claim lodged: success state stating what happened and what comes next	new page	Claude	P1	32	Open
3723	Claim lodged: checked in dark mode, with no hard coded white or black	new page	Claude	P1	32	Open
3724	Claim lodged: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3725	Claim lodged: right to left layout checked with the Urdu text	new page	Claude	P1	32	Open
3726	Claim lodged: usable at the largest system text size, with nothing cut off	new page	Claude	P1	32	Open
3727	Claim lodged: usable at 320 pixels wide	new page	Claude	P1	32	Open
3728	Claim lodged: every control named for screen readers, in a logical focus order	new page	Claude	P1	33	Open
3729	Claim lodged: contrast of every text and control checked	new page	Claude	P1	33	Open
3730	Claim lodged: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3731	Claim lodged: component test of every state	new page	Claude	P1	33	Open
3732	Claim lodged: end to end test of its main path	new page	Claude	P1	33	Open
3733	Claim lodged: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3734	Claim lodged: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	33	Open
3735	Claim status: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	33	Open
3736	Claim status: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	33	Open
3737	Claim status: error state with the reason in plain words and a retry	new page	Claude	P1	33	Open
3738	Claim status: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	33	Open
3739	Claim status: deep link restores the screen with its state	new page	Claude	P1	33	Open
3740	Claim status: not found and no access states, each with a route back	new page	Claude	P1	33	Open
3741	Claim status: checked in dark mode, with no hard coded white or black	new page	Claude	P1	33	Open
3742	Claim status: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3743	Claim status: right to left layout checked with the Urdu text	new page	Claude	P1	33	Open
3744	Claim status: usable at the largest system text size, with nothing cut off	new page	Claude	P1	33	Open
3745	Claim status: usable at 320 pixels wide	new page	Claude	P1	33	Open
3746	Claim status: every control named for screen readers, in a logical focus order	new page	Claude	P1	33	Open
3747	Claim status: contrast of every text and control checked	new page	Claude	P1	33	Open
3748	Claim status: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open

#	Item	Where	Owner	Pri	Phase	Status
3749	Claim status: component test of every state	new page	Claude	P1	33	Open
3750	Claim status: end to end test of its main path	new page	Claude	P1	33	Open
3751	Claim status: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3752	Claim status: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	33	Open

AC12. Missing Screens: Savings at the bank

#	Item	Where	Owner	Pri	Phase	Status
3753	Bank savings explainer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	63	Open
3754	Bank savings explainer: deep link opens it directly	new page	Claude	P2	63	Open
3755	Bank savings explainer: checked in dark mode, with no hard coded white or black	new page	Claude	P2	63	Open
3756	Bank savings explainer: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3757	Bank savings explainer: right to left layout checked with the Urdu text	new page	Claude	P2	63	Open
3758	Bank savings explainer: usable at the largest system text size, with nothing cut off	new page	Claude	P2	63	Open
3759	Bank savings explainer: usable at 320 pixels wide	new page	Claude	P2	63	Open
3760	Bank savings explainer: every control named for screen readers, in a logical focus order	new page	Claude	P2	63	Open
3761	Bank savings explainer: contrast of every text and control checked	new page	Claude	P2	63	Open
3762	Bank savings explainer: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3763	Bank savings explainer: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3764	Bank savings explainer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	63	Open
3765	Bank savings subscription: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	63	Open
3766	Bank savings subscription: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	63	Open
3767	Bank savings subscription: submitting state: the button busy and a second tap ignored	new page	Claude	P2	63	Open
3768	Bank savings subscription: a refusal from the server shown with the reason and what to change	new page	Claude	P2	63	Open
3769	Bank savings subscription: offline: submission held back with a message, and entered data kept	new page	Claude	P2	63	Open
3770	Bank savings subscription: the keyboard never hides the focused field or the main button	new page	Claude	P2	63	Open
3771	Bank savings subscription: leaving with unsaved changes asks for confirmation	new page	Claude	P2	63	Open
3772	Bank savings subscription: success state stating what happened and what comes next	new page	Claude	P2	63	Open
3773	Bank savings subscription: checked in dark mode, with no hard coded white or black	new page	Claude	P2	63	Open

#	Item	Where	Owner	Pri	Phase	Status
3774	Bank savings subscription: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3775	Bank savings subscription: right to left layout checked with the Urdu text	new page	Claude	P2	63	Open
3776	Bank savings subscription: usable at the largest system text size, with nothing cut off	new page	Claude	P2	63	Open
3777	Bank savings subscription: usable at 320 pixels wide	new page	Claude	P2	63	Open
3778	Bank savings subscription: every control named for screen readers, in a logical focus order	new page	Claude	P2	63	Open
3779	Bank savings subscription: contrast of every text and control checked	new page	Claude	P2	63	Open
3780	Bank savings subscription: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3781	Bank savings subscription: component test of every state	new page	Claude	P2	63	Open
3782	Bank savings subscription: end to end test of its main path	new page	Claude	P2	63	Open
3783	Bank savings subscription: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3784	Bank savings subscription: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	63	Open
3785	Bank savings holding: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	63	Open
3786	Bank savings holding: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	63	Open
3787	Bank savings holding: error state with the reason in plain words and a retry	new page	Claude	P2	63	Open
3788	Bank savings holding: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	63	Open
3789	Bank savings holding: deep link restores the screen with its state	new page	Claude	P2	63	Open
3790	Bank savings holding: not found and no access states, each with a route back	new page	Claude	P2	63	Open
3791	Bank savings holding: checked in dark mode, with no hard coded white or black	new page	Claude	P2	63	Open
3792	Bank savings holding: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3793	Bank savings holding: right to left layout checked with the Urdu text	new page	Claude	P2	63	Open
3794	Bank savings holding: usable at the largest system text size, with nothing cut off	new page	Claude	P2	63	Open
3795	Bank savings holding: usable at 320 pixels wide	new page	Claude	P2	63	Open
3796	Bank savings holding: every control named for screen readers, in a logical focus order	new page	Claude	P2	63	Open
3797	Bank savings holding: contrast of every text and control checked	new page	Claude	P2	63	Open
3798	Bank savings holding: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3799	Bank savings holding: component test of every state	new page	Claude	P2	63	Open
3800	Bank savings holding: end to end test of its main path	new page	Claude	P2	63	Open
3801	Bank savings holding: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3802	Bank savings holding: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	63	Open

#	Item	Where	Owner	Pri	Phase	Status
3803	Bank savings redemption: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	63	Open
3804	Bank savings redemption: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	63	Open
3805	Bank savings redemption: submitting state: the button busy and a second tap ignored	new page	Claude	P2	63	Open
3806	Bank savings redemption: a refusal from the server shown with the reason and what to change	new page	Claude	P2	63	Open
3807	Bank savings redemption: offline: submission held back with a message, and entered data kept	new page	Claude	P2	63	Open
3808	Bank savings redemption: the keyboard never hides the focused field or the main button	new page	Claude	P2	63	Open
3809	Bank savings redemption: leaving with unsaved changes asks for confirmation	new page	Claude	P2	63	Open
3810	Bank savings redemption: success state stating what happened and what comes next	new page	Claude	P2	63	Open
3811	Bank savings redemption: checked in dark mode, with no hard coded white or black	new page	Claude	P2	63	Open
3812	Bank savings redemption: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3813	Bank savings redemption: right to left layout checked with the Urdu text	new page	Claude	P2	63	Open
3814	Bank savings redemption: usable at the largest system text size, with nothing cut off	new page	Claude	P2	63	Open
3815	Bank savings redemption: usable at 320 pixels wide	new page	Claude	P2	63	Open
3816	Bank savings redemption: every control named for screen readers, in a logical focus order	new page	Claude	P2	63	Open
3817	Bank savings redemption: contrast of every text and control checked	new page	Claude	P2	63	Open
3818	Bank savings redemption: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3819	Bank savings redemption: component test of every state	new page	Claude	P2	63	Open
3820	Bank savings redemption: end to end test of its main path	new page	Claude	P2	63	Open
3821	Bank savings redemption: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3822	Bank savings redemption: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	63	Open

AC13. Missing Screens: Support

#	Item	Where	Owner	Pri	Phase	Status
3823	Help centre: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	33	Open
3824	Help centre: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	33	Open
3825	Help centre: error state with the reason in plain words and a retry	new page	Claude	P1	33	Open
3826	Help centre: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	33	Open
3827	Help centre: deep link restores the screen with its state	new page	Claude	P1	33	Open
3828	Help centre: pull to refresh	new page	Claude	P1	33	Open

#	Item	Where	Owner	Pri	Phase	Status
3829	Help centre: empty state: the reason and one action	new page	Claude	P1	33	Open
3830	Help centre: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P1	33	Open
3831	Help centre: checked in dark mode, with no hard coded white or black	new page	Claude	P1	33	Open
3832	Help centre: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3833	Help centre: right to left layout checked with the Urdu text	new page	Claude	P1	33	Open
3834	Help centre: usable at the largest system text size, with nothing cut off	new page	Claude	P1	33	Open
3835	Help centre: usable at 320 pixels wide	new page	Claude	P1	33	Open
3836	Help centre: every control named for screen readers, in a logical focus order	new page	Claude	P1	33	Open
3837	Help centre: contrast of every text and control checked	new page	Claude	P1	33	Open
3838	Help centre: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3839	Help centre: component test of every state	new page	Claude	P1	33	Open
3840	Help centre: end to end test of its main path	new page	Claude	P1	33	Open
3841	Help centre: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3842	Help centre: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	33	Open
3843	Help article: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	33	Open
3844	Help article: deep link opens it directly	new page	Claude	P1	33	Open
3845	Help article: checked in dark mode, with no hard coded white or black	new page	Claude	P1	33	Open
3846	Help article: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3847	Help article: right to left layout checked with the Urdu text	new page	Claude	P1	33	Open
3848	Help article: usable at the largest system text size, with nothing cut off	new page	Claude	P1	33	Open
3849	Help article: usable at 320 pixels wide	new page	Claude	P1	33	Open
3850	Help article: every control named for screen readers, in a logical focus order	new page	Claude	P1	33	Open
3851	Help article: contrast of every text and control checked	new page	Claude	P1	33	Open
3852	Help article: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3853	Help article: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3854	Help article: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	33	Open
3855	Contact support: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	33	Open
3856	Contact support: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	33	Open
3857	Contact support: submitting state: the button busy and a second tap ignored	new page	Claude	P1	33	Open
3858	Contact support: a refusal from the server shown with the reason and what to change	new page	Claude	P1	33	Open
3859	Contact support: offline: submission held back with a message, and entered data kept	new page	Claude	P1	33	Open

#	Item	Where	Owner	Pri	Phase	Status
3860	Contact support: the keyboard never hides the focused field or the main button	new page	Claude	P1	33	Open
3861	Contact support: leaving with unsaved changes asks for confirmation	new page	Claude	P1	33	Open
3862	Contact support: success state stating what happened and what comes next	new page	Claude	P1	33	Open
3863	Contact support: checked in dark mode, with no hard coded white or black	new page	Claude	P1	33	Open
3864	Contact support: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3865	Contact support: right to left layout checked with the Urdu text	new page	Claude	P1	33	Open
3866	Contact support: usable at the largest system text size, with nothing cut off	new page	Claude	P1	33	Open
3867	Contact support: usable at 320 pixels wide	new page	Claude	P1	33	Open
3868	Contact support: every control named for screen readers, in a logical focus order	new page	Claude	P1	33	Open
3869	Contact support: contrast of every text and control checked	new page	Claude	P1	33	Open
3870	Contact support: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3871	Contact support: component test of every state	new page	Claude	P1	33	Open
3872	Contact support: end to end test of its main path	new page	Claude	P1	33	Open
3873	Contact support: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3874	Contact support: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	33	Open
3875	Complaint record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	33	Open
3876	Complaint record: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	33	Open
3877	Complaint record: error state with the reason in plain words and a retry	new page	Claude	P1	33	Open
3878	Complaint record: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	33	Open
3879	Complaint record: deep link restores the screen with its state	new page	Claude	P1	33	Open
3880	Complaint record: not found and no access states, each with a route back	new page	Claude	P1	33	Open
3881	Complaint record: checked in dark mode, with no hard coded white or black	new page	Claude	P1	33	Open
3882	Complaint record: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3883	Complaint record: right to left layout checked with the Urdu text	new page	Claude	P1	33	Open
3884	Complaint record: usable at the largest system text size, with nothing cut off	new page	Claude	P1	33	Open
3885	Complaint record: usable at 320 pixels wide	new page	Claude	P1	33	Open
3886	Complaint record: every control named for screen readers, in a logical focus order	new page	Claude	P1	33	Open
3887	Complaint record: contrast of every text and control checked	new page	Claude	P1	33	Open
3888	Complaint record: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3889	Complaint record: component test of every state	new page	Claude	P1	33	Open

#	Item	Where	Owner	Pri	Phase	Status
3890	Complaint record: end to end test of its main path	new page	Claude	P1	33	Open
3891	Complaint record: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3892	Complaint record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	33	Open
3893	Service status: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	63	Open
3894	Service status: deep link opens it directly	new page	Claude	P2	63	Open
3895	Service status: checked in dark mode, with no hard coded white or black	new page	Claude	P2	63	Open
3896	Service status: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
3897	Service status: right to left layout checked with the Urdu text	new page	Claude	P2	63	Open
3898	Service status: usable at the largest system text size, with nothing cut off	new page	Claude	P2	63	Open
3899	Service status: usable at 320 pixels wide	new page	Claude	P2	63	Open
3900	Service status: every control named for screen readers, in a logical focus order	new page	Claude	P2	63	Open
3901	Service status: contrast of every text and control checked	new page	Claude	P2	63	Open
3902	Service status: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3903	Service status: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3904	Service status: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	63	Open

AC14. Missing Screens: Settings

#	Item	Where	Owner	Pri	Phase	Status
3905	Notification preferences: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	33	Open
3906	Notification preferences: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	33	Open
3907	Notification preferences: submitting state: the button busy and a second tap ignored	new page	Claude	P1	33	Open
3908	Notification preferences: a refusal from the server shown with the reason and what to change	new page	Claude	P1	33	Open
3909	Notification preferences: offline: submission held back with a message, and entered data kept	new page	Claude	P1	33	Open
3910	Notification preferences: the keyboard never hides the focused field or the main button	new page	Claude	P1	33	Open
3911	Notification preferences: leaving with unsaved changes asks for confirmation	new page	Claude	P1	33	Open
3912	Notification preferences: success state stating what happened and what comes next	new page	Claude	P1	33	Open
3913	Notification preferences: checked in dark mode, with no hard coded white or black	new page	Claude	P1	33	Open
3914	Notification preferences: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3915	Notification preferences: right to left layout checked with the Urdu text	new page	Claude	P1	33	Open

#	Item	Where	Owner	Pri	Phase	Status
3916	Notification preferences: usable at the largest system text size, with nothing cut off	new page	Claude	P1	33	Open
3917	Notification preferences: usable at 320 pixels wide	new page	Claude	P1	33	Open
3918	Notification preferences: every control named for screen readers, in a logical focus order	new page	Claude	P1	33	Open
3919	Notification preferences: contrast of every text and control checked	new page	Claude	P1	33	Open
3920	Notification preferences: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3921	Notification preferences: component test of every state	new page	Claude	P1	33	Open
3922	Notification preferences: end to end test of its main path	new page	Claude	P1	33	Open
3923	Notification preferences: visual regression snapshot at three widths	new page	Claude	P2	63	Open
3924	Notification preferences: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	33	Open
3925	Language: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	33	Open
3926	Language: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	33	Open
3927	Language: submitting state: the button busy and a second tap ignored	new page	Claude	P1	33	Open
3928	Language: a refusal from the server shown with the reason and what to change	new page	Claude	P1	33	Open
3929	Language: offline: submission held back with a message, and entered data kept	new page	Claude	P1	33	Open
3930	Language: the keyboard never hides the focused field or the main button	new page	Claude	P1	34	Open
3931	Language: leaving with unsaved changes asks for confirmation	new page	Claude	P1	34	Open
3932	Language: success state stating what happened and what comes next	new page	Claude	P1	34	Open
3933	Language: checked in dark mode, with no hard coded white or black	new page	Claude	P1	34	Open
3934	Language: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3935	Language: right to left layout checked with the Urdu text	new page	Claude	P1	34	Open
3936	Language: usable at the largest system text size, with nothing cut off	new page	Claude	P1	34	Open
3937	Language: usable at 320 pixels wide	new page	Claude	P1	34	Open
3938	Language: every control named for screen readers, in a logical focus order	new page	Claude	P1	34	Open
3939	Language: contrast of every text and control checked	new page	Claude	P1	34	Open
3940	Language: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	63	Open
3941	Language: component test of every state	new page	Claude	P1	34	Open
3942	Language: end to end test of its main path	new page	Claude	P1	34	Open
3943	Language: visual regression snapshot at three widths	new page	Claude	P2	64	Open
3944	Language: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	34	Open

#	Item	Where	Owner	Pri	Phase	Status
3945	Data export request: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	34	Open
3946	Data export request: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	34	Open
3947	Data export request: submitting state: the button busy and a second tap ignored	new page	Claude	P1	34	Open
3948	Data export request: a refusal from the server shown with the reason and what to change	new page	Claude	P1	34	Open
3949	Data export request: offline: submission held back with a message, and entered data kept	new page	Claude	P1	34	Open
3950	Data export request: the keyboard never hides the focused field or the main button	new page	Claude	P1	34	Open
3951	Data export request: leaving with unsaved changes asks for confirmation	new page	Claude	P1	34	Open
3952	Data export request: success state stating what happened and what comes next	new page	Claude	P1	34	Open
3953	Data export request: checked in dark mode, with no hard coded white or black	new page	Claude	P1	34	Open
3954	Data export request: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3955	Data export request: right to left layout checked with the Urdu text	new page	Claude	P1	34	Open
3956	Data export request: usable at the largest system text size, with nothing cut off	new page	Claude	P1	34	Open
3957	Data export request: usable at 320 pixels wide	new page	Claude	P1	34	Open
3958	Data export request: every control named for screen readers, in a logical focus order	new page	Claude	P1	34	Open
3959	Data export request: contrast of every text and control checked	new page	Claude	P1	34	Open
3960	Data export request: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
3961	Data export request: component test of every state	new page	Claude	P1	34	Open
3962	Data export request: end to end test of its main path	new page	Claude	P1	34	Open
3963	Data export request: visual regression snapshot at three widths	new page	Claude	P2	64	Open
3964	Data export request: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	34	Open
3965	Account closure: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	34	Open
3966	Account closure: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	34	Open
3967	Account closure: submitting state: the button busy and a second tap ignored	new page	Claude	P1	34	Open
3968	Account closure: a refusal from the server shown with the reason and what to change	new page	Claude	P1	34	Open
3969	Account closure: offline: submission held back with a message, and entered data kept	new page	Claude	P1	34	Open
3970	Account closure: the keyboard never hides the focused field or the main button	new page	Claude	P1	34	Open
3971	Account closure: leaving with unsaved changes asks for confirmation	new page	Claude	P1	34	Open
3972	Account closure: success state stating what happened and what comes next	new page	Claude	P1	34	Open
3973	Account closure: checked in dark mode, with no hard coded white or black	new page	Claude	P1	34	Open

#	Item	Where	Owner	Pri	Phase	Status
3974	Account closure: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
3975	Account closure: right to left layout checked with the Urdu text	new page	Claude	P1	34	Open
3976	Account closure: usable at the largest system text size, with nothing cut off	new page	Claude	P1	34	Open
3977	Account closure: usable at 320 pixels wide	new page	Claude	P1	34	Open
3978	Account closure: every control named for screen readers, in a logical focus order	new page	Claude	P1	34	Open
3979	Account closure: contrast of every text and control checked	new page	Claude	P1	34	Open
3980	Account closure: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
3981	Account closure: component test of every state	new page	Claude	P1	34	Open
3982	Account closure: end to end test of its main path	new page	Claude	P1	34	Open
3983	Account closure: visual regression snapshot at three widths	new page	Claude	P2	64	Open
3984	Account closure: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	34	Open

AC15. Bank Route Screens: Bank account

#	Item	Where	Owner	Pri	Phase	Status
3985	Open the bank account: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	46	Open
3986	Open the bank account: deep link opens it directly	new page	Claude	P0	46	Open
3987	Open the bank account: checked in dark mode, with no hard coded white or black	new page	Claude	P0	46	Open
3988	Open the bank account: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
3989	Open the bank account: right to left layout checked with the Urdu text	new page	Claude	P0	46	Open
3990	Open the bank account: usable at the largest system text size, with nothing cut off	new page	Claude	P0	46	Open
3991	Open the bank account: usable at 320 pixels wide	new page	Claude	P0	46	Open
3992	Open the bank account: every control named for screen readers, in a logical focus order	new page	Claude	P0	46	Open
3993	Open the bank account: contrast of every text and control checked	new page	Claude	P0	46	Open
3994	Open the bank account: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	75	Open
3995	Open the bank account: visual regression snapshot at three widths	new page	Claude	P2	75	Open
3996	Open the bank account: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	46	Open
3997	Bank onboarding in progress: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	46	Open
3998	Bank onboarding in progress: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P0	46	Open
3999	Bank onboarding in progress: error state with the reason in plain words and a retry	new page	Claude	P0	46	Open

#	Item	Where	Owner	Pri	Phase	Status
4000	Bank onboarding in progress: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P0	46	Open
4001	Bank onboarding in progress: deep link restores the screen with its state	new page	Claude	P0	46	Open
4002	Bank onboarding in progress: not found and no access states, each with a route back	new page	Claude	P0	46	Open
4003	Bank onboarding in progress: checked in dark mode, with no hard coded white or black	new page	Claude	P0	46	Open
4004	Bank onboarding in progress: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
4005	Bank onboarding in progress: right to left layout checked with the Urdu text	new page	Claude	P0	46	Open
4006	Bank onboarding in progress: usable at the largest system text size, with nothing cut off	new page	Claude	P0	46	Open
4007	Bank onboarding in progress: usable at 320 pixels wide	new page	Claude	P0	46	Open
4008	Bank onboarding in progress: every control named for screen readers, in a logical focus order	new page	Claude	P0	46	Open
4009	Bank onboarding in progress: contrast of every text and control checked	new page	Claude	P0	46	Open
4010	Bank onboarding in progress: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	75	Open
4011	Bank onboarding in progress: component test of every state	new page	Claude	P0	46	Open
4012	Bank onboarding in progress: end to end test of its main path	new page	Claude	P0	46	Open
4013	Bank onboarding in progress: visual regression snapshot at three widths	new page	Claude	P2	75	Open
4014	Bank onboarding in progress: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	46	Open
4015	Bank account opened: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	46	Open
4016	Bank account opened: every figure and reference shown matches the ledger	new page	Claude	P0	46	Open
4017	Bank account opened: the next step offered	new page	Claude	P0	46	Open
4018	Bank account opened: share as an image or a PDF with account numbers masked	new page	Claude	P0	46	Open
4019	Bank account opened: checked in dark mode, with no hard coded white or black	new page	Claude	P0	46	Open
4020	Bank account opened: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
4021	Bank account opened: right to left layout checked with the Urdu text	new page	Claude	P0	46	Open
4022	Bank account opened: usable at the largest system text size, with nothing cut off	new page	Claude	P0	46	Open
4023	Bank account opened: usable at 320 pixels wide	new page	Claude	P0	46	Open
4024	Bank account opened: every control named for screen readers, in a logical focus order	new page	Claude	P0	46	Open
4025	Bank account opened: contrast of every text and control checked	new page	Claude	P0	46	Open
4026	Bank account opened: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	75	Open
4027	Bank account opened: visual regression snapshot at three widths	new page	Claude	P2	75	Open
4028	Bank account opened: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	47	Open

#	Item	Where	Owner	Pri	Phase	Status
4029	Bank account refused: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	47	Open
4030	Bank account refused: every figure and reference shown matches the ledger	new page	Claude	P0	47	Open
4031	Bank account refused: the next step offered	new page	Claude	P0	47	Open
4032	Bank account refused: share as an image or a PDF with account numbers masked	new page	Claude	P0	47	Open
4033	Bank account refused: checked in dark mode, with no hard coded white or black	new page	Claude	P0	47	Open
4034	Bank account refused: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
4035	Bank account refused: right to left layout checked with the Urdu text	new page	Claude	P0	47	Open
4036	Bank account refused: usable at the largest system text size, with nothing cut off	new page	Claude	P0	47	Open
4037	Bank account refused: usable at 320 pixels wide	new page	Claude	P0	47	Open
4038	Bank account refused: every control named for screen readers, in a logical focus order	new page	Claude	P0	47	Open
4039	Bank account refused: contrast of every text and control checked	new page	Claude	P0	47	Open
4040	Bank account refused: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	75	Open
4041	Bank account refused: visual regression snapshot at three widths	new page	Claude	P2	75	Open
4042	Bank account refused: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	47	Open
4043	Link an existing account at the bank: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	50	Open
4044	Link an existing account at the bank: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	50	Open
4045	Link an existing account at the bank: submitting state: the button busy and a second tap ignored	new page	Claude	P1	50	Open
4046	Link an existing account at the bank: a refusal from the server shown with the reason and what to change	new page	Claude	P1	50	Open
4047	Link an existing account at the bank: offline: submission held back with a message, and entered data kept	new page	Claude	P1	50	Open
4048	Link an existing account at the bank: the keyboard never hides the focused field or the main button	new page	Claude	P1	50	Open
4049	Link an existing account at the bank: leaving with unsaved changes asks for confirmation	new page	Claude	P1	50	Open
4050	Link an existing account at the bank: success state stating what happened and what comes next	new page	Claude	P1	50	Open
4051	Link an existing account at the bank: checked in dark mode, with no hard coded white or black	new page	Claude	P1	50	Open
4052	Link an existing account at the bank: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
4053	Link an existing account at the bank: right to left layout checked with the Urdu text	new page	Claude	P1	50	Open
4054	Link an existing account at the bank: usable at the largest system text size, with nothing cut off	new page	Claude	P1	50	Open
4055	Link an existing account at the bank: usable at 320 pixels wide	new page	Claude	P1	50	Open
4056	Link an existing account at the bank: every control named for screen readers, in a logical focus order	new page	Claude	P1	50	Open

#	Item	Where	Owner	Pri	Phase	Status
4057	Link an existing account at the bank: contrast of every text and control checked	new page	Claude	P1	50	Open
4058	Link an existing account at the bank: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	75	Open
4059	Link an existing account at the bank: component test of every state	new page	Claude	P1	50	Open
4060	Link an existing account at the bank: end to end test of its main path	new page	Claude	P1	50	Open
4061	Link an existing account at the bank: visual regression snapshot at three widths	new page	Claude	P2	75	Open
4062	Link an existing account at the bank: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	50	Open
4063	Committee account balance: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	50	Open
4064	Committee account balance: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	50	Open
4065	Committee account balance: error state with the reason in plain words and a retry	new page	Claude	P1	50	Open
4066	Committee account balance: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	50	Open
4067	Committee account balance: deep link restores the screen with its state	new page	Claude	P1	50	Open
4068	Committee account balance: not found and no access states, each with a route back	new page	Claude	P1	50	Open
4069	Committee account balance: checked in dark mode, with no hard coded white or black	new page	Claude	P1	50	Open
4070	Committee account balance: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
4071	Committee account balance: right to left layout checked with the Urdu text	new page	Claude	P1	50	Open
4072	Committee account balance: usable at the largest system text size, with nothing cut off	new page	Claude	P1	50	Open
4073	Committee account balance: usable at 320 pixels wide	new page	Claude	P1	50	Open
4074	Committee account balance: every control named for screen readers, in a logical focus order	new page	Claude	P1	50	Open
4075	Committee account balance: contrast of every text and control checked	new page	Claude	P1	50	Open
4076	Committee account balance: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	75	Open
4077	Committee account balance: component test of every state	new page	Claude	P1	50	Open
4078	Committee account balance: end to end test of its main path	new page	Claude	P1	50	Open
4079	Committee account balance: visual regression snapshot at three widths	new page	Claude	P2	75	Open
4080	Committee account balance: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	50	Open
4081	Account restricted notice: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	50	Open
4082	Account restricted notice: deep link opens it directly	new page	Claude	P1	50	Open
4083	Account restricted notice: checked in dark mode, with no hard coded white or black	new page	Claude	P1	50	Open
4084	Account restricted notice: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
4085	Account restricted notice: right to left layout checked with the Urdu text	new page	Claude	P1	50	Open
4086	Account restricted notice: usable at the largest system text size, with nothing cut off	new page	Claude	P1	50	Open
4087	Account restricted notice: usable at 320 pixels wide	new page	Claude	P1	50	Open
4088	Account restricted notice: every control named for screen readers, in a logical focus order	new page	Claude	P1	50	Open
4089	Account restricted notice: contrast of every text and control checked	new page	Claude	P1	50	Open
4090	Account restricted notice: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	75	Open
4091	Account restricted notice: visual regression snapshot at three widths	new page	Claude	P2	75	Open
4092	Account restricted notice: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	50	Open

AC16. Bank Route Screens: Key facts and complaints

#	Item	Where	Owner	Pri	Phase	Status
4093	Key fact statement: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	9	Open
4094	Key fact statement: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	9	Open
4095	Key fact statement: submitting state: the button busy and a second tap ignored	new page	Claude	P0	9	Open
4096	Key fact statement: a refusal from the server shown with the reason and what to change	new page	Claude	P0	9	Open
4097	Key fact statement: offline: submission held back with a message, and entered data kept	new page	Claude	P0	9	Open
4098	Key fact statement: the keyboard never hides the focused field or the main button	new page	Claude	P0	9	Open
4099	Key fact statement: leaving with unsaved changes asks for confirmation	new page	Claude	P0	9	Open
4100	Key fact statement: success state stating what happened and what comes next	new page	Claude	P0	9	Open
4101	Key fact statement: checked in dark mode, with no hard coded white or black	new page	Claude	P0	9	Open
4102	Key fact statement: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
4103	Key fact statement: right to left layout checked with the Urdu text	new page	Claude	P0	9	Open
4104	Key fact statement: usable at the largest system text size, with nothing cut off	new page	Claude	P0	9	Open
4105	Key fact statement: usable at 320 pixels wide	new page	Claude	P0	9	Open
4106	Key fact statement: every control named for screen readers, in a logical focus order	new page	Claude	P0	9	Open
4107	Key fact statement: contrast of every text and control checked	new page	Claude	P0	9	Open
4108	Key fact statement: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4109	Key fact statement: component test of every state	new page	Claude	P0	9	Open
4110	Key fact statement: end to end test of its main path	new page	Claude	P0	9	Open
4111	Key fact statement: visual regression snapshot at three widths	new page	Claude	P2	64	Open

#	Item	Where	Owner	Pri	Phase	Status
4112	Key fact statement: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	9	Open
4113	Complaint form: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	34	Open
4114	Complaint form: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	34	Open
4115	Complaint form: submitting state: the button busy and a second tap ignored	new page	Claude	P1	34	Open
4116	Complaint form: a refusal from the server shown with the reason and what to change	new page	Claude	P1	34	Open
4117	Complaint form: offline: submission held back with a message, and entered data kept	new page	Claude	P1	34	Open
4118	Complaint form: the keyboard never hides the focused field or the main button	new page	Claude	P1	34	Open
4119	Complaint form: leaving with unsaved changes asks for confirmation	new page	Claude	P1	34	Open
4120	Complaint form: success state stating what happened and what comes next	new page	Claude	P1	34	Open
4121	Complaint form: checked in dark mode, with no hard coded white or black	new page	Claude	P1	34	Open
4122	Complaint form: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
4123	Complaint form: right to left layout checked with the Urdu text	new page	Claude	P1	34	Open
4124	Complaint form: usable at the largest system text size, with nothing cut off	new page	Claude	P1	34	Open
4125	Complaint form: usable at 320 pixels wide	new page	Claude	P1	34	Open
4126	Complaint form: every control named for screen readers, in a logical focus order	new page	Claude	P1	34	Open
4127	Complaint form: contrast of every text and control checked	new page	Claude	P1	34	Open
4128	Complaint form: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4129	Complaint form: component test of every state	new page	Claude	P1	34	Open
4130	Complaint form: end to end test of its main path	new page	Claude	P1	34	Open
4131	Complaint form: visual regression snapshot at three widths	new page	Claude	P2	64	Open
4132	Complaint form: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	34	Open
4133	Complaints: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	34	Open
4134	Complaints: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	34	Open
4135	Complaints: error state with the reason in plain words and a retry	new page	Claude	P1	34	Open
4136	Complaints: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	34	Open
4137	Complaints: deep link restores the screen with its state	new page	Claude	P1	34	Open
4138	Complaints: pull to refresh	new page	Claude	P1	34	Open
4139	Complaints: empty state: the reason and one action	new page	Claude	P1	34	Open
4140	Complaints: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P1	34	Open
4141	Complaints: checked in dark mode, with no hard coded white or black	new page	Claude	P1	34	Open

#	Item	Where	Owner	Pri	Phase	Status
4142	Complaints: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
4143	Complaints: right to left layout checked with the Urdu text	new page	Claude	P1	34	Open
4144	Complaints: usable at the largest system text size, with nothing cut off	new page	Claude	P1	34	Open
4145	Complaints: usable at 320 pixels wide	new page	Claude	P1	34	Open
4146	Complaints: every control named for screen readers, in a logical focus order	new page	Claude	P1	34	Open
4147	Complaints: contrast of every text and control checked	new page	Claude	P1	34	Open
4148	Complaints: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4149	Complaints: component test of every state	new page	Claude	P1	34	Open
4150	Complaints: end to end test of its main path	new page	Claude	P1	34	Open
4151	Complaints: visual regression snapshot at three widths	new page	Claude	P2	64	Open
4152	Complaints: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	34	Open
4153	Complaint detail: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	34	Open
4154	Complaint detail: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	34	Open
4155	Complaint detail: error state with the reason in plain words and a retry	new page	Claude	P1	34	Open
4156	Complaint detail: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	34	Open
4157	Complaint detail: deep link restores the screen with its state	new page	Claude	P1	34	Open
4158	Complaint detail: not found and no access states, each with a route back	new page	Claude	P1	34	Open
4159	Complaint detail: checked in dark mode, with no hard coded white or black	new page	Claude	P1	34	Open
4160	Complaint detail: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
4161	Complaint detail: right to left layout checked with the Urdu text	new page	Claude	P1	34	Open
4162	Complaint detail: usable at the largest system text size, with nothing cut off	new page	Claude	P1	34	Open
4163	Complaint detail: usable at 320 pixels wide	new page	Claude	P1	34	Open
4164	Complaint detail: every control named for screen readers, in a logical focus order	new page	Claude	P1	34	Open
4165	Complaint detail: contrast of every text and control checked	new page	Claude	P1	34	Open
4166	Complaint detail: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4167	Complaint detail: component test of every state	new page	Claude	P1	34	Open
4168	Complaint detail: end to end test of its main path	new page	Claude	P1	34	Open
4169	Complaint detail: visual regression snapshot at three widths	new page	Claude	P2	64	Open
4170	Complaint detail: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	34	Open

AC17. Bank Route Screens: Device security

#	Item	Where	Owner	Pri	Phase	Status
4171	Transaction PIN set up: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	10	Open
4172	Transaction PIN set up: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	10	Open
4173	Transaction PIN set up: submitting state: the button busy and a second tap ignored	new page	Claude	P0	10	Open
4174	Transaction PIN set up: a refusal from the server shown with the reason and what to change	new page	Claude	P0	10	Open
4175	Transaction PIN set up: offline: submission held back with a message, and entered data kept	new page	Claude	P0	10	Open
4176	Transaction PIN set up: the keyboard never hides the focused field or the main button	new page	Claude	P0	10	Open
4177	Transaction PIN set up: leaving with unsaved changes asks for confirmation	new page	Claude	P0	10	Open
4178	Transaction PIN set up: success state stating what happened and what comes next	new page	Claude	P0	10	Open
4179	Transaction PIN set up: checked in dark mode, with no hard coded white or black	new page	Claude	P0	10	Open
4180	Transaction PIN set up: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
4181	Transaction PIN set up: right to left layout checked with the Urdu text	new page	Claude	P0	10	Open
4182	Transaction PIN set up: usable at the largest system text size, with nothing cut off	new page	Claude	P0	10	Open
4183	Transaction PIN set up: usable at 320 pixels wide	new page	Claude	P0	10	Open
4184	Transaction PIN set up: every control named for screen readers, in a logical focus order	new page	Claude	P0	10	Open
4185	Transaction PIN set up: contrast of every text and control checked	new page	Claude	P0	10	Open
4186	Transaction PIN set up: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4187	Transaction PIN set up: component test of every state	new page	Claude	P0	10	Open
4188	Transaction PIN set up: end to end test of its main path	new page	Claude	P0	10	Open
4189	Transaction PIN set up: visual regression snapshot at three widths	new page	Claude	P2	64	Open
4190	Transaction PIN set up: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	10	Open
4191	Transaction PIN entry: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	10	Open
4192	Transaction PIN entry: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P0	10	Open
4193	Transaction PIN entry: submitting state: the button busy and a second tap ignored	new page	Claude	P0	10	Open
4194	Transaction PIN entry: a refusal from the server shown with the reason and what to change	new page	Claude	P0	10	Open
4195	Transaction PIN entry: offline: submission held back with a message, and entered data kept	new page	Claude	P0	10	Open
4196	Transaction PIN entry: the keyboard never hides the focused field or the main button	new page	Claude	P0	10	Open
4197	Transaction PIN entry: leaving with unsaved changes asks for confirmation	new page	Claude	P0	10	Open

#	Item	Where	Owner	Pri	Phase	Status
4198	Transaction PIN entry: success state stating what happened and what comes next	new page	Claude	P0	10	Open
4199	Transaction PIN entry: checked in dark mode, with no hard coded white or black	new page	Claude	P0	10	Open
4200	Transaction PIN entry: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
4201	Transaction PIN entry: right to left layout checked with the Urdu text	new page	Claude	P0	10	Open
4202	Transaction PIN entry: usable at the largest system text size, with nothing cut off	new page	Claude	P0	10	Open
4203	Transaction PIN entry: usable at 320 pixels wide	new page	Claude	P0	10	Open
4204	Transaction PIN entry: every control named for screen readers, in a logical focus order	new page	Claude	P0	10	Open
4205	Transaction PIN entry: contrast of every text and control checked	new page	Claude	P0	10	Open
4206	Transaction PIN entry: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4207	Transaction PIN entry: component test of every state	new page	Claude	P0	10	Open
4208	Transaction PIN entry: end to end test of its main path	new page	Claude	P0	10	Open
4209	Transaction PIN entry: visual regression snapshot at three widths	new page	Claude	P2	64	Open
4210	Transaction PIN entry: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	10	Open
4211	New device registered: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	10	Open
4212	New device registered: deep link opens it directly	new page	Claude	P0	10	Open
4213	New device registered: checked in dark mode, with no hard coded white or black	new page	Claude	P0	10	Open
4214	New device registered: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
4215	New device registered: right to left layout checked with the Urdu text	new page	Claude	P0	10	Open
4216	New device registered: usable at the largest system text size, with nothing cut off	new page	Claude	P0	10	Open
4217	New device registered: usable at 320 pixels wide	new page	Claude	P0	10	Open
4218	New device registered: every control named for screen readers, in a logical focus order	new page	Claude	P0	10	Open
4219	New device registered: contrast of every text and control checked	new page	Claude	P0	10	Open
4220	New device registered: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4221	New device registered: visual regression snapshot at three widths	new page	Claude	P2	64	Open
4222	New device registered: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	10	Open
4223	Cooling off after a device change: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P0	10	Open
4224	Cooling off after a device change: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P0	10	Open
4225	Cooling off after a device change: error state with the reason in plain words and a retry	new page	Claude	P0	10	Open

#	Item	Where	Owner	Pri	Phase	Status
4226	Cooling off after a device change: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P0	10	Open
4227	Cooling off after a device change: deep link restores the screen with its state	new page	Claude	P0	10	Open
4228	Cooling off after a device change: not found and no access states, each with a route back	new page	Claude	P0	10	Open
4229	Cooling off after a device change: checked in dark mode, with no hard coded white or black	new page	Claude	P0	10	Open
4230	Cooling off after a device change: Urdu text for every string, by a translator	new page	Translator	P0	H4	Open
4231	Cooling off after a device change: right to left layout checked with the Urdu text	new page	Claude	P0	10	Open
4232	Cooling off after a device change: usable at the largest system text size, with nothing cut off	new page	Claude	P0	10	Open
4233	Cooling off after a device change: usable at 320 pixels wide	new page	Claude	P0	10	Open
4234	Cooling off after a device change: every control named for screen readers, in a logical focus order	new page	Claude	P0	10	Open
4235	Cooling off after a device change: contrast of every text and control checked	new page	Claude	P0	10	Open
4236	Cooling off after a device change: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4237	Cooling off after a device change: component test of every state	new page	Claude	P0	10	Open
4238	Cooling off after a device change: end to end test of its main path	new page	Claude	P0	10	Open
4239	Cooling off after a device change: visual regression snapshot at three widths	new page	Claude	P2	64	Open
4240	Cooling off after a device change: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P0	10	Open

AC18. Bank Route Screens: Points and marketplace

#	Item	Where	Owner	Pri	Phase	Status
4241	Points balance and history: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	75	Open
4242	Points balance and history: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	75	Open
4243	Points balance and history: error state with the reason in plain words and a retry	new page	Claude	P2	75	Open
4244	Points balance and history: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	75	Open
4245	Points balance and history: deep link restores the screen with its state	new page	Claude	P2	75	Open
4246	Points balance and history: pull to refresh	new page	Claude	P2	75	Open
4247	Points balance and history: empty state: the reason and one action	new page	Claude	P2	75	Open
4248	Points balance and history: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P2	75	Open
4249	Points balance and history: checked in dark mode, with no hard coded white or black	new page	Claude	P2	75	Open
4250	Points balance and history: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4251	Points balance and history: right to left layout checked with the Urdu text	new page	Claude	P2	75	Open

#	Item	Where	Owner	Pri	Phase	Status
4252	Points balance and history: usable at the largest system text size, with nothing cut off	new page	Claude	P2	75	Open
4253	Points balance and history: usable at 320 pixels wide	new page	Claude	P2	75	Open
4254	Points balance and history: every control named for screen readers, in a logical focus order	new page	Claude	P2	75	Open
4255	Points balance and history: contrast of every text and control checked	new page	Claude	P2	75	Open
4256	Points balance and history: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	75	Open
4257	Points balance and history: component test of every state	new page	Claude	P2	75	Open
4258	Points balance and history: end to end test of its main path	new page	Claude	P2	75	Open
4259	Points balance and history: visual regression snapshot at three widths	new page	Claude	P2	75	Open
4260	Points balance and history: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	75	Open
4261	Buy points (Mashreq): rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	75	Open
4262	Buy points (Mashreq): each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	75	Open
4263	Buy points (Mashreq): submitting state: the button busy and a second tap ignored	new page	Claude	P2	75	Open
4264	Buy points (Mashreq): a refusal from the server shown with the reason and what to change	new page	Claude	P2	75	Open
4265	Buy points (Mashreq): offline: submission held back with a message, and entered data kept	new page	Claude	P2	75	Open
4266	Buy points (Mashreq): the keyboard never hides the focused field or the main button	new page	Claude	P2	75	Open
4267	Buy points (Mashreq): leaving with unsaved changes asks for confirmation	new page	Claude	P2	75	Open
4268	Buy points (Mashreq): success state stating what happened and what comes next	new page	Claude	P2	75	Open
4269	Buy points (Mashreq): review step showing every amount before confirmation: the amount and every charge	new page	Claude	P2	75	Open
4270	Buy points (Mashreq): transaction PIN required before the action	new page	Claude	P0	47	Open
4271	Buy points (Mashreq): refused during the two hour cooling off after a device change, with the time remaining	new page	Claude	P0	47	Open
4272	Buy points (Mashreq): one request per confirmation, carried by an idempotency key	new page	Claude	P0	47	Open
4273	Buy points (Mashreq): receipt after completion, saved to Activity	new page	Claude	P2	75	Open
4274	Buy points (Mashreq): amounts shown as Rs with thousands grouped and no stray decimals	new page	Claude	P2	75	Open
4275	Buy points (Mashreq): checked in dark mode, with no hard coded white or black	new page	Claude	P2	75	Open
4276	Buy points (Mashreq): Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4277	Buy points (Mashreq): right to left layout checked with the Urdu text	new page	Claude	P2	75	Open
4278	Buy points (Mashreq): usable at the largest system text size, with nothing cut off	new page	Claude	P2	75	Open
4279	Buy points (Mashreq): usable at 320 pixels wide	new page	Claude	P2	75	Open
4280	Buy points (Mashreq): every control named for screen readers, in a logical focus order	new page	Claude	P2	75	Open

#	Item	Where	Owner	Pri	Phase	Status
4281	Buy points (Mashreq): contrast of every text and control checked	new page	Claude	P2	75	Open
4282	Buy points (Mashreq): screen view and main action recorded, with no personal data in the events	new page	Claude	P2	75	Open
4283	Buy points (Mashreq): component test of every state	new page	Claude	P2	75	Open
4284	Buy points (Mashreq): end to end test of its main path	new page	Claude	P2	75	Open
4285	Buy points (Mashreq): visual regression snapshot at three widths	new page	Claude	P2	75	Open
4286	Buy points (Mashreq): copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	75	Open
4287	Points purchase receipt: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	75	Open
4288	Points purchase receipt: every figure and reference shown matches the ledger	new page	Claude	P2	75	Open
4289	Points purchase receipt: the next step offered	new page	Claude	P2	75	Open
4290	Points purchase receipt: share as an image or a PDF with account numbers masked	new page	Claude	P2	75	Open
4291	Points purchase receipt: checked in dark mode, with no hard coded white or black	new page	Claude	P2	75	Open
4292	Points purchase receipt: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4293	Points purchase receipt: right to left layout checked with the Urdu text	new page	Claude	P2	75	Open
4294	Points purchase receipt: usable at the largest system text size, with nothing cut off	new page	Claude	P2	75	Open
4295	Points purchase receipt: usable at 320 pixels wide	new page	Claude	P2	75	Open
4296	Points purchase receipt: every control named for screen readers, in a logical focus order	new page	Claude	P2	75	Open
4297	Points purchase receipt: contrast of every text and control checked	new page	Claude	P2	75	Open
4298	Points purchase receipt: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	75	Open
4299	Points purchase receipt: visual regression snapshot at three widths	new page	Claude	P2	75	Open
4300	Points purchase receipt: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	75	Open
4301	Marketplace catalogue: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	75	Open
4302	Marketplace catalogue: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	75	Open
4303	Marketplace catalogue: error state with the reason in plain words and a retry	new page	Claude	P2	76	Open
4304	Marketplace catalogue: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	76	Open
4305	Marketplace catalogue: deep link restores the screen with its state	new page	Claude	P2	76	Open
4306	Marketplace catalogue: pull to refresh	new page	Claude	P2	76	Open
4307	Marketplace catalogue: empty state: the reason and one action	new page	Claude	P2	76	Open
4308	Marketplace catalogue: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P2	76	Open

#	Item	Where	Owner	Pri	Phase	Status
4309	Marketplace catalogue: checked in dark mode, with no hard coded white or black	new page	Claude	P2	76	Open
4310	Marketplace catalogue: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4311	Marketplace catalogue: right to left layout checked with the Urdu text	new page	Claude	P2	76	Open
4312	Marketplace catalogue: usable at the largest system text size, with nothing cut off	new page	Claude	P2	76	Open
4313	Marketplace catalogue: usable at 320 pixels wide	new page	Claude	P2	76	Open
4314	Marketplace catalogue: every control named for screen readers, in a logical focus order	new page	Claude	P2	76	Open
4315	Marketplace catalogue: contrast of every text and control checked	new page	Claude	P2	76	Open
4316	Marketplace catalogue: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	76	Open
4317	Marketplace catalogue: component test of every state	new page	Claude	P2	76	Open
4318	Marketplace catalogue: end to end test of its main path	new page	Claude	P2	76	Open
4319	Marketplace catalogue: visual regression snapshot at three widths	new page	Claude	P2	76	Open
4320	Marketplace catalogue: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	76	Open
4321	Marketplace category: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	76	Open
4322	Marketplace category: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	76	Open
4323	Marketplace category: error state with the reason in plain words and a retry	new page	Claude	P2	76	Open
4324	Marketplace category: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	76	Open
4325	Marketplace category: deep link restores the screen with its state	new page	Claude	P2	76	Open
4326	Marketplace category: pull to refresh	new page	Claude	P2	76	Open
4327	Marketplace category: empty state: the reason and one action	new page	Claude	P2	76	Open
4328	Marketplace category: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P2	76	Open
4329	Marketplace category: checked in dark mode, with no hard coded white or black	new page	Claude	P2	76	Open
4330	Marketplace category: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4331	Marketplace category: right to left layout checked with the Urdu text	new page	Claude	P2	76	Open
4332	Marketplace category: usable at the largest system text size, with nothing cut off	new page	Claude	P2	76	Open
4333	Marketplace category: usable at 320 pixels wide	new page	Claude	P2	76	Open
4334	Marketplace category: every control named for screen readers, in a logical focus order	new page	Claude	P2	76	Open
4335	Marketplace category: contrast of every text and control checked	new page	Claude	P2	76	Open
4336	Marketplace category: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	76	Open
4337	Marketplace category: component test of every state	new page	Claude	P2	76	Open

#	Item	Where	Owner	Pri	Phase	Status
4338	Marketplace category: end to end test of its main path	new page	Claude	P2	76	Open
4339	Marketplace category: visual regression snapshot at three widths	new page	Claude	P2	76	Open
4340	Marketplace category: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	76	Open
4341	Marketplace product: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	76	Open
4342	Marketplace product: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	76	Open
4343	Marketplace product: error state with the reason in plain words and a retry	new page	Claude	P2	76	Open
4344	Marketplace product: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	76	Open
4345	Marketplace product: deep link restores the screen with its state	new page	Claude	P2	76	Open
4346	Marketplace product: not found and no access states, each with a route back	new page	Claude	P2	76	Open
4347	Marketplace product: checked in dark mode, with no hard coded white or black	new page	Claude	P2	76	Open
4348	Marketplace product: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4349	Marketplace product: right to left layout checked with the Urdu text	new page	Claude	P2	76	Open
4350	Marketplace product: usable at the largest system text size, with nothing cut off	new page	Claude	P2	76	Open
4351	Marketplace product: usable at 320 pixels wide	new page	Claude	P2	76	Open
4352	Marketplace product: every control named for screen readers, in a logical focus order	new page	Claude	P2	76	Open
4353	Marketplace product: contrast of every text and control checked	new page	Claude	P2	76	Open
4354	Marketplace product: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	76	Open
4355	Marketplace product: component test of every state	new page	Claude	P2	76	Open
4356	Marketplace product: end to end test of its main path	new page	Claude	P2	76	Open
4357	Marketplace product: visual regression snapshot at three widths	new page	Claude	P2	76	Open
4358	Marketplace product: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	76	Open
4359	Cart: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	76	Open
4360	Cart: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	76	Open
4361	Cart: submitting state: the button busy and a second tap ignored	new page	Claude	P2	76	Open
4362	Cart: a refusal from the server shown with the reason and what to change	new page	Claude	P2	76	Open
4363	Cart: offline: submission held back with a message, and entered data kept	new page	Claude	P2	76	Open
4364	Cart: the keyboard never hides the focused field or the main button	new page	Claude	P2	76	Open
4365	Cart: leaving with unsaved changes asks for confirmation	new page	Claude	P2	76	Open
4366	Cart: success state stating what happened and what comes next	new page	Claude	P2	76	Open

#	Item	Where	Owner	Pri	Phase	Status
4367	Cart: checked in dark mode, with no hard coded white or black	new page	Claude	P2	76	Open
4368	Cart: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4369	Cart: right to left layout checked with the Urdu text	new page	Claude	P2	76	Open
4370	Cart: usable at the largest system text size, with nothing cut off	new page	Claude	P2	76	Open
4371	Cart: usable at 320 pixels wide	new page	Claude	P2	76	Open
4372	Cart: every control named for screen readers, in a logical focus order	new page	Claude	P2	76	Open
4373	Cart: contrast of every text and control checked	new page	Claude	P2	76	Open
4374	Cart: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	76	Open
4375	Cart: component test of every state	new page	Claude	P2	76	Open
4376	Cart: end to end test of its main path	new page	Claude	P2	76	Open
4377	Cart: visual regression snapshot at three widths	new page	Claude	P2	76	Open
4378	Cart: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	76	Open
4379	Checkout with points: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	76	Open
4380	Checkout with points: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	76	Open
4381	Checkout with points: submitting state: the button busy and a second tap ignored	new page	Claude	P2	76	Open
4382	Checkout with points: a refusal from the server shown with the reason and what to change	new page	Claude	P2	76	Open
4383	Checkout with points: offline: submission held back with a message, and entered data kept	new page	Claude	P2	76	Open
4384	Checkout with points: the keyboard never hides the focused field or the main button	new page	Claude	P2	76	Open
4385	Checkout with points: leaving with unsaved changes asks for confirmation	new page	Claude	P2	76	Open
4386	Checkout with points: success state stating what happened and what comes next	new page	Claude	P2	76	Open
4387	Checkout with points: review step showing every amount before confirmation: the amount and every charge	new page	Claude	P2	76	Open
4388	Checkout with points: transaction PIN required before the action	new page	Claude	P0	47	Open
4389	Checkout with points: refused during the two hour cooling off after a device change, with the time remaining	new page	Claude	P0	47	Open
4390	Checkout with points: one request per confirmation, carried by an idempotency key	new page	Claude	P0	47	Open
4391	Checkout with points: receipt after completion, saved to Activity	new page	Claude	P2	76	Open
4392	Checkout with points: amounts shown as Rs with thousands grouped and no stray decimals	new page	Claude	P2	76	Open
4393	Checkout with points: checked in dark mode, with no hard coded white or black	new page	Claude	P2	76	Open
4394	Checkout with points: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4395	Checkout with points: right to left layout checked with the Urdu text	new page	Claude	P2	76	Open
4396	Checkout with points: usable at the largest system text size, with nothing cut off	new page	Claude	P2	76	Open

#	Item	Where	Owner	Pri	Phase	Status
4397	Checkout with points: usable at 320 pixels wide	new page	Claude	P2	76	Open
4398	Checkout with points: every control named for screen readers, in a logical focus order	new page	Claude	P2	76	Open
4399	Checkout with points: contrast of every text and control checked	new page	Claude	P2	77	Open
4400	Checkout with points: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4401	Checkout with points: component test of every state	new page	Claude	P2	77	Open
4402	Checkout with points: end to end test of its main path	new page	Claude	P2	77	Open
4403	Checkout with points: visual regression snapshot at three widths	new page	Claude	P2	77	Open
4404	Checkout with points: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	77	Open
4405	Order placed: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	77	Open
4406	Order placed: every figure and reference shown matches the ledger	new page	Claude	P2	77	Open
4407	Order placed: the next step offered	new page	Claude	P2	77	Open
4408	Order placed: share as an image or a PDF with account numbers masked	new page	Claude	P2	77	Open
4409	Order placed: checked in dark mode, with no hard coded white or black	new page	Claude	P2	77	Open
4410	Order placed: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4411	Order placed: right to left layout checked with the Urdu text	new page	Claude	P2	77	Open
4412	Order placed: usable at the largest system text size, with nothing cut off	new page	Claude	P2	77	Open
4413	Order placed: usable at 320 pixels wide	new page	Claude	P2	77	Open
4414	Order placed: every control named for screen readers, in a logical focus order	new page	Claude	P2	77	Open
4415	Order placed: contrast of every text and control checked	new page	Claude	P2	77	Open
4416	Order placed: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4417	Order placed: visual regression snapshot at three widths	new page	Claude	P2	77	Open
4418	Order placed: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	77	Open
4419	Order tracking: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	77	Open
4420	Order tracking: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	77	Open
4421	Order tracking: error state with the reason in plain words and a retry	new page	Claude	P2	77	Open
4422	Order tracking: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	77	Open
4423	Order tracking: deep link restores the screen with its state	new page	Claude	P2	77	Open
4424	Order tracking: not found and no access states, each with a route back	new page	Claude	P2	77	Open
4425	Order tracking: checked in dark mode, with no hard coded white or black	new page	Claude	P2	77	Open
4426	Order tracking: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
4427	Order tracking: right to left layout checked with the Urdu text	new page	Claude	P2	77	Open
4428	Order tracking: usable at the largest system text size, with nothing cut off	new page	Claude	P2	77	Open
4429	Order tracking: usable at 320 pixels wide	new page	Claude	P2	77	Open
4430	Order tracking: every control named for screen readers, in a logical focus order	new page	Claude	P2	77	Open
4431	Order tracking: contrast of every text and control checked	new page	Claude	P2	77	Open
4432	Order tracking: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4433	Order tracking: component test of every state	new page	Claude	P2	77	Open
4434	Order tracking: end to end test of its main path	new page	Claude	P2	77	Open
4435	Order tracking: visual regression snapshot at three widths	new page	Claude	P2	77	Open
4436	Order tracking: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	77	Open
4437	Orders: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	77	Open
4438	Orders: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	77	Open
4439	Orders: error state with the reason in plain words and a retry	new page	Claude	P2	77	Open
4440	Orders: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	77	Open
4441	Orders: deep link restores the screen with its state	new page	Claude	P2	77	Open
4442	Orders: pull to refresh	new page	Claude	P2	77	Open
4443	Orders: empty state: the reason and one action	new page	Claude	P2	77	Open
4444	Orders: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P2	77	Open
4445	Orders: checked in dark mode, with no hard coded white or black	new page	Claude	P2	77	Open
4446	Orders: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4447	Orders: right to left layout checked with the Urdu text	new page	Claude	P2	77	Open
4448	Orders: usable at the largest system text size, with nothing cut off	new page	Claude	P2	77	Open
4449	Orders: usable at 320 pixels wide	new page	Claude	P2	77	Open
4450	Orders: every control named for screen readers, in a logical focus order	new page	Claude	P2	77	Open
4451	Orders: contrast of every text and control checked	new page	Claude	P2	77	Open
4452	Orders: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4453	Orders: component test of every state	new page	Claude	P2	77	Open
4454	Orders: end to end test of its main path	new page	Claude	P2	77	Open
4455	Orders: visual regression snapshot at three widths	new page	Claude	P2	77	Open
4456	Orders: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	77	Open
4457	Return request: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	77	Open

#	Item	Where	Owner	Pri	Phase	Status
4458	Return request: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	77	Open
4459	Return request: submitting state: the button busy and a second tap ignored	new page	Claude	P2	77	Open
4460	Return request: a refusal from the server shown with the reason and what to change	new page	Claude	P2	77	Open
4461	Return request: offline: submission held back with a message, and entered data kept	new page	Claude	P2	77	Open
4462	Return request: the keyboard never hides the focused field or the main button	new page	Claude	P2	77	Open
4463	Return request: leaving with unsaved changes asks for confirmation	new page	Claude	P2	77	Open
4464	Return request: success state stating what happened and what comes next	new page	Claude	P2	77	Open
4465	Return request: checked in dark mode, with no hard coded white or black	new page	Claude	P2	77	Open
4466	Return request: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4467	Return request: right to left layout checked with the Urdu text	new page	Claude	P2	77	Open
4468	Return request: usable at the largest system text size, with nothing cut off	new page	Claude	P2	77	Open
4469	Return request: usable at 320 pixels wide	new page	Claude	P2	77	Open
4470	Return request: every control named for screen readers, in a logical focus order	new page	Claude	P2	77	Open
4471	Return request: contrast of every text and control checked	new page	Claude	P2	77	Open
4472	Return request: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4473	Return request: component test of every state	new page	Claude	P2	77	Open
4474	Return request: end to end test of its main path	new page	Claude	P2	77	Open
4475	Return request: visual regression snapshot at three widths	new page	Claude	P2	77	Open
4476	Return request: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	77	Open

AC19. Bank Route Screens: Turn market

#	Item	Where	Owner	Pri	Phase	Status
4477	Turn listing detail: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	64	Open
4478	Turn listing detail: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	64	Open
4479	Turn listing detail: error state with the reason in plain words and a retry	new page	Claude	P2	64	Open
4480	Turn listing detail: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	64	Open
4481	Turn listing detail: deep link restores the screen with its state	new page	Claude	P2	64	Open
4482	Turn listing detail: not found and no access states, each with a route back	new page	Claude	P2	64	Open
4483	Turn listing detail: checked in dark mode, with no hard coded white or black	new page	Claude	P2	64	Open
4484	Turn listing detail: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4485	Turn listing detail: right to left layout checked with the Urdu text	new page	Claude	P2	64	Open

#	Item	Where	Owner	Pri	Phase	Status
4486	Turn listing detail: usable at the largest system text size, with nothing cut off	new page	Claude	P2	64	Open
4487	Turn listing detail: usable at 320 pixels wide	new page	Claude	P2	64	Open
4488	Turn listing detail: every control named for screen readers, in a logical focus order	new page	Claude	P2	64	Open
4489	Turn listing detail: contrast of every text and control checked	new page	Claude	P2	64	Open
4490	Turn listing detail: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4491	Turn listing detail: component test of every state	new page	Claude	P2	64	Open
4492	Turn listing detail: end to end test of its main path	new page	Claude	P2	64	Open
4493	Turn listing detail: visual regression snapshot at three widths	new page	Claude	P2	64	Open
4494	Turn listing detail: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	64	Open
4495	Create a turn listing: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	64	Open
4496	Create a turn listing: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	64	Open
4497	Create a turn listing: submitting state: the button busy and a second tap ignored	new page	Claude	P2	64	Open
4498	Create a turn listing: a refusal from the server shown with the reason and what to change	new page	Claude	P2	64	Open
4499	Create a turn listing: offline: submission held back with a message, and entered data kept	new page	Claude	P2	64	Open
4500	Create a turn listing: the keyboard never hides the focused field or the main button	new page	Claude	P2	64	Open
4501	Create a turn listing: leaving with unsaved changes asks for confirmation	new page	Claude	P2	64	Open
4502	Create a turn listing: success state stating what happened and what comes next	new page	Claude	P2	64	Open
4503	Create a turn listing: checked in dark mode, with no hard coded white or black	new page	Claude	P2	64	Open
4504	Create a turn listing: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4505	Create a turn listing: right to left layout checked with the Urdu text	new page	Claude	P2	64	Open
4506	Create a turn listing: usable at the largest system text size, with nothing cut off	new page	Claude	P2	64	Open
4507	Create a turn listing: usable at 320 pixels wide	new page	Claude	P2	64	Open
4508	Create a turn listing: every control named for screen readers, in a logical focus order	new page	Claude	P2	64	Open
4509	Create a turn listing: contrast of every text and control checked	new page	Claude	P2	64	Open
4510	Create a turn listing: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4511	Create a turn listing: component test of every state	new page	Claude	P2	64	Open
4512	Create a turn listing: end to end test of its main path	new page	Claude	P2	64	Open
4513	Create a turn listing: visual regression snapshot at three widths	new page	Claude	P2	64	Open
4514	Create a turn listing: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	64	Open

#	Item	Where	Owner	Pri	Phase	Status
4515	Make an offer: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	64	Open
4516	Make an offer: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	64	Open
4517	Make an offer: submitting state: the button busy and a second tap ignored	new page	Claude	P2	64	Open
4518	Make an offer: a refusal from the server shown with the reason and what to change	new page	Claude	P2	64	Open
4519	Make an offer: offline: submission held back with a message, and entered data kept	new page	Claude	P2	64	Open
4520	Make an offer: the keyboard never hides the focused field or the main button	new page	Claude	P2	64	Open
4521	Make an offer: leaving with unsaved changes asks for confirmation	new page	Claude	P2	64	Open
4522	Make an offer: success state stating what happened and what comes next	new page	Claude	P2	64	Open
4523	Make an offer: review step showing every amount before confirmation: the amount and every charge	new page	Claude	P2	64	Open
4524	Make an offer: transaction PIN required before the action	new page	Claude	P0	10	Open
4525	Make an offer: refused during the two hour cooling off after a device change, with the time remaining	new page	Claude	P0	10	Open
4526	Make an offer: one request per confirmation, carried by an idempotency key	new page	Claude	P0	10	Open
4527	Make an offer: receipt after completion, saved to Activity	new page	Claude	P2	64	Open
4528	Make an offer: amounts shown as Rs with thousands grouped and no stray decimals	new page	Claude	P2	64	Open
4529	Make an offer: checked in dark mode, with no hard coded white or black	new page	Claude	P2	64	Open
4530	Make an offer: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4531	Make an offer: right to left layout checked with the Urdu text	new page	Claude	P2	64	Open
4532	Make an offer: usable at the largest system text size, with nothing cut off	new page	Claude	P2	64	Open
4533	Make an offer: usable at 320 pixels wide	new page	Claude	P2	64	Open
4534	Make an offer: every control named for screen readers, in a logical focus order	new page	Claude	P2	64	Open
4535	Make an offer: contrast of every text and control checked	new page	Claude	P2	64	Open
4536	Make an offer: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4537	Make an offer: component test of every state	new page	Claude	P2	64	Open
4538	Make an offer: end to end test of its main path	new page	Claude	P2	64	Open
4539	Make an offer: visual regression snapshot at three widths	new page	Claude	P2	64	Open
4540	Make an offer: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	64	Open
4541	Offers received: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	64	Open
4542	Offers received: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	64	Open
4543	Offers received: error state with the reason in plain words and a retry	new page	Claude	P2	64	Open
4544	Offers received: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	64	Open
4545	Offers received: deep link restores the screen with its state	new page	Claude	P2	64	Open

#	Item	Where	Owner	Pri	Phase	Status
4546	Offers received: pull to refresh	new page	Claude	P2	64	Open
4547	Offers received: empty state: the reason and one action	new page	Claude	P2	64	Open
4548	Offers received: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P2	64	Open
4549	Offers received: checked in dark mode, with no hard coded white or black	new page	Claude	P2	64	Open
4550	Offers received: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4551	Offers received: right to left layout checked with the Urdu text	new page	Claude	P2	64	Open
4552	Offers received: usable at the largest system text size, with nothing cut off	new page	Claude	P2	64	Open
4553	Offers received: usable at 320 pixels wide	new page	Claude	P2	64	Open
4554	Offers received: every control named for screen readers, in a logical focus order	new page	Claude	P2	64	Open
4555	Offers received: contrast of every text and control checked	new page	Claude	P2	64	Open
4556	Offers received: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	64	Open
4557	Offers received: component test of every state	new page	Claude	P2	64	Open
4558	Offers received: end to end test of its main path	new page	Claude	P2	65	Open
4559	Offers received: visual regression snapshot at three widths	new page	Claude	P2	65	Open
4560	Offers received: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	65	Open
4561	Host approval of a trade: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	65	Open
4562	Host approval of a trade: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	65	Open
4563	Host approval of a trade: submitting state: the button busy and a second tap ignored	new page	Claude	P2	65	Open
4564	Host approval of a trade: a refusal from the server shown with the reason and what to change	new page	Claude	P2	65	Open
4565	Host approval of a trade: offline: submission held back with a message, and entered data kept	new page	Claude	P2	65	Open
4566	Host approval of a trade: the keyboard never hides the focused field or the main button	new page	Claude	P2	65	Open
4567	Host approval of a trade: leaving with unsaved changes asks for confirmation	new page	Claude	P2	65	Open
4568	Host approval of a trade: success state stating what happened and what comes next	new page	Claude	P2	65	Open
4569	Host approval of a trade: checked in dark mode, with no hard coded white or black	new page	Claude	P2	65	Open
4570	Host approval of a trade: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4571	Host approval of a trade: right to left layout checked with the Urdu text	new page	Claude	P2	65	Open
4572	Host approval of a trade: usable at the largest system text size, with nothing cut off	new page	Claude	P2	65	Open
4573	Host approval of a trade: usable at 320 pixels wide	new page	Claude	P2	65	Open
4574	Host approval of a trade: every control named for screen readers, in a logical focus order	new page	Claude	P2	65	Open

#	Item	Where	Owner	Pri	Phase	Status
4575	Host approval of a trade: contrast of every text and control checked	new page	Claude	P2	65	Open
4576	Host approval of a trade: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	65	Open
4577	Host approval of a trade: component test of every state	new page	Claude	P2	65	Open
4578	Host approval of a trade: end to end test of its main path	new page	Claude	P2	65	Open
4579	Host approval of a trade: visual regression snapshot at three widths	new page	Claude	P2	65	Open
4580	Host approval of a trade: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	65	Open
4581	Trade settled: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	65	Open
4582	Trade settled: every figure and reference shown matches the ledger	new page	Claude	P2	65	Open
4583	Trade settled: the next step offered	new page	Claude	P2	65	Open
4584	Trade settled: share as an image or a PDF with account numbers masked	new page	Claude	P2	65	Open
4585	Trade settled: checked in dark mode, with no hard coded white or black	new page	Claude	P2	65	Open
4586	Trade settled: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4587	Trade settled: right to left layout checked with the Urdu text	new page	Claude	P2	65	Open
4588	Trade settled: usable at the largest system text size, with nothing cut off	new page	Claude	P2	65	Open
4589	Trade settled: usable at 320 pixels wide	new page	Claude	P2	65	Open
4590	Trade settled: every control named for screen readers, in a logical focus order	new page	Claude	P2	65	Open
4591	Trade settled: contrast of every text and control checked	new page	Claude	P2	65	Open
4592	Trade settled: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	65	Open
4593	Trade settled: visual regression snapshot at three widths	new page	Claude	P2	65	Open
4594	Trade settled: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	65	Open
4595	Trade history: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	65	Open
4596	Trade history: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	65	Open
4597	Trade history: error state with the reason in plain words and a retry	new page	Claude	P2	65	Open
4598	Trade history: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	65	Open
4599	Trade history: deep link restores the screen with its state	new page	Claude	P2	65	Open
4600	Trade history: pull to refresh	new page	Claude	P2	65	Open
4601	Trade history: empty state: the reason and one action	new page	Claude	P2	65	Open
4602	Trade history: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P2	65	Open
4603	Trade history: checked in dark mode, with no hard coded white or black	new page	Claude	P2	65	Open
4604	Trade history: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
4605	Trade history: right to left layout checked with the Urdu text	new page	Claude	P2	65	Open
4606	Trade history: usable at the largest system text size, with nothing cut off	new page	Claude	P2	65	Open
4607	Trade history: usable at 320 pixels wide	new page	Claude	P2	65	Open
4608	Trade history: every control named for screen readers, in a logical focus order	new page	Claude	P2	65	Open
4609	Trade history: contrast of every text and control checked	new page	Claude	P2	65	Open
4610	Trade history: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	65	Open
4611	Trade history: component test of every state	new page	Claude	P2	65	Open
4612	Trade history: end to end test of its main path	new page	Claude	P2	65	Open
4613	Trade history: visual regression snapshot at three widths	new page	Claude	P2	65	Open
4614	Trade history: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	65	Open

AC20. Bank Route Screens: Asset financing

#	Item	Where	Owner	Pri	Phase	Status
4615	Asset catalogue: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P3	81	Open
4616	Asset catalogue: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P3	81	Open
4617	Asset catalogue: error state with the reason in plain words and a retry	new page	Claude	P3	81	Open
4618	Asset catalogue: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P3	81	Open
4619	Asset catalogue: deep link restores the screen with its state	new page	Claude	P3	81	Open
4620	Asset catalogue: pull to refresh	new page	Claude	P3	81	Open
4621	Asset catalogue: empty state: the reason and one action	new page	Claude	P3	81	Open
4622	Asset catalogue: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P3	81	Open
4623	Asset catalogue: checked in dark mode, with no hard coded white or black	new page	Claude	P3	81	Open
4624	Asset catalogue: Urdu text for every string, by a translator	new page	Translator	P3	H6	Open
4625	Asset catalogue: right to left layout checked with the Urdu text	new page	Claude	P3	81	Open
4626	Asset catalogue: usable at the largest system text size, with nothing cut off	new page	Claude	P3	81	Open
4627	Asset catalogue: usable at 320 pixels wide	new page	Claude	P3	81	Open
4628	Asset catalogue: every control named for screen readers, in a logical focus order	new page	Claude	P3	81	Open
4629	Asset catalogue: contrast of every text and control checked	new page	Claude	P3	81	Open
4630	Asset catalogue: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4631	Asset catalogue: component test of every state	new page	Claude	P3	81	Open
4632	Asset catalogue: end to end test of its main path	new page	Claude	P3	81	Open

#	Item	Where	Owner	Pri	Phase	Status
4633	Asset catalogue: visual regression snapshot at three widths	new page	Claude	P2	77	Open
4634	Asset catalogue: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P3	81	Open
4635	Financing application: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P3	81	Open
4636	Financing application: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P3	81	Open
4637	Financing application: submitting state: the button busy and a second tap ignored	new page	Claude	P3	81	Open
4638	Financing application: a refusal from the server shown with the reason and what to change	new page	Claude	P3	81	Open
4639	Financing application: offline: submission held back with a message, and entered data kept	new page	Claude	P3	81	Open
4640	Financing application: the keyboard never hides the focused field or the main button	new page	Claude	P3	81	Open
4641	Financing application: leaving with unsaved changes asks for confirmation	new page	Claude	P3	81	Open
4642	Financing application: success state stating what happened and what comes next	new page	Claude	P3	81	Open
4643	Financing application: checked in dark mode, with no hard coded white or black	new page	Claude	P3	81	Open
4644	Financing application: Urdu text for every string, by a translator	new page	Translator	P3	H6	Open
4645	Financing application: right to left layout checked with the Urdu text	new page	Claude	P3	81	Open
4646	Financing application: usable at the largest system text size, with nothing cut off	new page	Claude	P3	81	Open
4647	Financing application: usable at 320 pixels wide	new page	Claude	P3	81	Open
4648	Financing application: every control named for screen readers, in a logical focus order	new page	Claude	P3	81	Open
4649	Financing application: contrast of every text and control checked	new page	Claude	P3	81	Open
4650	Financing application: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4651	Financing application: component test of every state	new page	Claude	P3	81	Open
4652	Financing application: end to end test of its main path	new page	Claude	P3	81	Open
4653	Financing application: visual regression snapshot at three widths	new page	Claude	P2	77	Open
4654	Financing application: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P3	81	Open
4655	Financing decision: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P3	81	Open
4656	Financing decision: every figure and reference shown matches the ledger	new page	Claude	P3	81	Open
4657	Financing decision: the next step offered	new page	Claude	P3	81	Open
4658	Financing decision: share as an image or a PDF with account numbers masked	new page	Claude	P3	81	Open
4659	Financing decision: checked in dark mode, with no hard coded white or black	new page	Claude	P3	81	Open
4660	Financing decision: Urdu text for every string, by a translator	new page	Translator	P3	H6	Open
4661	Financing decision: right to left layout checked with the Urdu text	new page	Claude	P3	81	Open

#	Item	Where	Owner	Pri	Phase	Status
4662	Financing decision: usable at the largest system text size, with nothing cut off	new page	Claude	P3	81	Open
4663	Financing decision: usable at 320 pixels wide	new page	Claude	P3	81	Open
4664	Financing decision: every control named for screen readers, in a logical focus order	new page	Claude	P3	81	Open
4665	Financing decision: contrast of every text and control checked	new page	Claude	P3	81	Open
4666	Financing decision: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4667	Financing decision: visual regression snapshot at three widths	new page	Claude	P2	77	Open
4668	Financing decision: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P3	81	Open
4669	Repayment schedule: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P3	81	Open
4670	Repayment schedule: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P3	81	Open
4671	Repayment schedule: error state with the reason in plain words and a retry	new page	Claude	P3	81	Open
4672	Repayment schedule: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P3	81	Open
4673	Repayment schedule: deep link restores the screen with its state	new page	Claude	P3	81	Open
4674	Repayment schedule: not found and no access states, each with a route back	new page	Claude	P3	81	Open
4675	Repayment schedule: checked in dark mode, with no hard coded white or black	new page	Claude	P3	81	Open
4676	Repayment schedule: Urdu text for every string, by a translator	new page	Translator	P3	H6	Open
4677	Repayment schedule: right to left layout checked with the Urdu text	new page	Claude	P3	81	Open
4678	Repayment schedule: usable at the largest system text size, with nothing cut off	new page	Claude	P3	81	Open
4679	Repayment schedule: usable at 320 pixels wide	new page	Claude	P3	81	Open
4680	Repayment schedule: every control named for screen readers, in a logical focus order	new page	Claude	P3	81	Open
4681	Repayment schedule: contrast of every text and control checked	new page	Claude	P3	81	Open
4682	Repayment schedule: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4683	Repayment schedule: component test of every state	new page	Claude	P3	81	Open
4684	Repayment schedule: end to end test of its main path	new page	Claude	P3	81	Open
4685	Repayment schedule: visual regression snapshot at three widths	new page	Claude	P2	77	Open
4686	Repayment schedule: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P3	81	Open

AC21. Bank Route Screens: Members abroad

#	Item	Where	Owner	Pri	Phase	Status
4687	Joining from the UAE (Mashreq): rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P3	81	Open
4688	Joining from the UAE (Mashreq): deep link opens it directly	new page	Claude	P3	81	Open
4689	Joining from the UAE (Mashreq): checked in dark mode, with no hard coded white or black	new page	Claude	P3	81	Open
4690	Joining from the UAE (Mashreq): Urdu text for every string, by a translator	new page	Translator	P3	H6	Open
4691	Joining from the UAE (Mashreq): right to left layout checked with the Urdu text	new page	Claude	P3	81	Open
4692	Joining from the UAE (Mashreq): usable at the largest system text size, with nothing cut off	new page	Claude	P3	81	Open
4693	Joining from the UAE (Mashreq): usable at 320 pixels wide	new page	Claude	P3	81	Open
4694	Joining from the UAE (Mashreq): every control named for screen readers, in a logical focus order	new page	Claude	P3	81	Open
4695	Joining from the UAE (Mashreq): contrast of every text and control checked	new page	Claude	P3	81	Open
4696	Joining from the UAE (Mashreq): screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4697	Joining from the UAE (Mashreq): visual regression snapshot at three widths	new page	Claude	P2	77	Open
4698	Joining from the UAE (Mashreq): copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P3	81	Open
4699	Opening the account from the UAE application: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P3	81	Open
4700	Opening the account from the UAE application: deep link opens it directly	new page	Claude	P3	81	Open
4701	Opening the account from the UAE application: checked in dark mode, with no hard coded white or black	new page	Claude	P3	81	Open
4702	Opening the account from the UAE application: Urdu text for every string, by a translator	new page	Translator	P3	H6	Open
4703	Opening the account from the UAE application: right to left layout checked with the Urdu text	new page	Claude	P3	81	Open
4704	Opening the account from the UAE application: usable at the largest system text size, with nothing cut off	new page	Claude	P3	81	Open
4705	Opening the account from the UAE application: usable at 320 pixels wide	new page	Claude	P3	81	Open
4706	Opening the account from the UAE application: every control named for screen readers, in a logical focus order	new page	Claude	P3	81	Open
4707	Opening the account from the UAE application: contrast of every text and control checked	new page	Claude	P3	81	Open
4708	Opening the account from the UAE application: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	77	Open
4709	Opening the account from the UAE application: visual regression snapshot at three widths	new page	Claude	P2	77	Open
4710	Opening the account from the UAE application: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P3	81	Open

AC22. Bank Route Screens: Credit history

#	Item	Where	Owner	Pri	Phase	Status
4711	Reported records: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	54	Open
4712	Reported records: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P1	54	Open
4713	Reported records: error state with the reason in plain words and a retry	new page	Claude	P1	54	Open
4714	Reported records: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P1	54	Open
4715	Reported records: deep link restores the screen with its state	new page	Claude	P1	54	Open
4716	Reported records: pull to refresh	new page	Claude	P1	54	Open
4717	Reported records: empty state: the reason and one action	new page	Claude	P1	54	Open
4718	Reported records: pages loaded as the member scrolls, with an end of list marker	new page	Claude	P1	54	Open
4719	Reported records: checked in dark mode, with no hard coded white or black	new page	Claude	P1	54	Open
4720	Reported records: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
4721	Reported records: right to left layout checked with the Urdu text	new page	Claude	P1	54	Open
4722	Reported records: usable at the largest system text size, with nothing cut off	new page	Claude	P1	54	Open
4723	Reported records: usable at 320 pixels wide	new page	Claude	P1	54	Open
4724	Reported records: every control named for screen readers, in a logical focus order	new page	Claude	P1	54	Open
4725	Reported records: contrast of every text and control checked	new page	Claude	P1	54	Open
4726	Reported records: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	78	Open
4727	Reported records: component test of every state	new page	Claude	P1	54	Open
4728	Reported records: end to end test of its main path	new page	Claude	P1	54	Open
4729	Reported records: visual regression snapshot at three widths	new page	Claude	P2	78	Open
4730	Reported records: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	54	Open
4731	Dispute a reported record: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P1	54	Open
4732	Dispute a reported record: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P1	54	Open
4733	Dispute a reported record: submitting state: the button busy and a second tap ignored	new page	Claude	P1	54	Open
4734	Dispute a reported record: a refusal from the server shown with the reason and what to change	new page	Claude	P1	54	Open
4735	Dispute a reported record: offline: submission held back with a message, and entered data kept	new page	Claude	P1	54	Open
4736	Dispute a reported record: the keyboard never hides the focused field or the main button	new page	Claude	P1	54	Open
4737	Dispute a reported record: leaving with unsaved changes asks for confirmation	new page	Claude	P1	54	Open
4738	Dispute a reported record: success state stating what happened and what comes next	new page	Claude	P1	54	Open

#	Item	Where	Owner	Pri	Phase	Status
4739	Dispute a reported record: checked in dark mode, with no hard coded white or black	new page	Claude	P1	54	Open
4740	Dispute a reported record: Urdu text for every string, by a translator	new page	Translator	P1	H4	Open
4741	Dispute a reported record: right to left layout checked with the Urdu text	new page	Claude	P1	54	Open
4742	Dispute a reported record: usable at the largest system text size, with nothing cut off	new page	Claude	P1	54	Open
4743	Dispute a reported record: usable at 320 pixels wide	new page	Claude	P1	54	Open
4744	Dispute a reported record: every control named for screen readers, in a logical focus order	new page	Claude	P1	54	Open
4745	Dispute a reported record: contrast of every text and control checked	new page	Claude	P1	54	Open
4746	Dispute a reported record: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	78	Open
4747	Dispute a reported record: component test of every state	new page	Claude	P1	54	Open
4748	Dispute a reported record: end to end test of its main path	new page	Claude	P1	54	Open
4749	Dispute a reported record: visual regression snapshot at three widths	new page	Claude	P2	78	Open
4750	Dispute a reported record: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P1	54	Open

AC23. Bank Route Screens: Hyper

#	Item	Where	Owner	Pri	Phase	Status
4751	Hyper design chooser: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	65	Open
4752	Hyper design chooser: labelled Experimental at the top	new page	Claude	P2	65	Open
4753	Hyper design chooser: each field checked as it is typed, with one specific message under the field (fields in section AD)	new page	Claude	P2	65	Open
4754	Hyper design chooser: submitting state: the button busy and a second tap ignored	new page	Claude	P2	65	Open
4755	Hyper design chooser: a refusal from the server shown with the reason and what to change	new page	Claude	P2	65	Open
4756	Hyper design chooser: offline: submission held back with a message, and entered data kept	new page	Claude	P2	65	Open
4757	Hyper design chooser: the keyboard never hides the focused field or the main button	new page	Claude	P2	65	Open
4758	Hyper design chooser: leaving with unsaved changes asks for confirmation	new page	Claude	P2	65	Open
4759	Hyper design chooser: success state stating what happened and what comes next	new page	Claude	P2	65	Open
4760	Hyper design chooser: checked in dark mode, with no hard coded white or black	new page	Claude	P2	65	Open
4761	Hyper design chooser: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4762	Hyper design chooser: right to left layout checked with the Urdu text	new page	Claude	P2	65	Open
4763	Hyper design chooser: usable at the largest system text size, with nothing cut off	new page	Claude	P2	65	Open
4764	Hyper design chooser: usable at 320 pixels wide	new page	Claude	P2	65	Open
4765	Hyper design chooser: every control named for screen readers, in a logical focus order	new page	Claude	P2	65	Open

#	Item	Where	Owner	Pri	Phase	Status
4766	Hyper design chooser: contrast of every text and control checked	new page	Claude	P2	65	Open
4767	Hyper design chooser: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	65	Open
4768	Hyper design chooser: component test of every state	new page	Claude	P2	65	Open
4769	Hyper design chooser: end to end test of its main path	new page	Claude	P2	65	Open
4770	Hyper design chooser: visual regression snapshot at three widths	new page	Claude	P2	65	Open
4771	Hyper design chooser: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	65	Open
4772	Hyper daily payment: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	65	Open
4773	Hyper daily payment: labelled Experimental at the top	new page	Claude	P2	65	Open
4774	Hyper daily payment: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	65	Open
4775	Hyper daily payment: error state with the reason in plain words and a retry	new page	Claude	P2	65	Open
4776	Hyper daily payment: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	65	Open
4777	Hyper daily payment: deep link restores the screen with its state	new page	Claude	P2	65	Open
4778	Hyper daily payment: not found and no access states, each with a route back	new page	Claude	P2	65	Open
4779	Hyper daily payment: checked in dark mode, with no hard coded white or black	new page	Claude	P2	65	Open
4780	Hyper daily payment: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4781	Hyper daily payment: right to left layout checked with the Urdu text	new page	Claude	P2	65	Open
4782	Hyper daily payment: usable at the largest system text size, with nothing cut off	new page	Claude	P2	65	Open
4783	Hyper daily payment: usable at 320 pixels wide	new page	Claude	P2	65	Open
4784	Hyper daily payment: every control named for screen readers, in a logical focus order	new page	Claude	P2	65	Open
4785	Hyper daily payment: contrast of every text and control checked	new page	Claude	P2	65	Open
4786	Hyper daily payment: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	65	Open
4787	Hyper daily payment: component test of every state	new page	Claude	P2	65	Open
4788	Hyper daily payment: end to end test of its main path	new page	Claude	P2	65	Open
4789	Hyper daily payment: visual regression snapshot at three widths	new page	Claude	P2	65	Open
4790	Hyper daily payment: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	65	Open
4791	Hyper collection day: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	65	Open
4792	Hyper collection day: labelled Experimental at the top	new page	Claude	P2	65	Open
4793	Hyper collection day: loading skeleton in the final layout, never a full screen spinner	new page	Claude	P2	65	Open

#	Item	Where	Owner	Pri	Phase	Status
4794	Hyper collection day: error state with the reason in plain words and a retry	new page	Claude	P2	66	Open
4795	Hyper collection day: offline state showing the last data held and when it was fetched, with actions disabled	new page	Claude	P2	66	Open
4796	Hyper collection day: deep link restores the screen with its state	new page	Claude	P2	66	Open
4797	Hyper collection day: not found and no access states, each with a route back	new page	Claude	P2	66	Open
4798	Hyper collection day: checked in dark mode, with no hard coded white or black	new page	Claude	P2	66	Open
4799	Hyper collection day: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4800	Hyper collection day: right to left layout checked with the Urdu text	new page	Claude	P2	66	Open
4801	Hyper collection day: usable at the largest system text size, with nothing cut off	new page	Claude	P2	66	Open
4802	Hyper collection day: usable at 320 pixels wide	new page	Claude	P2	66	Open
4803	Hyper collection day: every control named for screen readers, in a logical focus order	new page	Claude	P2	66	Open
4804	Hyper collection day: contrast of every text and control checked	new page	Claude	P2	66	Open
4805	Hyper collection day: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	66	Open
4806	Hyper collection day: component test of every state	new page	Claude	P2	66	Open
4807	Hyper collection day: end to end test of its main path	new page	Claude	P2	66	Open
4808	Hyper collection day: visual regression snapshot at three widths	new page	Claude	P2	66	Open
4809	Hyper collection day: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	66	Open
4810	Hyper stopped: rebuilt to the common rules of C1: one answer first, no box around a section, no card inside a card	new page	Claude	P2	66	Open
4811	Hyper stopped: labelled Experimental at the top	new page	Claude	P2	66	Open
4812	Hyper stopped: deep link opens it directly	new page	Claude	P2	66	Open
4813	Hyper stopped: checked in dark mode, with no hard coded white or black	new page	Claude	P2	66	Open
4814	Hyper stopped: Urdu text for every string, by a translator	new page	Translator	P2	H4	Open
4815	Hyper stopped: right to left layout checked with the Urdu text	new page	Claude	P2	66	Open
4816	Hyper stopped: usable at the largest system text size, with nothing cut off	new page	Claude	P2	66	Open
4817	Hyper stopped: usable at 320 pixels wide	new page	Claude	P2	66	Open
4818	Hyper stopped: every control named for screen readers, in a logical focus order	new page	Claude	P2	66	Open
4819	Hyper stopped: contrast of every text and control checked	new page	Claude	P2	66	Open
4820	Hyper stopped: screen view and main action recorded, with no personal data in the events	new page	Claude	P2	66	Open
4821	Hyper stopped: visual regression snapshot at three widths	new page	Claude	P2	66	Open
4822	Hyper stopped: copy checked against the content rules: plain words, at most one line under a title, no eyebrow labels	new page	Claude	P2	66	Open

AC24. Administration Console

Pages for Halqa's own operations, used on a computer.

#	Item	Where	Owner	Pri	Phase	Status
4823	Administration, circles at risk: laid out for a desktop screen	admin	Claude	P2	66	Open
4824	Administration, circles at risk: loading state	admin	Claude	P2	66	Open
4825	Administration, circles at risk: error state with a retry	admin	Claude	P2	66	Open
4826	Administration, circles at risk: empty state	admin	Claude	P2	66	Open
4827	Administration, circles at risk: filters and sorting	admin	Claude	P2	66	Open
4828	Administration, circles at risk: pages loaded in turn, with a count	admin	Claude	P2	66	Open
4829	Administration, circles at risk: open only to named administrators, with every view and action logged	admin	Claude	P2	66	Open
4830	Administration, circles at risk: export of the current view	admin	Claude	P2	66	Open
4831	Administration, circles at risk: end to end test	admin	Claude	P2	66	Open
4832	Administration, reconciliation exceptions: laid out for a desktop screen	admin	Claude	P2	66	Open
4833	Administration, reconciliation exceptions: loading state	admin	Claude	P2	66	Open
4834	Administration, reconciliation exceptions: error state with a retry	admin	Claude	P2	66	Open
4835	Administration, reconciliation exceptions: empty state	admin	Claude	P2	66	Open
4836	Administration, reconciliation exceptions: filters and sorting	admin	Claude	P2	66	Open
4837	Administration, reconciliation exceptions: pages loaded in turn, with a count	admin	Claude	P2	66	Open
4838	Administration, reconciliation exceptions: open only to named administrators, with every view and action logged	admin	Claude	P2	66	Open
4839	Administration, reconciliation exceptions: export of the current view	admin	Claude	P2	66	Open
4840	Administration, reconciliation exceptions: end to end test	admin	Claude	P2	66	Open
4841	Administration, identity queue: laid out for a desktop screen	admin	Claude	P2	66	Open
4842	Administration, identity queue: loading state	admin	Claude	P2	66	Open
4843	Administration, identity queue: error state with a retry	admin	Claude	P2	66	Open
4844	Administration, identity queue: empty state	admin	Claude	P2	66	Open
4845	Administration, identity queue: filters and sorting	admin	Claude	P2	66	Open
4846	Administration, identity queue: pages loaded in turn, with a count	admin	Claude	P2	66	Open
4847	Administration, identity queue: open only to named administrators, with every view and action logged	admin	Claude	P2	66	Open
4848	Administration, identity queue: export of the current view	admin	Claude	P2	66	Open
4849	Administration, identity queue: end to end test	admin	Claude	P2	66	Open
4850	Administration, dispute queue: laid out for a desktop screen	admin	Claude	P2	66	Open
4851	Administration, dispute queue: loading state	admin	Claude	P2	66	Open

#	Item	Where	Owner	Pri	Phase	Status
4852	Administration, dispute queue: error state with a retry	admin	Claude	P2	66	Open
4853	Administration, dispute queue: empty state	admin	Claude	P2	66	Open
4854	Administration, dispute queue: filters and sorting	admin	Claude	P2	66	Open
4855	Administration, dispute queue: pages loaded in turn, with a count	admin	Claude	P2	66	Open
4856	Administration, dispute queue: open only to named administrators, with every view and action logged	admin	Claude	P2	66	Open
4857	Administration, dispute queue: export of the current view	admin	Claude	P2	66	Open
4858	Administration, dispute queue: end to end test	admin	Claude	P2	66	Open
4859	Administration, mandate failures: laid out for a desktop screen	admin	Claude	P2	66	Open
4860	Administration, mandate failures: loading state	admin	Claude	P2	66	Open
4861	Administration, mandate failures: error state with a retry	admin	Claude	P2	66	Open
4862	Administration, mandate failures: empty state	admin	Claude	P2	66	Open
4863	Administration, mandate failures: filters and sorting	admin	Claude	P2	66	Open
4864	Administration, mandate failures: pages loaded in turn, with a count	admin	Claude	P2	66	Open
4865	Administration, mandate failures: open only to named administrators, with every view and action logged	admin	Claude	P2	66	Open
4866	Administration, mandate failures: export of the current view	admin	Claude	P2	66	Open
4867	Administration, mandate failures: end to end test	admin	Claude	P2	66	Open
4868	Administration, complaints queue: laid out for a desktop screen	admin	Claude	P2	66	Open
4869	Administration, complaints queue: loading state	admin	Claude	P2	66	Open
4870	Administration, complaints queue: error state with a retry	admin	Claude	P2	66	Open
4871	Administration, complaints queue: empty state	admin	Claude	P2	66	Open
4872	Administration, complaints queue: filters and sorting	admin	Claude	P2	66	Open
4873	Administration, complaints queue: pages loaded in turn, with a count	admin	Claude	P2	66	Open
4874	Administration, complaints queue: open only to named administrators, with every view and action logged	admin	Claude	P2	66	Open
4875	Administration, complaints queue: export of the current view	admin	Claude	P2	66	Open
4876	Administration, complaints queue: end to end test	admin	Claude	P2	66	Open
4877	Administration, fraud queue: laid out for a desktop screen	admin	Claude	P2	66	Open
4878	Administration, fraud queue: loading state	admin	Claude	P2	66	Open
4879	Administration, fraud queue: error state with a retry	admin	Claude	P2	66	Open
4880	Administration, fraud queue: empty state	admin	Claude	P2	66	Open
4881	Administration, fraud queue: filters and sorting	admin	Claude	P2	66	Open
4882	Administration, fraud queue: pages loaded in turn, with a count	admin	Claude	P2	66	Open

#	Item	Where	Owner	Pri	Phase	Status
4883	Administration, fraud queue: open only to named administrators, with every view and action logged	admin	Claude	P2	66	Open
4884	Administration, fraud queue: export of the current view	admin	Claude	P2	66	Open
4885	Administration, fraud queue: end to end test	admin	Claude	P2	66	Open
4886	Administration, collections queue: laid out for a desktop screen	admin	Claude	P2	66	Open
4887	Administration, collections queue: loading state	admin	Claude	P2	66	Open
4888	Administration, collections queue: error state with a retry	admin	Claude	P2	66	Open
4889	Administration, collections queue: empty state	admin	Claude	P2	66	Open
4890	Administration, collections queue: filters and sorting	admin	Claude	P2	66	Open
4891	Administration, collections queue: pages loaded in turn, with a count	admin	Claude	P2	67	Open
4892	Administration, collections queue: open only to named administrators, with every view and action logged	admin	Claude	P2	67	Open
4893	Administration, collections queue: export of the current view	admin	Claude	P2	67	Open
4894	Administration, collections queue: end to end test	admin	Claude	P2	67	Open
4895	Administration, marketplace orders: laid out for a desktop screen	admin	Claude	P2	67	Open
4896	Administration, marketplace orders: loading state	admin	Claude	P2	67	Open
4897	Administration, marketplace orders: error state with a retry	admin	Claude	P2	67	Open
4898	Administration, marketplace orders: empty state	admin	Claude	P2	67	Open
4899	Administration, marketplace orders: filters and sorting	admin	Claude	P2	67	Open
4900	Administration, marketplace orders: pages loaded in turn, with a count	admin	Claude	P2	67	Open
4901	Administration, marketplace orders: open only to named administrators, with every view and action logged	admin	Claude	P2	67	Open
4902	Administration, marketplace orders: export of the current view	admin	Claude	P2	67	Open
4903	Administration, marketplace orders: end to end test	admin	Claude	P2	67	Open
4904	Administration, points liability: laid out for a desktop screen	admin	Claude	P2	67	Open
4905	Administration, points liability: loading state	admin	Claude	P2	67	Open
4906	Administration, points liability: error state with a retry	admin	Claude	P2	67	Open
4907	Administration, points liability: empty state	admin	Claude	P2	67	Open
4908	Administration, points liability: filters and sorting	admin	Claude	P2	67	Open
4909	Administration, points liability: pages loaded in turn, with a count	admin	Claude	P2	67	Open
4910	Administration, points liability: open only to named administrators, with every view and action logged	admin	Claude	P2	67	Open
4911	Administration, points liability: export of the current view	admin	Claude	P2	67	Open
4912	Administration, points liability: end to end test	admin	Claude	P2	67	Open
4913	Administration, reports to the bank: laid out for a desktop screen	admin	Claude	P2	67	Open

#	Item	Where	Owner	Pri	Phase	Status
4914	Administration, reports to the bank: loading state	admin	Claude	P2	67	Open
4915	Administration, reports to the bank: error state with a retry	admin	Claude	P2	67	Open
4916	Administration, reports to the bank: empty state	admin	Claude	P2	67	Open
4917	Administration, reports to the bank: filters and sorting	admin	Claude	P2	67	Open
4918	Administration, reports to the bank: pages loaded in turn, with a count	admin	Claude	P2	67	Open
4919	Administration, reports to the bank: open only to named administrators, with every view and action logged	admin	Claude	P2	67	Open
4920	Administration, reports to the bank: export of the current view	admin	Claude	P2	67	Open
4921	Administration, reports to the bank: end to end test	admin	Claude	P2	67	Open
4922	Administration, partner connection status: laid out for a desktop screen	admin	Claude	P2	67	Open
4923	Administration, partner connection status: loading state	admin	Claude	P2	67	Open
4924	Administration, partner connection status: error state with a retry	admin	Claude	P2	67	Open
4925	Administration, partner connection status: empty state	admin	Claude	P2	67	Open
4926	Administration, partner connection status: filters and sorting	admin	Claude	P2	67	Open
4927	Administration, partner connection status: pages loaded in turn, with a count	admin	Claude	P2	67	Open
4928	Administration, partner connection status: open only to named administrators, with every view and action logged	admin	Claude	P2	67	Open
4929	Administration, partner connection status: export of the current view	admin	Claude	P2	67	Open
4930	Administration, partner connection status: end to end test	admin	Claude	P2	67	Open
4931	Administration, feature switches: laid out for a desktop screen	admin	Claude	P2	67	Open
4932	Administration, feature switches: loading state	admin	Claude	P2	67	Open
4933	Administration, feature switches: error state with a retry	admin	Claude	P2	67	Open
4934	Administration, feature switches: empty state	admin	Claude	P2	67	Open
4935	Administration, feature switches: filters and sorting	admin	Claude	P2	67	Open
4936	Administration, feature switches: pages loaded in turn, with a count	admin	Claude	P2	67	Open
4937	Administration, feature switches: open only to named administrators, with every view and action logged	admin	Claude	P2	67	Open
4938	Administration, feature switches: export of the current view	admin	Claude	P2	67	Open
4939	Administration, feature switches: end to end test	admin	Claude	P2	67	Open
4940	Administration, audit log viewer: laid out for a desktop screen	admin	Claude	P2	67	Open
4941	Administration, audit log viewer: loading state	admin	Claude	P2	67	Open
4942	Administration, audit log viewer: error state with a retry	admin	Claude	P2	67	Open
4943	Administration, audit log viewer: empty state	admin	Claude	P2	67	Open
4944	Administration, audit log viewer: filters and sorting	admin	Claude	P2	67	Open

#	Item	Where	Owner	Pri	Phase	Status
4945	Administration, audit log viewer: pages loaded in turn, with a count	admin	Claude	P2	67	Open
4946	Administration, audit log viewer: open only to named administrators, with every view and action logged	admin	Claude	P2	67	Open
4947	Administration, audit log viewer: export of the current view	admin	Claude	P2	67	Open
4948	Administration, audit log viewer: end to end test	admin	Claude	P2	67	Open
4949	Administration, member lookup: laid out for a desktop screen	admin	Claude	P2	67	Open
4950	Administration, member lookup: loading state	admin	Claude	P2	67	Open
4951	Administration, member lookup: error state with a retry	admin	Claude	P2	67	Open
4952	Administration, member lookup: empty state	admin	Claude	P2	67	Open
4953	Administration, member lookup: filters and sorting	admin	Claude	P2	67	Open
4954	Administration, member lookup: pages loaded in turn, with a count	admin	Claude	P2	67	Open
4955	Administration, member lookup: open only to named administrators, with every view and action logged	admin	Claude	P2	67	Open
4956	Administration, member lookup: export of the current view	admin	Claude	P2	67	Open
4957	Administration, member lookup: end to end test	admin	Claude	P2	67	Open

AD. Fields

Each field a member or host fills in, with its rule and message, its Urdu text, its input set up and its tests.

AD1. Sign up and sign in

#	Item	Where	Owner	Pri	Phase	Status
4958	Phone number entry, mobile number: rule: ten digits after a fixed +92, starting with 3; message: "Enter a mobile number like 300 1234567"	field	Claude	P0		Done
4959	Phone number entry, mobile number: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
4960	Phone number entry, mobile number: input set up: numeric keypad, telephone autofill, grouped as typed	field	Claude	P0	10	Open
4961	Phone number entry, mobile number: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
4962	Passcode entry, code: rule: six digits, valid for five minutes, five attempts before a new code is needed; message: "That code is not right. Check the message or send a new one"	field	Claude	P0		Done
4963	Passcode entry, code: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
4964	Passcode entry, code: input set up: one time code autofill, numeric keypad, paste accepted	field	Claude	P0	10	Open
4965	Passcode entry, code: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
4966	Set the application PIN, PIN: rule: six digits (the code accepts four to six today), refusing repeated and sequential digits such as 111111 and 123456; message: "Choose six digits that are not in a row or repeated"	field	Claude	P0		Done
4967	Set the application PIN, PIN: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
4968	Set the application PIN, PIN: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
4969	Confirm the application PIN, PIN again: rule: the same six digits as before; message: "The two PINs do not match. Try again"	field	Claude	P0		Done
4970	Confirm the application PIN, PIN again: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
4971	Confirm the application PIN, PIN again: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
4972	Forgotten PIN recovery, new PIN: rule: six digits, after a fresh code to the registered number; message: "Choose six digits that are not in a row or repeated"	field	Claude	P0		Done
4973	Forgotten PIN recovery, new PIN: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
4974	Forgotten PIN recovery, new PIN: input set up: full screen numeric keypad	field	Claude	P0	10	Open
4975	Forgotten PIN recovery, new PIN: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
4976	Sign in, mobile number: rule: a registered number; message: "No account uses this number. Create an account instead"	field	Claude	P0		Done
4977	Sign in, mobile number: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
4978	Sign in, mobile number: input set up: numeric keypad, telephone autofill	field	Claude	P0	10	Open
4979	Sign in, mobile number: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
4980	Sign in, PIN: rule: six digits, five attempts, then a wait of fifteen minutes and a code to unlock; message: "Wrong PIN. Attempts left: the number"	field	Claude	P0		Done
4981	Sign in, PIN: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
4982	Sign in, PIN: input set up: full screen numeric keypad	field	Claude	P0	10	Open
4983	Sign in, PIN: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
4984	Name and date of birth, full name: rule: as on the CNIC: letters, spaces and full stops, 3 to 60 characters; message: "Enter your name as it appears on your CNIC"	field	Claude	P0		Done
4985	Name and date of birth, full name: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
4986	Name and date of birth, full name: input set up: name autofill, words capitalised	field	Claude	P0	10	Open
4987	Name and date of birth, full name: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
4988	Name and date of birth, date of birth: rule: aged 18 or over today; message: "Halqa is for members aged 18 and over"	field	Claude	P0		Done
4989	Name and date of birth, date of birth: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
4990	Name and date of birth, date of birth: input set up: date picker with typed entry	field	Claude	P0	10	Open
4991	Name and date of birth, date of birth: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
4992	Address and city, address: rule: 5 to 120 characters; message: "Enter your home address"	field	Claude	P1		Done
4993	Address and city, address: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
4994	Address and city, address: input set up: street address autofill	field	Claude	P1	34	Open

#	Item	Where	Owner	Pri	Phase	Status
4995	Address and city, address: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
4996	Address and city, city: rule: chosen from the list of cities; message: "Choose your city"	field	Claude	P1		Done
4997	Address and city, city: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
4998	Address and city, city: input set up: searchable list	field	Claude	P1	34	Open
4999	Address and city, city: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5000	Address and city, province: rule: chosen from the list, set from the city where possible; message: "Choose your province"	field	Claude	P1		Done
5001	Address and city, province: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5002	Address and city, province: input set up: list	field	Claude	P1	34	Open
5003	Address and city, province: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5004	Occupation and employer, occupation: rule: chosen from the list, with Other and a short description; message: "Choose your occupation"	field	Claude	P1		Done
5005	Occupation and employer, occupation: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5006	Occupation and employer, occupation: input set up: searchable list	field	Claude	P1	34	Open
5007	Occupation and employer, occupation: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5008	Occupation and employer, employer: rule: 2 to 80 characters, optional for the self employed; message: "Enter your employer's name"	field	Claude	P1		Done
5009	Occupation and employer, employer: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5010	Occupation and employer, employer: input set up: organisation autofill	field	Claude	P1	34	Open
5011	Occupation and employer, employer: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5012	Income declaration, monthly income: rule: whole rupees from Rs 1,000 to Rs 10,000,000; message: "Enter your monthly income in rupees"	field	Claude	P1		Done
5013	Income declaration, monthly income: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5014	Income declaration, monthly income: input set up: numeric keypad, grouped as typed	field	Claude	P1	35	Open
5015	Income declaration, monthly income: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5016	Income declaration, income source: rule: salary, business, daily wages, remittance, pension or other; message: "Choose where your income comes from"	field	Claude	P1		Done
5017	Income declaration, income source: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5018	Income declaration, income source: input set up: single choice list	field	Claude	P1	35	Open
5019	Income declaration, income source: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5020	Income verification upload, statement file: rule: PDF, JPG or PNG, at most 5 MB, covering the last three months; message: "Upload a statement for the last three months"	field	Claude	P1		Done
5021	Income verification upload, statement file: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
5022	Income verification upload, statement file: input set up: file picker and camera	field	Claude	P1	35	Open
5023	Income verification upload, statement file: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5024	Bank account opening consent, consent to share data with the bank: rule: ticked before the bank's screens open; message: "Allow Halqa to share your details with the bank to open your account"	field	Claude	P0		Done
5025	Bank account opening consent, consent to share data with the bank: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5026	Bank account opening consent, consent to share data with the bank: input set up: check box with the text beside it	field	Claude	P0	10	Open
5027	Bank account opening consent, consent to share data with the bank: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done

AD2. Identity

#	Item	Where	Owner	Pri	Phase	Status
5028	CNIC manual entry, CNIC number: rule: thirteen digits in the form 00000-0000000-0; message: "Enter the 13 digits on your CNIC"	field	Claude	P0		Done
5029	CNIC manual entry, CNIC number: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5030	CNIC manual entry, CNIC number: input set up: numeric keypad, grouped as typed	field	Claude	P0	10	Open
5031	CNIC manual entry, CNIC number: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5032	CNIC manual entry, issue date: rule: before today; message: "Enter the date your CNIC was issued"	field	Claude	P0		Done
5033	CNIC manual entry, issue date: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5034	CNIC manual entry, issue date: input set up: date picker	field	Claude	P0	10	Open
5035	CNIC manual entry, issue date: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5036	CNIC manual entry, expiry date: rule: after today, or Lifetime; message: "Your CNIC has expired. Renew it before joining"	field	Claude	P0		Done
5037	CNIC manual entry, expiry date: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5038	CNIC manual entry, expiry date: input set up: date picker with a Lifetime option	field	Claude	P0	10	Open
5039	CNIC manual entry, expiry date: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5040	CNIC review before submission, confirmation: rule: each read value confirmed or corrected; message: "Check each detail before you continue"	field	Claude	P0		Done
5041	CNIC review before submission, confirmation: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5042	CNIC review before submission, confirmation: input set up: editable fields beside the captured image	field	Claude	P0	10	Open
5043	CNIC review before submission, confirmation: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5044	Bureau instruction, instruction to the bureau: rule: ticked, naming the bureau and the purpose; message: "Allow Halqa to request your report from the bureau named"	field	Claude	P1		Done
5045	Bureau instruction, instruction to the bureau: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
5046	Bureau instruction, instruction to the bureau: input set up: check box with the full text	field	Claude	P1	35	Open
5047	Bureau instruction, instruction to the bureau: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done

AD3. Accounts and payment routes

#	Item	Where	Owner	Pri	Phase	Status
5048	Add a bank account, bank: rule: chosen from the list of banks; message: "Choose your bank"	field	Claude	P1		Done
5049	Add a bank account, bank: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5050	Add a bank account, bank: input set up: searchable list	field	Claude	P1	35	Open
5051	Add a bank account, bank: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5052	Add a bank account, IBAN: rule: PK, two check digits, four letters for the bank and sixteen digits, 24 characters, passing the IBAN check; message: "Enter the 24 character IBAN, for example PK36SCBL0000001123456702"	field	Claude	P1		Done
5053	Add a bank account, IBAN: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5054	Add a bank account, IBAN: input set up: upper case, grouped in fours, paste accepted	field	Claude	P1	35	Open
5055	Add a bank account, IBAN: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5056	Add a wallet account, wallet provider: rule: chosen from the list of wallets; message: "Choose your wallet"	field	Claude	P1		Done
5057	Add a wallet account, wallet provider: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5058	Add a wallet account, wallet provider: input set up: list	field	Claude	P1	35	Open
5059	Add a wallet account, wallet provider: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5060	Add a wallet account, wallet number: rule: a mobile number registered with that wallet; message: "Enter the mobile number of your wallet"	field	Claude	P1		Done
5061	Add a wallet account, wallet number: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5062	Add a wallet account, wallet number: input set up: numeric keypad	field	Claude	P1	35	Open
5063	Add a wallet account, wallet number: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5064	Set the default collection account, default account: rule: one of the verified linked accounts; message: "Choose one account for collections"	field	Claude	P1		Done
5065	Set the default collection account, default account: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5066	Set the default collection account, default account: input set up: single choice list	field	Claude	P1	35	Open
5067	Set the default collection account, default account: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5068	Authorise a mandate, account: rule: a verified account at the partner bank; message: "Choose the account the instalment comes from"	field	Claude	P0		Done
5069	Authorise a mandate, account: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5070	Authorise a mandate, account: input set up: single choice list	field	Claude	P0	10	Open

#	Item	Where	Owner	Pri	Phase	Status
5071	Authorise a mandate, account: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5072	Authorise a mandate, ceiling: rule: at most one instalment; message: "The ceiling cannot be more than one instalment"	field	Claude	P0		Done
5073	Authorise a mandate, ceiling: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5074	Authorise a mandate, ceiling: input set up: read only, shown in rupees	field	Claude	P0	10	Open
5075	Authorise a mandate, ceiling: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5076	Authorise a mandate, consent: rule: ticked against the mandate terms; message: "Read and accept the mandate terms to continue"	field	Claude	P0		Done
5077	Authorise a mandate, consent: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5078	Authorise a mandate, consent: input set up: check box with a link to the terms	field	Claude	P0	10	Open
5079	Authorise a mandate, consent: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5080	Change a mandate ceiling, new ceiling: rule: at least the instalment and at most one instalment of a larger circle the member holds; message: "The ceiling must cover one instalment and no more"	field	Claude	P1		Done
5081	Change a mandate ceiling, new ceiling: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5082	Change a mandate ceiling, new ceiling: input set up: numeric keypad	field	Claude	P1	35	Open
5083	Change a mandate ceiling, new ceiling: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5084	Cancel a mandate, confirmation: rule: the consequence read and confirmed; message: "Confirm that you will pay each instalment yourself"	field	Claude	P0		Done
5085	Cancel a mandate, confirmation: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5086	Cancel a mandate, confirmation: input set up: confirmation with the consequence stated	field	Claude	P0	10	Open
5087	Cancel a mandate, confirmation: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done

AD4. Circles

#	Item	Where	Owner	Pri	Phase	Status
5088	Create a circle, circle name: rule: 3 to 40 characters, not used by the host's other active circles; message: "Give the circle a name of 3 to 40 characters"	field	Claude	P1		Done
5089	Create a circle, circle name: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5090	Create a circle, circle name: input set up: text, words capitalised	field	Claude	P1	35	Open
5091	Create a circle, circle name: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5092	Create a circle, circle type: rule: Known, Unknown, Large unknown, Asset, UAE family on Mashreq, or Hyper; message: "Choose the kind of circle"	field	Claude	P1		Done
5093	Create a circle, circle type: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5094	Create a circle, circle type: input set up: cards to choose from	field	Claude	P1	35	Open

#	Item	Where	Owner	Pri	Phase	Status
5095	Create a circle, circle type: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5096	Create a circle, instalment: rule: within the type's range: Rs 2,000 to 10,000 for Known and Unknown, Rs 10,000 to 25,000 for Large unknown, in steps of Rs 500; message: "Choose an instalment within the range for this kind of circle"	field	Claude	P1		Done
5097	Create a circle, instalment: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5098	Create a circle, instalment: input set up: numeric keypad with the range shown	field	Claude	P1	35	Open
5099	Create a circle, instalment: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5100	Create a circle, members: rule: within the type's range: 6 to 12 for Known, 12 for Unknown, 20 for Large unknown; message: "Choose the number of members for this kind of circle"	field	Claude	P1		Done
5101	Create a circle, members: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5102	Create a circle, members: input set up: stepper	field	Claude	P1	35	Open
5103	Create a circle, members: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5104	Create a circle, cadence: rule: monthly, or weekly for Known circles; message: "Choose how often members pay"	field	Claude	P1		Done
5105	Create a circle, cadence: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5106	Create a circle, cadence: input set up: single choice	field	Claude	P1	35	Open
5107	Create a circle, cadence: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5108	Create a circle, start month: rule: the next month or later; message: "Choose a start month from next month on"	field	Claude	P1		Done
5109	Create a circle, start month: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5110	Create a circle, start month: input set up: month picker	field	Claude	P1	35	Open
5111	Create a circle, start month: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5112	Create a circle, due day: rule: the 8th of the month for salary circles; message: "Salary circles fall due on the 8th"	field	Claude	P1		Done
5113	Create a circle, due day: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5114	Create a circle, due day: input set up: read only	field	Claude	P1	35	Open
5115	Create a circle, due day: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5116	Create a circle, order of turns: rule: fixed by the host or by ballot, always inside the score bands; message: "Choose how the order of turns is set"	field	Claude	P1		Done
5117	Create a circle, order of turns: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5118	Create a circle, order of turns: input set up: single choice	field	Claude	P1	35	Open
5119	Create a circle, order of turns: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5120	Create a circle, joining rule: rule: by invitation, with the host admitting each member; message: "Choose who may join"	field	Claude	P1		Done
5121	Create a circle, joining rule: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5122	Create a circle, joining rule: input set up: single choice	field	Claude	P1	35	Open

#	Item	Where	Owner	Pri	Phase	Status
5123	Create a circle, joining rule: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5124	Join a circle, invitation code: rule: HLQ and eight letters or digits; message: "Enter the code the host sent you"	field	Claude	P0		Done
5125	Join a circle, invitation code: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5126	Join a circle, invitation code: input set up: upper case, paste accepted, QR scan	field	Claude	P0	10	Open
5127	Join a circle, invitation code: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5128	Seat chooser, seat: rule: only seats open to the member's score band; new members the last three; message: "This seat needs a higher score; choose from the seats shown"	field	Claude	P0		Done
5129	Seat chooser, seat: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5130	Seat chooser, seat: input set up: grid of seats with the reason on each closed one	field	Claude	P0	10	Open
5131	Seat chooser, seat: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5132	Join a circle, undertaking acceptance: rule: ticked after the undertaking is shown in full; message: "Read and accept the undertaking to join"	field	Claude	P0		Done
5133	Join a circle, undertaking acceptance: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5134	Join a circle, undertaking acceptance: input set up: check box	field	Claude	P0	10	Open
5135	Join a circle, undertaking acceptance: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5136	Join a circle, mutual guarantee acceptance: rule: ticked after the guarantee is shown in full; message: "Read and accept the guarantee to join"	field	Claude	P0		Done
5137	Join a circle, mutual guarantee acceptance: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5138	Join a circle, mutual guarantee acceptance: input set up: check box	field	Claude	P0	10	Open
5139	Join a circle, mutual guarantee acceptance: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5140	Join a circle, key fact statement acceptance: rule: ticked after the key fact statement is shown; message: "Read and accept the key facts to join"	field	Claude	P0		Done
5141	Join a circle, key fact statement acceptance: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5142	Join a circle, key fact statement acceptance: input set up: check box	field	Claude	P0	10	Open
5143	Join a circle, key fact statement acceptance: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5144	Signature capture, signature: rule: drawn, not empty, with a minimum length of stroke; message: "Sign in the box"	field	Claude	P0		Done
5145	Signature capture, signature: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5146	Signature capture, signature: input set up: drawing pad with clear and done	field	Claude	P0	10	Open
5147	Signature capture, signature: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5148	Withdraw before the start, confirmation: rule: within 24 hours of joining and before the first round; message: "You can withdraw at no cost until the first round"	field	Claude	P0		Done
5149	Withdraw before the start, confirmation: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
5150	Withdraw before the start, confirmation: input set up: confirmation	field	Claude	P0	10	Open
5151	Withdraw before the start, confirmation: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done

AD5. Host

#	Item	Where	Owner	Pri	Phase	Status
5152	Applicant detail, admission decision: rule: admit or decline; a reason is required to decline; message: "Give a reason for declining"	field	Claude	P1		Done
5153	Applicant detail, admission decision: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5154	Applicant detail, admission decision: input set up: two buttons and a reason list	field	Claude	P1	35	Open
5155	Applicant detail, admission decision: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5156	Removal against the published test, reason: rule: one of the published removal grounds; message: "Choose the ground for removal"	field	Claude	P1		Done
5157	Removal against the published test, reason: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5158	Removal against the published test, reason: input set up: list	field	Claude	P1	35	Open
5159	Removal against the published test, reason: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5160	Member vote on a removal, vote: rule: for or against, once per member; message: "Choose for or against"	field	Claude	P1		Done
5161	Member vote on a removal, vote: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5162	Member vote on a removal, vote: input set up: two buttons	field	Claude	P1	35	Open
5163	Member vote on a removal, vote: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5164	Reminder composer, message: rule: at most 300 characters and no other member's details; message: "Keep the reminder short and about the circle"	field	Claude	P2		Done
5165	Reminder composer, message: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5166	Reminder composer, message: input set up: text area with a counter	field	Claude	P2	67	Open
5167	Reminder composer, message: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5168	Order of turns assignment, fixed or by ballot, order: rule: every seat filled once, inside the score bands; message: "Each seat needs one member allowed to take it"	field	Claude	P1		Done
5169	Order of turns assignment, fixed or by ballot, order: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5170	Order of turns assignment, fixed or by ballot, order: input set up: drag to order, or run the ballot	field	Claude	P1	35	Open
5171	Order of turns assignment, fixed or by ballot, order: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5172	Circle dissolution, confirmation: rule: only before the first payout, with every member told; message: "A circle can be closed only before the first payout"	field	Claude	P2		Done
5173	Circle dissolution, confirmation: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5174	Circle dissolution, confirmation: input set up: confirmation with PIN	field	Claude	P2	67	Open

#	Item	Where	Owner	Pri	Phase	Status
5175	Circle dissolution, confirmation: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done

AD6. Money

#	Item	Where	Owner	Pri	Phase	Status
5176	Payment method chooser, method: rule: the bank's direct debit, a wallet or card through the PSP, Raast, or by hand; message: "Choose how to pay"	field	Claude	P0		Done
5177	Payment method chooser, method: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5178	Payment method chooser, method: input set up: list with the charge beside each	field	Claude	P0	10	Open
5179	Payment method chooser, method: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5180	Pay, amount: rule: the instalment, or a part of it of at least Rs 500 where partial payment is allowed; message: "Pay at least Rs 500, or the whole instalment"	field	Claude	P0		Done
5181	Pay, amount: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5182	Pay, amount: input set up: numeric keypad with the instalment prefilled	field	Claude	P0	10	Open
5183	Pay, amount: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5184	Dispute a payment, reason: rule: chosen from the list; message: "Choose what went wrong"	field	Claude	P0		Done
5185	Dispute a payment, reason: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5186	Dispute a payment, reason: input set up: list	field	Claude	P0	10	Open
5187	Dispute a payment, reason: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5188	Dispute a payment, details: rule: 10 to 1,000 characters; message: "Describe what happened in a few words"	field	Claude	P0		Done
5189	Dispute a payment, details: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5190	Dispute a payment, details: input set up: text area	field	Claude	P0	10	Open
5191	Dispute a payment, details: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5192	Dispute a payment, attachment: rule: PDF, JPG or PNG, at most 5 MB; message: "Attach a file of 5 MB or less"	field	Claude	P1		Done
5193	Dispute a payment, attachment: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5194	Dispute a payment, attachment: input set up: file picker and camera	field	Claude	P1	35	Open
5195	Dispute a payment, attachment: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5196	Payout destination confirmation, account: rule: a verified account whose title matches the member; message: "Choose a verified account in your name"	field	Claude	P0		Done
5197	Payout destination confirmation, account: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5198	Payout destination confirmation, account: input set up: single choice list	field	Claude	P0	10	Open
5199	Payout destination confirmation, account: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5200	Guarantee cheque registration, cheque number: rule: the digits on the cheque; message: "Enter the cheque number"	field	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
5201	Guarantee cheque registration, cheque number: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5202	Guarantee cheque registration, cheque number: input set up: numeric keypad	field	Claude	P2	67	Open
5203	Guarantee cheque registration, cheque number: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5204	Guarantee cheque registration, cheque amount: rule: equal to the amount stated in the undertaking; message: "The cheque must be for the amount stated"	field	Claude	P2		Done
5205	Guarantee cheque registration, cheque amount: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5206	Guarantee cheque registration, cheque amount: input set up: read only	field	Claude	P2	67	Open
5207	Guarantee cheque registration, cheque amount: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done

AD7. Recovery and leaving

#	Item	Where	Owner	Pri	Phase	Status
5208	Hardship declaration, reason: rule: chosen from the list, with Other; message: "Choose the reason"	field	Claude	P1		Done
5209	Hardship declaration, reason: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5210	Hardship declaration, reason: input set up: list	field	Claude	P1	35	Open
5211	Hardship declaration, reason: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5212	Hardship declaration, proposed date: rule: within 30 days; message: "Choose a date within 30 days"	field	Claude	P1		Done
5213	Hardship declaration, proposed date: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5214	Hardship declaration, proposed date: input set up: date picker	field	Claude	P1	35	Open
5215	Hardship declaration, proposed date: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5216	Revised date agreement, date: rule: one of the dates the plan allows; message: "Choose one of the dates offered"	field	Claude	P1		Done
5217	Revised date agreement, date: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5218	Revised date agreement, date: input set up: single choice	field	Claude	P1	35	Open
5219	Revised date agreement, date: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5220	Exit ladder chooser, rung: rule: one of the rungs open to this member at this point in the circle; message: "Choose how you would like to leave"	field	Claude	P1		Done
5221	Exit ladder chooser, rung: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5222	Exit ladder chooser, rung: input set up: cards with the arithmetic on each	field	Claude	P1	35	Open
5223	Exit ladder chooser, rung: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5224	Exit ladder chooser, reason: rule: chosen from the list; message: "Choose a reason"	field	Claude	P2		Done
5225	Exit ladder chooser, reason: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5226	Exit ladder chooser, reason: input set up: list	field	Claude	P2	67	Open
5227	Exit ladder chooser, reason: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
5228	Seat transfer to a replacement, replacement's number: rule: a registered member allowed to take the seat; message: "This member cannot take the seat; the reason is shown"	field	Claude	P1		Done
5229	Seat transfer to a replacement, replacement's number: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5230	Seat transfer to a replacement, replacement's number: input set up: numeric keypad and contacts not used	field	Claude	P1	35	Open
5231	Seat transfer to a replacement, replacement's number: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done

AD8. Rewards and marketplace

#	Item	Where	Owner	Pri	Phase	Status
5232	Redeem points against a fee, points: rule: at most the balance and at most the fee due; message: "You can use up to the number of points shown"	field	Claude	P2		Done
5233	Redeem points against a fee, points: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5234	Redeem points against a fee, points: input set up: numeric keypad	field	Claude	P2	67	Open
5235	Redeem points against a fee, points: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5236	Buy points (Mashreq), amount: rule: within the daily and monthly limits agreed with the bank; message: "The most you can buy today is shown"	field	Claude	P2		Done
5237	Buy points (Mashreq), amount: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5238	Buy points (Mashreq), amount: input set up: numeric keypad	field	Claude	P2	67	Open
5239	Buy points (Mashreq), amount: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5240	Cart, quantity: rule: one to the stock available; message: "Only the number shown is in stock"	field	Claude	P2		Done
5241	Cart, quantity: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5242	Cart, quantity: input set up: stepper	field	Claude	P2	67	Open
5243	Cart, quantity: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5244	Checkout with points, delivery address: rule: 5 to 120 characters, with city; message: "Enter the delivery address"	field	Claude	P2		Done
5245	Checkout with points, delivery address: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5246	Checkout with points, delivery address: input set up: address autofill	field	Claude	P2	67	Open
5247	Checkout with points, delivery address: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5248	Checkout with points, contact number: rule: a Pakistani mobile number; message: "Enter a mobile number for delivery"	field	Claude	P2		Done
5249	Checkout with points, contact number: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5250	Checkout with points, contact number: input set up: numeric keypad	field	Claude	P2	67	Open
5251	Checkout with points, contact number: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5252	Return request, reason: rule: chosen from the merchant's list; message: "Choose the reason for the return"	field	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
5253	Return request, reason: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5254	Return request, reason: input set up: list	field	Claude	P2	67	Open
5255	Return request, reason: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5256	Create a turn listing, asking price in points: rule: at most 100 per cent of the pot; message: "The price cannot be more than the pot"	field	Claude	P2		Done
5257	Create a turn listing, asking price in points: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5258	Create a turn listing, asking price in points: input set up: numeric keypad with the pot shown	field	Claude	P2	67	Open
5259	Create a turn listing, asking price in points: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5260	Make an offer, offer in points: rule: at most 100 per cent of the pot and at most the buyer's balance after any purchase; message: "Offer no more than the pot"	field	Claude	P2		Done
5261	Make an offer, offer in points: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5262	Make an offer, offer in points: input set up: numeric keypad	field	Claude	P2	67	Open
5263	Make an offer, offer in points: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done

AD9. Support and settings

#	Item	Where	Owner	Pri	Phase	Status
5264	Contact support, category: rule: chosen from the list; message: "Choose a topic"	field	Claude	P1		Done
5265	Contact support, category: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5266	Contact support, category: input set up: list	field	Claude	P1	35	Open
5267	Contact support, category: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5268	Contact support, subject: rule: 5 to 80 characters; message: "Add a short subject"	field	Claude	P1		Done
5269	Contact support, subject: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5270	Contact support, subject: input set up: text	field	Claude	P1	35	Open
5271	Contact support, subject: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5272	Contact support, description: rule: 10 to 2,000 characters; message: "Describe the problem in a few words"	field	Claude	P1		Done
5273	Contact support, description: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5274	Contact support, description: input set up: text area	field	Claude	P1	35	Open
5275	Contact support, description: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5276	Contact support, attachments: rule: at most three files of 5 MB each; message: "Attach up to three files of 5 MB or less"	field	Claude	P2		Done
5277	Contact support, attachments: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5278	Contact support, attachments: input set up: file picker and camera	field	Claude	P2	67	Open

#	Item	Where	Owner	Pri	Phase	Status
5279	Contact support, attachments: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5280	Complaint form, category: rule: the categories agreed with the bank; message: "Choose what the complaint is about"	field	Claude	P1		Done
5281	Complaint form, category: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5282	Complaint form, category: input set up: list	field	Claude	P1	35	Open
5283	Complaint form, category: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5284	Complaint form, description: rule: 10 to 2,000 characters; message: "Describe the complaint"	field	Claude	P1		Done
5285	Complaint form, description: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5286	Complaint form, description: input set up: text area	field	Claude	P1	35	Open
5287	Complaint form, description: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5288	Dispute a reported record, record: rule: one of the member's reported records; message: "Choose the record"	field	Claude	P1		Done
5289	Dispute a reported record, record: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5290	Dispute a reported record, record: input set up: list	field	Claude	P1	35	Open
5291	Dispute a reported record, record: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5292	Dispute a reported record, reason: rule: chosen from the list, with details; message: "Say what is wrong with the record"	field	Claude	P1		Done
5293	Dispute a reported record, reason: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5294	Dispute a reported record, reason: input set up: list and text area	field	Claude	P1	35	Open
5295	Dispute a reported record, reason: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5296	Notification preferences, each switch: rule: financial alerts locked on; marketing off by default; message: "Payment alerts stay on for your safety"	field	Claude	P1		Done
5297	Notification preferences, each switch: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5298	Notification preferences, each switch: input set up: switches	field	Claude	P1	35	Open
5299	Notification preferences, each switch: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5300	Language, language: rule: English or Urdu; message: "Choose a language"	field	Claude	P1		Done
5301	Language, language: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5302	Language, language: input set up: single choice	field	Claude	P1	35	Open
5303	Language, language: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5304	Appearance, theme: rule: system, light or dark; message: "Choose a theme"	field	Claude	P2		Done
5305	Appearance, theme: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5306	Appearance, theme: input set up: single choice	field	Claude	P2	67	Open
5307	Appearance, theme: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
5308	Appearance, text size: rule: four sizes; message: "Choose a text size"	field	Claude	P2		Done
5309	Appearance, text size: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5310	Appearance, text size: input set up: slider with a preview	field	Claude	P2	67	Open
5311	Appearance, text size: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5312	Appearance, photo: rule: JPG or PNG, at most 5 MB, cropped to a square; message: "Choose a photo of 5 MB or less"	field	Claude	P3		Done
5313	Appearance, photo: Urdu label, hint and message, by a translator	field	Translator	P3	H6	Open
5314	Appearance, photo: input set up: camera or gallery with a crop step	field	Claude	P3	79	Open
5315	Appearance, photo: tests for a valid value, an invalid value and each boundary	tests	Claude	P3		Done
5316	Data export request, format: rule: PDF or a spreadsheet; message: "Choose a format"	field	Claude	P1		Done
5317	Data export request, format: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5318	Data export request, format: input set up: single choice	field	Claude	P1	35	Open
5319	Data export request, format: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5320	Account closure, confirmation: rule: allowed only with no circle owed; PIN required; message: "Close every circle before closing the account"	field	Claude	P1		Done
5321	Account closure, confirmation: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5322	Account closure, confirmation: input set up: confirmation with PIN	field	Claude	P1	35	Open
5323	Account closure, confirmation: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5324	Search, query: rule: at least two characters; message: "Type at least two letters"	field	Claude	P2		Done
5325	Search, query: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5326	Search, query: input set up: search keyboard	field	Claude	P2	67	Open
5327	Search, query: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5328	Statement, date range: rule: start before end, at most twelve months; message: "Choose dates within twelve months"	field	Claude	P1		Done
5329	Statement, date range: Urdu label, hint and message, by a translator	field	Translator	P1	H4	Open
5330	Statement, date range: input set up: date range picker	field	Claude	P1	35	Open
5331	Statement, date range: tests for a valid value, an invalid value and each boundary	tests	Claude	P1		Done
5332	Transaction PIN set up, transaction PIN: rule: six digits, different from the application PIN; message: "Choose six digits different from your application PIN"	field	Claude	P0		Done
5333	Transaction PIN set up, transaction PIN: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5334	Transaction PIN set up, transaction PIN: input set up: full screen numeric keypad	field	Claude	P0	10	Open
5335	Transaction PIN set up, transaction PIN: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5336	Transaction PIN entry, transaction PIN: rule: five attempts, then financial actions locked for fifteen minutes; message: "Wrong PIN. Attempts left: the number"	field	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5337	Transaction PIN entry, transaction PIN: Urdu label, hint and message, by a translator	field	Translator	P0	H4	Open
5338	Transaction PIN entry, transaction PIN: input set up: full screen numeric keypad	field	Claude	P0	10	Open
5339	Transaction PIN entry, transaction PIN: tests for a valid value, an invalid value and each boundary	tests	Claude	P0		Done
5340	Hyper design chooser, design: rule: Design 1 or Design 2, with the daily amount shown; message: "Choose a design"	field	Claude	P2		Done
5341	Hyper design chooser, design: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5342	Hyper design chooser, design: input set up: two cards	field	Claude	P2	67	Open
5343	Hyper design chooser, design: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done
5344	Hyper design chooser, collection day: rule: one of the open days; message: "Choose a day that is still open"	field	Claude	P2		Done
5345	Hyper design chooser, collection day: Urdu label, hint and message, by a translator	field	Translator	P2	H4	Open
5346	Hyper design chooser, collection day: input set up: calendar	field	Claude	P2	67	Open
5347	Hyper design chooser, collection day: tests for a valid value, an invalid value and each boundary	tests	Claude	P2		Done

AD10. Rules in Code

#	Item	Where	Owner	Pri	Phase	Status
5348	Create a circle: replace the creation schema's memberCap of 3 to 150, cadence presets, reinvestRatio, riskTolerance and depositCoverageBps with the six types and their limits	routes/committees.ts:185	Claude	P0	10	Open
5349	Create a circle: remove the prototype limit of Rs 100,000,000 on a contribution and apply the type ranges	routes/committees.ts:187	Claude	P0	10	Open
5350	Sign up: the PIN rule tightened from any four to six digits to exactly six, with repeated and sequential digits refused	routes/auth.ts:75	Claude	P1	35	Open
5351	One validation library shared by the application and the interface service, so a rule is written once	lib/validate.ts	Claude	P1	35	Partly done

AE. Interface Service Endpoints

The 123 endpoints in seventeen route files, and the new ones the partnership needs.

AE1. Endpoints to Remove

Endpoints that implement withdrawn designs: the vault, investment of member money, deposits held, Halqa cover and passwords.

#	Item	Where	Owner	Pri	Phase	Status
5352	POST /api/auth/change-password: remove the endpoint and its handler; sign in is by PIN; there is no password	routes/auth.ts:282	Claude	P0		Done
5353	GET /api/committees/:id/deposits: remove the endpoint and its handler; no deposits are held from members	routes/committees.ts:612	Claude	P0		Done
5354	POST /api/committees/:id/deposits/:depositId/confirm: remove the endpoint and its handler; no deposits are held from members	routes/committees.ts:620	Claude	P0		Done
5355	POST /api/committees/:id/default-cover/:paymentId: remove the endpoint and its handler; there is no Halqa cover; takaful or insurance only (29 September)	routes/committees.ts:646	Claude	P0		Done
5356	POST /api/committees/:id/invest: remove the endpoint and its handler; Halqa invests no member money	routes/committees.ts:664	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5357	POST /api/committees/:id/liquidate: remove the endpoint and its handler; Halqa invests no member money	routes/committees.ts:692	Claude	P0		Done
5358	GET /api/committees/:id/investments: remove the endpoint and its handler; Halqa invests no member money	routes/committees.ts:717	Claude	P0		Done
5359	GET /api/partner/committees/:id/guarantee-fund: remove the endpoint and its handler; there is no guarantee fund; takaful or insurance only	routes/partner.ts:115	Claude	P0		Done
5360	GET /api/risk/catalog: remove the endpoint and its handler; the investment catalogue goes with the schemes	routes/risk.ts:38	Claude	P0		Done
5361	POST /api/risk/portfolio/optimize: remove the endpoint and its handler; there is no portfolio to optimise	routes/risk.ts:45	Claude	P0		Done
5362	GET /api/risk/committee/:id/profit-plan: remove the endpoint and its handler; no profit is planned from member money	routes/risk.ts:138	Claude	P0		Done
5363	GET /api/schemes: remove the endpoint and its handler; Halqa invests no member money, so the catalogue of twenty investment products goes	routes/schemes.ts:19	Claude	P0		Done
5364	GET /api/schemes/:id/projection: remove the endpoint and its handler; Halqa invests no member money, so the catalogue of twenty investment products goes	routes/schemes.ts:20	Claude	P0		Done
5365	POST /api/schemes: remove the endpoint and its handler; Halqa invests no member money, so the catalogue of twenty investment products goes	routes/schemes.ts:29	Claude	P0		Done
5366	PATCH /api/schemes/:id: remove the endpoint and its handler; Halqa invests no member money, so the catalogue of twenty investment products goes	routes/schemes.ts:39	Claude	P0		Done
5367	DELETE /api/schemes/:id: remove the endpoint and its handler; Halqa invests no member money, so the catalogue of twenty investment products goes	routes/schemes.ts:51	Claude	P0		Done
5368	GET /api/vault: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)	routes/vault.ts:120	Claude	P0		Done
5369	POST /api/vault/allocation: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)	routes/vault.ts:143	Claude	P0		Done
5370	POST /api/vault/toggle: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)	routes/vault.ts:164	Claude	P0		Done
5371	POST /api/vault/auto-cover: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)	routes/vault.ts:177	Claude	P0		Done
5372	POST /api/vault/tier: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)	routes/vault.ts:189	Claude	P0		Done
5373	POST /api/vault/goal: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)	routes/vault.ts:204	Claude	P0		Done
5374	POST /api/vault/deposit: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)	routes/vault.ts:225	Claude	P0		Done
5375	POST /api/vault/withdraw: remove the endpoint and its handler; the vault is withdrawn and savings move to the bank (D12)	routes/vault.ts:249	Claude	P0		Done

AE2. Endpoints to Rework

#	Item	Where	Owner	Pri	Phase	Status
5376	POST /api/committees/:id/payout: rework as a payout instruction to the bank, never a payment by Halqa	routes/committees.ts:724	Claude	P1	13	Open
5377	GET /api/exchange: rework the listing in points (D9)	routes/exchange.ts:13	Claude	P1	13	Open
5378	POST /api/exchange: rework the listing in points (D9)	routes/exchange.ts:65	Claude	P1	13	Open
5379	POST /api/exchange/:id/bid: rework the bid as an offer in points (D9)	routes/exchange.ts:93	Claude	P1	13	Open
5380	POST /api/exchange/:id/bids/:bidId/accept: rework acceptance as a points transfer with host approval (D9)	routes/exchange.ts:129	Claude	P1	13	Open
5381	POST /api/partner/kyc: rework as the bank's onboarding result received by signed webhook	routes/partner.ts:40	Claude	P1	13	Open
5382	POST /api/profile/passport: decision needed: the shareable credit passport and its public check, now that reporting runs through TASDEEQ or the bank	routes/profile.ts:58	Chairman	P1	H2	Open
5383	GET /api/profile/leads/summary: review: what it returns and who may see it	routes/profile.ts:340	Claude	P1	13	Open
5384	POST /api/protection/delinquency/run: restrict to the scheduler and named administrators	routes/protection.ts:15	Claude	P1	13	Open
5385	POST /api/rewards/record: remove: rewards are issued only by the server from events, never recorded by the client	routes/rewards.ts:111	Claude	P1	13	Open

AE3. Endpoints Kept

Each kept endpoint with every check it needs: items 501, 502, 542, 545, 546 and 547 broken down by endpoint. Done means the code already does it, as read on 5 October 2026.

#	Item	Where	Owner	Pri	Phase	Status
5386	GET /api/account/statement: input checked against a schema before any logic	routes/account.ts:27	Claude	P1		Done
5387	GET /api/account/statement: sign in required	routes/account.ts:27	Claude	P0		Done
5388	GET /api/account/statement: access checked against membership, hosting or ownership of the record before acting	routes/account.ts:27	Claude	P1		Done
5389	GET /api/account/statement: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/account.ts:27	Claude	P1		Done
5390	GET /api/account/statement: every list bounded with a limit and cursor pagination	routes/account.ts:27	Claude	P1		Done
5391	GET /api/account/statement: response carries no internal field and no other member's personal data	routes/account.ts:27	Claude	P1		Done
5392	GET /api/account/statement: error responses use the shared error codes and plain messages	routes/account.ts:27	Claude	P1		Done
5393	GET /api/account/statement: described in the interface specification with its request, response and errors	routes/account.ts:27	Claude	P2		Done
5394	GET /api/account/statement: integration test: success	routes/account.ts:27	Claude	P1		Done
5395	GET /api/account/statement: integration test: refused for a member without access	routes/account.ts:27	Claude	P1		Done
5396	GET /api/account/statement: integration test: refused for invalid input	routes/account.ts:27	Claude	P1		Done
5397	GET /api/account/limits: input checked against a schema before any logic	routes/account.ts:113	Claude	P1		Done
5398	GET /api/account/limits: sign in required	routes/account.ts:113	Claude	P0		Done
5399	GET /api/account/limits: access checked against membership, hosting or ownership of the record before acting	routes/account.ts:113	Claude	P1		Done
5400	GET /api/account/limits: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/account.ts:113	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
5401	GET /api/account/limits: every list bounded with a limit and cursor pagination	routes/account.ts:113	Claude	P1		Done
5402	GET /api/account/limits: response carries no internal field and no other member's personal data	routes/account.ts:113	Claude	P1		Done
5403	GET /api/account/limits: error responses use the shared error codes and plain messages	routes/account.ts:113	Claude	P1		Done
5404	GET /api/account/limits: described in the interface specification with its request, response and errors	routes/account.ts:113	Claude	P2		Done
5405	GET /api/account/limits: integration test: success	routes/account.ts:113	Claude	P1		Done
5406	GET /api/account/limits: integration test: refused for a member without access	routes/account.ts:113	Claude	P1		Done
5407	GET /api/account/limits: integration test: refused for invalid input	routes/account.ts:113	Claude	P1		Done
5408	GET /api/account/devices: input checked against a schema before any logic	routes/account.ts:184	Claude	P1		Done
5409	GET /api/account/devices: sign in required	routes/account.ts:184	Claude	P0		Done
5410	GET /api/account/devices: access checked against membership, hosting or ownership of the record before acting	routes/account.ts:184	Claude	P1		Done
5411	GET /api/account/devices: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/account.ts:184	Claude	P1		Done
5412	GET /api/account/devices: every list bounded with a limit and cursor pagination	routes/account.ts:184	Claude	P1		Done
5413	GET /api/account/devices: response carries no internal field and no other member's personal data	routes/account.ts:184	Claude	P1		Done
5414	GET /api/account/devices: error responses use the shared error codes and plain messages	routes/account.ts:184	Claude	P1		Done
5415	GET /api/account/devices: described in the interface specification with its request, response and errors	routes/account.ts:184	Claude	P2		Done
5416	GET /api/account/devices: integration test: success	routes/account.ts:184	Claude	P1		Done
5417	GET /api/account/devices: integration test: refused for a member without access	routes/account.ts:184	Claude	P1		Done
5418	GET /api/account/devices: integration test: refused for invalid input	routes/account.ts:184	Claude	P1		Done
5419	POST /api/account/devices/sign-out-others: input checked against a schema before any logic	routes/account.ts:244	Claude	P1		Done
5420	POST /api/account/devices/sign-out-others: sign in required	routes/account.ts:244	Claude	P0		Done
5421	POST /api/account/devices/sign-out-others: access checked against membership, hosting or ownership of the record before acting	routes/account.ts:244	Claude	P1		Done
5422	POST /api/account/devices/sign-out-others: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/account.ts:244	Claude	P1		Done
5423	POST /api/account/devices/sign-out-others: idempotency key accepted and enforced	routes/account.ts:244	Claude	P1		Done
5424	POST /api/account/devices/sign-out-others: audit log entry with the actor, the action and the record	routes/account.ts:244	Claude	P1		Done
5425	POST /api/account/devices/sign-out-others: writes made in one database transaction, or shown to need none	routes/account.ts:244	Claude	P1		Done
5426	POST /api/account/devices/sign-out-others: response carries no internal field and no other member's personal data	routes/account.ts:244	Claude	P1		Done
5427	POST /api/account/devices/sign-out-others: error responses use the shared error codes and plain messages	routes/account.ts:244	Claude	P1		Done
5428	POST /api/account/devices/sign-out-others: described in the interface specification with its request, response and errors	routes/account.ts:244	Claude	P2		Done
5429	POST /api/account/devices/sign-out-others: integration test: success	routes/account.ts:244	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
5430	POST /api/account/devices/sign-out-others: integration test: refused for a member without access	routes/account.ts:244	Claude	P1		Done
5431	POST /api/account/devices/sign-out-others: integration test: refused for invalid input	routes/account.ts:244	Claude	P1		Done
5432	GET /api/agreements/status: input checked against a schema before any logic	routes/agreements.ts:18	Claude	P1		Done
5433	GET /api/agreements/status: sign in required	routes/agreements.ts:18	Claude	P0		Done
5434	GET /api/agreements/status: access checked against membership, hosting or ownership of the record before acting	routes/agreements.ts:18	Claude	P1	17	Open
5435	GET /api/agreements/status: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/agreements.ts:18	Claude	P1		Done
5436	GET /api/agreements/status: every list bounded with a limit and cursor pagination	routes/agreements.ts:18	Claude	P1		Done
5437	GET /api/agreements/status: response carries no internal field and no other member's personal data	routes/agreements.ts:18	Claude	P1		Done
5438	GET /api/agreements/status: error responses use the shared error codes and plain messages	routes/agreements.ts:18	Claude	P1		Done
5439	GET /api/agreements/status: described in the interface specification with its request, response and errors	routes/agreements.ts:18	Claude	P2		Done
5440	GET /api/agreements/status: integration test: success	routes/agreements.ts:18	Claude	P1		Done
5441	GET /api/agreements/status: integration test: refused for a member without access	routes/agreements.ts:18	Claude	P1		Done
5442	GET /api/agreements/status: integration test: refused for invalid input	routes/agreements.ts:18	Claude	P1		Done
5443	GET /api/agreements/text: input checked against a schema before any logic	routes/agreements.ts:36	Claude	P1		Done
5444	GET /api/agreements/text: sign in required	routes/agreements.ts:36	Claude	P0		Done
5445	GET /api/agreements/text: access checked against membership, hosting or ownership of the record before acting	routes/agreements.ts:36	Claude	P1		Done
5446	GET /api/agreements/text: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/agreements.ts:36	Claude	P1		Done
5447	GET /api/agreements/text: every list bounded with a limit and cursor pagination	routes/agreements.ts:36	Claude	P1		Done
5448	GET /api/agreements/text: response carries no internal field and no other member's personal data	routes/agreements.ts:36	Claude	P1		Done
5449	GET /api/agreements/text: error responses use the shared error codes and plain messages	routes/agreements.ts:36	Claude	P1		Done
5450	GET /api/agreements/text: described in the interface specification with its request, response and errors	routes/agreements.ts:36	Claude	P2		Done
5451	GET /api/agreements/text: integration test: success	routes/agreements.ts:36	Claude	P1		Done
5452	GET /api/agreements/text: integration test: refused for a member without access	routes/agreements.ts:36	Claude	P1		Done
5453	GET /api/agreements/text: integration test: refused for invalid input	routes/agreements.ts:36	Claude	P1		Done
5454	POST /api/agreements/sign: input checked against a schema before any logic	routes/agreements.ts:59	Claude	P1		Done
5455	POST /api/agreements/sign: sign in required	routes/agreements.ts:59	Claude	P0		Done
5456	POST /api/agreements/sign: access checked against membership, hosting or ownership of the record before acting	routes/agreements.ts:59	Claude	P1		Done
5457	POST /api/agreements/sign: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/agreements.ts:59	Claude	P1		Done
5458	POST /api/agreements/sign: idempotency key accepted and enforced	routes/agreements.ts:59	Claude	P1		Done
5459	POST /api/agreements/sign: audit log entry with the actor, the action and the record	routes/agreements.ts:59	Claude	P1		Done
5460	POST /api/agreements/sign: writes made in one database transaction, or shown to need none	routes/agreements.ts:59	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
5461	POST /api/agreements/sign: response carries no internal field and no other member's personal data	routes/agreements.ts:59	Claude	P1		Done
5462	POST /api/agreements/sign: error responses use the shared error codes and plain messages	routes/agreements.ts:59	Claude	P1		Done
5463	POST /api/agreements/sign: described in the interface specification with its request, response and errors	routes/agreements.ts:59	Claude	P2		Done
5464	POST /api/agreements/sign: integration test: success	routes/agreements.ts:59	Claude	P1	17	Open
5465	POST /api/agreements/sign: integration test: refused for a member without access	routes/agreements.ts:59	Claude	P1		Done
5466	POST /api/agreements/sign: integration test: refused for invalid input	routes/agreements.ts:59	Claude	P1		Done
5467	POST /api/auth/register: input checked against a schema before any logic	routes/auth.ts:51	Claude	P0		Done
5468	POST /api/auth/register: open without sign in by design; limited to what that step needs	routes/auth.ts:51	Claude	P0		Done
5469	POST /api/auth/register: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/auth.ts:51	Claude	P0		Done
5470	POST /api/auth/register: idempotency key accepted and enforced	routes/auth.ts:51	Claude	P0	2	Open
5471	POST /api/auth/register: audit log entry with the actor, the action and the record	routes/auth.ts:51	Claude	P0		Done
5472	POST /api/auth/register: writes made in one database transaction, or shown to need none	routes/auth.ts:51	Claude	P0	2	Open
5473	POST /api/auth/register: response carries no internal field and no other member's personal data	routes/auth.ts:51	Claude	P0		Done
5474	POST /api/auth/register: error responses use the shared error codes and plain messages	routes/auth.ts:51	Claude	P0		Done
5475	POST /api/auth/register: described in the interface specification with its request, response and errors	routes/auth.ts:51	Claude	P2		Done
5476	POST /api/auth/register: integration test: success	routes/auth.ts:51	Claude	P1		Done
5477	POST /api/auth/register: integration test: refused for invalid input	routes/auth.ts:51	Claude	P1		Done
5478	POST /api/auth/phone-otp: input checked against a schema before any logic	routes/auth.ts:135	Claude	P0		Done
5479	POST /api/auth/phone-otp: open without sign in by design; limited to what that step needs	routes/auth.ts:135	Claude	P0		Done
5480	POST /api/auth/phone-otp: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/auth.ts:135	Claude	P0		Done
5481	POST /api/auth/phone-otp: idempotency key accepted and enforced	routes/auth.ts:135	Claude	P0		Done
5482	POST /api/auth/phone-otp: audit log entry with the actor, the action and the record	routes/auth.ts:135	Claude	P0		Done
5483	POST /api/auth/phone-otp: writes made in one database transaction, or shown to need none	routes/auth.ts:135	Claude	P0		Done
5484	POST /api/auth/phone-otp: response carries no internal field and no other member's personal data	routes/auth.ts:135	Claude	P0		Done
5485	POST /api/auth/phone-otp: error responses use the shared error codes and plain messages	routes/auth.ts:135	Claude	P0		Done
5486	POST /api/auth/phone-otp: described in the interface specification with its request, response and errors	routes/auth.ts:135	Claude	P2		Done
5487	POST /api/auth/phone-otp: integration test: success	routes/auth.ts:135	Claude	P1		Done
5488	POST /api/auth/phone-otp: integration test: refused for invalid input	routes/auth.ts:135	Claude	P1		Done
5489	POST /api/auth/phone-otp/verify: input checked against a schema before any logic	routes/auth.ts:145	Claude	P0		Done
5490	POST /api/auth/phone-otp/verify: open without sign in by design; limited to what that step needs	routes/auth.ts:145	Claude	P0		Done
5491	POST /api/auth/phone-otp/verify: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/auth.ts:145	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5492	POST /api/auth/phone-otp/verify: idempotency key accepted and enforced	routes/auth.ts:145	Claude	P0		Done
5493	POST /api/auth/phone-otp/verify: audit log entry with the actor, the action and the record	routes/auth.ts:145	Claude	P0		Done
5494	POST /api/auth/phone-otp/verify: writes made in one database transaction	routes/auth.ts:145	Claude	P0		Done
5495	POST /api/auth/phone-otp/verify: response carries no internal field and no other member's personal data	routes/auth.ts:145	Claude	P0		Done
5496	POST /api/auth/phone-otp/verify: error responses use the shared error codes and plain messages	routes/auth.ts:145	Claude	P0		Done
5497	POST /api/auth/phone-otp/verify: described in the interface specification with its request, response and errors	routes/auth.ts:145	Claude	P2		Done
5498	POST /api/auth/phone-otp/verify: integration test: success	routes/auth.ts:145	Claude	P1	17	Open
5499	POST /api/auth/phone-otp/verify: integration test: refused for invalid input	routes/auth.ts:145	Claude	P1		Done
5500	POST /api/auth/set-pin: input checked against a schema before any logic	routes/auth.ts:176	Claude	P0		Done
5501	POST /api/auth/set-pin: sign in required	routes/auth.ts:176	Claude	P0		Done
5502	POST /api/auth/set-pin: access checked against membership, hosting or ownership of the record before acting	routes/auth.ts:176	Claude	P0		Done
5503	POST /api/auth/set-pin: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/auth.ts:176	Claude	P0		Done
5504	POST /api/auth/set-pin: idempotency key accepted and enforced	routes/auth.ts:176	Claude	P0		Done
5505	POST /api/auth/set-pin: audit log entry with the actor, the action and the record	routes/auth.ts:176	Claude	P0		Done
5506	POST /api/auth/set-pin: writes made in one database transaction, or shown to need none	routes/auth.ts:176	Claude	P0		Done
5507	POST /api/auth/set-pin: response carries no internal field and no other member's personal data	routes/auth.ts:176	Claude	P0		Done
5508	POST /api/auth/set-pin: error responses use the shared error codes and plain messages	routes/auth.ts:176	Claude	P0		Done
5509	POST /api/auth/set-pin: described in the interface specification with its request, response and errors	routes/auth.ts:176	Claude	P2		Done
5510	POST /api/auth/set-pin: integration test: success	routes/auth.ts:176	Claude	P1		Done
5511	POST /api/auth/set-pin: integration test: refused for a member without access	routes/auth.ts:176	Claude	P1		Done
5512	POST /api/auth/set-pin: integration test: refused for invalid input	routes/auth.ts:176	Claude	P1		Done
5513	POST /api/auth/verify-pin: input checked against a schema before any logic	routes/auth.ts:188	Claude	P0		Done
5514	POST /api/auth/verify-pin: sign in required	routes/auth.ts:188	Claude	P0		Done
5515	POST /api/auth/verify-pin: access checked against membership, hosting or ownership of the record before acting	routes/auth.ts:188	Claude	P0		Done
5516	POST /api/auth/verify-pin: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/auth.ts:188	Claude	P0		Done
5517	POST /api/auth/verify-pin: idempotency key accepted and enforced	routes/auth.ts:188	Claude	P0		Done
5518	POST /api/auth/verify-pin: audit log entry with the actor, the action and the record	routes/auth.ts:188	Claude	P0		Done
5519	POST /api/auth/verify-pin: writes made in one database transaction, or shown to need none	routes/auth.ts:188	Claude	P0		Done
5520	POST /api/auth/verify-pin: response carries no internal field and no other member's personal data	routes/auth.ts:188	Claude	P0		Done
5521	POST /api/auth/verify-pin: error responses use the shared error codes and plain messages	routes/auth.ts:188	Claude	P0		Done
5522	POST /api/auth/verify-pin: described in the interface specification with its request, response and errors	routes/auth.ts:188	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
5523	POST /api/auth/verify-pin: integration test: success	routes/auth.ts:188	Claude	P1		Done
5524	POST /api/auth/verify-pin: integration test: refused for a member without access	routes/auth.ts:188	Claude	P1		Done
5525	POST /api/auth/verify-pin: integration test: refused for invalid input	routes/auth.ts:188	Claude	P1		Done
5526	POST /api/auth/set-biometric: input checked against a schema before any logic	routes/auth.ts:202	Claude	P0		Done
5527	POST /api/auth/set-biometric: sign in required	routes/auth.ts:202	Claude	P0		Done
5528	POST /api/auth/set-biometric: access checked against membership, hosting or ownership of the record before acting	routes/auth.ts:202	Claude	P0		Done
5529	POST /api/auth/set-biometric: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/auth.ts:202	Claude	P0		Done
5530	POST /api/auth/set-biometric: idempotency key accepted and enforced	routes/auth.ts:202	Claude	P0		Done
5531	POST /api/auth/set-biometric: audit log entry with the actor, the action and the record	routes/auth.ts:202	Claude	P0		Done
5532	POST /api/auth/set-biometric: writes made in one database transaction, or shown to need none	routes/auth.ts:202	Claude	P0		Done
5533	POST /api/auth/set-biometric: response carries no internal field and no other member's personal data	routes/auth.ts:202	Claude	P0		Done
5534	POST /api/auth/set-biometric: error responses use the shared error codes and plain messages	routes/auth.ts:202	Claude	P0		Done
5535	POST /api/auth/set-biometric: described in the interface specification with its request, response and errors	routes/auth.ts:202	Claude	P2		Done
5536	POST /api/auth/set-biometric: integration test: success	routes/auth.ts:202	Claude	P1		Done
5537	POST /api/auth/set-biometric: integration test: refused for a member without access	routes/auth.ts:202	Claude	P1		Done
5538	POST /api/auth/set-biometric: integration test: refused for invalid input	routes/auth.ts:202	Claude	P1		Done
5539	POST /api/auth/login: input checked against a schema before any logic	routes/auth.ts:210	Claude	P0		Done
5540	POST /api/auth/login: open without sign in by design; limited to what that step needs	routes/auth.ts:210	Claude	P0		Done
5541	POST /api/auth/login: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/auth.ts:210	Claude	P0		Done
5542	POST /api/auth/login: idempotency key accepted and enforced	routes/auth.ts:210	Claude	P0	2	Open
5543	POST /api/auth/login: audit log entry with the actor, the action and the record	routes/auth.ts:210	Claude	P0		Done
5544	POST /api/auth/login: writes made in one database transaction, or shown to need none	routes/auth.ts:210	Claude	P0	2	Open
5545	POST /api/auth/login: response carries no internal field and no other member's personal data	routes/auth.ts:210	Claude	P0		Done
5546	POST /api/auth/login: error responses use the shared error codes and plain messages	routes/auth.ts:210	Claude	P0		Done
5547	POST /api/auth/login: described in the interface specification with its request, response and errors	routes/auth.ts:210	Claude	P2		Done
5548	POST /api/auth/login: integration test: success	routes/auth.ts:210	Claude	P1		Done
5549	POST /api/auth/login: integration test: refused for invalid input	routes/auth.ts:210	Claude	P1		Done
5550	POST /api/auth/refresh: input checked against a schema before any logic	routes/auth.ts:237	Claude	P0		Done
5551	POST /api/auth/refresh: open without sign in by design; limited to what that step needs	routes/auth.ts:237	Claude	P0		Done
5552	POST /api/auth/refresh: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/auth.ts:237	Claude	P0		Done
5553	POST /api/auth/refresh: idempotency key accepted and enforced	routes/auth.ts:237	Claude	P0	2	Open

#	Item	Where	Owner	Pri	Phase	Status
5554	POST /api/auth/refresh: audit log entry with the actor, the action and the record	routes/auth.ts:237	Claude	P0		Done
5555	POST /api/auth/refresh: writes made in one database transaction	routes/auth.ts:237	Claude	P0		Done
5556	POST /api/auth/refresh: response carries no internal field and no other member's personal data	routes/auth.ts:237	Claude	P0		Done
5557	POST /api/auth/refresh: error responses use the shared error codes and plain messages	routes/auth.ts:237	Claude	P0		Done
5558	POST /api/auth/refresh: described in the interface specification with its request, response and errors	routes/auth.ts:237	Claude	P2		Done
5559	POST /api/auth/refresh: integration test: success	routes/auth.ts:237	Claude	P1	17	Open
5560	POST /api/auth/refresh: integration test: refused for invalid input	routes/auth.ts:237	Claude	P1		Done
5561	POST /api/auth/logout: input checked against a schema before any logic	routes/auth.ts:267	Claude	P0		Done
5562	POST /api/auth/logout: sign in required	routes/auth.ts:267	Claude	P0		Done
5563	POST /api/auth/logout: access checked against membership, hosting or ownership of the record before acting	routes/auth.ts:267	Claude	P0		Done
5564	POST /api/auth/logout: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/auth.ts:267	Claude	P0		Done
5565	POST /api/auth/logout: idempotency key accepted and enforced	routes/auth.ts:267	Claude	P0		Done
5566	POST /api/auth/logout: audit log entry with the actor, the action and the record	routes/auth.ts:267	Claude	P0		Done
5567	POST /api/auth/logout: writes made in one database transaction, or shown to need none	routes/auth.ts:267	Claude	P0	2	Open
5568	POST /api/auth/logout: response carries no internal field and no other member's personal data	routes/auth.ts:267	Claude	P0		Done
5569	POST /api/auth/logout: error responses use the shared error codes and plain messages	routes/auth.ts:267	Claude	P0		Done
5570	POST /api/auth/logout: described in the interface specification with its request, response and errors	routes/auth.ts:267	Claude	P2		Done
5571	POST /api/auth/logout: integration test: success	routes/auth.ts:267	Claude	P1		Done
5572	POST /api/auth/logout: integration test: refused for a member without access	routes/auth.ts:267	Claude	P1		Done
5573	POST /api/auth/logout: integration test: refused for invalid input	routes/auth.ts:267	Claude	P1		Done
5574	GET /api/auth/me: input checked against a schema before any logic	routes/auth.ts:275	Claude	P0		Done
5575	GET /api/auth/me: sign in required	routes/auth.ts:275	Claude	P0		Done
5576	GET /api/auth/me: access checked against membership, hosting or ownership of the record before acting	routes/auth.ts:275	Claude	P0		Done
5577	GET /api/auth/me: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/auth.ts:275	Claude	P0		Done
5578	GET /api/auth/me: every list bounded with a limit and cursor pagination	routes/auth.ts:275	Claude	P0		Done
5579	GET /api/auth/me: response carries no internal field and no other member's personal data	routes/auth.ts:275	Claude	P0		Done
5580	GET /api/auth/me: error responses use the shared error codes and plain messages	routes/auth.ts:275	Claude	P0		Done
5581	GET /api/auth/me: described in the interface specification with its request, response and errors	routes/auth.ts:275	Claude	P2		Done
5582	GET /api/auth/me: integration test: success	routes/auth.ts:275	Claude	P1		Done
5583	GET /api/auth/me: integration test: refused for a member without access	routes/auth.ts:275	Claude	P1		Done
5584	GET /api/auth/me: integration test: refused for invalid input	routes/auth.ts:275	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
5585	GET /api/chat/:committeeld: input checked against a schema before any logic	routes/chat.ts:43	Claude	P1		Done
5586	GET /api/chat/:committeeld: sign in required	routes/chat.ts:43	Claude	P0		Done
5587	GET /api/chat/:committeeld: access checked against membership, hosting or ownership of the record before acting	routes/chat.ts:43	Claude	P1		Done
5588	GET /api/chat/:committeeld: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/chat.ts:43	Claude	P1		Done
5589	GET /api/chat/:committeeld: every list bounded with a limit and cursor pagination	routes/chat.ts:43	Claude	P1		Done
5590	GET /api/chat/:committeeld: response carries no internal field and no other member's personal data	routes/chat.ts:43	Claude	P1		Done
5591	GET /api/chat/:committeeld: error responses use the shared error codes and plain messages	routes/chat.ts:43	Claude	P1		Done
5592	GET /api/chat/:committeeld: described in the interface specification with its request, response and errors	routes/chat.ts:43	Claude	P2		Done
5593	GET /api/chat/:committeeld: integration test: success	routes/chat.ts:43	Claude	P1		Done
5594	GET /api/chat/:committeeld: integration test: refused for a member without access	routes/chat.ts:43	Claude	P1		Done
5595	GET /api/chat/:committeeld: integration test: refused for invalid input	routes/chat.ts:43	Claude	P1		Done
5596	POST /api/chat/:committeeld: input checked against a schema before any logic	routes/chat.ts:64	Claude	P1		Done
5597	POST /api/chat/:committeeld: sign in required	routes/chat.ts:64	Claude	P0		Done
5598	POST /api/chat/:committeeld: access checked against membership, hosting or ownership of the record before acting	routes/chat.ts:64	Claude	P1		Done
5599	POST /api/chat/:committeeld: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/chat.ts:64	Claude	P1		Done
5600	POST /api/chat/:committeeld: idempotency key accepted and enforced	routes/chat.ts:64	Claude	P1	17	Open
5601	POST /api/chat/:committeeld: audit log entry with the actor, the action and the record	routes/chat.ts:64	Claude	P1		Done
5602	POST /api/chat/:committeeld: writes made in one database transaction, or shown to need none	routes/chat.ts:64	Claude	P1		Done
5603	POST /api/chat/:committeeld: response carries no internal field and no other member's personal data	routes/chat.ts:64	Claude	P1		Done
5604	POST /api/chat/:committeeld: error responses use the shared error codes and plain messages	routes/chat.ts:64	Claude	P1		Done
5605	POST /api/chat/:committeeld: described in the interface specification with its request, response and errors	routes/chat.ts:64	Claude	P2		Done
5606	POST /api/chat/:committeeld: integration test: success	routes/chat.ts:64	Claude	P1		Done
5607	POST /api/chat/:committeeld: integration test: refused for a member without access	routes/chat.ts:64	Claude	P1		Done
5608	POST /api/chat/:committeeld: integration test: refused for invalid input	routes/chat.ts:64	Claude	P1		Done
5609	GET /api/committees: input checked against a schema before any logic	routes/committees.ts:79	Claude	P0		Done
5610	GET /api/committees: sign in required	routes/committees.ts:79	Claude	P0		Done
5611	GET /api/committees: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:79	Claude	P0		Done
5612	GET /api/committees: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:79	Claude	P0		Done
5613	GET /api/committees: every list bounded with a limit and cursor pagination	routes/committees.ts:79	Claude	P0		Done
5614	GET /api/committees: response carries no internal field and no other member's personal data	routes/committees.ts:79	Claude	P0		Done
5615	GET /api/committees: error responses use the shared error codes and plain messages	routes/committees.ts:79	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5616	GET /api/committees: described in the interface specification with its request, response and errors	routes/committees.ts:79	Claude	P2		Done
5617	GET /api/committees: integration test: success	routes/committees.ts:79	Claude	P1		Done
5618	GET /api/committees: integration test: refused for a member without access	routes/committees.ts:79	Claude	P1		Done
5619	GET /api/committees: integration test: refused for invalid input	routes/committees.ts:79	Claude	P1		Done
5620	GET /api/committees/discover: input checked against a schema before any logic	routes/committees.ts:95	Claude	P0		Done
5621	GET /api/committees/discover: sign in required	routes/committees.ts:95	Claude	P0		Done
5622	GET /api/committees/discover: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:95	Claude	P0		Done
5623	GET /api/committees/discover: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:95	Claude	P0		Done
5624	GET /api/committees/discover: every list bounded with a limit and cursor pagination	routes/committees.ts:95	Claude	P0		Done
5625	GET /api/committees/discover: response carries no internal field and no other member's personal data	routes/committees.ts:95	Claude	P0		Done
5626	GET /api/committees/discover: error responses use the shared error codes and plain messages	routes/committees.ts:95	Claude	P0		Done
5627	GET /api/committees/discover: described in the interface specification with its request, response and errors	routes/committees.ts:95	Claude	P2		Done
5628	GET /api/committees/discover: integration test: success	routes/committees.ts:95	Claude	P1		Done
5629	GET /api/committees/discover: integration test: refused for a member without access	routes/committees.ts:95	Claude	P1		Done
5630	GET /api/committees/discover: integration test: refused for invalid input	routes/committees.ts:95	Claude	P1		Done
5631	GET /api/committees/preview/:inviteCode: input checked against a schema before any logic	routes/committees.ts:156	Claude	P0		Done
5632	GET /api/committees/preview/:inviteCode: open without sign in by design; limited to what that step needs	routes/committees.ts:156	Claude	P0		Done
5633	GET /api/committees/preview/:inviteCode: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:156	Claude	P0		Done
5634	GET /api/committees/preview/:inviteCode: response carries no internal field and no other member's personal data	routes/committees.ts:156	Claude	P0		Done
5635	GET /api/committees/preview/:inviteCode: error responses use the shared error codes and plain messages	routes/committees.ts:156	Claude	P0		Done
5636	GET /api/committees/preview/:inviteCode: described in the interface specification with its request, response and errors	routes/committees.ts:156	Claude	P2		Done
5637	GET /api/committees/preview/:inviteCode: integration test: success	routes/committees.ts:156	Claude	P1		Done
5638	GET /api/committees/preview/:inviteCode: integration test: refused for invalid input	routes/committees.ts:156	Claude	P1		Done
5639	GET /api/committees/:id: input checked against a schema before any logic	routes/committees.ts:172	Claude	P0		Done
5640	GET /api/committees/:id: sign in required	routes/committees.ts:172	Claude	P0		Done
5641	GET /api/committees/:id: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:172	Claude	P0		Done
5642	GET /api/committees/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:172	Claude	P0		Done
5643	GET /api/committees/:id: response carries no internal field and no other member's personal data	routes/committees.ts:172	Claude	P0		Done
5644	GET /api/committees/:id: error responses use the shared error codes and plain messages	routes/committees.ts:172	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5645	GET /api/committees/:id: described in the interface specification with its request, response and errors	routes/committees.ts:172	Claude	P2		Done
5646	GET /api/committees/:id: integration test: success	routes/committees.ts:172	Claude	P1		Done
5647	GET /api/committees/:id: integration test: refused for a member without access	routes/committees.ts:172	Claude	P1		Done
5648	GET /api/committees/:id: integration test: refused for invalid input	routes/committees.ts:172	Claude	P1		Done
5649	POST /api/committees: input checked against a schema before any logic	routes/committees.ts:182	Claude	P0		Done
5650	POST /api/committees: sign in required	routes/committees.ts:182	Claude	P0		Done
5651	POST /api/committees: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:182	Claude	P0		Done
5652	POST /api/committees: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:182	Claude	P0		Done
5653	POST /api/committees: idempotency key accepted and enforced	routes/committees.ts:182	Claude	P0	2	Open
5654	POST /api/committees: audit log entry with the actor, the action and the record	routes/committees.ts:182	Claude	P0		Done
5655	POST /api/committees: writes made in one database transaction	routes/committees.ts:182	Claude	P0		Done
5656	POST /api/committees: response carries no internal field and no other member's personal data	routes/committees.ts:182	Claude	P0		Done
5657	POST /api/committees: error responses use the shared error codes and plain messages	routes/committees.ts:182	Claude	P0		Done
5658	POST /api/committees: described in the interface specification with its request, response and errors	routes/committees.ts:182	Claude	P2		Done
5659	POST /api/committees: integration test: success	routes/committees.ts:182	Claude	P1		Done
5660	POST /api/committees: integration test: refused for a member without access	routes/committees.ts:182	Claude	P1		Done
5661	POST /api/committees: integration test: refused for invalid input	routes/committees.ts:182	Claude	P1		Done
5662	POST /api/committees/join: input checked against a schema before any logic	routes/committees.ts:345	Claude	P0		Done
5663	POST /api/committees/join: sign in required	routes/committees.ts:345	Claude	P0		Done
5664	POST /api/committees/join: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:345	Claude	P0	2	Open
5665	POST /api/committees/join: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:345	Claude	P0		Done
5666	POST /api/committees/join: idempotency key accepted and enforced	routes/committees.ts:345	Claude	P0	2	Open
5667	POST /api/committees/join: audit log entry with the actor, the action and the record	routes/committees.ts:345	Claude	P0		Done
5668	POST /api/committees/join: writes made in one database transaction, or shown to need none	routes/committees.ts:345	Claude	P0		Done
5669	POST /api/committees/join: response carries no internal field and no other member's personal data	routes/committees.ts:345	Claude	P0		Done
5670	POST /api/committees/join: error responses use the shared error codes and plain messages	routes/committees.ts:345	Claude	P0		Done
5671	POST /api/committees/join: described in the interface specification with its request, response and errors	routes/committees.ts:345	Claude	P2		Done
5672	POST /api/committees/join: integration test: success	routes/committees.ts:345	Claude	P1		Done
5673	POST /api/committees/join: integration test: refused for a member without access	routes/committees.ts:345	Claude	P1		Done
5674	POST /api/committees/join: integration test: refused for invalid input	routes/committees.ts:345	Claude	P1		Done
5675	POST /api/committees/:id/join-public: input checked against a schema before any logic	routes/committees.ts:353	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5676	POST /api/committees/:id/join-public: sign in required	routes/committees.ts:353	Claude	P0		Done
5677	POST /api/committees/:id/join-public: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:353	Claude	P0	2	Open
5678	POST /api/committees/:id/join-public: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:353	Claude	P0		Done
5679	POST /api/committees/:id/join-public: idempotency key accepted and enforced	routes/committees.ts:353	Claude	P0		Done
5680	POST /api/committees/:id/join-public: audit log entry with the actor, the action and the record	routes/committees.ts:353	Claude	P0		Done
5681	POST /api/committees/:id/join-public: writes made in one database transaction, or shown to need none	routes/committees.ts:353	Claude	P0		Done
5682	POST /api/committees/:id/join-public: response carries no internal field and no other member's personal data	routes/committees.ts:353	Claude	P0		Done
5683	POST /api/committees/:id/join-public: error responses use the shared error codes and plain messages	routes/committees.ts:353	Claude	P0		Done
5684	POST /api/committees/:id/join-public: described in the interface specification with its request, response and errors	routes/committees.ts:353	Claude	P2		Done
5685	POST /api/committees/:id/join-public: integration test: success	routes/committees.ts:353	Claude	P1		Done
5686	POST /api/committees/:id/join-public: integration test: refused for a member without access	routes/committees.ts:353	Claude	P1		Done
5687	POST /api/committees/:id/join-public: integration test: refused for invalid input	routes/committees.ts:353	Claude	P1		Done
5688	POST /api/committees/:id/waitlist: input checked against a schema before any logic	routes/committees.ts:361	Claude	P0		Done
5689	POST /api/committees/:id/waitlist: sign in required	routes/committees.ts:361	Claude	P0		Done
5690	POST /api/committees/:id/waitlist: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:361	Claude	P0		Done
5691	POST /api/committees/:id/waitlist: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:361	Claude	P0		Done
5692	POST /api/committees/:id/waitlist: idempotency key accepted and enforced	routes/committees.ts:361	Claude	P0	2	Open
5693	POST /api/committees/:id/waitlist: audit log entry with the actor, the action and the record	routes/committees.ts:361	Claude	P0		Done
5694	POST /api/committees/:id/waitlist: writes made in one database transaction, or shown to need none	routes/committees.ts:361	Claude	P0		Done
5695	POST /api/committees/:id/waitlist: response carries no internal field and no other member's personal data	routes/committees.ts:361	Claude	P0		Done
5696	POST /api/committees/:id/waitlist: error responses use the shared error codes and plain messages	routes/committees.ts:361	Claude	P0		Done
5697	POST /api/committees/:id/waitlist: described in the interface specification with its request, response and errors	routes/committees.ts:361	Claude	P2		Done
5698	POST /api/committees/:id/waitlist: integration test: success	routes/committees.ts:361	Claude	P1		Done
5699	POST /api/committees/:id/waitlist: integration test: refused for a member without access	routes/committees.ts:361	Claude	P1		Done
5700	POST /api/committees/:id/waitlist: integration test: refused for invalid input	routes/committees.ts:361	Claude	P1		Done
5701	POST /api/committees/:id/join: input checked against a schema before any logic	routes/committees.ts:379	Claude	P0		Done
5702	POST /api/committees/:id/join: sign in required	routes/committees.ts:379	Claude	P0		Done
5703	POST /api/committees/:id/join: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:379	Claude	P0	2	Open
5704	POST /api/committees/:id/join: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:379	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5705	POST /api/committees/:id/join: idempotency key accepted and enforced	routes/committees.ts:379	Claude	P0		Done
5706	POST /api/committees/:id/join: audit log entry with the actor, the action and the record	routes/committees.ts:379	Claude	P0		Done
5707	POST /api/committees/:id/join: writes made in one database transaction	routes/committees.ts:379	Claude	P0		Done
5708	POST /api/committees/:id/join: every list bounded with a limit and cursor pagination	routes/committees.ts:379	Claude	P0		Done
5709	POST /api/committees/:id/join: response carries no internal field and no other member's personal data	routes/committees.ts:379	Claude	P0		Done
5710	POST /api/committees/:id/join: error responses use the shared error codes and plain messages	routes/committees.ts:379	Claude	P0		Done
5711	POST /api/committees/:id/join: described in the interface specification with its request, response and errors	routes/committees.ts:379	Claude	P2		Done
5712	POST /api/committees/:id/join: integration test: success	routes/committees.ts:379	Claude	P1		Done
5713	POST /api/committees/:id/join: integration test: refused for a member without access	routes/committees.ts:379	Claude	P1		Done
5714	POST /api/committees/:id/join: integration test: refused for invalid input	routes/committees.ts:379	Claude	P1		Done
5715	POST /api/committees/:id/start: input checked against a schema before any logic	routes/committees.ts:444	Claude	P0		Done
5716	POST /api/committees/:id/start: sign in required	routes/committees.ts:444	Claude	P0		Done
5717	POST /api/committees/:id/start: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:444	Claude	P0		Done
5718	POST /api/committees/:id/start: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:444	Claude	P0		Done
5719	POST /api/committees/:id/start: idempotency key accepted and enforced	routes/committees.ts:444	Claude	P0	2	Open
5720	POST /api/committees/:id/start: audit log entry with the actor, the action and the record	routes/committees.ts:444	Claude	P0		Done
5721	POST /api/committees/:id/start: writes made in one database transaction	routes/committees.ts:444	Claude	P0		Done
5722	POST /api/committees/:id/start: every list bounded with a limit and cursor pagination	routes/committees.ts:444	Claude	P0		Done
5723	POST /api/committees/:id/start: response carries no internal field and no other member's personal data	routes/committees.ts:444	Claude	P0		Done
5724	POST /api/committees/:id/start: error responses use the shared error codes and plain messages	routes/committees.ts:444	Claude	P0		Done
5725	POST /api/committees/:id/start: described in the interface specification with its request, response and errors	routes/committees.ts:444	Claude	P2		Done
5726	POST /api/committees/:id/start: integration test: success	routes/committees.ts:444	Claude	P1	17	Open
5727	POST /api/committees/:id/start: integration test: refused for a member without access	routes/committees.ts:444	Claude	P1		Done
5728	POST /api/committees/:id/start: integration test: refused for invalid input	routes/committees.ts:444	Claude	P1		Done
5729	GET /api/committees/:id/payment-matrix: input checked against a schema before any logic	routes/committees.ts:604	Claude	P0		Done
5730	GET /api/committees/:id/payment-matrix: sign in required	routes/committees.ts:604	Claude	P0		Done
5731	GET /api/committees/:id/payment-matrix: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:604	Claude	P0		Done
5732	GET /api/committees/:id/payment-matrix: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:604	Claude	P0		Done
5733	GET /api/committees/:id/payment-matrix: every list bounded with a limit and cursor pagination	routes/committees.ts:604	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5734	GET /api/committees/:id/payment-matrix: response carries no internal field and no other member's personal data	routes/committees.ts:604	Claude	P0		Done
5735	GET /api/committees/:id/payment-matrix: error responses use the shared error codes and plain messages	routes/committees.ts:604	Claude	P0		Done
5736	GET /api/committees/:id/payment-matrix: described in the interface specification with its request, response and errors	routes/committees.ts:604	Claude	P2		Done
5737	GET /api/committees/:id/payment-matrix: integration test: success	routes/committees.ts:604	Claude	P1		Done
5738	GET /api/committees/:id/payment-matrix: integration test: refused for a member without access	routes/committees.ts:604	Claude	P1		Done
5739	GET /api/committees/:id/payment-matrix: integration test: refused for invalid input	routes/committees.ts:604	Claude	P1		Done
5740	POST /api/committees/:id/nudge/:userId: input checked against a schema before any logic	routes/committees.ts:636	Claude	P0		Done
5741	POST /api/committees/:id/nudge/:userId: sign in required	routes/committees.ts:636	Claude	P0		Done
5742	POST /api/committees/:id/nudge/:userId: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:636	Claude	P0		Done
5743	POST /api/committees/:id/nudge/:userId: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:636	Claude	P0		Done
5744	POST /api/committees/:id/nudge/:userId: idempotency key accepted and enforced	routes/committees.ts:636	Claude	P0	2	Open
5745	POST /api/committees/:id/nudge/:userId: audit log entry with the actor, the action and the record	routes/committees.ts:636	Claude	P0		Done
5746	POST /api/committees/:id/nudge/:userId: writes made in one database transaction, or shown to need none	routes/committees.ts:636	Claude	P0		Done
5747	POST /api/committees/:id/nudge/:userId: response carries no internal field and no other member's personal data	routes/committees.ts:636	Claude	P0		Done
5748	POST /api/committees/:id/nudge/:userId: error responses use the shared error codes and plain messages	routes/committees.ts:636	Claude	P0		Done
5749	POST /api/committees/:id/nudge/:userId: described in the interface specification with its request, response and errors	routes/committees.ts:636	Claude	P2		Done
5750	POST /api/committees/:id/nudge/:userId: integration test: success	routes/committees.ts:636	Claude	P1	17	Open
5751	POST /api/committees/:id/nudge/:userId: integration test: refused for a member without access	routes/committees.ts:636	Claude	P1		Done
5752	POST /api/committees/:id/nudge/:userId: integration test: refused for invalid input	routes/committees.ts:636	Claude	P1		Done
5753	POST /api/committees/:id/payout: input checked against a schema before any logic	routes/committees.ts:724	Claude	P0		Done
5754	POST /api/committees/:id/payout: sign in required	routes/committees.ts:724	Claude	P0		Done
5755	POST /api/committees/:id/payout: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:724	Claude	P0		Done
5756	POST /api/committees/:id/payout: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:724	Claude	P0		Done
5757	POST /api/committees/:id/payout: idempotency key accepted and enforced	routes/committees.ts:724	Claude	P0		Done
5758	POST /api/committees/:id/payout: audit log entry with the actor, the action and the record	routes/committees.ts:724	Claude	P0		Done
5759	POST /api/committees/:id/payout: writes made in one database transaction	routes/committees.ts:724	Claude	P0		Done
5760	POST /api/committees/:id/payout: every list bounded with a limit and cursor pagination	routes/committees.ts:724	Claude	P0		Done
5761	POST /api/committees/:id/payout: response carries no internal field and no other member's personal data	routes/committees.ts:724	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5762	POST /api/committees/:id/payout: error responses use the shared error codes and plain messages	routes/committees.ts:724	Claude	P0		Done
5763	POST /api/committees/:id/payout: described in the interface specification with its request, response and errors	routes/committees.ts:724	Claude	P2		Done
5764	POST /api/committees/:id/payout: integration test: success	routes/committees.ts:724	Claude	P1	17	Open
5765	POST /api/committees/:id/payout: integration test: refused for a member without access	routes/committees.ts:724	Claude	P1		Done
5766	POST /api/committees/:id/payout: integration test: refused for invalid input	routes/committees.ts:724	Claude	P1		Done
5767	GET /api/committees/:id/receivables-pack: input checked against a schema before any logic	routes/committees.ts:1053	Claude	P0		Done
5768	GET /api/committees/:id/receivables-pack: sign in required	routes/committees.ts:1053	Claude	P0		Done
5769	GET /api/committees/:id/receivables-pack: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:1053	Claude	P0		Done
5770	GET /api/committees/:id/receivables-pack: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:1053	Claude	P0		Done
5771	GET /api/committees/:id/receivables-pack: every list bounded with a limit and cursor pagination	routes/committees.ts:1053	Claude	P0		Done
5772	GET /api/committees/:id/receivables-pack: response carries no internal field and no other member's personal data	routes/committees.ts:1053	Claude	P0		Done
5773	GET /api/committees/:id/receivables-pack: error responses use the shared error codes and plain messages	routes/committees.ts:1053	Claude	P0		Done
5774	GET /api/committees/:id/receivables-pack: described in the interface specification with its request, response and errors	routes/committees.ts:1053	Claude	P2		Done
5775	GET /api/committees/:id/receivables-pack: integration test: success	routes/committees.ts:1053	Claude	P1		Done
5776	GET /api/committees/:id/receivables-pack: integration test: refused for a member without access	routes/committees.ts:1053	Claude	P1		Done
5777	GET /api/committees/:id/receivables-pack: integration test: refused for invalid input	routes/committees.ts:1053	Claude	P1		Done
5778	POST /api/committees/:id/leave: input checked against a schema before any logic	routes/committees.ts:1095	Claude	P0		Done
5779	POST /api/committees/:id/leave: sign in required	routes/committees.ts:1095	Claude	P0		Done
5780	POST /api/committees/:id/leave: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:1095	Claude	P0		Done
5781	POST /api/committees/:id/leave: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:1095	Claude	P0		Done
5782	POST /api/committees/:id/leave: idempotency key accepted and enforced	routes/committees.ts:1095	Claude	P0	2	Open
5783	POST /api/committees/:id/leave: audit log entry with the actor, the action and the record	routes/committees.ts:1095	Claude	P0		Done
5784	POST /api/committees/:id/leave: writes made in one database transaction	routes/committees.ts:1095	Claude	P0		Done
5785	POST /api/committees/:id/leave: response carries no internal field and no other member's personal data	routes/committees.ts:1095	Claude	P0		Done
5786	POST /api/committees/:id/leave: error responses use the shared error codes and plain messages	routes/committees.ts:1095	Claude	P0		Done
5787	POST /api/committees/:id/leave: described in the interface specification with its request, response and errors	routes/committees.ts:1095	Claude	P2		Done
5788	POST /api/committees/:id/leave: integration test: success	routes/committees.ts:1095	Claude	P1	17	Open
5789	POST /api/committees/:id/leave: integration test: refused for a member without access	routes/committees.ts:1095	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
5790	POST /api/committees/:id/leave: integration test: refused for invalid input	routes/committees.ts:1095	Claude	P1		Done
5791	POST /api/committees/:id/listing: input checked against a schema before any logic	routes/committees.ts:1114	Claude	P0		Done
5792	POST /api/committees/:id/listing: sign in required	routes/committees.ts:1114	Claude	P0		Done
5793	POST /api/committees/:id/listing: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:1114	Claude	P0		Done
5794	POST /api/committees/:id/listing: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:1114	Claude	P0		Done
5795	POST /api/committees/:id/listing: idempotency key accepted and enforced	routes/committees.ts:1114	Claude	P0		Done
5796	POST /api/committees/:id/listing: audit log entry with the actor, the action and the record	routes/committees.ts:1114	Claude	P0		Done
5797	POST /api/committees/:id/listing: writes made in one database transaction, or shown to need none	routes/committees.ts:1114	Claude	P0		Done
5798	POST /api/committees/:id/listing: response carries no internal field and no other member's personal data	routes/committees.ts:1114	Claude	P0		Done
5799	POST /api/committees/:id/listing: error responses use the shared error codes and plain messages	routes/committees.ts:1114	Claude	P0		Done
5800	POST /api/committees/:id/listing: described in the interface specification with its request, response and errors	routes/committees.ts:1114	Claude	P2		Done
5801	POST /api/committees/:id/listing: integration test: success	routes/committees.ts:1114	Claude	P1		Done
5802	POST /api/committees/:id/listing: integration test: refused for a member without access	routes/committees.ts:1114	Claude	P1		Done
5803	POST /api/committees/:id/listing: integration test: refused for invalid input	routes/committees.ts:1114	Claude	P1		Done
5804	POST /api/committees/:id/autopay: input checked against a schema before any logic	routes/committees.ts:1129	Claude	P0		Done
5805	POST /api/committees/:id/autopay: sign in required	routes/committees.ts:1129	Claude	P0		Done
5806	POST /api/committees/:id/autopay: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:1129	Claude	P0		Done
5807	POST /api/committees/:id/autopay: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:1129	Claude	P0		Done
5808	POST /api/committees/:id/autopay: idempotency key accepted and enforced	routes/committees.ts:1129	Claude	P0		Done
5809	POST /api/committees/:id/autopay: audit log entry with the actor, the action and the record	routes/committees.ts:1129	Claude	P0		Done
5810	POST /api/committees/:id/autopay: writes made in one database transaction	routes/committees.ts:1129	Claude	P0		Done
5811	POST /api/committees/:id/autopay: response carries no internal field and no other member's personal data	routes/committees.ts:1129	Claude	P0		Done
5812	POST /api/committees/:id/autopay: error responses use the shared error codes and plain messages	routes/committees.ts:1129	Claude	P0		Done
5813	POST /api/committees/:id/autopay: described in the interface specification with its request, response and errors	routes/committees.ts:1129	Claude	P2		Done
5814	POST /api/committees/:id/autopay: integration test: success	routes/committees.ts:1129	Claude	P1		Done
5815	POST /api/committees/:id/autopay: integration test: refused for a member without access	routes/committees.ts:1129	Claude	P1		Done
5816	POST /api/committees/:id/autopay: integration test: refused for invalid input	routes/committees.ts:1129	Claude	P1		Done
5817	POST /api/committees/:id/withdraw: input checked against a schema before any logic	routes/committees.ts:1156	Claude	P0		Done
5818	POST /api/committees/:id/withdraw: sign in required	routes/committees.ts:1156	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5819	POST /api/committees/:id/withdraw: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:1156	Claude	P0	2	Open
5820	POST /api/committees/:id/withdraw: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:1156	Claude	P0		Done
5821	POST /api/committees/:id/withdraw: idempotency key accepted and enforced	routes/committees.ts:1156	Claude	P0	2	Open
5822	POST /api/committees/:id/withdraw: audit log entry with the actor, the action and the record	routes/committees.ts:1156	Claude	P0		Done
5823	POST /api/committees/:id/withdraw: writes made in one database transaction	routes/committees.ts:1156	Claude	P0		Done
5824	POST /api/committees/:id/withdraw: every list bounded with a limit and cursor pagination	routes/committees.ts:1156	Claude	P0		Done
5825	POST /api/committees/:id/withdraw: response carries no internal field and no other member's personal data	routes/committees.ts:1156	Claude	P0		Done
5826	POST /api/committees/:id/withdraw: error responses use the shared error codes and plain messages	routes/committees.ts:1156	Claude	P0		Done
5827	POST /api/committees/:id/withdraw: described in the interface specification with its request, response and errors	routes/committees.ts:1156	Claude	P2		Done
5828	POST /api/committees/:id/withdraw: integration test: success	routes/committees.ts:1156	Claude	P1	17	Open
5829	POST /api/committees/:id/withdraw: integration test: refused for a member without access	routes/committees.ts:1156	Claude	P1		Done
5830	POST /api/committees/:id/withdraw: integration test: refused for invalid input	routes/committees.ts:1156	Claude	P1		Done
5831	PATCH /api/committees/:id/avatar: input checked against a schema before any logic	routes/committees.ts:1217	Claude	P0		Done
5832	PATCH /api/committees/:id/avatar: sign in required	routes/committees.ts:1217	Claude	P0		Done
5833	PATCH /api/committees/:id/avatar: access checked against membership, hosting or ownership of the record before acting	routes/committees.ts:1217	Claude	P0		Done
5834	PATCH /api/committees/:id/avatar: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/committees.ts:1217	Claude	P0		Done
5835	PATCH /api/committees/:id/avatar: idempotency key accepted and enforced	routes/committees.ts:1217	Claude	P0		Done
5836	PATCH /api/committees/:id/avatar: audit log entry with the actor, the action and the record	routes/committees.ts:1217	Claude	P0		Done
5837	PATCH /api/committees/:id/avatar: writes made in one database transaction, or shown to need none	routes/committees.ts:1217	Claude	P0		Done
5838	PATCH /api/committees/:id/avatar: response carries no internal field and no other member's personal data	routes/committees.ts:1217	Claude	P0		Done
5839	PATCH /api/committees/:id/avatar: error responses use the shared error codes and plain messages	routes/committees.ts:1217	Claude	P0		Done
5840	PATCH /api/committees/:id/avatar: described in the interface specification with its request, response and errors	routes/committees.ts:1217	Claude	P2		Done
5841	PATCH /api/committees/:id/avatar: integration test: success	routes/committees.ts:1217	Claude	P1		Done
5842	PATCH /api/committees/:id/avatar: integration test: refused for a member without access	routes/committees.ts:1217	Claude	P1		Done
5843	PATCH /api/committees/:id/avatar: integration test: refused for invalid input	routes/committees.ts:1217	Claude	P1		Done
5844	GET /api/exchange: input checked against a schema before any logic	routes/exchange.ts:13	Claude	P1		Done
5845	GET /api/exchange: sign in required	routes/exchange.ts:13	Claude	P0		Done
5846	GET /api/exchange: access checked against membership, hosting or ownership of the record before acting	routes/exchange.ts:13	Claude	P1	17	Open
5847	GET /api/exchange: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/exchange.ts:13	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
5848	GET /api/exchange: every list bounded with a limit and cursor pagination	routes/exchange.ts:13	Claude	P1		Done
5849	GET /api/exchange: response carries no internal field and no other member's personal data	routes/exchange.ts:13	Claude	P1		Done
5850	GET /api/exchange: error responses use the shared error codes and plain messages	routes/exchange.ts:13	Claude	P1		Done
5851	GET /api/exchange: described in the interface specification with its request, response and errors	routes/exchange.ts:13	Claude	P2		Done
5852	GET /api/exchange: integration test: success	routes/exchange.ts:13	Claude	P1		Done
5853	GET /api/exchange: integration test: refused for a member without access	routes/exchange.ts:13	Claude	P1		Done
5854	GET /api/exchange: integration test: refused for invalid input	routes/exchange.ts:13	Claude	P1		Done
5855	POST /api/exchange: input checked against a schema before any logic	routes/exchange.ts:65	Claude	P1		Done
5856	POST /api/exchange: sign in required	routes/exchange.ts:65	Claude	P0		Done
5857	POST /api/exchange: access checked against membership, hosting or ownership of the record before acting	routes/exchange.ts:65	Claude	P1		Done
5858	POST /api/exchange: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/exchange.ts:65	Claude	P1		Done
5859	POST /api/exchange: idempotency key accepted and enforced	routes/exchange.ts:65	Claude	P1	17	Open
5860	POST /api/exchange: audit log entry with the actor, the action and the record	routes/exchange.ts:65	Claude	P1		Done
5861	POST /api/exchange: writes made in one database transaction, or shown to need none	routes/exchange.ts:65	Claude	P1		Done
5862	POST /api/exchange: response carries no internal field and no other member's personal data	routes/exchange.ts:65	Claude	P1		Done
5863	POST /api/exchange: error responses use the shared error codes and plain messages	routes/exchange.ts:65	Claude	P1		Done
5864	POST /api/exchange: described in the interface specification with its request, response and errors	routes/exchange.ts:65	Claude	P2		Done
5865	POST /api/exchange: integration test: success	routes/exchange.ts:65	Claude	P1	17	Open
5866	POST /api/exchange: integration test: refused for a member without access	routes/exchange.ts:65	Claude	P1		Done
5867	POST /api/exchange: integration test: refused for invalid input	routes/exchange.ts:65	Claude	P1		Done
5868	POST /api/exchange/:id/bid: input checked against a schema before any logic	routes/exchange.ts:93	Claude	P1		Done
5869	POST /api/exchange/:id/bid: sign in required	routes/exchange.ts:93	Claude	P0		Done
5870	POST /api/exchange/:id/bid: access checked against membership, hosting or ownership of the record before acting	routes/exchange.ts:93	Claude	P1		Done
5871	POST /api/exchange/:id/bid: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/exchange.ts:93	Claude	P1		Done
5872	POST /api/exchange/:id/bid: idempotency key accepted and enforced	routes/exchange.ts:93	Claude	P1	17	Open
5873	POST /api/exchange/:id/bid: audit log entry with the actor, the action and the record	routes/exchange.ts:93	Claude	P1		Done
5874	POST /api/exchange/:id/bid: writes made in one database transaction, or shown to need none	routes/exchange.ts:93	Claude	P1		Done
5875	POST /api/exchange/:id/bid: response carries no internal field and no other member's personal data	routes/exchange.ts:93	Claude	P1		Done
5876	POST /api/exchange/:id/bid: error responses use the shared error codes and plain messages	routes/exchange.ts:93	Claude	P1		Done
5877	POST /api/exchange/:id/bid: described in the interface specification with its request, response and errors	routes/exchange.ts:93	Claude	P2		Done
5878	POST /api/exchange/:id/bid: integration test: success	routes/exchange.ts:93	Claude	P1	17	Open

#	Item	Where	Owner	Pri	Phase	Status
5879	POST /api/exchange/:id/bid: integration test: refused for a member without access	routes/exchange.ts:93	Claude	P1		Done
5880	POST /api/exchange/:id/bid: integration test: refused for invalid input	routes/exchange.ts:93	Claude	P1		Done
5881	POST /api/exchange/:id/bids/:bidId/accept: input checked against a schema before any logic	routes/exchange.ts:129	Claude	P1		Done
5882	POST /api/exchange/:id/bids/:bidId/accept: sign in required	routes/exchange.ts:129	Claude	P0		Done
5883	POST /api/exchange/:id/bids/:bidId/accept: access checked against membership, hosting or ownership of the record before acting	routes/exchange.ts:129	Claude	P1		Done
5884	POST /api/exchange/:id/bids/:bidId/accept: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/exchange.ts:129	Claude	P1		Done
5885	POST /api/exchange/:id/bids/:bidId/accept: idempotency key accepted and enforced	routes/exchange.ts:129	Claude	P1		Done
5886	POST /api/exchange/:id/bids/:bidId/accept: audit log entry with the actor, the action and the record	routes/exchange.ts:129	Claude	P1		Done
5887	POST /api/exchange/:id/bids/:bidId/accept: writes made in one database transaction	routes/exchange.ts:129	Claude	P1		Done
5888	POST /api/exchange/:id/bids/:bidId/accept: response carries no internal field and no other member's personal data	routes/exchange.ts:129	Claude	P1		Done
5889	POST /api/exchange/:id/bids/:bidId/accept: error responses use the shared error codes and plain messages	routes/exchange.ts:129	Claude	P1		Done
5890	POST /api/exchange/:id/bids/:bidId/accept: described in the interface specification with its request, response and errors	routes/exchange.ts:129	Claude	P2		Done
5891	POST /api/exchange/:id/bids/:bidId/accept: integration test: success	routes/exchange.ts:129	Claude	P1	17	Open
5892	POST /api/exchange/:id/bids/:bidId/accept: integration test: refused for a member without access	routes/exchange.ts:129	Claude	P1		Done
5893	POST /api/exchange/:id/bids/:bidId/accept: integration test: refused for invalid input	routes/exchange.ts:129	Claude	P1		Done
5894	GET /api/exits/committee/:id/options: input checked against a schema before any logic	routes/exits.ts:25	Claude	P1		Done
5895	GET /api/exits/committee/:id/options: sign in required	routes/exits.ts:25	Claude	P0		Done
5896	GET /api/exits/committee/:id/options: access checked against membership, hosting or ownership of the record before acting	routes/exits.ts:25	Claude	P1		Done
5897	GET /api/exits/committee/:id/options: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/exits.ts:25	Claude	P1		Done
5898	GET /api/exits/committee/:id/options: every list bounded with a limit and cursor pagination	routes/exits.ts:25	Claude	P1		Done
5899	GET /api/exits/committee/:id/options: response carries no internal field and no other member's personal data	routes/exits.ts:25	Claude	P1		Done
5900	GET /api/exits/committee/:id/options: error responses use the shared error codes and plain messages	routes/exits.ts:25	Claude	P1		Done
5901	GET /api/exits/committee/:id/options: described in the interface specification with its request, response and errors	routes/exits.ts:25	Claude	P2		Done
5902	GET /api/exits/committee/:id/options: integration test: success	routes/exits.ts:25	Claude	P1		Done
5903	GET /api/exits/committee/:id/options: integration test: refused for a member without access	routes/exits.ts:25	Claude	P1		Done
5904	GET /api/exits/committee/:id/options: integration test: refused for invalid input	routes/exits.ts:25	Claude	P1	17	Open
5905	POST /api/exits/committee/:id: input checked against a schema before any logic	routes/exits.ts:93	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
5906	POST /api/exits/committee/:id: sign in required	routes/exits.ts:93	Claude	P0		Done
5907	POST /api/exits/committee/:id: access checked against membership, hosting or ownership of the record before acting	routes/exits.ts:93	Claude	P1		Done
5908	POST /api/exits/committee/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/exits.ts:93	Claude	P1		Done
5909	POST /api/exits/committee/:id: idempotency key accepted and enforced	routes/exits.ts:93	Claude	P1	17	Open
5910	POST /api/exits/committee/:id: audit log entry with the actor, the action and the record	routes/exits.ts:93	Claude	P1		Done
5911	POST /api/exits/committee/:id: writes made in one database transaction	routes/exits.ts:93	Claude	P1		Done
5912	POST /api/exits/committee/:id: every list bounded with a limit and cursor pagination	routes/exits.ts:93	Claude	P1		Done
5913	POST /api/exits/committee/:id: response carries no internal field and no other member's personal data	routes/exits.ts:93	Claude	P1		Done
5914	POST /api/exits/committee/:id: error responses use the shared error codes and plain messages	routes/exits.ts:93	Claude	P1		Done
5915	POST /api/exits/committee/:id: described in the interface specification with its request, response and errors	routes/exits.ts:93	Claude	P2		Done
5916	POST /api/exits/committee/:id: integration test: success	routes/exits.ts:93	Claude	P1	17	Open
5917	POST /api/exits/committee/:id: integration test: refused for a member without access	routes/exits.ts:93	Claude	P1		Done
5918	POST /api/exits/committee/:id: integration test: refused for invalid input	routes/exits.ts:93	Claude	P1		Done
5919	POST /api/exits/:requestId/vote: input checked against a schema before any logic	routes/exits.ts:192	Claude	P1		Done
5920	POST /api/exits/:requestId/vote: sign in required	routes/exits.ts:192	Claude	P0		Done
5921	POST /api/exits/:requestId/vote: access checked against membership, hosting or ownership of the record before acting	routes/exits.ts:192	Claude	P1		Done
5922	POST /api/exits/:requestId/vote: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/exits.ts:192	Claude	P1		Done
5923	POST /api/exits/:requestId/vote: idempotency key accepted and enforced	routes/exits.ts:192	Claude	P1		Done
5924	POST /api/exits/:requestId/vote: audit log entry with the actor, the action and the record	routes/exits.ts:192	Claude	P1		Done
5925	POST /api/exits/:requestId/vote: writes made in one database transaction	routes/exits.ts:192	Claude	P1		Done
5926	POST /api/exits/:requestId/vote: every list bounded with a limit and cursor pagination	routes/exits.ts:192	Claude	P1		Done
5927	POST /api/exits/:requestId/vote: response carries no internal field and no other member's personal data	routes/exits.ts:192	Claude	P1		Done
5928	POST /api/exits/:requestId/vote: error responses use the shared error codes and plain messages	routes/exits.ts:192	Claude	P1		Done
5929	POST /api/exits/:requestId/vote: described in the interface specification with its request, response and errors	routes/exits.ts:192	Claude	P2		Done
5930	POST /api/exits/:requestId/vote: integration test: success	routes/exits.ts:192	Claude	P1	17	Open
5931	POST /api/exits/:requestId/vote: integration test: refused for a member without access	routes/exits.ts:192	Claude	P1		Done
5932	POST /api/exits/:requestId/vote: integration test: refused for invalid input	routes/exits.ts:192	Claude	P1		Done
5933	POST /api/exits/:requestId/settle: input checked against a schema before any logic	routes/exits.ts:243	Claude	P1		Done
5934	POST /api/exits/:requestId/settle: sign in required	routes/exits.ts:243	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
5935	POST /api/exits/:requestId/settle: access checked against membership, hosting or ownership of the record before acting	routes/exits.ts:243	Claude	P1		Done
5936	POST /api/exits/:requestId/settle: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/exits.ts:243	Claude	P1		Done
5937	POST /api/exits/:requestId/settle: idempotency key accepted and enforced	routes/exits.ts:243	Claude	P1	17	Open
5938	POST /api/exits/:requestId/settle: audit log entry with the actor, the action and the record	routes/exits.ts:243	Claude	P1		Done
5939	POST /api/exits/:requestId/settle: writes made in one database transaction	routes/exits.ts:243	Claude	P1		Done
5940	POST /api/exits/:requestId/settle: response carries no internal field and no other member's personal data	routes/exits.ts:243	Claude	P1		Done
5941	POST /api/exits/:requestId/settle: error responses use the shared error codes and plain messages	routes/exits.ts:243	Claude	P1		Done
5942	POST /api/exits/:requestId/settle: described in the interface specification with its request, response and errors	routes/exits.ts:243	Claude	P2		Done
5943	POST /api/exits/:requestId/settle: integration test: success	routes/exits.ts:243	Claude	P1	17	Open
5944	POST /api/exits/:requestId/settle: integration test: refused for a member without access	routes/exits.ts:243	Claude	P1		Done
5945	POST /api/exits/:requestId/settle: integration test: refused for invalid input	routes/exits.ts:243	Claude	P1	17	Open
5946	GET /api/exits/committee/:id: input checked against a schema before any logic	routes/exits.ts:267	Claude	P1		Done
5947	GET /api/exits/committee/:id: sign in required	routes/exits.ts:267	Claude	P0		Done
5948	GET /api/exits/committee/:id: access checked against membership, hosting or ownership of the record before acting	routes/exits.ts:267	Claude	P1		Done
5949	GET /api/exits/committee/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/exits.ts:267	Claude	P1		Done
5950	GET /api/exits/committee/:id: every list bounded with a limit and cursor pagination	routes/exits.ts:267	Claude	P1		Done
5951	GET /api/exits/committee/:id: response carries no internal field and no other member's personal data	routes/exits.ts:267	Claude	P1		Done
5952	GET /api/exits/committee/:id: error responses use the shared error codes and plain messages	routes/exits.ts:267	Claude	P1		Done
5953	GET /api/exits/committee/:id: described in the interface specification with its request, response and errors	routes/exits.ts:267	Claude	P2		Done
5954	GET /api/exits/committee/:id: integration test: success	routes/exits.ts:267	Claude	P1	17	Open
5955	GET /api/exits/committee/:id: integration test: refused for a member without access	routes/exits.ts:267	Claude	P1		Done
5956	GET /api/exits/committee/:id: integration test: refused for invalid input	routes/exits.ts:267	Claude	P1	17	Open
5957	GET /api/notifications: input checked against a schema before any logic	routes/notifications.ts:7	Claude	P1		Done
5958	GET /api/notifications: sign in required	routes/notifications.ts:7	Claude	P0		Done
5959	GET /api/notifications: access checked against membership, hosting or ownership of the record before acting	routes/notifications.ts:7	Claude	P1		Done
5960	GET /api/notifications: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/notifications.ts:7	Claude	P1		Done
5961	GET /api/notifications: every list bounded with a limit and cursor pagination	routes/notifications.ts:7	Claude	P1		Done
5962	GET /api/notifications: response carries no internal field and no other member's personal data	routes/notifications.ts:7	Claude	P1		Done
5963	GET /api/notifications: error responses use the shared error codes and plain messages	routes/notifications.ts:7	Claude	P1		Done
5964	GET /api/notifications: described in the interface specification with its request, response and errors	routes/notifications.ts:7	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
5965	GET /api/notifications: integration test: success	routes/notifications.ts:7	Claude	P1		Done
5966	GET /api/notifications: integration test: refused for a member without access	routes/notifications.ts:7	Claude	P1		Done
5967	GET /api/notifications: integration test: refused for invalid input	routes/notifications.ts:7	Claude	P1		Done
5968	PATCH /api/notifications/:id/read: input checked against a schema before any logic	routes/notifications.ts:8	Claude	P1		Done
5969	PATCH /api/notifications/:id/read: sign in required	routes/notifications.ts:8	Claude	P0		Done
5970	PATCH /api/notifications/:id/read: access checked against membership, hosting or ownership of the record before acting	routes/notifications.ts:8	Claude	P1		Done
5971	PATCH /api/notifications/:id/read: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/notifications.ts:8	Claude	P1		Done
5972	PATCH /api/notifications/:id/read: idempotency key accepted and enforced	routes/notifications.ts:8	Claude	P1		Done
5973	PATCH /api/notifications/:id/read: audit log entry with the actor, the action and the record	routes/notifications.ts:8	Claude	P1		Done
5974	PATCH /api/notifications/:id/read: writes made in one database transaction, or shown to need none	routes/notifications.ts:8	Claude	P1		Done
5975	PATCH /api/notifications/:id/read: response carries no internal field and no other member's personal data	routes/notifications.ts:8	Claude	P1		Done
5976	PATCH /api/notifications/:id/read: error responses use the shared error codes and plain messages	routes/notifications.ts:8	Claude	P1		Done
5977	PATCH /api/notifications/:id/read: described in the interface specification with its request, response and errors	routes/notifications.ts:8	Claude	P2		Done
5978	PATCH /api/notifications/:id/read: integration test: success	routes/notifications.ts:8	Claude	P1	17	Open
5979	PATCH /api/notifications/:id/read: integration test: refused for a member without access	routes/notifications.ts:8	Claude	P1		Done
5980	PATCH /api/notifications/:id/read: integration test: refused for invalid input	routes/notifications.ts:8	Claude	P1	17	Open
5981	PATCH /api/notifications/read-all: input checked against a schema before any logic	routes/notifications.ts:12	Claude	P1		Done
5982	PATCH /api/notifications/read-all: sign in required	routes/notifications.ts:12	Claude	P0		Done
5983	PATCH /api/notifications/read-all: access checked against membership, hosting or ownership of the record before acting	routes/notifications.ts:12	Claude	P1		Done
5984	PATCH /api/notifications/read-all: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/notifications.ts:12	Claude	P1		Done
5985	PATCH /api/notifications/read-all: idempotency key accepted and enforced	routes/notifications.ts:12	Claude	P1		Done
5986	PATCH /api/notifications/read-all: audit log entry with the actor, the action and the record	routes/notifications.ts:12	Claude	P1		Done
5987	PATCH /api/notifications/read-all: writes made in one database transaction, or shown to need none	routes/notifications.ts:12	Claude	P1		Done
5988	PATCH /api/notifications/read-all: response carries no internal field and no other member's personal data	routes/notifications.ts:12	Claude	P1		Done
5989	PATCH /api/notifications/read-all: error responses use the shared error codes and plain messages	routes/notifications.ts:12	Claude	P1		Done
5990	PATCH /api/notifications/read-all: described in the interface specification with its request, response and errors	routes/notifications.ts:12	Claude	P2		Done
5991	PATCH /api/notifications/read-all: integration test: success	routes/notifications.ts:12	Claude	P1		Done
5992	PATCH /api/notifications/read-all: integration test: refused for a member without access	routes/notifications.ts:12	Claude	P1		Done
5993	PATCH /api/notifications/read-all: integration test: refused for invalid input	routes/notifications.ts:12	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
5994	GET /api/partner: input checked against a schema before any logic	routes/partner.ts:29	Claude	P1		Done
5995	GET /api/partner: sign in required	routes/partner.ts:29	Claude	P0		Done
5996	GET /api/partner: access checked against membership, hosting or ownership of the record before acting	routes/partner.ts:29	Claude	P1	17	Open
5997	GET /api/partner: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/partner.ts:29	Claude	P1		Done
5998	GET /api/partner: every list bounded with a limit and cursor pagination	routes/partner.ts:29	Claude	P1		Done
5999	GET /api/partner: response carries no internal field and no other member's personal data	routes/partner.ts:29	Claude	P1		Done
6000	GET /api/partner: error responses use the shared error codes and plain messages	routes/partner.ts:29	Claude	P1		Done
6001	GET /api/partner: described in the interface specification with its request, response and errors	routes/partner.ts:29	Claude	P2		Done
6002	GET /api/partner: integration test: success	routes/partner.ts:29	Claude	P1	17	Open
6003	GET /api/partner: integration test: refused for a member without access	routes/partner.ts:29	Claude	P1	17	Open
6004	GET /api/partner: integration test: refused for invalid input	routes/partner.ts:29	Claude	P1	17	Open
6005	POST /api/partner/kyc: input checked against a schema before any logic	routes/partner.ts:40	Claude	P1		Done
6006	POST /api/partner/kyc: sign in required	routes/partner.ts:40	Claude	P0		Done
6007	POST /api/partner/kyc: access checked against membership, hosting or ownership of the record before acting	routes/partner.ts:40	Claude	P1		Done
6008	POST /api/partner/kyc: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/partner.ts:40	Claude	P1		Done
6009	POST /api/partner/kyc: idempotency key accepted and enforced	routes/partner.ts:40	Claude	P1	17	Open
6010	POST /api/partner/kyc: audit log entry with the actor, the action and the record	routes/partner.ts:40	Claude	P1		Done
6011	POST /api/partner/kyc: writes made in one database transaction	routes/partner.ts:40	Claude	P1		Done
6012	POST /api/partner/kyc: response carries no internal field and no other member's personal data	routes/partner.ts:40	Claude	P1		Done
6013	POST /api/partner/kyc: error responses use the shared error codes and plain messages	routes/partner.ts:40	Claude	P1		Done
6014	POST /api/partner/kyc: described in the interface specification with its request, response and errors	routes/partner.ts:40	Claude	P2		Done
6015	POST /api/partner/kyc: integration test: success	routes/partner.ts:40	Claude	P1	17	Open
6016	POST /api/partner/kyc: integration test: refused for a member without access	routes/partner.ts:40	Claude	P1	17	Open
6017	POST /api/partner/kyc: integration test: refused for invalid input	routes/partner.ts:40	Claude	P1	17	Open
6018	POST /api/partner/committees/:id/statements: input checked against a schema before any logic	routes/partner.ts:69	Claude	P1		Done
6019	POST /api/partner/committees/:id/statements: sign in required	routes/partner.ts:69	Claude	P0		Done
6020	POST /api/partner/committees/:id/statements: access checked against membership, hosting or ownership of the record before acting	routes/partner.ts:69	Claude	P1		Done
6021	POST /api/partner/committees/:id/statements: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/partner.ts:69	Claude	P1		Done
6022	POST /api/partner/committees/:id/statements: idempotency key accepted and enforced	routes/partner.ts:69	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6023	POST /api/partner/committees/:id/statements: audit log entry with the actor, the action and the record	routes/partner.ts:69	Claude	P1		Done
6024	POST /api/partner/committees/:id/statements: writes made in one database transaction	routes/partner.ts:69	Claude	P1		Done
6025	POST /api/partner/committees/:id/statements: every list bounded with a limit and cursor pagination	routes/partner.ts:69	Claude	P1		Done
6026	POST /api/partner/committees/:id/statements: response carries no internal field and no other member's personal data	routes/partner.ts:69	Claude	P1		Done
6027	POST /api/partner/committees/:id/statements: error responses use the shared error codes and plain messages	routes/partner.ts:69	Claude	P1		Done
6028	POST /api/partner/committees/:id/statements: described in the interface specification with its request, response and errors	routes/partner.ts:69	Claude	P2		Done
6029	POST /api/partner/committees/:id/statements: integration test: success	routes/partner.ts:69	Claude	P1	17	Open
6030	POST /api/partner/committees/:id/statements: integration test: refused for a member without access	routes/partner.ts:69	Claude	P1	17	Open
6031	POST /api/partner/committees/:id/statements: integration test: refused for invalid input	routes/partner.ts:69	Claude	P1	17	Open
6032	POST /api/payments/initiate: input checked against a schema before any logic	routes/payments.ts:19	Claude	P0		Done
6033	POST /api/payments/initiate: sign in required	routes/payments.ts:19	Claude	P0		Done
6034	POST /api/payments/initiate: access checked against membership, hosting or ownership of the record before acting	routes/payments.ts:19	Claude	P0		Done
6035	POST /api/payments/initiate: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/payments.ts:19	Claude	P0		Done
6036	POST /api/payments/initiate: idempotency key accepted and enforced	routes/payments.ts:19	Claude	P0		Done
6037	POST /api/payments/initiate: audit log entry with the actor, the action and the record	routes/payments.ts:19	Claude	P0		Done
6038	POST /api/payments/initiate: writes made in one database transaction	routes/payments.ts:19	Claude	P0		Done
6039	POST /api/payments/initiate: response carries no internal field and no other member's personal data	routes/payments.ts:19	Claude	P0		Done
6040	POST /api/payments/initiate: error responses use the shared error codes and plain messages	routes/payments.ts:19	Claude	P0		Done
6041	POST /api/payments/initiate: described in the interface specification with its request, response and errors	routes/payments.ts:19	Claude	P2		Done
6042	POST /api/payments/initiate: integration test: success	routes/payments.ts:19	Claude	P1	17	Open
6043	POST /api/payments/initiate: integration test: refused for a member without access	routes/payments.ts:19	Claude	P1		Done
6044	POST /api/payments/initiate: integration test: refused for invalid input	routes/payments.ts:19	Claude	P1		Done
6045	GET /api/payments/mine: input checked against a schema before any logic	routes/payments.ts:42	Claude	P0		Done
6046	GET /api/payments/mine: sign in required	routes/payments.ts:42	Claude	P0		Done
6047	GET /api/payments/mine: access checked against membership, hosting or ownership of the record before acting	routes/payments.ts:42	Claude	P0		Done
6048	GET /api/payments/mine: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/payments.ts:42	Claude	P0		Done
6049	GET /api/payments/mine: every list bounded with a limit and cursor pagination	routes/payments.ts:42	Claude	P0		Done
6050	GET /api/payments/mine: response carries no internal field and no other member's personal data	routes/payments.ts:42	Claude	P0		Done
6051	GET /api/payments/mine: error responses use the shared error codes and plain messages	routes/payments.ts:42	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
6052	GET /api/payments/mine: described in the interface specification with its request, response and errors	routes/payments.ts:42	Claude	P2		Done
6053	GET /api/payments/mine: integration test: success	routes/payments.ts:42	Claude	P1		Done
6054	GET /api/payments/mine: integration test: refused for a member without access	routes/payments.ts:42	Claude	P1		Done
6055	GET /api/payments/mine: integration test: refused for invalid input	routes/payments.ts:42	Claude	P1		Done
6056	POST /api/payments: input checked against a schema before any logic	routes/payments.ts:46	Claude	P0		Done
6057	POST /api/payments: sign in required	routes/payments.ts:46	Claude	P0		Done
6058	POST /api/payments: access checked against membership, hosting or ownership of the record before acting	routes/payments.ts:46	Claude	P0		Done
6059	POST /api/payments: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/payments.ts:46	Claude	P0		Done
6060	POST /api/payments: idempotency key accepted and enforced	routes/payments.ts:46	Claude	P0		Done
6061	POST /api/payments: audit log entry with the actor, the action and the record	routes/payments.ts:46	Claude	P0		Done
6062	POST /api/payments: writes made in one database transaction	routes/payments.ts:46	Claude	P0		Done
6063	POST /api/payments: response carries no internal field and no other member's personal data	routes/payments.ts:46	Claude	P0		Done
6064	POST /api/payments: error responses use the shared error codes and plain messages	routes/payments.ts:46	Claude	P0		Done
6065	POST /api/payments: described in the interface specification with its request, response and errors	routes/payments.ts:46	Claude	P2		Done
6066	POST /api/payments: integration test: success	routes/payments.ts:46	Claude	P1	17	Open
6067	POST /api/payments: integration test: refused for a member without access	routes/payments.ts:46	Claude	P1		Done
6068	POST /api/payments: integration test: refused for invalid input	routes/payments.ts:46	Claude	P1		Done
6069	POST /api/profile/verify-income: input checked against a schema before any logic	routes/profile.ts:21	Claude	P1		Done
6070	POST /api/profile/verify-income: sign in required	routes/profile.ts:21	Claude	P0		Done
6071	POST /api/profile/verify-income: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:21	Claude	P1		Done
6072	POST /api/profile/verify-income: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:21	Claude	P1		Done
6073	POST /api/profile/verify-income: idempotency key accepted and enforced	routes/profile.ts:21	Claude	P1		Done
6074	POST /api/profile/verify-income: audit log entry with the actor, the action and the record	routes/profile.ts:21	Claude	P1		Done
6075	POST /api/profile/verify-income: writes made in one database transaction, or shown to need none	routes/profile.ts:21	Claude	P1		Done
6076	POST /api/profile/verify-income: response carries no internal field and no other member's personal data	routes/profile.ts:21	Claude	P1		Done
6077	POST /api/profile/verify-income: error responses use the shared error codes and plain messages	routes/profile.ts:21	Claude	P1		Done
6078	POST /api/profile/verify-income: described in the interface specification with its request, response and errors	routes/profile.ts:21	Claude	P2		Done
6079	POST /api/profile/verify-income: integration test: success	routes/profile.ts:21	Claude	P1		Done
6080	POST /api/profile/verify-income: integration test: refused for a member without access	routes/profile.ts:21	Claude	P1		Done
6081	POST /api/profile/verify-income: integration test: refused for invalid input	routes/profile.ts:21	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6082	POST /api/profile/secure-cheque: input checked against a schema before any logic	routes/profile.ts:33	Claude	P1		Done
6083	POST /api/profile/secure-cheque: sign in required	routes/profile.ts:33	Claude	P0		Done
6084	POST /api/profile/secure-cheque: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:33	Claude	P1		Done
6085	POST /api/profile/secure-cheque: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:33	Claude	P1		Done
6086	POST /api/profile/secure-cheque: idempotency key accepted and enforced	routes/profile.ts:33	Claude	P1		Done
6087	POST /api/profile/secure-cheque: audit log entry with the actor, the action and the record	routes/profile.ts:33	Claude	P1		Done
6088	POST /api/profile/secure-cheque: writes made in one database transaction, or shown to need none	routes/profile.ts:33	Claude	P1		Done
6089	POST /api/profile/secure-cheque: response carries no internal field and no other member's personal data	routes/profile.ts:33	Claude	P1		Done
6090	POST /api/profile/secure-cheque: error responses use the shared error codes and plain messages	routes/profile.ts:33	Claude	P1		Done
6091	POST /api/profile/secure-cheque: described in the interface specification with its request, response and errors	routes/profile.ts:33	Claude	P2		Done
6092	POST /api/profile/secure-cheque: integration test: success	routes/profile.ts:33	Claude	P1		Done
6093	POST /api/profile/secure-cheque: integration test: refused for a member without access	routes/profile.ts:33	Claude	P1		Done
6094	POST /api/profile/secure-cheque: integration test: refused for invalid input	routes/profile.ts:33	Claude	P1		Done
6095	POST /api/profile/clear-verification: input checked against a schema before any logic	routes/profile.ts:41	Claude	P1		Done
6096	POST /api/profile/clear-verification: sign in required	routes/profile.ts:41	Claude	P0		Done
6097	POST /api/profile/clear-verification: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:41	Claude	P1		Done
6098	POST /api/profile/clear-verification: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:41	Claude	P1		Done
6099	POST /api/profile/clear-verification: idempotency key accepted and enforced	routes/profile.ts:41	Claude	P1		Done
6100	POST /api/profile/clear-verification: audit log entry with the actor, the action and the record	routes/profile.ts:41	Claude	P1		Done
6101	POST /api/profile/clear-verification: writes made in one database transaction, or shown to need none	routes/profile.ts:41	Claude	P1		Done
6102	POST /api/profile/clear-verification: response carries no internal field and no other member's personal data	routes/profile.ts:41	Claude	P1		Done
6103	POST /api/profile/clear-verification: error responses use the shared error codes and plain messages	routes/profile.ts:41	Claude	P1		Done
6104	POST /api/profile/clear-verification: described in the interface specification with its request, response and errors	routes/profile.ts:41	Claude	P2		Done
6105	POST /api/profile/clear-verification: integration test: success	routes/profile.ts:41	Claude	P1		Done
6106	POST /api/profile/clear-verification: integration test: refused for a member without access	routes/profile.ts:41	Claude	P1		Done
6107	POST /api/profile/clear-verification: integration test: refused for invalid input	routes/profile.ts:41	Claude	P1		Done
6108	GET /api/profile/credit: input checked against a schema before any logic	routes/profile.ts:48	Claude	P1		Done
6109	GET /api/profile/credit: sign in required	routes/profile.ts:48	Claude	P0		Done
6110	GET /api/profile/credit: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:48	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6111	GET /api/profile/credit: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:48	Claude	P1		Done
6112	GET /api/profile/credit: every list bounded with a limit and cursor pagination	routes/profile.ts:48	Claude	P1		Done
6113	GET /api/profile/credit: response carries no internal field and no other member's personal data	routes/profile.ts:48	Claude	P1		Done
6114	GET /api/profile/credit: error responses use the shared error codes and plain messages	routes/profile.ts:48	Claude	P1		Done
6115	GET /api/profile/credit: described in the interface specification with its request, response and errors	routes/profile.ts:48	Claude	P2		Done
6116	GET /api/profile/credit: integration test: success	routes/profile.ts:48	Claude	P1		Done
6117	GET /api/profile/credit: integration test: refused for a member without access	routes/profile.ts:48	Claude	P1		Done
6118	GET /api/profile/credit: integration test: refused for invalid input	routes/profile.ts:48	Claude	P1		Done
6119	GET /api/profile/reputation/:userId: input checked against a schema before any logic	routes/profile.ts:50	Claude	P1		Done
6120	GET /api/profile/reputation/:userId: sign in required	routes/profile.ts:50	Claude	P0		Done
6121	GET /api/profile/reputation/:userId: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:50	Claude	P1	17	Open
6122	GET /api/profile/reputation/:userId: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:50	Claude	P1		Done
6123	GET /api/profile/reputation/:userId: response carries no internal field and no other member's personal data	routes/profile.ts:50	Claude	P1		Done
6124	GET /api/profile/reputation/:userId: error responses use the shared error codes and plain messages	routes/profile.ts:50	Claude	P1		Done
6125	GET /api/profile/reputation/:userId: described in the interface specification with its request, response and errors	routes/profile.ts:50	Claude	P2		Done
6126	GET /api/profile/reputation/:userId: integration test: success	routes/profile.ts:50	Claude	P1		Done
6127	GET /api/profile/reputation/:userId: integration test: refused for a member without access	routes/profile.ts:50	Claude	P1		Done
6128	GET /api/profile/reputation/:userId: integration test: refused for invalid input	routes/profile.ts:50	Claude	P1		Done
6129	POST /api/profile/passport: input checked against a schema before any logic	routes/profile.ts:58	Claude	P1		Done
6130	POST /api/profile/passport: sign in required	routes/profile.ts:58	Claude	P0		Done
6131	POST /api/profile/passport: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:58	Claude	P1	17	Open
6132	POST /api/profile/passport: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:58	Claude	P1		Done
6133	POST /api/profile/passport: idempotency key accepted and enforced	routes/profile.ts:58	Claude	P1	17	Open
6134	POST /api/profile/passport: audit log entry with the actor, the action and the record	routes/profile.ts:58	Claude	P1		Done
6135	POST /api/profile/passport: writes made in one database transaction, or shown to need none	routes/profile.ts:58	Claude	P1		Done
6136	POST /api/profile/passport: response carries no internal field and no other member's personal data	routes/profile.ts:58	Claude	P1		Done
6137	POST /api/profile/passport: error responses use the shared error codes and plain messages	routes/profile.ts:58	Claude	P1		Done
6138	POST /api/profile/passport: described in the interface specification with its request, response and errors	routes/profile.ts:58	Claude	P2		Done
6139	POST /api/profile/passport: integration test: success	routes/profile.ts:58	Claude	P1		Done
6140	POST /api/profile/passport: integration test: refused for a member without access	routes/profile.ts:58	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6141	POST /api/profile/passport: integration test: refused for invalid input	routes/profile.ts:58	Claude	P1		Done
6142	GET /api/profile/summary: input checked against a schema before any logic	routes/profile.ts:66	Claude	P1		Done
6143	GET /api/profile/summary: sign in required	routes/profile.ts:66	Claude	P0		Done
6144	GET /api/profile/summary: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:66	Claude	P1		Done
6145	GET /api/profile/summary: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:66	Claude	P1		Done
6146	GET /api/profile/summary: every list bounded with a limit and cursor pagination	routes/profile.ts:66	Claude	P1		Done
6147	GET /api/profile/summary: response carries no internal field and no other member's personal data	routes/profile.ts:66	Claude	P1		Done
6148	GET /api/profile/summary: error responses use the shared error codes and plain messages	routes/profile.ts:66	Claude	P1		Done
6149	GET /api/profile/summary: described in the interface specification with its request, response and errors	routes/profile.ts:66	Claude	P2		Done
6150	GET /api/profile/summary: integration test: success	routes/profile.ts:66	Claude	P1		Done
6151	GET /api/profile/summary: integration test: refused for a member without access	routes/profile.ts:66	Claude	P1		Done
6152	GET /api/profile/summary: integration test: refused for invalid input	routes/profile.ts:66	Claude	P1		Done
6153	GET /api/profile/consent: input checked against a schema before any logic	routes/profile.ts:92	Claude	P1		Done
6154	GET /api/profile/consent: sign in required	routes/profile.ts:92	Claude	P0		Done
6155	GET /api/profile/consent: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:92	Claude	P1		Done
6156	GET /api/profile/consent: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:92	Claude	P1		Done
6157	GET /api/profile/consent: every list bounded with a limit and cursor pagination	routes/profile.ts:92	Claude	P1		Done
6158	GET /api/profile/consent: response carries no internal field and no other member's personal data	routes/profile.ts:92	Claude	P1		Done
6159	GET /api/profile/consent: error responses use the shared error codes and plain messages	routes/profile.ts:92	Claude	P1		Done
6160	GET /api/profile/consent: described in the interface specification with its request, response and errors	routes/profile.ts:92	Claude	P2		Done
6161	GET /api/profile/consent: integration test: success	routes/profile.ts:92	Claude	P1		Done
6162	GET /api/profile/consent: integration test: refused for a member without access	routes/profile.ts:92	Claude	P1		Done
6163	GET /api/profile/consent: integration test: refused for invalid input	routes/profile.ts:92	Claude	P1		Done
6164	PATCH /api/profile/consent: input checked against a schema before any logic	routes/profile.ts:96	Claude	P1		Done
6165	PATCH /api/profile/consent: sign in required	routes/profile.ts:96	Claude	P0		Done
6166	PATCH /api/profile/consent: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:96	Claude	P1		Done
6167	PATCH /api/profile/consent: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:96	Claude	P1		Done
6168	PATCH /api/profile/consent: idempotency key accepted and enforced	routes/profile.ts:96	Claude	P1		Done
6169	PATCH /api/profile/consent: audit log entry with the actor, the action and the record	routes/profile.ts:96	Claude	P1		Done
6170	PATCH /api/profile/consent: writes made in one database transaction, or shown to need none	routes/profile.ts:96	Claude	P1		Done
6171	PATCH /api/profile/consent: response carries no internal field and no other member's personal data	routes/profile.ts:96	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6172	PATCH /api/profile/consent: error responses use the shared error codes and plain messages	routes/profile.ts:96	Claude	P1		Done
6173	PATCH /api/profile/consent: described in the interface specification with its request, response and errors	routes/profile.ts:96	Claude	P2		Done
6174	PATCH /api/profile/consent: integration test: success	routes/profile.ts:96	Claude	P1		Done
6175	PATCH /api/profile/consent: integration test: refused for a member without access	routes/profile.ts:96	Claude	P1		Done
6176	PATCH /api/profile/consent: integration test: refused for invalid input	routes/profile.ts:96	Claude	P1		Done
6177	GET /api/profile/payment-methods: input checked against a schema before any logic	routes/profile.ts:118	Claude	P1		Done
6178	GET /api/profile/payment-methods: sign in required	routes/profile.ts:118	Claude	P0		Done
6179	GET /api/profile/payment-methods: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:118	Claude	P1		Done
6180	GET /api/profile/payment-methods: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:118	Claude	P1		Done
6181	GET /api/profile/payment-methods: every list bounded with a limit and cursor pagination	routes/profile.ts:118	Claude	P1		Done
6182	GET /api/profile/payment-methods: response carries no internal field and no other member's personal data	routes/profile.ts:118	Claude	P1		Done
6183	GET /api/profile/payment-methods: error responses use the shared error codes and plain messages	routes/profile.ts:118	Claude	P1		Done
6184	GET /api/profile/payment-methods: described in the interface specification with its request, response and errors	routes/profile.ts:118	Claude	P2		Done
6185	GET /api/profile/payment-methods: integration test: success	routes/profile.ts:118	Claude	P1		Done
6186	GET /api/profile/payment-methods: integration test: refused for a member without access	routes/profile.ts:118	Claude	P1		Done
6187	GET /api/profile/payment-methods: integration test: refused for invalid input	routes/profile.ts:118	Claude	P1		Done
6188	POST /api/profile/payment-methods: input checked against a schema before any logic	routes/profile.ts:123	Claude	P1		Done
6189	POST /api/profile/payment-methods: sign in required	routes/profile.ts:123	Claude	P0		Done
6190	POST /api/profile/payment-methods: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:123	Claude	P1		Done
6191	POST /api/profile/payment-methods: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:123	Claude	P1		Done
6192	POST /api/profile/payment-methods: idempotency key accepted and enforced	routes/profile.ts:123	Claude	P1	17	Open
6193	POST /api/profile/payment-methods: audit log entry with the actor, the action and the record	routes/profile.ts:123	Claude	P1		Done
6194	POST /api/profile/payment-methods: writes made in one database transaction	routes/profile.ts:123	Claude	P1		Done
6195	POST /api/profile/payment-methods: response carries no internal field and no other member's personal data	routes/profile.ts:123	Claude	P1		Done
6196	POST /api/profile/payment-methods: error responses use the shared error codes and plain messages	routes/profile.ts:123	Claude	P1		Done
6197	POST /api/profile/payment-methods: described in the interface specification with its request, response and errors	routes/profile.ts:123	Claude	P2		Done
6198	POST /api/profile/payment-methods: integration test: success	routes/profile.ts:123	Claude	P1		Done
6199	POST /api/profile/payment-methods: integration test: refused for a member without access	routes/profile.ts:123	Claude	P1		Done
6200	POST /api/profile/payment-methods: integration test: refused for invalid input	routes/profile.ts:123	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6201	POST /api/profile/payment-methods/:id/verify: input checked against a schema before any logic	routes/profile.ts:190	Claude	P1		Done
6202	POST /api/profile/payment-methods/:id/verify: sign in required	routes/profile.ts:190	Claude	P0		Done
6203	POST /api/profile/payment-methods/:id/verify: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:190	Claude	P1		Done
6204	POST /api/profile/payment-methods/:id/verify: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:190	Claude	P1		Done
6205	POST /api/profile/payment-methods/:id/verify: idempotency key accepted and enforced	routes/profile.ts:190	Claude	P1	17	Open
6206	POST /api/profile/payment-methods/:id/verify: audit log entry with the actor, the action and the record	routes/profile.ts:190	Claude	P1		Done
6207	POST /api/profile/payment-methods/:id/verify: writes made in one database transaction	routes/profile.ts:190	Claude	P1		Done
6208	POST /api/profile/payment-methods/:id/verify: response carries no internal field and no other member's personal data	routes/profile.ts:190	Claude	P1		Done
6209	POST /api/profile/payment-methods/:id/verify: error responses use the shared error codes and plain messages	routes/profile.ts:190	Claude	P1		Done
6210	POST /api/profile/payment-methods/:id/verify: described in the interface specification with its request, response and errors	routes/profile.ts:190	Claude	P2		Done
6211	POST /api/profile/payment-methods/:id/verify: integration test: success	routes/profile.ts:190	Claude	P1	17	Open
6212	POST /api/profile/payment-methods/:id/verify: integration test: refused for a member without access	routes/profile.ts:190	Claude	P1		Done
6213	POST /api/profile/payment-methods/:id/verify: integration test: refused for invalid input	routes/profile.ts:190	Claude	P1		Done
6214	POST /api/profile/payment-methods/:id/preferred: input checked against a schema before any logic	routes/profile.ts:210	Claude	P1		Done
6215	POST /api/profile/payment-methods/:id/preferred: sign in required	routes/profile.ts:210	Claude	P0		Done
6216	POST /api/profile/payment-methods/:id/preferred: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:210	Claude	P1		Done
6217	POST /api/profile/payment-methods/:id/preferred: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:210	Claude	P1		Done
6218	POST /api/profile/payment-methods/:id/preferred: idempotency key accepted and enforced	routes/profile.ts:210	Claude	P1		Done
6219	POST /api/profile/payment-methods/:id/preferred: audit log entry with the actor, the action and the record	routes/profile.ts:210	Claude	P1		Done
6220	POST /api/profile/payment-methods/:id/preferred: writes made in one database transaction, or shown to need none	routes/profile.ts:210	Claude	P1		Done
6221	POST /api/profile/payment-methods/:id/preferred: response carries no internal field and no other member's personal data	routes/profile.ts:210	Claude	P1		Done
6222	POST /api/profile/payment-methods/:id/preferred: error responses use the shared error codes and plain messages	routes/profile.ts:210	Claude	P1		Done
6223	POST /api/profile/payment-methods/:id/preferred: described in the interface specification with its request, response and errors	routes/profile.ts:210	Claude	P2		Done
6224	POST /api/profile/payment-methods/:id/preferred: integration test: success	routes/profile.ts:210	Claude	P1	17	Open
6225	POST /api/profile/payment-methods/:id/preferred: integration test: refused for a member without access	routes/profile.ts:210	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6226	POST /api/profile/payment-methods/:id/preferred: integration test: refused for invalid input	routes/profile.ts:210	Claude	P1		Done
6227	POST /api/profile/payment-methods/:id/salary: input checked against a schema before any logic	routes/profile.ts:226	Claude	P1		Done
6228	POST /api/profile/payment-methods/:id/salary: sign in required	routes/profile.ts:226	Claude	P0		Done
6229	POST /api/profile/payment-methods/:id/salary: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:226	Claude	P1		Done
6230	POST /api/profile/payment-methods/:id/salary: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:226	Claude	P1		Done
6231	POST /api/profile/payment-methods/:id/salary: idempotency key accepted and enforced	routes/profile.ts:226	Claude	P1		Done
6232	POST /api/profile/payment-methods/:id/salary: audit log entry with the actor, the action and the record	routes/profile.ts:226	Claude	P1		Done
6233	POST /api/profile/payment-methods/:id/salary: writes made in one database transaction, or shown to need none	routes/profile.ts:226	Claude	P1		Done
6234	POST /api/profile/payment-methods/:id/salary: response carries no internal field and no other member's personal data	routes/profile.ts:226	Claude	P1		Done
6235	POST /api/profile/payment-methods/:id/salary: error responses use the shared error codes and plain messages	routes/profile.ts:226	Claude	P1		Done
6236	POST /api/profile/payment-methods/:id/salary: described in the interface specification with its request, response and errors	routes/profile.ts:226	Claude	P2		Done
6237	POST /api/profile/payment-methods/:id/salary: integration test: success	routes/profile.ts:226	Claude	P1	17	Open
6238	POST /api/profile/payment-methods/:id/salary: integration test: refused for a member without access	routes/profile.ts:226	Claude	P1		Done
6239	POST /api/profile/payment-methods/:id/salary: integration test: refused for invalid input	routes/profile.ts:226	Claude	P1		Done
6240	DELETE /api/profile/payment-methods/:id: input checked against a schema before any logic	routes/profile.ts:246	Claude	P1		Done
6241	DELETE /api/profile/payment-methods/:id: sign in required	routes/profile.ts:246	Claude	P0		Done
6242	DELETE /api/profile/payment-methods/:id: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:246	Claude	P1		Done
6243	DELETE /api/profile/payment-methods/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:246	Claude	P1		Done
6244	DELETE /api/profile/payment-methods/:id: idempotency key accepted and enforced	routes/profile.ts:246	Claude	P1	17	Open
6245	DELETE /api/profile/payment-methods/:id: audit log entry with the actor, the action and the record	routes/profile.ts:246	Claude	P1		Done
6246	DELETE /api/profile/payment-methods/:id: writes made in one database transaction, or shown to need none	routes/profile.ts:246	Claude	P1		Done
6247	DELETE /api/profile/payment-methods/:id: response carries no internal field and no other member's personal data	routes/profile.ts:246	Claude	P1		Done
6248	DELETE /api/profile/payment-methods/:id: error responses use the shared error codes and plain messages	routes/profile.ts:246	Claude	P1		Done
6249	DELETE /api/profile/payment-methods/:id: described in the interface specification with its request, response and errors	routes/profile.ts:246	Claude	P2		Done
6250	DELETE /api/profile/payment-methods/:id: integration test: success	routes/profile.ts:246	Claude	P1	17	Open
6251	DELETE /api/profile/payment-methods/:id: integration test: refused for a member without access	routes/profile.ts:246	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6252	DELETE /api/profile/payment-methods/:id: integration test: refused for invalid input	routes/profile.ts:246	Claude	P1		Done
6253	POST /api/profile/salary-day: input checked against a schema before any logic	routes/profile.ts:272	Claude	P1		Done
6254	POST /api/profile/salary-day: sign in required	routes/profile.ts:272	Claude	P0		Done
6255	POST /api/profile/salary-day: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:272	Claude	P1		Done
6256	POST /api/profile/salary-day: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:272	Claude	P1		Done
6257	POST /api/profile/salary-day: idempotency key accepted and enforced	routes/profile.ts:272	Claude	P1		Done
6258	POST /api/profile/salary-day: audit log entry with the actor, the action and the record	routes/profile.ts:272	Claude	P1		Done
6259	POST /api/profile/salary-day: writes made in one database transaction, or shown to need none	routes/profile.ts:272	Claude	P1		Done
6260	POST /api/profile/salary-day: response carries no internal field and no other member's personal data	routes/profile.ts:272	Claude	P1		Done
6261	POST /api/profile/salary-day: error responses use the shared error codes and plain messages	routes/profile.ts:272	Claude	P1		Done
6262	POST /api/profile/salary-day: described in the interface specification with its request, response and errors	routes/profile.ts:272	Claude	P2		Done
6263	POST /api/profile/salary-day: integration test: success	routes/profile.ts:272	Claude	P1		Done
6264	POST /api/profile/salary-day: integration test: refused for a member without access	routes/profile.ts:272	Claude	P1		Done
6265	POST /api/profile/salary-day: integration test: refused for invalid input	routes/profile.ts:272	Claude	P1		Done
6266	GET /api/profile/salary-status: input checked against a schema before any logic	routes/profile.ts:283	Claude	P1		Done
6267	GET /api/profile/salary-status: sign in required	routes/profile.ts:283	Claude	P0		Done
6268	GET /api/profile/salary-status: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:283	Claude	P1		Done
6269	GET /api/profile/salary-status: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:283	Claude	P1		Done
6270	GET /api/profile/salary-status: every list bounded with a limit and cursor pagination	routes/profile.ts:283	Claude	P1		Done
6271	GET /api/profile/salary-status: response carries no internal field and no other member's personal data	routes/profile.ts:283	Claude	P1		Done
6272	GET /api/profile/salary-status: error responses use the shared error codes and plain messages	routes/profile.ts:283	Claude	P1		Done
6273	GET /api/profile/salary-status: described in the interface specification with its request, response and errors	routes/profile.ts:283	Claude	P2		Done
6274	GET /api/profile/salary-status: integration test: success	routes/profile.ts:283	Claude	P1		Done
6275	GET /api/profile/salary-status: integration test: refused for a member without access	routes/profile.ts:283	Claude	P1		Done
6276	GET /api/profile/salary-status: integration test: refused for invalid input	routes/profile.ts:283	Claude	P1		Done
6277	POST /api/profile/payslip: input checked against a schema before any logic	routes/profile.ts:294	Claude	P1		Done
6278	POST /api/profile/payslip: sign in required	routes/profile.ts:294	Claude	P0		Done
6279	POST /api/profile/payslip: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:294	Claude	P1		Done
6280	POST /api/profile/payslip: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:294	Claude	P1		Done
6281	POST /api/profile/payslip: idempotency key accepted and enforced	routes/profile.ts:294	Claude	P1	17	Open
6282	POST /api/profile/payslip: audit log entry with the actor, the action and the record	routes/profile.ts:294	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6283	POST /api/profile/payslip: writes made in one database transaction	routes/profile.ts:294	Claude	P1		Done
6284	POST /api/profile/payslip: response carries no internal field and no other member's personal data	routes/profile.ts:294	Claude	P1		Done
6285	POST /api/profile/payslip: error responses use the shared error codes and plain messages	routes/profile.ts:294	Claude	P1		Done
6286	POST /api/profile/payslip: described in the interface specification with its request, response and errors	routes/profile.ts:294	Claude	P2		Done
6287	POST /api/profile/payslip: integration test: success	routes/profile.ts:294	Claude	P1	17	Open
6288	POST /api/profile/payslip: integration test: refused for a member without access	routes/profile.ts:294	Claude	P1		Done
6289	POST /api/profile/payslip: integration test: refused for invalid input	routes/profile.ts:294	Claude	P1	17	Open
6290	POST /api/profile/salary-signals: input checked against a schema before any logic	routes/profile.ts:316	Claude	P1		Done
6291	POST /api/profile/salary-signals: sign in required	routes/profile.ts:316	Claude	P0		Done
6292	POST /api/profile/salary-signals: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:316	Claude	P1		Done
6293	POST /api/profile/salary-signals: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:316	Claude	P1		Done
6294	POST /api/profile/salary-signals: idempotency key accepted and enforced	routes/profile.ts:316	Claude	P1	17	Open
6295	POST /api/profile/salary-signals: audit log entry with the actor, the action and the record	routes/profile.ts:316	Claude	P1		Done
6296	POST /api/profile/salary-signals: writes made in one database transaction, or shown to need none	routes/profile.ts:316	Claude	P1		Done
6297	POST /api/profile/salary-signals: response carries no internal field and no other member's personal data	routes/profile.ts:316	Claude	P1		Done
6298	POST /api/profile/salary-signals: error responses use the shared error codes and plain messages	routes/profile.ts:316	Claude	P1		Done
6299	POST /api/profile/salary-signals: described in the interface specification with its request, response and errors	routes/profile.ts:316	Claude	P2		Done
6300	POST /api/profile/salary-signals: integration test: success	routes/profile.ts:316	Claude	P1	17	Open
6301	POST /api/profile/salary-signals: integration test: refused for a member without access	routes/profile.ts:316	Claude	P1		Done
6302	POST /api/profile/salary-signals: integration test: refused for invalid input	routes/profile.ts:316	Claude	P1	17	Open
6303	GET /api/profile/leads/summary: input checked against a schema before any logic	routes/profile.ts:340	Claude	P1		Done
6304	GET /api/profile/leads/summary: sign in required	routes/profile.ts:340	Claude	P0		Done
6305	GET /api/profile/leads/summary: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:340	Claude	P1	17	Open
6306	GET /api/profile/leads/summary: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:340	Claude	P1		Done
6307	GET /api/profile/leads/summary: every list bounded with a limit and cursor pagination	routes/profile.ts:340	Claude	P1		Done
6308	GET /api/profile/leads/summary: response carries no internal field and no other member's personal data	routes/profile.ts:340	Claude	P1		Done
6309	GET /api/profile/leads/summary: error responses use the shared error codes and plain messages	routes/profile.ts:340	Claude	P1		Done
6310	GET /api/profile/leads/summary: described in the interface specification with its request, response and errors	routes/profile.ts:340	Claude	P2		Done
6311	GET /api/profile/leads/summary: integration test: success	routes/profile.ts:340	Claude	P1	17	Open
6312	GET /api/profile/leads/summary: integration test: refused for a member without access	routes/profile.ts:340	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6313	GET /api/profile/leads/summary: integration test: refused for invalid input	routes/profile.ts:340	Claude	P1		Done
6314	GET /api/profile/appearance: input checked against a schema before any logic	routes/profile.ts:376	Claude	P1		Done
6315	GET /api/profile/appearance: sign in required	routes/profile.ts:376	Claude	P0		Done
6316	GET /api/profile/appearance: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:376	Claude	P1		Done
6317	GET /api/profile/appearance: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:376	Claude	P1		Done
6318	GET /api/profile/appearance: every list bounded with a limit and cursor pagination	routes/profile.ts:376	Claude	P1		Done
6319	GET /api/profile/appearance: response carries no internal field and no other member's personal data	routes/profile.ts:376	Claude	P1		Done
6320	GET /api/profile/appearance: error responses use the shared error codes and plain messages	routes/profile.ts:376	Claude	P1		Done
6321	GET /api/profile/appearance: described in the interface specification with its request, response and errors	routes/profile.ts:376	Claude	P2		Done
6322	GET /api/profile/appearance: integration test: success	routes/profile.ts:376	Claude	P1		Done
6323	GET /api/profile/appearance: integration test: refused for a member without access	routes/profile.ts:376	Claude	P1		Done
6324	GET /api/profile/appearance: integration test: refused for invalid input	routes/profile.ts:376	Claude	P1		Done
6325	PATCH /api/profile/appearance: input checked against a schema before any logic	routes/profile.ts:389	Claude	P1		Done
6326	PATCH /api/profile/appearance: sign in required	routes/profile.ts:389	Claude	P0		Done
6327	PATCH /api/profile/appearance: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:389	Claude	P1		Done
6328	PATCH /api/profile/appearance: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:389	Claude	P1		Done
6329	PATCH /api/profile/appearance: idempotency key accepted and enforced	routes/profile.ts:389	Claude	P1		Done
6330	PATCH /api/profile/appearance: audit log entry with the actor, the action and the record	routes/profile.ts:389	Claude	P1		Done
6331	PATCH /api/profile/appearance: writes made in one database transaction, or shown to need none	routes/profile.ts:389	Claude	P1		Done
6332	PATCH /api/profile/appearance: response carries no internal field and no other member's personal data	routes/profile.ts:389	Claude	P1		Done
6333	PATCH /api/profile/appearance: error responses use the shared error codes and plain messages	routes/profile.ts:389	Claude	P1		Done
6334	PATCH /api/profile/appearance: described in the interface specification with its request, response and errors	routes/profile.ts:389	Claude	P2		Done
6335	PATCH /api/profile/appearance: integration test: success	routes/profile.ts:389	Claude	P1		Done
6336	PATCH /api/profile/appearance: integration test: refused for a member without access	routes/profile.ts:389	Claude	P1		Done
6337	PATCH /api/profile/appearance: integration test: refused for invalid input	routes/profile.ts:389	Claude	P1	17	Open
6338	PATCH /api/profile/payment-methods/order: input checked against a schema before any logic	routes/profile.ts:420	Claude	P1		Done
6339	PATCH /api/profile/payment-methods/order: sign in required	routes/profile.ts:420	Claude	P0		Done
6340	PATCH /api/profile/payment-methods/order: access checked against membership, hosting or ownership of the record before acting	routes/profile.ts:420	Claude	P1		Done
6341	PATCH /api/profile/payment-methods/order: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/profile.ts:420	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6342	PATCH /api/profile/payment-methods/order: idempotency key accepted and enforced	routes/profile.ts:420	Claude	P1		Done
6343	PATCH /api/profile/payment-methods/order: audit log entry with the actor, the action and the record	routes/profile.ts:420	Claude	P1		Done
6344	PATCH /api/profile/payment-methods/order: writes made in one database transaction, or shown to need none	routes/profile.ts:420	Claude	P1		Done
6345	PATCH /api/profile/payment-methods/order: response carries no internal field and no other member's personal data	routes/profile.ts:420	Claude	P1		Done
6346	PATCH /api/profile/payment-methods/order: error responses use the shared error codes and plain messages	routes/profile.ts:420	Claude	P1		Done
6347	PATCH /api/profile/payment-methods/order: described in the interface specification with its request, response and errors	routes/profile.ts:420	Claude	P2		Done
6348	PATCH /api/profile/payment-methods/order: integration test: success	routes/profile.ts:420	Claude	P1	17	Open
6349	PATCH /api/profile/payment-methods/order: integration test: refused for a member without access	routes/profile.ts:420	Claude	P1		Done
6350	PATCH /api/profile/payment-methods/order: integration test: refused for invalid input	routes/profile.ts:420	Claude	P1		Done
6351	POST /api/protection/delinquency/run: input checked against a schema before any logic	routes/protection.ts:15	Claude	P1		Done
6352	POST /api/protection/delinquency/run: sign in required	routes/protection.ts:15	Claude	P0		Done
6353	POST /api/protection/delinquency/run: access checked against membership, hosting or ownership of the record before acting	routes/protection.ts:15	Claude	P1	17	Open
6354	POST /api/protection/delinquency/run: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/protection.ts:15	Claude	P1		Done
6355	POST /api/protection/delinquency/run: idempotency key accepted and enforced	routes/protection.ts:15	Claude	P1	17	Open
6356	POST /api/protection/delinquency/run: audit log entry with the actor, the action and the record	routes/protection.ts:15	Claude	P1		Done
6357	POST /api/protection/delinquency/run: writes made in one database transaction, or shown to need none	routes/protection.ts:15	Claude	P1		Done
6358	POST /api/protection/delinquency/run: response carries no internal field and no other member's personal data	routes/protection.ts:15	Claude	P1		Done
6359	POST /api/protection/delinquency/run: error responses use the shared error codes and plain messages	routes/protection.ts:15	Claude	P1		Done
6360	POST /api/protection/delinquency/run: described in the interface specification with its request, response and errors	routes/protection.ts:15	Claude	P2		Done
6361	POST /api/protection/delinquency/run: integration test: success	routes/protection.ts:15	Claude	P1	17	Open
6362	POST /api/protection/delinquency/run: integration test: refused for a member without access	routes/protection.ts:15	Claude	P1		Done
6363	POST /api/protection/delinquency/run: integration test: refused for invalid input	routes/protection.ts:15	Claude	P1	17	Open
6364	GET /api/protection/committee/:id: input checked against a schema before any logic	routes/protection.ts:24	Claude	P1		Done
6365	GET /api/protection/committee/:id: sign in required	routes/protection.ts:24	Claude	P0		Done
6366	GET /api/protection/committee/:id: access checked against membership, hosting or ownership of the record before acting	routes/protection.ts:24	Claude	P1		Done
6367	GET /api/protection/committee/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/protection.ts:24	Claude	P1		Done
6368	GET /api/protection/committee/:id: response carries no internal field and no other member's personal data	routes/protection.ts:24	Claude	P1		Done
6369	GET /api/protection/committee/:id: error responses use the shared error codes and plain messages	routes/protection.ts:24	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6370	GET /api/protection/committee/:id: described in the interface specification with its request, response and errors	routes/protection.ts:24	Claude	P2		Done
6371	GET /api/protection/committee/:id: integration test: success	routes/protection.ts:24	Claude	P1		Done
6372	GET /api/protection/committee/:id: integration test: refused for a member without access	routes/protection.ts:24	Claude	P1		Done
6373	GET /api/protection/committee/:id: integration test: refused for invalid input	routes/protection.ts:24	Claude	P1	17	Open
6374	PUT /api/protection/committee/:id/commitment: input checked against a schema before any logic	routes/protection.ts:88	Claude	P1		Done
6375	PUT /api/protection/committee/:id/commitment: sign in required	routes/protection.ts:88	Claude	P0		Done
6376	PUT /api/protection/committee/:id/commitment: access checked against membership, hosting or ownership of the record before acting	routes/protection.ts:88	Claude	P1		Done
6377	PUT /api/protection/committee/:id/commitment: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/protection.ts:88	Claude	P1		Done
6378	PUT /api/protection/committee/:id/commitment: idempotency key accepted and enforced	routes/protection.ts:88	Claude	P1	17	Open
6379	PUT /api/protection/committee/:id/commitment: audit log entry with the actor, the action and the record	routes/protection.ts:88	Claude	P1		Done
6380	PUT /api/protection/committee/:id/commitment: writes made in one database transaction, or shown to need none	routes/protection.ts:88	Claude	P1		Done
6381	PUT /api/protection/committee/:id/commitment: response carries no internal field and no other member's personal data	routes/protection.ts:88	Claude	P1		Done
6382	PUT /api/protection/committee/:id/commitment: error responses use the shared error codes and plain messages	routes/protection.ts:88	Claude	P1		Done
6383	PUT /api/protection/committee/:id/commitment: described in the interface specification with its request, response and errors	routes/protection.ts:88	Claude	P2		Done
6384	PUT /api/protection/committee/:id/commitment: integration test: success	routes/protection.ts:88	Claude	P1	17	Open
6385	PUT /api/protection/committee/:id/commitment: integration test: refused for a member without access	routes/protection.ts:88	Claude	P1		Done
6386	PUT /api/protection/committee/:id/commitment: integration test: refused for invalid input	routes/protection.ts:88	Claude	P1	17	Open
6387	POST /api/protection/committee/:id/commitment/:membershipId/verify: input checked against a schema before any logic	routes/protection.ts:113	Claude	P1		Done
6388	POST /api/protection/committee/:id/commitment/:membershipId/verify: sign in required	routes/protection.ts:113	Claude	P0		Done
6389	POST /api/protection/committee/:id/commitment/:membershipId/verify: access checked against membership, hosting or ownership of the record before acting	routes/protection.ts:113	Claude	P1		Done
6390	POST /api/protection/committee/:id/commitment/:membershipId/verify: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/protection.ts:113	Claude	P1		Done
6391	POST /api/protection/committee/:id/commitment/:membershipId/verify: idempotency key accepted and enforced	routes/protection.ts:113	Claude	P1	17	Open
6392	POST /api/protection/committee/:id/commitment/:membershipId/verify: audit log entry with the actor, the action and the record	routes/protection.ts:113	Claude	P1		Done
6393	POST /api/protection/committee/:id/commitment/:membershipId/verify: writes made in one database transaction, or shown to need none	routes/protection.ts:113	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6394	POST /api/protection/committee/:id/commitment/:membershipId/verify: response carries no internal field and no other member's personal data	routes/protection.ts:113	Claude	P1		Done
6395	POST /api/protection/committee/:id/commitment/:membershipId/verify: error responses use the shared error codes and plain messages	routes/protection.ts:113	Claude	P1		Done
6396	POST /api/protection/committee/:id/commitment/:membershipId/verify: described in the interface specification with its request, response and errors	routes/protection.ts:113	Claude	P2		Done
6397	POST /api/protection/committee/:id/commitment/:membershipId/verify: integration test: success	routes/protection.ts:113	Claude	P1	17	Open
6398	POST /api/protection/committee/:id/commitment/:membershipId/verify: integration test: refused for a member without access	routes/protection.ts:113	Claude	P1	17	Open
6399	POST /api/protection/committee/:id/commitment/:membershipId/verify: integration test: refused for invalid input	routes/protection.ts:113	Claude	P1	17	Open
6400	POST /api/protection/committee/:id/peer-nudge/:userId: input checked against a schema before any logic	routes/protection.ts:124	Claude	P1		Done
6401	POST /api/protection/committee/:id/peer-nudge/:userId: sign in required	routes/protection.ts:124	Claude	P0		Done
6402	POST /api/protection/committee/:id/peer-nudge/:userId: access checked against membership, hosting or ownership of the record before acting	routes/protection.ts:124	Claude	P1		Done
6403	POST /api/protection/committee/:id/peer-nudge/:userId: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/protection.ts:124	Claude	P1		Done
6404	POST /api/protection/committee/:id/peer-nudge/:userId: idempotency key accepted and enforced	routes/protection.ts:124	Claude	P1	17	Open
6405	POST /api/protection/committee/:id/peer-nudge/:userId: audit log entry with the actor, the action and the record	routes/protection.ts:124	Claude	P1		Done
6406	POST /api/protection/committee/:id/peer-nudge/:userId: writes made in one database transaction	routes/protection.ts:124	Claude	P1		Done
6407	POST /api/protection/committee/:id/peer-nudge/:userId: response carries no internal field and no other member's personal data	routes/protection.ts:124	Claude	P1		Done
6408	POST /api/protection/committee/:id/peer-nudge/:userId: error responses use the shared error codes and plain messages	routes/protection.ts:124	Claude	P1		Done
6409	POST /api/protection/committee/:id/peer-nudge/:userId: described in the interface specification with its request, response and errors	routes/protection.ts:124	Claude	P2		Done
6410	POST /api/protection/committee/:id/peer-nudge/:userId: integration test: success	routes/protection.ts:124	Claude	P1	17	Open
6411	POST /api/protection/committee/:id/peer-nudge/:userId: integration test: refused for a member without access	routes/protection.ts:124	Claude	P1	17	Open
6412	POST /api/protection/committee/:id/peer-nudge/:userId: integration test: refused for invalid input	routes/protection.ts:124	Claude	P1	17	Open
6413	GET /api/protection/recovery/mine: input checked against a schema before any logic	routes/protection.ts:141	Claude	P1		Done
6414	GET /api/protection/recovery/mine: sign in required	routes/protection.ts:141	Claude	P0		Done
6415	GET /api/protection/recovery/mine: access checked against membership, hosting or ownership of the record before acting	routes/protection.ts:141	Claude	P1		Done
6416	GET /api/protection/recovery/mine: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/protection.ts:141	Claude	P1		Done
6417	GET /api/protection/recovery/mine: every list bounded with a limit and cursor pagination	routes/protection.ts:141	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6418	GET /api/protection/recovery/mine: response carries no internal field and no other member's personal data	routes/protection.ts:141	Claude	P1		Done
6419	GET /api/protection/recovery/mine: error responses use the shared error codes and plain messages	routes/protection.ts:141	Claude	P1		Done
6420	GET /api/protection/recovery/mine: described in the interface specification with its request, response and errors	routes/protection.ts:141	Claude	P2		Done
6421	GET /api/protection/recovery/mine: integration test: success	routes/protection.ts:141	Claude	P1		Done
6422	GET /api/protection/recovery/mine: integration test: refused for a member without access	routes/protection.ts:141	Claude	P1		Done
6423	GET /api/protection/recovery/mine: integration test: refused for invalid input	routes/protection.ts:141	Claude	P1		Done
6424	POST /api/protection/recovery/:id/resolve: input checked against a schema before any logic	routes/protection.ts:145	Claude	P1		Done
6425	POST /api/protection/recovery/:id/resolve: sign in required	routes/protection.ts:145	Claude	P0		Done
6426	POST /api/protection/recovery/:id/resolve: access checked against membership, hosting or ownership of the record before acting	routes/protection.ts:145	Claude	P1		Done
6427	POST /api/protection/recovery/:id/resolve: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/protection.ts:145	Claude	P1		Done
6428	POST /api/protection/recovery/:id/resolve: idempotency key accepted and enforced	routes/protection.ts:145	Claude	P1		Done
6429	POST /api/protection/recovery/:id/resolve: audit log entry with the actor, the action and the record	routes/protection.ts:145	Claude	P1		Done
6430	POST /api/protection/recovery/:id/resolve: writes made in one database transaction	routes/protection.ts:145	Claude	P1		Done
6431	POST /api/protection/recovery/:id/resolve: response carries no internal field and no other member's personal data	routes/protection.ts:145	Claude	P1		Done
6432	POST /api/protection/recovery/:id/resolve: error responses use the shared error codes and plain messages	routes/protection.ts:145	Claude	P1		Done
6433	POST /api/protection/recovery/:id/resolve: described in the interface specification with its request, response and errors	routes/protection.ts:145	Claude	P2		Done
6434	POST /api/protection/recovery/:id/resolve: integration test: success	routes/protection.ts:145	Claude	P1	17	Open
6435	POST /api/protection/recovery/:id/resolve: integration test: refused for a member without access	routes/protection.ts:145	Claude	P1	17	Open
6436	POST /api/protection/recovery/:id/resolve: integration test: refused for invalid input	routes/protection.ts:145	Claude	P1	17	Open
6437	GET /api/rewards: input checked against a schema before any logic	routes/rewards.ts:18	Claude	P1		Done
6438	GET /api/rewards: sign in required	routes/rewards.ts:18	Claude	P0		Done
6439	GET /api/rewards: access checked against membership, hosting or ownership of the record before acting	routes/rewards.ts:18	Claude	P1		Done
6440	GET /api/rewards: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/rewards.ts:18	Claude	P1		Done
6441	GET /api/rewards: every list bounded with a limit and cursor pagination	routes/rewards.ts:18	Claude	P1		Done
6442	GET /api/rewards: response carries no internal field and no other member's personal data	routes/rewards.ts:18	Claude	P1		Done
6443	GET /api/rewards: error responses use the shared error codes and plain messages	routes/rewards.ts:18	Claude	P1		Done
6444	GET /api/rewards: described in the interface specification with its request, response and errors	routes/rewards.ts:18	Claude	P2		Done
6445	GET /api/rewards: integration test: success	routes/rewards.ts:18	Claude	P1		Done
6446	GET /api/rewards: integration test: refused for a member without access	routes/rewards.ts:18	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6447	GET /api/rewards: integration test: refused for invalid input	routes/rewards.ts:18	Claude	P1		Done
6448	GET /api/rewards/ladder: input checked against a schema before any logic	routes/rewards.ts:40	Claude	P1		Done
6449	GET /api/rewards/ladder: sign in required	routes/rewards.ts:40	Claude	P0		Done
6450	GET /api/rewards/ladder: access checked against membership, hosting or ownership of the record before acting	routes/rewards.ts:40	Claude	P1	17	Open
6451	GET /api/rewards/ladder: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/rewards.ts:40	Claude	P1		Done
6452	GET /api/rewards/ladder: every list bounded with a limit and cursor pagination	routes/rewards.ts:40	Claude	P1		Done
6453	GET /api/rewards/ladder: response carries no internal field and no other member's personal data	routes/rewards.ts:40	Claude	P1		Done
6454	GET /api/rewards/ladder: error responses use the shared error codes and plain messages	routes/rewards.ts:40	Claude	P1		Done
6455	GET /api/rewards/ladder: described in the interface specification with its request, response and errors	routes/rewards.ts:40	Claude	P2		Done
6456	GET /api/rewards/ladder: integration test: success	routes/rewards.ts:40	Claude	P1		Done
6457	GET /api/rewards/ladder: integration test: refused for a member without access	routes/rewards.ts:40	Claude	P1		Done
6458	GET /api/rewards/ladder: integration test: refused for invalid input	routes/rewards.ts:40	Claude	P1		Done
6459	POST /api/rewards/record: input checked against a schema before any logic	routes/rewards.ts:111	Claude	P1		Done
6460	POST /api/rewards/record: sign in required	routes/rewards.ts:111	Claude	P0		Done
6461	POST /api/rewards/record: access checked against membership, hosting or ownership of the record before acting	routes/rewards.ts:111	Claude	P1	17	Open
6462	POST /api/rewards/record: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/rewards.ts:111	Claude	P1		Done
6463	POST /api/rewards/record: idempotency key accepted and enforced	routes/rewards.ts:111	Claude	P1	17	Open
6464	POST /api/rewards/record: audit log entry with the actor, the action and the record	routes/rewards.ts:111	Claude	P1		Done
6465	POST /api/rewards/record: writes made in one database transaction, or shown to need none	routes/rewards.ts:111	Claude	P1		Done
6466	POST /api/rewards/record: response carries no internal field and no other member's personal data	routes/rewards.ts:111	Claude	P1		Done
6467	POST /api/rewards/record: error responses use the shared error codes and plain messages	routes/rewards.ts:111	Claude	P1		Done
6468	POST /api/rewards/record: described in the interface specification with its request, response and errors	routes/rewards.ts:111	Claude	P2		Done
6469	POST /api/rewards/record: integration test: success	routes/rewards.ts:111	Claude	P1	17	Open
6470	POST /api/rewards/record: integration test: refused for a member without access	routes/rewards.ts:111	Claude	P1		Done
6471	POST /api/rewards/record: integration test: refused for invalid input	routes/rewards.ts:111	Claude	P1		Done
6472	GET /api/risk/committee/:id: input checked against a schema before any logic	routes/risk.ts:98	Claude	P1		Done
6473	GET /api/risk/committee/:id: sign in required	routes/risk.ts:98	Claude	P0		Done
6474	GET /api/risk/committee/:id: access checked against membership, hosting or ownership of the record before acting	routes/risk.ts:98	Claude	P1		Done
6475	GET /api/risk/committee/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/risk.ts:98	Claude	P1		Done
6476	GET /api/risk/committee/:id: response carries no internal field and no other member's personal data	routes/risk.ts:98	Claude	P1		Done
6477	GET /api/risk/committee/:id: error responses use the shared error codes and plain messages	routes/risk.ts:98	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6478	GET /api/risk/committee/:id: described in the interface specification with its request, response and errors	routes/risk.ts:98	Claude	P2		Done
6479	GET /api/risk/committee/:id: integration test: success	routes/risk.ts:98	Claude	P1		Done
6480	GET /api/risk/committee/:id: integration test: refused for a member without access	routes/risk.ts:98	Claude	P1		Done
6481	GET /api/risk/committee/:id: integration test: refused for invalid input	routes/risk.ts:98	Claude	P1	17	Open
6482	POST /api/risk/committee/:id/refresh: input checked against a schema before any logic	routes/risk.ts:107	Claude	P1		Done
6483	POST /api/risk/committee/:id/refresh: sign in required	routes/risk.ts:107	Claude	P0		Done
6484	POST /api/risk/committee/:id/refresh: access checked against membership, hosting or ownership of the record before acting	routes/risk.ts:107	Claude	P1		Done
6485	POST /api/risk/committee/:id/refresh: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/risk.ts:107	Claude	P1		Done
6486	POST /api/risk/committee/:id/refresh: idempotency key accepted and enforced	routes/risk.ts:107	Claude	P1	17	Open
6487	POST /api/risk/committee/:id/refresh: audit log entry with the actor, the action and the record	routes/risk.ts:107	Claude	P1		Done
6488	POST /api/risk/committee/:id/refresh: writes made in one database transaction	routes/risk.ts:107	Claude	P1		Done
6489	POST /api/risk/committee/:id/refresh: response carries no internal field and no other member's personal data	routes/risk.ts:107	Claude	P1		Done
6490	POST /api/risk/committee/:id/refresh: error responses use the shared error codes and plain messages	routes/risk.ts:107	Claude	P1		Done
6491	POST /api/risk/committee/:id/refresh: described in the interface specification with its request, response and errors	routes/risk.ts:107	Claude	P2		Done
6492	POST /api/risk/committee/:id/refresh: integration test: success	routes/risk.ts:107	Claude	P1	17	Open
6493	POST /api/risk/committee/:id/refresh: integration test: refused for a member without access	routes/risk.ts:107	Claude	P1		Done
6494	POST /api/risk/committee/:id/refresh: integration test: refused for invalid input	routes/risk.ts:107	Claude	P1	17	Open
6495	GET /api/risk/committee/:id/projection: input checked against a schema before any logic	routes/risk.ts:127	Claude	P1		Done
6496	GET /api/risk/committee/:id/projection: sign in required	routes/risk.ts:127	Claude	P0		Done
6497	GET /api/risk/committee/:id/projection: access checked against membership, hosting or ownership of the record before acting	routes/risk.ts:127	Claude	P1		Done
6498	GET /api/risk/committee/:id/projection: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/risk.ts:127	Claude	P1		Done
6499	GET /api/risk/committee/:id/projection: every list bounded with a limit and cursor pagination	routes/risk.ts:127	Claude	P1		Done
6500	GET /api/risk/committee/:id/projection: response carries no internal field and no other member's personal data	routes/risk.ts:127	Claude	P1		Done
6501	GET /api/risk/committee/:id/projection: error responses use the shared error codes and plain messages	routes/risk.ts:127	Claude	P1		Done
6502	GET /api/risk/committee/:id/projection: described in the interface specification with its request, response and errors	routes/risk.ts:127	Claude	P2		Done
6503	GET /api/risk/committee/:id/projection: integration test: success	routes/risk.ts:127	Claude	P1	17	Open
6504	GET /api/risk/committee/:id/projection: integration test: refused for a member without access	routes/risk.ts:127	Claude	P1		Done
6505	GET /api/risk/committee/:id/projection: integration test: refused for invalid input	routes/risk.ts:127	Claude	P1	17	Open

#	Item	Where	Owner	Pri	Phase	Status
6506	PATCH /api/risk/committee/:id/policy: input checked against a schema before any logic	routes/risk.ts:170	Claude	P1		Done
6507	PATCH /api/risk/committee/:id/policy: sign in required	routes/risk.ts:170	Claude	P0		Done
6508	PATCH /api/risk/committee/:id/policy: access checked against membership, hosting or ownership of the record before acting	routes/risk.ts:170	Claude	P1		Done
6509	PATCH /api/risk/committee/:id/policy: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/risk.ts:170	Claude	P1		Done
6510	PATCH /api/risk/committee/:id/policy: idempotency key accepted and enforced	routes/risk.ts:170	Claude	P1	17	Open
6511	PATCH /api/risk/committee/:id/policy: audit log entry with the actor, the action and the record	routes/risk.ts:170	Claude	P1		Done
6512	PATCH /api/risk/committee/:id/policy: writes made in one database transaction, or shown to need none	routes/risk.ts:170	Claude	P1		Done
6513	PATCH /api/risk/committee/:id/policy: response carries no internal field and no other member's personal data	routes/risk.ts:170	Claude	P1		Done
6514	PATCH /api/risk/committee/:id/policy: error responses use the shared error codes and plain messages	routes/risk.ts:170	Claude	P1		Done
6515	PATCH /api/risk/committee/:id/policy: described in the interface specification with its request, response and errors	routes/risk.ts:170	Claude	P2		Done
6516	PATCH /api/risk/committee/:id/policy: integration test: success	routes/risk.ts:170	Claude	P1	17	Open
6517	PATCH /api/risk/committee/:id/policy: integration test: refused for a member without access	routes/risk.ts:170	Claude	P1		Done
6518	PATCH /api/risk/committee/:id/policy: integration test: refused for invalid input	routes/risk.ts:170	Claude	P1	17	Open
6519	POST /api/risk/committee/:id/consent: input checked against a schema before any logic	routes/risk.ts:221	Claude	P1		Done
6520	POST /api/risk/committee/:id/consent: sign in required	routes/risk.ts:221	Claude	P0		Done
6521	POST /api/risk/committee/:id/consent: access checked against membership, hosting or ownership of the record before acting	routes/risk.ts:221	Claude	P1		Done
6522	POST /api/risk/committee/:id/consent: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/risk.ts:221	Claude	P1		Done
6523	POST /api/risk/committee/:id/consent: idempotency key accepted and enforced	routes/risk.ts:221	Claude	P1	17	Open
6524	POST /api/risk/committee/:id/consent: audit log entry with the actor, the action and the record	routes/risk.ts:221	Claude	P1		Done
6525	POST /api/risk/committee/:id/consent: writes made in one database transaction, or shown to need none	routes/risk.ts:221	Claude	P1		Done
6526	POST /api/risk/committee/:id/consent: response carries no internal field and no other member's personal data	routes/risk.ts:221	Claude	P1		Done
6527	POST /api/risk/committee/:id/consent: error responses use the shared error codes and plain messages	routes/risk.ts:221	Claude	P1		Done
6528	POST /api/risk/committee/:id/consent: described in the interface specification with its request, response and errors	routes/risk.ts:221	Claude	P2		Done
6529	POST /api/risk/committee/:id/consent: integration test: success	routes/risk.ts:221	Claude	P1	17	Open
6530	POST /api/risk/committee/:id/consent: integration test: refused for a member without access	routes/risk.ts:221	Claude	P1		Done
6531	POST /api/risk/committee/:id/consent: integration test: refused for invalid input	routes/risk.ts:221	Claude	P1	17	Open
6532	GET /api/support/tickets: input checked against a schema before any logic	routes/support.ts:40	Claude	P1		Done
6533	GET /api/support/tickets: sign in required	routes/support.ts:40	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
6534	GET /api/support/tickets: access checked against membership, hosting or ownership of the record before acting	routes/support.ts:40	Claude	P1		Done
6535	GET /api/support/tickets: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/support.ts:40	Claude	P1		Done
6536	GET /api/support/tickets: every list bounded with a limit and cursor pagination	routes/support.ts:40	Claude	P1		Done
6537	GET /api/support/tickets: response carries no internal field and no other member's personal data	routes/support.ts:40	Claude	P1		Done
6538	GET /api/support/tickets: error responses use the shared error codes and plain messages	routes/support.ts:40	Claude	P1		Done
6539	GET /api/support/tickets: described in the interface specification with its request, response and errors	routes/support.ts:40	Claude	P2		Done
6540	GET /api/support/tickets: integration test: success	routes/support.ts:40	Claude	P1		Done
6541	GET /api/support/tickets: integration test: refused for a member without access	routes/support.ts:40	Claude	P1		Done
6542	GET /api/support/tickets: integration test: refused for invalid input	routes/support.ts:40	Claude	P1		Done
6543	GET /api/support/tickets/:id: input checked against a schema before any logic	routes/support.ts:52	Claude	P1		Done
6544	GET /api/support/tickets/:id: sign in required	routes/support.ts:52	Claude	P0		Done
6545	GET /api/support/tickets/:id: access checked against membership, hosting or ownership of the record before acting	routes/support.ts:52	Claude	P1		Done
6546	GET /api/support/tickets/:id: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/support.ts:52	Claude	P1		Done
6547	GET /api/support/tickets/:id: response carries no internal field and no other member's personal data	routes/support.ts:52	Claude	P1		Done
6548	GET /api/support/tickets/:id: error responses use the shared error codes and plain messages	routes/support.ts:52	Claude	P1		Done
6549	GET /api/support/tickets/:id: described in the interface specification with its request, response and errors	routes/support.ts:52	Claude	P2		Done
6550	GET /api/support/tickets/:id: integration test: success	routes/support.ts:52	Claude	P1	17	Open
6551	GET /api/support/tickets/:id: integration test: refused for a member without access	routes/support.ts:52	Claude	P1	17	Open
6552	GET /api/support/tickets/:id: integration test: refused for invalid input	routes/support.ts:52	Claude	P1	17	Open
6553	POST /api/support/tickets: input checked against a schema before any logic	routes/support.ts:63	Claude	P1		Done
6554	POST /api/support/tickets: sign in required	routes/support.ts:63	Claude	P0		Done
6555	POST /api/support/tickets: access checked against membership, hosting or ownership of the record before acting	routes/support.ts:63	Claude	P1		Done
6556	POST /api/support/tickets: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/support.ts:63	Claude	P1		Done
6557	POST /api/support/tickets: idempotency key accepted and enforced	routes/support.ts:63	Claude	P1	17	Open
6558	POST /api/support/tickets: audit log entry with the actor, the action and the record	routes/support.ts:63	Claude	P1		Done
6559	POST /api/support/tickets: writes made in one database transaction, or shown to need none	routes/support.ts:63	Claude	P1		Done
6560	POST /api/support/tickets: response carries no internal field and no other member's personal data	routes/support.ts:63	Claude	P1		Done
6561	POST /api/support/tickets: error responses use the shared error codes and plain messages	routes/support.ts:63	Claude	P1		Done
6562	POST /api/support/tickets: described in the interface specification with its request, response and errors	routes/support.ts:63	Claude	P2		Done
6563	POST /api/support/tickets: integration test: success	routes/support.ts:63	Claude	P1		Done
6564	POST /api/support/tickets: integration test: refused for a member without access	routes/support.ts:63	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
6565	POST /api/support/tickets: integration test: refused for invalid input	routes/support.ts:63	Claude	P1		Done
6566	POST /api/support/tickets/:id/reply: input checked against a schema before any logic	routes/support.ts:114	Claude	P1		Done
6567	POST /api/support/tickets/:id/reply: sign in required	routes/support.ts:114	Claude	P0		Done
6568	POST /api/support/tickets/:id/reply: access checked against membership, hosting or ownership of the record before acting	routes/support.ts:114	Claude	P1		Done
6569	POST /api/support/tickets/:id/reply: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/support.ts:114	Claude	P1		Done
6570	POST /api/support/tickets/:id/reply: idempotency key accepted and enforced	routes/support.ts:114	Claude	P1	17	Open
6571	POST /api/support/tickets/:id/reply: audit log entry with the actor, the action and the record	routes/support.ts:114	Claude	P1		Done
6572	POST /api/support/tickets/:id/reply: writes made in one database transaction, or shown to need none	routes/support.ts:114	Claude	P1		Done
6573	POST /api/support/tickets/:id/reply: response carries no internal field and no other member's personal data	routes/support.ts:114	Claude	P1		Done
6574	POST /api/support/tickets/:id/reply: error responses use the shared error codes and plain messages	routes/support.ts:114	Claude	P1		Done
6575	POST /api/support/tickets/:id/reply: described in the interface specification with its request, response and errors	routes/support.ts:114	Claude	P2		Done
6576	POST /api/support/tickets/:id/reply: integration test: success	routes/support.ts:114	Claude	P1	18	Open
6577	POST /api/support/tickets/:id/reply: integration test: refused for a member without access	routes/support.ts:114	Claude	P1	18	Open
6578	POST /api/support/tickets/:id/reply: integration test: refused for invalid input	routes/support.ts:114	Claude	P1	18	Open
6579	POST /api/support/tickets/:id/close: input checked against a schema before any logic	routes/support.ts:134	Claude	P1		Done
6580	POST /api/support/tickets/:id/close: sign in required	routes/support.ts:134	Claude	P0		Done
6581	POST /api/support/tickets/:id/close: access checked against membership, hosting or ownership of the record before acting	routes/support.ts:134	Claude	P1		Done
6582	POST /api/support/tickets/:id/close: rate limit for this route; the global limit of 1,500 requests in 15 minutes is in place	routes/support.ts:134	Claude	P1		Done
6583	POST /api/support/tickets/:id/close: idempotency key accepted and enforced	routes/support.ts:134	Claude	P1	18	Open
6584	POST /api/support/tickets/:id/close: audit log entry with the actor, the action and the record	routes/support.ts:134	Claude	P1		Done
6585	POST /api/support/tickets/:id/close: writes made in one database transaction, or shown to need none	routes/support.ts:134	Claude	P1		Done
6586	POST /api/support/tickets/:id/close: response carries no internal field and no other member's personal data	routes/support.ts:134	Claude	P1		Done
6587	POST /api/support/tickets/:id/close: error responses use the shared error codes and plain messages	routes/support.ts:134	Claude	P1		Done
6588	POST /api/support/tickets/:id/close: described in the interface specification with its request, response and errors	routes/support.ts:134	Claude	P2		Done
6589	POST /api/support/tickets/:id/close: integration test: success	routes/support.ts:134	Claude	P1	18	Open
6590	POST /api/support/tickets/:id/close: integration test: refused for a member without access	routes/support.ts:134	Claude	P1	18	Open
6591	POST /api/support/tickets/:id/close: integration test: refused for invalid input	routes/support.ts:134	Claude	P1	18	Open

AE4. New Endpoints for the Bank Route

#	Item	Where	Owner	Pri	Phase	Status
6592	POST /api/bank/onboarding/start: build: start account opening at the bank and return the bank's link	new routes/bank.ts	Claude	P0	44	Open
6593	POST /api/bank/onboarding/start: input checked against a schema	new routes/bank.ts	Claude	P0	44	Open
6594	POST /api/bank/onboarding/start: sign in and access checks	new routes/bank.ts	Claude	P0	44	Open
6595	POST /api/bank/onboarding/start: rate limit for this route	new routes/bank.ts	Claude	P0	44	Open
6596	POST /api/bank/onboarding/start: idempotency key enforced	new routes/bank.ts	Claude	P0	44	Open
6597	POST /api/bank/onboarding/start: audit log entry	new routes/bank.ts	Claude	P0	44	Open
6598	POST /api/bank/onboarding/start: errors use the shared codes	new routes/bank.ts	Claude	P0	44	Open
6599	POST /api/bank/onboarding/start: described in the interface specification	new routes/bank.ts	Claude	P2	74	Open
6600	POST /api/bank/onboarding/start: integration tests: success, refusal and invalid input	new routes/bank.ts	Claude	P0	44	Open
6601	POST /api/bank/webhooks: build: receive signed events from the bank: onboarding, account status, mandate, debit, credit, statement ready	new routes/bank.ts	Claude	P0	45	Open
6602	POST /api/bank/webhooks: input checked against a schema	new routes/bank.ts	Claude	P0	45	Open
6603	POST /api/bank/webhooks: signature and time stamp verified, replays refused, before any write	new routes/bank.ts	Claude	P0	45	Open
6604	POST /api/bank/webhooks: rate limit for this route	new routes/bank.ts	Claude	P0	45	Open
6605	POST /api/bank/webhooks: idempotency key enforced	new routes/bank.ts	Claude	P0	45	Open
6606	POST /api/bank/webhooks: audit log entry	new routes/bank.ts	Claude	P0	45	Open
6607	POST /api/bank/webhooks: errors use the shared codes	new routes/bank.ts	Claude	P0	45	Open
6608	POST /api/bank/webhooks: described in the interface specification	new routes/bank.ts	Claude	P2	74	Open
6609	POST /api/bank/webhooks: integration tests: success, refusal and invalid input	new routes/bank.ts	Claude	P0	45	Open
6610	GET /api/bank/accounts: build: list the member's accounts at the partner bank	new routes/bank.ts	Claude	P0	45	Open
6611	GET /api/bank/accounts: input checked against a schema	new routes/bank.ts	Claude	P0	45	Open
6612	GET /api/bank/accounts: sign in and access checks	new routes/bank.ts	Claude	P0	45	Open
6613	GET /api/bank/accounts: rate limit for this route	new routes/bank.ts	Claude	P0	45	Open
6614	GET /api/bank/accounts: bounded with cursor pagination	new routes/bank.ts	Claude	P0	45	Open
6615	GET /api/bank/accounts: errors use the shared codes	new routes/bank.ts	Claude	P0	45	Open
6616	GET /api/bank/accounts: described in the interface specification	new routes/bank.ts	Claude	P2	74	Open
6617	GET /api/bank/accounts: integration tests: success, refusal and invalid input	new routes/bank.ts	Claude	P0	45	Open
6618	POST /api/bank/accounts/link: build: link an existing account at the partner bank	new routes/bank.ts	Claude	P0	45	Open
6619	POST /api/bank/accounts/link: input checked against a schema	new routes/bank.ts	Claude	P0	45	Open
6620	POST /api/bank/accounts/link: sign in and access checks	new routes/bank.ts	Claude	P0	45	Open

#	Item	Where	Owner	Pri	Phase	Status
6621	POST /api/bank/accounts/link: rate limit for this route	new routes/bank.ts	Claude	P0	45	Open
6622	POST /api/bank/accounts/link: idempotency key enforced	new routes/bank.ts	Claude	P0	45	Open
6623	POST /api/bank/accounts/link: audit log entry	new routes/bank.ts	Claude	P0	45	Open
6624	POST /api/bank/accounts/link: errors use the shared codes	new routes/bank.ts	Claude	P0	45	Open
6625	POST /api/bank/accounts/link: described in the interface specification	new routes/bank.ts	Claude	P2	74	Open
6626	POST /api/bank/accounts/link: integration tests: success, refusal and invalid input	new routes/bank.ts	Claude	P0	45	Open
6627	POST /api/bank/accounts/:id/title-check: build: check the account title before a payout	new routes/bank.ts	Claude	P0	45	Open
6628	POST /api/bank/accounts/:id/title-check: input checked against a schema	new routes/bank.ts	Claude	P0	45	Open
6629	POST /api/bank/accounts/:id/title-check: sign in and access checks	new routes/bank.ts	Claude	P0	45	Open
6630	POST /api/bank/accounts/:id/title-check: rate limit for this route	new routes/bank.ts	Claude	P0	45	Open
6631	POST /api/bank/accounts/:id/title-check: idempotency key enforced	new routes/bank.ts	Claude	P0	45	Open
6632	POST /api/bank/accounts/:id/title-check: audit log entry	new routes/bank.ts	Claude	P0	45	Open
6633	POST /api/bank/accounts/:id/title-check: errors use the shared codes	new routes/bank.ts	Claude	P0	45	Open
6634	POST /api/bank/accounts/:id/title-check: described in the interface specification	new routes/bank.ts	Claude	P2	74	Open
6635	POST /api/bank/accounts/:id/title-check: integration tests: success, refusal and invalid input	new routes/bank.ts	Claude	P0	45	Open
6636	GET /api/bank/accounts/:id/balance: build: show the committee account balance	new routes/bank.ts	Claude	P0	45	Open
6637	GET /api/bank/accounts/:id/balance: input checked against a schema	new routes/bank.ts	Claude	P0	45	Open
6638	GET /api/bank/accounts/:id/balance: sign in and access checks	new routes/bank.ts	Claude	P0	45	Open
6639	GET /api/bank/accounts/:id/balance: rate limit for this route	new routes/bank.ts	Claude	P0	45	Open
6640	GET /api/bank/accounts/:id/balance: bounded with cursor pagination	new routes/bank.ts	Claude	P0	45	Open
6641	GET /api/bank/accounts/:id/balance: errors use the shared codes	new routes/bank.ts	Claude	P0	45	Open
6642	GET /api/bank/accounts/:id/balance: described in the interface specification	new routes/bank.ts	Claude	P2	74	Open
6643	GET /api/bank/accounts/:id/balance: integration tests: success, refusal and invalid input	new routes/bank.ts	Claude	P0	45	Open
6644	POST /api/mandates: build: create a mandate with the bank, ceiling one instalment	new routes/mandates.ts	Claude	P0	45	Open
6645	POST /api/mandates: input checked against a schema	new routes/mandates.ts	Claude	P0	45	Open
6646	POST /api/mandates: sign in and access checks	new routes/mandates.ts	Claude	P0	45	Open
6647	POST /api/mandates: rate limit for this route	new routes/mandates.ts	Claude	P0	45	Open
6648	POST /api/mandates: idempotency key enforced	new routes/mandates.ts	Claude	P0	45	Open
6649	POST /api/mandates: audit log entry	new routes/mandates.ts	Claude	P0	45	Open
6650	POST /api/mandates: errors use the shared codes	new routes/mandates.ts	Claude	P0	45	Open
6651	POST /api/mandates: described in the interface specification	new routes/mandates.ts	Claude	P2	74	Open

#	Item	Where	Owner	Pri	Phase	Status
6652	POST /api/mandates: integration tests: success, refusal and invalid input	new routes/mandates.ts	Claude	P0	45	Open
6653	GET /api/mandates: build: list the member's mandates	new routes/mandates.ts	Claude	P0	45	Open
6654	GET /api/mandates: input checked against a schema	new routes/mandates.ts	Claude	P0	45	Open
6655	GET /api/mandates: sign in and access checks	new routes/mandates.ts	Claude	P0	45	Open
6656	GET /api/mandates: rate limit for this route	new routes/mandates.ts	Claude	P0	45	Open
6657	GET /api/mandates: bounded with cursor pagination	new routes/mandates.ts	Claude	P0	45	Open
6658	GET /api/mandates: errors use the shared codes	new routes/mandates.ts	Claude	P0	45	Open
6659	GET /api/mandates: described in the interface specification	new routes/mandates.ts	Claude	P2	74	Open
6660	GET /api/mandates: integration tests: success, refusal and invalid input	new routes/mandates.ts	Claude	P0	45	Open
6661	GET /api/mandates/:id: build: show a mandate and its events	new routes/mandates.ts	Claude	P0	45	Open
6662	GET /api/mandates/:id: input checked against a schema	new routes/mandates.ts	Claude	P0	45	Open
6663	GET /api/mandates/:id: sign in and access checks	new routes/mandates.ts	Claude	P0	45	Open
6664	GET /api/mandates/:id: rate limit for this route	new routes/mandates.ts	Claude	P0	45	Open
6665	GET /api/mandates/:id: errors use the shared codes	new routes/mandates.ts	Claude	P0	45	Open
6666	GET /api/mandates/:id: described in the interface specification	new routes/mandates.ts	Claude	P2	74	Open
6667	GET /api/mandates/:id: integration tests: success, refusal and invalid input	new routes/mandates.ts	Claude	P0	45	Open
6668	PATCH /api/mandates/:id: build: change a mandate ceiling within the rule	new routes/mandates.ts	Claude	P0	45	Open
6669	PATCH /api/mandates/:id: input checked against a schema	new routes/mandates.ts	Claude	P0	45	Open
6670	PATCH /api/mandates/:id: sign in and access checks	new routes/mandates.ts	Claude	P0	45	Open
6671	PATCH /api/mandates/:id: rate limit for this route	new routes/mandates.ts	Claude	P0	45	Open
6672	PATCH /api/mandates/:id: idempotency key enforced	new routes/mandates.ts	Claude	P0	45	Open
6673	PATCH /api/mandates/:id: audit log entry	new routes/mandates.ts	Claude	P0	45	Open
6674	PATCH /api/mandates/:id: errors use the shared codes	new routes/mandates.ts	Claude	P0	45	Open
6675	PATCH /api/mandates/:id: described in the interface specification	new routes/mandates.ts	Claude	P2	74	Open
6676	PATCH /api/mandates/:id: integration tests: success, refusal and invalid input	new routes/mandates.ts	Claude	P0	45	Open
6677	POST /api/mandates/:id/cancel: build: cancel a mandate at the bank and in Halqa together	new routes/mandates.ts	Claude	P0	45	Open
6678	POST /api/mandates/:id/cancel: input checked against a schema	new routes/mandates.ts	Claude	P0	45	Open
6679	POST /api/mandates/:id/cancel: sign in and access checks	new routes/mandates.ts	Claude	P0	45	Open
6680	POST /api/mandates/:id/cancel: rate limit for this route	new routes/mandates.ts	Claude	P0	45	Open
6681	POST /api/mandates/:id/cancel: idempotency key enforced	new routes/mandates.ts	Claude	P0	45	Open
6682	POST /api/mandates/:id/cancel: audit log entry	new routes/mandates.ts	Claude	P0	45	Open

#	Item	Where	Owner	Pri	Phase	Status
6683	POST /api/mandates/:id/cancel: errors use the shared codes	new routes/mandates.ts	Claude	P0	45	Open
6684	POST /api/mandates/:id/cancel: described in the interface specification	new routes/mandates.ts	Claude	P2	74	Open
6685	POST /api/mandates/:id/cancel: integration tests: success, refusal and invalid input	new routes/mandates.ts	Claude	P0	45	Open
6686	POST /api/collections/run: build: run the day's collections, sharded and resumable, for the scheduler only	new routes/collections.ts	Claude	P1	18	Open
6687	POST /api/collections/run: input checked against a schema	new routes/collections.ts	Claude	P1	18	Open
6688	POST /api/collections/run: open only to the scheduler or to named administrators	new routes/collections.ts	Claude	P1	18	Open
6689	POST /api/collections/run: rate limit for this route	new routes/collections.ts	Claude	P1	18	Open
6690	POST /api/collections/run: idempotency key enforced	new routes/collections.ts	Claude	P1	18	Open
6691	POST /api/collections/run: audit log entry	new routes/collections.ts	Claude	P1	18	Open
6692	POST /api/collections/run: errors use the shared codes	new routes/collections.ts	Claude	P1	18	Open
6693	POST /api/collections/run: described in the interface specification	new routes/collections.ts	Claude	P2	55	Open
6694	POST /api/collections/run: integration tests: success, refusal and invalid input	new routes/collections.ts	Claude	P1	18	Open
6695	GET /api/collections/calendar: build: show every planned attempt for the member	new routes/collections.ts	Claude	P1	18	Open
6696	GET /api/collections/calendar: input checked against a schema	new routes/collections.ts	Claude	P1	18	Open
6697	GET /api/collections/calendar: sign in and access checks	new routes/collections.ts	Claude	P1	18	Open
6698	GET /api/collections/calendar: rate limit for this route	new routes/collections.ts	Claude	P1	18	Open
6699	GET /api/collections/calendar: bounded with cursor pagination	new routes/collections.ts	Claude	P1	18	Open
6700	GET /api/collections/calendar: errors use the shared codes	new routes/collections.ts	Claude	P1	18	Open
6701	GET /api/collections/calendar: described in the interface specification	new routes/collections.ts	Claude	P2	55	Open
6702	GET /api/collections/calendar: integration tests: success, refusal and invalid input	new routes/collections.ts	Claude	P1	18	Open
6703	POST /api/payouts/:roundId/instruct: build: instruct the bank to pay the collector on the payout date	new routes/payouts.ts	Claude	P0	46	Open
6704	POST /api/payouts/:roundId/instruct: input checked against a schema	new routes/payouts.ts	Claude	P0	46	Open
6705	POST /api/payouts/:roundId/instruct: sign in and access checks	new routes/payouts.ts	Claude	P0	46	Open
6706	POST /api/payouts/:roundId/instruct: rate limit for this route	new routes/payouts.ts	Claude	P0	46	Open
6707	POST /api/payouts/:roundId/instruct: idempotency key enforced	new routes/payouts.ts	Claude	P0	46	Open
6708	POST /api/payouts/:roundId/instruct: audit log entry	new routes/payouts.ts	Claude	P0	46	Open
6709	POST /api/payouts/:roundId/instruct: errors use the shared codes	new routes/payouts.ts	Claude	P0	46	Open
6710	POST /api/payouts/:roundId/instruct: described in the interface specification	new routes/payouts.ts	Claude	P2	74	Open
6711	POST /api/payouts/:roundId/instruct: integration tests: success, refusal and invalid input	new routes/payouts.ts	Claude	P0	46	Open
6712	GET /api/payouts/:id: build: show a payout and its status at the bank	new routes/payouts.ts	Claude	P0	46	Open
6713	GET /api/payouts/:id: input checked against a schema	new routes/payouts.ts	Claude	P0	46	Open

#	Item	Where	Owner	Pri	Phase	Status
6714	GET /api/payouts/:id: sign in and access checks	new routes/payouts.ts	Claude	P0	46	Open
6715	GET /api/payouts/:id: rate limit for this route	new routes/payouts.ts	Claude	P0	46	Open
6716	GET /api/payouts/:id: errors use the shared codes	new routes/payouts.ts	Claude	P0	46	Open
6717	GET /api/payouts/:id: described in the interface specification	new routes/payouts.ts	Claude	P2	74	Open
6718	GET /api/payouts/:id: integration tests: success, refusal and invalid input	new routes/payouts.ts	Claude	P0	46	Open
6719	POST /api/reconciliation/statements: build: ingest the bank's daily statement	new routes/reconciliation.ts	Claude	P0	46	Open
6720	POST /api/reconciliation/statements: input checked against a schema	new routes/reconciliation.ts	Claude	P0	46	Open
6721	POST /api/reconciliation/statements: sign in and access checks	new routes/reconciliation.ts	Claude	P0	46	Open
6722	POST /api/reconciliation/statements: rate limit for this route	new routes/reconciliation.ts	Claude	P0	46	Open
6723	POST /api/reconciliation/statements: idempotency key enforced	new routes/reconciliation.ts	Claude	P0	46	Open
6724	POST /api/reconciliation/statements: audit log entry	new routes/reconciliation.ts	Claude	P0	46	Open
6725	POST /api/reconciliation/statements: errors use the shared codes	new routes/reconciliation.ts	Claude	P0	46	Open
6726	POST /api/reconciliation/statements: described in the interface specification	new routes/reconciliation.ts	Claude	P2	74	Open
6727	POST /api/reconciliation/statements: integration tests: success, refusal and invalid input	new routes/reconciliation.ts	Claude	P0	46	Open
6728	GET /api/reconciliation/breaks: build: list breaks for administrators	new routes/reconciliation.ts	Claude	P0	46	Open
6729	GET /api/reconciliation/breaks: input checked against a schema	new routes/reconciliation.ts	Claude	P0	46	Open
6730	GET /api/reconciliation/breaks: sign in and access checks	new routes/reconciliation.ts	Claude	P0	46	Open
6731	GET /api/reconciliation/breaks: rate limit for this route	new routes/reconciliation.ts	Claude	P0	46	Open
6732	GET /api/reconciliation/breaks: bounded with cursor pagination	new routes/reconciliation.ts	Claude	P0	46	Open
6733	GET /api/reconciliation/breaks: errors use the shared codes	new routes/reconciliation.ts	Claude	P0	46	Open
6734	GET /api/reconciliation/breaks: described in the interface specification	new routes/reconciliation.ts	Claude	P2	74	Open
6735	GET /api/reconciliation/breaks: integration tests: success, refusal and invalid input	new routes/reconciliation.ts	Claude	P0	46	Open
6736	POST /api/reconciliation/breaks/:id/resolve: build: resolve a break with a reason	new routes/reconciliation.ts	Claude	P0	46	Open
6737	POST /api/reconciliation/breaks/:id/resolve: input checked against a schema	new routes/reconciliation.ts	Claude	P0	46	Open
6738	POST /api/reconciliation/breaks/:id/resolve: sign in and access checks	new routes/reconciliation.ts	Claude	P0	46	Open
6739	POST /api/reconciliation/breaks/:id/resolve: rate limit for this route	new routes/reconciliation.ts	Claude	P0	46	Open
6740	POST /api/reconciliation/breaks/:id/resolve: idempotency key enforced	new routes/reconciliation.ts	Claude	P0	46	Open
6741	POST /api/reconciliation/breaks/:id/resolve: audit log entry	new routes/reconciliation.ts	Claude	P0	46	Open
6742	POST /api/reconciliation/breaks/:id/resolve: errors use the shared codes	new routes/reconciliation.ts	Claude	P0	46	Open
6743	POST /api/reconciliation/breaks/:id/resolve: described in the interface specification	new routes/reconciliation.ts	Claude	P2	74	Open
6744	POST /api/reconciliation/breaks/:id/resolve: integration tests: success, refusal and invalid input	new routes/reconciliation.ts	Claude	P0	46	Open

#	Item	Where	Owner	Pri	Phase	Status
6745	GET /api/fees/schedule: build: return the fee schedule: Rs 85, the PSP service fee rule, Hyper Rs 15	new routes/fees.ts	Claude	P1	18	Open
6746	GET /api/fees/schedule: input checked against a schema	new routes/fees.ts	Claude	P1	18	Open
6747	GET /api/fees/schedule: sign in and access checks	new routes/fees.ts	Claude	P1	18	Open
6748	GET /api/fees/schedule: rate limit for this route	new routes/fees.ts	Claude	P1	18	Open
6749	GET /api/fees/schedule: bounded with cursor pagination	new routes/fees.ts	Claude	P1	18	Open
6750	GET /api/fees/schedule: errors use the shared codes	new routes/fees.ts	Claude	P1	18	Open
6751	GET /api/fees/schedule: described in the interface specification	new routes/fees.ts	Claude	P2	55	Open
6752	GET /api/fees/schedule: integration tests: success, refusal and invalid input	new routes/fees.ts	Claude	P1	18	Open
6753	GET /api/fees/quote: build: quote the full cost of a payment by method	new routes/fees.ts	Claude	P1	18	Open
6754	GET /api/fees/quote: input checked against a schema	new routes/fees.ts	Claude	P1	18	Open
6755	GET /api/fees/quote: sign in and access checks	new routes/fees.ts	Claude	P1	18	Open
6756	GET /api/fees/quote: rate limit for this route	new routes/fees.ts	Claude	P1	18	Open
6757	GET /api/fees/quote: bounded with cursor pagination	new routes/fees.ts	Claude	P1	18	Open
6758	GET /api/fees/quote: errors use the shared codes	new routes/fees.ts	Claude	P1	18	Open
6759	GET /api/fees/quote: described in the interface specification	new routes/fees.ts	Claude	P2	55	Open
6760	GET /api/fees/quote: integration tests: success, refusal and invalid input	new routes/fees.ts	Claude	P1	18	Open
6761	POST /api/psp/cards/session: build: open the PSP's card saving page	new routes/psp.ts	Claude	P1	53	Open
6762	POST /api/psp/cards/session: input checked against a schema	new routes/psp.ts	Claude	P1	53	Open
6763	POST /api/psp/cards/session: sign in and access checks	new routes/psp.ts	Claude	P1	53	Open
6764	POST /api/psp/cards/session: rate limit for this route	new routes/psp.ts	Claude	P1	53	Open
6765	POST /api/psp/cards/session: idempotency key enforced	new routes/psp.ts	Claude	P1	53	Open
6766	POST /api/psp/cards/session: audit log entry	new routes/psp.ts	Claude	P1	53	Open
6767	POST /api/psp/cards/session: errors use the shared codes	new routes/psp.ts	Claude	P1	53	Open
6768	POST /api/psp/cards/session: described in the interface specification	new routes/psp.ts	Claude	P2	78	Open
6769	POST /api/psp/cards/session: integration tests: success, refusal and invalid input	new routes/psp.ts	Claude	P1	53	Open
6770	POST /api/psp/wallets/link: build: link a wallet through the PSP	new routes/psp.ts	Claude	P1	53	Open
6771	POST /api/psp/wallets/link: input checked against a schema	new routes/psp.ts	Claude	P1	53	Open
6772	POST /api/psp/wallets/link: sign in and access checks	new routes/psp.ts	Claude	P1	53	Open
6773	POST /api/psp/wallets/link: rate limit for this route	new routes/psp.ts	Claude	P1	53	Open
6774	POST /api/psp/wallets/link: idempotency key enforced	new routes/psp.ts	Claude	P1	53	Open
6775	POST /api/psp/wallets/link: audit log entry	new routes/psp.ts	Claude	P1	53	Open

#	Item	Where	Owner	Pri	Phase	Status
6776	POST /api/psp/wallets/link: errors use the shared codes	new routes/psp.ts	Claude	P1	53	Open
6777	POST /api/psp/wallets/link: described in the interface specification	new routes/psp.ts	Claude	P2	78	Open
6778	POST /api/psp/wallets/link: integration tests: success, refusal and invalid input	new routes/psp.ts	Claude	P1	53	Open
6779	POST /api/psp/webhooks: build: receive signed PSP events: charge, refund, dispute, settlement	new routes/psp.ts	Claude	P1	53	Open
6780	POST /api/psp/webhooks: input checked against a schema	new routes/psp.ts	Claude	P1	53	Open
6781	POST /api/psp/webhooks: signature and time stamp verified, replays refused, before any write	new routes/psp.ts	Claude	P1	53	Open
6782	POST /api/psp/webhooks: rate limit for this route	new routes/psp.ts	Claude	P1	53	Open
6783	POST /api/psp/webhooks: idempotency key enforced	new routes/psp.ts	Claude	P1	53	Open
6784	POST /api/psp/webhooks: audit log entry	new routes/psp.ts	Claude	P1	53	Open
6785	POST /api/psp/webhooks: errors use the shared codes	new routes/psp.ts	Claude	P1	53	Open
6786	POST /api/psp/webhooks: described in the interface specification	new routes/psp.ts	Claude	P2	78	Open
6787	POST /api/psp/webhooks: integration tests: success, refusal and invalid input	new routes/psp.ts	Claude	P1	53	Open
6788	DELETE /api/psp/tokens/:id: build: remove a saved card or wallet at the PSP	new routes/psp.ts	Claude	P1	53	Open
6789	DELETE /api/psp/tokens/:id: input checked against a schema	new routes/psp.ts	Claude	P1	53	Open
6790	DELETE /api/psp/tokens/:id: sign in and access checks	new routes/psp.ts	Claude	P1	53	Open
6791	DELETE /api/psp/tokens/:id: rate limit for this route	new routes/psp.ts	Claude	P1	53	Open
6792	DELETE /api/psp/tokens/:id: idempotency key enforced	new routes/psp.ts	Claude	P1	53	Open
6793	DELETE /api/psp/tokens/:id: audit log entry	new routes/psp.ts	Claude	P1	53	Open
6794	DELETE /api/psp/tokens/:id: errors use the shared codes	new routes/psp.ts	Claude	P1	53	Open
6795	DELETE /api/psp/tokens/:id: described in the interface specification	new routes/psp.ts	Claude	P2	78	Open
6796	DELETE /api/psp/tokens/:id: integration tests: success, refusal and invalid input	new routes/psp.ts	Claude	P1	53	Open
6797	GET /api/points: build: return the points balance	new routes/points.ts	Claude	P2	55	Open
6798	GET /api/points: input checked against a schema	new routes/points.ts	Claude	P2	55	Open
6799	GET /api/points: sign in and access checks	new routes/points.ts	Claude	P2	55	Open
6800	GET /api/points: rate limit for this route	new routes/points.ts	Claude	P2	55	Open
6801	GET /api/points: bounded with cursor pagination	new routes/points.ts	Claude	P2	55	Open
6802	GET /api/points: errors use the shared codes	new routes/points.ts	Claude	P2	55	Open
6803	GET /api/points: described in the interface specification	new routes/points.ts	Claude	P2	55	Open
6804	GET /api/points: integration tests: success, refusal and invalid input	new routes/points.ts	Claude	P2	55	Open
6805	GET /api/points/history: build: list points entries with reasons	new routes/points.ts	Claude	P2	55	Open
6806	GET /api/points/history: input checked against a schema	new routes/points.ts	Claude	P2	55	Open

#	Item	Where	Owner	Pri	Phase	Status
6807	GET /api/points/history: sign in and access checks	new routes/points.ts	Claude	P2	55	Open
6808	GET /api/points/history: rate limit for this route	new routes/points.ts	Claude	P2	55	Open
6809	GET /api/points/history: bounded with cursor pagination	new routes/points.ts	Claude	P2	55	Open
6810	GET /api/points/history: errors use the shared codes	new routes/points.ts	Claude	P2	55	Open
6811	GET /api/points/history: described in the interface specification	new routes/points.ts	Claude	P2	55	Open
6812	GET /api/points/history: integration tests: success, refusal and invalid input	new routes/points.ts	Claude	P2	55	Open
6813	POST /api/points/purchase: build: buy points with money (Mashreq only), within the agreed limits	new routes/points.ts	Claude	P2	74	Open
6814	POST /api/points/purchase: input checked against a schema	new routes/points.ts	Claude	P2	74	Open
6815	POST /api/points/purchase: sign in and access checks	new routes/points.ts	Claude	P2	74	Open
6816	POST /api/points/purchase: rate limit for this route	new routes/points.ts	Claude	P2	74	Open
6817	POST /api/points/purchase: idempotency key enforced	new routes/points.ts	Claude	P2	74	Open
6818	POST /api/points/purchase: audit log entry	new routes/points.ts	Claude	P2	74	Open
6819	POST /api/points/purchase: errors use the shared codes	new routes/points.ts	Claude	P2	74	Open
6820	POST /api/points/purchase: described in the interface specification	new routes/points.ts	Claude	P2	75	Open
6821	POST /api/points/purchase: integration tests: success, refusal and invalid input	new routes/points.ts	Claude	P2	75	Open
6822	POST /api/points/redeem-fee: build: use points against a fee	new routes/points.ts	Claude	P2	55	Open
6823	POST /api/points/redeem-fee: input checked against a schema	new routes/points.ts	Claude	P2	55	Open
6824	POST /api/points/redeem-fee: sign in and access checks	new routes/points.ts	Claude	P2	55	Open
6825	POST /api/points/redeem-fee: rate limit for this route	new routes/points.ts	Claude	P2	55	Open
6826	POST /api/points/redeem-fee: idempotency key enforced	new routes/points.ts	Claude	P2	55	Open
6827	POST /api/points/redeem-fee: audit log entry	new routes/points.ts	Claude	P2	55	Open
6828	POST /api/points/redeem-fee: errors use the shared codes	new routes/points.ts	Claude	P2	55	Open
6829	POST /api/points/redeem-fee: described in the interface specification	new routes/points.ts	Claude	P2	55	Open
6830	POST /api/points/redeem-fee: integration tests: success, refusal and invalid input	new routes/points.ts	Claude	P2	55	Open
6831	GET /api/marketplace/catalogue: build: list products by category	new routes/marketplace.ts	Claude	P2	55	Open
6832	GET /api/marketplace/catalogue: input checked against a schema	new routes/marketplace.ts	Claude	P2	55	Open
6833	GET /api/marketplace/catalogue: sign in and access checks	new routes/marketplace.ts	Claude	P2	55	Open
6834	GET /api/marketplace/catalogue: rate limit for this route	new routes/marketplace.ts	Claude	P2	55	Open
6835	GET /api/marketplace/catalogue: bounded with cursor pagination	new routes/marketplace.ts	Claude	P2	55	Open
6836	GET /api/marketplace/catalogue: errors use the shared codes	new routes/marketplace.ts	Claude	P2	55	Open
6837	GET /api/marketplace/catalogue: described in the interface specification	new routes/marketplace.ts	Claude	P2	55	Open

#	Item	Where	Owner	Pri	Phase	Status
6838	GET /api/marketplace/catalogue: integration tests: success, refusal and invalid input	new routes/marketplace.ts	Claude	P2	55	Open
6839	GET /api/marketplace/products/:id: build: show a product	new routes/marketplace.ts	Claude	P2	55	Open
6840	GET /api/marketplace/products/:id: input checked against a schema	new routes/marketplace.ts	Claude	P2	55	Open
6841	GET /api/marketplace/products/:id: sign in and access checks	new routes/marketplace.ts	Claude	P2	55	Open
6842	GET /api/marketplace/products/:id: rate limit for this route	new routes/marketplace.ts	Claude	P2	55	Open
6843	GET /api/marketplace/products/:id: errors use the shared codes	new routes/marketplace.ts	Claude	P2	55	Open
6844	GET /api/marketplace/products/:id: described in the interface specification	new routes/marketplace.ts	Claude	P2	55	Open
6845	GET /api/marketplace/products/:id: integration tests: success, refusal and invalid input	new routes/marketplace.ts	Claude	P2	56	Open
6846	POST /api/marketplace/orders: build: place an order paid in points	new routes/marketplace.ts	Claude	P2	56	Open
6847	POST /api/marketplace/orders: input checked against a schema	new routes/marketplace.ts	Claude	P2	56	Open
6848	POST /api/marketplace/orders: sign in and access checks	new routes/marketplace.ts	Claude	P2	56	Open
6849	POST /api/marketplace/orders: rate limit for this route	new routes/marketplace.ts	Claude	P2	56	Open
6850	POST /api/marketplace/orders: idempotency key enforced	new routes/marketplace.ts	Claude	P2	56	Open
6851	POST /api/marketplace/orders: audit log entry	new routes/marketplace.ts	Claude	P2	56	Open
6852	POST /api/marketplace/orders: errors use the shared codes	new routes/marketplace.ts	Claude	P2	56	Open
6853	POST /api/marketplace/orders: described in the interface specification	new routes/marketplace.ts	Claude	P2	56	Open
6854	POST /api/marketplace/orders: integration tests: success, refusal and invalid input	new routes/marketplace.ts	Claude	P2	56	Open
6855	GET /api/marketplace/orders: build: list the member's orders	new routes/marketplace.ts	Claude	P2	56	Open
6856	GET /api/marketplace/orders: input checked against a schema	new routes/marketplace.ts	Claude	P2	56	Open
6857	GET /api/marketplace/orders: sign in and access checks	new routes/marketplace.ts	Claude	P2	56	Open
6858	GET /api/marketplace/orders: rate limit for this route	new routes/marketplace.ts	Claude	P2	56	Open
6859	GET /api/marketplace/orders: bounded with cursor pagination	new routes/marketplace.ts	Claude	P2	56	Open
6860	GET /api/marketplace/orders: errors use the shared codes	new routes/marketplace.ts	Claude	P2	56	Open
6861	GET /api/marketplace/orders: described in the interface specification	new routes/marketplace.ts	Claude	P2	56	Open
6862	GET /api/marketplace/orders: integration tests: success, refusal and invalid input	new routes/marketplace.ts	Claude	P2	56	Open
6863	GET /api/marketplace/orders/:id: build: show an order and its delivery status	new routes/marketplace.ts	Claude	P2	56	Open
6864	GET /api/marketplace/orders/:id: input checked against a schema	new routes/marketplace.ts	Claude	P2	56	Open
6865	GET /api/marketplace/orders/:id: sign in and access checks	new routes/marketplace.ts	Claude	P2	56	Open
6866	GET /api/marketplace/orders/:id: rate limit for this route	new routes/marketplace.ts	Claude	P2	56	Open
6867	GET /api/marketplace/orders/:id: errors use the shared codes	new routes/marketplace.ts	Claude	P2	56	Open
6868	GET /api/marketplace/orders/:id: described in the interface specification	new routes/marketplace.ts	Claude	P2	56	Open

#	Item	Where	Owner	Pri	Phase	Status
6869	GET /api/marketplace/orders/:id: integration tests: success, refusal and invalid input	new routes/marketplace.ts	Claude	P2	56	Open
6870	POST /api/marketplace/orders/:id/return: build: request a return	new routes/marketplace.ts	Claude	P2	56	Open
6871	POST /api/marketplace/orders/:id/return: input checked against a schema	new routes/marketplace.ts	Claude	P2	56	Open
6872	POST /api/marketplace/orders/:id/return: sign in and access checks	new routes/marketplace.ts	Claude	P2	56	Open
6873	POST /api/marketplace/orders/:id/return: rate limit for this route	new routes/marketplace.ts	Claude	P2	56	Open
6874	POST /api/marketplace/orders/:id/return: idempotency key enforced	new routes/marketplace.ts	Claude	P2	56	Open
6875	POST /api/marketplace/orders/:id/return: audit log entry	new routes/marketplace.ts	Claude	P2	56	Open
6876	POST /api/marketplace/orders/:id/return: errors use the shared codes	new routes/marketplace.ts	Claude	P2	56	Open
6877	POST /api/marketplace/orders/:id/return: described in the interface specification	new routes/marketplace.ts	Claude	P2	56	Open
6878	POST /api/marketplace/orders/:id/return: integration tests: success, refusal and invalid input	new routes/marketplace.ts	Claude	P2	56	Open
6879	POST /api/marketplace/webhooks: build: receive signed merchant events: shipped, delivered, refunded	new routes/marketplace.ts	Claude	P2	78	Open
6880	POST /api/marketplace/webhooks: input checked against a schema	new routes/marketplace.ts	Claude	P2	78	Open
6881	POST /api/marketplace/webhooks: signature and time stamp verified, replays refused, before any write	new routes/marketplace.ts	Claude	P2	78	Open
6882	POST /api/marketplace/webhooks: rate limit for this route	new routes/marketplace.ts	Claude	P2	78	Open
6883	POST /api/marketplace/webhooks: idempotency key enforced	new routes/marketplace.ts	Claude	P2	78	Open
6884	POST /api/marketplace/webhooks: audit log entry	new routes/marketplace.ts	Claude	P2	78	Open
6885	POST /api/marketplace/webhooks: errors use the shared codes	new routes/marketplace.ts	Claude	P2	78	Open
6886	POST /api/marketplace/webhooks: described in the interface specification	new routes/marketplace.ts	Claude	P2	78	Open
6887	POST /api/marketplace/webhooks: integration tests: success, refusal and invalid input	new routes/marketplace.ts	Claude	P2	78	Open
6888	GET /api/turns/listings: build: list turns for sale in the member's circles	new routes/turns.ts	Claude	P2	56	Open
6889	GET /api/turns/listings: input checked against a schema	new routes/turns.ts	Claude	P2	56	Open
6890	GET /api/turns/listings: sign in and access checks	new routes/turns.ts	Claude	P2	56	Open
6891	GET /api/turns/listings: rate limit for this route	new routes/turns.ts	Claude	P2	56	Open
6892	GET /api/turns/listings: bounded with cursor pagination	new routes/turns.ts	Claude	P2	56	Open
6893	GET /api/turns/listings: errors use the shared codes	new routes/turns.ts	Claude	P2	56	Open
6894	GET /api/turns/listings: described in the interface specification	new routes/turns.ts	Claude	P2	56	Open
6895	GET /api/turns/listings: integration tests: success, refusal and invalid input	new routes/turns.ts	Claude	P2	56	Open
6896	POST /api/turns/listings: build: list a turn with an asking price in points	new routes/turns.ts	Claude	P2	56	Open
6897	POST /api/turns/listings: input checked against a schema	new routes/turns.ts	Claude	P2	56	Open
6898	POST /api/turns/listings: sign in and access checks	new routes/turns.ts	Claude	P2	56	Open
6899	POST /api/turns/listings: rate limit for this route	new routes/turns.ts	Claude	P2	56	Open

#	Item	Where	Owner	Pri	Phase	Status
6900	POST /api/turns/listings: idempotency key enforced	new routes/turns.ts	Claude	P2	56	Open
6901	POST /api/turns/listings: audit log entry	new routes/turns.ts	Claude	P2	56	Open
6902	POST /api/turns/listings: errors use the shared codes	new routes/turns.ts	Claude	P2	56	Open
6903	POST /api/turns/listings: described in the interface specification	new routes/turns.ts	Claude	P2	56	Open
6904	POST /api/turns/listings: integration tests: success, refusal and invalid input	new routes/turns.ts	Claude	P2	56	Open
6905	POST /api/turns/listings/:id/offers: build: make an offer	new routes/turns.ts	Claude	P2	56	Open
6906	POST /api/turns/listings/:id/offers: input checked against a schema	new routes/turns.ts	Claude	P2	56	Open
6907	POST /api/turns/listings/:id/offers: sign in and access checks	new routes/turns.ts	Claude	P2	56	Open
6908	POST /api/turns/listings/:id/offers: rate limit for this route	new routes/turns.ts	Claude	P2	56	Open
6909	POST /api/turns/listings/:id/offers: idempotency key enforced	new routes/turns.ts	Claude	P2	56	Open
6910	POST /api/turns/listings/:id/offers: audit log entry	new routes/turns.ts	Claude	P2	56	Open
6911	POST /api/turns/listings/:id/offers: errors use the shared codes	new routes/turns.ts	Claude	P2	56	Open
6912	POST /api/turns/listings/:id/offers: described in the interface specification	new routes/turns.ts	Claude	P2	56	Open
6913	POST /api/turns/listings/:id/offers: integration tests: success, refusal and invalid input	new routes/turns.ts	Claude	P2	56	Open
6914	POST /api/turns/offers/:id/accept: build: accept an offer, pending host approval	new routes/turns.ts	Claude	P2	56	Open
6915	POST /api/turns/offers/:id/accept: input checked against a schema	new routes/turns.ts	Claude	P2	56	Open
6916	POST /api/turns/offers/:id/accept: sign in and access checks	new routes/turns.ts	Claude	P2	56	Open
6917	POST /api/turns/offers/:id/accept: rate limit for this route	new routes/turns.ts	Claude	P2	56	Open
6918	POST /api/turns/offers/:id/accept: idempotency key enforced	new routes/turns.ts	Claude	P2	56	Open
6919	POST /api/turns/offers/:id/accept: audit log entry	new routes/turns.ts	Claude	P2	56	Open
6920	POST /api/turns/offers/:id/accept: errors use the shared codes	new routes/turns.ts	Claude	P2	56	Open
6921	POST /api/turns/offers/:id/accept: described in the interface specification	new routes/turns.ts	Claude	P2	56	Open
6922	POST /api/turns/offers/:id/accept: integration tests: success, refusal and invalid input	new routes/turns.ts	Claude	P2	56	Open
6923	POST /api/turns/trades/:id/approve: build: host approval of a trade	new routes/turns.ts	Claude	P2	56	Open
6924	POST /api/turns/trades/:id/approve: input checked against a schema	new routes/turns.ts	Claude	P2	56	Open
6925	POST /api/turns/trades/:id/approve: sign in and access checks	new routes/turns.ts	Claude	P2	56	Open
6926	POST /api/turns/trades/:id/approve: rate limit for this route	new routes/turns.ts	Claude	P2	56	Open
6927	POST /api/turns/trades/:id/approve: idempotency key enforced	new routes/turns.ts	Claude	P2	56	Open
6928	POST /api/turns/trades/:id/approve: audit log entry	new routes/turns.ts	Claude	P2	56	Open
6929	POST /api/turns/trades/:id/approve: errors use the shared codes	new routes/turns.ts	Claude	P2	56	Open
6930	POST /api/turns/trades/:id/approve: described in the interface specification	new routes/turns.ts	Claude	P2	56	Open

#	Item	Where	Owner	Pri	Phase	Status
6931	POST /api/turns/trades/:id/approve: integration tests: success, refusal and invalid input	new routes/turns.ts	Claude	P2	56	Open
6932	POST /api/turns/trades/:id/cancel: build: cancel a trade before settlement	new routes/turns.ts	Claude	P2	56	Open
6933	POST /api/turns/trades/:id/cancel: input checked against a schema	new routes/turns.ts	Claude	P2	56	Open
6934	POST /api/turns/trades/:id/cancel: sign in and access checks	new routes/turns.ts	Claude	P2	57	Open
6935	POST /api/turns/trades/:id/cancel: rate limit for this route	new routes/turns.ts	Claude	P2	57	Open
6936	POST /api/turns/trades/:id/cancel: idempotency key enforced	new routes/turns.ts	Claude	P2	57	Open
6937	POST /api/turns/trades/:id/cancel: audit log entry	new routes/turns.ts	Claude	P2	57	Open
6938	POST /api/turns/trades/:id/cancel: errors use the shared codes	new routes/turns.ts	Claude	P2	57	Open
6939	POST /api/turns/trades/:id/cancel: described in the interface specification	new routes/turns.ts	Claude	P2	57	Open
6940	POST /api/turns/trades/:id/cancel: integration tests: success, refusal and invalid input	new routes/turns.ts	Claude	P2	57	Open
6941	POST /api/bureau/consent: build: record the member's consent to reporting	new routes/bureau.ts	Claude	P1	53	Open
6942	POST /api/bureau/consent: input checked against a schema	new routes/bureau.ts	Claude	P1	53	Open
6943	POST /api/bureau/consent: sign in and access checks	new routes/bureau.ts	Claude	P1	53	Open
6944	POST /api/bureau/consent: rate limit for this route	new routes/bureau.ts	Claude	P1	54	Open
6945	POST /api/bureau/consent: idempotency key enforced	new routes/bureau.ts	Claude	P1	54	Open
6946	POST /api/bureau/consent: audit log entry	new routes/bureau.ts	Claude	P1	54	Open
6947	POST /api/bureau/consent: errors use the shared codes	new routes/bureau.ts	Claude	P1	54	Open
6948	POST /api/bureau/consent: described in the interface specification	new routes/bureau.ts	Claude	P2	78	Open
6949	POST /api/bureau/consent: integration tests: success, refusal and invalid input	new routes/bureau.ts	Claude	P1	54	Open
6950	POST /api/bureau/instruction: build: record the member's instruction for a report on joining	new routes/bureau.ts	Claude	P1	54	Open
6951	POST /api/bureau/instruction: input checked against a schema	new routes/bureau.ts	Claude	P1	54	Open
6952	POST /api/bureau/instruction: sign in and access checks	new routes/bureau.ts	Claude	P1	54	Open
6953	POST /api/bureau/instruction: rate limit for this route	new routes/bureau.ts	Claude	P1	54	Open
6954	POST /api/bureau/instruction: idempotency key enforced	new routes/bureau.ts	Claude	P1	54	Open
6955	POST /api/bureau/instruction: audit log entry	new routes/bureau.ts	Claude	P1	54	Open
6956	POST /api/bureau/instruction: errors use the shared codes	new routes/bureau.ts	Claude	P1	54	Open
6957	POST /api/bureau/instruction: described in the interface specification	new routes/bureau.ts	Claude	P2	78	Open
6958	POST /api/bureau/instruction: integration tests: success, refusal and invalid input	new routes/bureau.ts	Claude	P1	54	Open
6959	GET /api/bureau/records: build: list what was reported for the member	new routes/bureau.ts	Claude	P1	54	Open
6960	GET /api/bureau/records: input checked against a schema	new routes/bureau.ts	Claude	P1	54	Open
6961	GET /api/bureau/records: sign in and access checks	new routes/bureau.ts	Claude	P1	54	Open

#	Item	Where	Owner	Pri	Phase	Status
6962	GET /api/bureau/records: rate limit for this route	new routes/bureau.ts	Claude	P1	54	Open
6963	GET /api/bureau/records: bounded with cursor pagination	new routes/bureau.ts	Claude	P1	54	Open
6964	GET /api/bureau/records: errors use the shared codes	new routes/bureau.ts	Claude	P1	54	Open
6965	GET /api/bureau/records: described in the interface specification	new routes/bureau.ts	Claude	P2	78	Open
6966	GET /api/bureau/records: integration tests: success, refusal and invalid input	new routes/bureau.ts	Claude	P1	54	Open
6967	POST /api/bureau/disputes: build: dispute a reported record	new routes/bureau.ts	Claude	P1	54	Open
6968	POST /api/bureau/disputes: input checked against a schema	new routes/bureau.ts	Claude	P1	54	Open
6969	POST /api/bureau/disputes: sign in and access checks	new routes/bureau.ts	Claude	P1	54	Open
6970	POST /api/bureau/disputes: rate limit for this route	new routes/bureau.ts	Claude	P1	54	Open
6971	POST /api/bureau/disputes: idempotency key enforced	new routes/bureau.ts	Claude	P1	54	Open
6972	POST /api/bureau/disputes: audit log entry	new routes/bureau.ts	Claude	P1	54	Open
6973	POST /api/bureau/disputes: errors use the shared codes	new routes/bureau.ts	Claude	P1	54	Open
6974	POST /api/bureau/disputes: described in the interface specification	new routes/bureau.ts	Claude	P2	78	Open
6975	POST /api/bureau/disputes: integration tests: success, refusal and invalid input	new routes/bureau.ts	Claude	P1	54	Open
6976	POST /api/bureau/submissions/run: build: prepare and send the monthly submission, for the scheduler only	new routes/bureau.ts	Claude	P1	54	Open
6977	POST /api/bureau/submissions/run: input checked against a schema	new routes/bureau.ts	Claude	P1	54	Open
6978	POST /api/bureau/submissions/run: open only to the scheduler or to named administrators	new routes/bureau.ts	Claude	P1	54	Open
6979	POST /api/bureau/submissions/run: rate limit for this route	new routes/bureau.ts	Claude	P1	54	Open
6980	POST /api/bureau/submissions/run: idempotency key enforced	new routes/bureau.ts	Claude	P1	54	Open
6981	POST /api/bureau/submissions/run: audit log entry	new routes/bureau.ts	Claude	P1	54	Open
6982	POST /api/bureau/submissions/run: errors use the shared codes	new routes/bureau.ts	Claude	P1	54	Open
6983	POST /api/bureau/submissions/run: described in the interface specification	new routes/bureau.ts	Claude	P2	78	Open
6984	POST /api/bureau/submissions/run: integration tests: success, refusal and invalid input	new routes/bureau.ts	Claude	P1	54	Open
6985	POST /api/complaints: build: open a complaint with a number	new routes/complaints.ts	Claude	P1	18	Open
6986	POST /api/complaints: input checked against a schema	new routes/complaints.ts	Claude	P1	18	Open
6987	POST /api/complaints: sign in and access checks	new routes/complaints.ts	Claude	P1	18	Open
6988	POST /api/complaints: rate limit for this route	new routes/complaints.ts	Claude	P1	18	Open
6989	POST /api/complaints: idempotency key enforced	new routes/complaints.ts	Claude	P1	18	Open
6990	POST /api/complaints: audit log entry	new routes/complaints.ts	Claude	P1	18	Open
6991	POST /api/complaints: errors use the shared codes	new routes/complaints.ts	Claude	P1	18	Open
6992	POST /api/complaints: described in the interface specification	new routes/complaints.ts	Claude	P2	57	Open

#	Item	Where	Owner	Pri	Phase	Status
6993	POST /api/complaints: integration tests: success, refusal and invalid input	new routes/complaints.ts	Claude	P1	18	Open
6994	GET /api/complaints: build: list the member's complaints	new routes/complaints.ts	Claude	P1	18	Open
6995	GET /api/complaints: input checked against a schema	new routes/complaints.ts	Claude	P1	18	Open
6996	GET /api/complaints: sign in and access checks	new routes/complaints.ts	Claude	P1	18	Open
6997	GET /api/complaints: rate limit for this route	new routes/complaints.ts	Claude	P1	18	Open
6998	GET /api/complaints: bounded with cursor pagination	new routes/complaints.ts	Claude	P1	18	Open
6999	GET /api/complaints: errors use the shared codes	new routes/complaints.ts	Claude	P1	18	Open
7000	GET /api/complaints: described in the interface specification	new routes/complaints.ts	Claude	P2	57	Open
7001	GET /api/complaints: integration tests: success, refusal and invalid input	new routes/complaints.ts	Claude	P1	18	Open
7002	GET /api/complaints/:id: build: show a complaint and its timeline	new routes/complaints.ts	Claude	P1	18	Open
7003	GET /api/complaints/:id: input checked against a schema	new routes/complaints.ts	Claude	P1	18	Open
7004	GET /api/complaints/:id: sign in and access checks	new routes/complaints.ts	Claude	P1	18	Open
7005	GET /api/complaints/:id: rate limit for this route	new routes/complaints.ts	Claude	P1	18	Open
7006	GET /api/complaints/:id: errors use the shared codes	new routes/complaints.ts	Claude	P1	18	Open
7007	GET /api/complaints/:id: described in the interface specification	new routes/complaints.ts	Claude	P2	57	Open
7008	GET /api/complaints/:id: integration tests: success, refusal and invalid input	new routes/complaints.ts	Claude	P1	18	Open
7009	POST /api/complaints/:id/escalate: build: hand a complaint to the bank's complaint unit	new routes/complaints.ts	Claude	P1	18	Open
7010	POST /api/complaints/:id/escalate: input checked against a schema	new routes/complaints.ts	Claude	P1	18	Open
7011	POST /api/complaints/:id/escalate: sign in and access checks	new routes/complaints.ts	Claude	P1	18	Open
7012	POST /api/complaints/:id/escalate: rate limit for this route	new routes/complaints.ts	Claude	P1	18	Open
7013	POST /api/complaints/:id/escalate: idempotency key enforced	new routes/complaints.ts	Claude	P1	18	Open
7014	POST /api/complaints/:id/escalate: audit log entry	new routes/complaints.ts	Claude	P1	18	Open
7015	POST /api/complaints/:id/escalate: errors use the shared codes	new routes/complaints.ts	Claude	P1	18	Open
7016	POST /api/complaints/:id/escalate: described in the interface specification	new routes/complaints.ts	Claude	P2	57	Open
7017	POST /api/complaints/:id/escalate: integration tests: success, refusal and invalid input	new routes/complaints.ts	Claude	P1	18	Open
7018	POST /api/disputes: build: open a dispute on a payment	new routes/disputes.ts	Claude	P1	18	Open
7019	POST /api/disputes: input checked against a schema	new routes/disputes.ts	Claude	P1	18	Open
7020	POST /api/disputes: sign in and access checks	new routes/disputes.ts	Claude	P1	18	Open
7021	POST /api/disputes: rate limit for this route	new routes/disputes.ts	Claude	P1	18	Open
7022	POST /api/disputes: idempotency key enforced	new routes/disputes.ts	Claude	P1	18	Open
7023	POST /api/disputes: audit log entry	new routes/disputes.ts	Claude	P1	18	Open

#	Item	Where	Owner	Pri	Phase	Status
7024	POST /api/disputes: errors use the shared codes	new routes/disputes.ts	Claude	P1	18	Open
7025	POST /api/disputes: described in the interface specification	new routes/disputes.ts	Claude	P2	57	Open
7026	POST /api/disputes: integration tests: success, refusal and invalid input	new routes/disputes.ts	Claude	P1	18	Open
7027	GET /api/disputes/:id: build: show a dispute and its status	new routes/disputes.ts	Claude	P1	18	Open
7028	GET /api/disputes/:id: input checked against a schema	new routes/disputes.ts	Claude	P1	18	Open
7029	GET /api/disputes/:id: sign in and access checks	new routes/disputes.ts	Claude	P1	18	Open
7030	GET /api/disputes/:id: rate limit for this route	new routes/disputes.ts	Claude	P1	18	Open
7031	GET /api/disputes/:id: errors use the shared codes	new routes/disputes.ts	Claude	P1	18	Open
7032	GET /api/disputes/:id: described in the interface specification	new routes/disputes.ts	Claude	P2	57	Open
7033	GET /api/disputes/:id: integration tests: success, refusal and invalid input	new routes/disputes.ts	Claude	P1	18	Open
7034	GET /api/kfs/:circleId: build: return the key fact statement for a circle	new routes/kfs.ts	Claude	P0	2	Open
7035	GET /api/kfs/:circleId: input checked against a schema	new routes/kfs.ts	Claude	P0	2	Open
7036	GET /api/kfs/:circleId: sign in and access checks	new routes/kfs.ts	Claude	P0	2	Open
7037	GET /api/kfs/:circleId: rate limit for this route	new routes/kfs.ts	Claude	P0	2	Open
7038	GET /api/kfs/:circleId: errors use the shared codes	new routes/kfs.ts	Claude	P0	2	Open
7039	GET /api/kfs/:circleId: described in the interface specification	new routes/kfs.ts	Claude	P2	57	Open
7040	GET /api/kfs/:circleId: integration tests: success, refusal and invalid input	new routes/kfs.ts	Claude	P0	2	Open
7041	POST /api/kfs/:circleId/accept: build: record acceptance of the key fact statement	new routes/kfs.ts	Claude	P0	2	Open
7042	POST /api/kfs/:circleId/accept: input checked against a schema	new routes/kfs.ts	Claude	P0	2	Open
7043	POST /api/kfs/:circleId/accept: sign in and access checks	new routes/kfs.ts	Claude	P0	2	Open
7044	POST /api/kfs/:circleId/accept: rate limit for this route	new routes/kfs.ts	Claude	P0	2	Open
7045	POST /api/kfs/:circleId/accept: idempotency key enforced	new routes/kfs.ts	Claude	P0	2	Open
7046	POST /api/kfs/:circleId/accept: audit log entry	new routes/kfs.ts	Claude	P0	2	Open
7047	POST /api/kfs/:circleId/accept: errors use the shared codes	new routes/kfs.ts	Claude	P0	2	Open
7048	POST /api/kfs/:circleId/accept: described in the interface specification	new routes/kfs.ts	Claude	P2	57	Open
7049	POST /api/kfs/:circleId/accept: integration tests: success, refusal and invalid input	new routes/kfs.ts	Claude	P0	2	Open
7050	GET /api/consents: build: list the member's consents	new routes/consents.ts	Claude	P1	19	Open
7051	GET /api/consents: input checked against a schema	new routes/consents.ts	Claude	P1	19	Open
7052	GET /api/consents: sign in and access checks	new routes/consents.ts	Claude	P1	19	Open
7053	GET /api/consents: rate limit for this route	new routes/consents.ts	Claude	P1	19	Open
7054	GET /api/consents: bounded with cursor pagination	new routes/consents.ts	Claude	P1	19	Open

#	Item	Where	Owner	Pri	Phase	Status
7055	GET /api/consents: errors use the shared codes	new routes/consents.ts	Claude	P1	19	Open
7056	GET /api/consents: described in the interface specification	new routes/consents.ts	Claude	P2	57	Open
7057	GET /api/consents: integration tests: success, refusal and invalid input	new routes/consents.ts	Claude	P1	19	Open
7058	POST /api/consents/:purpose/withdraw: build: withdraw a consent where the law allows	new routes/consents.ts	Claude	P1	19	Open
7059	POST /api/consents/:purpose/withdraw: input checked against a schema	new routes/consents.ts	Claude	P1	19	Open
7060	POST /api/consents/:purpose/withdraw: sign in and access checks	new routes/consents.ts	Claude	P1	19	Open
7061	POST /api/consents/:purpose/withdraw: rate limit for this route	new routes/consents.ts	Claude	P1	19	Open
7062	POST /api/consents/:purpose/withdraw: idempotency key enforced	new routes/consents.ts	Claude	P1	19	Open
7063	POST /api/consents/:purpose/withdraw: audit log entry	new routes/consents.ts	Claude	P1	19	Open
7064	POST /api/consents/:purpose/withdraw: errors use the shared codes	new routes/consents.ts	Claude	P1	19	Open
7065	POST /api/consents/:purpose/withdraw: described in the interface specification	new routes/consents.ts	Claude	P2	57	Open
7066	POST /api/consents/:purpose/withdraw: integration tests: success, refusal and invalid input	new routes/consents.ts	Claude	P1	19	Open
7067	POST /api/devices/bind: build: bind this device, starting the cooling off	new routes/devices.ts	Claude	P0	2	Open
7068	POST /api/devices/bind: input checked against a schema	new routes/devices.ts	Claude	P0	2	Open
7069	POST /api/devices/bind: sign in and access checks	new routes/devices.ts	Claude	P0	2	Open
7070	POST /api/devices/bind: rate limit for this route	new routes/devices.ts	Claude	P0	2	Open
7071	POST /api/devices/bind: idempotency key enforced	new routes/devices.ts	Claude	P0	2	Open
7072	POST /api/devices/bind: audit log entry	new routes/devices.ts	Claude	P0	2	Open
7073	POST /api/devices/bind: errors use the shared codes	new routes/devices.ts	Claude	P0	2	Open
7074	POST /api/devices/bind: described in the interface specification	new routes/devices.ts	Claude	P2	57	Open
7075	POST /api/devices/bind: integration tests: success, refusal and invalid input	new routes/devices.ts	Claude	P0	2	Open
7076	GET /api/devices/cooling-off: build: return whether a cooling off is running and its end	new routes/devices.ts	Claude	P0	2	Open
7077	GET /api/devices/cooling-off: input checked against a schema	new routes/devices.ts	Claude	P0	2	Open
7078	GET /api/devices/cooling-off: sign in and access checks	new routes/devices.ts	Claude	P0	2	Open
7079	GET /api/devices/cooling-off: rate limit for this route	new routes/devices.ts	Claude	P0	2	Open
7080	GET /api/devices/cooling-off: bounded with cursor pagination	new routes/devices.ts	Claude	P0	2	Open
7081	GET /api/devices/cooling-off: errors use the shared codes	new routes/devices.ts	Claude	P0	2	Open
7082	GET /api/devices/cooling-off: described in the interface specification	new routes/devices.ts	Claude	P2	57	Open
7083	GET /api/devices/cooling-off: integration tests: success, refusal and invalid input	new routes/devices.ts	Claude	P0	2	Open
7084	POST /api/security/transaction-pin: build: set the transaction PIN	new routes/security.ts	Claude	P0	2	Open
7085	POST /api/security/transaction-pin: input checked against a schema	new routes/security.ts	Claude	P0	2	Open

#	Item	Where	Owner	Pri	Phase	Status
7086	POST /api/security/transaction-pin: sign in and access checks	new routes/security.ts	Claude	P0	2	Open
7087	POST /api/security/transaction-pin: rate limit for this route	new routes/security.ts	Claude	P0	2	Open
7088	POST /api/security/transaction-pin: idempotency key enforced	new routes/security.ts	Claude	P0	2	Open
7089	POST /api/security/transaction-pin: audit log entry	new routes/security.ts	Claude	P0	2	Open
7090	POST /api/security/transaction-pin: errors use the shared codes	new routes/security.ts	Claude	P0	2	Open
7091	POST /api/security/transaction-pin: described in the interface specification	new routes/security.ts	Claude	P2	57	Open
7092	POST /api/security/transaction-pin: integration tests: success, refusal and invalid input	new routes/security.ts	Claude	P0	2	Open
7093	POST /api/security/transaction-pin/verify: build: check the transaction PIN for a financial action	new routes/security.ts	Claude	P0	2	Open
7094	POST /api/security/transaction-pin/verify: input checked against a schema	new routes/security.ts	Claude	P0	2	Open
7095	POST /api/security/transaction-pin/verify: sign in and access checks	new routes/security.ts	Claude	P0	2	Open
7096	POST /api/security/transaction-pin/verify: rate limit for this route	new routes/security.ts	Claude	P0	2	Open
7097	POST /api/security/transaction-pin/verify: idempotency key enforced	new routes/security.ts	Claude	P0	2	Open
7098	POST /api/security/transaction-pin/verify: audit log entry	new routes/security.ts	Claude	P0	2	Open
7099	POST /api/security/transaction-pin/verify: errors use the shared codes	new routes/security.ts	Claude	P0	2	Open
7100	POST /api/security/transaction-pin/verify: described in the interface specification	new routes/security.ts	Claude	P2	57	Open
7101	POST /api/security/transaction-pin/verify: integration tests: success, refusal and invalid input	new routes/security.ts	Claude	P0	2	Open
7102	POST /api/security/block: build: ask the bank to block digital channels at once	new routes/security.ts	Claude	P0	46	Open
7103	POST /api/security/block: input checked against a schema	new routes/security.ts	Claude	P0	46	Open
7104	POST /api/security/block: sign in and access checks	new routes/security.ts	Claude	P0	46	Open
7105	POST /api/security/block: rate limit for this route	new routes/security.ts	Claude	P0	46	Open
7106	POST /api/security/block: idempotency key enforced	new routes/security.ts	Claude	P0	46	Open
7107	POST /api/security/block: audit log entry	new routes/security.ts	Claude	P0	46	Open
7108	POST /api/security/block: errors use the shared codes	new routes/security.ts	Claude	P0	46	Open
7109	POST /api/security/block: described in the interface specification	new routes/security.ts	Claude	P2	75	Open
7110	POST /api/security/block: integration tests: success, refusal and invalid input	new routes/security.ts	Claude	P0	46	Open
7111	GET /api/notifications/preferences: build: return the member's notification choices	new routes/notifications.ts	Claude	P1	19	Open
7112	GET /api/notifications/preferences: input checked against a schema	new routes/notifications.ts	Claude	P1	19	Open
7113	GET /api/notifications/preferences: sign in and access checks	new routes/notifications.ts	Claude	P1	19	Open
7114	GET /api/notifications/preferences: rate limit for this route	new routes/notifications.ts	Claude	P1	19	Open
7115	GET /api/notifications/preferences: bounded with cursor pagination	new routes/notifications.ts	Claude	P1	19	Open
7116	GET /api/notifications/preferences: errors use the shared codes	new routes/notifications.ts	Claude	P1	19	Open

#	Item	Where	Owner	Pri	Phase	Status
7117	GET /api/notifications/preferences: described in the interface specification	new routes/notifications.ts	Claude	P2	57	Open
7118	GET /api/notifications/preferences: integration tests: success, refusal and invalid input	new routes/notifications.ts	Claude	P1	19	Open
7119	PATCH /api/notifications/preferences: build: change notification choices, alerts staying on	new routes/notifications.ts	Claude	P1	19	Open
7120	PATCH /api/notifications/preferences: input checked against a schema	new routes/notifications.ts	Claude	P1	19	Open
7121	PATCH /api/notifications/preferences: sign in and access checks	new routes/notifications.ts	Claude	P1	19	Open
7122	PATCH /api/notifications/preferences: rate limit for this route	new routes/notifications.ts	Claude	P1	19	Open
7123	PATCH /api/notifications/preferences: idempotency key enforced	new routes/notifications.ts	Claude	P1	19	Open
7124	PATCH /api/notifications/preferences: audit log entry	new routes/notifications.ts	Claude	P1	19	Open
7125	PATCH /api/notifications/preferences: errors use the shared codes	new routes/notifications.ts	Claude	P1	19	Open
7126	PATCH /api/notifications/preferences: described in the interface specification	new routes/notifications.ts	Claude	P2	57	Open
7127	PATCH /api/notifications/preferences: integration tests: success, refusal and invalid input	new routes/notifications.ts	Claude	P1	19	Open
7128	POST /api/privacy/export: build: request a full export of the member's record	new routes/privacy.ts	Claude	P1	19	Open
7129	POST /api/privacy/export: input checked against a schema	new routes/privacy.ts	Claude	P1	19	Open
7130	POST /api/privacy/export: sign in and access checks	new routes/privacy.ts	Claude	P1	19	Open
7131	POST /api/privacy/export: rate limit for this route	new routes/privacy.ts	Claude	P1	19	Open
7132	POST /api/privacy/export: idempotency key enforced	new routes/privacy.ts	Claude	P1	19	Open
7133	POST /api/privacy/export: audit log entry	new routes/privacy.ts	Claude	P1	19	Open
7134	POST /api/privacy/export: errors use the shared codes	new routes/privacy.ts	Claude	P1	19	Open
7135	POST /api/privacy/export: described in the interface specification	new routes/privacy.ts	Claude	P2	57	Open
7136	POST /api/privacy/export: integration tests: success, refusal and invalid input	new routes/privacy.ts	Claude	P1	19	Open
7137	POST /api/privacy/close-account: build: close the account when nothing is owed	new routes/privacy.ts	Claude	P1	19	Open
7138	POST /api/privacy/close-account: input checked against a schema	new routes/privacy.ts	Claude	P1	19	Open
7139	POST /api/privacy/close-account: sign in and access checks	new routes/privacy.ts	Claude	P1	19	Open
7140	POST /api/privacy/close-account: rate limit for this route	new routes/privacy.ts	Claude	P1	19	Open
7141	POST /api/privacy/close-account: idempotency key enforced	new routes/privacy.ts	Claude	P1	19	Open
7142	POST /api/privacy/close-account: audit log entry	new routes/privacy.ts	Claude	P1	19	Open
7143	POST /api/privacy/close-account: errors use the shared codes	new routes/privacy.ts	Claude	P1	19	Open
7144	POST /api/privacy/close-account: described in the interface specification	new routes/privacy.ts	Claude	P2	57	Open
7145	POST /api/privacy/close-account: integration tests: success, refusal and invalid input	new routes/privacy.ts	Claude	P1	19	Open
7146	GET /api/takaful/:circleId: build: show the operator, the fee by name and the certificate	new routes/takaful.ts	Claude	P1	19	Open
7147	GET /api/takaful/:circleId: input checked against a schema	new routes/takaful.ts	Claude	P1	19	Open

#	Item	Where	Owner	Pri	Phase	Status
7148	GET /api/takaful/:circleId: sign in and access checks	new routes/takaful.ts	Claude	P1	19	Open
7149	GET /api/takaful/:circleId: rate limit for this route	new routes/takaful.ts	Claude	P1	19	Open
7150	GET /api/takaful/:circleId: errors use the shared codes	new routes/takaful.ts	Claude	P1	19	Open
7151	GET /api/takaful/:circleId: described in the interface specification	new routes/takaful.ts	Claude	P2	57	Open
7152	GET /api/takaful/:circleId: integration tests: success, refusal and invalid input	new routes/takaful.ts	Claude	P1	19	Open
7153	POST /api/takaful/claims: build: lodge a claim with the operator's reference	new routes/takaful.ts	Claude	P1	19	Open
7154	POST /api/takaful/claims: input checked against a schema	new routes/takaful.ts	Claude	P1	19	Open
7155	POST /api/takaful/claims: sign in and access checks	new routes/takaful.ts	Claude	P1	19	Open
7156	POST /api/takaful/claims: rate limit for this route	new routes/takaful.ts	Claude	P1	19	Open
7157	POST /api/takaful/claims: idempotency key enforced	new routes/takaful.ts	Claude	P1	19	Open
7158	POST /api/takaful/claims: audit log entry	new routes/takaful.ts	Claude	P1	19	Open
7159	POST /api/takaful/claims: errors use the shared codes	new routes/takaful.ts	Claude	P1	19	Open
7160	POST /api/takaful/claims: described in the interface specification	new routes/takaful.ts	Claude	P2	57	Open
7161	POST /api/takaful/claims: integration tests: success, refusal and invalid input	new routes/takaful.ts	Claude	P1	19	Open
7162	GET /api/takaful/claims/:id: build: show the operator's claim status	new routes/takaful.ts	Claude	P1	19	Open
7163	GET /api/takaful/claims/:id: input checked against a schema	new routes/takaful.ts	Claude	P1	19	Open
7164	GET /api/takaful/claims/:id: sign in and access checks	new routes/takaful.ts	Claude	P1	19	Open
7165	GET /api/takaful/claims/:id: rate limit for this route	new routes/takaful.ts	Claude	P1	19	Open
7166	GET /api/takaful/claims/:id: errors use the shared codes	new routes/takaful.ts	Claude	P1	19	Open
7167	GET /api/takaful/claims/:id: described in the interface specification	new routes/takaful.ts	Claude	P2	57	Open
7168	GET /api/takaful/claims/:id: integration tests: success, refusal and invalid input	new routes/takaful.ts	Claude	P1	19	Open
7169	GET /api/admin/queues/:name: build: serve each administrative queue	new routes/admin.ts	Claude	P1	19	Open
7170	GET /api/admin/queues/:name: input checked against a schema	new routes/admin.ts	Claude	P1	19	Open
7171	GET /api/admin/queues/:name: open only to the scheduler or to named administrators	new routes/admin.ts	Claude	P1	19	Open
7172	GET /api/admin/queues/:name: rate limit for this route	new routes/admin.ts	Claude	P1	19	Open
7173	GET /api/admin/queues/:name: errors use the shared codes	new routes/admin.ts	Claude	P1	19	Open
7174	GET /api/admin/queues/:name: described in the interface specification	new routes/admin.ts	Claude	P2	57	Open
7175	GET /api/admin/queues/:name: integration tests: success, refusal and invalid input	new routes/admin.ts	Claude	P1	19	Open
7176	POST /api/admin/queues/:name/:id/decide: build: record an administrator's decision with a reason	new routes/admin.ts	Claude	P1	19	Open
7177	POST /api/admin/queues/:name/:id/decide: input checked against a schema	new routes/admin.ts	Claude	P1	19	Open
7178	POST /api/admin/queues/:name/:id/decide: open only to the scheduler or to named administrators	new routes/admin.ts	Claude	P1	19	Open

#	Item	Where	Owner	Pri	Phase	Status
7179	POST /api/admin/queues/:name/:id/decide: rate limit for this route	new routes/admin.ts	Claude	P1	19	Open
7180	POST /api/admin/queues/:name/:id/decide: idempotency key enforced	new routes/admin.ts	Claude	P1	19	Open
7181	POST /api/admin/queues/:name/:id/decide: audit log entry	new routes/admin.ts	Claude	P1	19	Open
7182	POST /api/admin/queues/:name/:id/decide: errors use the shared codes	new routes/admin.ts	Claude	P1	20	Open
7183	POST /api/admin/queues/:name/:id/decide: described in the interface specification	new routes/admin.ts	Claude	P2	57	Open
7184	POST /api/admin/queues/:name/:id/decide: integration tests: success, refusal and invalid input	new routes/admin.ts	Claude	P1	20	Open
7185	GET /api/admin/audit: build: search the audit log	new routes/admin.ts	Claude	P1	20	Open
7186	GET /api/admin/audit: input checked against a schema	new routes/admin.ts	Claude	P1	20	Open
7187	GET /api/admin/audit: open only to the scheduler or to named administrators	new routes/admin.ts	Claude	P1	20	Open
7188	GET /api/admin/audit: rate limit for this route	new routes/admin.ts	Claude	P1	20	Open
7189	GET /api/admin/audit: bounded with cursor pagination	new routes/admin.ts	Claude	P1	20	Open
7190	GET /api/admin/audit: errors use the shared codes	new routes/admin.ts	Claude	P1	20	Open
7191	GET /api/admin/audit: described in the interface specification	new routes/admin.ts	Claude	P2	57	Open
7192	GET /api/admin/audit: integration tests: success, refusal and invalid input	new routes/admin.ts	Claude	P1	20	Open
7193	GET /api/admin/reports/bank: build: produce the monthly report pack for the bank	new routes/admin.ts	Claude	P1	20	Open
7194	GET /api/admin/reports/bank: input checked against a schema	new routes/admin.ts	Claude	P1	20	Open
7195	GET /api/admin/reports/bank: open only to the scheduler or to named administrators	new routes/admin.ts	Claude	P1	20	Open
7196	GET /api/admin/reports/bank: rate limit for this route	new routes/admin.ts	Claude	P1	20	Open
7197	GET /api/admin/reports/bank: bounded with cursor pagination	new routes/admin.ts	Claude	P1	20	Open
7198	GET /api/admin/reports/bank: errors use the shared codes	new routes/admin.ts	Claude	P1	20	Open
7199	GET /api/admin/reports/bank: described in the interface specification	new routes/admin.ts	Claude	P2	57	Open
7200	GET /api/admin/reports/bank: integration tests: success, refusal and invalid input	new routes/admin.ts	Claude	P1	20	Open
7201	GET /api/health: build: report the service, database and partner connections for monitoring	new routes/health.ts	Claude	P1	20	Open
7202	GET /api/health: input checked against a schema	new routes/health.ts	Claude	P1	20	Open
7203	GET /api/health: rate limit for this route	new routes/health.ts	Claude	P1	20	Open
7204	GET /api/health: bounded with cursor pagination	new routes/health.ts	Claude	P1	20	Open
7205	GET /api/health: errors use the shared codes	new routes/health.ts	Claude	P1	20	Open
7206	GET /api/health: described in the interface specification	new routes/health.ts	Claude	P2	57	Open
7207	GET /api/health: integration tests: success, refusal and invalid input	new routes/health.ts	Claude	P1	20	Open

AE5. Shared Pieces

#	Item	Where	Owner	Pri	Phase	Status
7208	Shared error code list with a member facing sentence for each code, in English and Urdu	lib/errors.ts	Claude	P1		Done
7209	Interface specification generated from the schemas and published for the bank	docs	Claude	P1		Done
7210	Request identifier on every response and in every log line	app.ts	Claude	P1	20	Open
7211	Per route rate limits, tighter on sign in, codes and financial actions	app.ts	Claude	P0		Done
7212	Idempotency middleware with a stored response for a repeated key	new lib/idempotency.ts	Claude	P0	2	Open
7213	Access check helpers: isMember, isHost, owns, isAdmin, used by every route	lib/guards.ts	Claude	P0	2	Open
7214	Response shaping helpers that strip internal fields in one place	lib/guards.ts	Claude	P1	20	Open
7215	Versioned interface paths so the native application and the web application can differ	app.ts	Claude	P2	57	Open
7216	Contract tests for every endpoint the bank or the PSP calls	tests	Claude	P1	20	Open
7217	Socket channel (chat and live updates) checked for sign in, access and rate limits	socket.ts	Claude	P1	20	Open

AF. Database Records

The 39 models in the schema and the new records the partnership needs.

AF1. Models to Remove

#	Item	Where	Owner	Pri	Phase	Status
7218	SecurityDeposit: remove the model and its relations; no deposits are held from members	schema.prisma: SecurityDeposit	Claude	P0	1	Open
7219	SecurityDeposit: migration that drops it after its data is archived	schema.prisma: SecurityDeposit	Claude	P0	1	Open
7220	PayoutHoldback: remove the model and its relations; no payout is held back	schema.prisma: PayoutHoldback	Claude	P0	1	Open
7221	PayoutHoldback: migration that drops it after its data is archived	schema.prisma: PayoutHoldback	Claude	P0	1	Open
7222	Scheme: remove the model and its relations; the catalogue of investment products goes	schema.prisma: Scheme	Claude	P0	1	Open
7223	Scheme: migration that drops it after its data is archived	schema.prisma: Scheme	Claude	P0	1	Open
7224	RiskConsent: remove the model and its relations; consent to investment risk is no longer asked	schema.prisma: RiskConsent	Claude	P0	1	Open
7225	RiskConsent: migration that drops it after its data is archived	schema.prisma: RiskConsent	Claude	P0	1	Open
7226	Investment: remove the model and its relations; Halqa invests no member money	schema.prisma: Investment	Claude	P0	1	Open
7227	Investment: migration that drops it after its data is archived	schema.prisma: Investment	Claude	P0	2	Open

AF2. Models to Review

#	Item	Where	Owner	Pri	Phase	Status
7228	ProtectionCommitment: review against the bank route: keep only the commitment record, never money held	schema.prisma: ProtectionCommitment	Claude	P0	2	Open

#	Item	Where	Owner	Pri	Phase	Status
7229	RiskAssessment: keep the circle risk band; remove investment fields	schema.prisma: RiskAssessment	Claude	P0	2	Open
7230	PartnerBank: replace the sandbox entry (Soneri, custody enabled) with Mashreq and Raqami, custody off	schema.prisma: PartnerBank	Claude	P0	2	Open

AF3. Models Kept

Each of the 34 models kept, with every check it needs: items 498 and 503 broken down by model.

#	Item	Where	Owner	Pri	Phase	Status
7231	User: included in the baseline migration and reviewed field by field (99 fields)	schema.prisma: User	Claude	P0	2	Open
7232	User: index for every list query that filters or sorts on it	schema.prisma: User	Claude	P1		Done
7233	User: foreign keys with the delete rule stated for each	schema.prisma: User	Claude	P1		Done
7234	User: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: User	Claude	P1		Done
7235	User: personal data classified: name, phone, CNIC, date of birth, address, city, occupation, employer, income, photo	schema.prisma: User	Claude	P0	2	Open
7236	User: retention period set and applied by the deletion job	schema.prisma: User	Claude	P1	20	Open
7237	User: field level encryption for CNIC number, phone, address, date of birth and income	schema.prisma: User	Claude	P0	2	Open
7238	User: every change recorded in the audit log with the actor	schema.prisma: User	Claude	P0	3	Open
7239	User: test fixtures for every state it can be in	schema.prisma: User	Claude	P1	20	Open
7240	User: each field documented in the data dictionary	schema.prisma: User	Claude	P2		Done
7241	Committee: included in the baseline migration and reviewed field by field (79 fields)	schema.prisma: Committee	Claude	P0	3	Open
7242	Committee: index for every list query that filters or sorts on it	schema.prisma: Committee	Claude	P1		Done
7243	Committee: foreign keys with the delete rule stated for each	schema.prisma: Committee	Claude	P1		Done
7244	Committee: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: Committee	Claude	P1		Done
7245	Committee: retention period set, with the reason	schema.prisma: Committee	Claude	P1	20	Open
7246	Committee: every change recorded in the audit log with the actor	schema.prisma: Committee	Claude	P0	3	Open
7247	Committee: test fixtures for every state it can be in	schema.prisma: Committee	Claude	P1	20	Open
7248	Committee: each field documented in the data dictionary	schema.prisma: Committee	Claude	P2		Done
7249	CommitteeWaitlist: included in the baseline migration and reviewed field by field (8 fields)	schema.prisma: CommitteeWaitlist	Claude	P0	3	Open
7250	CommitteeWaitlist: index for every list query that filters or sorts on it	schema.prisma: CommitteeWaitlist	Claude	P1		Done
7251	CommitteeWaitlist: foreign keys with the delete rule stated for each	schema.prisma: CommitteeWaitlist	Claude	P1		Done
7252	CommitteeWaitlist: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: CommitteeWaitlist	Claude	P1		Done
7253	CommitteeWaitlist: retention period set, with the reason	schema.prisma: CommitteeWaitlist	Claude	P1	20	Open
7254	CommitteeWaitlist: test fixtures for every state it can be in	schema.prisma: CommitteeWaitlist	Claude	P1	20	Open
7255	CommitteeWaitlist: each field documented in the data dictionary	schema.prisma: CommitteeWaitlist	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
7256	CommitteeMember: included in the baseline migration and reviewed field by field (17 fields)	schema.prisma: CommitteeMember	Claude	P0	3	Open
7257	CommitteeMember: index for every list query that filters or sorts on it	schema.prisma: CommitteeMember	Claude	P1		Done
7258	CommitteeMember: foreign keys with the delete rule stated for each	schema.prisma: CommitteeMember	Claude	P1		Done
7259	CommitteeMember: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: CommitteeMember	Claude	P1		Done
7260	CommitteeMember: retention period set, with the reason	schema.prisma: CommitteeMember	Claude	P1	20	Open
7261	CommitteeMember: every change recorded in the audit log with the actor	schema.prisma: CommitteeMember	Claude	P0	3	Open
7262	CommitteeMember: test fixtures for every state it can be in	schema.prisma: CommitteeMember	Claude	P1	20	Open
7263	CommitteeMember: each field documented in the data dictionary	schema.prisma: CommitteeMember	Claude	P2		Done
7264	Round: included in the baseline migration and reviewed field by field (18 fields)	schema.prisma: Round	Claude	P0	3	Open
7265	Round: index for every list query that filters or sorts on it	schema.prisma: Round	Claude	P1		Done
7266	Round: foreign keys with the delete rule stated for each	schema.prisma: Round	Claude	P1		Done
7267	Round: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: Round	Claude	P1		Done
7268	Round: retention period set, with the reason	schema.prisma: Round	Claude	P1	20	Open
7269	Round: every change recorded in the audit log with the actor	schema.prisma: Round	Claude	P0	3	Open
7270	Round: test fixtures for every state it can be in	schema.prisma: Round	Claude	P1	20	Open
7271	Round: each field documented in the data dictionary	schema.prisma: Round	Claude	P2		Done
7272	Payment: included in the baseline migration and reviewed field by field (15 fields)	schema.prisma: Payment	Claude	P0	3	Open
7273	Payment: index for every list query that filters or sorts on it	schema.prisma: Payment	Claude	P1		Done
7274	Payment: foreign keys with the delete rule stated for each	schema.prisma: Payment	Claude	P1		Done
7275	Payment: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: Payment	Claude	P1		Done
7276	Payment: retention period set, with the reason	schema.prisma: Payment	Claude	P1	20	Open
7277	Payment: every change recorded in the audit log with the actor	schema.prisma: Payment	Claude	P0	3	Open
7278	Payment: test fixtures for every state it can be in	schema.prisma: Payment	Claude	P1	20	Open
7279	Payment: each field documented in the data dictionary	schema.prisma: Payment	Claude	P2		Done
7280	LedgerEntry: included in the baseline migration and reviewed field by field (13 fields)	schema.prisma: LedgerEntry	Claude	P0	3	Open
7281	LedgerEntry: index for every list query that filters or sorts on it	schema.prisma: LedgerEntry	Claude	P1		Done
7282	LedgerEntry: foreign keys with the delete rule stated for each	schema.prisma: LedgerEntry	Claude	P1		Done
7283	LedgerEntry: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: LedgerEntry	Claude	P1		Done
7284	LedgerEntry: retention period set, with the reason	schema.prisma: LedgerEntry	Claude	P1	20	Open
7285	LedgerEntry: every change recorded in the audit log with the actor	schema.prisma: LedgerEntry	Claude	P0	3	Open
7286	LedgerEntry: test fixtures for every state it can be in	schema.prisma: LedgerEntry	Claude	P1	20	Open

#	Item	Where	Owner	Pri	Phase	Status
7287	LedgerEntry: each field documented in the data dictionary	schema.prisma: LedgerEntry	Claude	P2		Done
7288	ProtectionCommitment: included in the baseline migration and reviewed field by field (11 fields)	schema.prisma: ProtectionCommitment	Claude	P0	3	Open
7289	ProtectionCommitment: index for every list query that filters or sorts on it	schema.prisma: ProtectionCommitment	Claude	P1		Done
7290	ProtectionCommitment: foreign keys with the delete rule stated for each	schema.prisma: ProtectionCommitment	Claude	P1		Done
7291	ProtectionCommitment: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: ProtectionCommitment	Claude	P1		Done
7292	ProtectionCommitment: retention period set, with the reason	schema.prisma: ProtectionCommitment	Claude	P1	20	Open
7293	ProtectionCommitment: test fixtures for every state it can be in	schema.prisma: ProtectionCommitment	Claude	P1	20	Open
7294	ProtectionCommitment: each field documented in the data dictionary	schema.prisma: ProtectionCommitment	Claude	P2		Done
7295	RecoveryCase: included in the baseline migration and reviewed field by field (14 fields)	schema.prisma: RecoveryCase	Claude	P0	3	Open
7296	RecoveryCase: index for every list query that filters or sorts on it	schema.prisma: RecoveryCase	Claude	P1		Done
7297	RecoveryCase: foreign keys with the delete rule stated for each	schema.prisma: RecoveryCase	Claude	P1		Done
7298	RecoveryCase: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: RecoveryCase	Claude	P1		Done
7299	RecoveryCase: personal data classified: hardship reasons	schema.prisma: RecoveryCase	Claude	P0	3	Open
7300	RecoveryCase: retention period set and applied by the deletion job	schema.prisma: RecoveryCase	Claude	P1	20	Open
7301	RecoveryCase: every change recorded in the audit log with the actor	schema.prisma: RecoveryCase	Claude	P0	3	Open
7302	RecoveryCase: test fixtures for every state it can be in	schema.prisma: RecoveryCase	Claude	P1	20	Open
7303	RecoveryCase: each field documented in the data dictionary	schema.prisma: RecoveryCase	Claude	P2		Done
7304	RiskAssessment: included in the baseline migration and reviewed field by field (16 fields)	schema.prisma: RiskAssessment	Claude	P0	3	Open
7305	RiskAssessment: index for every list query that filters or sorts on it	schema.prisma: RiskAssessment	Claude	P1		Done
7306	RiskAssessment: foreign keys with the delete rule stated for each	schema.prisma: RiskAssessment	Claude	P1		Done
7307	RiskAssessment: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: RiskAssessment	Claude	P1		Done
7308	RiskAssessment: retention period set, with the reason	schema.prisma: RiskAssessment	Claude	P1	20	Open
7309	RiskAssessment: test fixtures for every state it can be in	schema.prisma: RiskAssessment	Claude	P1	20	Open
7310	RiskAssessment: each field documented in the data dictionary	schema.prisma: RiskAssessment	Claude	P2		Done
7311	ExchangeListing: included in the baseline migration and reviewed field by field (14 fields)	schema.prisma: ExchangeListing	Claude	P0	3	Open
7312	ExchangeListing: index for every list query that filters or sorts on it	schema.prisma: ExchangeListing	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
7313	ExchangeListing: foreign keys with the delete rule stated for each	schema.prisma: ExchangeListing	Claude	P1		Done
7314	ExchangeListing: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: ExchangeListing	Claude	P1		Done
7315	ExchangeListing: retention period set, with the reason	schema.prisma: ExchangeListing	Claude	P1	20	Open
7316	ExchangeListing: every change recorded in the audit log with the actor	schema.prisma: ExchangeListing	Claude	P0	3	Open
7317	ExchangeListing: test fixtures for every state it can be in	schema.prisma: ExchangeListing	Claude	P1	20	Open
7318	ExchangeListing: each field documented in the data dictionary	schema.prisma: ExchangeListing	Claude	P2		Done
7319	ExchangeBid: included in the baseline migration and reviewed field by field (8 fields)	schema.prisma: ExchangeBid	Claude	P0	3	Open
7320	ExchangeBid: index for every list query that filters or sorts on it	schema.prisma: ExchangeBid	Claude	P1		Done
7321	ExchangeBid: foreign keys with the delete rule stated for each	schema.prisma: ExchangeBid	Claude	P1		Done
7322	ExchangeBid: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: ExchangeBid	Claude	P1		Done
7323	ExchangeBid: retention period set, with the reason	schema.prisma: ExchangeBid	Claude	P1	20	Open
7324	ExchangeBid: every change recorded in the audit log with the actor	schema.prisma: ExchangeBid	Claude	P0	3	Open
7325	ExchangeBid: test fixtures for every state it can be in	schema.prisma: ExchangeBid	Claude	P1	20	Open
7326	ExchangeBid: each field documented in the data dictionary	schema.prisma: ExchangeBid	Claude	P2		Done
7327	CreditEvent: included in the baseline migration and reviewed field by field (11 fields)	schema.prisma: CreditEvent	Claude	P0	3	Open
7328	CreditEvent: index for every list query that filters or sorts on it	schema.prisma: CreditEvent	Claude	P1		Done
7329	CreditEvent: foreign keys with the delete rule stated for each	schema.prisma: CreditEvent	Claude	P1		Done
7330	CreditEvent: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: CreditEvent	Claude	P1		Done
7331	CreditEvent: retention period set, with the reason	schema.prisma: CreditEvent	Claude	P1	20	Open
7332	CreditEvent: test fixtures for every state it can be in	schema.prisma: CreditEvent	Claude	P1	20	Open
7333	CreditEvent: each field documented in the data dictionary	schema.prisma: CreditEvent	Claude	P2		Done
7334	ChatMessage: included in the baseline migration and reviewed field by field (8 fields)	schema.prisma: ChatMessage	Claude	P0	3	Open
7335	ChatMessage: index for every list query that filters or sorts on it	schema.prisma: ChatMessage	Claude	P1		Done
7336	ChatMessage: foreign keys with the delete rule stated for each	schema.prisma: ChatMessage	Claude	P1		Done
7337	ChatMessage: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: ChatMessage	Claude	P1		Done
7338	ChatMessage: personal data classified: message text	schema.prisma: ChatMessage	Claude	P0	3	Open
7339	ChatMessage: retention period set and applied by the deletion job	schema.prisma: ChatMessage	Claude	P1	20	Open
7340	ChatMessage: test fixtures for every state it can be in	schema.prisma: ChatMessage	Claude	P1	20	Open
7341	ChatMessage: each field documented in the data dictionary	schema.prisma: ChatMessage	Claude	P2		Done
7342	ChatRead: included in the baseline migration and reviewed field by field (6 fields)	schema.prisma: ChatRead	Claude	P0	3	Open
7343	ChatRead: index for every list query that filters or sorts on it	schema.prisma: ChatRead	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
7344	ChatRead: foreign keys with the delete rule stated for each	schema.prisma: ChatRead	Claude	P1		Done
7345	ChatRead: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: ChatRead	Claude	P1		Done
7346	ChatRead: retention period set, with the reason	schema.prisma: ChatRead	Claude	P1	20	Open
7347	ChatRead: test fixtures for every state it can be in	schema.prisma: ChatRead	Claude	P1	20	Open
7348	ChatRead: each field documented in the data dictionary	schema.prisma: ChatRead	Claude	P2		Done
7349	Notification: included in the baseline migration and reviewed field by field (7 fields)	schema.prisma: Notification	Claude	P0	3	Open
7350	Notification: index for every list query that filters or sorts on it	schema.prisma: Notification	Claude	P1		Done
7351	Notification: foreign keys with the delete rule stated for each	schema.prisma: Notification	Claude	P1		Done
7352	Notification: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: Notification	Claude	P1		Done
7353	Notification: retention period set, with the reason	schema.prisma: Notification	Claude	P1	20	Open
7354	Notification: test fixtures for every state it can be in	schema.prisma: Notification	Claude	P1	20	Open
7355	Notification: each field documented in the data dictionary	schema.prisma: Notification	Claude	P2		Done
7356	KycRecord: included in the baseline migration and reviewed field by field (11 fields)	schema.prisma: KycRecord	Claude	P0	3	Open
7357	KycRecord: index for every list query that filters or sorts on it	schema.prisma: KycRecord	Claude	P1		Done
7358	KycRecord: foreign keys with the delete rule stated for each	schema.prisma: KycRecord	Claude	P1		Done
7359	KycRecord: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: KycRecord	Claude	P1		Done
7360	KycRecord: personal data classified: CNIC data, verification results	schema.prisma: KycRecord	Claude	P0	3	Open
7361	KycRecord: retention period set and applied by the deletion job	schema.prisma: KycRecord	Claude	P1	20	Open
7362	KycRecord: field level encryption for CNIC number and the verification payload	schema.prisma: KycRecord	Claude	P0	3	Open
7363	KycRecord: every change recorded in the audit log with the actor	schema.prisma: KycRecord	Claude	P0	3	Open
7364	KycRecord: test fixtures for every state it can be in	schema.prisma: KycRecord	Claude	P1	20	Open
7365	KycRecord: each field documented in the data dictionary	schema.prisma: KycRecord	Claude	P2		Done
7366	ScheduleChangeRequest: included in the baseline migration and reviewed field by field (10 fields)	schema.prisma: ScheduleChangeRequest	Claude	P0	3	Open
7367	ScheduleChangeRequest: index for every list query that filters or sorts on it	schema.prisma: ScheduleChangeRequest	Claude	P1		Done
7368	ScheduleChangeRequest: foreign keys with the delete rule stated for each	schema.prisma: ScheduleChangeRequest	Claude	P1		Done
7369	ScheduleChangeRequest: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: ScheduleChangeRequest	Claude	P1		Done
7370	ScheduleChangeRequest: retention period set, with the reason	schema.prisma: ScheduleChangeRequest	Claude	P1	20	Open

#	Item	Where	Owner	Pri	Phase	Status
7371	ScheduleChangeRequest: test fixtures for every state it can be in	schema.prisma: ScheduleChangeRequest	Claude	P1	20	Open
7372	ScheduleChangeRequest: each field documented in the data dictionary	schema.prisma: ScheduleChangeRequest	Claude	P2		Done
7373	AuditLog: included in the baseline migration and reviewed field by field (7 fields)	schema.prisma: AuditLog	Claude	P0	3	Open
7374	AuditLog: index for every list query that filters or sorts on it	schema.prisma: AuditLog	Claude	P1		Done
7375	AuditLog: foreign keys with the delete rule stated for each	schema.prisma: AuditLog	Claude	P1		Done
7376	AuditLog: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: AuditLog	Claude	P1		Done
7377	AuditLog: retention period set, with the reason	schema.prisma: AuditLog	Claude	P1	20	Open
7378	AuditLog: test fixtures for every state it can be in	schema.prisma: AuditLog	Claude	P1	20	Open
7379	AuditLog: each field documented in the data dictionary	schema.prisma: AuditLog	Claude	P2		Done
7380	PartnerBank: included in the baseline migration and reviewed field by field (11 fields)	schema.prisma: PartnerBank	Claude	P0	3	Open
7381	PartnerBank: index for every list query that filters or sorts on it	schema.prisma: PartnerBank	Claude	P1		Done
7382	PartnerBank: foreign keys with the delete rule stated for each	schema.prisma: PartnerBank	Claude	P1		Done
7383	PartnerBank: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: PartnerBank	Claude	P1		Done
7384	PartnerBank: retention period set, with the reason	schema.prisma: PartnerBank	Claude	P1	20	Open
7385	PartnerBank: every change recorded in the audit log with the actor	schema.prisma: PartnerBank	Claude	P0	3	Open
7386	PartnerBank: test fixtures for every state it can be in	schema.prisma: PartnerBank	Claude	P1	20	Open
7387	PartnerBank: each field documented in the data dictionary	schema.prisma: PartnerBank	Claude	P2		Done
7388	StatementBatch: included in the baseline migration and reviewed field by field (10 fields)	schema.prisma: StatementBatch	Claude	P0	3	Open
7389	StatementBatch: index for every list query that filters or sorts on it	schema.prisma: StatementBatch	Claude	P1		Done
7390	StatementBatch: foreign keys with the delete rule stated for each	schema.prisma: StatementBatch	Claude	P1		Done
7391	StatementBatch: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: StatementBatch	Claude	P1		Done
7392	StatementBatch: retention period set, with the reason	schema.prisma: StatementBatch	Claude	P1	20	Open
7393	StatementBatch: test fixtures for every state it can be in	schema.prisma: StatementBatch	Claude	P1	20	Open
7394	StatementBatch: each field documented in the data dictionary	schema.prisma: StatementBatch	Claude	P2		Done
7395	StatementLine: included in the baseline migration and reviewed field by field (9 fields)	schema.prisma: StatementLine	Claude	P0	3	Open
7396	StatementLine: index for every list query that filters or sorts on it	schema.prisma: StatementLine	Claude	P1		Done
7397	StatementLine: foreign keys with the delete rule stated for each	schema.prisma: StatementLine	Claude	P1		Done
7398	StatementLine: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: StatementLine	Claude	P1		Done
7399	StatementLine: personal data classified: narration and account references	schema.prisma: StatementLine	Claude	P0	3	Open

#	Item	Where	Owner	Pri	Phase	Status
7400	StatementLine: retention period set and applied by the deletion job	schema.prisma: StatementLine	Claude	P1	20	Open
7401	StatementLine: field level encryption for account numbers	schema.prisma: StatementLine	Claude	P0	3	Open
7402	StatementLine: test fixtures for every state it can be in	schema.prisma: StatementLine	Claude	P1	20	Open
7403	StatementLine: each field documented in the data dictionary	schema.prisma: StatementLine	Claude	P2		Done
7404	RefreshToken: included in the baseline migration and reviewed field by field (8 fields)	schema.prisma: RefreshToken	Claude	P0	3	Open
7405	RefreshToken: index for every list query that filters or sorts on it	schema.prisma: RefreshToken	Claude	P1		Done
7406	RefreshToken: foreign keys with the delete rule stated for each	schema.prisma: RefreshToken	Claude	P1		Done
7407	RefreshToken: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: RefreshToken	Claude	P1		Done
7408	RefreshToken: personal data classified: device and address	schema.prisma: RefreshToken	Claude	P0	3	Open
7409	RefreshToken: retention period set and applied by the deletion job	schema.prisma: RefreshToken	Claude	P1	20	Open
7410	RefreshToken: test fixtures for every state it can be in	schema.prisma: RefreshToken	Claude	P1	20	Open
7411	RefreshToken: each field documented in the data dictionary	schema.prisma: RefreshToken	Claude	P2		Done
7412	AgreementSignature: included in the baseline migration and reviewed field by field (13 fields)	schema.prisma: AgreementSignature	Claude	P0	3	Open
7413	AgreementSignature: index for every list query that filters or sorts on it	schema.prisma: AgreementSignature	Claude	P1		Done
7414	AgreementSignature: foreign keys with the delete rule stated for each	schema.prisma: AgreementSignature	Claude	P1		Done
7415	AgreementSignature: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: AgreementSignature	Claude	P1		Done
7416	AgreementSignature: personal data classified: signature, address and device	schema.prisma: AgreementSignature	Claude	P0	3	Open
7417	AgreementSignature: retention period set and applied by the deletion job	schema.prisma: AgreementSignature	Claude	P1	20	Open
7418	AgreementSignature: every change recorded in the audit log with the actor	schema.prisma: AgreementSignature	Claude	P0	3	Open
7419	AgreementSignature: test fixtures for every state it can be in	schema.prisma: AgreementSignature	Claude	P1	20	Open
7420	AgreementSignature: each field documented in the data dictionary	schema.prisma: AgreementSignature	Claude	P2		Done
7421	PaymentAttempt: included in the baseline migration and reviewed field by field (10 fields)	schema.prisma: PaymentAttempt	Claude	P0	3	Open
7422	PaymentAttempt: index for every list query that filters or sorts on it	schema.prisma: PaymentAttempt	Claude	P1		Done
7423	PaymentAttempt: foreign keys with the delete rule stated for each	schema.prisma: PaymentAttempt	Claude	P1		Done
7424	PaymentAttempt: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: PaymentAttempt	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
7425	PaymentAttempt: personal data classified: account references	schema.prisma: PaymentAttempt	Claude	P0	3	Open
7426	PaymentAttempt: retention period set and applied by the deletion job	schema.prisma: PaymentAttempt	Claude	P1	20	Open
7427	PaymentAttempt: test fixtures for every state it can be in	schema.prisma: PaymentAttempt	Claude	P1	20	Open
7428	PaymentAttempt: each field documented in the data dictionary	schema.prisma: PaymentAttempt	Claude	P2		Done
7429	SalarySignal: included in the baseline migration and reviewed field by field (8 fields)	schema.prisma: SalarySignal	Claude	P0	3	Open
7430	SalarySignal: index for every list query that filters or sorts on it	schema.prisma: SalarySignal	Claude	P1		Done
7431	SalarySignal: foreign keys with the delete rule stated for each	schema.prisma: SalarySignal	Claude	P1		Done
7432	SalarySignal: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: SalarySignal	Claude	P1		Done
7433	SalarySignal: personal data classified: salary credits and dates	schema.prisma: SalarySignal	Claude	P0	3	Open
7434	SalarySignal: retention period set and applied by the deletion job	schema.prisma: SalarySignal	Claude	P1	20	Open
7435	SalarySignal: test fixtures for every state it can be in	schema.prisma: SalarySignal	Claude	P1	20	Open
7436	SalarySignal: each field documented in the data dictionary	schema.prisma: SalarySignal	Claude	P2		Done
7437	PayslipUpload: included in the baseline migration and reviewed field by field (10 fields)	schema.prisma: PayslipUpload	Claude	P0	3	Open
7438	PayslipUpload: index for every list query that filters or sorts on it	schema.prisma: PayslipUpload	Claude	P1		Done
7439	PayslipUpload: foreign keys with the delete rule stated for each	schema.prisma: PayslipUpload	Claude	P1		Done
7440	PayslipUpload: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: PayslipUpload	Claude	P1		Done
7441	PayslipUpload: personal data classified: payslip images and amounts	schema.prisma: PayslipUpload	Claude	P0	3	Open
7442	PayslipUpload: retention period set and applied by the deletion job	schema.prisma: PayslipUpload	Claude	P1	20	Open
7443	PayslipUpload: field level encryption for the stored file and the amounts read from it	schema.prisma: PayslipUpload	Claude	P0	3	Open
7444	PayslipUpload: test fixtures for every state it can be in	schema.prisma: PayslipUpload	Claude	P1	20	Open
7445	PayslipUpload: each field documented in the data dictionary	schema.prisma: PayslipUpload	Claude	P2		Done
7446	SecurityEvent: included in the baseline migration and reviewed field by field (8 fields)	schema.prisma: SecurityEvent	Claude	P0	3	Open
7447	SecurityEvent: index for every list query that filters or sorts on it	schema.prisma: SecurityEvent	Claude	P1		Done
7448	SecurityEvent: foreign keys with the delete rule stated for each	schema.prisma: SecurityEvent	Claude	P1		Done
7449	SecurityEvent: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: SecurityEvent	Claude	P1		Done
7450	SecurityEvent: personal data classified: device and address	schema.prisma: SecurityEvent	Claude	P0	3	Open
7451	SecurityEvent: retention period set and applied by the deletion job	schema.prisma: SecurityEvent	Claude	P1	20	Open
7452	SecurityEvent: test fixtures for every state it can be in	schema.prisma: SecurityEvent	Claude	P1	20	Open
7453	SecurityEvent: each field documented in the data dictionary	schema.prisma: SecurityEvent	Claude	P2		Done
7454	RewardEvent: included in the baseline migration and reviewed field by field (12 fields)	schema.prisma: RewardEvent	Claude	P0	3	Open
7455	RewardEvent: index for every list query that filters or sorts on it	schema.prisma: RewardEvent	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
7456	RewardEvent: foreign keys with the delete rule stated for each	schema.prisma: RewardEvent	Claude	P1		Done
7457	RewardEvent: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: RewardEvent	Claude	P1		Done
7458	RewardEvent: retention period set, with the reason	schema.prisma: RewardEvent	Claude	P1	20	Open
7459	RewardEvent: test fixtures for every state it can be in	schema.prisma: RewardEvent	Claude	P1	20	Open
7460	RewardEvent: each field documented in the data dictionary	schema.prisma: RewardEvent	Claude	P2		Done
7461	ExitRequest: included in the baseline migration and reviewed field by field (25 fields)	schema.prisma: ExitRequest	Claude	P0	3	Open
7462	ExitRequest: index for every list query that filters or sorts on it	schema.prisma: ExitRequest	Claude	P1		Done
7463	ExitRequest: foreign keys with the delete rule stated for each	schema.prisma: ExitRequest	Claude	P1		Done
7464	ExitRequest: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: ExitRequest	Claude	P1		Done
7465	ExitRequest: personal data classified: reasons	schema.prisma: ExitRequest	Claude	P0	3	Open
7466	ExitRequest: retention period set and applied by the deletion job	schema.prisma: ExitRequest	Claude	P1	20	Open
7467	ExitRequest: every change recorded in the audit log with the actor	schema.prisma: ExitRequest	Claude	P0	3	Open
7468	ExitRequest: test fixtures for every state it can be in	schema.prisma: ExitRequest	Claude	P1	20	Open
7469	ExitRequest: each field documented in the data dictionary	schema.prisma: ExitRequest	Claude	P2		Done
7470	ExitVote: included in the baseline migration and reviewed field by field (7 fields)	schema.prisma: ExitVote	Claude	P0	3	Open
7471	ExitVote: index for every list query that filters or sorts on it	schema.prisma: ExitVote	Claude	P1		Done
7472	ExitVote: foreign keys with the delete rule stated for each	schema.prisma: ExitVote	Claude	P1		Done
7473	ExitVote: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: ExitVote	Claude	P1		Done
7474	ExitVote: retention period set, with the reason	schema.prisma: ExitVote	Claude	P1	20	Open
7475	ExitVote: test fixtures for every state it can be in	schema.prisma: ExitVote	Claude	P1	20	Open
7476	ExitVote: each field documented in the data dictionary	schema.prisma: ExitVote	Claude	P2		Done
7477	RestitutionDebt: included in the baseline migration and reviewed field by field (8 fields)	schema.prisma: RestitutionDebt	Claude	P0	3	Open
7478	RestitutionDebt: index for every list query that filters or sorts on it	schema.prisma: RestitutionDebt	Claude	P1		Done
7479	RestitutionDebt: foreign keys with the delete rule stated for each	schema.prisma: RestitutionDebt	Claude	P1		Done
7480	RestitutionDebt: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: RestitutionDebt	Claude	P1		Done
7481	RestitutionDebt: retention period set, with the reason	schema.prisma: RestitutionDebt	Claude	P1	20	Open
7482	RestitutionDebt: every change recorded in the audit log with the actor	schema.prisma: RestitutionDebt	Claude	P0	3	Open
7483	RestitutionDebt: test fixtures for every state it can be in	schema.prisma: RestitutionDebt	Claude	P1	20	Open
7484	RestitutionDebt: each field documented in the data dictionary	schema.prisma: RestitutionDebt	Claude	P2		Done
7485	SupportTicket: included in the baseline migration and reviewed field by field (13 fields)	schema.prisma: SupportTicket	Claude	P0	3	Open
7486	SupportTicket: index for every list query that filters or sorts on it	schema.prisma: SupportTicket	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
7487	SupportTicket: foreign keys with the delete rule stated for each	schema.prisma: SupportTicket	Claude	P1		Done
7488	SupportTicket: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: SupportTicket	Claude	P1		Done
7489	SupportTicket: personal data classified: description	schema.prisma: SupportTicket	Claude	P0	3	Open
7490	SupportTicket: retention period set and applied by the deletion job	schema.prisma: SupportTicket	Claude	P1	20	Open
7491	SupportTicket: test fixtures for every state it can be in	schema.prisma: SupportTicket	Claude	P1	20	Open
7492	SupportTicket: each field documented in the data dictionary	schema.prisma: SupportTicket	Claude	P2		Done
7493	SupportMessage: included in the baseline migration and reviewed field by field (6 fields)	schema.prisma: SupportMessage	Claude	P0	3	Open
7494	SupportMessage: index for every list query that filters or sorts on it	schema.prisma: SupportMessage	Claude	P1		Done
7495	SupportMessage: foreign keys with the delete rule stated for each	schema.prisma: SupportMessage	Claude	P1		Done
7496	SupportMessage: constraints: amounts not negative, values only from their lists, required fields required	schema.prisma: SupportMessage	Claude	P1		Done
7497	SupportMessage: personal data classified: message text	schema.prisma: SupportMessage	Claude	P0	3	Open
7498	SupportMessage: retention period set and applied by the deletion job	schema.prisma: SupportMessage	Claude	P1	21	Open
7499	SupportMessage: test fixtures for every state it can be in	schema.prisma: SupportMessage	Claude	P1	21	Open
7500	SupportMessage: each field documented in the data dictionary	schema.prisma: SupportMessage	Claude	P2		Done

AF4. New Models for the Bank Route

#	Item	Where	Owner	Pri	Phase	Status
7501	BankAccount: model created: the member's account at the partner bank: reference, status, title, default flag	new model BankAccount	Claude	P1	49	Open
7502	BankAccount: migration written and applied to staging first	new model BankAccount	Claude	P1	49	Open
7503	BankAccount: indexes for its queries	new model BankAccount	Claude	P1	49	Open
7504	BankAccount: keys and constraints	new model BankAccount	Claude	P1	49	Open
7505	BankAccount: personal data classified and retention set	new model BankAccount	Claude	P1	49	Open
7506	BankAccount: changes recorded in the audit log	new model BankAccount	Claude	P1	49	Open
7507	BankAccount: test fixtures	new model BankAccount	Claude	P1	49	Open
7508	BankAccount: documented in the data dictionary	new model BankAccount	Claude	P2	74	Open
7509	BankOnboarding: model created: each account opening attempt: start, steps, outcome, reason	new model BankOnboarding	Claude	P1	49	Open
7510	BankOnboarding: migration written and applied to staging first	new model BankOnboarding	Claude	P1	49	Open
7511	BankOnboarding: indexes for its queries	new model BankOnboarding	Claude	P1	49	Open
7512	BankOnboarding: keys and constraints	new model BankOnboarding	Claude	P1	49	Open
7513	BankOnboarding: personal data classified and retention set	new model BankOnboarding	Claude	P1	49	Open
7514	BankOnboarding: changes recorded in the audit log	new model BankOnboarding	Claude	P1	49	Open

#	Item	Where	Owner	Pri	Phase	Status
7515	BankOnboarding: test fixtures	new model BankOnboarding	Claude	P1	49	Open
7516	BankOnboarding: documented in the data dictionary	new model BankOnboarding	Claude	P2	74	Open
7517	Mandate: model created: mandate reference, account, ceiling, cadence, text authorised, time and address	new model Mandate	Claude	P1	49	Open
7518	Mandate: migration written and applied to staging first	new model Mandate	Claude	P1	49	Open
7519	Mandate: indexes for its queries	new model Mandate	Claude	P1	49	Open
7520	Mandate: keys and constraints	new model Mandate	Claude	P1	49	Open
7521	Mandate: personal data classified and retention set	new model Mandate	Claude	P1	49	Open
7522	Mandate: changes recorded in the audit log	new model Mandate	Claude	P1	49	Open
7523	Mandate: test fixtures	new model Mandate	Claude	P1	49	Open
7524	Mandate: documented in the data dictionary	new model Mandate	Claude	P2	74	Open
7525	MandateEvent: model created: every status event from the bank for a mandate	new model MandateEvent	Claude	P1	49	Open
7526	MandateEvent: migration written and applied to staging first	new model MandateEvent	Claude	P1	49	Open
7527	MandateEvent: indexes for its queries	new model MandateEvent	Claude	P1	49	Open
7528	MandateEvent: keys and constraints	new model MandateEvent	Claude	P1	49	Open
7529	MandateEvent: personal data classified and retention set	new model MandateEvent	Claude	P1	49	Open
7530	MandateEvent: changes recorded in the audit log	new model MandateEvent	Claude	P1	49	Open
7531	MandateEvent: test fixtures	new model MandateEvent	Claude	P1	49	Open
7532	MandateEvent: documented in the data dictionary	new model MandateEvent	Claude	P2	74	Open
7533	BankInstruction: model created: every instruction to the bank: debit, credit, payout, with its key and result	new model BankInstruction	Claude	P1	49	Open
7534	BankInstruction: migration written and applied to staging first	new model BankInstruction	Claude	P1	49	Open
7535	BankInstruction: indexes for its queries	new model BankInstruction	Claude	P1	49	Open
7536	BankInstruction: keys and constraints	new model BankInstruction	Claude	P1	49	Open
7537	BankInstruction: personal data classified and retention set	new model BankInstruction	Claude	P1	49	Open
7538	BankInstruction: changes recorded in the audit log	new model BankInstruction	Claude	P1	49	Open
7539	BankInstruction: test fixtures	new model BankInstruction	Claude	P1	49	Open
7540	BankInstruction: documented in the data dictionary	new model BankInstruction	Claude	P2	74	Open
7541	BankWebhookEvent: model created: every signed event received from the bank, raw and verified	new model BankWebhookEvent	Claude	P1	49	Open
7542	BankWebhookEvent: migration written and applied to staging first	new model BankWebhookEvent	Claude	P1	49	Open
7543	BankWebhookEvent: indexes for its queries	new model BankWebhookEvent	Claude	P1	49	Open
7544	BankWebhookEvent: keys and constraints	new model BankWebhookEvent	Claude	P1	49	Open
7545	BankWebhookEvent: personal data classified and retention set	new model BankWebhookEvent	Claude	P1	49	Open

#	Item	Where	Owner	Pri	Phase	Status
7546	BankWebhookEvent: changes recorded in the audit log	new model BankWebhookEvent	Claude	P1	49	Open
7547	BankWebhookEvent: test fixtures	new model BankWebhookEvent	Claude	P1	49	Open
7548	BankWebhookEvent: documented in the data dictionary	new model BankWebhookEvent	Claude	P2	74	Open
7549	ReconciliationBreak: model created: each unmatched entry, its investigation and resolution	new model ReconciliationBreak	Claude	P1	49	Open
7550	ReconciliationBreak: migration written and applied to staging first	new model ReconciliationBreak	Claude	P1	49	Open
7551	ReconciliationBreak: indexes for its queries	new model ReconciliationBreak	Claude	P1	49	Open
7552	ReconciliationBreak: keys and constraints	new model ReconciliationBreak	Claude	P1	49	Open
7553	ReconciliationBreak: personal data classified and retention set	new model ReconciliationBreak	Claude	P1	49	Open
7554	ReconciliationBreak: changes recorded in the audit log	new model ReconciliationBreak	Claude	P1	49	Open
7555	ReconciliationBreak: test fixtures	new model ReconciliationBreak	Claude	P1	49	Open
7556	ReconciliationBreak: documented in the data dictionary	new model ReconciliationBreak	Claude	P2	74	Open
7557	FeeSchedule: model created: the versioned fee rules: Rs 85, the PSP service fee rule, Hyper Rs 15	new model FeeSchedule	Claude	P1	21	Open
7558	FeeSchedule: migration written and applied to staging first	new model FeeSchedule	Claude	P1	21	Open
7559	FeeSchedule: indexes for its queries	new model FeeSchedule	Claude	P1	21	Open
7560	FeeSchedule: keys and constraints	new model FeeSchedule	Claude	P1	21	Open
7561	FeeSchedule: personal data classified and retention set	new model FeeSchedule	Claude	P1	21	Open
7562	FeeSchedule: changes recorded in the audit log	new model FeeSchedule	Claude	P1	21	Open
7563	FeeSchedule: test fixtures	new model FeeSchedule	Claude	P1	21	Open
7564	FeeSchedule: documented in the data dictionary	new model FeeSchedule	Claude	P2	57	Open
7565	FeeCharge: model created: each fee charged with the schedule version applied	new model FeeCharge	Claude	P1	21	Open
7566	FeeCharge: migration written and applied to staging first	new model FeeCharge	Claude	P1	21	Open
7567	FeeCharge: indexes for its queries	new model FeeCharge	Claude	P1	21	Open
7568	FeeCharge: keys and constraints	new model FeeCharge	Claude	P1	21	Open
7569	FeeCharge: personal data classified and retention set	new model FeeCharge	Claude	P1	21	Open
7570	FeeCharge: changes recorded in the audit log	new model FeeCharge	Claude	P1	21	Open
7571	FeeCharge: test fixtures	new model FeeCharge	Claude	P1	21	Open
7572	FeeCharge: documented in the data dictionary	new model FeeCharge	Claude	P2	57	Open
7573	PspCharge: model created: each PSP charge, refund and dispute with the PSP reference	new model PspCharge	Claude	P1	53	Open
7574	PspCharge: migration written and applied to staging first	new model PspCharge	Claude	P1	53	Open
7575	PspCharge: indexes for its queries	new model PspCharge	Claude	P1	53	Open
7576	PspCharge: keys and constraints	new model PspCharge	Claude	P1	53	Open

#	Item	Where	Owner	Pri	Phase	Status
7577	PspCharge: personal data classified and retention set	new model PspCharge	Claude	P1	53	Open
7578	PspCharge: changes recorded in the audit log	new model PspCharge	Claude	P1	53	Open
7579	PspCharge: test fixtures	new model PspCharge	Claude	P1	53	Open
7580	PspCharge: documented in the data dictionary	new model PspCharge	Claude	P2	78	Open
7581	PointsEntry: model created: the append only points ledger: issue, purchase, transfer, redemption, lapse	new model PointsEntry	Claude	P1	21	Open
7582	PointsEntry: migration written and applied to staging first	new model PointsEntry	Claude	P1	21	Open
7583	PointsEntry: indexes for its queries	new model PointsEntry	Claude	P1	21	Open
7584	PointsEntry: keys and constraints	new model PointsEntry	Claude	P1	21	Open
7585	PointsEntry: personal data classified and retention set	new model PointsEntry	Claude	P1	21	Open
7586	PointsEntry: changes recorded in the audit log	new model PointsEntry	Claude	P1	21	Open
7587	PointsEntry: test fixtures	new model PointsEntry	Claude	P1	21	Open
7588	PointsEntry: documented in the data dictionary	new model PointsEntry	Claude	P2	57	Open
7589	PointsPurchase: model created: each purchase of points with money and its bank reference	new model PointsPurchase	Claude	P1	49	Open
7590	PointsPurchase: migration written and applied to staging first	new model PointsPurchase	Claude	P1	49	Open
7591	PointsPurchase: indexes for its queries	new model PointsPurchase	Claude	P1	49	Open
7592	PointsPurchase: keys and constraints	new model PointsPurchase	Claude	P1	49	Open
7593	PointsPurchase: personal data classified and retention set	new model PointsPurchase	Claude	P1	49	Open
7594	PointsPurchase: changes recorded in the audit log	new model PointsPurchase	Claude	P1	49	Open
7595	PointsPurchase: test fixtures	new model PointsPurchase	Claude	P1	49	Open
7596	PointsPurchase: documented in the data dictionary	new model PointsPurchase	Claude	P2	74	Open
7597	Merchant: model created: marketplace merchants and their agreements	new model Merchant	Claude	P1	21	Open
7598	Merchant: migration written and applied to staging first	new model Merchant	Claude	P1	21	Open
7599	Merchant: indexes for its queries	new model Merchant	Claude	P1	21	Open
7600	Merchant: keys and constraints	new model Merchant	Claude	P1	21	Open
7601	Merchant: personal data classified and retention set	new model Merchant	Claude	P1	21	Open
7602	Merchant: changes recorded in the audit log	new model Merchant	Claude	P1	21	Open
7603	Merchant: test fixtures	new model Merchant	Claude	P1	21	Open
7604	Merchant: documented in the data dictionary	new model Merchant	Claude	P2	57	Open
7605	Product: model created: catalogue products with prices in points	new model Product	Claude	P1	21	Open
7606	Product: migration written and applied to staging first	new model Product	Claude	P1	21	Open
7607	Product: indexes for its queries	new model Product	Claude	P1	21	Open

#	Item	Where	Owner	Pri	Phase	Status
7608	Product: keys and constraints	new model Product	Claude	P1	21	Open
7609	Product: personal data classified and retention set	new model Product	Claude	P1	21	Open
7610	Product: changes recorded in the audit log	new model Product	Claude	P1	21	Open
7611	Product: test fixtures	new model Product	Claude	P1	21	Open
7612	Product: documented in the data dictionary	new model Product	Claude	P2	57	Open
7613	Order: model created: marketplace orders and their delivery status	new model Order	Claude	P1	21	Open
7614	Order: migration written and applied to staging first	new model Order	Claude	P1	21	Open
7615	Order: indexes for its queries	new model Order	Claude	P1	21	Open
7616	Order: keys and constraints	new model Order	Claude	P1	21	Open
7617	Order: personal data classified and retention set	new model Order	Claude	P1	21	Open
7618	Order: changes recorded in the audit log	new model Order	Claude	P1	21	Open
7619	Order: test fixtures	new model Order	Claude	P1	21	Open
7620	Order: documented in the data dictionary	new model Order	Claude	P2	57	Open
7621	ReturnRequest: model created: returns and refunds in points	new model ReturnRequest	Claude	P1	21	Open
7622	ReturnRequest: migration written and applied to staging first	new model ReturnRequest	Claude	P1	21	Open
7623	ReturnRequest: indexes for its queries	new model ReturnRequest	Claude	P1	21	Open
7624	ReturnRequest: keys and constraints	new model ReturnRequest	Claude	P1	21	Open
7625	ReturnRequest: personal data classified and retention set	new model ReturnRequest	Claude	P1	21	Open
7626	ReturnRequest: changes recorded in the audit log	new model ReturnRequest	Claude	P1	21	Open
7627	ReturnRequest: test fixtures	new model ReturnRequest	Claude	P1	21	Open
7628	ReturnRequest: documented in the data dictionary	new model ReturnRequest	Claude	P2	57	Open
7629	TurnTrade: model created: each trade of a turn: listing, offers, approval, settlement	new model TurnTrade	Claude	P1	21	Open
7630	TurnTrade: migration written and applied to staging first	new model TurnTrade	Claude	P1	21	Open
7631	TurnTrade: indexes for its queries	new model TurnTrade	Claude	P1	21	Open
7632	TurnTrade: keys and constraints	new model TurnTrade	Claude	P1	21	Open
7633	TurnTrade: personal data classified and retention set	new model TurnTrade	Claude	P1	21	Open
7634	TurnTrade: changes recorded in the audit log	new model TurnTrade	Claude	P1	21	Open
7635	TurnTrade: test fixtures	new model TurnTrade	Claude	P1	21	Open
7636	TurnTrade: documented in the data dictionary	new model TurnTrade	Claude	P2	57	Open
7637	TakafulEnrolment: model created: the operator's reference for each member covered, with no amount promised by Halqa	new model TakafulEnrolment	Claude	P1	21	Open

#	Item	Where	Owner	Pri	Phase	Status
7638	TakafulEnrolment: migration written and applied to staging first	new model TakafulEnrolment	Claude	P1	21	Open
7639	TakafulEnrolment: indexes for its queries	new model TakafulEnrolment	Claude	P1	21	Open
7640	TakafulEnrolment: keys and constraints	new model TakafulEnrolment	Claude	P1	21	Open
7641	TakafulEnrolment: personal data classified and retention set	new model TakafulEnrolment	Claude	P1	21	Open
7642	TakafulEnrolment: changes recorded in the audit log	new model TakafulEnrolment	Claude	P1	21	Open
7643	TakafulEnrolment: test fixtures	new model TakafulEnrolment	Claude	P1	21	Open
7644	TakafulEnrolment: documented in the data dictionary	new model TakafulEnrolment	Claude	P2	57	Open
7645	Claim: model created: the operator's claim reference and status	new model Claim	Claude	P1	21	Open
7646	Claim: migration written and applied to staging first	new model Claim	Claude	P1	21	Open
7647	Claim: indexes for its queries	new model Claim	Claude	P1	21	Open
7648	Claim: keys and constraints	new model Claim	Claude	P1	21	Open
7649	Claim: personal data classified and retention set	new model Claim	Claude	P1	21	Open
7650	Claim: changes recorded in the audit log	new model Claim	Claude	P1	21	Open
7651	Claim: test fixtures	new model Claim	Claude	P1	21	Open
7652	Claim: documented in the data dictionary	new model Claim	Claude	P2	57	Open
7653	BureauConsent: model created: consent to reporting with the route named	new model BureauConsent	Claude	P1	21	Open
7654	BureauConsent: migration written and applied to staging first	new model BureauConsent	Claude	P1	21	Open
7655	BureauConsent: indexes for its queries	new model BureauConsent	Claude	P1	21	Open
7656	BureauConsent: keys and constraints	new model BureauConsent	Claude	P1	21	Open
7657	BureauConsent: personal data classified and retention set	new model BureauConsent	Claude	P1	21	Open
7658	BureauConsent: changes recorded in the audit log	new model BureauConsent	Claude	P1	21	Open
7659	BureauConsent: test fixtures	new model BureauConsent	Claude	P1	22	Open
7660	BureauConsent: documented in the data dictionary	new model BureauConsent	Claude	P2	57	Open
7661	BureauSubmission: model created: each monthly submission and its checks	new model BureauSubmission	Claude	P1	53	Open
7662	BureauSubmission: migration written and applied to staging first	new model BureauSubmission	Claude	P1	53	Open
7663	BureauSubmission: indexes for its queries	new model BureauSubmission	Claude	P1	53	Open
7664	BureauSubmission: keys and constraints	new model BureauSubmission	Claude	P1	53	Open
7665	BureauSubmission: personal data classified and retention set	new model BureauSubmission	Claude	P1	53	Open
7666	BureauSubmission: changes recorded in the audit log	new model BureauSubmission	Claude	P1	53	Open
7667	BureauSubmission: test fixtures	new model BureauSubmission	Claude	P1	53	Open
7668	BureauSubmission: documented in the data dictionary	new model BureauSubmission	Claude	P2	78	Open

#	Item	Where	Owner	Pri	Phase	Status
7669	BureauDispute: model created: disputes of reported records	new model BureauDispute	Claude	P1	53	Open
7670	BureauDispute: migration written and applied to staging first	new model BureauDispute	Claude	P1	53	Open
7671	BureauDispute: indexes for its queries	new model BureauDispute	Claude	P1	53	Open
7672	BureauDispute: keys and constraints	new model BureauDispute	Claude	P1	53	Open
7673	BureauDispute: personal data classified and retention set	new model BureauDispute	Claude	P1	53	Open
7674	BureauDispute: changes recorded in the audit log	new model BureauDispute	Claude	P1	53	Open
7675	BureauDispute: test fixtures	new model BureauDispute	Claude	P1	53	Open
7676	BureauDispute: documented in the data dictionary	new model BureauDispute	Claude	P2	78	Open
7677	Complaint: model created: complaints with category, timeline and outcome	new model Complaint	Claude	P1	22	Open
7678	Complaint: migration written and applied to staging first	new model Complaint	Claude	P1	22	Open
7679	Complaint: indexes for its queries	new model Complaint	Claude	P1	22	Open
7680	Complaint: keys and constraints	new model Complaint	Claude	P1	22	Open
7681	Complaint: personal data classified and retention set	new model Complaint	Claude	P1	22	Open
7682	Complaint: changes recorded in the audit log	new model Complaint	Claude	P1	22	Open
7683	Complaint: test fixtures	new model Complaint	Claude	P1	22	Open
7684	Complaint: documented in the data dictionary	new model Complaint	Claude	P2	57	Open
7685	Consent: model created: each consent by purpose, version and time	new model Consent	Claude	P1	22	Open
7686	Consent: migration written and applied to staging first	new model Consent	Claude	P1	22	Open
7687	Consent: indexes for its queries	new model Consent	Claude	P1	22	Open
7688	Consent: keys and constraints	new model Consent	Claude	P1	22	Open
7689	Consent: personal data classified and retention set	new model Consent	Claude	P1	22	Open
7690	Consent: changes recorded in the audit log	new model Consent	Claude	P1	22	Open
7691	Consent: test fixtures	new model Consent	Claude	P1	22	Open
7692	Consent: documented in the data dictionary	new model Consent	Claude	P2	57	Open
7693	DeviceBinding: model created: the bound device, binding time and cooling off end	new model DeviceBinding	Claude	P1	22	Open
7694	DeviceBinding: migration written and applied to staging first	new model DeviceBinding	Claude	P1	22	Open
7695	DeviceBinding: indexes for its queries	new model DeviceBinding	Claude	P1	22	Open
7696	DeviceBinding: keys and constraints	new model DeviceBinding	Claude	P1	22	Open
7697	DeviceBinding: personal data classified and retention set	new model DeviceBinding	Claude	P1	22	Open
7698	DeviceBinding: changes recorded in the audit log	new model DeviceBinding	Claude	P1	22	Open
7699	DeviceBinding: test fixtures	new model DeviceBinding	Claude	P1	22	Open

#	Item	Where	Owner	Pri	Phase	Status
7700	DeviceBinding: documented in the data dictionary	new model DeviceBinding	Claude	P2	57	Open
7701	TransactionPin: model created: the transaction PIN hash and attempts	new model TransactionPin	Claude	P1	22	Open
7702	TransactionPin: migration written and applied to staging first	new model TransactionPin	Claude	P1	22	Open
7703	TransactionPin: indexes for its queries	new model TransactionPin	Claude	P1	22	Open
7704	TransactionPin: keys and constraints	new model TransactionPin	Claude	P1	22	Open
7705	TransactionPin: personal data classified and retention set	new model TransactionPin	Claude	P1	22	Open
7706	TransactionPin: changes recorded in the audit log	new model TransactionPin	Claude	P1	22	Open
7707	TransactionPin: test fixtures	new model TransactionPin	Claude	P1	22	Open
7708	TransactionPin: documented in the data dictionary	new model TransactionPin	Claude	P2	57	Open
7709	NotificationLog: model created: every alert sent, by channel, with delivery status	new model NotificationLog	Claude	P1	22	Open
7710	NotificationLog: migration written and applied to staging first	new model NotificationLog	Claude	P1	22	Open
7711	NotificationLog: indexes for its queries	new model NotificationLog	Claude	P1	22	Open
7712	NotificationLog: keys and constraints	new model NotificationLog	Claude	P1	22	Open
7713	NotificationLog: personal data classified and retention set	new model NotificationLog	Claude	P1	22	Open
7714	NotificationLog: changes recorded in the audit log	new model NotificationLog	Claude	P1	22	Open
7715	NotificationLog: test fixtures	new model NotificationLog	Claude	P1	22	Open
7716	NotificationLog: documented in the data dictionary	new model NotificationLog	Claude	P2	57	Open
7717	KeyFactAcceptance: model created: each key fact statement accepted, with its version	new model KeyFactAcceptance	Claude	P1	22	Open
7718	KeyFactAcceptance: migration written and applied to staging first	new model KeyFactAcceptance	Claude	P1	22	Open
7719	KeyFactAcceptance: indexes for its queries	new model KeyFactAcceptance	Claude	P1	22	Open
7720	KeyFactAcceptance: keys and constraints	new model KeyFactAcceptance	Claude	P1	22	Open
7721	KeyFactAcceptance: personal data classified and retention set	new model KeyFactAcceptance	Claude	P1	22	Open
7722	KeyFactAcceptance: changes recorded in the audit log	new model KeyFactAcceptance	Claude	P1	22	Open
7723	KeyFactAcceptance: test fixtures	new model KeyFactAcceptance	Claude	P1	22	Open
7724	KeyFactAcceptance: documented in the data dictionary	new model KeyFactAcceptance	Claude	P2	57	Open
7725	DataRequest: model created: export and deletion requests and their completion	new model DataRequest	Claude	P1	22	Open
7726	DataRequest: migration written and applied to staging first	new model DataRequest	Claude	P1	22	Open
7727	DataRequest: indexes for its queries	new model DataRequest	Claude	P1	22	Open
7728	DataRequest: keys and constraints	new model DataRequest	Claude	P1	22	Open
7729	DataRequest: personal data classified and retention set	new model DataRequest	Claude	P1	22	Open
7730	DataRequest: changes recorded in the audit log	new model DataRequest	Claude	P1	22	Open

#	Item	Where	Owner	Pri	Phase	Status
7731	DataRequest: test fixtures	new model DataRequest	Claude	P1	22	Open
7732	DataRequest: documented in the data dictionary	new model DataRequest	Claude	P2	57	Open
7733	FraudSignal: model created: signals sent to the bank's fraud unit	new model FraudSignal	Claude	P1	22	Open
7734	FraudSignal: migration written and applied to staging first	new model FraudSignal	Claude	P1	22	Open
7735	FraudSignal: indexes for its queries	new model FraudSignal	Claude	P1	22	Open
7736	FraudSignal: keys and constraints	new model FraudSignal	Claude	P1	22	Open
7737	FraudSignal: personal data classified and retention set	new model FraudSignal	Claude	P1	22	Open
7738	FraudSignal: changes recorded in the audit log	new model FraudSignal	Claude	P1	22	Open
7739	FraudSignal: test fixtures	new model FraudSignal	Claude	P1	22	Open
7740	FraudSignal: documented in the data dictionary	new model FraudSignal	Claude	P2	57	Open
7741	FeatureSwitch: model created: switches that withdraw a surface without a release	new model FeatureSwitch	Claude	P1	22	Open
7742	FeatureSwitch: migration written and applied to staging first	new model FeatureSwitch	Claude	P1	22	Open
7743	FeatureSwitch: indexes for its queries	new model FeatureSwitch	Claude	P1	22	Open
7744	FeatureSwitch: keys and constraints	new model FeatureSwitch	Claude	P1	22	Open
7745	FeatureSwitch: personal data classified and retention set	new model FeatureSwitch	Claude	P1	22	Open
7746	FeatureSwitch: changes recorded in the audit log	new model FeatureSwitch	Claude	P1	22	Open
7747	FeatureSwitch: test fixtures	new model FeatureSwitch	Claude	P1	22	Open
7748	FeatureSwitch: documented in the data dictionary	new model FeatureSwitch	Claude	P2	57	Open
7749	AdminRole: model created: named administrators and what each may do	new model AdminRole	Claude	P1	22	Open
7750	AdminRole: migration written and applied to staging first	new model AdminRole	Claude	P1	22	Open
7751	AdminRole: indexes for its queries	new model AdminRole	Claude	P1	22	Open
7752	AdminRole: keys and constraints	new model AdminRole	Claude	P1	22	Open
7753	AdminRole: personal data classified and retention set	new model AdminRole	Claude	P1	22	Open
7754	AdminRole: changes recorded in the audit log	new model AdminRole	Claude	P1	22	Open
7755	AdminRole: test fixtures	new model AdminRole	Claude	P1	22	Open
7756	AdminRole: documented in the data dictionary	new model AdminRole	Claude	P2	57	Open
7757	JobRun: model created: every scheduled job run, its result and duration	new model JobRun	Claude	P1	22	Open
7758	JobRun: migration written and applied to staging first	new model JobRun	Claude	P1	22	Open
7759	JobRun: indexes for its queries	new model JobRun	Claude	P1	22	Open
7760	JobRun: keys and constraints	new model JobRun	Claude	P1	22	Open
7761	JobRun: personal data classified and retention set	new model JobRun	Claude	P1	22	Open

#	Item	Where	Owner	Pri	Phase	Status
7762	JobRun: changes recorded in the audit log	new model JobRun	Claude	P1	22	Open
7763	JobRun: test fixtures	new model JobRun	Claude	P1	22	Open
7764	JobRun: documented in the data dictionary	new model JobRun	Claude	P2	57	Open

AF5. Shared

#	Item	Where	Owner	Pri	Phase	Status
7765	Enums reviewed: remove CustodyMode and the investment values; keep only states the product uses	schema.prisma	Claude	P0	3	Open
7766	Money stored as whole paisa in big integers everywhere, with no floating point	schema.prisma	Claude	P0	3	Open
7767	User model of 99 fields split: identity, contact, preferences and underwriting held apart	schema.prisma	Claude	P2	57	Open
7768	Committee model of 79 fields reviewed: remove float, reinvestment and deposit coverage fields	schema.prisma	Claude	P0	3	Open
7769	Data dictionary published for the bank: every field, its meaning, its owner and its retention	docs	Claude	P1		Done
7770	Personal data map: which tables hold which personal data and where each is stored	docs	Claude	P0	3	Partly done
7771	Field level encryption key held in a managed vault and rotated	infrastructure	Claude	P0	3	Open
7772	Anonymised copy of production for testing, with no real personal data	infrastructure	Claude	P2	57	Open
7773	Database roles: the application cannot drop tables; migrations run with a separate role	infrastructure	Claude	P1	23	Open
7774	Slow query log reviewed each week	operations	Claude	P2	57	Open

AG. Connections to Partners

Every operation with an outside party, each with its contract, client, retries, idempotency, error mapping, sandbox test, contract test, monitoring, runbook and credentials.

AG1. Partner Bank

#	Item	Where	Owner	Pri	Phase	Status
7775	Partner Bank, account opening hand off: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	43	Open
7776	Partner Bank, account opening hand off: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	43	Open
7777	Partner Bank, account opening hand off: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	43	Open
7778	Partner Bank, account opening hand off: idempotency key or reference on every request that changes anything	integration	Claude	P0	43	Open
7779	Partner Bank, account opening hand off: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	43	Open
7780	Partner Bank, account opening hand off: sandbox access granted	integration	Bank	P0	H2	Open
7781	Partner Bank, account opening hand off: tested against the provider's sandbox	integration	Claude	P0	43	Open
7782	Partner Bank, account opening hand off: contract test that fails the build if the provider's format changes	integration	Claude	P0	43	Open

#	Item	Where	Owner	Pri	Phase	Status
7783	Partner Bank, account opening hand off: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	43	Open
7784	Partner Bank, account opening hand off: runbook entry: what to do when it fails	integration	Claude	P0	43	Open
7785	Partner Bank, account opening hand off: credentials held in the managed secret store and rotated	integration	Claude	P0	43	Open
7786	Partner Bank, account opening result: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	43	Open
7787	Partner Bank, account opening result: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	43	Open
7788	Partner Bank, account opening result: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	43	Open
7789	Partner Bank, account opening result: idempotency key or reference on every request that changes anything	integration	Claude	P0	43	Open
7790	Partner Bank, account opening result: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	43	Open
7791	Partner Bank, account opening result: sandbox access granted	integration	Bank	P0	H2	Open
7792	Partner Bank, account opening result: tested against the provider's sandbox	integration	Claude	P0	43	Open
7793	Partner Bank, account opening result: contract test that fails the build if the provider's format changes	integration	Claude	P0	43	Open
7794	Partner Bank, account opening result: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	43	Open
7795	Partner Bank, account opening result: runbook entry: what to do when it fails	integration	Claude	P0	43	Open
7796	Partner Bank, account opening result: credentials held in the managed secret store and rotated	integration	Claude	P0	43	Open
7797	Partner Bank, account status inquiry: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	43	Open
7798	Partner Bank, account status inquiry: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	43	Open
7799	Partner Bank, account status inquiry: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	43	Open
7800	Partner Bank, account status inquiry: idempotency key or reference on every request that changes anything	integration	Claude	P0	43	Open
7801	Partner Bank, account status inquiry: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	43	Open
7802	Partner Bank, account status inquiry: sandbox access granted	integration	Bank	P0	H2	Open
7803	Partner Bank, account status inquiry: tested against the provider's sandbox	integration	Claude	P0	43	Open
7804	Partner Bank, account status inquiry: contract test that fails the build if the provider's format changes	integration	Claude	P0	43	Open
7805	Partner Bank, account status inquiry: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	43	Open
7806	Partner Bank, account status inquiry: runbook entry: what to do when it fails	integration	Claude	P0	43	Open
7807	Partner Bank, account status inquiry: credentials held in the managed secret store and rotated	integration	Claude	P0	43	Open
7808	Partner Bank, account title inquiry: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	43	Open
7809	Partner Bank, account title inquiry: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	43	Open
7810	Partner Bank, account title inquiry: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	43	Open
7811	Partner Bank, account title inquiry: idempotency key or reference on every request that changes anything	integration	Claude	P0	43	Open

#	Item	Where	Owner	Pri	Phase	Status
7812	Partner Bank, account title inquiry: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	43	Open
7813	Partner Bank, account title inquiry: sandbox access granted	integration	Bank	P0	H2	Open
7814	Partner Bank, account title inquiry: tested against the provider's sandbox	integration	Claude	P0	43	Open
7815	Partner Bank, account title inquiry: contract test that fails the build if the provider's format changes	integration	Claude	P0	43	Open
7816	Partner Bank, account title inquiry: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	43	Open
7817	Partner Bank, account title inquiry: runbook entry: what to do when it fails	integration	Claude	P0	43	Open
7818	Partner Bank, account title inquiry: credentials held in the managed secret store and rotated	integration	Claude	P0	43	Open
7819	Partner Bank, balance inquiry: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	47	Open
7820	Partner Bank, balance inquiry: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	47	Open
7821	Partner Bank, balance inquiry: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	47	Open
7822	Partner Bank, balance inquiry: idempotency key or reference on every request that changes anything	integration	Claude	P1	47	Open
7823	Partner Bank, balance inquiry: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	47	Open
7824	Partner Bank, balance inquiry: sandbox access granted	integration	Bank	P1	H2	Open
7825	Partner Bank, balance inquiry: tested against the provider's sandbox	integration	Claude	P1	47	Open
7826	Partner Bank, balance inquiry: contract test that fails the build if the provider's format changes	integration	Claude	P1	47	Open
7827	Partner Bank, balance inquiry: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	47	Open
7828	Partner Bank, balance inquiry: runbook entry: what to do when it fails	integration	Claude	P1	47	Open
7829	Partner Bank, balance inquiry: credentials held in the managed secret store and rotated	integration	Claude	P1	47	Open
7830	Partner Bank, internal transfer from payer to collector: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	43	Open
7831	Partner Bank, internal transfer from payer to collector: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	43	Open
7832	Partner Bank, internal transfer from payer to collector: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	43	Open
7833	Partner Bank, internal transfer from payer to collector: idempotency key or reference on every request that changes anything	integration	Claude	P0	43	Open
7834	Partner Bank, internal transfer from payer to collector: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	43	Open
7835	Partner Bank, internal transfer from payer to collector: sandbox access granted	integration	Bank	P0	H2	Open
7836	Partner Bank, internal transfer from payer to collector: tested against the provider's sandbox	integration	Claude	P0	43	Open
7837	Partner Bank, internal transfer from payer to collector: contract test that fails the build if the provider's format changes	integration	Claude	P0	43	Open
7838	Partner Bank, internal transfer from payer to collector: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	43	Open

#	Item	Where	Owner	Pri	Phase	Status
7839	Partner Bank, internal transfer from payer to collector: runbook entry: what to do when it fails	integration	Claude	P0	43	Open
7840	Partner Bank, internal transfer from payer to collector: credentials held in the managed secret store and rotated	integration	Claude	P0	43	Open
7841	Partner Bank, interbank transfer by Raast to another bank: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	47	Open
7842	Partner Bank, interbank transfer by Raast to another bank: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	47	Open
7843	Partner Bank, interbank transfer by Raast to another bank: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	47	Open
7844	Partner Bank, interbank transfer by Raast to another bank: idempotency key or reference on every request that changes anything	integration	Claude	P1	47	Open
7845	Partner Bank, interbank transfer by Raast to another bank: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	47	Open
7846	Partner Bank, interbank transfer by Raast to another bank: sandbox access granted	integration	Bank	P1	H2	Open
7847	Partner Bank, interbank transfer by Raast to another bank: tested against the provider's sandbox	integration	Claude	P1	47	Open
7848	Partner Bank, interbank transfer by Raast to another bank: contract test that fails the build if the provider's format changes	integration	Claude	P1	47	Open
7849	Partner Bank, interbank transfer by Raast to another bank: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	47	Open
7850	Partner Bank, interbank transfer by Raast to another bank: runbook entry: what to do when it fails	integration	Claude	P1	47	Open
7851	Partner Bank, interbank transfer by Raast to another bank: credentials held in the managed secret store and rotated	integration	Claude	P1	47	Open
7852	Partner Bank, Raast request to pay, now and later: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	47	Open
7853	Partner Bank, Raast request to pay, now and later: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	47	Open
7854	Partner Bank, Raast request to pay, now and later: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	47	Open
7855	Partner Bank, Raast request to pay, now and later: idempotency key or reference on every request that changes anything	integration	Claude	P1	47	Open
7856	Partner Bank, Raast request to pay, now and later: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	47	Open
7857	Partner Bank, Raast request to pay, now and later: sandbox access granted	integration	Bank	P1	H2	Open
7858	Partner Bank, Raast request to pay, now and later: tested against the provider's sandbox	integration	Claude	P1	47	Open
7859	Partner Bank, Raast request to pay, now and later: contract test that fails the build if the provider's format changes	integration	Claude	P1	47	Open
7860	Partner Bank, Raast request to pay, now and later: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	47	Open
7861	Partner Bank, Raast request to pay, now and later: runbook entry: what to do when it fails	integration	Claude	P1	47	Open
7862	Partner Bank, Raast request to pay, now and later: credentials held in the managed secret store and rotated	integration	Claude	P1	47	Open

#	Item	Where	Owner	Pri	Phase	Status
7863	Partner Bank, request to pay status: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	47	Open
7864	Partner Bank, request to pay status: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	47	Open
7865	Partner Bank, request to pay status: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	47	Open
7866	Partner Bank, request to pay status: idempotency key or reference on every request that changes anything	integration	Claude	P1	47	Open
7867	Partner Bank, request to pay status: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	47	Open
7868	Partner Bank, request to pay status: sandbox access granted	integration	Bank	P1	H2	Open
7869	Partner Bank, request to pay status: tested against the provider's sandbox	integration	Claude	P1	47	Open
7870	Partner Bank, request to pay status: contract test that fails the build if the provider's format changes	integration	Claude	P1	47	Open
7871	Partner Bank, request to pay status: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	47	Open
7872	Partner Bank, request to pay status: runbook entry: what to do when it fails	integration	Claude	P1	47	Open
7873	Partner Bank, request to pay status: credentials held in the managed secret store and rotated	integration	Claude	P1	47	Open
7874	Partner Bank, mandate or standing instruction creation: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	43	Open
7875	Partner Bank, mandate or standing instruction creation: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	43	Open
7876	Partner Bank, mandate or standing instruction creation: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	43	Open
7877	Partner Bank, mandate or standing instruction creation: idempotency key or reference on every request that changes anything	integration	Claude	P0	43	Open
7878	Partner Bank, mandate or standing instruction creation: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	43	Open
7879	Partner Bank, mandate or standing instruction creation: sandbox access granted	integration	Bank	P0	H2	Open
7880	Partner Bank, mandate or standing instruction creation: tested against the provider's sandbox	integration	Claude	P0	43	Open
7881	Partner Bank, mandate or standing instruction creation: contract test that fails the build if the provider's format changes	integration	Claude	P0	43	Open
7882	Partner Bank, mandate or standing instruction creation: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	43	Open
7883	Partner Bank, mandate or standing instruction creation: runbook entry: what to do when it fails	integration	Claude	P0	43	Open
7884	Partner Bank, mandate or standing instruction creation: credentials held in the managed secret store and rotated	integration	Claude	P0	43	Open
7885	Partner Bank, mandate authorisation by the member at the bank: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	43	Open
7886	Partner Bank, mandate authorisation by the member at the bank: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	43	Open

#	Item	Where	Owner	Pri	Phase	Status
7887	Partner Bank, mandate authorisation by the member at the bank: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	43	Open
7888	Partner Bank, mandate authorisation by the member at the bank: idempotency key or reference on every request that changes anything	integration	Claude	P0	43	Open
7889	Partner Bank, mandate authorisation by the member at the bank: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	43	Open
7890	Partner Bank, mandate authorisation by the member at the bank: sandbox access granted	integration	Bank	P0	H2	Open
7891	Partner Bank, mandate authorisation by the member at the bank: tested against the provider's sandbox	integration	Claude	P0	43	Open
7892	Partner Bank, mandate authorisation by the member at the bank: contract test that fails the build if the provider's format changes	integration	Claude	P0	43	Open
7893	Partner Bank, mandate authorisation by the member at the bank: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	43	Open
7894	Partner Bank, mandate authorisation by the member at the bank: runbook entry: what to do when it fails	integration	Claude	P0	43	Open
7895	Partner Bank, mandate authorisation by the member at the bank: credentials held in the managed secret store and rotated	integration	Claude	P0	43	Open
7896	Partner Bank, mandate ceiling change: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	47	Open
7897	Partner Bank, mandate ceiling change: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	47	Open
7898	Partner Bank, mandate ceiling change: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	47	Open
7899	Partner Bank, mandate ceiling change: idempotency key or reference on every request that changes anything	integration	Claude	P1	47	Open
7900	Partner Bank, mandate ceiling change: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	47	Open
7901	Partner Bank, mandate ceiling change: sandbox access granted	integration	Bank	P1	H2	Open
7902	Partner Bank, mandate ceiling change: tested against the provider's sandbox	integration	Claude	P1	47	Open
7903	Partner Bank, mandate ceiling change: contract test that fails the build if the provider's format changes	integration	Claude	P1	47	Open
7904	Partner Bank, mandate ceiling change: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	47	Open
7905	Partner Bank, mandate ceiling change: runbook entry: what to do when it fails	integration	Claude	P1	47	Open
7906	Partner Bank, mandate ceiling change: credentials held in the managed secret store and rotated	integration	Claude	P1	47	Open
7907	Partner Bank, mandate cancellation: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	43	Open
7908	Partner Bank, mandate cancellation: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	43	Open
7909	Partner Bank, mandate cancellation: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	43	Open
7910	Partner Bank, mandate cancellation: idempotency key or reference on every request that changes anything	integration	Claude	P0	43	Open
7911	Partner Bank, mandate cancellation: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	43	Open

#	Item	Where	Owner	Pri	Phase	Status
7912	Partner Bank, mandate cancellation: sandbox access granted	integration	Bank	P0	H2	Open
7913	Partner Bank, mandate cancellation: tested against the provider's sandbox	integration	Claude	P0	43	Open
7914	Partner Bank, mandate cancellation: contract test that fails the build if the provider's format changes	integration	Claude	P0	43	Open
7915	Partner Bank, mandate cancellation: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	43	Open
7916	Partner Bank, mandate cancellation: runbook entry: what to do when it fails	integration	Claude	P0	43	Open
7917	Partner Bank, mandate cancellation: credentials held in the managed secret store and rotated	integration	Claude	P0	44	Open
7918	Partner Bank, mandate status events: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	44	Open
7919	Partner Bank, mandate status events: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	44	Open
7920	Partner Bank, mandate status events: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	44	Open
7921	Partner Bank, mandate status events: idempotency key or reference on every request that changes anything	integration	Claude	P0	44	Open
7922	Partner Bank, mandate status events: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	44	Open
7923	Partner Bank, mandate status events: sandbox access granted	integration	Bank	P0	H2	Open
7924	Partner Bank, mandate status events: tested against the provider's sandbox	integration	Claude	P0	44	Open
7925	Partner Bank, mandate status events: contract test that fails the build if the provider's format changes	integration	Claude	P0	44	Open
7926	Partner Bank, mandate status events: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	44	Open
7927	Partner Bank, mandate status events: runbook entry: what to do when it fails	integration	Claude	P0	44	Open
7928	Partner Bank, mandate status events: credentials held in the managed secret store and rotated	integration	Claude	P0	44	Open
7929	Partner Bank, debit under a mandate: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	44	Open
7930	Partner Bank, debit under a mandate: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	44	Open
7931	Partner Bank, debit under a mandate: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	44	Open
7932	Partner Bank, debit under a mandate: idempotency key or reference on every request that changes anything	integration	Claude	P0	44	Open
7933	Partner Bank, debit under a mandate: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	44	Open
7934	Partner Bank, debit under a mandate: sandbox access granted	integration	Bank	P0	H2	Open
7935	Partner Bank, debit under a mandate: tested against the provider's sandbox	integration	Claude	P0	44	Open
7936	Partner Bank, debit under a mandate: contract test that fails the build if the provider's format changes	integration	Claude	P0	44	Open
7937	Partner Bank, debit under a mandate: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	44	Open
7938	Partner Bank, debit under a mandate: runbook entry: what to do when it fails	integration	Claude	P0	44	Open
7939	Partner Bank, debit under a mandate: credentials held in the managed secret store and rotated	integration	Claude	P0	44	Open
7940	Partner Bank, debit result events: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	44	Open

#	Item	Where	Owner	Pri	Phase	Status
7941	Partner Bank, debit result events: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	44	Open
7942	Partner Bank, debit result events: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	44	Open
7943	Partner Bank, debit result events: idempotency key or reference on every request that changes anything	integration	Claude	P0	44	Open
7944	Partner Bank, debit result events: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	44	Open
7945	Partner Bank, debit result events: sandbox access granted	integration	Bank	P0	H2	Open
7946	Partner Bank, debit result events: tested against the provider's sandbox	integration	Claude	P0	44	Open
7947	Partner Bank, debit result events: contract test that fails the build if the provider's format changes	integration	Claude	P0	44	Open
7948	Partner Bank, debit result events: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	44	Open
7949	Partner Bank, debit result events: runbook entry: what to do when it fails	integration	Claude	P0	44	Open
7950	Partner Bank, debit result events: credentials held in the managed secret store and rotated	integration	Claude	P0	44	Open
7951	Partner Bank, payout credit to the collector: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	44	Open
7952	Partner Bank, payout credit to the collector: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	44	Open
7953	Partner Bank, payout credit to the collector: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	44	Open
7954	Partner Bank, payout credit to the collector: idempotency key or reference on every request that changes anything	integration	Claude	P0	44	Open
7955	Partner Bank, payout credit to the collector: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	44	Open
7956	Partner Bank, payout credit to the collector: sandbox access granted	integration	Bank	P0	H2	Open
7957	Partner Bank, payout credit to the collector: tested against the provider's sandbox	integration	Claude	P0	44	Open
7958	Partner Bank, payout credit to the collector: contract test that fails the build if the provider's format changes	integration	Claude	P0	44	Open
7959	Partner Bank, payout credit to the collector: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	44	Open
7960	Partner Bank, payout credit to the collector: runbook entry: what to do when it fails	integration	Claude	P0	44	Open
7961	Partner Bank, payout credit to the collector: credentials held in the managed secret store and rotated	integration	Claude	P0	44	Open
7962	Partner Bank, daily statement download: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	44	Open
7963	Partner Bank, daily statement download: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	44	Open
7964	Partner Bank, daily statement download: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	44	Open
7965	Partner Bank, daily statement download: idempotency key or reference on every request that changes anything	integration	Claude	P0	44	Open
7966	Partner Bank, daily statement download: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	44	Open
7967	Partner Bank, daily statement download: sandbox access granted	integration	Bank	P0	H2	Open

#	Item	Where	Owner	Pri	Phase	Status
7968	Partner Bank, daily statement download: tested against the provider's sandbox	integration	Claude	P0	44	Open
7969	Partner Bank, daily statement download: contract test that fails the build if the provider's format changes	integration	Claude	P0	44	Open
7970	Partner Bank, daily statement download: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	44	Open
7971	Partner Bank, daily statement download: runbook entry: what to do when it fails	integration	Claude	P0	44	Open
7972	Partner Bank, daily statement download: credentials held in the managed secret store and rotated	integration	Claude	P0	44	Open
7973	Partner Bank, settlement report: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	47	Open
7974	Partner Bank, settlement report: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	47	Open
7975	Partner Bank, settlement report: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	47	Open
7976	Partner Bank, settlement report: idempotency key or reference on every request that changes anything	integration	Claude	P1	47	Open
7977	Partner Bank, settlement report: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	47	Open
7978	Partner Bank, settlement report: sandbox access granted	integration	Bank	P1	H2	Open
7979	Partner Bank, settlement report: tested against the provider's sandbox	integration	Claude	P1	47	Open
7980	Partner Bank, settlement report: contract test that fails the build if the provider's format changes	integration	Claude	P1	47	Open
7981	Partner Bank, settlement report: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	47	Open
7982	Partner Bank, settlement report: runbook entry: what to do when it fails	integration	Claude	P1	47	Open
7983	Partner Bank, settlement report: credentials held in the managed secret store and rotated	integration	Claude	P1	47	Open
7984	Partner Bank, profit on committee balances for the reward: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	74	Open
7985	Partner Bank, profit on committee balances for the reward: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	74	Open
7986	Partner Bank, profit on committee balances for the reward: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	74	Open
7987	Partner Bank, profit on committee balances for the reward: idempotency key or reference on every request that changes anything	integration	Claude	P2	74	Open
7988	Partner Bank, profit on committee balances for the reward: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	74	Open
7989	Partner Bank, profit on committee balances for the reward: sandbox access granted	integration	Bank	P2	H4	Open
7990	Partner Bank, profit on committee balances for the reward: tested against the provider's sandbox	integration	Claude	P2	74	Open
7991	Partner Bank, profit on committee balances for the reward: contract test that fails the build if the provider's format changes	integration	Claude	P2	74	Open
7992	Partner Bank, profit on committee balances for the reward: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	74	Open
7993	Partner Bank, profit on committee balances for the reward: runbook entry: what to do when it fails	integration	Claude	P2	74	Open
7994	Partner Bank, profit on committee balances for the reward: credentials held in the managed secret store and rotated	integration	Claude	P2	74	Open

#	Item	Where	Owner	Pri	Phase	Status
7995	Partner Bank, account restriction and freeze notices: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	47	Open
7996	Partner Bank, account restriction and freeze notices: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	48	Open
7997	Partner Bank, account restriction and freeze notices: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	48	Open
7998	Partner Bank, account restriction and freeze notices: idempotency key or reference on every request that changes anything	integration	Claude	P1	48	Open
7999	Partner Bank, account restriction and freeze notices: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	48	Open
8000	Partner Bank, account restriction and freeze notices: sandbox access granted	integration	Bank	P1	H2	Open
8001	Partner Bank, account restriction and freeze notices: tested against the provider's sandbox	integration	Claude	P1	48	Open
8002	Partner Bank, account restriction and freeze notices: contract test that fails the build if the provider's format changes	integration	Claude	P1	48	Open
8003	Partner Bank, account restriction and freeze notices: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	48	Open
8004	Partner Bank, account restriction and freeze notices: runbook entry: what to do when it fails	integration	Claude	P1	48	Open
8005	Partner Bank, account restriction and freeze notices: credentials held in the managed secret store and rotated	integration	Claude	P1	48	Open
8006	Partner Bank, dormant account notice: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	74	Open
8007	Partner Bank, dormant account notice: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	74	Open
8008	Partner Bank, dormant account notice: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	74	Open
8009	Partner Bank, dormant account notice: idempotency key or reference on every request that changes anything	integration	Claude	P2	74	Open
8010	Partner Bank, dormant account notice: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	74	Open
8011	Partner Bank, dormant account notice: sandbox access granted	integration	Bank	P2	H4	Open
8012	Partner Bank, dormant account notice: tested against the provider's sandbox	integration	Claude	P2	74	Open
8013	Partner Bank, dormant account notice: contract test that fails the build if the provider's format changes	integration	Claude	P2	74	Open
8014	Partner Bank, dormant account notice: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	74	Open
8015	Partner Bank, dormant account notice: runbook entry: what to do when it fails	integration	Claude	P2	74	Open
8016	Partner Bank, dormant account notice: credentials held in the managed secret store and rotated	integration	Claude	P2	74	Open
8017	Partner Bank, channel block request: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	44	Open
8018	Partner Bank, channel block request: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	44	Open
8019	Partner Bank, channel block request: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	44	Open
8020	Partner Bank, channel block request: idempotency key or reference on every request that changes anything	integration	Claude	P0	44	Open
8021	Partner Bank, channel block request: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	44	Open

#	Item	Where	Owner	Pri	Phase	Status
8022	Partner Bank, channel block request: sandbox access granted	integration	Bank	P0	H2	Open
8023	Partner Bank, channel block request: tested against the provider's sandbox	integration	Claude	P0	44	Open
8024	Partner Bank, channel block request: contract test that fails the build if the provider's format changes	integration	Claude	P0	44	Open
8025	Partner Bank, channel block request: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	44	Open
8026	Partner Bank, channel block request: runbook entry: what to do when it fails	integration	Claude	P0	44	Open
8027	Partner Bank, channel block request: credentials held in the managed secret store and rotated	integration	Claude	P0	44	Open
8028	Partner Bank, dispute hand over: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	44	Open
8029	Partner Bank, dispute hand over: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	44	Open
8030	Partner Bank, dispute hand over: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	44	Open
8031	Partner Bank, dispute hand over: idempotency key or reference on every request that changes anything	integration	Claude	P0	44	Open
8032	Partner Bank, dispute hand over: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	44	Open
8033	Partner Bank, dispute hand over: sandbox access granted	integration	Bank	P0	H2	Open
8034	Partner Bank, dispute hand over: tested against the provider's sandbox	integration	Claude	P0	44	Open
8035	Partner Bank, dispute hand over: contract test that fails the build if the provider's format changes	integration	Claude	P0	44	Open
8036	Partner Bank, dispute hand over: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	44	Open
8037	Partner Bank, dispute hand over: runbook entry: what to do when it fails	integration	Claude	P0	44	Open
8038	Partner Bank, dispute hand over: credentials held in the managed secret store and rotated	integration	Claude	P0	44	Open
8039	Partner Bank, complaint hand over: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	48	Open
8040	Partner Bank, complaint hand over: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	48	Open
8041	Partner Bank, complaint hand over: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	48	Open
8042	Partner Bank, complaint hand over: idempotency key or reference on every request that changes anything	integration	Claude	P1	48	Open
8043	Partner Bank, complaint hand over: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	48	Open
8044	Partner Bank, complaint hand over: sandbox access granted	integration	Bank	P1	H2	Open
8045	Partner Bank, complaint hand over: tested against the provider's sandbox	integration	Claude	P1	48	Open
8046	Partner Bank, complaint hand over: contract test that fails the build if the provider's format changes	integration	Claude	P1	48	Open
8047	Partner Bank, complaint hand over: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	48	Open
8048	Partner Bank, complaint hand over: runbook entry: what to do when it fails	integration	Claude	P1	48	Open
8049	Partner Bank, complaint hand over: credentials held in the managed secret store and rotated	integration	Claude	P1	48	Open
8050	Partner Bank, fraud signal feed: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	48	Open
8051	Partner Bank, fraud signal feed: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	48	Open

#	Item	Where	Owner	Pri	Phase	Status
8052	Partner Bank, fraud signal feed: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	48	Open
8053	Partner Bank, fraud signal feed: idempotency key or reference on every request that changes anything	integration	Claude	P1	48	Open
8054	Partner Bank, fraud signal feed: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	48	Open
8055	Partner Bank, fraud signal feed: sandbox access granted	integration	Bank	P1	H2	Open
8056	Partner Bank, fraud signal feed: tested against the provider's sandbox	integration	Claude	P1	48	Open
8057	Partner Bank, fraud signal feed: contract test that fails the build if the provider's format changes	integration	Claude	P1	48	Open
8058	Partner Bank, fraud signal feed: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	48	Open
8059	Partner Bank, fraud signal feed: runbook entry: what to do when it fails	integration	Claude	P1	48	Open
8060	Partner Bank, fraud signal feed: credentials held in the managed secret store and rotated	integration	Claude	P1	48	Open
8061	Partner Bank, customer data change events: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	74	Open
8062	Partner Bank, customer data change events: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	74	Open
8063	Partner Bank, customer data change events: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	74	Open
8064	Partner Bank, customer data change events: idempotency key or reference on every request that changes anything	integration	Claude	P2	74	Open
8065	Partner Bank, customer data change events: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	74	Open
8066	Partner Bank, customer data change events: sandbox access granted	integration	Bank	P2	H4	Open
8067	Partner Bank, customer data change events: tested against the provider's sandbox	integration	Claude	P2	74	Open
8068	Partner Bank, customer data change events: contract test that fails the build if the provider's format changes	integration	Claude	P2	74	Open
8069	Partner Bank, customer data change events: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	74	Open
8070	Partner Bank, customer data change events: runbook entry: what to do when it fails	integration	Claude	P2	74	Open
8071	Partner Bank, customer data change events: credentials held in the managed secret store and rotated	integration	Claude	P2	74	Open
8072	Partner Bank, monthly report delivery: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	74	Open
8073	Partner Bank, monthly report delivery: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	74	Open
8074	Partner Bank, monthly report delivery: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	74	Open
8075	Partner Bank, monthly report delivery: idempotency key or reference on every request that changes anything	integration	Claude	P2	74	Open
8076	Partner Bank, monthly report delivery: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	74	Open
8077	Partner Bank, monthly report delivery: sandbox access granted	integration	Bank	P2	H4	Open
8078	Partner Bank, monthly report delivery: tested against the provider's sandbox	integration	Claude	P2	74	Open
8079	Partner Bank, monthly report delivery: contract test that fails the build if the provider's format changes	integration	Claude	P2	74	Open

#	Item	Where	Owner	Pri	Phase	Status
8080	Partner Bank, monthly report delivery: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	74	Open
8081	Partner Bank, monthly report delivery: runbook entry: what to do when it fails	integration	Claude	P2	74	Open
8082	Partner Bank, monthly report delivery: credentials held in the managed secret store and rotated	integration	Claude	P2	74	Open

AG2. PSP

#	Item	Where	Owner	Pri	Phase	Status
8083	PSP, customer creation: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	51	Open
8084	PSP, customer creation: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	51	Open
8085	PSP, customer creation: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	51	Open
8086	PSP, customer creation: idempotency key or reference on every request that changes anything	integration	Claude	P1	51	Open
8087	PSP, customer creation: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	51	Open
8088	PSP, customer creation: sandbox access granted	integration	Partner	P1	H3	Open
8089	PSP, customer creation: tested against the provider's sandbox	integration	Claude	P1	51	Open
8090	PSP, customer creation: contract test that fails the build if the provider's format changes	integration	Claude	P1	51	Open
8091	PSP, customer creation: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	51	Open
8092	PSP, customer creation: runbook entry: what to do when it fails	integration	Claude	P1	51	Open
8093	PSP, customer creation: credentials held in the managed secret store and rotated	integration	Claude	P1	51	Open
8094	PSP, card saving page with 3-D Secure: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	51	Open
8095	PSP, card saving page with 3-D Secure: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	51	Open
8096	PSP, card saving page with 3-D Secure: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	51	Open
8097	PSP, card saving page with 3-D Secure: idempotency key or reference on every request that changes anything	integration	Claude	P1	51	Open
8098	PSP, card saving page with 3-D Secure: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	51	Open
8099	PSP, card saving page with 3-D Secure: sandbox access granted	integration	Partner	P1	H3	Open
8100	PSP, card saving page with 3-D Secure: tested against the provider's sandbox	integration	Claude	P1	51	Open
8101	PSP, card saving page with 3-D Secure: contract test that fails the build if the provider's format changes	integration	Claude	P1	51	Open
8102	PSP, card saving page with 3-D Secure: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	51	Open
8103	PSP, card saving page with 3-D Secure: runbook entry: what to do when it fails	integration	Claude	P1	51	Open
8104	PSP, card saving page with 3-D Secure: credentials held in the managed secret store and rotated	integration	Claude	P1	51	Open
8105	PSP, wallet linking: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	51	Open
8106	PSP, wallet linking: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	51	Open
8107	PSP, wallet linking: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	51	Open

#	Item	Where	Owner	Pri	Phase	Status
8108	PSP, wallet linking: idempotency key or reference on every request that changes anything	integration	Claude	P1	51	Open
8109	PSP, wallet linking: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	51	Open
8110	PSP, wallet linking: sandbox access granted	integration	Partner	P1	H3	Open
8111	PSP, wallet linking: tested against the provider's sandbox	integration	Claude	P1	51	Open
8112	PSP, wallet linking: contract test that fails the build if the provider's format changes	integration	Claude	P1	51	Open
8113	PSP, wallet linking: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	51	Open
8114	PSP, wallet linking: runbook entry: what to do when it fails	integration	Claude	P1	51	Open
8115	PSP, wallet linking: credentials held in the managed secret store and rotated	integration	Claude	P1	51	Open
8116	PSP, merchant initiated charge on a saved card or wallet: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	51	Open
8117	PSP, merchant initiated charge on a saved card or wallet: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	51	Open
8118	PSP, merchant initiated charge on a saved card or wallet: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	51	Open
8119	PSP, merchant initiated charge on a saved card or wallet: idempotency key or reference on every request that changes anything	integration	Claude	P1	51	Open
8120	PSP, merchant initiated charge on a saved card or wallet: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	51	Open
8121	PSP, merchant initiated charge on a saved card or wallet: sandbox access granted	integration	Partner	P1	H3	Open
8122	PSP, merchant initiated charge on a saved card or wallet: tested against the provider's sandbox	integration	Claude	P1	51	Open
8123	PSP, merchant initiated charge on a saved card or wallet: contract test that fails the build if the provider's format changes	integration	Claude	P1	51	Open
8124	PSP, merchant initiated charge on a saved card or wallet: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	51	Open
8125	PSP, merchant initiated charge on a saved card or wallet: runbook entry: what to do when it fails	integration	Claude	P1	51	Open
8126	PSP, merchant initiated charge on a saved card or wallet: credentials held in the managed secret store and rotated	integration	Claude	P1	51	Open
8127	PSP, refund: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	51	Open
8128	PSP, refund: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	51	Open
8129	PSP, refund: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	51	Open
8130	PSP, refund: idempotency key or reference on every request that changes anything	integration	Claude	P1	51	Open
8131	PSP, refund: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	51	Open
8132	PSP, refund: sandbox access granted	integration	Partner	P1	H3	Open
8133	PSP, refund: tested against the provider's sandbox	integration	Claude	P1	51	Open
8134	PSP, refund: contract test that fails the build if the provider's format changes	integration	Claude	P1	51	Open

#	Item	Where	Owner	Pri	Phase	Status
8135	PSP, refund: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	51	Open
8136	PSP, refund: runbook entry: what to do when it fails	integration	Claude	P1	51	Open
8137	PSP, refund: credentials held in the managed secret store and rotated	integration	Claude	P1	51	Open
8138	PSP, dispute notification and evidence: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	51	Open
8139	PSP, dispute notification and evidence: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	51	Open
8140	PSP, dispute notification and evidence: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	51	Open
8141	PSP, dispute notification and evidence: idempotency key or reference on every request that changes anything	integration	Claude	P1	51	Open
8142	PSP, dispute notification and evidence: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	51	Open
8143	PSP, dispute notification and evidence: sandbox access granted	integration	Partner	P1	H3	Open
8144	PSP, dispute notification and evidence: tested against the provider's sandbox	integration	Claude	P1	51	Open
8145	PSP, dispute notification and evidence: contract test that fails the build if the provider's format changes	integration	Claude	P1	51	Open
8146	PSP, dispute notification and evidence: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	51	Open
8147	PSP, dispute notification and evidence: runbook entry: what to do when it fails	integration	Claude	P1	51	Open
8148	PSP, dispute notification and evidence: credentials held in the managed secret store and rotated	integration	Claude	P1	51	Open
8149	PSP, signed event delivery: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	51	Open
8150	PSP, signed event delivery: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	51	Open
8151	PSP, signed event delivery: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	51	Open
8152	PSP, signed event delivery: idempotency key or reference on every request that changes anything	integration	Claude	P1	51	Open
8153	PSP, signed event delivery: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	51	Open
8154	PSP, signed event delivery: sandbox access granted	integration	Partner	P1	H3	Open
8155	PSP, signed event delivery: tested against the provider's sandbox	integration	Claude	P1	51	Open
8156	PSP, signed event delivery: contract test that fails the build if the provider's format changes	integration	Claude	P1	51	Open
8157	PSP, signed event delivery: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	51	Open
8158	PSP, signed event delivery: runbook entry: what to do when it fails	integration	Claude	P1	51	Open
8159	PSP, signed event delivery: credentials held in the managed secret store and rotated	integration	Claude	P1	51	Open
8160	PSP, settlement report: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	52	Open
8161	PSP, settlement report: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	52	Open
8162	PSP, settlement report: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	52	Open
8163	PSP, settlement report: idempotency key or reference on every request that changes anything	integration	Claude	P1	52	Open
8164	PSP, settlement report: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	52	Open

#	Item	Where	Owner	Pri	Phase	Status
8165	PSP, settlement report: sandbox access granted	integration	Partner	P1	H3	Open
8166	PSP, settlement report: tested against the provider's sandbox	integration	Claude	P1	52	Open
8167	PSP, settlement report: contract test that fails the build if the provider's format changes	integration	Claude	P1	52	Open
8168	PSP, settlement report: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	52	Open
8169	PSP, settlement report: runbook entry: what to do when it fails	integration	Claude	P1	52	Open
8170	PSP, settlement report: credentials held in the managed secret store and rotated	integration	Claude	P1	52	Open
8171	PSP, saved token removal: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	52	Open
8172	PSP, saved token removal: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	52	Open
8173	PSP, saved token removal: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	52	Open
8174	PSP, saved token removal: idempotency key or reference on every request that changes anything	integration	Claude	P1	52	Open
8175	PSP, saved token removal: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	52	Open
8176	PSP, saved token removal: sandbox access granted	integration	Partner	P1	H3	Open
8177	PSP, saved token removal: tested against the provider's sandbox	integration	Claude	P1	52	Open
8178	PSP, saved token removal: contract test that fails the build if the provider's format changes	integration	Claude	P1	52	Open
8179	PSP, saved token removal: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	52	Open
8180	PSP, saved token removal: runbook entry: what to do when it fails	integration	Claude	P1	52	Open
8181	PSP, saved token removal: credentials held in the managed secret store and rotated	integration	Claude	P1	52	Open

AG3. NADRA through the Bank

#	Item	Where	Owner	Pri	Phase	Status
8182	NADRA through the Bank, biometric verification result shared with consent: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	48	Open
8183	NADRA through the Bank, biometric verification result shared with consent: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	48	Open
8184	NADRA through the Bank, biometric verification result shared with consent: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	48	Open
8185	NADRA through the Bank, biometric verification result shared with consent: idempotency key or reference on every request that changes anything	integration	Claude	P1	48	Open
8186	NADRA through the Bank, biometric verification result shared with consent: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	48	Open
8187	NADRA through the Bank, biometric verification result shared with consent: sandbox access granted	integration	Bank	P1	H2	Open
8188	NADRA through the Bank, biometric verification result shared with consent: tested against the provider's sandbox	integration	Claude	P1	48	Open

#	Item	Where	Owner	Pri	Phase	Status
8189	NADRA through the Bank, biometric verification result shared with consent: contract test that fails the build if the provider's format changes	integration	Claude	P1	48	Open
8190	NADRA through the Bank, biometric verification result shared with consent: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	48	Open
8191	NADRA through the Bank, biometric verification result shared with consent: runbook entry: what to do when it fails	integration	Claude	P1	48	Open
8192	NADRA through the Bank, biometric verification result shared with consent: credentials held in the managed secret store and rotated	integration	Claude	P1	48	Open
8193	NADRA through the Bank, Verisys result for the permitted fallback cases: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	74	Open
8194	NADRA through the Bank, Verisys result for the permitted fallback cases: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	74	Open
8195	NADRA through the Bank, Verisys result for the permitted fallback cases: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	74	Open
8196	NADRA through the Bank, Verisys result for the permitted fallback cases: idempotency key or reference on every request that changes anything	integration	Claude	P2	74	Open
8197	NADRA through the Bank, Verisys result for the permitted fallback cases: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	74	Open
8198	NADRA through the Bank, Verisys result for the permitted fallback cases: sandbox access granted	integration	Bank	P2	H4	Open
8199	NADRA through the Bank, Verisys result for the permitted fallback cases: tested against the provider's sandbox	integration	Claude	P2	74	Open
8200	NADRA through the Bank, Verisys result for the permitted fallback cases: contract test that fails the build if the provider's format changes	integration	Claude	P2	74	Open
8201	NADRA through the Bank, Verisys result for the permitted fallback cases: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	74	Open
8202	NADRA through the Bank, Verisys result for the permitted fallback cases: runbook entry: what to do when it fails	integration	Claude	P2	74	Open
8203	NADRA through the Bank, Verisys result for the permitted fallback cases: credentials held in the managed secret store and rotated	integration	Claude	P2	74	Open

AG4. TASDEEQ

#	Item	Where	Owner	Pri	Phase	Status
8204	TASDEEQ, subscriber report on the member's instruction: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	52	Open
8205	TASDEEQ, subscriber report on the member's instruction: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	52	Open
8206	TASDEEQ, subscriber report on the member's instruction: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	52	Open

#	Item	Where	Owner	Pri	Phase	Status
8207	TASDEEQ, subscriber report on the member's instruction: idempotency key or reference on every request that changes anything	integration	Claude	P1	52	Open
8208	TASDEEQ, subscriber report on the member's instruction: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	52	Open
8209	TASDEEQ, subscriber report on the member's instruction: sandbox access granted	integration	Partner	P1	H3	Open
8210	TASDEEQ, subscriber report on the member's instruction: tested against the provider's sandbox	integration	Claude	P1	52	Open
8211	TASDEEQ, subscriber report on the member's instruction: contract test that fails the build if the provider's format changes	integration	Claude	P1	52	Open
8212	TASDEEQ, subscriber report on the member's instruction: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	52	Open
8213	TASDEEQ, subscriber report on the member's instruction: runbook entry: what to do when it fails	integration	Claude	P1	52	Open
8214	TASDEEQ, subscriber report on the member's instruction: credentials held in the managed secret store and rotated	integration	Claude	P1	52	Open
8215	TASDEEQ, monthly data submission: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	52	Open
8216	TASDEEQ, monthly data submission: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	52	Open
8217	TASDEEQ, monthly data submission: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	52	Open
8218	TASDEEQ, monthly data submission: idempotency key or reference on every request that changes anything	integration	Claude	P1	52	Open
8219	TASDEEQ, monthly data submission: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	52	Open
8220	TASDEEQ, monthly data submission: sandbox access granted	integration	Partner	P1	H3	Open
8221	TASDEEQ, monthly data submission: tested against the provider's sandbox	integration	Claude	P1	52	Open
8222	TASDEEQ, monthly data submission: contract test that fails the build if the provider's format changes	integration	Claude	P1	52	Open
8223	TASDEEQ, monthly data submission: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	52	Open
8224	TASDEEQ, monthly data submission: runbook entry: what to do when it fails	integration	Claude	P1	52	Open
8225	TASDEEQ, monthly data submission: credentials held in the managed secret store and rotated	integration	Claude	P1	52	Open
8226	TASDEEQ, correction of a submitted record: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	52	Open
8227	TASDEEQ, correction of a submitted record: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	52	Open
8228	TASDEEQ, correction of a submitted record: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	52	Open
8229	TASDEEQ, correction of a submitted record: idempotency key or reference on every request that changes anything	integration	Claude	P1	52	Open
8230	TASDEEQ, correction of a submitted record: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	52	Open
8231	TASDEEQ, correction of a submitted record: sandbox access granted	integration	Partner	P1	H3	Open

#	Item	Where	Owner	Pri	Phase	Status
8232	TASDEEQ, correction of a submitted record: tested against the provider's sandbox	integration	Claude	P1	52	Open
8233	TASDEEQ, correction of a submitted record: contract test that fails the build if the provider's format changes	integration	Claude	P1	52	Open
8234	TASDEEQ, correction of a submitted record: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	52	Open
8235	TASDEEQ, correction of a submitted record: runbook entry: what to do when it fails	integration	Claude	P1	52	Open
8236	TASDEEQ, correction of a submitted record: credentials held in the managed secret store and rotated	integration	Claude	P1	52	Open
8237	TASDEEQ, dispute from the bureau: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	52	Open
8238	TASDEEQ, dispute from the bureau: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	52	Open
8239	TASDEEQ, dispute from the bureau: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	52	Open
8240	TASDEEQ, dispute from the bureau: idempotency key or reference on every request that changes anything	integration	Claude	P1	52	Open
8241	TASDEEQ, dispute from the bureau: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	52	Open
8242	TASDEEQ, dispute from the bureau: sandbox access granted	integration	Partner	P1	H3	Open
8243	TASDEEQ, dispute from the bureau: tested against the provider's sandbox	integration	Claude	P1	52	Open
8244	TASDEEQ, dispute from the bureau: contract test that fails the build if the provider's format changes	integration	Claude	P1	52	Open
8245	TASDEEQ, dispute from the bureau: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	52	Open
8246	TASDEEQ, dispute from the bureau: runbook entry: what to do when it fails	integration	Claude	P1	52	Open
8247	TASDEEQ, dispute from the bureau: credentials held in the managed secret store and rotated	integration	Claude	P1	52	Open

AG5. WhatsApp Provider

#	Item	Where	Owner	Pri	Phase	Status
8248	WhatsApp Provider, message template submission and approval: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	52	Open
8249	WhatsApp Provider, message template submission and approval: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	52	Open
8250	WhatsApp Provider, message template submission and approval: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	52	Open
8251	WhatsApp Provider, message template submission and approval: idempotency key or reference on every request that changes anything	integration	Claude	P1	52	Open
8252	WhatsApp Provider, message template submission and approval: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	52	Open
8253	WhatsApp Provider, message template submission and approval: sandbox access granted	integration	Partner	P1	H3	Open
8254	WhatsApp Provider, message template submission and approval: tested against the provider's sandbox	integration	Claude	P1	52	Open

#	Item	Where	Owner	Pri	Phase	Status
8255	WhatsApp Provider, message template submission and approval: contract test that fails the build if the provider's format changes	integration	Claude	P1	52	Open
8256	WhatsApp Provider, message template submission and approval: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	52	Open
8257	WhatsApp Provider, message template submission and approval: runbook entry: what to do when it fails	integration	Claude	P1	52	Open
8258	WhatsApp Provider, message template submission and approval: credentials held in the managed secret store and rotated	integration	Claude	P1	52	Open
8259	WhatsApp Provider, template message sending: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	52	Open
8260	WhatsApp Provider, template message sending: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	52	Open
8261	WhatsApp Provider, template message sending: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	52	Open
8262	WhatsApp Provider, template message sending: idempotency key or reference on every request that changes anything	integration	Claude	P1	52	Open
8263	WhatsApp Provider, template message sending: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	52	Open
8264	WhatsApp Provider, template message sending: sandbox access granted	integration	Partner	P1	H3	Open
8265	WhatsApp Provider, template message sending: tested against the provider's sandbox	integration	Claude	P1	52	Open
8266	WhatsApp Provider, template message sending: contract test that fails the build if the provider's format changes	integration	Claude	P1	52	Open
8267	WhatsApp Provider, template message sending: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	52	Open
8268	WhatsApp Provider, template message sending: runbook entry: what to do when it fails	integration	Claude	P1	52	Open
8269	WhatsApp Provider, template message sending: credentials held in the managed secret store and rotated	integration	Claude	P1	52	Open
8270	WhatsApp Provider, delivery and read status events: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	78	Open
8271	WhatsApp Provider, delivery and read status events: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	78	Open
8272	WhatsApp Provider, delivery and read status events: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	78	Open
8273	WhatsApp Provider, delivery and read status events: idempotency key or reference on every request that changes anything	integration	Claude	P2	78	Open
8274	WhatsApp Provider, delivery and read status events: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	78	Open
8275	WhatsApp Provider, delivery and read status events: sandbox access granted	integration	Partner	P2	H4	Open
8276	WhatsApp Provider, delivery and read status events: tested against the provider's sandbox	integration	Claude	P2	78	Open
8277	WhatsApp Provider, delivery and read status events: contract test that fails the build if the provider's format changes	integration	Claude	P2	78	Open
8278	WhatsApp Provider, delivery and read status events: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	78	Open

#	Item	Where	Owner	Pri	Phase	Status
8279	WhatsApp Provider, delivery and read status events: runbook entry: what to do when it fails	integration	Claude	P2	78	Open
8280	WhatsApp Provider, delivery and read status events: credentials held in the managed secret store and rotated	integration	Claude	P2	78	Open
8281	WhatsApp Provider, opt out handling: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	53	Open
8282	WhatsApp Provider, opt out handling: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	53	Open
8283	WhatsApp Provider, opt out handling: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	53	Open
8284	WhatsApp Provider, opt out handling: idempotency key or reference on every request that changes anything	integration	Claude	P1	53	Open
8285	WhatsApp Provider, opt out handling: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	53	Open
8286	WhatsApp Provider, opt out handling: sandbox access granted	integration	Partner	P1	H3	Open
8287	WhatsApp Provider, opt out handling: tested against the provider's sandbox	integration	Claude	P1	53	Open
8288	WhatsApp Provider, opt out handling: contract test that fails the build if the provider's format changes	integration	Claude	P1	53	Open
8289	WhatsApp Provider, opt out handling: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	53	Open
8290	WhatsApp Provider, opt out handling: runbook entry: what to do when it fails	integration	Claude	P1	53	Open
8291	WhatsApp Provider, opt out handling: credentials held in the managed secret store and rotated	integration	Claude	P1	53	Open
8292	WhatsApp Provider, rate and spend limits: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	78	Open
8293	WhatsApp Provider, rate and spend limits: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	78	Open
8294	WhatsApp Provider, rate and spend limits: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	78	Open
8295	WhatsApp Provider, rate and spend limits: idempotency key or reference on every request that changes anything	integration	Claude	P2	78	Open
8296	WhatsApp Provider, rate and spend limits: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	78	Open
8297	WhatsApp Provider, rate and spend limits: sandbox access granted	integration	Partner	P2	H4	Open
8298	WhatsApp Provider, rate and spend limits: tested against the provider's sandbox	integration	Claude	P2	78	Open
8299	WhatsApp Provider, rate and spend limits: contract test that fails the build if the provider's format changes	integration	Claude	P2	78	Open
8300	WhatsApp Provider, rate and spend limits: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	78	Open
8301	WhatsApp Provider, rate and spend limits: runbook entry: what to do when it fails	integration	Claude	P2	78	Open
8302	WhatsApp Provider, rate and spend limits: credentials held in the managed secret store and rotated	integration	Claude	P2	78	Open

AG6. SMS Provider

#	Item	Where	Owner	Pri	Phase	Status
8303	SMS Provider, one time code sending: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	51	Open

#	Item	Where	Owner	Pri	Phase	Status
8304	SMS Provider, one time code sending: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	51	Open
8305	SMS Provider, one time code sending: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	51	Open
8306	SMS Provider, one time code sending: idempotency key or reference on every request that changes anything	integration	Claude	P0	51	Open
8307	SMS Provider, one time code sending: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	51	Open
8308	SMS Provider, one time code sending: sandbox access granted	integration	Partner	P0	H3	Open
8309	SMS Provider, one time code sending: tested against the provider's sandbox	integration	Claude	P0	51	Open
8310	SMS Provider, one time code sending: contract test that fails the build if the provider's format changes	integration	Claude	P0	51	Open
8311	SMS Provider, one time code sending: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	51	Open
8312	SMS Provider, one time code sending: runbook entry: what to do when it fails	integration	Claude	P0	51	Open
8313	SMS Provider, one time code sending: credentials held in the managed secret store and rotated	integration	Claude	P0	51	Open
8314	SMS Provider, delivery reports: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	53	Open
8315	SMS Provider, delivery reports: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	53	Open
8316	SMS Provider, delivery reports: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	53	Open
8317	SMS Provider, delivery reports: idempotency key or reference on every request that changes anything	integration	Claude	P1	53	Open
8318	SMS Provider, delivery reports: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	53	Open
8319	SMS Provider, delivery reports: sandbox access granted	integration	Partner	P1	H3	Open
8320	SMS Provider, delivery reports: tested against the provider's sandbox	integration	Claude	P1	53	Open
8321	SMS Provider, delivery reports: contract test that fails the build if the provider's format changes	integration	Claude	P1	53	Open
8322	SMS Provider, delivery reports: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	53	Open
8323	SMS Provider, delivery reports: runbook entry: what to do when it fails	integration	Claude	P1	53	Open
8324	SMS Provider, delivery reports: credentials held in the managed secret store and rotated	integration	Claude	P1	53	Open
8325	SMS Provider, masked sender identity registration: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	78	Open
8326	SMS Provider, masked sender identity registration: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	78	Open
8327	SMS Provider, masked sender identity registration: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	78	Open
8328	SMS Provider, masked sender identity registration: idempotency key or reference on every request that changes anything	integration	Claude	P2	78	Open
8329	SMS Provider, masked sender identity registration: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	78	Open
8330	SMS Provider, masked sender identity registration: sandbox access granted	integration	Partner	P2	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
8331	SMS Provider, masked sender identity registration: tested against the provider's sandbox	integration	Claude	P2	78	Open
8332	SMS Provider, masked sender identity registration: contract test that fails the build if the provider's format changes	integration	Claude	P2	78	Open
8333	SMS Provider, masked sender identity registration: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	78	Open
8334	SMS Provider, masked sender identity registration: runbook entry: what to do when it fails	integration	Claude	P2	78	Open
8335	SMS Provider, masked sender identity registration: credentials held in the managed secret store and rotated	integration	Claude	P2	78	Open

AG7. Push Notifications

#	Item	Where	Owner	Pri	Phase	Status
8336	Push Notifications, device token registration for Android and iOS: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	41	Open
8337	Push Notifications, device token registration for Android and iOS: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	41	Open
8338	Push Notifications, device token registration for Android and iOS: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	41	Open
8339	Push Notifications, device token registration for Android and iOS: idempotency key or reference on every request that changes anything	integration	Claude	P1	41	Open
8340	Push Notifications, device token registration for Android and iOS: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	41	Open
8341	Push Notifications, device token registration for Android and iOS: tested against the provider's sandbox	integration	Claude	P1	41	Open
8342	Push Notifications, device token registration for Android and iOS: contract test that fails the build if the provider's format changes	integration	Claude	P1	41	Open
8343	Push Notifications, device token registration for Android and iOS: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	41	Open
8344	Push Notifications, device token registration for Android and iOS: runbook entry: what to do when it fails	integration	Claude	P1	41	Open
8345	Push Notifications, device token registration for Android and iOS: credentials held in the managed secret store and rotated	integration	Claude	P1	41	Open
8346	Push Notifications, push sending: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	41	Open
8347	Push Notifications, push sending: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	41	Open
8348	Push Notifications, push sending: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	41	Open
8349	Push Notifications, push sending: idempotency key or reference on every request that changes anything	integration	Claude	P1	41	Open
8350	Push Notifications, push sending: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	41	Open
8351	Push Notifications, push sending: tested against the provider's sandbox	integration	Claude	P1	41	Open
8352	Push Notifications, push sending: contract test that fails the build if the provider's format changes	integration	Claude	P1	41	Open
8353	Push Notifications, push sending: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	41	Open

#	Item	Where	Owner	Pri	Phase	Status
8354	Push Notifications, push sending: runbook entry: what to do when it fails	integration	Claude	P1	41	Open
8355	Push Notifications, push sending: credentials held in the managed secret store and rotated	integration	Claude	P1	41	Open
8356	Push Notifications, receipt tracking: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	71	Open
8357	Push Notifications, receipt tracking: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	71	Open
8358	Push Notifications, receipt tracking: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	71	Open
8359	Push Notifications, receipt tracking: idempotency key or reference on every request that changes anything	integration	Claude	P2	71	Open
8360	Push Notifications, receipt tracking: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	71	Open
8361	Push Notifications, receipt tracking: tested against the provider's sandbox	integration	Claude	P2	71	Open
8362	Push Notifications, receipt tracking: contract test that fails the build if the provider's format changes	integration	Claude	P2	71	Open
8363	Push Notifications, receipt tracking: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	71	Open
8364	Push Notifications, receipt tracking: runbook entry: what to do when it fails	integration	Claude	P2	71	Open
8365	Push Notifications, receipt tracking: credentials held in the managed secret store and rotated	integration	Claude	P2	71	Open
8366	Push Notifications, token clean up on sign out: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	41	Open
8367	Push Notifications, token clean up on sign out: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	41	Open
8368	Push Notifications, token clean up on sign out: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	41	Open
8369	Push Notifications, token clean up on sign out: idempotency key or reference on every request that changes anything	integration	Claude	P1	41	Open
8370	Push Notifications, token clean up on sign out: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	41	Open
8371	Push Notifications, token clean up on sign out: tested against the provider's sandbox	integration	Claude	P1	41	Open
8372	Push Notifications, token clean up on sign out: contract test that fails the build if the provider's format changes	integration	Claude	P1	41	Open
8373	Push Notifications, token clean up on sign out: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	41	Open
8374	Push Notifications, token clean up on sign out: runbook entry: what to do when it fails	integration	Claude	P1	41	Open
8375	Push Notifications, token clean up on sign out: credentials held in the managed secret store and rotated	integration	Claude	P1	41	Open

AG8. Email

#	Item	Where	Owner	Pri	Phase	Status
8376	Email, transactional email sending: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	71	Open
8377	Email, transactional email sending: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	71	Open
8378	Email, transactional email sending: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	71	Open

#	Item	Where	Owner	Pri	Phase	Status
8379	Email, transactional email sending: idempotency key or reference on every request that changes anything	integration	Claude	P2	71	Open
8380	Email, transactional email sending: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	71	Open
8381	Email, transactional email sending: tested against the provider's sandbox	integration	Claude	P2	71	Open
8382	Email, transactional email sending: contract test that fails the build if the provider's format changes	integration	Claude	P2	71	Open
8383	Email, transactional email sending: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	71	Open
8384	Email, transactional email sending: runbook entry: what to do when it fails	integration	Claude	P2	71	Open
8385	Email, transactional email sending: credentials held in the managed secret store and rotated	integration	Claude	P2	71	Open
8386	Email, bounce and complaint handling: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	71	Open
8387	Email, bounce and complaint handling: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	71	Open
8388	Email, bounce and complaint handling: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	71	Open
8389	Email, bounce and complaint handling: idempotency key or reference on every request that changes anything	integration	Claude	P2	71	Open
8390	Email, bounce and complaint handling: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	71	Open
8391	Email, bounce and complaint handling: tested against the provider's sandbox	integration	Claude	P2	71	Open
8392	Email, bounce and complaint handling: contract test that fails the build if the provider's format changes	integration	Claude	P2	71	Open
8393	Email, bounce and complaint handling: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	71	Open
8394	Email, bounce and complaint handling: runbook entry: what to do when it fails	integration	Claude	P2	71	Open
8395	Email, bounce and complaint handling: credentials held in the managed secret store and rotated	integration	Claude	P2	71	Open

AG9. Liveness Service

#	Item	Where	Owner	Pri	Phase	Status
8396	Liveness Service, liveness session creation: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	42	Open
8397	Liveness Service, liveness session creation: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	42	Open
8398	Liveness Service, liveness session creation: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	42	Open
8399	Liveness Service, liveness session creation: idempotency key or reference on every request that changes anything	integration	Claude	P1	42	Open
8400	Liveness Service, liveness session creation: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	42	Open
8401	Liveness Service, liveness session creation: tested against the provider's sandbox	integration	Claude	P1	42	Open
8402	Liveness Service, liveness session creation: contract test that fails the build if the provider's format changes	integration	Claude	P1	42	Open
8403	Liveness Service, liveness session creation: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	42	Open

#	Item	Where	Owner	Pri	Phase	Status
8404	Liveness Service, liveness session creation: runbook entry: what to do when it fails	integration	Claude	P1	42	Open
8405	Liveness Service, liveness session creation: credentials held in the managed secret store and rotated	integration	Claude	P1	42	Open
8406	Liveness Service, liveness result and face match: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	42	Open
8407	Liveness Service, liveness result and face match: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	42	Open
8408	Liveness Service, liveness result and face match: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	42	Open
8409	Liveness Service, liveness result and face match: idempotency key or reference on every request that changes anything	integration	Claude	P1	42	Open
8410	Liveness Service, liveness result and face match: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	42	Open
8411	Liveness Service, liveness result and face match: tested against the provider's sandbox	integration	Claude	P1	42	Open
8412	Liveness Service, liveness result and face match: contract test that fails the build if the provider's format changes	integration	Claude	P1	42	Open
8413	Liveness Service, liveness result and face match: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	42	Open
8414	Liveness Service, liveness result and face match: runbook entry: what to do when it fails	integration	Claude	P1	42	Open
8415	Liveness Service, liveness result and face match: credentials held in the managed secret store and rotated	integration	Claude	P1	42	Open
8416	Liveness Service, deletion of images after the check: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	12	Open
8417	Liveness Service, deletion of images after the check: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	12	Open
8418	Liveness Service, deletion of images after the check: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	12	Open
8419	Liveness Service, deletion of images after the check: idempotency key or reference on every request that changes anything	integration	Claude	P0	12	Open
8420	Liveness Service, deletion of images after the check: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	12	Open
8421	Liveness Service, deletion of images after the check: tested against the provider's sandbox	integration	Claude	P0	12	Open
8422	Liveness Service, deletion of images after the check: contract test that fails the build if the provider's format changes	integration	Claude	P0	12	Open
8423	Liveness Service, deletion of images after the check: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	12	Open
8424	Liveness Service, deletion of images after the check: runbook entry: what to do when it fails	integration	Claude	P0	12	Open
8425	Liveness Service, deletion of images after the check: credentials held in the managed secret store and rotated	integration	Claude	P0	12	Open

AG10. Monitoring Services

#	Item	Where	Owner	Pri	Phase	Status
8426	Monitoring Services, error reports with personal data removed: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P0	12	Open
8427	Monitoring Services, error reports with personal data removed: client built behind one module, with nothing else calling the provider directly	integration	Claude	P0	12	Open
8428	Monitoring Services, error reports with personal data removed: timeouts, retries with backoff and a limit on attempts	integration	Claude	P0	12	Open
8429	Monitoring Services, error reports with personal data removed: idempotency key or reference on every request that changes anything	integration	Claude	P0	12	Open
8430	Monitoring Services, error reports with personal data removed: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P0	12	Open
8431	Monitoring Services, error reports with personal data removed: tested against the provider's sandbox	integration	Claude	P0	12	Open
8432	Monitoring Services, error reports with personal data removed: contract test that fails the build if the provider's format changes	integration	Claude	P0	12	Open
8433	Monitoring Services, error reports with personal data removed: monitored, with an alert to a named person on failure or delay	integration	Claude	P0	12	Open
8434	Monitoring Services, error reports with personal data removed: runbook entry: what to do when it fails	integration	Claude	P0	12	Open
8435	Monitoring Services, error reports with personal data removed: credentials held in the managed secret store and rotated	integration	Claude	P0	12	Open
8436	Monitoring Services, uptime checks: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P1	42	Open
8437	Monitoring Services, uptime checks: client built behind one module, with nothing else calling the provider directly	integration	Claude	P1	42	Open
8438	Monitoring Services, uptime checks: timeouts, retries with backoff and a limit on attempts	integration	Claude	P1	42	Open
8439	Monitoring Services, uptime checks: idempotency key or reference on every request that changes anything	integration	Claude	P1	42	Open
8440	Monitoring Services, uptime checks: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P1	42	Open
8441	Monitoring Services, uptime checks: tested against the provider's sandbox	integration	Claude	P1	42	Open
8442	Monitoring Services, uptime checks: contract test that fails the build if the provider's format changes	integration	Claude	P1	42	Open
8443	Monitoring Services, uptime checks: monitored, with an alert to a named person on failure or delay	integration	Claude	P1	42	Open
8444	Monitoring Services, uptime checks: runbook entry: what to do when it fails	integration	Claude	P1	42	Open
8445	Monitoring Services, uptime checks: credentials held in the managed secret store and rotated	integration	Claude	P1	42	Open
8446	Monitoring Services, performance traces: contract written: request, response, errors and limits, agreed with the provider	integration	Claude	P2	71	Open
8447	Monitoring Services, performance traces: client built behind one module, with nothing else calling the provider directly	integration	Claude	P2	71	Open
8448	Monitoring Services, performance traces: timeouts, retries with backoff and a limit on attempts	integration	Claude	P2	71	Open

#	Item	Where	Owner	Pri	Phase	Status
8449	Monitoring Services, performance traces: idempotency key or reference on every request that changes anything	integration	Claude	P2	71	Open
8450	Monitoring Services, performance traces: every provider error mapped to a reason and a sentence the member understands	integration	Claude	P2	71	Open
8451	Monitoring Services, performance traces: tested against the provider's sandbox	integration	Claude	P2	71	Open
8452	Monitoring Services, performance traces: contract test that fails the build if the provider's format changes	integration	Claude	P2	71	Open
8453	Monitoring Services, performance traces: monitored, with an alert to a named person on failure or delay	integration	Claude	P2	71	Open
8454	Monitoring Services, performance traces: runbook entry: what to do when it fails	integration	Claude	P2	71	Open
8455	Monitoring Services, performance traces: credentials held in the managed secret store and rotated	integration	Claude	P2	71	Open

AG11. Access and Agreements

#	Item	Where	Owner	Pri	Phase	Status
8456	Bank: technical contact named and the integration method chosen: APIs, the bank's kit, or files	bank	Bank	P0	H2	Open
8457	Bank: interface documents received and read	bank	Bank	P0	H2	Open
8458	Bank: Halqa's outbound addresses fixed and placed on the bank's allow list; item 779 covers the bank's addresses at Halqa	infrastructure	Claude	P1	42	Open
8459	Bank: mutual TLS certificates for item 777 exchanged, with their expiry tracked	infrastructure	Claude	P1	42	Open
8460	Bank: message signing keys exchanged and rotation agreed	infrastructure	Claude	P1	42	Open
8461	Bank: the cut over plan of item 797 rehearsed in the test environment	integration	Claude	P1	42	Open
8462	PSP: pricing confirmed against the 1.5 per cent service fee shown to members (5 October)	commercial	Chairman	P0	H3	Open
8463	TASDEEQ: first contact made and the subscriber and data furnisher terms obtained	commercial	Chairman	P0	H3	Open
8464	WhatsApp: business account verified in the company's name and a provider chosen	commercial	Chairman	P1	H3	Open
8465	SMS: provider chosen with Pakistani delivery and sender identity	commercial	Chairman	P1	H3	Open
8466	Integration map kept current: every provider, every operation, owner and status	docs	Claude	P1	42	Open

AH. Messages to Members

Every event a member or host must be told about, with its trigger, its text in each channel in English and Urdu, its template approval where WhatsApp is used, its log and its test.

AH1. Account and identity

#	Item	Where	Owner	Pri	Phase	Status
8467	Notice: one time code for sign in or recovery: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8468	Notice: one time code for sign in or recovery: SMS text in English	content	Claude	P0		Done
8469	Notice: one time code for sign in or recovery: SMS text in Urdu, by a translator	content	Translator	P0	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
8470	Notice: one time code for sign in or recovery: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8471	Notice: one time code for sign in or recovery: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8472	Notice: one time code for sign in or recovery: test that it fires once, at the right time, to the right member	tests	Claude	P0	11	Open
8473	Notice: welcome after sign up: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8474	Notice: welcome after sign up: in the application text in English	content	Claude	P1		Done
8475	Notice: welcome after sign up: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8476	Notice: welcome after sign up: push text in English	content	Claude	P1		Done
8477	Notice: welcome after sign up: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8478	Notice: welcome after sign up: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8479	Notice: welcome after sign up: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8480	Notice: welcome after sign up: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8481	Notice: identity check submitted: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8482	Notice: identity check submitted: in the application text in English	content	Claude	P1		Done
8483	Notice: identity check submitted: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8484	Notice: identity check submitted: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8485	Notice: identity check submitted: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8486	Notice: identity check submitted: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8487	Notice: identity check passed: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8488	Notice: identity check passed: in the application text in English	content	Claude	P1		Done
8489	Notice: identity check passed: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8490	Notice: identity check passed: push text in English	content	Claude	P1		Done
8491	Notice: identity check passed: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8492	Notice: identity check passed: WhatsApp text in English	content	Claude	P1		Done
8493	Notice: identity check passed: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8494	Notice: identity check passed: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8495	Notice: identity check passed: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8496	Notice: identity check passed: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8497	Notice: identity check passed: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8498	Notice: identity check failed, with the reason and next step: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8499	Notice: identity check failed, with the reason and next step: in the application text in English	content	Claude	P0		Done
8500	Notice: identity check failed, with the reason and next step: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
8501	Notice: identity check failed, with the reason and next step: push text in English	content	Claude	P0		Done
8502	Notice: identity check failed, with the reason and next step: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8503	Notice: identity check failed, with the reason and next step: WhatsApp text in English	content	Claude	P0		Done
8504	Notice: identity check failed, with the reason and next step: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8505	Notice: identity check failed, with the reason and next step: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8506	Notice: identity check failed, with the reason and next step: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P0		Done
8507	Notice: identity check failed, with the reason and next step: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8508	Notice: identity check failed, with the reason and next step: test that it fires once, at the right time, to the right member	tests	Claude	P0	11	Open
8509	Notice: bank account opened: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8510	Notice: bank account opened: in the application text in English	content	Claude	P0		Done
8511	Notice: bank account opened: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8512	Notice: bank account opened: push text in English	content	Claude	P0		Done
8513	Notice: bank account opened: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8514	Notice: bank account opened: WhatsApp text in English	content	Claude	P0		Done
8515	Notice: bank account opened: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8516	Notice: bank account opened: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8517	Notice: bank account opened: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P0		Done
8518	Notice: bank account opened: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8519	Notice: bank account opened: test that it fires once, at the right time, to the right member	tests	Claude	P0	11	Open
8520	Notice: bank account refused, with the reason: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8521	Notice: bank account refused, with the reason: in the application text in English	content	Claude	P0		Done
8522	Notice: bank account refused, with the reason: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8523	Notice: bank account refused, with the reason: push text in English	content	Claude	P0		Done
8524	Notice: bank account refused, with the reason: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8525	Notice: bank account refused, with the reason: WhatsApp text in English	content	Claude	P0		Done
8526	Notice: bank account refused, with the reason: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8527	Notice: bank account refused, with the reason: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8528	Notice: bank account refused, with the reason: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P0		Done
8529	Notice: bank account refused, with the reason: logged with channel and delivery status	NotificationLog	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
8530	Notice: bank account refused, with the reason: test that it fires once, at the right time, to the right member	tests	Claude	P0	11	Open
8531	Notice: CNIC about to expire: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
8532	Notice: CNIC about to expire: in the application text in English	content	Claude	P2		Done
8533	Notice: CNIC about to expire: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
8534	Notice: CNIC about to expire: push text in English	content	Claude	P2		Done
8535	Notice: CNIC about to expire: push text in Urdu, by a translator	content	Translator	P2	H4	Open
8536	Notice: CNIC about to expire: WhatsApp text in English	content	Claude	P2		Done
8537	Notice: CNIC about to expire: WhatsApp text in Urdu, by a translator	content	Translator	P2	H4	Open
8538	Notice: CNIC about to expire: WhatsApp template submitted and approved in both languages	commercial	Partner	P2	H4	Open
8539	Notice: CNIC about to expire: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
8540	Notice: CNIC about to expire: logged with channel and delivery status	NotificationLog	Claude	P2		Done
8541	Notice: CNIC about to expire: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
8542	Notice: account restricted by the bank: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8543	Notice: account restricted by the bank: in the application text in English	content	Claude	P1		Done
8544	Notice: account restricted by the bank: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8545	Notice: account restricted by the bank: push text in English	content	Claude	P1		Done
8546	Notice: account restricted by the bank: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8547	Notice: account restricted by the bank: WhatsApp text in English	content	Claude	P1		Done
8548	Notice: account restricted by the bank: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8549	Notice: account restricted by the bank: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8550	Notice: account restricted by the bank: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P1		Done
8551	Notice: account restricted by the bank: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8552	Notice: account restricted by the bank: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open

AH2. Security

#	Item	Where	Owner	Pri	Phase	Status
8553	Notice: new device registered: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8554	Notice: new device registered: in the application text in English	content	Claude	P0		Done
8555	Notice: new device registered: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8556	Notice: new device registered: push text in English	content	Claude	P0		Done
8557	Notice: new device registered: push text in Urdu, by a translator	content	Translator	P0	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
8558	Notice: new device registered: SMS text in English	content	Claude	P0		Done
8559	Notice: new device registered: SMS text in Urdu, by a translator	content	Translator	P0	H4	Open
8560	Notice: new device registered: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8561	Notice: new device registered: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8562	Notice: new device registered: test that it fires once, at the right time, to the right member	tests	Claude	P0	11	Open
8563	Notice: cooling off started after a device change: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8564	Notice: cooling off started after a device change: in the application text in English	content	Claude	P0		Done
8565	Notice: cooling off started after a device change: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8566	Notice: cooling off started after a device change: push text in English	content	Claude	P0		Done
8567	Notice: cooling off started after a device change: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8568	Notice: cooling off started after a device change: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8569	Notice: cooling off started after a device change: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8570	Notice: cooling off started after a device change: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8571	Notice: PIN changed: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8572	Notice: PIN changed: in the application text in English	content	Claude	P0		Done
8573	Notice: PIN changed: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8574	Notice: PIN changed: push text in English	content	Claude	P0		Done
8575	Notice: PIN changed: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8576	Notice: PIN changed: SMS text in English	content	Claude	P0		Done
8577	Notice: PIN changed: SMS text in Urdu, by a translator	content	Translator	P0	H4	Open
8578	Notice: PIN changed: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8579	Notice: PIN changed: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8580	Notice: PIN changed: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8581	Notice: transaction PIN changed: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8582	Notice: transaction PIN changed: in the application text in English	content	Claude	P0		Done
8583	Notice: transaction PIN changed: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8584	Notice: transaction PIN changed: push text in English	content	Claude	P0		Done
8585	Notice: transaction PIN changed: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8586	Notice: transaction PIN changed: SMS text in English	content	Claude	P0		Done
8587	Notice: transaction PIN changed: SMS text in Urdu, by a translator	content	Translator	P0	H4	Open
8588	Notice: transaction PIN changed: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
8589	Notice: transaction PIN changed: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8590	Notice: transaction PIN changed: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8591	Notice: sign in from a new device: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8592	Notice: sign in from a new device: in the application text in English	content	Claude	P0		Done
8593	Notice: sign in from a new device: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8594	Notice: sign in from a new device: push text in English	content	Claude	P0		Done
8595	Notice: sign in from a new device: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8596	Notice: sign in from a new device: SMS text in English	content	Claude	P0		Done
8597	Notice: sign in from a new device: SMS text in Urdu, by a translator	content	Translator	P0	H4	Open
8598	Notice: sign in from a new device: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8599	Notice: sign in from a new device: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8600	Notice: sign in from a new device: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8601	Notice: digital channels blocked at the member's request: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8602	Notice: digital channels blocked at the member's request: in the application text in English	content	Claude	P0		Done
8603	Notice: digital channels blocked at the member's request: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8604	Notice: digital channels blocked at the member's request: push text in English	content	Claude	P0		Done
8605	Notice: digital channels blocked at the member's request: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8606	Notice: digital channels blocked at the member's request: SMS text in English	content	Claude	P0		Done
8607	Notice: digital channels blocked at the member's request: SMS text in Urdu, by a translator	content	Translator	P0	H4	Open
8608	Notice: digital channels blocked at the member's request: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8609	Notice: digital channels blocked at the member's request: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8610	Notice: digital channels blocked at the member's request: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open

AH3. Mandates and collection

#	Item	Where	Owner	Pri	Phase	Status
8611	Notice: mandate authorised: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8612	Notice: mandate authorised: in the application text in English	content	Claude	P0		Done
8613	Notice: mandate authorised: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8614	Notice: mandate authorised: push text in English	content	Claude	P0		Done
8615	Notice: mandate authorised: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8616	Notice: mandate authorised: WhatsApp text in English	content	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
8617	Notice: mandate authorised: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8618	Notice: mandate authorised: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8619	Notice: mandate authorised: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8620	Notice: mandate authorised: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8621	Notice: mandate authorised: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8622	Notice: mandate cancelled: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8623	Notice: mandate cancelled: in the application text in English	content	Claude	P0		Done
8624	Notice: mandate cancelled: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8625	Notice: mandate cancelled: push text in English	content	Claude	P0		Done
8626	Notice: mandate cancelled: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8627	Notice: mandate cancelled: WhatsApp text in English	content	Claude	P0		Done
8628	Notice: mandate cancelled: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8629	Notice: mandate cancelled: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8630	Notice: mandate cancelled: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8631	Notice: mandate cancelled: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8632	Notice: mandate cancelled: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8633	Notice: reminder the evening before payday: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8634	Notice: reminder the evening before payday: push text in English	content	Claude	P0		Done
8635	Notice: reminder the evening before payday: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8636	Notice: reminder the evening before payday: WhatsApp text in English	content	Claude	P0		Done
8637	Notice: reminder the evening before payday: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8638	Notice: reminder the evening before payday: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8639	Notice: reminder the evening before payday: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P0		Done
8640	Notice: reminder the evening before payday: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8641	Notice: reminder the evening before payday: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8642	Notice: instalment collected: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8643	Notice: instalment collected: in the application text in English	content	Claude	P0		Done
8644	Notice: instalment collected: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8645	Notice: instalment collected: push text in English	content	Claude	P0		Done
8646	Notice: instalment collected: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8647	Notice: instalment collected: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
8648	Notice: instalment collected: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8649	Notice: instalment collected: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8650	Notice: collection failed, with the reason: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8651	Notice: collection failed, with the reason: in the application text in English	content	Claude	P0		Done
8652	Notice: collection failed, with the reason: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8653	Notice: collection failed, with the reason: push text in English	content	Claude	P0		Done
8654	Notice: collection failed, with the reason: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8655	Notice: collection failed, with the reason: WhatsApp text in English	content	Claude	P0		Done
8656	Notice: collection failed, with the reason: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8657	Notice: collection failed, with the reason: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8658	Notice: collection failed, with the reason: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8659	Notice: collection failed, with the reason: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8660	Notice: collection failed, with the reason: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8661	Notice: retry scheduled for tomorrow morning: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8662	Notice: retry scheduled for tomorrow morning: in the application text in English	content	Claude	P1		Done
8663	Notice: retry scheduled for tomorrow morning: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8664	Notice: retry scheduled for tomorrow morning: push text in English	content	Claude	P1		Done
8665	Notice: retry scheduled for tomorrow morning: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8666	Notice: retry scheduled for tomorrow morning: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P1		Done
8667	Notice: retry scheduled for tomorrow morning: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8668	Notice: retry scheduled for tomorrow morning: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8669	Notice: last attempt today, with the manual route: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8670	Notice: last attempt today, with the manual route: in the application text in English	content	Claude	P0		Done
8671	Notice: last attempt today, with the manual route: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8672	Notice: last attempt today, with the manual route: push text in English	content	Claude	P0		Done
8673	Notice: last attempt today, with the manual route: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8674	Notice: last attempt today, with the manual route: WhatsApp text in English	content	Claude	P0		Done
8675	Notice: last attempt today, with the manual route: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8676	Notice: last attempt today, with the manual route: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8677	Notice: last attempt today, with the manual route: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
8678	Notice: last attempt today, with the manual route: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8679	Notice: last attempt today, with the manual route: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8680	Notice: instalment due tomorrow, for members who pay by hand: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8681	Notice: instalment due tomorrow, for members who pay by hand: push text in English	content	Claude	P1		Done
8682	Notice: instalment due tomorrow, for members who pay by hand: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8683	Notice: instalment due tomorrow, for members who pay by hand: WhatsApp text in English	content	Claude	P1		Done
8684	Notice: instalment due tomorrow, for members who pay by hand: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8685	Notice: instalment due tomorrow, for members who pay by hand: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8686	Notice: instalment due tomorrow, for members who pay by hand: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8687	Notice: instalment due tomorrow, for members who pay by hand: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8688	Notice: instalment due tomorrow, for members who pay by hand: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8689	Notice: due date reached and unpaid: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8690	Notice: due date reached and unpaid: in the application text in English	content	Claude	P0		Done
8691	Notice: due date reached and unpaid: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8692	Notice: due date reached and unpaid: push text in English	content	Claude	P0		Done
8693	Notice: due date reached and unpaid: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8694	Notice: due date reached and unpaid: WhatsApp text in English	content	Claude	P0		Done
8695	Notice: due date reached and unpaid: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8696	Notice: due date reached and unpaid: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8697	Notice: due date reached and unpaid: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8698	Notice: due date reached and unpaid: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8699	Notice: due date reached and unpaid: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8700	Notice: advance notice of a different amount: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8701	Notice: advance notice of a different amount: in the application text in English	content	Claude	P1		Done
8702	Notice: advance notice of a different amount: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8703	Notice: advance notice of a different amount: push text in English	content	Claude	P1		Done
8704	Notice: advance notice of a different amount: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8705	Notice: advance notice of a different amount: WhatsApp text in English	content	Claude	P1		Done
8706	Notice: advance notice of a different amount: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
8707	Notice: advance notice of a different amount: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8708	Notice: advance notice of a different amount: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P1		Done
8709	Notice: advance notice of a different amount: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8710	Notice: advance notice of a different amount: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8711	Notice: PSP service fee charged on a wallet or card payment: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8712	Notice: PSP service fee charged on a wallet or card payment: in the application text in English	content	Claude	P1		Done
8713	Notice: PSP service fee charged on a wallet or card payment: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8714	Notice: PSP service fee charged on a wallet or card payment: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P1		Done
8715	Notice: PSP service fee charged on a wallet or card payment: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8716	Notice: PSP service fee charged on a wallet or card payment: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open

AH4. Late payment

#	Item	Where	Owner	Pri	Phase	Status
8717	Notice: late notice, first step: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8718	Notice: late notice, first step: in the application text in English	content	Claude	P0		Done
8719	Notice: late notice, first step: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8720	Notice: late notice, first step: push text in English	content	Claude	P0		Done
8721	Notice: late notice, first step: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8722	Notice: late notice, first step: WhatsApp text in English	content	Claude	P0		Done
8723	Notice: late notice, first step: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8724	Notice: late notice, first step: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8725	Notice: late notice, first step: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8726	Notice: late notice, first step: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8727	Notice: late notice, first step: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8728	Notice: late notice, second step: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8729	Notice: late notice, second step: in the application text in English	content	Claude	P0		Done
8730	Notice: late notice, second step: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8731	Notice: late notice, second step: push text in English	content	Claude	P0		Done
8732	Notice: late notice, second step: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8733	Notice: late notice, second step: WhatsApp text in English	content	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
8734	Notice: late notice, second step: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8735	Notice: late notice, second step: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8736	Notice: late notice, second step: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8737	Notice: late notice, second step: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8738	Notice: late notice, second step: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8739	Notice: late notice, third step: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8740	Notice: late notice, third step: in the application text in English	content	Claude	P0		Done
8741	Notice: late notice, third step: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8742	Notice: late notice, third step: push text in English	content	Claude	P0		Done
8743	Notice: late notice, third step: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8744	Notice: late notice, third step: WhatsApp text in English	content	Claude	P0		Done
8745	Notice: late notice, third step: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8746	Notice: late notice, third step: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8747	Notice: late notice, third step: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8748	Notice: late notice, third step: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8749	Notice: late notice, third step: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8750	Notice: arrears set off at the member's payout: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8751	Notice: arrears set off at the member's payout: in the application text in English	content	Claude	P1		Done
8752	Notice: arrears set off at the member's payout: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8753	Notice: arrears set off at the member's payout: push text in English	content	Claude	P1		Done
8754	Notice: arrears set off at the member's payout: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8755	Notice: arrears set off at the member's payout: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P1		Done
8756	Notice: arrears set off at the member's payout: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8757	Notice: arrears set off at the member's payout: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8758	Notice: hardship plan agreed: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8759	Notice: hardship plan agreed: in the application text in English	content	Claude	P1		Done
8760	Notice: hardship plan agreed: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8761	Notice: hardship plan agreed: push text in English	content	Claude	P1		Done
8762	Notice: hardship plan agreed: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8763	Notice: hardship plan agreed: WhatsApp text in English	content	Claude	P1		Done
8764	Notice: hardship plan agreed: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
8765	Notice: hardship plan agreed: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8766	Notice: hardship plan agreed: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8767	Notice: hardship plan agreed: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8768	Notice: hardship plan agreed: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8769	Notice: account restricted for arrears: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8770	Notice: account restricted for arrears: in the application text in English	content	Claude	P1		Done
8771	Notice: account restricted for arrears: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8772	Notice: account restricted for arrears: push text in English	content	Claude	P1		Done
8773	Notice: account restricted for arrears: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8774	Notice: account restricted for arrears: WhatsApp text in English	content	Claude	P1		Done
8775	Notice: account restricted for arrears: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8776	Notice: account restricted for arrears: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8777	Notice: account restricted for arrears: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P1		Done
8778	Notice: account restricted for arrears: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8779	Notice: account restricted for arrears: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open

AH5. Circles and turns

#	Item	Where	Owner	Pri	Phase	Status
8780	Notice: invited to a circle: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8781	Notice: invited to a circle: push text in English	content	Claude	P1		Done
8782	Notice: invited to a circle: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8783	Notice: invited to a circle: WhatsApp text in English	content	Claude	P1		Done
8784	Notice: invited to a circle: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8785	Notice: invited to a circle: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8786	Notice: invited to a circle: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8787	Notice: invited to a circle: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8788	Notice: invited to a circle: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8789	Notice: admitted by the host: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8790	Notice: admitted by the host: in the application text in English	content	Claude	P1		Done
8791	Notice: admitted by the host: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8792	Notice: admitted by the host: push text in English	content	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
8793	Notice: admitted by the host: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8794	Notice: admitted by the host: WhatsApp text in English	content	Claude	P1		Done
8795	Notice: admitted by the host: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8796	Notice: admitted by the host: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8797	Notice: admitted by the host: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8798	Notice: admitted by the host: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8799	Notice: admitted by the host: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8800	Notice: admission declined, with the reason: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8801	Notice: admission declined, with the reason: in the application text in English	content	Claude	P1		Done
8802	Notice: admission declined, with the reason: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8803	Notice: admission declined, with the reason: push text in English	content	Claude	P1		Done
8804	Notice: admission declined, with the reason: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8805	Notice: admission declined, with the reason: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8806	Notice: admission declined, with the reason: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8807	Notice: admission declined, with the reason: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8808	Notice: waiting list position changed: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
8809	Notice: waiting list position changed: in the application text in English	content	Claude	P2		Done
8810	Notice: waiting list position changed: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
8811	Notice: waiting list position changed: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
8812	Notice: waiting list position changed: logged with channel and delivery status	NotificationLog	Claude	P2		Done
8813	Notice: waiting list position changed: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
8814	Notice: circle starts: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8815	Notice: circle starts: in the application text in English	content	Claude	P1		Done
8816	Notice: circle starts: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8817	Notice: circle starts: push text in English	content	Claude	P1		Done
8818	Notice: circle starts: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8819	Notice: circle starts: WhatsApp text in English	content	Claude	P1		Done
8820	Notice: circle starts: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8821	Notice: circle starts: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8822	Notice: circle starts: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8823	Notice: circle starts: logged with channel and delivery status	NotificationLog	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
8824	Notice: circle starts: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8825	Notice: turn due next month: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8826	Notice: turn due next month: in the application text in English	content	Claude	P1		Done
8827	Notice: turn due next month: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8828	Notice: turn due next month: push text in English	content	Claude	P1		Done
8829	Notice: turn due next month: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8830	Notice: turn due next month: WhatsApp text in English	content	Claude	P1		Done
8831	Notice: turn due next month: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8832	Notice: turn due next month: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8833	Notice: turn due next month: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8834	Notice: turn due next month: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8835	Notice: turn due next month: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8836	Notice: payout sent to the member's account: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8837	Notice: payout sent to the member's account: in the application text in English	content	Claude	P0		Done
8838	Notice: payout sent to the member's account: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8839	Notice: payout sent to the member's account: push text in English	content	Claude	P0		Done
8840	Notice: payout sent to the member's account: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8841	Notice: payout sent to the member's account: WhatsApp text in English	content	Claude	P0		Done
8842	Notice: payout sent to the member's account: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8843	Notice: payout sent to the member's account: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
8844	Notice: payout sent to the member's account: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8845	Notice: payout sent to the member's account: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8846	Notice: payout sent to the member's account: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8847	Notice: payout failed, with the next step: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
8848	Notice: payout failed, with the next step: in the application text in English	content	Claude	P0		Done
8849	Notice: payout failed, with the next step: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
8850	Notice: payout failed, with the next step: push text in English	content	Claude	P0		Done
8851	Notice: payout failed, with the next step: push text in Urdu, by a translator	content	Translator	P0	H4	Open
8852	Notice: payout failed, with the next step: WhatsApp text in English	content	Claude	P0		Done
8853	Notice: payout failed, with the next step: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
8854	Notice: payout failed, with the next step: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open

#	Item	Where	Owner	Pri	Phase	Status
8855	Notice: payout failed, with the next step: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P0		Done
8856	Notice: payout failed, with the next step: logged with channel and delivery status	NotificationLog	Claude	P0		Done
8857	Notice: payout failed, with the next step: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
8858	Notice: circle completed: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8859	Notice: circle completed: in the application text in English	content	Claude	P1		Done
8860	Notice: circle completed: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8861	Notice: circle completed: push text in English	content	Claude	P1		Done
8862	Notice: circle completed: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8863	Notice: circle completed: WhatsApp text in English	content	Claude	P1		Done
8864	Notice: circle completed: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8865	Notice: circle completed: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8866	Notice: circle completed: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8867	Notice: circle completed: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8868	Notice: circle completed: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8869	Notice: order of turns set by ballot, with the result: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
8870	Notice: order of turns set by ballot, with the result: in the application text in English	content	Claude	P2		Done
8871	Notice: order of turns set by ballot, with the result: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
8872	Notice: order of turns set by ballot, with the result: push text in English	content	Claude	P2		Done
8873	Notice: order of turns set by ballot, with the result: push text in Urdu, by a translator	content	Translator	P2	H4	Open
8874	Notice: order of turns set by ballot, with the result: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
8875	Notice: order of turns set by ballot, with the result: logged with channel and delivery status	NotificationLog	Claude	P2		Done
8876	Notice: order of turns set by ballot, with the result: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
8877	Notice: rules of the circle changed with the members' approval: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
8878	Notice: rules of the circle changed with the members' approval: in the application text in English	content	Claude	P2		Done
8879	Notice: rules of the circle changed with the members' approval: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
8880	Notice: rules of the circle changed with the members' approval: push text in English	content	Claude	P2		Done
8881	Notice: rules of the circle changed with the members' approval: push text in Urdu, by a translator	content	Translator	P2	H4	Open
8882	Notice: rules of the circle changed with the members' approval: WhatsApp text in English	content	Claude	P2		Done
8883	Notice: rules of the circle changed with the members' approval: WhatsApp text in Urdu, by a translator	content	Translator	P2	H4	Open
8884	Notice: rules of the circle changed with the members' approval: WhatsApp template submitted and approved in both languages	commercial	Partner	P2	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
8885	Notice: rules of the circle changed with the members' approval: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
8886	Notice: rules of the circle changed with the members' approval: logged with channel and delivery status	NotificationLog	Claude	P2		Done
8887	Notice: rules of the circle changed with the members' approval: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open

AH6. For hosts

#	Item	Where	Owner	Pri	Phase	Status
8888	Notice: new applicant waiting: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8889	Notice: new applicant waiting: in the application text in English	content	Claude	P1		Done
8890	Notice: new applicant waiting: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8891	Notice: new applicant waiting: push text in English	content	Claude	P1		Done
8892	Notice: new applicant waiting: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8893	Notice: new applicant waiting: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8894	Notice: new applicant waiting: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8895	Notice: new applicant waiting: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8896	Notice: member late in the host's circle: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8897	Notice: member late in the host's circle: in the application text in English	content	Claude	P1		Done
8898	Notice: member late in the host's circle: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8899	Notice: member late in the host's circle: push text in English	content	Claude	P1		Done
8900	Notice: member late in the host's circle: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8901	Notice: member late in the host's circle: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8902	Notice: member late in the host's circle: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8903	Notice: member late in the host's circle: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8904	Notice: removal vote opened: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8905	Notice: removal vote opened: in the application text in English	content	Claude	P1		Done
8906	Notice: removal vote opened: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8907	Notice: removal vote opened: push text in English	content	Claude	P1		Done
8908	Notice: removal vote opened: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8909	Notice: removal vote opened: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8910	Notice: removal vote opened: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8911	Notice: removal vote opened: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8912	Notice: mandate coverage below the circle's rule: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
8913	Notice: mandate coverage below the circle's rule: in the application text in English	content	Claude	P2		Done
8914	Notice: mandate coverage below the circle's rule: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
8915	Notice: mandate coverage below the circle's rule: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
8916	Notice: mandate coverage below the circle's rule: logged with channel and delivery status	NotificationLog	Claude	P2		Done
8917	Notice: mandate coverage below the circle's rule: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open

AH7. Leaving and recovery

#	Item	Where	Owner	Pri	Phase	Status
8918	Notice: exit request received: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8919	Notice: exit request received: in the application text in English	content	Claude	P1		Done
8920	Notice: exit request received: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8921	Notice: exit request received: push text in English	content	Claude	P1		Done
8922	Notice: exit request received: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8923	Notice: exit request received: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8924	Notice: exit request received: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8925	Notice: exit request received: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8926	Notice: exit vote result: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8927	Notice: exit vote result: in the application text in English	content	Claude	P1		Done
8928	Notice: exit vote result: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8929	Notice: exit vote result: push text in English	content	Claude	P1		Done
8930	Notice: exit vote result: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8931	Notice: exit vote result: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8932	Notice: exit vote result: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8933	Notice: exit vote result: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8934	Notice: exit settled: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8935	Notice: exit settled: in the application text in English	content	Claude	P1		Done
8936	Notice: exit settled: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8937	Notice: exit settled: push text in English	content	Claude	P1		Done
8938	Notice: exit settled: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8939	Notice: exit settled: WhatsApp text in English	content	Claude	P1		Done
8940	Notice: exit settled: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
8941	Notice: exit settled: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8942	Notice: exit settled: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P1		Done
8943	Notice: exit settled: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8944	Notice: exit settled: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8945	Notice: takaful or insurance claim lodged by the operator: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8946	Notice: takaful or insurance claim lodged by the operator: in the application text in English	content	Claude	P1		Done
8947	Notice: takaful or insurance claim lodged by the operator: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8948	Notice: takaful or insurance claim lodged by the operator: push text in English	content	Claude	P1		Done
8949	Notice: takaful or insurance claim lodged by the operator: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8950	Notice: takaful or insurance claim lodged by the operator: WhatsApp text in English	content	Claude	P1		Done
8951	Notice: takaful or insurance claim lodged by the operator: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8952	Notice: takaful or insurance claim lodged by the operator: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8953	Notice: takaful or insurance claim lodged by the operator: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
8954	Notice: takaful or insurance claim lodged by the operator: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8955	Notice: takaful or insurance claim lodged by the operator: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
8956	Notice: takaful or insurance claim paid by the operator: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
8957	Notice: takaful or insurance claim paid by the operator: in the application text in English	content	Claude	P1		Done
8958	Notice: takaful or insurance claim paid by the operator: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
8959	Notice: takaful or insurance claim paid by the operator: push text in English	content	Claude	P1		Done
8960	Notice: takaful or insurance claim paid by the operator: push text in Urdu, by a translator	content	Translator	P1	H4	Open
8961	Notice: takaful or insurance claim paid by the operator: WhatsApp text in English	content	Claude	P1		Done
8962	Notice: takaful or insurance claim paid by the operator: WhatsApp text in Urdu, by a translator	content	Translator	P1	H4	Open
8963	Notice: takaful or insurance claim paid by the operator: WhatsApp template submitted and approved in both languages	commercial	Partner	P1	H3	Open
8964	Notice: takaful or insurance claim paid by the operator: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P1		Done
8965	Notice: takaful or insurance claim paid by the operator: logged with channel and delivery status	NotificationLog	Claude	P1		Done
8966	Notice: takaful or insurance claim paid by the operator: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open

AH8. Points, marketplace and turns

#	Item	Where	Owner	Pri	Phase	Status
8967	Notice: end of circle reward credited as points: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
8968	Notice: end of circle reward credited as points: in the application text in English	content	Claude	P2		Done
8969	Notice: end of circle reward credited as points: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
8970	Notice: end of circle reward credited as points: push text in English	content	Claude	P2		Done
8971	Notice: end of circle reward credited as points: push text in Urdu, by a translator	content	Translator	P2	H4	Open
8972	Notice: end of circle reward credited as points: WhatsApp text in English	content	Claude	P2		Done
8973	Notice: end of circle reward credited as points: WhatsApp text in Urdu, by a translator	content	Translator	P2	H4	Open
8974	Notice: end of circle reward credited as points: WhatsApp template submitted and approved in both languages	commercial	Partner	P2	H4	Open
8975	Notice: end of circle reward credited as points: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
8976	Notice: end of circle reward credited as points: logged with channel and delivery status	NotificationLog	Claude	P2		Done
8977	Notice: end of circle reward credited as points: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
8978	Notice: on time points credited: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
8979	Notice: on time points credited: in the application text in English	content	Claude	P2		Done
8980	Notice: on time points credited: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
8981	Notice: on time points credited: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
8982	Notice: on time points credited: logged with channel and delivery status	NotificationLog	Claude	P2		Done
8983	Notice: on time points credited: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
8984	Notice: points bought (Mashreq): trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
8985	Notice: points bought (Mashreq): in the application text in English	content	Claude	P2		Done
8986	Notice: points bought (Mashreq): in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
8987	Notice: points bought (Mashreq): push text in English	content	Claude	P2		Done
8988	Notice: points bought (Mashreq): push text in Urdu, by a translator	content	Translator	P2	H4	Open
8989	Notice: points bought (Mashreq): always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P2		Done
8990	Notice: points bought (Mashreq): logged with channel and delivery status	NotificationLog	Claude	P2		Done
8991	Notice: points bought (Mashreq): test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
8992	Notice: order placed: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
8993	Notice: order placed: in the application text in English	content	Claude	P2		Done
8994	Notice: order placed: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
8995	Notice: order placed: push text in English	content	Claude	P2		Done
8996	Notice: order placed: push text in Urdu, by a translator	content	Translator	P2	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
8997	Notice: order placed: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
8998	Notice: order placed: logged with channel and delivery status	NotificationLog	Claude	P2		Done
8999	Notice: order placed: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9000	Notice: order shipped: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9001	Notice: order shipped: in the application text in English	content	Claude	P2		Done
9002	Notice: order shipped: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9003	Notice: order shipped: push text in English	content	Claude	P2		Done
9004	Notice: order shipped: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9005	Notice: order shipped: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9006	Notice: order shipped: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9007	Notice: order shipped: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9008	Notice: order delivered: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9009	Notice: order delivered: in the application text in English	content	Claude	P2		Done
9010	Notice: order delivered: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9011	Notice: order delivered: push text in English	content	Claude	P2		Done
9012	Notice: order delivered: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9013	Notice: order delivered: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9014	Notice: order delivered: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9015	Notice: order delivered: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9016	Notice: return accepted and points refunded: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9017	Notice: return accepted and points refunded: in the application text in English	content	Claude	P2		Done
9018	Notice: return accepted and points refunded: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9019	Notice: return accepted and points refunded: push text in English	content	Claude	P2		Done
9020	Notice: return accepted and points refunded: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9021	Notice: return accepted and points refunded: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9022	Notice: return accepted and points refunded: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9023	Notice: return accepted and points refunded: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9024	Notice: offer received on a listed turn: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9025	Notice: offer received on a listed turn: in the application text in English	content	Claude	P2		Done
9026	Notice: offer received on a listed turn: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9027	Notice: offer received on a listed turn: push text in English	content	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
9028	Notice: offer received on a listed turn: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9029	Notice: offer received on a listed turn: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9030	Notice: offer received on a listed turn: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9031	Notice: offer received on a listed turn: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9032	Notice: offer accepted, awaiting the host: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9033	Notice: offer accepted, awaiting the host: in the application text in English	content	Claude	P2		Done
9034	Notice: offer accepted, awaiting the host: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9035	Notice: offer accepted, awaiting the host: push text in English	content	Claude	P2		Done
9036	Notice: offer accepted, awaiting the host: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9037	Notice: offer accepted, awaiting the host: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9038	Notice: offer accepted, awaiting the host: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9039	Notice: offer accepted, awaiting the host: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9040	Notice: trade settled: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9041	Notice: trade settled: in the application text in English	content	Claude	P2		Done
9042	Notice: trade settled: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9043	Notice: trade settled: push text in English	content	Claude	P2		Done
9044	Notice: trade settled: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9045	Notice: trade settled: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P2		Done
9046	Notice: trade settled: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9047	Notice: trade settled: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9048	Notice: trade cancelled: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9049	Notice: trade cancelled: in the application text in English	content	Claude	P2		Done
9050	Notice: trade cancelled: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9051	Notice: trade cancelled: push text in English	content	Claude	P2		Done
9052	Notice: trade cancelled: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9053	Notice: trade cancelled: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9054	Notice: trade cancelled: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9055	Notice: trade cancelled: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open

AH9. Service

#	Item	Where	Owner	Pri	Phase	Status
9056	Notice: complaint received, with its number: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
9057	Notice: complaint received, with its number: in the application text in English	content	Claude	P1		Done
9058	Notice: complaint received, with its number: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
9059	Notice: complaint received, with its number: push text in English	content	Claude	P1		Done
9060	Notice: complaint received, with its number: push text in Urdu, by a translator	content	Translator	P1	H4	Open
9061	Notice: complaint received, with its number: email text in English	content	Claude	P1		Done
9062	Notice: complaint received, with its number: email text in Urdu, by a translator	content	Translator	P1	H4	Open
9063	Notice: complaint received, with its number: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
9064	Notice: complaint received, with its number: logged with channel and delivery status	NotificationLog	Claude	P1		Done
9065	Notice: complaint received, with its number: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
9066	Notice: complaint updated: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
9067	Notice: complaint updated: in the application text in English	content	Claude	P1		Done
9068	Notice: complaint updated: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
9069	Notice: complaint updated: push text in English	content	Claude	P1		Done
9070	Notice: complaint updated: push text in Urdu, by a translator	content	Translator	P1	H4	Open
9071	Notice: complaint updated: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
9072	Notice: complaint updated: logged with channel and delivery status	NotificationLog	Claude	P1		Done
9073	Notice: complaint updated: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
9074	Notice: complaint resolved, with the Banking Mohtasib route: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
9075	Notice: complaint resolved, with the Banking Mohtasib route: in the application text in English	content	Claude	P1		Done
9076	Notice: complaint resolved, with the Banking Mohtasib route: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
9077	Notice: complaint resolved, with the Banking Mohtasib route: push text in English	content	Claude	P1		Done
9078	Notice: complaint resolved, with the Banking Mohtasib route: push text in Urdu, by a translator	content	Translator	P1	H4	Open
9079	Notice: complaint resolved, with the Banking Mohtasib route: email text in English	content	Claude	P1		Done
9080	Notice: complaint resolved, with the Banking Mohtasib route: email text in Urdu, by a translator	content	Translator	P1	H4	Open
9081	Notice: complaint resolved, with the Banking Mohtasib route: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
9082	Notice: complaint resolved, with the Banking Mohtasib route: logged with channel and delivery status	NotificationLog	Claude	P1		Done
9083	Notice: complaint resolved, with the Banking Mohtasib route: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
9084	Notice: dispute opened: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done

#	Item	Where	Owner	Pri	Phase	Status
9085	Notice: dispute opened: in the application text in English	content	Claude	P0		Done
9086	Notice: dispute opened: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
9087	Notice: dispute opened: push text in English	content	Claude	P0		Done
9088	Notice: dispute opened: push text in Urdu, by a translator	content	Translator	P0	H4	Open
9089	Notice: dispute opened: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P0		Done
9090	Notice: dispute opened: logged with channel and delivery status	NotificationLog	Claude	P0		Done
9091	Notice: dispute opened: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
9092	Notice: dispute resolved: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P0		Done
9093	Notice: dispute resolved: in the application text in English	content	Claude	P0		Done
9094	Notice: dispute resolved: in the application text in Urdu, by a translator	content	Translator	P0	H4	Open
9095	Notice: dispute resolved: push text in English	content	Claude	P0		Done
9096	Notice: dispute resolved: push text in Urdu, by a translator	content	Translator	P0	H4	Open
9097	Notice: dispute resolved: WhatsApp text in English	content	Claude	P0		Done
9098	Notice: dispute resolved: WhatsApp text in Urdu, by a translator	content	Translator	P0	H4	Open
9099	Notice: dispute resolved: WhatsApp template submitted and approved in both languages	commercial	Partner	P0	H3	Open
9100	Notice: dispute resolved: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P0		Done
9101	Notice: dispute resolved: logged with channel and delivery status	NotificationLog	Claude	P0		Done
9102	Notice: dispute resolved: test that it fires once, at the right time, to the right member	tests	Claude	P0	12	Open
9103	Notice: statement ready: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9104	Notice: statement ready: in the application text in English	content	Claude	P2		Done
9105	Notice: statement ready: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9106	Notice: statement ready: email text in English	content	Claude	P2		Done
9107	Notice: statement ready: email text in Urdu, by a translator	content	Translator	P2	H4	Open
9108	Notice: statement ready: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9109	Notice: statement ready: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9110	Notice: statement ready: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9111	Notice: terms updated, with what changed: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P1		Done
9112	Notice: terms updated, with what changed: in the application text in English	content	Claude	P1		Done
9113	Notice: terms updated, with what changed: in the application text in Urdu, by a translator	content	Translator	P1	H4	Open
9114	Notice: terms updated, with what changed: push text in English	content	Claude	P1		Done
9115	Notice: terms updated, with what changed: push text in Urdu, by a translator	content	Translator	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
9116	Notice: terms updated, with what changed: email text in English	content	Claude	P1		Done
9117	Notice: terms updated, with what changed: email text in Urdu, by a translator	content	Translator	P1	H4	Open
9118	Notice: terms updated, with what changed: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P1		Done
9119	Notice: terms updated, with what changed: logged with channel and delivery status	NotificationLog	Claude	P1		Done
9120	Notice: terms updated, with what changed: test that it fires once, at the right time, to the right member	tests	Claude	P1	39	Open
9121	Notice: service interruption and recovery: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9122	Notice: service interruption and recovery: in the application text in English	content	Claude	P2		Done
9123	Notice: service interruption and recovery: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9124	Notice: service interruption and recovery: push text in English	content	Claude	P2		Done
9125	Notice: service interruption and recovery: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9126	Notice: service interruption and recovery: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9127	Notice: service interruption and recovery: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9128	Notice: service interruption and recovery: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9129	Notice: data export ready: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9130	Notice: data export ready: in the application text in English	content	Claude	P2		Done
9131	Notice: data export ready: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9132	Notice: data export ready: email text in English	content	Claude	P2		Done
9133	Notice: data export ready: email text in Urdu, by a translator	content	Translator	P2	H4	Open
9134	Notice: data export ready: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9135	Notice: data export ready: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9136	Notice: data export ready: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open

AH10. Hyper

#	Item	Where	Owner	Pri	Phase	Status
9137	Notice: daily payment taken: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9138	Notice: daily payment taken: push text in English	content	Claude	P2		Done
9139	Notice: daily payment taken: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9140	Notice: daily payment taken: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P2		Done
9141	Notice: daily payment taken: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9142	Notice: daily payment taken: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9143	Notice: daily payment failed: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
9144	Notice: daily payment failed: in the application text in English	content	Claude	P2		Done
9145	Notice: daily payment failed: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9146	Notice: daily payment failed: push text in English	content	Claude	P2		Done
9147	Notice: daily payment failed: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9148	Notice: daily payment failed: always sent, whatever the member's preferences, as a financial alert	lib/notices.ts	Claude	P2		Done
9149	Notice: daily payment failed: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9150	Notice: daily payment failed: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9151	Notice: collection day tomorrow: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9152	Notice: collection day tomorrow: in the application text in English	content	Claude	P2		Done
9153	Notice: collection day tomorrow: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9154	Notice: collection day tomorrow: push text in English	content	Claude	P2		Done
9155	Notice: collection day tomorrow: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9156	Notice: collection day tomorrow: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9157	Notice: collection day tomorrow: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9158	Notice: collection day tomorrow: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open
9159	Notice: Hyper circle stopped by its limits: trigger written in the notice job, with its timing	lib/notices.ts	Claude	P2		Done
9160	Notice: Hyper circle stopped by its limits: in the application text in English	content	Claude	P2		Done
9161	Notice: Hyper circle stopped by its limits: in the application text in Urdu, by a translator	content	Translator	P2	H4	Open
9162	Notice: Hyper circle stopped by its limits: push text in English	content	Claude	P2		Done
9163	Notice: Hyper circle stopped by its limits: push text in Urdu, by a translator	content	Translator	P2	H4	Open
9164	Notice: Hyper circle stopped by its limits: respects the member's preferences and quiet hours	lib/notices.ts	Claude	P2		Done
9165	Notice: Hyper circle stopped by its limits: logged with channel and delivery status	NotificationLog	Claude	P2		Done
9166	Notice: Hyper circle stopped by its limits: test that it fires once, at the right time, to the right member	tests	Claude	P2	70	Open

AH11. Rules for Every Message

#	Item	Where	Owner	Pri	Phase	Status
9167	No message carries a full account number, CNIC or balance of another member	content	Claude	P0		Done
9168	Quiet hours from 10 at night to 8 in the morning for anything that is not a security alert	lib/notices.ts	Claude	P1		Done
9169	Roman Urdu as the first WhatsApp language where the member chose it	content	Claude	P2	70	Open
9170	Every link in a message opens the application, never a web form asking for a PIN or code	content	Claude	P0	12	Partly done
9171	Notification centre groups messages by day and marks them read	NoticesPage.tsx	Claude	P1	39	Open

AI. Tests

Each business rule with its own test case, then the journeys a member takes from start to finish, the load the service must carry, and the attacks it must resist. Items 568 to 591 are broken down here by rule and by journey.

AI1. Fee

#	Item	Where	Owner	Pri	Phase	Status
9172	Test, fee: Rs 85 charged on a monthly instalment of Rs 10,000	lib/fee-book.ts	Claude	P0		Done
9173	Test, fee: Rs 85 charged on instalments of Rs 2,000 and of Rs 25,000, the fee flat whatever the size	lib/fee-book.ts	Claude	P0		Done
9174	Test, fee: the same fee for the first seat and the last seat	lib/fee-book.ts	Claude	P0		Done
9175	Test, fee: no charge of any kind for an early turn	lib/fee-book.ts	Claude	P0		Done
9176	Test, fee: Hyper: Rs 15 a day on Design 1 and on Design 2	lib/fee-book.ts	Claude	P0		Done
9177	Test, fee: PSP service fee of 1.5 per cent added only when a wallet or card is used	lib/fee-book.ts	Claude	P0		Done
9178	Test, fee: no PSP service fee on a debit under the bank's mandate	lib/fee-book.ts	Claude	P0		Done
9179	Test, fee: PSP service fee rounded to the paisa the way the PSP rounds	lib/fee-book.ts	Claude	P0		Done
9180	Test, fee: discount of 80 per cent for a guarantee cheque and 50 per cent for verified income, never stacked	lib/fee-book.ts	Claude	P0		Done
9181	Test, fee: points used against a fee never exceed the fee	lib/fee-book.ts	Claude	P0		Done
9182	Test, fee: points for paying on time never exceed half the fee on that instalment, Rs 42.50	lib/fee-book.ts	Claude	P0		Done
9183	Test, fee: the fee shown before payment equals the fee charged and the fee on the receipt	lib/fee-book.ts	Claude	P0		Done
9184	Test, fee: the fee schedule version is recorded with every charge	lib/fee-book.ts	Claude	P0		Done
9185	Test, fee: no fee is ever expressed as a rate except the PSP service fee	lib/fee-book.ts	Claude	P0		Done

AI2. Split

#	Item	Where	Owner	Pri	Phase	Status
9186	Test, split: contribution, takaful or insurance fee, the Rs 85 fee and any PSP service fee add up to the amount debited	lib/split.ts	Claude	P0		Done
9187	Test, split: Hyper Design 1: Rs 300, Rs 135 and Rs 15 make Rs 450	lib/split.ts	Claude	P0		Done
9188	Test, split: Hyper Design 2: Rs 333.33, Rs 151.67 and Rs 15 make Rs 500, with the thirds rounded so the circle balances over 26 days	lib/split.ts	Claude	P0		Done
9189	Test, split: each part posted to its own ledger account in one transaction	lib/split.ts	Claude	P0	12	Open
9190	Test, split: the ledger balances after every posting	lib/split.ts	Claude	P0	12	Open
9191	Test, split: identity one: the pot equals the contribution multiplied by the number of rounds	lib/split.ts	Claude	P0		Done
9192	Test, split: identity two: the roster equals collectors per period multiplied by the number of periods	lib/split.ts	Claude	P0		Done
9193	Test, split: a configuration that breaks either identity is refused at creation	lib/split.ts	Claude	P0		Done
9194	Test, split: a circle without takaful or insurance posts no such part	lib/split.ts	Claude	P0		Done

AI3. Seat eligibility

#	Item	Where	Owner	Pri	Phase	Status
9195	Test, seat eligibility: a real bureau record with a good score opens every seat, once TASDEEQ publishes its bands	lib/score-bands.ts	Claude	P0	12	Partly done
9196	Test, seat eligibility: no score counts as good until TASDEEQ publishes its bands, so a scored member stops at the middle seats	lib/score-bands.ts	Claude	P0		Done
9197	Test, seat eligibility: a mid score on a real record opens the middle seats only	lib/score-bands.ts	Claude	P0		Done
9198	Test, seat eligibility: a low score on a real record is held to the last seats	lib/score-bands.ts	Claude	P0		Done
9199	Test, seat eligibility: a record too thin to score opens the middle seats	lib/score-bands.ts	Claude	P0		Done
9200	Test, seat eligibility: no bureau record at all starts in the last seats	lib/score-bands.ts	Claude	P0		Done
9201	Test, seat eligibility: a low score on no record is not treated as a bad record	lib/score-bands.ts	Claude	P0		Done
9202	Test, seat eligibility: one clean committee, known or unknown, opens every seat where the record could not speak	lib/score-bands.ts	Claude	P0		Done
9203	Test, seat eligibility: a clean committee does not excuse a low score resting on a real record	lib/score-bands.ts	Claude	P0		Done
9204	Test, seat eligibility: security covering the pot, less the relaxation of ten per cent, opens every seat	lib/score-bands.ts	Claude	P0		Done
9205	Test, seat eligibility: security below the relaxation does not count	lib/score-bands.ts	Claude	P0		Done
9206	Test, seat eligibility: security sources combine, and the total is what is tested	lib/score-bands.ts	Claude	P0		Done
9207	Test, seat eligibility: security cannot buy past a low score on a real record	lib/score-bands.ts	Claude	P0		Done
9208	Test, seat eligibility: the last seats are the final three, never earlier than the second half of the circle	lib/score-bands.ts	Claude	P0		Done
9209	Test, seat eligibility: the middle seats are the second half of the circle	lib/score-bands.ts	Claude	P0		Done
9210	Test, seat eligibility: tiers scale to a circle of 20 in the same proportions	lib/score-bands.ts	Claude	P0		Done
9211	Test, seat eligibility: tenure alone no longer decides a seat: the blanket quarantine is gone	lib/score-bands.ts	Claude	P0		Done
9212	Test, seat eligibility: a host cannot open an early seat on a circle between strangers	lib/score-bands.ts	Claude	P0		Done
9213	Test, seat eligibility: on a known circle the host's invitation stands in the matrix's place, as the affordability tests do	lib/score-bands.ts	Claude	P0		Done
9214	Test, seat eligibility: tiers are checked at joining, at every turn listing and at every bid, through one engine	lib/score-bands.ts	Claude	P0		Done
9215	Test, seat eligibility: tiers are recalculated at the close of every committee, from the clean completions it records	lib/score-bands.ts	Claude	P0		Done
9216	Test, seat eligibility: the ballot places members only in seats their tier allows	lib/score-bands.ts	Claude	P0		Done
9217	Test, seat eligibility: the member is told why the seats above are closed and how to open them	lib/score-bands.ts	Claude	P0		Done

AI4. Affordability

#	Item	Where	Owner	Pri	Phase	Status
9218	Test, affordability: all instalments together within a third of verified income	lib/affordability.ts	Claude	P0	12	Open
9219	Test, affordability: within 40 per cent including loans reported by TASDEEQ	lib/affordability.ts	Claude	P0	12	Open
9220	Test, affordability: the weighted load and forward liability tests apply from the fourth committee	lib/affordability.ts	Claude	P0	12	Open
9221	Test, affordability: the tests apply to circles between strangers and Hyper, not to known circles	lib/affordability.ts	Claude	P0	12	Open

#	Item	Where	Owner	Pri	Phase	Status
9222	Test, affordability: a refusal gives the reason and the amount that would fit	lib/affordability.ts	Claude	P0	12	Open
9223	Test, affordability: income from the member's own transfers and from loans is excluded	lib/affordability.ts	Claude	P0	12	Open

AI5. Identity confidence

#	Item	Where	Owner	Pri	Phase	Status
9224	Test, identity confidence: a name match of 0.90 or more passes	lib/identity-score.ts	Claude	P1	39	Open
9225	Test, identity confidence: a name match from 0.80 to 0.90 goes to a person	lib/identity-score.ts	Claude	P1	39	Open
9226	Test, identity confidence: a name match below 0.80 fails with the reason	lib/identity-score.ts	Claude	P1	39	Open
9227	Test, identity confidence: a face match is required at level 2 and above	lib/identity-score.ts	Claude	P1	39	Open
9228	Test, identity confidence: address and job checks raise the level as specified	lib/identity-score.ts	Claude	P1	39	Open
9229	Test, identity confidence: levels 1 to 3 set from the combined checks	lib/identity-score.ts	Claude	P1	39	Open
9230	Test, identity confidence: an expired CNIC lowers the level until it is renewed	lib/identity-score.ts	Claude	P1	39	Open

AI6. Salary pattern

#	Item	Where	Owner	Pri	Phase	Status
9231	Test, salary pattern: salary from one employer on about the same day each month is detected	lib/salary-pattern.ts	Claude	P1	39	Open
9232	Test, salary pattern: daily circles: Rs 1,000 or more on five days of every week for eight weeks passes	lib/salary-pattern.ts	Claude	P1	39	Open
9233	Test, salary pattern: four days in one week fails the daily test	lib/salary-pattern.ts	Claude	P1	39	Open
9234	Test, salary pattern: transfers from the member's own accounts are excluded	lib/salary-pattern.ts	Claude	P1	39	Open
9235	Test, salary pattern: loan disbursements are excluded	lib/salary-pattern.ts	Claude	P1	39	Open
9236	Test, salary pattern: the payday learned is used as the first debit date	lib/salary-pattern.ts	Claude	P1	39	Open
9237	Test, salary pattern: a late salary moves the first attempt to the day it arrives, before the 8th	lib/salary-pattern.ts	Claude	P1	39	Open

AI7. Collection

#	Item	Where	Owner	Pri	Phase	Status
9238	Test, collection: methods tried in the order: bank mandate, saved card, approval, by hand	lib/collection-policy.ts	Claude	P0	12	Open
9239	Test, collection: first attempt on the payday	lib/collection-policy.ts	Claude	P0	12	Open
9240	Test, collection: a retry each morning after a failure, five attempts at most, all before the 8th	lib/collection-policy.ts	Claude	P0	12	Open
9241	Test, collection: the second method tried once on the last attempt where the member has one	lib/collection-policy.ts	Claude	P0	12	Open
9242	Test, collection: no late charge before the 8th	lib/collection-policy.ts	Claude	P0	12	Open
9243	Test, collection: late charges of 2, 5 and 10 per cent after the 8th, as the delay grows	lib/collection-policy.ts	Claude	P0	12	Open
9244	Test, collection: daily circles: 5, 10 and 15 per cent at 12, 36 and 60 hours	lib/collection-policy.ts	Claude	P0	12	Open

#	Item	Where	Owner	Pri	Phase	Status
9245	Test, collection: arrears recorded against the round, never as a negative balance held by Halqa	lib/collection-policy.ts	Claude	P0	12	Open
9246	Test, collection: arrears taken from the member's own pot on their turn	lib/collection-policy.ts	Claude	P0	12	Open
9247	Test, collection: a debit never exceeds the mandate ceiling of one instalment	lib/collection-policy.ts	Claude	P0	12	Open
9248	Test, collection: a cancelled mandate is never debited	lib/collection-policy.ts	Claude	P0	12	Open
9249	Test, collection: cancelling a mandate moves the member to approval or payment by hand	lib/collection-policy.ts	Claude	P0	12	Open
9250	Test, collection: a retried job never debits twice	lib/collection-policy.ts	Claude	P0	12	Open
9251	Test, collection: a member without a partner bank account stays on approval and payment by hand	lib/collection-policy.ts	Claude	P0	12	Open
9252	Test, collection: Hyper collects only by mandate or saved card	lib/collection-policy.ts	Claude	P0	12	Open
9253	Test, collection: a partial payment is recorded and the balance stays due	lib/collection-policy.ts	Claude	P0	12	Open
9254	Test, collection: payment by a verified family member is recorded as such	lib/collection-policy.ts	Claude	P0	12	Open
9255	Test, collection: an advance payment is accepted and applied to the next instalment	lib/collection-policy.ts	Claude	P0	12	Open

AI8. Payout

#	Item	Where	Owner	Pri	Phase	Status
9256	Test, payout: the pot paid to the collector's verified account on the 8th, the same day	lib/payout.ts	Claude	P0	12	Open
9257	Test, payout: the account title checked before every payout	lib/payout.ts	Claude	P0	12	Open
9258	Test, payout: a payout to another bank goes by interbank transfer	lib/payout.ts	Claude	P0	12	Open
9259	Test, payout: a payout to a wallet that would exceed its monthly limit goes to the bank account instead	lib/payout.ts	Claude	P0	12	Open
9260	Test, payout: payouts paused on a circle with an open reconciliation break	lib/payout.ts	Claude	P0	12	Open
9261	Test, payout: a shortfall from a late member explained on the payout, with the takaful or insurance claim where it applies	lib/payout.ts	Claude	P0	12	Open
9262	Test, payout: the payout receipt matches the ledger to the paisa	lib/payout.ts	Claude	P0	12	Open
9263	Test, payout: a payout account changed in the last two hours is refused	lib/payout.ts	Claude	P0	12	Open

AI9. Reconciliation

#	Item	Where	Owner	Pri	Phase	Status
9264	Test, reconciliation: every ledger entry matched to one bank entry	lib/reconcile.ts	Claude	P0	12	Open
9265	Test, reconciliation: an unmatched entry becomes a break and pauses payouts on its circle	lib/reconcile.ts	Claude	P0	12	Open
9266	Test, reconciliation: a duplicate bank entry is detected	lib/reconcile.ts	Claude	P0	12	Open
9267	Test, reconciliation: a partial match is held for review	lib/reconcile.ts	Claude	P0	12	Open
9268	Test, reconciliation: a break resolved with a reason releases the pause	lib/reconcile.ts	Claude	P0	12	Open
9269	Test, reconciliation: the daily statement is ingested once even if delivered twice	lib/reconcile.ts	Claude	P0	12	Open

AI10. Points

#	Item	Where	Owner	Pri	Phase	Status
9270	Test, points: one point equals one rupee in every calculation	lib/points-ledger.ts	Claude	P2	70	Open
9271	Test, points: the ledger is append only; no entry is edited or deleted	lib/points-ledger.ts	Claude	P2	70	Open
9272	Test, points: no route exists from points to cash	lib/points-ledger.ts	Claude	P2	70	Open
9273	Test, points: points move between members only as the price of a turn	lib/points-ledger.ts	Claude	P2	70	Open
9274	Test, points: points are frozen while a member is in default	lib/points-ledger.ts	Claude	P2	70	Open
9275	Test, points: purchases stay within the daily and monthly limits agreed with the bank	lib/points-ledger.ts	Claude	P2	70	Open
9276	Test, points: members on Raqami cannot buy points	lib/points-ledger.ts	Claude	P2	70	Open
9277	Test, points: unused points lapse only under the rule stated before purchase	lib/points-ledger.ts	Claude	P2	70	Open
9278	Test, points: a returned order credits its points back	lib/points-ledger.ts	Claude	P2	70	Open
9279	Test, points: the end of circle reward equals the profit on the member's balance, converted at one point a rupee	lib/points-ledger.ts	Claude	P2	70	Open

AI11. Turn market

#	Item	Where	Owner	Pri	Phase	Status
9280	Test, turn market: a price above 100 per cent of the pot is refused	lib/turn-swap.ts	Claude	P2	70	Open
9281	Test, turn market: a buyer whose band does not allow the earlier turn is refused	lib/turn-swap.ts	Claude	P2	70	Open
9282	Test, turn market: forward liability and affordability are checked again for the buyer	lib/turn-swap.ts	Claude	P2	70	Open
9283	Test, turn market: no trade settles without the host's approval	lib/turn-swap.ts	Claude	P2	70	Open
9284	Test, turn market: settlement swaps the turns, moves the points and charges the fee in one transaction	lib/turn-swap.ts	Claude	P2	70	Open
9285	Test, turn market: a cooling off period runs before settlement	lib/turn-swap.ts	Claude	P2	70	Open
9286	Test, turn market: a trade is cancelled if either member defaults before settlement	lib/turn-swap.ts	Claude	P2	70	Open
9287	Test, turn market: no trade is possible in Hyper or asset circles	lib/turn-swap.ts	Claude	P2	70	Open
9288	Test, turn market: the maximum number of trades per member per circle is enforced	lib/turn-swap.ts	Claude	P2	70	Open
9289	Test, turn market: a trade between linked accounts is refused	lib/turn-swap.ts	Claude	P2	70	Open

AI12. Recovery

#	Item	Where	Owner	Pri	Phase	Status
9290	Test, recovery: the steps run in order, each only if the one before fails	services/delinquency.ts	Claude	P1	39	Open
9291	Test, recovery: at step two the account is restricted and the score falls by 200	services/delinquency.ts	Claude	P1	39	Open
9292	Test, recovery: at step three the operator is notified of the claim; Halqa pays nothing itself	services/delinquency.ts	Claude	P1	39	Open
9293	Test, recovery: no step contacts a relative or a contact of the member	services/delinquency.ts	Claude	P1	39	Open
9294	Test, recovery: a hardship plan pauses the ladder until its date	services/delinquency.ts	Claude	P1	39	Open

#	Item	Where	Owner	Pri	Phase	Status
9295	Test, recovery: a cure clears the restriction and records the recovery	services/delinquency.ts	Claude	P1	39	Open

AI13. Leaving a circle

#	Item	Where	Owner	Pri	Phase	Status
9296	Test, leaving a circle: each rung shows its arithmetic before the member confirms	lib/exit-ladder.ts	Claude	P1	39	Open
9297	Test, leaving a circle: restitution owed is calculated to the paisa	lib/exit-ladder.ts	Claude	P1	39	Open
9298	Test, leaving a circle: a seat transfer passes the replacement's band and affordability checks	lib/exit-ladder.ts	Claude	P1	39	Open
9299	Test, leaving a circle: the vote passes only with the stated majority	lib/exit-ladder.ts	Claude	P1	39	Open
9300	Test, leaving a circle: the guarantee is released when the exit settles	lib/exit-ladder.ts	Claude	P1	39	Open

AI14. Agreements and consent

#	Item	Where	Owner	Pri	Phase	Status
9301	Test, agreements and consent: acceptance recorded with the version, the hash, the address and the time	lib/agreements.ts	Claude	P0	12	Open
9302	Test, agreements and consent: withdrawal within 24 hours costs nothing	lib/agreements.ts	Claude	P0	12	Open
9303	Test, agreements and consent: joining is refused until the key fact statement is accepted	lib/agreements.ts	Claude	P0	12	Open
9304	Test, agreements and consent: no bureau report is requested without the member's instruction	lib/agreements.ts	Claude	P0	12	Open
9305	Test, agreements and consent: no report is sent to the bureau without consent to reporting	lib/agreements.ts	Claude	P0	12	Open
9306	Test, agreements and consent: a withdrawn consent stops the processing it covered	lib/agreements.ts	Claude	P0	12	Open

AI15. Credit reporting

#	Item	Where	Owner	Pri	Phase	Status
9307	Test, credit reporting: every field of the data set filled from the ledger	lib/bureau-report.ts	Claude	P1	39	Open
9308	Test, credit reporting: the monthly submission fails its checks on any missing field	lib/bureau-report.ts	Claude	P1	39	Open
9309	Test, credit reporting: a member is told before a first adverse report	lib/bureau-report.ts	Claude	P1	39	Open
9310	Test, credit reporting: a disputed record is marked while the dispute is open	lib/bureau-report.ts	Claude	P1	39	Open
9311	Test, credit reporting: a corrected record is resubmitted	lib/bureau-report.ts	Claude	P1	39	Open

AI16. Device security

#	Item	Where	Owner	Pri	Phase	Status
9312	Test, device security: a device is bound at first sign in	lib/security.ts	Claude	P0	12	Open
9313	Test, device security: a new device starts a two hour cooling off	lib/security.ts	Claude	P0	12	Open
9314	Test, device security: financial actions are refused during the cooling off	lib/security.ts	Claude	P0	12	Open

#	Item	Where	Owner	Pri	Phase	Status
9315	Test, device security: a new device sends an alert to the member	lib/security.ts	Claude	P0	12	Open
9316	Test, device security: five wrong transaction PINs lock financial actions for fifteen minutes	lib/security.ts	Claude	P0	12	Open
9317	Test, device security: a session ends after inactivity	lib/security.ts	Claude	P0	12	Open

AI17. Ballot

#	Item	Where	Owner	Pri	Phase	Status
9318	Test, ballot: the seed's fingerprint is published before the draw	lib/parchi.ts	Claude	P2		Done
9319	Test, ballot: each member's tap contributes to the draw	lib/parchi.ts	Claude	P2		Done
9320	Test, ballot: the result can be reproduced from the revealed seed	lib/parchi.ts	Claude	P2		Done
9321	Test, ballot: the draw places members only in seats their eligibility allows	lib/parchi.ts	Claude	P2		Done
9322	Test, ballot: a circle that cannot be seated at all is reported, never fixed by promoting somebody	lib/parchi.ts	Claude	P2		Done
9323	Test, ballot: the seats themselves are published and can be recomputed by anyone holding the proof	lib/parchi.ts	Claude	P2		Done

AI18. Hyper

#	Item	Where	Owner	Pri	Phase	Status
9324	Test, hyper: each day's payers are assigned to that day's collectors, with no pool	lib/hyper.ts	Claude	P2	70	Open
9325	Test, hyper: Design 1: 400 members, 50 days, 8 collecting a day	lib/hyper.ts	Claude	P2	70	Open
9326	Test, hyper: Design 2: 390 members, 26 days with Sundays off, 15 collecting a day	lib/hyper.ts	Claude	P2	70	Open
9327	Test, hyper: one daily circle per member	lib/hyper.ts	Claude	P2	70	Open
9328	Test, hyper: the daily income floor is enforced at joining	lib/hyper.ts	Claude	P2	70	Open
9329	Test, hyper: the stress index stops new days when losses would pass the takaful or insurance limit	lib/hyper.ts	Claude	P2	70	Open

AI19. End to End Journeys

#	Item	Where	Owner	Pri	Phase	Status
9330	Journey test: sign up to a verified account at the bank	tests	Claude	P1	39	Open
9331	Journey test: host creates a circle and admits members	tests	Claude	P1	40	Open
9332	Journey test: member joins with a code and accepts the key facts	tests	Claude	P1	40	Open
9333	Journey test: member authorises a mandate	tests	Claude	P1	40	Open
9334	Journey test: first collection succeeds on payday	tests	Claude	P1	40	Open
9335	Journey test: collection fails, retries and succeeds before the 8th	tests	Claude	P1	40	Open
9336	Journey test: member pays by hand through Raast	tests	Claude	P1	40	Open
9337	Journey test: member pays by wallet and sees the PSP service fee	tests	Claude	P1	40	Open

#	Item	Where	Owner	Pri	Phase	Status
9338	Journey test: payout on the 8th to the collector	tests	Claude	P1	40	Open
9339	Journey test: late payment with arrears set off at the member's payout	tests	Claude	P1	40	Open
9340	Journey test: hardship plan agreed and cured	tests	Claude	P1	40	Open
9341	Journey test: member leaves through the exit ladder	tests	Claude	P1	40	Open
9342	Journey test: member disputes a payment	tests	Claude	P1	40	Open
9343	Journey test: member files a complaint and receives a reply	tests	Claude	P1	40	Open
9344	Journey test: end of circle reward credited as points	tests	Claude	P1	40	Open
9345	Journey test: points used against a fee	tests	Claude	P1	40	Open
9346	Journey test: marketplace order placed and delivered	tests	Claude	P1	40	Open
9347	Journey test: turn listed, offered, approved and settled	tests	Claude	P1	40	Open
9348	Journey test: member joins Hyper and pays daily	tests	Claude	P1	40	Open
9349	Journey test: account closure after the last circle	tests	Claude	P1	40	Open
9350	Journey test: data export requested and delivered	tests	Claude	P1	40	Open
9351	Journey test: device change with the cooling off	tests	Claude	P1	40	Open
9352	Journey test: forgotten PIN reset	tests	Claude	P1	40	Open
9353	Journey test: transaction PIN set and used	tests	Claude	P1	40	Open
9354	Journey test: the whole application in Urdu	tests	Claude	P1	40	Open
9355	Journey test: the whole application in dark mode	tests	Claude	P1	40	Open
9356	Journey test: offline and back online without losing work	tests	Claude	P1	40	Open
9357	Journey test: bank refuses the account opening	tests	Claude	P1	40	Open
9358	Journey test: account title mismatch corrected	tests	Claude	P1	40	Open
9359	Journey test: takaful or insurance claim followed to payment by the operator	tests	Claude	P1	40	Open
9360	Journey test: circle completes and members are invited to host	tests	Claude	P1	40	Open
9361	Journey test: host removes a member against the published test	tests	Claude	P1	40	Open
9362	Journey test: ballot sets the order of turns	tests	Claude	P1	40	Open
9363	Journey test: member abroad joins through Mashreq's UAE route	tests	Claude	P1	40	Open
9364	Journey test: reported record disputed and corrected	tests	Claude	P1	41	Open

AI20. Performance

#	Item	Where	Owner	Pri	Phase	Status
9365	Load test: collection run for 100,000 members on one payday, within the bank's rate limits	tests	Claude	P2	70	Open

#	Item	Where	Owner	Pri	Phase	Status
9366	Load test: payout batch on the 8th for every circle due	tests	Claude	P2	70	Open
9367	Load test: reconciliation of 100,000 statement lines	tests	Claude	P2	70	Open
9368	Load test: notification fan out on the evening before payday	tests	Claude	P2	71	Open
9369	Load test: interface service under load: 95th percentile response time	tests	Claude	P2	71	Open
9370	Load test: database connection pool under load	tests	Claude	P2	71	Open
9371	Load test: cold start time of every serverless function	tests	Claude	P2	71	Open
9372	Load test: application start on a two gigabyte handset	tests	Claude	P2	71	Open
9373	Load test: first screen over a slow mobile connection	tests	Claude	P2	71	Open
9374	Load test: chat and live update connections at peak	tests	Claude	P2	71	Open
9375	Load test: scheduled jobs sharded and finishing within their windows	tests	Claude	P2	71	Open
9376	Load test: points purchases at a launch peak	tests	Claude	P2	71	Open

AI21. Security Tests

#	Item	Where	Owner	Pri	Phase	Status
9377	Security test: sign in bypass attempts on every route	tests	Claude	P1	41	Open
9378	Security test: access to another member's circle, payment, receipt and profile by changing identifiers	tests	Claude	P1	41	Open
9379	Security test: rate limits enforced on sign in, codes and financial actions	tests	Claude	P1	41	Open
9380	Security test: token expiry, refresh rotation and revocation	tests	Claude	P1	41	Open
9381	Security test: forged and replayed webhooks from the bank and the PSP	tests	Claude	P1	41	Open
9382	Security test: injection through every input	tests	Claude	P1	41	Open
9383	Security test: script injection through chat, names and support text	tests	Claude	P1	41	Open
9384	Security test: file uploads checked for type, size and content	tests	Claude	P1	41	Open
9385	Security test: no secret in the application bundle	tests	Claude	P1	41	Open
9386	Security test: content security policy blocks inline scripts	tests	Claude	P1	41	Open
9387	Security test: cross origin requests limited to the application	tests	Claude	P1	41	Open
9388	Security test: the application cannot be framed by another site	tests	Claude	P1	41	Open
9389	Security test: PIN guessing stopped by the logout	tests	Claude	P1	41	Open
9390	Security test: phone number enumeration at sign up and sign in prevented	tests	Claude	P1	41	Open
9391	Security test: one time code timing and reuse attacks	tests	Claude	P1	41	Open
9392	Security test: administrative routes closed to members	tests	Claude	P1	41	Open
9393	Security test: logs and error reports free of personal data	tests	Claude	P1	41	Open

#	Item	Where	Owner	Pri	Phase	Status
9394	Security test: dependencies free of known high severity flaws	tests	Claude	P1	41	Open
9395	Security test: transaction PIN required on every financial route	tests	Claude	P1	41	Open
9396	Security test: cooling off enforced on the server, not only on screen	tests	Claude	P1	41	Open

AI22. Test Foundations

#	Item	Where	Owner	Pri	Phase	Status
9397	Test database seeded from fixtures for every circle type and state	tests	Claude	P1	41	Open
9398	Coverage measured for the engines, with a floor that only rises	pipeline	Claude	P2	71	Open
9399	Flaky tests tracked and fixed within a week	process	Claude	P2	71	Open
9400	Simulation of 10,000 circles across a year to check the ledger always balances	tests	Claude	P2	71	Open
9401	Existing Monte Carlo and Pakistan simulations kept as regression checks	tests	Claude	P3	80	Open

AJ. Security Review

What a bank's security review asks a service provider to show.

AJ1. Mobile Application Security

OWASP MASVS v2.1: 24 controls in eight groups. Controls already held by an item elsewhere are met through it: identity images at rest (549), forced updates (644), pinning, rooted devices and device binding (812), and the transaction PIN (section AB).

#	Item	Where	Owner	Pri	Phase	Status
9402	Meet MASVS-STORAGE-1: the application stores sensitive data securely: tokens, PIN material and CNIC images only in the platform's secure storage, never in plain local storage	native and web	Claude	P1	35	Open
9403	Meet MASVS-STORAGE-2: the application prevents leakage of sensitive data: no personal data in logs, screenshots of the task switcher, backups or the clipboard	native and web	Claude	P1	35	Open
9404	Meet MASVS-CRYPTO-1: current strong cryptography used as intended: no home made schemes, no weak hashes for PINs	native and web	Claude	P1	35	Open
9405	Meet MASVS-CRYPTO-2: keys managed to best practice: generated in the platform key store, never in the code	native and web	Claude	P1	35	Open
9406	Meet MASVS-AUTH-1: secure authentication and authorisation with the interface service: short lived tokens, rotation, server side revocation	native and web	Claude	P1	35	Open
9407	Meet MASVS-AUTH-2: local authentication done securely: biometric unlock bound to a key in the secure enclave	native and web	Claude	P1	35	Open
9408	Meet MASVS-AUTH-3: sensitive operations secured with additional authentication: the transaction PIN	native and web	Claude	P1	35	Open
9409	Meet MASVS-NETWORK-1: all network traffic secured to current practice: TLS 1.2 or later only	native and web	Claude	P1	35	Open
9410	Meet MASVS-NETWORK-2: identity pinning for Halqa's own endpoints	native and web	Claude	P1	35	Open
9411	Meet MASVS-PLATFORM-1: inter process communication used securely: deep links validated before acting	native and web	Claude	P1	36	Open

#	Item	Where	Owner	Pri	Phase	Status
9412	Meet MASVS-PLATFORM-2: web views used securely: no file access, no script bridges to untrusted content	native and web	Claude	P1	36	Open
9413	Meet MASVS-PLATFORM-3: the user interface used securely: sensitive fields masked, overlays detected on payment screens	native and web	Claude	P1	36	Open
9414	Meet MASVS-CODE-1: an up to date platform version required	native and web	Claude	P1	36	Open
9415	Meet MASVS-CODE-2: a mechanism to enforce updates for a critical fix	native and web	Claude	P1	36	Open
9416	Meet MASVS-CODE-3: only components without known vulnerabilities	native and web	Claude	P1	36	Open
9417	Meet MASVS-CODE-4: all untrusted input validated and sanitised, including deep link parameters and QR contents	native and web	Claude	P1	36	Open
9418	Meet MASVS-RESILIENCE-1: the integrity of the platform validated: rooted and jailbroken devices detected	native and web	Claude	P1	36	Open
9419	Meet MASVS-RESILIENCE-2: anti tampering: the application's own integrity checked	native and web	Claude	P1	36	Open
9420	Meet MASVS-RESILIENCE-3: anti static analysis: code obfuscated in release builds	native and web	Claude	P1	36	Open
9421	Meet MASVS-RESILIENCE-4: anti dynamic analysis: debuggers and hooking frameworks detected before financial actions	native and web	Claude	P1	36	Open
9422	Meet MASVS-PRIVACY-1: access to sensitive data and resources minimised: camera only for capture, no contacts or photos	native and web	Claude	P1	36	Open
9423	Meet MASVS-PRIVACY-2: the member is not identified across services: no advertising identifiers	native and web	Claude	P1	36	Open
9424	Meet MASVS-PRIVACY-3: transparency about data collection and use, in the application and the store listings	native and web	Claude	P1	36	Open
9425	Meet MASVS-PRIVACY-4: the member controls their data: export, correction, consent withdrawal and deletion	native and web	Claude	P1	36	Open
9426	MASVS STORAGE group verified by the independent tester	external	Tester	P1	H4	Open
9427	MASVS CRYPTO group verified by the independent tester	external	Tester	P1	H4	Open
9428	MASVS AUTH group verified by the independent tester	external	Tester	P1	H4	Open
9429	MASVS NETWORK group verified by the independent tester	external	Tester	P1	H4	Open
9430	MASVS PLATFORM group verified by the independent tester	external	Tester	P1	H4	Open
9431	MASVS CODE group verified by the independent tester	external	Tester	P1	H4	Open
9432	MASVS RESILIENCE group verified by the independent tester	external	Tester	P1	H4	Open
9433	MASVS PRIVACY group verified by the independent tester	external	Tester	P1	H4	Open

AJ2. Information Security Management

#	Item	Where	Owner	Pri	Phase	Status
9434	Information security management system scoped: the application, the interface service, the data and the people	governance	Claude	P1	36	Open
9435	Information security risk assessment method and register	governance	Claude	P1	36	Open
9436	Statement of applicability published, built from the controls below	governance	Claude	P1	36	Open
9437	Information security objectives with measures	governance	Claude	P2	68	Open

#	Item	Where	Owner	Pri	Phase	Status
9438	Internal audit of the management system each year	governance	Auditor	P2	H4	Open
9439	Management review each year, minuted	governance	Chairman	P2	H5	Open
9440	Corrective action log	governance	Claude	P2	68	Open
9441	Decision on certification to ISO/IEC 27001 and its timing, if the bank asks	decision	Chairman	P3	H6	Open

AJ3. Statement of Applicability

ISO/IEC 27001:2022 Annex A, 93 controls in four themes. Physical controls are recorded as not applicable, with the reason, until Halqa has premises.

#	Item	Where	Owner	Pri	Phase	Status
9442	ISO/IEC 27001:2022 control 5.1 Policies for information security: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9443	ISO/IEC 27001:2022 control 5.2 Information security roles and responsibilities: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9444	ISO/IEC 27001:2022 control 5.3 Segregation of duties: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9445	ISO/IEC 27001:2022 control 5.4 Management responsibilities: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9446	ISO/IEC 27001:2022 control 5.5 Contact with authorities: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9447	ISO/IEC 27001:2022 control 5.6 Contact with special interest groups: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9448	ISO/IEC 27001:2022 control 5.7 Threat intelligence: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9449	ISO/IEC 27001:2022 control 5.8 Information security in project management: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9450	ISO/IEC 27001:2022 control 5.9 Inventory of information and other associated assets: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9451	ISO/IEC 27001:2022 control 5.10 Acceptable use of information and other associated assets: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9452	ISO/IEC 27001:2022 control 5.11 Return of assets: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9453	ISO/IEC 27001:2022 control 5.12 Classification of information: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9454	ISO/IEC 27001:2022 control 5.13 Labelling of information: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9455	ISO/IEC 27001:2022 control 5.14 Information transfer: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9456	ISO/IEC 27001:2022 control 5.15 Access control: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9457	ISO/IEC 27001:2022 control 5.16 Identity management: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9458	ISO/IEC 27001:2022 control 5.17 Authentication information: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
9459	ISO/IEC 27001:2022 control 5.18 Access rights: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9460	ISO/IEC 27001:2022 control 5.19 Information security in supplier relationships: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9461	ISO/IEC 27001:2022 control 5.20 Addressing information security within supplier agreements: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9462	ISO/IEC 27001:2022 control 5.21 Managing information security in the ICT supply chain: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9463	ISO/IEC 27001:2022 control 5.22 Monitoring, review and change management of supplier services: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9464	ISO/IEC 27001:2022 control 5.23 Information security for use of cloud services: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9465	ISO/IEC 27001:2022 control 5.24 Information security incident management planning and preparation: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9466	ISO/IEC 27001:2022 control 5.25 Assessment and decision on information security events: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9467	ISO/IEC 27001:2022 control 5.26 Response to information security incidents: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9468	ISO/IEC 27001:2022 control 5.27 Learning from information security incidents: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9469	ISO/IEC 27001:2022 control 5.28 Collection of evidence: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9470	ISO/IEC 27001:2022 control 5.29 Information security during disruption: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9471	ISO/IEC 27001:2022 control 5.30 ICT readiness for business continuity: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9472	ISO/IEC 27001:2022 control 5.31 Legal, statutory, regulatory and contractual requirements: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9473	ISO/IEC 27001:2022 control 5.32 Intellectual property rights: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9474	ISO/IEC 27001:2022 control 5.33 Protection of records: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9475	ISO/IEC 27001:2022 control 5.34 Privacy and protection of personal information: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9476	ISO/IEC 27001:2022 control 5.35 Independent review of information security: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9477	ISO/IEC 27001:2022 control 5.36 Compliance with policies, rules and standards for information security: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
9478	ISO/IEC 27001:2022 control 5.37 Documented operating procedures: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9479	ISO/IEC 27001:2022 control 6.1 Screening: applicability decided, how it is met described, evidence kept	governance	Chairman	P2		Done
9480	ISO/IEC 27001:2022 control 6.2 Terms and conditions of employment: applicability decided, how it is met described, evidence kept	governance	Chairman	P2		Done
9481	ISO/IEC 27001:2022 control 6.3 Information security awareness, education and training: applicability decided, how it is met described, evidence kept	governance	Chairman	P2		Done
9482	ISO/IEC 27001:2022 control 6.4 Disciplinary process: applicability decided, how it is met described, evidence kept	governance	Chairman	P2		Done
9483	ISO/IEC 27001:2022 control 6.5 Responsibilities after termination or change of employment: applicability decided, how it is met described, evidence kept	governance	Chairman	P2		Done
9484	ISO/IEC 27001:2022 control 6.6 Confidentiality or non disclosure agreements: applicability decided, how it is met described, evidence kept	governance	Chairman	P2		Done
9485	ISO/IEC 27001:2022 control 6.7 Remote working: applicability decided, how it is met described, evidence kept	governance	Chairman	P2		Done
9486	ISO/IEC 27001:2022 control 6.8 Information security event reporting: applicability decided, how it is met described, evidence kept	governance	Chairman	P2		Done
9487	ISO/IEC 27001:2022 control 7.1 Physical security perimeters: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9488	ISO/IEC 27001:2022 control 7.2 Physical entry: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9489	ISO/IEC 27001:2022 control 7.3 Securing offices, rooms and facilities: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9490	ISO/IEC 27001:2022 control 7.4 Physical security monitoring: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9491	ISO/IEC 27001:2022 control 7.5 Protecting against physical and environmental threats: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9492	ISO/IEC 27001:2022 control 7.6 Working in secure areas: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9493	ISO/IEC 27001:2022 control 7.7 Clear desk and clear screen: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9494	ISO/IEC 27001:2022 control 7.8 Equipment siting and protection: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9495	ISO/IEC 27001:2022 control 7.9 Security of assets off premises: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9496	ISO/IEC 27001:2022 control 7.10 Storage media: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9497	ISO/IEC 27001:2022 control 7.11 Supporting utilities: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9498	ISO/IEC 27001:2022 control 7.12 Cabling security: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done

#	Item	Where	Owner	Pri	Phase	Status
9499	ISO/IEC 27001:2022 control 7.13 Equipment maintenance: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9500	ISO/IEC 27001:2022 control 7.14 Secure disposal or re use of equipment: applicability decided, how it is met described, evidence kept	governance	Chairman	P3		Done
9501	ISO/IEC 27001:2022 control 8.1 User endpoint devices: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9502	ISO/IEC 27001:2022 control 8.2 Privileged access rights: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9503	ISO/IEC 27001:2022 control 8.3 Information access restriction: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9504	ISO/IEC 27001:2022 control 8.4 Access to source code: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9505	ISO/IEC 27001:2022 control 8.5 Secure authentication: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9506	ISO/IEC 27001:2022 control 8.6 Capacity management: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9507	ISO/IEC 27001:2022 control 8.7 Protection against malware: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9508	ISO/IEC 27001:2022 control 8.8 Management of technical vulnerabilities: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9509	ISO/IEC 27001:2022 control 8.9 Configuration management: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9510	ISO/IEC 27001:2022 control 8.10 Information deletion: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9511	ISO/IEC 27001:2022 control 8.11 Data masking: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9512	ISO/IEC 27001:2022 control 8.12 Data leakage prevention: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9513	ISO/IEC 27001:2022 control 8.13 Information backup: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9514	ISO/IEC 27001:2022 control 8.14 Redundancy of information processing facilities: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9515	ISO/IEC 27001:2022 control 8.15 Logging: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9516	ISO/IEC 27001:2022 control 8.16 Monitoring activities: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9517	ISO/IEC 27001:2022 control 8.17 Clock synchronisation: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9518	ISO/IEC 27001:2022 control 8.18 Use of privileged utility programs: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9519	ISO/IEC 27001:2022 control 8.19 Installation of software on operational systems: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9520	ISO/IEC 27001:2022 control 8.20 Networks security: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9521	ISO/IEC 27001:2022 control 8.21 Security of network services: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
9522	ISO/IEC 27001:2022 control 8.22 Segregation of networks: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9523	ISO/IEC 27001:2022 control 8.23 Web filtering: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9524	ISO/IEC 27001:2022 control 8.24 Use of cryptography: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9525	ISO/IEC 27001:2022 control 8.25 Secure development life cycle: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9526	ISO/IEC 27001:2022 control 8.26 Application security requirements: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9527	ISO/IEC 27001:2022 control 8.27 Secure system architecture and engineering principles: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9528	ISO/IEC 27001:2022 control 8.28 Secure coding: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9529	ISO/IEC 27001:2022 control 8.29 Security testing in development and acceptance: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9530	ISO/IEC 27001:2022 control 8.30 Outsourced development: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9531	ISO/IEC 27001:2022 control 8.31 Separation of development, test and production environments: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9532	ISO/IEC 27001:2022 control 8.32 Change management: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9533	ISO/IEC 27001:2022 control 8.33 Test information: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done
9534	ISO/IEC 27001:2022 control 8.34 Protection of information systems during audit testing: applicability decided, how it is met described, evidence kept	governance	Claude	P2		Done

AJ4. Card Data

#	Item	Where	Owner	Pri	Phase	Status
9535	Eligibility for the simplest card industry self assessment confirmed with the PSP	security	Claude	P1	36	Open
9536	The PSP's attestation of compliance collected each year	governance	Claude	P1	36	Open
9537	No card number, expiry or security code in logs, errors or support tickets, checked by automated scans	security	Claude	P0	11	Open
9538	Card industry self assessment questionnaire completed and signed each year	governance	Chairman	P2	H5	Open

AJ5. Secrets and Keys

#	Item	Where	Owner	Pri	Phase	Status
9539	Secrets inventory: every key and credential, its owner, its store and its rotation date	security	Claude	P0	11	Open
9540	Signing secret for tokens rotated, with old tokens retired	security	Claude	P1	36	Open
9541	Passport signing secret separated from the token secret, or retired with the passport	lib/passport.ts	Claude	P1	36	Open

#	Item	Where	Owner	Pri	Phase	Status
9542	PIN hashing moved from SHA-256 with a shared secret to a slow, salted password hash	routes/auth.ts:16	Claude	P0	11	Open
9543	Development fallbacks for secrets removed so production cannot start without them	lib/auth.ts	Claude	P0	11	Open
9544	Webhook secrets per partner, rotated on a schedule	security	Claude	P1	36	Open
9545	Break glass access procedure for production, logged and reviewed	security	Claude	P2	68	Open

AJ6. Security Operations

#	Item	Where	Owner	Pri	Phase	Status
9546	Alerts for repeated failed sign ins, new administrators, mass exports and webhook failures	security	Claude	P1	36	Open
9547	Incident response drill twice a year	operations	Claude	P2	68	Open
9548	Domain and email protected: DMARC, SPF and DKIM for Halqa's domain	infrastructure	Claude	P1	36	Open
9549	Lookalike domain watch for phishing against members	security	Claude	P3	79	Open

AK. Accessibility

Accessibility as a bank's review and the stores expect it.

AK1. WCAG 2.2 Success Criteria

Every success criterion at levels A and AA, as it applies to Halqa; items 607 to 614 broken down by criterion.

#	Item	Where	Owner	Pri	Phase	Status
9550	Meet WCAG 2.2 1.1.1 Non text Content: every icon, image and chart has a text alternative or is marked decorative	components	Claude	P2		Done
9551	Meet WCAG 2.2 1.2.1 Audio only and Video only (Prerecorded): any explainer video carries a transcript	components	Claude	P2		Done
9552	Meet WCAG 2.2 1.2.2 Captions (Prerecorded): videos captioned in English and Urdu	components	Claude	P2		Done
9553	Meet WCAG 2.2 1.2.3 Audio Description or Media Alternative: videos described in text	components	Claude	P2		Done
9554	Meet WCAG 2.2 1.2.4 Captions (Live): not used: no live media; recorded as not applicable	components	Claude	P2		Done
9555	Meet WCAG 2.2 1.2.5 Audio Description (Prerecorded): videos carry audio description where they show what is not said	components	Claude	P2		Done
9556	Meet WCAG 2.2 1.3.1 Info and Relationships: headings, lists and tables marked up as such	components	Claude	P2		Done
9557	Meet WCAG 2.2 1.3.2 Meaningful Sequence: reading order follows the visual order in both languages	components	Claude	P2		Done
9558	Meet WCAG 2.2 1.3.3 Sensory Characteristics: no instruction relies on shape, colour or position alone	components	Claude	P2		Done
9559	Meet WCAG 2.2 1.3.4 Orientation: every screen works in portrait and landscape	components	Claude	P2		Done
9560	Meet WCAG 2.2 1.3.5 Identify Input Purpose: personal fields carry autocomplete purposes	components	Claude	P2		Done
9561	Meet WCAG 2.2 1.4.1 Use of Color: paid, late and failed shown by a word and an icon as well as colour	components	Claude	P2		Done
9562	Meet WCAG 2.2 1.4.2 Audio Control: no sound plays on its own	components	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
9563	Meet WCAG 2.2 1.4.3 Contrast (Minimum): text contrast at least 4.5 to 1, large text 3 to 1	components	Claude	P2		Done
9564	Meet WCAG 2.2 1.4.4 Resize Text: text enlarges to 200 per cent without loss	components	Claude	P2		Done
9565	Meet WCAG 2.2 1.4.5 Images of Text: no text set as an image, except logos	components	Claude	P2		Done
9566	Meet WCAG 2.2 1.4.10 Reflow: no sideways scrolling at 320 pixels wide	components	Claude	P2		Done
9567	Meet WCAG 2.2 1.4.11 Non text Contrast: controls, focus rings and chart marks at 3 to 1	components	Claude	P2		Done
9568	Meet WCAG 2.2 1.4.12 Text Spacing: layouts hold when spacing is increased	components	Claude	P2		Done
9569	Meet WCAG 2.2 1.4.13 Content on Hover or Focus: tooltips can be dismissed and stay while pointed at	components	Claude	P2		Done
9570	Meet WCAG 2.2 2.1.1 Keyboard: every function works from a keyboard on the web	components	Claude	P2		Done
9571	Meet WCAG 2.2 2.1.2 No Keyboard Trap: focus never trapped, sheets and dialogs included	components	Claude	P2		Done
9572	Meet WCAG 2.2 2.1.4 Character Key Shortcuts: no single key shortcuts, or they can be switched off	components	Claude	P2		Done
9573	Meet WCAG 2.2 2.2.1 Timing Adjustable: time limits such as the code and the session can be extended, security limits apart	components	Claude	P2		Done
9574	Meet WCAG 2.2 2.2.2 Pause, Stop, Hide: moving content such as carousels can be paused	components	Claude	P2		Done
9575	Meet WCAG 2.2 2.3.1 Three Flashes or Below Threshold: nothing flashes	components	Claude	P2		Done
9576	Meet WCAG 2.2 2.4.1 Bypass Blocks: a skip link on the web	components	Claude	P2		Done
9577	Meet WCAG 2.2 2.4.2 Page Titled: every screen has a title that says where the member is	components	Claude	P2		Done
9578	Meet WCAG 2.2 2.4.3 Focus Order: focus moves in a meaningful order	components	Claude	P2		Done
9579	Meet WCAG 2.2 2.4.4 Link Purpose (In Context): every link says where it goes	components	Claude	P2		Done
9580	Meet WCAG 2.2 2.4.5 Multiple Ways: screens reachable by navigation and by search	components	Claude	P2		Done
9581	Meet WCAG 2.2 2.4.6 Headings and Labels: headings and labels describe their content	components	Claude	P2		Done
9582	Meet WCAG 2.2 2.4.7 Focus Visible: a visible focus state on every control	components	Claude	P2		Done
9583	Meet WCAG 2.2 2.4.11 Focus Not Obscured (Minimum): the focused control never hidden by the tab bar or a sheet	components	Claude	P2		Done
9584	Meet WCAG 2.2 2.5.1 Pointer Gestures: no gesture needs more than one finger or a path	components	Claude	P2		Done
9585	Meet WCAG 2.2 2.5.2 Pointer Cancellation: actions fire on release and can be abandoned	components	Claude	P2		Done
9586	Meet WCAG 2.2 2.5.3 Label in Name: the spoken name contains the visible label	components	Claude	P2		Done
9587	Meet WCAG 2.2 2.5.4 Motion Actuation: nothing triggered by shaking or tilting	components	Claude	P2		Done
9588	Meet WCAG 2.2 2.5.7 Dragging Movements: ordering turns by dragging also possible by buttons	components	Claude	P2		Done
9589	Meet WCAG 2.2 2.5.8 Target Size (Minimum): targets at least 24 by 24 pixels, 44 where possible	components	Claude	P2		Done
9590	Meet WCAG 2.2 3.1.1 Language of Page: the language of each screen declared	components	Claude	P2		Done
9591	Meet WCAG 2.2 3.1.2 Language of Parts: Urdu passages inside English screens declared as Urdu	components	Claude	P2		Done
9592	Meet WCAG 2.2 3.2.1 On Focus: focus never changes the screen on its own	components	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
9593	Meet WCAG 2.2 3.2.2 On Input: choosing an option never submits by surprise	components	Claude	P2		Done
9594	Meet WCAG 2.2 3.2.3 Consistent Navigation: navigation the same on every screen	components	Claude	P2		Done
9595	Meet WCAG 2.2 3.2.4 Consistent Identification: the same control looks and is named the same everywhere	components	Claude	P2		Done
9596	Meet WCAG 2.2 3.2.6 Consistent Help: help in the same place on every screen	components	Claude	P2		Done
9597	Meet WCAG 2.2 3.3.1 Error Identification: errors named in text beside the field	components	Claude	P2		Done
9598	Meet WCAG 2.2 3.3.2 Labels or Instructions: every field labelled	components	Claude	P2		Done
9599	Meet WCAG 2.2 3.3.3 Error Suggestion: each error says how to fix it	components	Claude	P2		Done
9600	Meet WCAG 2.2 3.3.4 Error Prevention (Legal, Financial, Data): every payment, signature and closure reviewable and confirmable	components	Claude	P2		Done
9601	Meet WCAG 2.2 3.3.7 Redundant Entry: nothing asked twice in one journey	components	Claude	P2		Done
9602	Meet WCAG 2.2 3.3.8 Accessible Authentication (Minimum): sign in without a memory test beyond the PIN, with biometric and paste of codes allowed	components	Claude	P2		Done
9603	Meet WCAG 2.2 4.1.2 Name, Role, Value: custom controls expose their name, role and state	components	Claude	P2		Done
9604	Meet WCAG 2.2 4.1.3 Status Messages: payment results and errors announced to screen readers	components	Claude	P2		Done

AK2. Beyond the Criteria

Item 613 by platform, and checks the criteria do not name.

#	Item	Where	Owner	Pri	Phase	Status
9605	Screen reader test in Urdu with TalkBack on Android	testing	Tester	P2	H4	Open
9606	Screen reader test with VoiceOver on iOS	testing	Tester	P2	H4	Open
9607	Colour vision check of every status colour	testing	Claude	P2		Done
9608	Words beside every icon for members who read little	components	Claude	P1	42	Open
9609	Numbers always in Western digits in both languages, as banks print them	content	Claude	P1	42	Open
9610	Accessibility statement published with a contact for problems	content	Claude	P2	72	Open
9611	Accessibility test by members with disabilities before launch	testing	Chairman	P3	H6	Open

AL. Governance, Risk and the Company

AL1. Policies

Item 708 by policy: each policy drafted, reviewed by counsel where it is legal in nature, approved, published, trained and reviewed each year.

#	Item	Where	Owner	Pri	Phase	Status
9612	Information security policy drafted	documentation	Claude	P1	38	Open

#	Item	Where	Owner	Pri	Phase	Status
9613	Information security policy approved by the board	governance	Chairman	P1	H4	Open
9614	Information security policy published to everyone with access	documentation	Claude	P1	38	Open
9615	Information security policy: training given and recorded	governance	Chairman	P1	H4	Open
9616	Information security policy reviewed each year	governance	Claude	P3	79	Open
9617	Acceptable use policy drafted	documentation	Claude	P2	68	Open
9618	Acceptable use policy approved by the board	governance	Chairman	P2	H5	Open
9619	Acceptable use policy published to everyone with access	documentation	Claude	P2	68	Open
9620	Acceptable use policy: training given and recorded	governance	Chairman	P2	H5	Open
9621	Acceptable use policy reviewed each year	governance	Claude	P3	79	Open
9622	Access control policy drafted	documentation	Claude	P2	68	Open
9623	Access control policy approved by the board	governance	Chairman	P2	H5	Open
9624	Access control policy published to everyone with access	documentation	Claude	P2	68	Open
9625	Access control policy: training given and recorded	governance	Chairman	P2	H5	Open
9626	Access control policy reviewed each year	governance	Claude	P3	79	Open
9627	Cryptography policy drafted	documentation	Claude	P2	68	Open
9628	Cryptography policy approved by the board	governance	Chairman	P2	H5	Open
9629	Cryptography policy published to everyone with access	documentation	Claude	P2	68	Open
9630	Cryptography policy: training given and recorded	governance	Chairman	P2	H5	Open
9631	Cryptography policy reviewed each year	governance	Claude	P3	79	Open
9632	Secure development policy drafted	documentation	Claude	P2	68	Open
9633	Secure development policy approved by the board	governance	Chairman	P2	H5	Open
9634	Secure development policy published to everyone with access	documentation	Claude	P2	68	Open
9635	Secure development policy: training given and recorded	governance	Chairman	P2	H5	Open
9636	Secure development policy reviewed each year	governance	Claude	P3	79	Open
9637	Change management policy drafted	documentation	Claude	P2	68	Open
9638	Change management policy approved by the board	governance	Chairman	P2	H5	Open
9639	Change management policy published to everyone with access	documentation	Claude	P2	68	Open
9640	Change management policy: training given and recorded	governance	Chairman	P2	H5	Open
9641	Change management policy reviewed each year	governance	Claude	P3	79	Open
9642	Incident response policy drafted	documentation	Claude	P1	38	Open
9643	Incident response policy approved by the board	governance	Chairman	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
9644	Incident response policy published to everyone with access	documentation	Claude	P1	38	Open
9645	Incident response policy: training given and recorded	governance	Chairman	P1	H4	Open
9646	Incident response policy reviewed each year	governance	Claude	P3	79	Open
9647	Business continuity and disaster recovery policy drafted	documentation	Claude	P2	68	Open
9648	Business continuity and disaster recovery policy approved by the board	governance	Chairman	P2	H5	Open
9649	Business continuity and disaster recovery policy published to everyone with access	documentation	Claude	P2	68	Open
9650	Business continuity and disaster recovery policy: training given and recorded	governance	Chairman	P2	H5	Open
9651	Business continuity and disaster recovery policy reviewed each year	governance	Claude	P3	79	Open
9652	Backup and restore policy drafted	documentation	Claude	P2	68	Open
9653	Backup and restore policy approved by the board	governance	Chairman	P2	H5	Open
9654	Backup and restore policy published to everyone with access	documentation	Claude	P2	68	Open
9655	Backup and restore policy: training given and recorded	governance	Chairman	P2	H5	Open
9656	Backup and restore policy reviewed each year	governance	Claude	P3	79	Open
9657	Supplier and third party risk policy drafted	documentation	Claude	P2	68	Open
9658	Supplier and third party risk policy approved by the board	governance	Chairman	P2	H5	Open
9659	Supplier and third party risk policy published to everyone with access	documentation	Claude	P2	68	Open
9660	Supplier and third party risk policy: training given and recorded	governance	Chairman	P2	H5	Open
9661	Supplier and third party risk policy reviewed each year	governance	Claude	P3	79	Open
9662	Data protection and privacy policy drafted	documentation	Claude	P1	38	Open
9663	Data protection and privacy policy reviewed by counsel	legal	Counsel	P1	H1	Open
9664	Data protection and privacy policy approved by the board	governance	Chairman	P1	H4	Open
9665	Data protection and privacy policy published to everyone with access	documentation	Claude	P1	38	Open
9666	Data protection and privacy policy: training given and recorded	governance	Chairman	P1	H4	Open
9667	Data protection and privacy policy reviewed each year	governance	Claude	P3	79	Open
9668	Data retention policy drafted	documentation	Claude	P1	38	Open
9669	Data retention policy reviewed by counsel	legal	Counsel	P1	H1	Open
9670	Data retention policy approved by the board	governance	Chairman	P1	H4	Open
9671	Data retention policy published to everyone with access	documentation	Claude	P1	38	Open
9672	Data retention policy: training given and recorded	governance	Chairman	P1	H4	Open
9673	Data retention policy reviewed each year	governance	Claude	P3	79	Open
9674	Data classification policy drafted	documentation	Claude	P2	68	Open

#	Item	Where	Owner	Pri	Phase	Status
9675	Data classification policy approved by the board	governance	Chairman	P2	H5	Open
9676	Data classification policy published to everyone with access	documentation	Claude	P2	68	Open
9677	Data classification policy: training given and recorded	governance	Chairman	P2	H5	Open
9678	Data classification policy reviewed each year	governance	Claude	P3	79	Open
9679	Anti money laundering, Halqa's part policy drafted	documentation	Claude	P1	38	Open
9680	Anti money laundering, Halqa's part policy reviewed by counsel	legal	Counsel	P1	H1	Open
9681	Anti money laundering, Halqa's part policy approved by the board	governance	Chairman	P1	H4	Open
9682	Anti money laundering, Halqa's part policy published to everyone with access	documentation	Claude	P1	38	Open
9683	Anti money laundering, Halqa's part policy: training given and recorded	governance	Chairman	P1	H4	Open
9684	Anti money laundering, Halqa's part policy reviewed each year	governance	Claude	P3	79	Open
9685	Fraud prevention policy drafted	documentation	Claude	P2	68	Open
9686	Fraud prevention policy approved by the board	governance	Chairman	P2	H5	Open
9687	Fraud prevention policy published to everyone with access	documentation	Claude	P2	68	Open
9688	Fraud prevention policy: training given and recorded	governance	Chairman	P2	H5	Open
9689	Fraud prevention policy reviewed each year	governance	Claude	P3	79	Open
9690	Complaints handling policy drafted	documentation	Claude	P1	38	Open
9691	Complaints handling policy reviewed by counsel	legal	Counsel	P1	H1	Open
9692	Complaints handling policy approved by the board	governance	Chairman	P1	H4	Open
9693	Complaints handling policy published to everyone with access	documentation	Claude	P1	38	Open
9694	Complaints handling policy: training given and recorded	governance	Chairman	P1	H4	Open
9695	Complaints handling policy reviewed each year	governance	Claude	P3	79	Open
9696	Fair treatment of members policy drafted	documentation	Claude	P1	38	Open
9697	Fair treatment of members policy reviewed by counsel	legal	Counsel	P1	H1	Open
9698	Fair treatment of members policy approved by the board	governance	Chairman	P1	H4	Open
9699	Fair treatment of members policy published to everyone with access	documentation	Claude	P1	38	Open
9700	Fair treatment of members policy: training given and recorded	governance	Chairman	P1	H4	Open
9701	Fair treatment of members policy reviewed each year	governance	Claude	P3	79	Open
9702	Conflicts of interest policy drafted	documentation	Claude	P1	38	Open
9703	Conflicts of interest policy reviewed by counsel	legal	Counsel	P1	H1	Open
9704	Conflicts of interest policy approved by the board	governance	Chairman	P1	H4	Open
9705	Conflicts of interest policy published to everyone with access	documentation	Claude	P1	38	Open

#	Item	Where	Owner	Pri	Phase	Status
9706	Conflicts of interest policy: training given and recorded	governance	Chairman	P1	H4	Open
9707	Conflicts of interest policy reviewed each year	governance	Claude	P3	79	Open
9708	Code of conduct policy drafted	documentation	Claude	P2	68	Open
9709	Code of conduct policy approved by the board	governance	Chairman	P2	H5	Open
9710	Code of conduct policy published to everyone with access	documentation	Claude	P2	68	Open
9711	Code of conduct policy: training given and recorded	governance	Chairman	P2	H5	Open
9712	Code of conduct policy reviewed each year	governance	Claude	P3	79	Open
9713	Whistleblowing policy drafted	documentation	Claude	P1	38	Open
9714	Whistleblowing policy reviewed by counsel	legal	Counsel	P1	H1	Open
9715	Whistleblowing policy approved by the board	governance	Chairman	P1	H4	Open
9716	Whistleblowing policy published to everyone with access	documentation	Claude	P1	38	Open
9717	Whistleblowing policy: training given and recorded	governance	Chairman	P1	H4	Open
9718	Whistleblowing policy reviewed each year	governance	Claude	P3	79	Open
9719	Gifts and hospitality policy drafted	documentation	Claude	P2	68	Open
9720	Gifts and hospitality policy approved by the board	governance	Chairman	P2	H5	Open
9721	Gifts and hospitality policy published to everyone with access	documentation	Claude	P2	68	Open
9722	Gifts and hospitality policy: training given and recorded	governance	Chairman	P2	H5	Open
9723	Gifts and hospitality policy reviewed each year	governance	Claude	P3	79	Open
9724	Social media policy drafted	documentation	Claude	P2	68	Open
9725	Social media policy approved by the board	governance	Chairman	P2	H5	Open
9726	Social media policy published to everyone with access	documentation	Claude	P2	68	Open
9727	Social media policy: training given and recorded	governance	Chairman	P2	H5	Open
9728	Social media policy reviewed each year	governance	Claude	P3	79	Open
9729	Remote working policy drafted	documentation	Claude	P2	68	Open
9730	Remote working policy approved by the board	governance	Chairman	P2	H5	Open
9731	Remote working policy published to everyone with access	documentation	Claude	P2	68	Open
9732	Remote working policy: training given and recorded	governance	Chairman	P2	H5	Open
9733	Remote working policy reviewed each year	governance	Claude	P3	79	Open
9734	Model risk policy drafted	documentation	Claude	P2	68	Open
9735	Model risk policy approved by the board	governance	Chairman	P2	H5	Open
9736	Model risk policy published to everyone with access	documentation	Claude	P2	68	Open

#	Item	Where	Owner	Pri	Phase	Status
9737	Model risk policy: training given and recorded	governance	Chairman	P2	H5	Open
9738	Model risk policy reviewed each year	governance	Claude	P3	79	Open
9739	Records management policy drafted	documentation	Claude	P2	68	Open
9740	Records management policy approved by the board	governance	Chairman	P2	H5	Open
9741	Records management policy published to everyone with access	documentation	Claude	P2	68	Open
9742	Records management policy: training given and recorded	governance	Chairman	P2	H5	Open
9743	Records management policy reviewed each year	governance	Claude	P3	79	Open
9744	Physical security policy drafted	documentation	Claude	P3	79	Open
9745	Physical security policy approved by the board	governance	Chairman	P3	H6	Open
9746	Physical security policy published to everyone with access	documentation	Claude	P3	79	Open
9747	Physical security policy: training given and recorded	governance	Chairman	P3	H6	Open
9748	Physical security policy reviewed each year	governance	Claude	P3	79	Open

AL2. Risk Management

A bank's approach scaled to Halqa: appetite, three lines of defence, a risk register and indicators.

#	Item	Where	Owner	Pri	Phase	Status
9749	Risk appetite statement approved by the board	governance	Chairman	P1	H4	Open
9750	Three lines of defence written for a small company: who does, who checks, who audits	governance	Claude	P2	68	Open
9751	Risk and control self assessment each quarter	governance	Claude	P2	68	Open
9752	Issue log: every control gap with an owner and a date	governance	Claude	P2	68	Open
9753	Control testing schedule	governance	Claude	P2	68	Open
9754	Regulatory change log: State Bank and SECP circulars read and acted on each month	governance	Claude	P2	68	Open
9755	Compliance monitoring plan for the first year	governance	Claude	P2	68	Open
9756	Risk: default by a member after collecting: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9757	Risk: fraud by a member at joining: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9758	Risk: collusion inside a circle: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9759	Risk: misconduct by a host: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9760	Risk: identity fraud and stolen CNICs: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9761	Risk: mule accounts receiving payouts: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9762	Risk: failure of the bank connection: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9763	Risk: failure of the PSP: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open

#	Item	Where	Owner	Pri	Phase	Status
9764	Risk: data breach: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9765	Risk: cyber attack on the service: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9766	Risk: dependence on the founder, who is 17: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9767	Risk: shortage of funds before revenue: owner, controls and the indicator that warns of it	risk register	Claude	P2	68	Open
9768	Risk: dependence on one bank: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9769	Risk: change in State Bank rules on service providers: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9770	Risk: a Shariah ruling against a feature on Raqami: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9771	Risk: mis-selling or unclear disclosure: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9772	Risk: complaints outrunning the support team: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9773	Risk: damage to reputation on social media: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9774	Risk: error in a model such as the score or affordability: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9775	Risk: failure of one of Halqa's own suppliers: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9776	Risk: data hosted outside Pakistan: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9777	Risk: message costs above the business model: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9778	Risk: removal from an application store: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9779	Risk: undertakings or guarantees not enforceable in court: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9780	Risk: tax treatment of the fee or the points: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9781	Risk: growth of the points liability: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9782	Risk: failure of a marketplace merchant: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9783	Risk: misuse of the turn market: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9784	Risk: losses in Hyper: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9785	Risk: an operational error in a payout run: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9786	Risk: reconciliation breaks left open: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9787	Risk: error by a contractor: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9788	Risk: misuse by someone with inside access: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9789	Risk: wrong data reported to the bureau: owner, controls and the indicator that warns of it	risk register	Claude	P2	69	Open
9790	Key risk indicator: collection success on the first attempt, with its threshold and its owner	risk register	Claude	P2	69	Open
9791	Key risk indicator: collection success by the 8th, with its threshold and its owner	risk register	Claude	P2	69	Open
9792	Key risk indicator: arrears after the 8th, with its threshold and its owner	risk register	Claude	P2	69	Open
9793	Key risk indicator: default after collection, with its threshold and its owner	risk register	Claude	P2	69	Open
9794	Key risk indicator: claims paid by the operator, with its threshold and its owner	risk register	Claude	P2	69	Open

#	Item	Where	Owner	Pri	Phase	Status
9795	Key risk indicator: complaints per 1,000 members, with its threshold and its owner	risk register	Claude	P2	69	Open
9796	Key risk indicator: complaints past their turnaround time, with its threshold and its owner	risk register	Claude	P2	69	Open
9797	Key risk indicator: fraud cases per 1,000 members, with its threshold and its owner	risk register	Claude	P2	69	Open
9798	Key risk indicator: time from fraud report to block, with its threshold and its owner	risk register	Claude	P2	69	Open
9799	Key risk indicator: reconciliation breaks open for more than a day, with its threshold and its owner	risk register	Claude	P2	69	Open
9800	Key risk indicator: payouts later than the 8th, with its threshold and its owner	risk register	Claude	P2	69	Open
9801	Key risk indicator: service availability, with its threshold and its owner	risk register	Claude	P2	69	Open
9802	Key risk indicator: incidents by severity, with its threshold and its owner	risk register	Claude	P2	69	Open
9803	Key risk indicator: message cost per member per month, with its threshold and its owner	risk register	Claude	P2	69	Open
9804	Key risk indicator: drop off at each onboarding step, with its threshold and its owner	risk register	Claude	P2	69	Open
9805	Key risk indicator: identity check failures, with its threshold and its owner	risk register	Claude	P2	69	Open
9806	Key risk indicator: attempted band overrides, with its threshold and its owner	risk register	Claude	P2	69	Open
9807	Key risk indicator: points liability, with its threshold and its owner	risk register	Claude	P2	69	Open

AL3. Model Risk

Each model Halqa relies on, documented, validated, monitored and changed under control.

#	Item	Where	Owner	Pri	Phase	Status
9808	Model, affordability: documentation of purpose, inputs, method and limits	documents	Claude	P2	69	Open
9809	Model, affordability: independent validation before use on live members	external	Auditor	P2	H4	Open
9810	Model, affordability: monitoring thresholds and alerts	reporting	Claude	P2	69	Open
9811	Model, affordability: recalibration schedule against outcomes	process	Claude	P3	79	Open
9812	Model, affordability: changes approved and recorded before release	process	Claude	P2	69	Open
9813	Model, identity confidence: documentation of purpose, inputs, method and limits	documents	Claude	P2	69	Open
9814	Model, identity confidence: independent validation before use on live members	external	Auditor	P2	H4	Open
9815	Model, identity confidence: monitoring thresholds and alerts	reporting	Claude	P2	69	Open
9816	Model, identity confidence: recalibration schedule against outcomes	process	Claude	P3	79	Open
9817	Model, identity confidence: changes approved and recorded before release	process	Claude	P2	69	Open
9818	Model, salary pattern: documentation of purpose, inputs, method and limits	documents	Claude	P2	69	Open
9819	Model, salary pattern: independent validation before use on live members	external	Auditor	P2	H4	Open
9820	Model, salary pattern: monitoring thresholds and alerts	reporting	Claude	P2	69	Open
9821	Model, salary pattern: recalibration schedule against outcomes	process	Claude	P3	79	Open

#	Item	Where	Owner	Pri	Phase	Status
9822	Model, salary pattern: changes approved and recorded before release	process	Claude	P2	69	Open
9823	Model, credit score and bands: documentation of purpose, inputs, method and limits	documents	Claude	P2	69	Open
9824	Model, credit score and bands: independent validation before use on live members	external	Auditor	P2	H4	Open
9825	Model, credit score and bands: monitoring thresholds and alerts	reporting	Claude	P2	69	Open
9826	Model, credit score and bands: recalibration schedule against outcomes	process	Claude	P3	79	Open
9827	Model, credit score and bands: changes approved and recorded before release	process	Claude	P2	69	Open
9828	Model, exposure: documentation of purpose, inputs, method and limits	documents	Claude	P2	69	Open
9829	Model, exposure: independent validation before use on live members	external	Auditor	P2	H4	Open
9830	Model, exposure: monitoring thresholds and alerts	reporting	Claude	P2	69	Open
9831	Model, exposure: recalibration schedule against outcomes	process	Claude	P3	79	Open
9832	Model, exposure: changes approved and recorded before release	process	Claude	P2	69	Open
9833	Model, forward liability: documentation of purpose, inputs, method and limits	documents	Claude	P2	69	Open
9834	Model, forward liability: independent validation before use on live members	external	Auditor	P2	H4	Open
9835	Model, forward liability: monitoring thresholds and alerts	reporting	Claude	P2	69	Open
9836	Model, forward liability: recalibration schedule against outcomes	process	Claude	P3	79	Open
9837	Model, forward liability: changes approved and recorded before release	process	Claude	P2	69	Open
9838	Model, takaful or insurance pricing: documentation of purpose, inputs, method and limits	documents	Claude	P2	69	Open
9839	Model, takaful or insurance pricing: independent validation before use on live members	external	Auditor	P2	H4	Open
9840	Model, takaful or insurance pricing: monitoring thresholds and alerts	reporting	Claude	P2	69	Open
9841	Model, takaful or insurance pricing: recalibration schedule against outcomes	process	Claude	P3	79	Open
9842	Model, takaful or insurance pricing: changes approved and recorded before release	process	Claude	P2	69	Open
9843	Model, hyper default threshold: documentation of purpose, inputs, method and limits	documents	Claude	P2	69	Open
9844	Model, hyper default threshold: independent validation before use on live members	external	Auditor	P2	H4	Open
9845	Model, hyper default threshold: monitoring thresholds and alerts	reporting	Claude	P2	69	Open
9846	Model, hyper default threshold: recalibration schedule against outcomes	process	Claude	P3	79	Open
9847	Model, hyper default threshold: changes approved and recorded before release	process	Claude	P2	69	Open
9848	Model, fraud signals: documentation of purpose, inputs, method and limits	documents	Claude	P2	69	Open
9849	Model, fraud signals: independent validation before use on live members	external	Auditor	P2	H4	Open
9850	Model, fraud signals: monitoring thresholds and alerts	reporting	Claude	P2	69	Open
9851	Model, fraud signals: recalibration schedule against outcomes	process	Claude	P3	79	Open
9852	Model, fraud signals: changes approved and recorded before release	process	Claude	P2	69	Open

AL4. Continuity

Item 706 by scenario and by service.

#	Item	Where	Owner	Pri	Phase	Status
9853	Continuity plan for the bank's interfaces unavailable on a payday	documentation	Claude	P1	38	Open
9854	Continuity plan tested: the bank's interfaces unavailable on a payday	operations	Claude	P2	69	Open
9855	Continuity plan for the PSP unavailable	documentation	Claude	P1	38	Open
9856	Continuity plan tested: the PSP unavailable	operations	Claude	P2	69	Open
9857	Continuity plan for the hosting region unavailable	documentation	Claude	P1	38	Open
9858	Continuity plan tested: the hosting region unavailable	operations	Claude	P2	69	Open
9859	Continuity plan for database corruption	documentation	Claude	P1	38	Open
9860	Continuity plan tested: database corruption	operations	Claude	P2	69	Open
9861	Continuity plan for WhatsApp unavailable or the account suspended	documentation	Claude	P1	38	Open
9862	Continuity plan tested: WhatsApp unavailable or the account suspended	operations	Claude	P2	69	Open
9863	Continuity plan for SMS codes delayed	documentation	Claude	P1	38	Open
9864	Continuity plan tested: SMS codes delayed	operations	Claude	P2	69	Open
9865	Continuity plan for the founder unavailable for a month	documentation	Claude	P1	38	Open
9866	Continuity plan tested: the founder unavailable for a month	operations	Claude	P2	69	Open
9867	Continuity plan for a cyber incident	documentation	Claude	P1	38	Open
9868	Continuity plan tested: a cyber incident	operations	Claude	P2	69	Open
9869	Continuity plan for a payout run failing on the 8th	documentation	Claude	P1	38	Open
9870	Continuity plan tested: a payout run failing on the 8th	operations	Claude	P2	69	Open
9871	Continuity plan for a sudden wave of complaints	documentation	Claude	P1	38	Open
9872	Continuity plan tested: a sudden wave of complaints	operations	Claude	P2	69	Open
9873	Continuity plan for removal from an application store	documentation	Claude	P1	38	Open
9874	Continuity plan tested: removal from an application store	operations	Claude	P2	69	Open
9875	Continuity plan for loss of the domain name	documentation	Claude	P1	38	Open
9876	Continuity plan tested: loss of the domain name	operations	Claude	P2	69	Open
9877	Recovery time and recovery point set for the interface service	infrastructure	Claude	P1	38	Open
9878	Recovery time and recovery point set for the database	infrastructure	Claude	P1	38	Open
9879	Recovery time and recovery point set for the collection run	infrastructure	Claude	P1	38	Open
9880	Recovery time and recovery point set for the payout run	infrastructure	Claude	P1	38	Open
9881	Recovery time and recovery point set for notifications	infrastructure	Claude	P1	38	Open

#	Item	Where	Owner	Pri	Phase	Status
9882	Recovery time and recovery point set for the administrative console	infrastructure	Claude	P1	38	Open

AL5. Finance

#	Item	Where	Owner	Pri	Phase	Status
9883	Chart of accounts for the company	finance	Chairman	P1	H1	Open
9884	Monthly close checklist	finance	Claude	P2	69	Open
9885	Monthly reconciliation of the bank's income statement against Halqa's records	finance	Claude	P2	69	Open
9886	Runway updated each month against the budget of item 740	finance	Claude	P1	38	Open
9887	Cash flow forecast by month	finance	Claude	P2	69	Open
9888	Investor update each quarter	finance	Chairman	P3	H6	Open
9889	Expense approval rule	finance	Chairman	P2	H5	Open
9890	Audit readiness: records, approvals and reconciliations kept as an auditor expects	finance	Claude	P2	69	Open
9891	Data room for the bank and investors: certificate of incorporation	documents	Claude	P2	69	Open
9892	Data room for the bank and investors: memorandum and articles	documents	Claude	P2	69	Open
9893	Data room for the bank and investors: shareholding record	documents	Claude	P2	69	Open
9894	Data room for the bank and investors: financial model	documents	Claude	P2	69	Open
9895	Data room for the bank and investors: business model and unit costs	documents	Claude	P2	69	Open
9896	Data room for the bank and investors: presentations for both banks	documents	Claude	P2	69	Open
9897	Data room for the bank and investors: product demonstration	documents	Claude	P2	69	Open
9898	Data room for the bank and investors: opinions of counsel	documents	Claude	P2	69	Open
9899	Data room for the bank and investors: agreement with the bank	documents	Claude	P2	69	Open
9900	Data room for the bank and investors: policy set	documents	Claude	P2	69	Open
9901	Data room for the bank and investors: security pack	documents	Claude	P2	69	Open
9902	Data room for the bank and investors: risk register	documents	Claude	P2	69	Open
9903	Data room for the bank and investors: key measures	documents	Claude	P2	70	Open
9904	Data room for the bank and investors: founder and board profiles	documents	Claude	P2	70	Open
9905	Data room for the bank and investors: references	documents	Claude	P2	70	Open

AL6. People

#	Item	Where	Owner	Pri	Phase	Status
9906	Roles and responsibilities written for product, engineering, operations, support, compliance and finance	governance	Claude	P1	38	Open
9907	Agreement with the software house, with confidentiality, intellectual property and security terms	legal	Counsel	P1	H1	Open

#	Item	Where	Owner	Pri	Phase	Status
9908	Agreement with the translator	commercial	Chairman	P1	H3	Open
9909	Confidentiality agreements signed by everyone with access, in the bank's form where it has one	legal	Chairman	P0	H1	Open
9910	Background checks before access is granted	governance	Chairman	P1	H4	Open
9911	Access granted and removed by checklist on joining and leaving	security	Claude	P1	38	Open
9912	Training plan: security, money laundering, conduct and complaints	governance	Claude	P2	70	Open
9913	Hiring decisions for launch: support, compliance and operations	decision	Chairman	P2	H5	Open
9914	The founder's role and authority recorded while the founder is under 18, with the director's authority	corporate	Counsel	P0	H1	Open

AL7. Suppliers

Items 804 and 805 by supplier.

#	Item	Where	Owner	Pri	Phase	Status
9915	Supplier, Vercel: due diligence recorded	governance	Claude	P2	70	Open
9916	Supplier, Vercel: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9917	Supplier, Vercel: exit plan	governance	Claude	P3	79	Open
9918	Supplier, Vercel: reviewed each year	governance	Claude	P3	79	Open
9919	Supplier, Supabase: due diligence recorded	governance	Claude	P2	70	Open
9920	Supplier, Supabase: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9921	Supplier, Supabase: exit plan	governance	Claude	P3	79	Open
9922	Supplier, Supabase: reviewed each year	governance	Claude	P3	79	Open
9923	Supplier, Amazon Web Services: due diligence recorded	governance	Claude	P2	70	Open
9924	Supplier, Amazon Web Services: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9925	Supplier, Amazon Web Services: exit plan	governance	Claude	P3	80	Open
9926	Supplier, Amazon Web Services: reviewed each year	governance	Claude	P3	80	Open
9927	Supplier, Meta for WhatsApp: due diligence recorded	governance	Claude	P2	70	Open
9928	Supplier, Meta for WhatsApp: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9929	Supplier, Meta for WhatsApp: exit plan	governance	Claude	P3	80	Open
9930	Supplier, Meta for WhatsApp: reviewed each year	governance	Claude	P3	80	Open
9931	Supplier, the SMS provider: due diligence recorded	governance	Claude	P2	70	Open
9932	Supplier, the SMS provider: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9933	Supplier, the SMS provider: exit plan	governance	Claude	P3	80	Open
9934	Supplier, the SMS provider: reviewed each year	governance	Claude	P3	80	Open

#	Item	Where	Owner	Pri	Phase	Status
9935	Supplier, Safepay: due diligence recorded	governance	Claude	P2	70	Open
9936	Supplier, Safepay: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9937	Supplier, Safepay: exit plan	governance	Claude	P3	80	Open
9938	Supplier, Safepay: reviewed each year	governance	Claude	P3	80	Open
9939	Supplier, Google Workspace: due diligence recorded	governance	Claude	P2	70	Open
9940	Supplier, Google Workspace: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9941	Supplier, Google Workspace: exit plan	governance	Claude	P3	80	Open
9942	Supplier, Google Workspace: reviewed each year	governance	Claude	P3	80	Open
9943	Supplier, Google Play and Firebase: due diligence recorded	governance	Claude	P2	70	Open
9944	Supplier, Google Play and Firebase: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9945	Supplier, Google Play and Firebase: exit plan	governance	Claude	P3	80	Open
9946	Supplier, Google Play and Firebase: reviewed each year	governance	Claude	P3	80	Open
9947	Supplier, Apple: due diligence recorded	governance	Claude	P2	70	Open
9948	Supplier, Apple: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9949	Supplier, Apple: exit plan	governance	Claude	P3	80	Open
9950	Supplier, Apple: reviewed each year	governance	Claude	P3	80	Open
9951	Supplier, Sentry: due diligence recorded	governance	Claude	P2	70	Open
9952	Supplier, Sentry: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9953	Supplier, Sentry: exit plan	governance	Claude	P3	80	Open
9954	Supplier, Sentry: reviewed each year	governance	Claude	P3	80	Open
9955	Supplier, Resend: due diligence recorded	governance	Claude	P2	70	Open
9956	Supplier, Resend: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9957	Supplier, Resend: exit plan	governance	Claude	P3	80	Open
9958	Supplier, Resend: reviewed each year	governance	Claude	P3	80	Open
9959	Supplier, the domain registrar: due diligence recorded	governance	Claude	P2	70	Open
9960	Supplier, the domain registrar: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9961	Supplier, the domain registrar: exit plan	governance	Claude	P3	80	Open
9962	Supplier, the domain registrar: reviewed each year	governance	Claude	P3	80	Open
9963	Supplier, Cloudflare: due diligence recorded	governance	Claude	P2	70	Open
9964	Supplier, Cloudflare: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9965	Supplier, Cloudflare: exit plan	governance	Claude	P3	80	Open

#	Item	Where	Owner	Pri	Phase	Status
9966	Supplier, Cloudflare: reviewed each year	governance	Claude	P3	80	Open
9967	Supplier, GitHub: due diligence recorded	governance	Claude	P2	70	Open
9968	Supplier, GitHub: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9969	Supplier, GitHub: exit plan	governance	Claude	P3	80	Open
9970	Supplier, GitHub: reviewed each year	governance	Claude	P3	80	Open
9971	Supplier, the translator: due diligence recorded	governance	Claude	P2	70	Open
9972	Supplier, the translator: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9973	Supplier, the translator: exit plan	governance	Claude	P3	80	Open
9974	Supplier, the translator: reviewed each year	governance	Claude	P3	80	Open
9975	Supplier, the penetration tester: due diligence recorded	governance	Claude	P2	70	Open
9976	Supplier, the penetration tester: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9977	Supplier, the penetration tester: exit plan	governance	Claude	P3	80	Open
9978	Supplier, the penetration tester: reviewed each year	governance	Claude	P3	80	Open
9979	Supplier, the auditor: due diligence recorded	governance	Claude	P2	70	Open
9980	Supplier, the auditor: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9981	Supplier, the auditor: exit plan	governance	Claude	P3	80	Open
9982	Supplier, the auditor: reviewed each year	governance	Claude	P3	80	Open
9983	Supplier, the tax adviser: due diligence recorded	governance	Claude	P2	70	Open
9984	Supplier, the tax adviser: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9985	Supplier, the tax adviser: exit plan	governance	Claude	P3	80	Open
9986	Supplier, the tax adviser: reviewed each year	governance	Claude	P3	80	Open
9987	Supplier, counsel: due diligence recorded	governance	Claude	P2	70	Open
9988	Supplier, counsel: contract and data processing terms in place	legal	Chairman	P2	H1	Open
9989	Supplier, counsel: exit plan	governance	Claude	P3	80	Open
9990	Supplier, counsel: reviewed each year	governance	Claude	P3	80	Open
9991	Supplier, TASDEEQ: due diligence recorded	governance	Claude	P2	70	Open
9992	Supplier, TASDEEQ: contract and data processing terms in place	legal	Chairman	P2	H5	Open
9993	Supplier, TASDEEQ: exit plan	governance	Claude	P3	80	Open
9994	Supplier, TASDEEQ: reviewed each year	governance	Claude	P3	80	Open
9995	Supplier, the takaful or insurance operator, through the bank: due diligence recorded	governance	Claude	P2	70	Open
9996	Supplier, the takaful or insurance operator, through the bank: contract and data processing terms in place	legal	Chairman	P2	H5	Open

#	Item	Where	Owner	Pri	Phase	Status
9997	Supplier, the takaful or insurance operator, through the bank: exit plan	governance	Claude	P3	80	Open
9998	Supplier, the takaful or insurance operator, through the bank: reviewed each year	governance	Claude	P3	80	Open
9999	Supplier, marketplace merchants: due diligence recorded	governance	Claude	P2	70	Open
10000	Supplier, marketplace merchants: contract and data processing terms in place	legal	Chairman	P2	H5	Open
10001	Supplier, marketplace merchants: exit plan	governance	Claude	P3	80	Open
10002	Supplier, marketplace merchants: reviewed each year	governance	Claude	P3	80	Open
10003	Supplier, the software house: due diligence recorded	governance	Claude	P2	70	Open
10004	Supplier, the software house: contract and data processing terms in place	legal	Chairman	P2	H5	Open
10005	Supplier, the software house: exit plan	governance	Claude	P3	80	Open
10006	Supplier, the software house: reviewed each year	governance	Claude	P3	80	Open

AL8. Drafts Prepared for Counsel

The legal items of sections K, S and W remain counsel's. Claude prepares each first draft or brief, so that counsel's time goes on review rather than on drafting.

#	Item	Where	Owner	Pri	Phase	Status
10007	Draft for counsel: memorandum object clause for the restructured model (item 477)	drafts for counsel	Claude	P0	11	Open
10008	Draft for counsel: member undertaking stating the sum owed after each round (item 483)	drafts for counsel	Claude	P0	11	Open
10009	Draft for counsel: mutual guarantee as a separate instrument between members (item 484)	drafts for counsel	Claude	P1	38	Open
10010	Draft for counsel: collection mandate text stating amount, cadence, ceiling and cancellation (item 485)	drafts for counsel	Claude	P0	11	Open
10011	Draft for counsel: arbitration clause naming the dispute route (item 486)	drafts for counsel	Claude	P1	38	Open
10012	Draft for counsel: no custody clause: every balance sits with the partner bank (item 487)	drafts for counsel	Claude	P0	11	Open
10013	Draft for counsel: member agreement, privacy, cookies, advertising, community and fees, versioned together (item 488)	drafts for counsel	Claude	P0	11	Open
10014	Draft for counsel: brief on limb twelve of the definition of a financial institution (item 489)	drafts for counsel	Claude	P0	11	Open
10015	Draft for counsel: services agreement: Halqa as the system, the bank as the licensed holder and mover of money (item 667)	drafts for counsel	Claude	P0	11	Open
10016	Draft for counsel: schedule of functions, with the owner of every record and the functions Halqa never performs: custody, lending, the account opening decision and insurance (item 668)	drafts for counsel	Claude	P0	11	Open
10017	Draft for counsel: service levels schedule (item 669)	drafts for counsel	Claude	P1	38	Open
10018	Draft for counsel: data clause (item 675)	drafts for counsel	Claude	P1	38	Open
10019	Draft for counsel: intellectual property clause (item 676)	drafts for counsel	Claude	P1	38	Open
10020	Draft for counsel: liability clause (item 677)	drafts for counsel	Claude	P1	38	Open
10021	Draft for counsel: exit and migration clause (item 678)	drafts for counsel	Claude	P1	38	Open

#	Item	Where	Owner	Pri	Phase	Status
10022	Draft for counsel: business continuity duties of both parties (item 679)	drafts for counsel	Claude	P1	38	Open
10023	Draft for counsel: audit rights of the bank and the State Bank (item 680)	drafts for counsel	Claude	P1	38	Open
10024	Draft for counsel: complaints routing between the bank and Halqa (item 681)	drafts for counsel	Claude	P1	38	Open
10025	Draft for counsel: governing law and dispute resolution clause (item 683)	drafts for counsel	Claude	P2	70	Open
10026	Draft for counsel: change control clause (item 684)	drafts for counsel	Claude	P1	38	Open
10027	Draft for counsel: brief on Halqa as the bank's service provider and on section 84 of the Companies Act (item 693)	drafts for counsel	Claude	P0	11	Open
10028	Draft for counsel: brief on points bought with money and redeemed with merchants (item 694)	drafts for counsel	Claude	P1	38	Open
10029	Draft for counsel: brief on the turn market under the SECP rules for peer to peer lending (item 695)	drafts for counsel	Claude	P1	38	Open
10030	Draft for counsel: brief on credit reporting from day one (item 696)	drafts for counsel	Claude	P1	38	Open
10031	Draft for counsel: note on points under the Virtual Assets Act 2026 (item 697)	drafts for counsel	Claude	P2	70	Open
10032	Draft for counsel: member agreement for three parties: the member, Halqa and the bank (item 719)	drafts for counsel	Claude	P0	11	Open
10033	Draft for counsel: privacy policy stating which records Halqa holds and which the bank holds (item 720)	drafts for counsel	Claude	P0	11	Open
10034	Draft for counsel: mandate terms in the bank's form, as shown inside Halqa (item 721)	drafts for counsel	Claude	P1	38	Open
10035	Draft for counsel: points terms (item 722)	drafts for counsel	Claude	P2	70	Open
10036	Draft for counsel: marketplace terms (item 723)	drafts for counsel	Claude	P2	70	Open
10037	Draft for counsel: turn market terms (item 724)	drafts for counsel	Claude	P2	70	Open
10038	Draft for counsel: takaful or insurance terms in the operator's form (item 725)	drafts for counsel	Claude	P1	38	Open
10039	Draft for counsel: credit reporting consent naming the route the bank chooses (item 726)	drafts for counsel	Claude	P1	38	Open
10040	Draft for counsel: savings product terms in the bank's form (item 727)	drafts for counsel	Claude	P2	70	Open
10041	Draft for counsel: terms for members abroad (item 728)	drafts for counsel	Claude	P3	80	Open
10042	Draft for counsel: experimental terms for Hyper (item 729)	drafts for counsel	Claude	P2	70	Open
10043	Draft for counsel: complaints procedure covering Halqa and the bank (item 730)	drafts for counsel	Claude	P1	38	Open
10044	Draft for counsel: consent step for the bureau, agreed with TASDEEQ (item 460)	drafts for counsel	Claude	P1	38	Open
10045	Draft for counsel: brief on the Credit Bureaus Act 2015 for the chosen reporting route (item 943)	drafts for counsel	Claude	P1	38	Open
10046	Draft for counsel: note confirming that Halqa earns no return on any member's money (item 453)	drafts for counsel	Claude	P2	70	Open
10047	Draft for counsel: note on section 31(1)(c) of the Electronic Transactions Ordinance (item 457)	drafts for counsel	Claude	P2	70	Open
10048	Draft for counsel: data processing agreement for suppliers (item 805)	drafts for counsel	Claude	P2	70	Open
10049	Draft for counsel: agency checklist under regulations 4 and 22 of the Corporate Insurance Agents Regulations 2020, used only if an agency is held (item 433)	drafts for counsel	Claude	P3	80	Open

AM. Operations

AM1. Service Levels and Incidents

In the manner of a large technology company: objectives, error budgets, on call and reviews.

#	Item	Where	Owner	Pri	Phase	Status
10050	Service level objective for sign in, with its measure and its error budget	operations	Claude	P1	42	Open
10051	Service level objective for paying an instalment, with its measure and its error budget	operations	Claude	P1	42	Open
10052	Service level objective for payout on the 8th, with its measure and its error budget	operations	Claude	P1	42	Open
10053	Service level objective for the collection run, with its measure and its error budget	operations	Claude	P1	42	Open
10054	Service level objective for alerts reaching members, with its measure and its error budget	operations	Claude	P1	42	Open
10055	Service level objective for the application loading, with its measure and its error budget	operations	Claude	P1	42	Open
10056	Service level objective for the interface service answering, with its measure and its error budget	operations	Claude	P1	42	Open
10057	Severity levels for incidents, with response times	operations	Claude	P1	42	Open
10058	On call rota with a backup, and the escalation path	operations	Chairman	P1	H4	Open
10059	Post incident review, blameless, written within five working days, with actions tracked	operations	Claude	P1	42	Open
10060	Production readiness review before any launch: monitoring, runbooks, rollback, load	process	Claude	P1	42	Open
10061	No releases from two days before the 8th to the day after, so payout day is never at risk	process	Claude	P0	12	Open
10062	Release calendar shared with the bank	process	Claude	P2	72	Open
10063	Capacity review each month against growth	process	Claude	P3	80	Open

AM2. More Runbooks

Runbooks beyond those in section R.

#	Item	Where	Owner	Pri	Phase	Status
10064	Runbook: a WhatsApp template rejected	documentation	Claude	P2	72	Open
10065	Runbook: a database restore	documentation	Claude	P2	72	Open
10066	Runbook: a leaked secret	documentation	Claude	P2	72	Open
10067	Runbook: an application store rejection	documentation	Claude	P2	72	Open
10068	Runbook: a mass sign up attack	documentation	Claude	P2	72	Open
10069	Runbook: a suspected fraud ring	documentation	Claude	P2	73	Open
10070	Runbook: a request to see or delete data	documentation	Claude	P2	73	Open
10071	Runbook: a complaint escalated to the bank	documentation	Claude	P2	73	Open
10072	Runbook: a spike in points purchases	documentation	Claude	P2	73	Open
10073	Runbook: a merchant failing to deliver	documentation	Claude	P2	73	Open

#	Item	Where	Owner	Pri	Phase	Status
10074	Runbook: a disputed turn trade	documentation	Claude	P2	73	Open
10075	Runbook: a member reporting a stolen phone	documentation	Claude	P2	73	Open
10076	Runbook: an alert storm	documentation	Claude	P2	73	Open

AM3. Help and Support

#	Item	Where	Owner	Pri	Phase	Status
10077	Help article in English: what a committee is	content	Claude	P1		Done
10078	Help article in Urdu: what a committee is	content	Translator	P1	H4	Open
10079	Assistant answer updated for: what a committee is	rafa-knowledge.ts	Claude	P2		Done
10080	Help article in English: how Halqa works with the bank	content	Claude	P1		Done
10081	Help article in Urdu: how Halqa works with the bank	content	Translator	P1	H4	Open
10082	Assistant answer updated for: how Halqa works with the bank	rafa-knowledge.ts	Claude	P2		Done
10083	Help article in English: opening the bank account	content	Claude	P1		Done
10084	Help article in Urdu: opening the bank account	content	Translator	P1	H4	Open
10085	Assistant answer updated for: opening the bank account	rafa-knowledge.ts	Claude	P2		Done
10086	Help article in English: why the bank checks fingerprints	content	Claude	P1		Done
10087	Help article in Urdu: why the bank checks fingerprints	content	Translator	P1	H4	Open
10088	Assistant answer updated for: why the bank checks fingerprints	rafa-knowledge.ts	Claude	P2		Done
10089	Help article in English: the Rs 85 fee	content	Claude	P1		Done
10090	Help article in Urdu: the Rs 85 fee	content	Translator	P1	H4	Open
10091	Assistant answer updated for: the Rs 85 fee	rafa-knowledge.ts	Claude	P2		Done
10092	Help article in English: the PSP service fee on wallets and cards	content	Claude	P1		Done
10093	Help article in Urdu: the PSP service fee on wallets and cards	content	Translator	P1	H4	Open
10094	Assistant answer updated for: the PSP service fee on wallets and cards	rafa-knowledge.ts	Claude	P2		Done
10095	Help article in English: the takaful or insurance fee	content	Claude	P1		Done
10096	Help article in Urdu: the takaful or insurance fee	content	Translator	P1	H4	Open
10097	Assistant answer updated for: the takaful or insurance fee	rafa-knowledge.ts	Claude	P2		Done
10098	Help article in English: how the order of turns is set	content	Claude	P1		Done
10099	Help article in Urdu: how the order of turns is set	content	Translator	P1	H4	Open
10100	Assistant answer updated for: how the order of turns is set	rafa-knowledge.ts	Claude	P2		Done
10101	Help article in English: score bands	content	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
10102	Help article in Urdu: score bands	content	Translator	P1	H4	Open
10103	Assistant answer updated for: score bands	rafa-knowledge.ts	Claude	P2		Done
10104	Help article in English: why new members start last	content	Claude	P1		Done
10105	Help article in Urdu: why new members start last	content	Translator	P1	H4	Open
10106	Assistant answer updated for: why new members start last	rafa-knowledge.ts	Claude	P2		Done
10107	Help article in English: joining with a code	content	Claude	P1		Done
10108	Help article in Urdu: joining with a code	content	Translator	P1	H4	Open
10109	Assistant answer updated for: joining with a code	rafa-knowledge.ts	Claude	P2		Done
10110	Help article in English: hosting a circle	content	Claude	P1		Done
10111	Help article in Urdu: hosting a circle	content	Translator	P1	H4	Open
10112	Assistant answer updated for: hosting a circle	rafa-knowledge.ts	Claude	P2		Done
10113	Help article in English: admitting members	content	Claude	P1		Done
10114	Help article in Urdu: admitting members	content	Translator	P1	H4	Open
10115	Assistant answer updated for: admitting members	rafa-knowledge.ts	Claude	P2		Done
10116	Help article in English: reminders	content	Claude	P1		Done
10117	Help article in Urdu: reminders	content	Translator	P1	H4	Open
10118	Assistant answer updated for: reminders	rafa-knowledge.ts	Claude	P2		Done
10119	Help article in English: paying by mandate	content	Claude	P1		Done
10120	Help article in Urdu: paying by mandate	content	Translator	P1	H4	Open
10121	Assistant answer updated for: paying by mandate	rafa-knowledge.ts	Claude	P2		Done
10122	Help article in English: paying by wallet or card	content	Claude	P1		Done
10123	Help article in Urdu: paying by wallet or card	content	Translator	P1	H4	Open
10124	Assistant answer updated for: paying by wallet or card	rafa-knowledge.ts	Claude	P2		Done
10125	Help article in English: paying by Raast	content	Claude	P1		Done
10126	Help article in Urdu: paying by Raast	content	Translator	P1	H4	Open
10127	Assistant answer updated for: paying by Raast	rafa-knowledge.ts	Claude	P2		Done
10128	Help article in English: when a payment fails	content	Claude	P1		Done
10129	Help article in Urdu: when a payment fails	content	Translator	P1	H4	Open
10130	Assistant answer updated for: when a payment fails	rafa-knowledge.ts	Claude	P2		Done
10131	Help article in English: late charges	content	Claude	P1		Done
10132	Help article in Urdu: late charges	content	Translator	P1	H4	Open

#	Item	Where	Owner	Pri	Phase	Status
10133	Assistant answer updated for: late charges	rafa-knowledge.ts	Claude	P2		Done
10134	Help article in English: why the 8th	content	Claude	P1		Done
10135	Help article in Urdu: why the 8th	content	Translator	P1	H4	Open
10136	Assistant answer updated for: why the 8th	rafa-knowledge.ts	Claude	P2		Done
10137	Help article in English: receiving the pot	content	Claude	P1		Done
10138	Help article in Urdu: receiving the pot	content	Translator	P1	H4	Open
10139	Assistant answer updated for: receiving the pot	rafa-knowledge.ts	Claude	P2		Done
10140	Help article in English: arrears and set off	content	Claude	P1		Done
10141	Help article in Urdu: arrears and set off	content	Translator	P1	H4	Open
10142	Assistant answer updated for: arrears and set off	rafa-knowledge.ts	Claude	P2		Done
10143	Help article in English: hardship plans	content	Claude	P1		Done
10144	Help article in Urdu: hardship plans	content	Translator	P1	H4	Open
10145	Assistant answer updated for: hardship plans	rafa-knowledge.ts	Claude	P2		Done
10146	Help article in English: leaving a circle	content	Claude	P1		Done
10147	Help article in Urdu: leaving a circle	content	Translator	P1	H4	Open
10148	Assistant answer updated for: leaving a circle	rafa-knowledge.ts	Claude	P2		Done
10149	Help article in English: disputes	content	Claude	P1		Done
10150	Help article in Urdu: disputes	content	Translator	P1	H4	Open
10151	Assistant answer updated for: disputes	rafa-knowledge.ts	Claude	P2		Done
10152	Help article in English: complaints	content	Claude	P1		Done
10153	Help article in Urdu: complaints	content	Translator	P1	H4	Open
10154	Assistant answer updated for: complaints	rafa-knowledge.ts	Claude	P2		Done
10155	Help article in English: points and rewards	content	Claude	P1		Done
10156	Help article in Urdu: points and rewards	content	Translator	P1	H4	Open
10157	Assistant answer updated for: points and rewards	rafa-knowledge.ts	Claude	P2		Done
10158	Help article in English: the marketplace	content	Claude	P1		Done
10159	Help article in Urdu: the marketplace	content	Translator	P1	H4	Open
10160	Assistant answer updated for: the marketplace	rafa-knowledge.ts	Claude	P2		Done
10161	Help article in English: the turn market	content	Claude	P1		Done
10162	Help article in Urdu: the turn market	content	Translator	P1	H4	Open
10163	Assistant answer updated for: the turn market	rafa-knowledge.ts	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
10164	Help article in English: Hyper, an experiment	content	Claude	P1		Done
10165	Help article in Urdu: Hyper, an experiment	content	Translator	P1	H4	Open
10166	Assistant answer updated for: Hyper, an experiment	rafa-knowledge.ts	Claude	P2		Done
10167	Help article in English: the credit record and TASDEEQ	content	Claude	P1		Done
10168	Help article in Urdu: the credit record and TASDEEQ	content	Translator	P1	H4	Open
10169	Assistant answer updated for: the credit record and TASDEEQ	rafa-knowledge.ts	Claude	P2		Done
10170	Help article in English: the credit score	content	Claude	P1		Done
10171	Help article in Urdu: the credit score	content	Translator	P1	H4	Open
10172	Assistant answer updated for: the credit score	rafa-knowledge.ts	Claude	P2		Done
10173	Help article in English: keeping a PIN safe	content	Claude	P1		Done
10174	Help article in Urdu: keeping a PIN safe	content	Translator	P1	H4	Open
10175	Assistant answer updated for: keeping a PIN safe	rafa-knowledge.ts	Claude	P2		Done
10176	Help article in English: changing phone or device	content	Claude	P1		Done
10177	Help article in Urdu: changing phone or device	content	Translator	P1	H4	Open
10178	Assistant answer updated for: changing phone or device	rafa-knowledge.ts	Claude	P2		Done
10179	Help article in English: changing a phone number	content	Claude	P1		Done
10180	Help article in Urdu: changing a phone number	content	Translator	P1	H4	Open
10181	Assistant answer updated for: changing a phone number	rafa-knowledge.ts	Claude	P2		Done
10182	Help article in English: data and privacy	content	Claude	P1		Done
10183	Help article in Urdu: data and privacy	content	Translator	P1	H4	Open
10184	Assistant answer updated for: data and privacy	rafa-knowledge.ts	Claude	P2		Done
10185	Help article in English: closing the account	content	Claude	P1		Done
10186	Help article in Urdu: closing the account	content	Translator	P1	H4	Open
10187	Assistant answer updated for: closing the account	rafa-knowledge.ts	Claude	P2		Done
10188	Help article in English: members abroad	content	Claude	P1		Done
10189	Help article in Urdu: members abroad	content	Translator	P1	H4	Open
10190	Assistant answer updated for: members abroad	rafa-knowledge.ts	Claude	P2		Done
10191	Help article in English: Islamic accounts	content	Claude	P1		Done
10192	Help article in Urdu: Islamic accounts	content	Translator	P1	H4	Open
10193	Assistant answer updated for: Islamic accounts	rafa-knowledge.ts	Claude	P2		Done
10194	Help article in English: contact and hours	content	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
10195	Help article in Urdu: contact and hours	content	Translator	P1	H4	Open
10196	Assistant answer updated for: contact and hours	rafa-knowledge.ts	Claude	P2		Done
10197	Support replies saved for the twenty five most common questions	operations	Claude	P2	73	Open
10198	Support hours and response times published	content	Chairman	P1	H4	Open
10199	Quality check of a sample of support replies each week	process	Chairman	P3	H6	Open
10200	Satisfaction question after each resolved request	new page	Claude	P3	80	Open
10201	Help centre search across every article in both languages	new page	Claude	P2	73	Open

AM4. Data, Measures and Reports

Items 617 to 624, 716 and 823 in detail: each event, each measure and each report to the bank.

#	Item	Where	Owner	Pri	Phase	Status
10202	Event defined, named and documented: app opened	analytics	Claude	P2		Done
10203	Event defined, named and documented: sign up started	analytics	Claude	P2		Done
10204	Event defined, named and documented: phone submitted	analytics	Claude	P2		Done
10205	Event defined, named and documented: code verified	analytics	Claude	P2		Done
10206	Event defined, named and documented: PIN set	analytics	Claude	P2		Done
10207	Event defined, named and documented: profile completed	analytics	Claude	P2		Done
10208	Event defined, named and documented: CNIC captured	analytics	Claude	P2		Done
10209	Event defined, named and documented: liveness passed	analytics	Claude	P2		Done
10210	Event defined, named and documented: bank onboarding started	analytics	Claude	P2		Done
10211	Event defined, named and documented: bank account opened	analytics	Claude	P2		Done
10212	Event defined, named and documented: bank account refused	analytics	Claude	P2		Done
10213	Event defined, named and documented: circle viewed	analytics	Claude	P2		Done
10214	Event defined, named and documented: circle created	analytics	Claude	P2		Done
10215	Event defined, named and documented: invitation shared	analytics	Claude	P2		Done
10216	Event defined, named and documented: joining requested	analytics	Claude	P2		Done
10217	Event defined, named and documented: admitted	analytics	Claude	P2		Done
10218	Event defined, named and documented: key facts accepted	analytics	Claude	P2		Done
10219	Event defined, named and documented: undertaking signed	analytics	Claude	P2		Done
10220	Event defined, named and documented: mandate started	analytics	Claude	P2		Done
10221	Event defined, named and documented: mandate authorised	analytics	Claude	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
10222	Event defined, named and documented: mandate cancelled	analytics	Claude	P2		Done
10223	Event defined, named and documented: payment method added	analytics	Claude	P2		Done
10224	Event defined, named and documented: payment started	analytics	Claude	P2		Done
10225	Event defined, named and documented: payment succeeded	analytics	Claude	P2		Done
10226	Event defined, named and documented: payment failed	analytics	Claude	P2		Done
10227	Event defined, named and documented: payout received	analytics	Claude	P2		Done
10228	Event defined, named and documented: late notice opened	analytics	Claude	P2		Done
10229	Event defined, named and documented: hardship requested	analytics	Claude	P2		Done
10230	Event defined, named and documented: exit requested	analytics	Claude	P2		Done
10231	Event defined, named and documented: dispute opened	analytics	Claude	P2		Done
10232	Event defined, named and documented: complaint opened	analytics	Claude	P2		Done
10233	Event defined, named and documented: points credited	analytics	Claude	P2		Done
10234	Event defined, named and documented: points redeemed	analytics	Claude	P2		Done
10235	Event defined, named and documented: order placed	analytics	Claude	P2		Done
10236	Event defined, named and documented: turn listed	analytics	Claude	P2		Done
10237	Event defined, named and documented: offer made	analytics	Claude	P2		Done
10238	Event defined, named and documented: trade settled	analytics	Claude	P2		Done
10239	Event defined, named and documented: Hyper joined	analytics	Claude	P2		Done
10240	Event defined, named and documented: help article read	analytics	Claude	P2		Done
10241	Event defined, named and documented: support contacted	analytics	Claude	P2		Done
10242	Event defined, named and documented: language changed	analytics	Claude	P2		Done
10243	Event defined, named and documented: notification opened	analytics	Claude	P2		Done
10244	Event defined, named and documented: device bound	analytics	Claude	P2		Done
10245	Event defined, named and documented: cooling off reached	analytics	Claude	P2		Done
10246	Event defined, named and documented: account closed	analytics	Claude	P2		Done
10247	Measure defined and charted: active members	admin	Claude	P2	73	Open
10248	Measure defined and charted: active circles	admin	Claude	P2	73	Open
10249	Measure defined and charted: circles started each week	admin	Claude	P2	73	Open
10250	Measure defined and charted: time for a circle to fill	admin	Claude	P2	73	Open
10251	Measure defined and charted: collection success on the first attempt	admin	Claude	P2	73	Open
10252	Measure defined and charted: collection success by the 8th	admin	Claude	P2	73	Open

#	Item	Where	Owner	Pri	Phase	Status
10253	Measure defined and charted: arrears after the 8th	admin	Claude	P2	73	Open
10254	Measure defined and charted: default after collection	admin	Claude	P2	73	Open
10255	Measure defined and charted: recovery rate	admin	Claude	P2	73	Open
10256	Measure defined and charted: payouts on time	admin	Claude	P2	73	Open
10257	Measure defined and charted: mandate coverage	admin	Claude	P2	73	Open
10258	Measure defined and charted: onboarding conversion by step	admin	Claude	P2	73	Open
10259	Measure defined and charted: bank account opening success	admin	Claude	P2	73	Open
10260	Measure defined and charted: time to first circle	admin	Claude	P2	73	Open
10261	Measure defined and charted: complaints rate	admin	Claude	P2	73	Open
10262	Measure defined and charted: member satisfaction	admin	Claude	P2	73	Open
10263	Measure defined and charted: message cost per member	admin	Claude	P2	73	Open
10264	Measure defined and charted: contribution per member	admin	Claude	P2	73	Open
10265	Measure defined and charted: fee revenue	admin	Claude	P2	73	Open
10266	Measure defined and charted: points liability	admin	Claude	P2	73	Open
10267	Monthly report to the bank: members and accounts opened	reporting	Claude	P2	73	Open
10268	Monthly report to the bank: balances held	reporting	Claude	P2	73	Open
10269	Monthly report to the bank: collections and their success	reporting	Claude	P2	73	Open
10270	Monthly report to the bank: arrears and defaults	reporting	Claude	P2	73	Open
10271	Monthly report to the bank: claims to the operator	reporting	Claude	P2	73	Open
10272	Monthly report to the bank: complaints and turnaround	reporting	Claude	P2	73	Open
10273	Monthly report to the bank: incidents	reporting	Claude	P2	73	Open
10274	Monthly report to the bank: service levels	reporting	Claude	P2	73	Open
10275	Monthly report to the bank: points liability	reporting	Claude	P2	73	Open
10276	Monthly report to the bank: marketplace orders	reporting	Claude	P2	73	Open
10277	Monthly report to the bank: Hyper each day	reporting	Claude	P2	73	Open
10278	Data quality checks on the ledger, the bureau data and the reports each night	new job	Claude	P2	73	Open
10279	One definition of each measure shared by the dashboards and the bank reports	documentation	Claude	P2	73	Open
10280	Analytics provider chosen that keeps data in an acceptable region and needs no tracking consent prompt	decision	Claude	P2	73	Open

AN. Growth and Brand

AN1. Website

#	Item	Where	Owner	Pri	Phase	Status
10281	Website page, home: English copy	website	Claude	P2	73	Open
10282	Website page, home: Urdu copy, by a translator	website	Translator	P2	H4	Open
10283	Website page, home: built and checked on a handset	website	Claude	P2	73	Open
10284	Website page, how it works: English copy	website	Claude	P2	73	Open
10285	Website page, how it works: Urdu copy, by a translator	website	Translator	P2	H4	Open
10286	Website page, how it works: built and checked on a handset	website	Claude	P2	73	Open
10287	Website page, fees: English copy	website	Claude	P2	73	Open
10288	Website page, fees: Urdu copy, by a translator	website	Translator	P2	H4	Open
10289	Website page, fees: built and checked on a handset	website	Claude	P2	73	Open
10290	Website page, security: English copy	website	Claude	P2	73	Open
10291	Website page, security: Urdu copy, by a translator	website	Translator	P2	H4	Open
10292	Website page, security: built and checked on a handset	website	Claude	P2	73	Open
10293	Website page, for hosts: English copy	website	Claude	P2	73	Open
10294	Website page, for hosts: Urdu copy, by a translator	website	Translator	P2	H4	Open
10295	Website page, for hosts: built and checked on a handset	website	Claude	P2	73	Open
10296	Website page, Islamic accounts: English copy	website	Claude	P2	73	Open
10297	Website page, Islamic accounts: Urdu copy, by a translator	website	Translator	P2	H4	Open
10298	Website page, Islamic accounts: built and checked on a handset	website	Claude	P2	73	Open
10299	Website page, help: English copy	website	Claude	P2	73	Open
10300	Website page, help: Urdu copy, by a translator	website	Translator	P2	H4	Open
10301	Website page, help: built and checked on a handset	website	Claude	P2	73	Open
10302	Website page, privacy: English copy	website	Claude	P2	73	Open
10303	Website page, privacy: Urdu copy, by a translator	website	Translator	P2	H4	Open
10304	Website page, privacy: built and checked on a handset	website	Claude	P2	73	Open
10305	Website page, terms: English copy	website	Claude	P2	73	Open
10306	Website page, terms: Urdu copy, by a translator	website	Translator	P2	H4	Open
10307	Website page, terms: built and checked on a handset	website	Claude	P2	73	Open
10308	Website page, complaints: English copy	website	Claude	P2	73	Open

#	Item	Where	Owner	Pri	Phase	Status
10309	Website page, complaints: Urdu copy, by a translator	website	Translator	P2	H4	Open
10310	Website page, complaints: built and checked on a handset	website	Claude	P2	73	Open
10311	Website page, contact: English copy	website	Claude	P2	73	Open
10312	Website page, contact: Urdu copy, by a translator	website	Translator	P2	H4	Open
10313	Website page, contact: built and checked on a handset	website	Claude	P2	73	Open
10314	Website page, status: English copy	website	Claude	P2	73	Open
10315	Website page, status: Urdu copy, by a translator	website	Translator	P2	H4	Open
10316	Website page, status: built and checked on a handset	website	Claude	P2	73	Open

AN2. Launch

#	Item	Where	Owner	Pri	Phase	Status
10317	Brand guidelines: logo, lime palette, type, tone of voice, Urdu usage	design	Claude	P2	73	Open
10318	Founder profile written with care for the founder's age and the director's role	content	Claude	P2	73	Open
10319	Plan for the first 100 circles: hosts, circle types, cities	marketing	Chairman	P2	H5	Open
10320	Waiting list on the website before launch	website	Claude	P2	73	Open
10321	Referral rules: points only when the referred member completes a circle cleanly	content	Claude	P2	73	Open
10322	Social accounts registered: Facebook, Instagram, TikTok, YouTube, LinkedIn	marketing	Chairman	P3	H6	Open
10323	Content calendar for the first three months in English and Urdu	marketing	Claude	P3	80	Open
10324	Rules for any creator or influencer: no promise of returns, the bank's approval first	marketing	Claude	P3	80	Open
10325	Employer programme pitch for payroll circles	marketing	Claude	P3	80	Open
10326	Launch day runbook: staffing, monitoring, messages, rollback	operations	Claude	P2	73	Open

AN3. Hosts

#	Item	Where	Owner	Pri	Phase	Status
10327	Host onboarding journey and checklist	new page	Claude	P2	73	Open
10328	Host support line or channel	operations	Chairman	P3	H6	Open
10329	Host levels by circles completed, with what each level opens	decision	Chairman	P3	H6	Open
10330	Host community for sharing practice, moderated	operations	Chairman	P3	H6	Open
10331	Host removal of rights after misconduct, with an appeal	process	Claude	P2	73	Open

AN4. Partners

#	Item	Where	Owner	Pri	Phase	Status
10332	Employers approached for payroll circles, with the bank's corporate team	commercial	Chairman	P3	H6	Open
10333	Raqami's payroll clients approached with Raqami	commercial	Chairman	P3	H6	Open
10334	Marketplace merchants approached: electronics and appliances	commercial	Chairman	P3	H6	Open
10335	Marketplace merchants approached: groceries	commercial	Chairman	P3	H6	Open
10336	Marketplace merchants approached: school fees and books	commercial	Chairman	P3	H6	Open

AO. The Two Banks

AO1. Mashreq Bank Pakistan

#	Item	Where	Owner	Pri	Phase	Status
10337	Mashreq: meeting date fixed and the attendees on both sides known	meeting	Chairman	P0	H2	Open
10338	Mashreq: agenda sent ahead of the meeting	meeting	Claude	P1	37	Open
10339	Mashreq: first stage proposal written as a separate document, not in the deck	documents	Claude	P1	37	Open
10340	Mashreq: integration discovery session with the bank's technology team	bank	Bank	P1	H2	Open
10341	Mashreq: the NEO product team named as the product owner	bank	Bank	P1	H2	Open
10342	Mashreq: the account that holds committee balances agreed: Islamic Current Profit Account or Islamic Savings Account	bank	Bank	P1	H2	Open
10343	Mashreq: the direct debit mandate requested as a new line, since it is not published today	bank	Bank	P0	H2	Open
10344	Mashreq: the Mashreq Pakistan Account route for UAE families confirmed	bank	Bank	P3	H6	Open
10345	Mashreq: its insurance partner or a takaful operator chosen for circles between strangers	bank	Bank	P1	H2	Open
10346	Mashreq: its TASDEEQ membership confirmed as the reporting route, or Halqa as data provider	bank	Bank	P1	H2	Open
10347	Mashreq: Shariah board submission for the Islamic window	bank	Bank	P1	H2	Open
10348	Mashreq: its outsourcing questionnaire obtained and answered	documents	Claude	P1	37	Open
10349	Mashreq: co-marketing plan and who pays	commercial	Chairman	P3	H6	Open

AO2. Raqami Islamic Digital Bank

#	Item	Where	Owner	Pri	Phase	Status
10350	Raqami: who introduces Halqa to Raqami, and the meeting date	meeting	Chairman	P1	H2	Open
10351	Raqami: access to its open interfaces, built for banking as a service	bank	Bank	P1	H2	Open
10352	Raqami: standing instruction on its planned open interfaces agreed as the automatic method	bank	Bank	P1	H2	Open
10353	Raqami: 7 day Mudarabah Certificate agreed for balances between payday and the 8th	bank	Bank	P1	H2	Open

#	Item	Where	Owner	Pri	Phase	Status
10354	Raqami: Asaan Digital Account limit confirmed, since its product page and FAQ differ	bank	Bank	P2	H4	Open
10355	Raqami: residents only, so no UAE family circles until it opens accounts to non residents	product	Claude	P2	68	Open
10356	Raqami: EFU window takaful agreed as the operator, or another the bank chooses	bank	Bank	P1	H2	Open
10357	Raqami: its core platform and local cloud understood, and whether Halqa must host in Pakistan to match	bank	Bank	P1	H2	Open
10358	Raqami: Shariah board submission of the committee product, with contributions as interest free loans between members	bank	Bank	P0	H2	Open
10359	Raqami: follow up email within a day of the meeting	drafts	Claude	P2	68	Open

AO3. Questions a Bank Will Ask

Item 1012 by question: each likely question with an answer written and rehearsed.

#	Item	Where	Owner	Pri	Phase	Status
10360	Answer prepared for the bank: who holds the money at each moment	meeting	Claude	P1	37	Open
10361	Answer prepared for the bank: what happens if a member stops paying after collecting	meeting	Claude	P1	37	Open
10362	Answer prepared for the bank: who pays the members left short	meeting	Claude	P1	37	Open
10363	Answer prepared for the bank: what the takaful or insurance costs and who chooses the operator	meeting	Claude	P1	37	Open
10364	Answer prepared for the bank: how members are verified	meeting	Claude	P1	37	Open
10365	Answer prepared for the bank: whether Halqa stores fingerprints or faces	meeting	Claude	P1	37	Open
10366	Answer prepared for the bank: how the payday is known	meeting	Claude	P1	37	Open
10367	Answer prepared for the bank: what happens when a salary is late	meeting	Claude	P1	38	Open
10368	Answer prepared for the bank: why the 8th	meeting	Claude	P1	38	Open
10369	Answer prepared for the bank: what the fee is and who earns it	meeting	Claude	P1	38	Open
10370	Answer prepared for the bank: what share the bank keeps	meeting	Claude	P1	38	Open
10371	Answer prepared for the bank: what deposits the bank gains	meeting	Claude	P1	38	Open
10372	Answer prepared for the bank: how many accounts each circle brings	meeting	Claude	P1	38	Open
10373	Answer prepared for the bank: how credit is reported and by whom	meeting	Claude	P1	38	Open
10374	Answer prepared for the bank: Halqa's legal position and why it needs no licence of its own	meeting	Claude	P1	38	Open
10375	Answer prepared for the bank: how Halqa meets the outsourcing framework	meeting	Claude	P1	38	Open
10376	Answer prepared for the bank: where the data is hosted	meeting	Claude	P1	38	Open
10377	Answer prepared for the bank: what security testing has been done	meeting	Claude	P1	38	Open
10378	Answer prepared for the bank: the continuity plan	meeting	Claude	P1	38	Open
10379	Answer prepared for the bank: who the founder and directors are	meeting	Claude	P1	38	Open

#	Item	Where	Owner	Pri	Phase	Status
10380	Answer prepared for the bank: how Halqa is funded and for how long	meeting	Claude	P1	38	Open
10381	Answer prepared for the bank: what happens if Halqa fails	meeting	Claude	P1	38	Open
10382	Answer prepared for the bank: how complaints are handled	meeting	Claude	P1	38	Open
10383	Answer prepared for the bank: how a committee is structured for an Islamic window, the bank's Shariah board deciding	meeting	Claude	P1	38	Open
10384	Answer prepared for the bank: whether the turn market can be offered through an Islamic window, the bank's Shariah board deciding	meeting	Claude	P1	38	Open
10385	Answer prepared for the bank: whether points are electronic money	meeting	Claude	P1	38	Open
10386	Answer prepared for the bank: whether points can be cashed out	meeting	Claude	P1	38	Open
10387	Answer prepared for the bank: who carries the risk of a merchant	meeting	Claude	P1	38	Open
10388	Answer prepared for the bank: why Hyper is experimental and what limits it	meeting	Claude	P1	38	Open
10389	Answer prepared for the bank: default rates in informal committees	meeting	Claude	P1	38	Open
10390	Answer prepared for the bank: evidence from abroad	meeting	Claude	P1	38	Open
10391	Answer prepared for the bank: how Halqa compares with Oraan and JazzCash	meeting	Claude	P1	38	Open
10392	Answer prepared for the bank: why the bank should not build this itself	meeting	Claude	P1	38	Open
10393	Answer prepared for the bank: what integration is needed and how long it takes	meeting	Claude	P1	38	Open
10394	Answer prepared for the bank: what Halqa needs from the bank	meeting	Claude	P1	38	Open
10395	Answer prepared for the bank: the size of a first stage	meeting	Claude	P1	38	Open
10396	Answer prepared for the bank: who pays for marketing	meeting	Claude	P1	38	Open
10397	Answer prepared for the bank: whose brand the member sees	meeting	Claude	P1	38	Open
10398	Answer prepared for the bank: exclusivity	meeting	Claude	P1	38	Open
10399	Answer prepared for the bank: who owns the data	meeting	Claude	P1	38	Open
10400	Answer prepared for the bank: which State Bank approvals are needed	meeting	Claude	P1	38	Open
10401	Answer prepared for the bank: how fraud and disputes are handled	meeting	Claude	P1	38	Open
10402	Answer prepared for the bank: which measures both sides watch	meeting	Claude	P1	38	Open
10403	Answer prepared for the bank: how the price is reviewed	meeting	Claude	P1	38	Open
10404	Answer prepared for the bank: how the partnership ends	meeting	Claude	P1	38	Open

AP. Features Measured against Other Finance Applications

Features of Easypaisa, JazzCash, SadaPay, NayaPay, Raqami, Mashreq NEO, Money Fellows, Hakbah, Esusu, Revolut and Monzo already planned elsewhere: the help centre (item 327), the service status page (523), device management (551), the statement as a file (166), receipts shared as a file (284), Urdu throughout (595), limits set by the score (916), cashback as the end of circle reward (861), host tools (266 to 278), payment by any debit card or wallet (389), scheduled payments by mandate and saved card (390, 832), fingerprint verification in the bank's onboarding (744), savings between payday and the 8th (447), the

transaction PIN, device cooling off, security advice and the Raast QR code (section AB), dark mode and search on every list (section AC), and reminders before the 8th (section AH). The invitation QR code, biometric unlock, the limits page, the notification centre and referral codes are built. The items below hold only what is new.

AP1. Adopted

#	Item	Where	Owner	Pri	Phase	Status
10405	Application locked when it goes to the background, as banking applications do	Halqa application	Claude	P1	42	Open
10406	A person behind the assistant in support chat, as the wallets offer	Halqa application	Claude	P2	73	Open
10407	Circles between strangers released on a weekly schedule, as Hakbah releases its circles each Monday	Halqa application	Claude	P2	73	Open
10408	Low data mode for slow connections	Halqa application	Claude	P3	80	Open
10409	Home screen widget with the next due date, in the native build	Halqa application	Claude	P3	80	Open
10410	Link to the member's Raast ID at the bank, as Easypaisa and SadaPay show it	Halqa application	Claude	P3	80	Open
10411	Links to the bank's saving pots after a circle ends, as Raqami offers them	Halqa application	Claude	P3	80	Open
10412	Links to the bank's card controls: virtual card and card freeze	Halqa application	Claude	P3	80	Open
10413	Cash deposit points shown for members paid in cash: Askari Bank branches for Raqami, the bank's branches for Mashreq	Halqa application	Claude	P3	80	Open

AP2. For Decision

#	Item	Where	Owner	Pri	Phase	Status
10414	Request money from a member by request to pay: for the chairman's decision; useful to hosts, but a source of pressure on members	decision	Chairman	P2	H5	Open
10415	Rent payments reported to bureaus, as Esusu does: recommended for exclusion, since it lies outside the committee product; for the chairman's decision	decision	Chairman	P3	H6	Open
10416	Spending insights, as Revolut and Monzo show: recommended for exclusion, since the bank holds the account; for the chairman's decision	decision	Chairman	P3	H6	Open
10417	Round ups into savings: recommended for exclusion as the bank's product; for the chairman's decision	decision	Chairman	P3	H6	Open
10418	Mini applications inside the wallet, as Easypaisa and JazzCash run: recommended for exclusion, since they lie outside the committee product; for the chairman's decision	decision	Chairman	P3	H6	Open
10419	Banking over WhatsApp: recommended for exclusion, since Halqa sends notices on WhatsApp and takes no instructions there; for the chairman's decision	decision	Chairman	P3	H6	Open

AP3. Excluded

#	Item	Where	Owner	Pri	Phase	Status
10420	Price by slot, with fees on early slots and discounts on late ones, as Money Fellows charges: excluded, since the fee is the same for every seat (30 September) and the turn market serves members who want an earlier turn	decision	Chairman	P2		Done
10421	Prepaid card for payouts, as Money Fellows issues: excluded, since payouts go to the member's bank account (D2)	decision	Chairman	P2		Done
10422	Small loans offered inside wallets: excluded, since Halqa offers no loans	decision	Chairman	P2		Done

#	Item	Where	Owner	Pri	Phase	Status
10423	Buy now pay later: excluded, since Halqa offers no loans	decision	Chairman	P2		Done

AQ. Eligibility, Security, Host Pay and Speed

The chairman's ruling of 5 October 2026. Most members are working adults, so waiting is designed out; what remains is a test of whether the pot is recoverable, by history or by security.

AQ1. Income without the Wait

The two month observation stops being the normal route (5 October). Items 396, 471 and 962 are rewritten in place.

#	Item	Where	Owner	Pri	Phase	Status
10424	Remove the two month wait as the normal route into a circle between strangers: documentary proof verifies on the same day, and the observation of two salary credits (MIN_MONTHS in the salary pattern engine) is kept only as the fallback for a member with no document and no history at the partner bank (5 October)	lib/salary-pattern.ts:30	Claude	P0	1	Open
10425	Payslip, statement and the partner bank's own statement data (D10) each verify income immediately, with no waiting period	lib/salary-pattern.ts	Claude	P0	1	Open
10426	Joining screens state which proof verifies at once and which route needs observation, so no member is left waiting without knowing why	new page	Claude	P1	13	Open
10427	Members are assumed to be working adults aged 18 or over; no screen implies that unemployment is expected (5 October)	content	Claude	P1	13	Open
10428	Measure how many members verify by document against how many fall to observation, and report it monthly; if the fallback is common the assumption behind this ruling is wrong	reporting	Claude	P2	55	Open
10429	Exceptional case path: a member with no document and no history is told the wait, its length and what ends it, and is offered the security route instead	new page	Claude	P1	13	Open

AQ2. Seat Eligibility

The blanket quarantine of items 475 and 920 is replaced by a matrix of real bureau history and score.

#	Item	Where	Owner	Pri	Phase	Status
10430	Remove the blanket quarantine that holds every new member to the last seats whatever their score, and replace it with the matrix below (5 October)	lib/score-bands.ts	Claude	P0		Done
10431	Clean circles required before the first positions open reduced from two to one (REQUIRED_CLEAN_CIRCLES)	lib/score-bands.ts	Claude	P0		Done
10432	Manual verification by telephone removed as a condition of early turns, since it cannot scale to 100,000 members	lib/score-bands.ts	Claude	P1		Done
10433	Seat eligibility: a member who has real, substantial bureau history and a good score may take any seat	lib/score-bands.ts	Claude	P1		Done
10434	Seat eligibility: a member who has a mid score may take the middle seats	lib/score-bands.ts	Claude	P1		Done
10435	Seat eligibility: a member who has a low score may take the last seats	lib/score-bands.ts	Claude	P1		Done
10436	Seat eligibility: a member who has a record too thin to score properly may take the middle seats, and the first positions after one clean circle, known or unknown	lib/score-bands.ts	Claude	P1		Done

#	Item	Where	Owner	Pri	Phase	Status
10437	Seat eligibility: a member who has no credit history at all, so no or very limited score factors may take the last seats, and any seat after one clean circle, known or unknown	lib/score-bands.ts	Claude	P1		Done
10438	A member with no bureau record is distinguished in code from a member with a thin record and from a member with a genuinely low score; the three carry different seat rights and must not collapse into one band	lib/score-bands.ts	Claude	P0		Done
10439	No score counts as good until TASDEEQ publishes its band cutoffs, so the band gate stays provisional and every member falls to the thin or absent history rows (chairman, 5 October)	lib/score-bands.ts	Claude	P0		Done
10440	Remove the spawn score of 700, which reads as a good band and would defeat the ruling above; a member with no history carries no score at all until one is earned or read from the bureau	prisma/schema.prisma	Claude	P0	1	Open
10441	Recalibrate the cutoffs in one place once TASDEEQ's bands arrive, as the engine already allows	lib/score-bands.ts	Claude	P1	13	Open
10442	A clean circle is defined in code: every instalment paid, no late charge outstanding, no default after collection, the circle closed	lib/score-bands.ts	Claude	P0	1	Open
10443	The seat map shows which seats are open to the member and the reason the others are closed, with the route to open them	new page	Claude	P1	13	Open
10444	Tests for every row of the matrix, including the move from thin history to any seat after one clean circle	tests	Claude	P1		Done

AQ3. Security in Place of Credit History

Where the pot is recoverable from security the member holds, no credit history is required. The money stays in the member's own account, held by the bank, and earns the bank's profit throughout.

#	Item	Where	Owner	Pri	Phase	Status
10445	Security route: a member needs no credit history where the pot is recoverable from security they hold (5 October)	new lib/security.ts	Claude	P1	35	Partly done
10446	Security accepted: enrolment in an asset committee whose dates and pot align with the circle	new lib/security.ts	Claude	P1	35	Open
10447	Security accepted: points, which may be bought with money	new lib/security.ts	Claude	P2	67	Open
10448	Security accepted: money of roughly the same amount in the member's savings account at the partner bank	new lib/security.ts	Claude	P1	35	Open
10449	Sources combine: points, savings and an asset committee are added together and tested against the pot	new lib/security.ts	Claude	P1		Done
10450	Relaxation of 10 per cent: security counts as sufficient at 90 per cent of the pot or more, in every case (5 October)	new lib/security.ts	Claude	P1		Done
10451	The member signs a clause not to withdraw the money for the circle's duration	new page	Claude	P1	35	Open
10452	The bank places the hold on the member's own account; Halqa never holds the money, so the no custody position stands (5 October)	integration	Claude	P0	10	Open
10453	Held money sits in the partner bank's savings product and earns its profit for the member throughout the lock, so giving security costs the member nothing (chairman, 5 October: not too harsh)	integration	Bank	P0	H2	Open
10454	The savings product used for security is the same one that holds instalments between payday and the 8th (D12), so the bank needs no second product	bank	Bank	P1	H2	Open
10455	Profit earned on held security shown to the member during the circle	new page	Claude	P2	67	Open
10456	The hold is released the moment the member's last instalment is paid, automatically	integration	Claude	P1	35	Open

#	Item	Where	Owner	Pri	Phase	Status
10457	The security route does NOT open the gate for a member whose score is low on substantial, real credit factors; security cannot buy past a known bad record (5 October)	new lib/security.ts	Claude	P0		Done
10458	An asset committee offered as security must align with the circle's dates and pot, so the member cannot collect and run (5 October)	lib/asset-committee.ts	Claude	P1	35	Open
10459	Security is rechecked when a member trades for an earlier turn, since the pot at risk changes	lib/turn-swap.ts	Claude	P1	35	Open
10460	Points pledged as security are frozen in the points ledger and cannot be spent or transferred	lib/points-ledger.ts	Claude	P1	35	Open
10461	Counsel on the hold: whether a bank lien over a member's own savings is enforceable in Pakistan and what the member must sign for it	legal	Counsel	P0	H1	Open
10462	Shariah view on holding a member's savings as security for a committee, for the Islamic window	bank	Bank	P1	H2	Open
10463	Tests: security short by 9 per cent passes, short by 11 per cent fails, and a combination of sources is added correctly	tests	Claude	P1		Done

AQ4. Host Commission

Ten per cent of the profit the circle made for Halqa, paid when the circle closes.

#	Item	Where	Owner	Pri	Phase	Status
10464	Host commission: 10 per cent of the profit the circle made for Halqa, not of its revenue, paid at the end of each circle (5 October)	new lib/host-commission.ts	Claude	P2	67	Open
10465	Profit of a circle defined in code: Halqa's share of the fees actually collected, less the running cost of each payment taken, less points and fee waivers issued on that circle at 1 point = Rs 1, less anything Halqa itself bore on a default	new lib/host-commission.ts	Claude	P2	67	Open
10466	Commission floored at zero: a circle that made Halqa nothing pays the host nothing, and no commission is ever negative	new lib/host-commission.ts	Claude	P2	67	Open
10467	Commission calculated only when the circle closes with every member collected and no arrears open	new lib/host-commission.ts	Claude	P2	67	Open
10468	The host chooses points or cash; cash is paid by the bank to the host's account, points through the points ledger at 1 point = Rs 1 (5 October)	new page	Claude	P2	67	Open
10469	Worked example shown to the host before they create a circle: on 12 members at Rs 10,000 a month the circle earns Halqa about Rs 7,200 and the host about Rs 720	content	Claude	P2	67	Open
10470	Running estimate of the commission shown during the circle, marked as an estimate	new page	Claude	P2	67	Open
10471	Commission statement for the host: fees collected, costs deducted, profit and the 10 per cent	new page	Claude	P2	68	Open
10472	Commission recorded as a cost of the circle in the business model, so the Rs 50 contribution a member a month is restated net of it	documents	Claude	P1	35	Open
10473	Tax treatment of a host's commission confirmed, and withholding applied if it is due	tax	Tax adviser	P2	H4	Open
10474	Commission terms in the host agreement, including that it is discretionary on a circle that ends early	legal	Counsel	P2	H4	Open
10475	A host may not take commission on a circle in which they themselves defaulted	new lib/host-commission.ts	Claude	P2	68	Open
10476	Controls against a host creating circles of friends purely to earn commission: limits per host and a review of circles that fail early	new lib/host-commission.ts	Claude	P2	68	Open

#	Item	Where	Owner	Pri	Phase	Status
10477	Tests for the profit formula at a clean circle, a circle with a default and a circle with heavy points issuance	tests	Claude	P2	68	Open

AQ5. Host Eligibility

#	Item	Where	Owner	Pri	Phase	Status
10478	To create a circle a member needs one of: a good score with substantial proof; two clean known committees; or the security of AQ3 (5 October)	routes/committees.ts	Claude	P1	35	Open
10479	Remove the hosting gate of a score of 700 or more, which cannot stand while no score counts as good	lib/score-bands.ts	Claude	P1	35	Open
10480	The host route is shown to a member who does not yet qualify, with what is missing	new page	Claude	P2	68	Open
10481	Security pledged to qualify as a host is tested against the pot of the circle being created, with the same 10 per cent relaxation	new lib/security.ts	Claude	P1	35	Open
10482	Tests for each of the three host routes, and for refusal when none is met	tests	Claude	P1	35	Open

AQ6. Ten Minutes to an Account

The chairman's limit, and the measurement that shows the journey does not meet it today.

#	Item	Where	Owner	Pri	Phase	Status
10483	Account opening must complete in under ten minutes, measured from the welcome screen to a verified account (chairman, 5 October)	app	Claude	P0	1	Open
10484	MEASURED 5 OCTOBER: twenty one screens stand between the welcome screen and a verified account, which does not fit ten minutes even when nothing goes wrong. The steps below are the budget that does	review	Claude	P0	1	Open
10485	Time budget, Welcome: 5 seconds (keep)	app	Claude	P1	13	Open
10486	Time budget, Phone number: 20 seconds (keep)	app	Claude	P1	13	Open
10487	Time budget, One time code: 25 seconds (keep; autofill the code)	app	Claude	P1	13	Open
10488	Time budget, PIN set and confirmed: 25 seconds (keep; one screen with two steps)	app	Claude	P1	13	Open
10489	Time budget, Name and date of birth: 40 seconds (keep; read both from the CNIC where the capture succeeds)	app	Claude	P1	13	Open
10490	Time budget, Address and city: 50 seconds (keep, since the bank needs it to open the account)	app	Claude	P1	13	Open
10491	Time budget, CNIC front, back and review: 90 seconds (keep; read the fields rather than ask them again)	app	Claude	P1	13	Open
10492	Time budget, Liveness: 45 seconds (keep)	app	Claude	P1	13	Open
10493	Time budget, Identity check: 45 seconds (keep; show progress, never a blank wait)	app	Claude	P1	13	Open
10494	Time budget, Bank account opening and the biometric check: 180 seconds (the bank's own journey; the longest step and not Halqa's to shorten)	app	Claude	P1	13	Open
10495	Time budget, Biometric unlock offer: 10 seconds (keep; one tap, skippable)	app	Claude	P1	13	Open
10496	Move Occupation and employer off account opening and into joining a circle, since it is not needed to hold an account	app	Claude	P0	1	Open
10497	Move Income declaration off account opening and into joining a circle, since it is not needed to hold an account	app	Claude	P0	1	Open

#	Item	Where	Owner	Pri	Phase	Status
10498	Move Income verification upload off account opening and into joining a circle between strangers, since it is not needed to hold an account	app	Claude	P0	1	Open
10499	Move Income verification status off account opening and into joining a circle between strangers, since it is not needed to hold an account	app	Claude	P0	1	Open
10500	Move Verification levels off account opening and into an explanation reached from the account screen, since it is not needed to hold an account	app	Claude	P0	1	Open
10501	Move Bureau instruction off account opening and into joining a circle between strangers, since it is not needed to hold an account	app	Claude	P0	1	Open
10502	Move Bureau instruction confirmation off account opening and into joining a circle between strangers, since it is not needed to hold an account	app	Claude	P0	1	Open
10503	Move Adverse action disclosure off account opening and into the refusal it belongs to, since it is not needed to hold an account	app	Claude	P0	1	Open
10504	Total budget of the steps above is 535 seconds, just under nine minutes, leaving a minute for the member to think; any new step on this path must take time from another	review	Claude	P1	13	Open
10505	Time to open an account measured in the application and reported, with the slowest step named	analytics	Claude	P1	13	Open
10506	Alert when the median time to open an account passes eight minutes	monitoring	Claude	P2	55	Open
10507	Fields read from the CNIC rather than typed again: name, date of birth, CNIC number and expiry	new lib/cnic-read.ts	Claude	P1	13	Open
10508	Every screen on the path loads in under one second on a low end handset over a third generation connection	app	Claude	P1	13	Open
10509	The bank's own account opening journey timed with the bank, and shortened where the bank allows	bank	Bank	P1	H2	Open
10510	A member who abandons the journey resumes where they left off, with nothing typed twice	app	Claude	P1	13	Open
10511	End to end test that walks the whole path and fails if it exceeds ten minutes of scripted interaction	tests	Claude	P1	13	Open

Summary

This register holds 10,511 items of work between the application today and a service run with a partner bank for 100,000 members: 2,551 done, 35 partly done and 7,925 open, of which 1,662 are P0. Claude holds 6,981 open items in 81 phases of at most 100 items each, 18 of them gated on the bank or the partners; phase 1 starts with the corrections and the application. The rest is held by the chairman, the bank, counsel, the partners, the translator, the tester, the auditor and the tax adviser across six milestones, beginning with the company and counsel (H1) and the agreement with the bank (H2). The meeting with Mashreq Bank Pakistan has no date yet; Raqami Islamic Digital Bank is pursued in parallel.