```
1 <?php
2 include('../inc/cnx.php');
3 session start();
4 | $id user=$ SESSION['id'];
 require_once('../lib/voicerss_tts.php');
6 $total questions=10;
page id_game,question_ist,answer,score,id_question (last
  $id_game=mysqli_real_escape_string($cnx,$_POST['id_game']);
8
  $question list=mysqli_real_escape_string($cnx,$_POST['question_list']);
9
  ########if player dont send any answer he can't answer !!! save answer as = 0
10
  ###########
11
  if (isset($ POST['answer']) && ($ POST['answer']!='') ) {
12
  $answer=mysqli real escape string($cnx,$ POST['answer']);
13
  } else {
14
  $answer=0;
15
  }
16
  $score=mysqli real escape string($cnx,$ POST['score']);
17
  $id question=mysqli real escape string($cnx,$ POST['qst']);
  //// first detecting if correct answer from answers table///
19
  $sql_score="SELECT * FROM answers WHERE id='".$answer."' AND
20
  id_question='".$id_question."'";
  $req score=mysqli query($cnx,$sql score);
21
  $aff score=mysqli fetch array($reg score,MYSQLI ASSOC);
22
  #################################### if answer iscorrect add +1 to score
23
  $new score=$aff score['correct']+$score;
24
  $last score=" <strong>".$new score."</strong>/10";
25
  $html answer='';
26
  27
28
  ################################# check how many remaning questions to show based on
29
  question list variable sent by game
  page##############"""
  $questionArray = explode(',', $question_list);
30
  $count=count($questionArray);
31
  32
  one not included previous list ##################################""
33
  /// if remaining question then get new one not included previous list ///
34
  $hsab=($count-1);
35
  if($hsab<$total questions) {</pre>
36
      $sql next="SELECT * FROM questions WHERE id game='".$id game."' AND id NOT
37
  IN(".substr($question_list,0,-1).") ORDER BY RAND() LIMIT 1";
     $req next=mysqli query($cnx,$sql next);
38
     $aff next=mysqli fetch array($req next,MYSQLI ASSOC);
39
     $next_question=$aff_next['question_text'];
40
41
```

```
42
  in variables that will be sent to game page in html format (writing)
  ###############
43
  #########applying random bootstrap style for answers options #############"""
44
45
46
47
  $sql_answ="SELECT * FROM answers WHERE id question=".$aff next['id']." ORDER BY
48
  RAND() LIMIT 4";
  $req answ=mysqli_query($cnx,$sql_answ);
49
50 | \$i = 1;
$1 | $array_cls = ['primary', 'secondary', 'success', 'danger', 'warning', 'info',
  'dark'];
  shuffle($array cls);
52
  while ($aff answ=mysqli fetch array($req answ,MYSQLI ASSOC)) {
53
54
  $html answer.='<div class="modal-body">
55
56
57
             <div class="quiz" id="quiz" data-toggle="buttons">
58
              <label class="element-animation1 btn btn-md btn-'.$array cls[$i].'</pre>
59
  btn-block"><span class="btn-label"><i class="glyphicon"</pre>
  glyphicon-chevron-right"></i></span> <input type="radio" name="answer text"</pre>
  id="answer text" value="'.
  $aff_answ['id'].'">'.$aff_answ['answer_text'].'</label>
60
     </div>';
61
   $i++;
62
63
64
65
66
  // send new question html format ////
67
  $new_list=$question_list.$aff_next['id'].',';
68
69
  $tts = new VoiceRSS;
70
  $voice = $tts->speech([
71
       'key' => 'e32cbd2592d74fb3a8448ac523646f5b',
72
        'hl' => 'en-us',
73
       'src' => "".$aff next['question text']."",
74
       'r' => '0',
75
       'c' => 'mp3',
76
      'f' => '44khz 16bit stereo',
77
       'ssml' => 'false',
       'b64' => 'true'
79
  1);
80
81
82
83
```

```
$question div = "
84
85
     <audio controls autoplay>
     <source src='". $voice['response']."' type='audio/mpeg'>
86
   </audio>";
87
88
         #######end 0 mean there is other question player no raching 10 questions
89
   ###################
   #######send all data question, score, to game page in json format supported by
90
   jqueury #############
   $end=0;
91
   echo json_encode(['end'=>$end, 'score'=>$last_score, 'qst'=>$aff_next['id'],
92
   'score val'=>$new score, 'question'=>$question div,
   'question list'=>$new list, 'html answer'=>$html answer]);
93
   } else {
94
95
   $end=1;
96
   $html end='<div class="alert alert-success" role="alert">
97
    You have completed the quiz and your score is <strong>'.$new score.'</strong>
98
99
   <a href="listen" class="btn btn-primary">Retry</a>
100
   <a href="start" class="btn btn-success">More games</button>
101
102
103
   ##################### reaching 10 questions saving score, with id game, and
104
   id ser and date now() mean instant date ###############
105
   $sql inset score="INSERT INTO app scores
106
   VALUES('','".$id_user."','".$id_game."','".$new_score."',now())";
   mysqli query($cnx,$sql inset score);
107
   ###############send respnse to game page in json format (format supported by
108
   109
   echo json encode(['end'=>$end, 'score'=>$last score, 'score val'=>$new score,
110
   'html_end'=>$html_end]);
 •••
111
112
113
114
```