

```
1 <?php include("services/check.php"); ?>
2 <?php include("inc/header.php"); ?>
3     <!-- Start Banner Area -->
4
5     <!-- Start Feature Area -->
6         <section class="banner-area relative">
7             <div class="overlay overlay-bg"></div>
8             <div class="container">
9
10                 <div class="row">
11                     <div class="col-md-4 col-sm-offset-1">
12
13                         <div class="ribbons">
14                             <!-- Ribbons -->
15
16                             <div class="ribbon ribbon-blue"><span>Welcome <?php
... echo $_SESSION['firstname']; ?> to Listen & write Game
18                             </span> </div>
19                             <!--/ Ribbons -->
20                         </div>
21
22                     </div>
23                     <?php #####calling first name variable stored in session
... after login #####?>
24                     <div class="col-md-8 text-right" style="margin-top:25px"><a
... href="logout" class="btn btn-secondary btn-sm"><i class="fa fa-sign-out"
... style="color:white"></i>&nbsp;Logout&nbsp;</span></a></div>
25
26
27
28                 </div><!-- end row div -->
29
30
31                 <div class="row">
32
33                     <div class="col-md-9" id="game_container">
34                         <!-- contact form -->
35                         <div class="add-comment contact-form boxed">
36
37                             <div class="comment-form">
38
39
40
41                             <div id="timebar"></div>
42
43
44
45                             <form action="#" method="post" id="commentForm"
... class="ajax_form">
```

```
46         <?php
47
48         #####get random question for
... game=1 ( mysql request) #####
49         ##### games index : 1-wiriting
... 2-pics and words 3-COMPLETE THE SENTENCE 4-PAIR GAME 5-LISTEN and WRITE
... 6-translation #####
50         $sql_qst="SELECT * FROM questions WHERE
... id_game=3 ORDER BY RAND() LIMIT 1";
51         $req_request=mysqli_query($cnx,$sql_qst);
52
53         $aff_request=mysqli_fetch_array($req_request,MYSQLI_ASSOC);
54         ##### saving question text and question id
... into variables $questions and id_questions #####
55         $question= $aff_request['question_text'];
56         $id_question=$aff_request['id'];
57
58         ?>
59
60         <div class="col-md-2 pull-right"> <div
... class="col-sm-1">
61         <div class="round round-lg hollow orange" id='my_score'
... style="font-size:15px">
62         <strong>0</strong>/10
63         </div>
64         </div></div>
65         <?php #####hiddens fields showing actual question database
... ID and actual score ##### ?>
66         <input type="hidden" value="<?php echo $id_question; ?>," id="id_question"
... name="id_question"/>
67         <input type="hidden" value="0" id="score_val" name="score"/>
68         <input type="hidden" value="<?php echo $id_question; ?>" id="qst"/>
69         <?php #####Printing Question variable $question into this
... bloc ##### ?>
70         <div class="add-comment-title" id="qst_txt"><h3><?php echo $question;
... ?></h3> </div>
71
72
73         <div class="form-inner">
74         <div class="field_text">
75         <label for="name"
... class="label_title">choose the missing word:</label>
76
77         </div>
78
79
80
81         <div class="clear"></div>
82         <div id="help_tag">
```

```

83         <?php
84         ##### possible answers for
... chosen question from database#####
85         $sql_answ="SELECT * FROM answers WHERE
... id_question=".$id_question." ORDER BY RAND() LIMIT 4";
86         $req_answ=mysqli_query($cnx,$sql_answ);
87         ##### apply random bootstrap
... style classe for each answer option - basically different colors
... #####
88         $i = 1;
89         $array_cls = ['primary', 'secondary',
... 'success', 'danger', 'warning', 'info', 'dark'];
90         shuffle($array_cls);
91         ##### While finding answer
... options in database write it in html format with bootstrap random style
... #####
92         while
... ($aff_answ=mysqli_fetch_array($req_answ,MYSQLI_ASSOC)) { ?>
93
94             <div class="modal-body">
95
96
97             <div class="quiz" id="quiz" data-toggle="buttons">
98                 <label class="element-animation1 btn btn-md btn-<?php echo
... $array_cls[$i]; ?> btn-block" aria-pressed="true"><span class="btn-label"><i
... class="glyphicon glyphicon-chevron-right"></i></span> <input type="radio"
... name="answer_text" id="answer_text" value="<?php echo $aff_answ['id']; ?>"><?php
... echo $aff_answ['answer_text']; ?></label>
99                 </div>
100             </div>
101
102             <?php #####End loop for
... random bootstrap style #####
103                 $i++;
104             }
105             #####End loop for showing
... possible answers options #####
106                 ?></div>
107
108             <div class="example" data-timer="900"></div>
109
110             <div class="clear"></div>
111
112             <div class="rowSubmit">
113                 <input class="btn btn-primary"
... id="submit_answer" type="button" value="Submit Answer">
114
115             </div>
116             <script
... src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>

```

```
117 <?php ##### timer progress bar Same as writing.php( check comments )
... ##### ?>
118 <script>
119 function timerbar(){
120 var maxWidth = 300;
121     var duration = 20000;
122
123     var timer;
124
125     $(function() {
126         var $bar = $('#timebar');
127         Horloge(maxWidth);
128         timer = setInterval('Horloge('+maxWidth+')', 100);
129
130         $bar.animate({
131             width: maxWidth
132         }, duration, function() {
133             $(this).css('background-color', 'green');
134
135             clearInterval(timer);
136
137
138
139             /* send answer if time bar is end */
140
141             var question_list = $("#id_question").val();
142 var score = $("#score_val").val();
143 var answer = $("input[name='answer_text']:checked").val();
144 var qst = $("#qst").val();
145     var id_game = 3;
146
147
148
149             /* send answer to php page*/
150 $.ajax({
151     type: 'POST',
152     url: 'services/check_answer3.php',
153     dataType: "json",
154     data: {question_list:question_list, score:score,
... answer:answer,id_game:id_game,qst:qst},
155
156
157     })
158     .done(function(data){
159
160         // show the response from check_answer page
161         //$('#response').html(data.question);
162         /// change html data with new data coming from answer page
163         $('#qst_txt').html(data.question);
164         $('#my_score').html(data.score);
```

```

165         $('#id_question').val(data.question_list);
166         $('#help_tag').html(data.html_answer);
167         $('#qst').val(data.qst);
168         $('#score_val').val(data.score_val);
169         $('#game_container').html(data.html_end);
170
171         //////////restart//////////
172
173         //////////////////////////////////////
174
175     })
176
177
178
179     ////////////* **//////////////////// answer if time
... bar is end */
180
181
182
183     });
184 });
185
186 $stop.on('click', function() {
187     var $bar = $('#timebar');
188     clearInterval(timer);
189     $bar.css({"width": "0px", "-webkit-transition": ""});
190     $bar.stop();
191
192
193
194     var w = $bar.width();
195     var percent = parseInt((w * 100) / maxWidth);
196     $log.html(percent + ' %');
197 });
198 }
199 </script>
200
201                                     <script>
202 $(document).ready(function(){
203
204
205     $('#submit_answer').click(function(e){
206         var question_list = $("#id_question").val();
207         var score = $("#score_val").val();
208         var answer = $("input[name='answer_text']:checked").val();
209         var qst = $("#qst").val();
210         var id_game = 3;
211         var $bar = $('#timebar');
212         var maxWidth = 300;
213         var duration = 20000;
214         var timer;

```

```
214 /////////////////////////////////////////////////// STOP BAR////////////////////////////////////
215
216 clearInterval(timer);
217 $bar.css({"width": "0px", "-webkit-transition": ""});
218 $bar.stop();
219
220 ///////////////////////////////////////////////////
221
222 /* send answer to php page*/
223 $.ajax({
224     type: 'POST',
225     url: 'services/check_answer3.php',
226     dataType: "json",
227     data: {question_list:question_list, score:score,
... answer:answer,id_game:id_game,qst:qst},
228
229 })
230 .done(function(data){
231
232     // show the response from check_answer page
233     $('#response').html(data.question);
234     /// change html data with new data coming from answer page
235     $('#answer_text').val('');
236
237     $('#qst_txt').html(data.question);
238     $('#my_score').html(data.score);
239     $('#id_question').val(data.question_list);
240     $('#help_tag').html(data.html_answer);
241     $('#qst').val(data.qst);
242     $('#score_val').val(data.score_val);
243     $('#game_container').html(data.html_end);
244     /// restart bar////////////////////////////////////
245
246     timerbar();
247
248
249
250
251
252
253
254 ///////////////////////////////////////////////////
255
256
257 })
258
259
260 // to prevent refreshing the whole page page
261 return false;
262
```

```
263     });
264 });
265 </script>
266
267
268
269
270
271 <script >
272 $(document).ready(function() {
273     var maxWidth = 300;
274     var duration = 20000;
275
276     var timer;
277
278     $(function() {
279         var $bar = $('#timebar');
280         Horloge(maxWidth);
281         timer = setInterval('Horloge('+maxWidth+')', 100);
282
283         $bar.animate({
284             width: maxWidth
285         }, duration, function() {
286             $(this).css('background-color', 'green');
287
288             clearInterval(timer);
289
290
291             /* send answer if time bar is end */
292
293
294             var question_list = $("#id_question").val();
295             var score = $("#score_val").val();
296             var answer = $("input[name='answer_text']:checked").val();
297             var qst = $("#qst").val();
298             var id_game = 3;
299
300
301
302             /* send answer to php page*/
303             $.ajax({
304                 type: 'POST',
305                 url: 'services/check_answer3.php',
306                 dataType: "json",
307                 data: {question_list:question_list, score:score,
308 ... answer:answer,id_game:id_game,qst:qst},
309
310             })
311             .done(function(data){
```

```
312
313 // show the response from check_answer page
314 //$('#response').html(data.question);
315 /// change html data with new data coming from answer page
316 $('#answer_text').val('');
317
318 $('#qst_txt').html(data.question);
319 $('#my_score').html(data.score);
320 $('#id_question').val(data.question_list);
321 $('#help_tag').html(data.html_answer);
322 $('#qst').val(data.qst);
323 $('#score_val').val(data.score_val);
324 $('#game_container').html(data.html_end);
325
326
327
328
329 })
330
331
332
333 ////////////////////////////////////* **//////////////////////////////////// answer if time
... bar is end */
334
335
336
337 });
338 });
339
340 $stop.on('click', function() {
341     var $bar = $('#timebar');
342     clearInterval(timer);
343     $bar.css({"width": "0px", "-webkit-transition": ""});
344     $bar.stop();
345
346
347
348     var w = $bar.width();
349     var percent = parseInt((w * 100) / maxWidth);
350
351 });
352
353 });
354
355 function Horloge(maxWidth) {
356     var w = $('#timebar').width();
357     var percent = parseInt((w * 100) / maxWidth);
358
359
360
```



```
361
362     /*if (percent==99) {
363
364
365     }*/
366 }
367 </script>
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386         </div>
387
388
389
390
391
392
393             </form>
394         </div>
395     </div>
396     <!--/ contact form -->
397
398
399     </div>
400
401     </div>
402
403
404         <div class="col-md-8 text-left"><a href="start" class="btn
... btn-secondary btn-sm"><i class="fa fa-arrow-left"
... style="color:white"></i>&nbsp;Back&nbsp;</span></a></div>
405
406
407
408     </div>
```

```
409         </section>
410
411
412
413 <?php include("inc/footer.php"); ?>
414
415 <?php include("inc/footer_close.php"); ?>
```