```php
 1  <?php include("services/check.php"); ?>
 2  <?php include("inc/header.php"); ?>
 3
 4          <!-- Start Banner Area -->
 5
 6          <!-- Start Feature Area -->
 7              <section class="banner-area relative">
 8              <div class="overlay overlay-bg"></div>
 9              <div class="container">
10
11                  <div class="row">
12                   <div class="col-md-4 col-sm-offset-1">
13
14
15                          <div class="ribbons">
16                              <!-- Ribbons -->
17                              <?php ########calling first name variable stored in
    session after login #############?>
18                              <div class="ribbon ribbon-blue"><span>Welcome  <?php
    echo $_SESSION['firstname']; ?> to Pair Game
19          </span>     </div>
20                              <!--/ Ribbons -->
21                          </div>
22
23                      </div>
24
25                  <div class="col-md-8 text-right" style="margin-top:25px"><a
    href="logout" class="btn btn-secondary btn-sm"><i class="fa fa-sign-out"
    style="color:white"></i> Logout </span></a></div>
26
27
28
29                  </div><!-- end row div -->
30
31
32
33
34
35
36                  <div class="row">
37
38
39                      <div class="col-md-9" id="game_container">
40                  <!-- contact form -->
41                      <div class="add-comment contact-form boxed">
42
43                          <div class="comment-form">
44
45
46                              <div id="timebar"></div>
```

```php
47
48
49
50                               <form action="#" method="post" id="commentForm"
   class="ajax_form">
51                                           <?php
52
53                                   #####################get random question for
   game=1 ( mysql request)  #####################
54                                   #################### games index : 1-wiriting
   2-pics and words 3-COMPLETE THE SENTENCE 4-PAIR GAME 5-LISTEN and WRITE
   6-translation  ####################
55                                           $sql_qst="SELECT * FROM questions WHERE
   id_game=4 ORDER BY RAND() LIMIT 1";
56                                           $req_quest=mysqli_query($cnx,$sql_qst);
57
   $aff_quest=mysqli_fetch_array($req_quest,MYSQLI_ASSOC);
58                                       ######## saving question text and
   question id into variables $questions and id_questions ########
59                                           $question= $aff_quest['question_text'];
60                                           $id_question=$aff_quest['id'];
61
62
63
64                                       ?>
65
66                               <div class="col-md-2 pull-right">  <div
   class="col-sm-1">
67               <div class="round round-lg hollow orange" id='my_score'
   style="font-size:15px">
68                <strong>0</strong>/10
69               </div>
70           </div></div>
71   <?php    #######################hiddens fields showing actual question database
   ID and actual score  #################### ?>
72   <input type="hidden" value="<?php echo $id_question; ?>," id="id_question"
   name="id_question"/>
73   <input type="hidden" value="0" id="score_val" name="score"/>
74   <input type="hidden" value="<?php echo $id_question; ?>" id="qst"/>
75
76     <?php      #####################Printin Question variable $question into
   this bloc #################### ?>
77   <div class="add-comment-title" id="qst_txt"><h3><?php echo $question; ?></h3>
   </div>
78
79   <div class="add-comment-title" > </div>
80
81
82
83
```

```php
 84                                    <div class="form-inner">
 85                                        <div class="field_text">
 86
 87
 88                                        </div>
 89
 90
 91
 92
 93                                    <div class="clear"></div>
 94                                <div id="help_tag">
 95                                    <?php
 96                                    #################### possible answers for
 …  choosed question from database####################
 97                                        $sql_answ="SELECT * FROM answers WHERE
 …  id_question=".$id_question." ORDER BY RAND() LIMIT 4";
 98                                        $req_answ=mysqli_query($cnx,$sql_answ);
 99                                        #################### apply random bootstrap
 …  style classe for each answer option #################
100                                        $i = 1;
101                                        $array_cls = ['primary', 'secondary',
 …  'success', 'danger', 'warning', 'info', 'dark'];
102                                        shuffle($array_cls);
103                                        #################### While finding answer
 …  options in database write it in html format with bootstrap random style in styled
 …  checkboxes #################
104                                        while
 …  ($aff_answ=mysqli_fetch_array($req_answ,MYSQLI_ASSOC)) { ?>
105
106
107
108
109
110
111
112
113
114
115         <div class="[ form-group ]" >
116             <input type="checkbox" name="answer_text" value="<?php echo
 …  $aff_answ['id']; ?>" id="fancy-checkbox-<?php echo $array_cls[$i]; ?>"
 …  autocomplete="off" />
117             <div class="[ btn-group ]">
118                 <label for="fancy-checkbox-<?php echo $array_cls[$i]; ?>"
 …  class="[ btn btn-<?php echo $array_cls[$i]; ?> ]">
119                     <span class="[ fa fa-check-square-o ]"></span>
120                     <span> </span>
121                 </label>
122                 <label for="fancy-checkbox-<?php echo $array_cls[$i]; ?>"
 …  class="[ btn btn-default active ]" style="font-size:12px">
```

```php
123                        <?php echo $aff_answ['answer_text']; ?>
124                    </label>
125                </div>
126            </div>
127                            <?php  ####################End boucle for random
    bootstrap style ################
128                                $i++;
129                            }
130                            ####################End boucle for showing
    possible answers options  ################
131                            ?>
132                            </div>
133
134
135
136
137            <div class="example" data-timer="900"></div>
138
139                        <div class="clear"></div>
140
141
142                        <div class="rowSubmit">
143                        <input class="btn btn-primary"
    id="submit_answer" type="button" value="Submit Answer">
144
145                        </div>
146                        <script
    src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
147
148
149 <?php ############  timer progress bar Same as writing.php( check comments )
    ########### ?>
150 <script>
151 jQuery(document).ready(function ($) {
152     /* dsable other checkbox if two are checked*/
153     $(document).on('change', ":checkbox[name='answer_text']", function(){
154       if ($(":checkbox[name='answer_text']:checked").length == 2) {
155         $(':checkbox:not(:checked)').prop('disabled', true);
156     } else {
157         $(':checkbox:not(:checked)').prop('disabled', false);
158     }
159     });
160 });
161 </script>
162
163
164 <script>
165 function timerbar(){
166 var maxWidth = 300;
167     var duration = 20000;
```

```
168
169        var timer;
170
171        $(function() {
172            var $bar = $('#timebar');
173            Horloge(maxWidth);
174            timer = setInterval('Horloge('+maxWidth+')', 100);
175
176            $bar.animate({
177                width: maxWidth
178            }, duration, function() {
179                $(this).css('background-color', 'green');
180
181                clearInterval(timer);
182
183
184
185                /* send answer if time bar is end */
186
187                var question_list = $("#id_question").val();
188            var score = $("#score_val").val();
189            /* radio */
190             //var answer = $("input[name='answer_text']:checked").val();
191
192             //////////// get array///////////////////////////
193             var chkArray = [];
194
195              $("input[name='answer_text']:checked").each(function() {
196                chkArray.push($(this).val());
197            });
198
199             var answer;
200            answer = chkArray.join(',') ;
201
202            ////////////END  get array//////////////////////////
203
204
205
206
207
208
209            //var answer = $("#answer_text").val();
210            /**/
211            var qst = $("#qst").val();
212             var id_game = 4;
213
214
215
216             /* send answer to php page*/
217            $.ajax({
```

```
218                type: 'POST',
219                url: 'services/check_answer4.php',
220                dataType: "json",
221                data: {question_list:question_list, score:score,
…    answer:answer,id_game:id_game,qst:qst},
222
223
224            })
225            .done(function(data){
226
227                // show the response from check_answer page
228                //$('#response').html(data.question);
229                 /// change html data with new data coming from answer page
230                 $('#qst_txt').html(data.question);
231                 $('#my_score').html(data.score);
232                 $('#id_question').val(data.question_list);
233                 $('#help_tag').html(data.html_answer);
234                 $('#qst').val(data.qst);
235                 $('#score_val').val(data.score_val);
236                 $('#game_container').html(data.html_end);
237
238             ///////restart/////////
239
240             ///////////////////////
241
242         })
243
244
245
246 ///////////////////////////////* **/////////////////////////////// answer if time
…    bar is end */
247
248
249
250         });
251     });
252
253     $stop.on('click', function() {
254         var $bar = $('#timebar');
255         clearInterval(timer);
256          $bar.css({"width": "0px","-webkit-transition": ""});
257         $bar.stop();
258
259
260
261         var w = $bar.width();
262         var percent = parseInt((w * 100) / maxWidth);
263         $log.html(percent + ' %');
264     });
265 }
```

```
266  </script>
267                                           <script>
268  $(document).ready(function(){
269
270
271      $('#submit_answer').click(function(e){
272            var question_list = $("#id_question").val();
273          var score = $("#score_val").val();
274
275
276
277  //////////// get array///////////////////////////
278          var chkArray = [];
279
280          $("input[name='answer_text']:checked").each(function() {
281             chkArray.push($(this).val());
282      });
283
284          var answer;
285          answer = chkArray.join(',') ;
286
287         ////////////END  get array//////////////////////////
288
289
290
291          var qst = $("#qst").val();
292          var id_game = 4;
293      var $bar = $('#timebar');
294     var maxWidth = 300;
295    var duration = 20000;
296    var timer;
297     ////////////// STOP BAR///////////////
298
299       clearInterval(timer);
300        $bar.css({"width": "0px","-webkit-transition": ""});
301       $bar.stop();
302
303
304    ////////////////////////////////////////
305
306         /* send answer to php page*/
307         $.ajax({
308            type: 'POST',
309            url: 'services/check_answer4.php',
310            dataType: "json",
311            data: {question_list:question_list, score:score,
...  answer:answer,id_game:id_game,qst:qst},
312
313
314      })
```

```
315            .done(function(data){

316

317                // show the response from check_answer page
318                //$('#response').html(data.question);
319                 /// change html data with new data coming from answer page
320                 // $("#answer_text").val('');

321

322                 $('#qst_txt').html(data.question);
323                $('#my_score').html(data.score);
324                $('#id_question').val(data.question_list);
325                $('#help_tag').html(data.html_answer);
326                $('#qst').val(data.qst);
327                  $('#score_val').val(data.score_val);
328                   $('#game_container').html(data.html_end);
329               /// restart bar//////////////////////////////////////////////

330

331            timerbar();

332

333

334

335

336

337

338            /////////////////////////////////////////////////////////////////

339

340

341        })

342

343

344        // to prevent refreshing the whole page page
345        return false;

346

347    });
348 });
349 </script>

350

351

352

353

354

355 <script >
356 $(document).ready(function() {
357     var maxWidth = 300;
358     var duration = 20000;

359

360     var timer;

361

362     $(function() {
363         var $bar = $('#timebar');
364         Horloge(maxWidth);
```

```
365         timer = setInterval('Horloge('+maxWidth+')', 100);

366

367         $bar.animate({
368             width: maxWidth
369         }, duration, function() {
370             $(this).css('background-color', 'green');

371

372             clearInterval(timer);

373

374

375

376             /* send answer if time bar is end */

377

378             var question_list = $("#id_question").val();
379         var score = $("#score_val").val();

380

381         /////////// get array///////////////////////////
382          var chkArray = [];

383

384           $("input[name='answer_text']:checked").each(function() {
385             chkArray.push($(this).val());
386         });

387

388          var answer;
389         answer = chkArray.join(',') ;

390

391         ///////////END  get array///////////////////////////

392

393

394

395

396

397         var qst = $("#qst").val();
398          var id_game = 4;

399

400

401

402          /* send answer to php page*/
403         $.ajax({
404             type: 'POST',
405             url: 'services/check_answer4.php',
406             dataType: "json",
407             data: {question_list:question_list, score:score,
…  answer:answer,id_game:id_game,qst:qst},

408

409

410         })
411         .done(function(data){

412

413             // show the response from check_answer page
```

```
414              //$('#response').html(data.question);
415              /// change html data with new data coming from answer page
416              $("#answer_text").val('');
417
418              $('#qst_txt').html(data.question);
419              $('#my_score').html(data.score);
420              $('#id_question').val(data.question_list);
421              $('#help_tag').html(data.html_answer);
422          $('#qst').val(data.qst);
423          $('#score_val').val(data.score_val);
424           $('#game_container').html(data.html_end);
425
426
427
428
429          })
430
431
432
433 ////////////////////////////////////* **///////////////////////////////// answer if time
…  bar is end */
434
435
436
437          });
438      });
439
440      $stop.on('click', function() {
441          var $bar = $('#timebar');
442          clearInterval(timer);
443           $bar.css({"width": "0px","-webkit-transition": ""});
444          $bar.stop();
445
446
447
448          var w = $bar.width();
449          var percent = parseInt((w * 100) / maxWidth);
450
451      });
452
453 });
454
455 function Horloge(maxWidth) {
456      var w = $('#timebar').width();
457      var percent = parseInt((w * 100) / maxWidth);
458
459
460
461
462      /*if (percent==99) {
```

```
463
464
465        }*/
466 }
467 </script>
468
469
470
471
472
473
474
475
476 <script>
477 $(function () {
478     $('.button-checkbox').each(function () {
479
480         // Settings
481         var $widget = $(this),
482             $button = $widget.find('button'),
483             $checkbox = $widget.find('input:checkbox'),
484             color = $button.data('color'),
485             settings = {
486                 on: {
487                     icon: 'icon icon-check'
488                 },
489                 off: {
490                     icon: 'icon icon-unchecked'
491                 }
492             };
493
494         // Event Handlers
495         $button.on('click', function () {
496             $checkbox.prop('checked', !$checkbox.is(':checked'));
497             $checkbox.triggerHandler('change');
498             updateDisplay();
499         });
500         $checkbox.on('change', function () {
501             updateDisplay();
502         });
503
504         // Actions
505         function updateDisplay() {
506             var isChecked = $checkbox.is(':checked');
507
508             // Set the button's state
509             $button.data('state', (isChecked) ? "on" : "off");
510
511             // Set the button's icon
512             $button.find('.state-icon')
```

```
513                         .removeClass()
514                         .addClass('state-icon ' + settings[$button.data('state')].icon);
515
516                 // Update the button's color
517                 if (isChecked) {
518                     $button
519                         .removeClass('btn-default')
520                         .addClass('btn-' + color + ' active');
521                 }
522                 else {
523                     $button
524                         .removeClass('btn-' + color + ' active')
525                         .addClass('btn-default');
526                 }
527             }
528
529             // Initialization
530             function init() {
531
532                 updateDisplay();
533
534                 // Inject the icon if applicable
535                 if ($button.find('.state-icon').length == 0) {
536                     $button.prepend('<i class="state-icon ' +
…   settings[$button.data('state')].icon + '"></i> ');
537                 }
538             }
539             init();
540         });
541     });
542 </script>
543
544
545
546
547
548
549
550
551
552
553
554
555                             </div>
556
557
558
559
560
561
```

```
562                              </form>
563                          </div>
564                      </div>
565                      <!--/ contact form -->
566
567
568                  </div>
569
570                  </div>
571
572
573              <div class="col-md-8 text-left"><a href="start" class="btn
…  btn-secondary btn-sm"><i class="fa fa-arrow-left"
…  style="color:white"></i> Back </span></a></div>
574
575
576
577          </div>
578      </section>
579
580
581
582  <?php include("inc/footer.php"); ?>
583
584  <?php  include("inc/footer_close.php"); ?>
```