Collections of items

In js string can't be changeable and Array can be changeable.

Create Array


```
let heroes = [ "ironman", "hulk", "thor", "batman" ];
```

let marks = [96, 75, 48, 83, 66];

let info = ["rahul", 86, "Delhi"];

Array Indices

arr[0], arr[1], arr[2]



Looping over an Array

Print all elements of an array



Let's Practice

Qs. For a given array with marks of students -> [85, 97, 44, 37, 76, 60] Find the average marks of the entire class.



Let's Practice

Qs. For a given array with prices of 5 items -> [250, 645, 300, 900, 50]
All items have an offer of 10% OFF on them. Change the array to store final price after applying offer.



Array Methods

Push(): add to end

Pop(): delete from end & return

toString(): converts array to string

Array Methods

Concat(): joins multiple arrays & returns result

Unshift(): add to start

shift(): delete from start & return

Array Methods

Slice(): returns a piece of the array

slice(startIdx, endIdx)

Splice(): change original array (add, remove, replace)

splice(startIdx, delCount, newEl1...)

Let's Practice

Qs. Create an array to store companies -> "Bloomberg", "Microsoft", "Uber", "Google", "IBM", "Netflix"

a. Remove the first company from the array

b. Remove Uber & Add Ola in its place

c. Add Amazon at the end