

This is a copy of a shared ChatGPT chat. It won't be added to memory.
Report conversation

Yes. You are now in the **correct God's Eye View repository**, and the terminal is healthy.

The key point: `git status --short` shows **5 modified files**. That means the work is saved to disk, but **not committed to Git yet**.

Start the development environment

Keep this PowerShell open at:

```
D:\UserData\God's eye\gods-eye-view
```



Run:

```
</> PowerShell
```



You should see Vite start and give you a local URL, typically:

```
http://localhost:5173/
```



Then open the project in VS Code

From a **second PowerShell** in the same directory, run:

```
</> PowerShell
```



That opens exactly:

```
D:\UserData\God's eye\gods-eye-view
```



Browser

Once `npm run dev` is running, open the URL Vite prints—normally:

```
http://localhost:5173/
```



That should bring up **God's Eye View**.

Important: don't close the dev terminal

For tonight, I'd keep **one terminal running** `npm run dev` and keep VS Code open. You can close any other stray PowerShell windows.

Your current state is:

- ☒ worldOverlay.test.mjs — modified
- ☒ reasonableDefaults.test.mjs — modified
- ☒ director.test.mjs — modified
- ☒ ui.js — modified
- ☒ style.css — modified
- ☒ All 46/46 World Overlay tests passing
- ☒ All 9/9 reasonable-default tests passing
- ☒ All 16/16 director tests passing
- ☒ Working tree changes are present on disk

Do not run `git reset` , `git checkout` , or anything that discards changes.

If the objective is simply to resume development now, run:

</> PowerShell



Then:

</> PowerShell



and open the Vite URL in Chrome.

second terminal

Yes. Keep the **first PowerShell running** `npm run dev` .

Now open a **second PowerShell window** and run these commands one at a time:

</> PowerShell



Then:

</> PowerShell



That will open the **God's Eye View** folder in VS Code.

Once VS Code opens, **do not run** `npm run dev` **again** in the second terminal—the first terminal is already handling the Vite server.

Then we'll verify the browser is showing the live God's Eye View instance.

```
PS D:\UserData\God's eye> code .
PS D:\UserData\God's eye> cd "D:\UserData\God's
eye\gods-eye-view"
PS D:\UserData\God's eye\gods-eye-view> code .
PS D:\UserData\God's eye\gods-eye-view>
```

Perfect. That is correct.

You have now opened **God's Eye View** in VS Code from the correct repository:

D:\UserData\God's eye\gods-eye-view



The second terminal is also correctly positioned there.

Now do this

First terminal: leave it running the Vite server. It should contain something like:

```
PS D:\UserData\God's eye\gods-eye-view> npm run dev
```



and show the Vite Local: URL.

Second terminal: leave it available for commands. Don't run anything else yet.

In VS Code

Look at the Explorer on the left and confirm you can see:

```
gods-eye-view
├─ src
├─ scripts
├─ package.json
├─ style.css
└─ ...
```



Browser

Now open the **Local:** URL displayed by the **first terminal**—normally:

```
http://localhost:5173/
```



If the first terminal is **not currently running** `npm run dev`, tell me what it shows.

Otherwise, open its **Local:** URL and tell me what you see in the browser.

We are not making any code changes yet. We're simply re-establishing the working environment against the green baseline.

ChatGPT can make mistakes. Check important info.