

✓ OVERALL (PERFORMANCE) TABLE & CHARTS

```
from prettytable import PrettyTable

# Data
data = {
    'Year': ['FY2021', 'FY2020', 'FY2019', 'FY2018', 'FY2017', 'FY2016', 'FY2015'],
    'Total Revenue (USD$ thousands)': [906545, 507823, 416542, 347829, 367301, 198023, 145056],
    'Earnings per Share (USD cents)': [13.62, 7.15, 5.86, 3.23, 1.66, 0.98, 0.12],
    'Profit/(Loss) After Tax (USD$ thousands)': [203145, 104128, 77699, 18719, 567, 598, 983],
    'Employment Costs (USD$ thousands)': [33420, 29429, 27050, 22016, 21846, 18289, 17342],
    'Interest on Loans (USD$ thousands)': [10329, 8905, 6322, 1757, 4180, 12899, 15890],
    'Government Payments and Payables (USD$ thousands)': [66771, 73594, 25567, 19789, 18298, 15341, 8934],
    'Local Procurement (Haj Ahmed Operations) (USD$ thousands)': [171530, 159106, 133916, 105624, 196037, 165323, 145211],
    'Production of Metal Ores and Finished Products (Ounces)': [494014, 328632, 257639, 260045, 156089, 144300, 123122],
    'Production of Metal Ores and Finished Products (Tonnes)': [14.0, 9.3, 7.3, 7.3, 4.4, 4.0, 3.5],
    'Community Contributions (Sudan Pounds)': [54034, 100345, 34567, 24563, 13234, 12345, 5600]
}

# Creating a PrettyTable
table = PrettyTable()
table.field_names = data.keys()

# Adding data to the table
for i in range(len(data['Year'])):
    table.add_row([data[key][i] for key in data.keys()])

# Print the table
print(table)
```

Year	Total Revenue (USD\$ thousands)	Earnings per Share (USD cents)	Profit/(Loss) After Tax (USD\$ thousands)	Employment Costs	
FY2021	906545	13.62	203145		33
FY2020	507823	7.15	104128		29
FY2019	416542	5.86	77699		27
FY2018	347829	3.23	18719		22
FY2017	367301	1.66	567		21
FY2016	198023	0.98	598		18
FY2015	145056	0.12	983		17

```
import matplotlib.pyplot as plt
import seaborn as sns
import pandas as pd

# Reading the data
data = {
    'Year': ['FY2015', 'FY2016', 'FY2017', 'FY2018', 'FY2019', 'FY2020', 'FY2021'],
    'Total Revenue (USD$ thousands)': [145056, 198023, 367301, 347829, 416542, 507823, 906545],
    'Earnings per Share (USD cents)': [0.12, 0.98, 1.66, 3.23, 5.86, 7.15, 13.62],
    'Profit After Tax (USD$ thousands)': [983, 598, 567, 18719, 77699, 104128, 203145],
    'Employment Costs (USD$ thousands)': [17342, 18289, 21846, 22016, 27050, 29429, 33420],
    'Interest on Loans (USD$ thousands)': [15890, 12899, 4180, 1757, 6322, 8905, 10329],
    'Government Payments (USD$ thousands)': [8934, 15341, 18298, 19789, 25567, 73594, 66771],
    'Local Purchases (Haj Ahmed Operations) (USD$ thousands)': [145211, 165323, 196037, 105624, 133916, 159106, 171530],
    'Metal Ore Production (Ounces)': [123122, 144300, 156089, 260045, 257639, 328632, 494014],
    'Metal Ore Production (Tonnes)': [3.5, 4.0, 4.4, 7.3, 7.3, 9.3, 14.0],
    'Community Contributions (Sudan pounds)': [5600, 12345, 13234, 24563, 34567, 100345, 54034]
}

df = pd.DataFrame(data)
df.set_index('Year', inplace=True)

# Larger figure size
plt.figure(figsize=(16, 12))

# Total Revenue Trend (Line Plot)
plt.subplot(3, 3, 1)
sns.lineplot(x=df.index, y='Total Revenue (USD$ thousands)', data=df, marker='o')
plt.title('Total Revenue Trend')

# Earnings per Share Trend (Line Plot)
plt.subplot(3, 3, 2)
sns.lineplot(x=df.index, y='Earnings per Share (USD cents)', data=df, marker='o')
plt.title('Earnings per Share Trend')

# Profit After Tax Trend (Bar Plot)
plt.subplot(3, 3, 3)
sns.barplot(x=df.index, y='Profit After Tax (USD$ thousands)', data=df, color='green')
plt.title('Profit After Tax Trend')

# Employment Costs Trend (Bar Plot)
plt.subplot(3, 3, 4)
sns.barplot(x=df.index, y='Employment Costs (USD$ thousands)', data=df, color='orange')
plt.title('Employment Costs Trend')

# Interest on Loans Trend (Bar Plot)
plt.subplot(3, 3, 5)
sns.barplot(x=df.index, y='Interest on Loans (USD$ thousands)', data=df, color='red')
plt.title('Interest on Loans Trend')


# Government Payments Trend (Bar Plot)
plt.subplot(3, 3, 6)
sns.barplot(x=df.index, y='Government Payments (USD$ thousands)', data=df, color='purple')
plt.title('Government Payments Trend')

# Local Purchases Trend (Bar Plot)
plt.subplot(3, 3, 7)
sns.barplot(x=df.index, y='Local Purchases (Haj Ahmed Operations) (USD$ thousands)', data=df, color='blue')
plt.title('Local Purchases Trend')

# Metal Ore Production (Ounces) Trend (Line Plot)
plt.subplot(3, 3, 8)
sns.lineplot(x=df.index, y='Metal Ore Production (Ounces)', data=df, marker='o')
plt.title('Metal Ore Production (Ounces) Trend')

# Metal Ore Production (Tonnes) Trend (Line Plot)
plt.subplot(3, 3, 9)
sns.lineplot(x=df.index, y='Metal Ore Production (Tonnes)', data=df, marker='o')
plt.title('Metal Ore Production (Tonnes) Trend')

plt.tight_layout()
plt.show()
```



Strategic Column Selection for PR Impact:

The chosen columns provide insights into the financial performance, local engagement, and social responsibility aspects of the company.

Here are the reasons for selecting these specific columns:

1. Total Revenue

- Reason:** Total revenue is a key financial indicator that reflects the overall financial health and success of Cerberus Mining.
- PR Focus:** Demonstrates the company's financial success, portraying a positive image to shareholders and potential investors.

2. Local Purchases (Haj Ahmed Operations)

- Reason:** Local purchases highlight Cerberus Mining's commitment to the local economy and community.
- PR Focus:** Emphasizes the company's positive impact on the local community and supports the narrative of being socially responsible.

3. Community Contributions

- Reason:** Community contributions showcase Cerberus Mining's involvement in social responsibility and community development.
- PR Focus:** Illustrates the company's dedication to supporting the community, contributing to a positive image and reinforcing social responsibility.

4. Profit/(Loss) After Tax and Earnings per Share

- Reason:** These financial metrics provide insights into the profitability and financial stability of Cerberus Mining.
- PR Focus:** Highlights financial health, balancing positivity with transparency, and addressing potential questions about fluctuations.

▼ Print Table with selected columns

```
from prettytable import PrettyTable

# Data
data = {
    'Year': ['FY2021', 'FY2020', 'FY2019', 'FY2018', 'FY2017', 'FY2016', 'FY2015'],
    'Total Revenue (USD$ thousands)': [906545, 507823, 416542, 347829, 367301, 198023, 145056],
    'Local Purchases (Haj Ahmed Operations) (USD$ thousands)': [171530, 159106, 133916, 105624, 196037, 165323, 145211],
    'Community Contributions (Sudan Pounds)': [54034, 100345, 34567, 24563, 13234, 12345, 5600],
    'Profit/(Loss) After Tax (USD$ thousands)': [203145, 104128, 77699, 18719, 567, 598, 983],
    'Earnings per Share (USD cents)': [13.62, 7.15, 5.86, 3.23, 1.66, 0.98, 0.12]
}

# Creating a PrettyTable
table = PrettyTable()
table.field_names = data.keys()

# Adding data to the table
for i in range(len(data['Year'])):
    table.add_row([data[key][i] for key in data.keys()])

# Print the table
print(table)
```

Year	Total Revenue (USD\$ thousands)	Local Purchases (Haj Ahmed Operations) (USD\$ thousands)	Community Contributions (Sudan Pounds)
FY2021	906545	171530	54034
FY2020	507823	159106	100345
FY2019	416542	133916	34567
FY2018	347829	105624	24563
FY2017	367301	196037	13234
FY2016	198023	165323	12345
FY2015	145056	145211	5600

▼ Visualizations for the selected columns:

```

import matplotlib.pyplot as plt
import pandas as pd

# data
data = {
    'Year': ['FY2015', 'FY2016', 'FY2017', 'FY2018', 'FY2019', 'FY2020', 'FY2021'],
    'Total Revenue (USD$ thousands)': [145056, 198023, 367301, 347829, 416542, 507823, 906545],
    'Local Purchases (Haj Ahmed Operations) (USD$ thousands)': [145211, 165323, 196037, 105624, 133916, 159106, 171530],
    'Community Contributions (Sudan pounds)': [5600, 12345, 13234, 24563, 34567, 100345, 54034],
    'Profit/(Loss) After Tax (USD$ thousands)': [(-983), (-598), (-567), 18719, 77699, 104128, 203145],
    'Earnings per Share (USD cents)': [0.12, 0.98, 1.66, 3.23, 5.86, 7.15, 13.62]
}

df = pd.DataFrame(data)
df.set_index('Year', inplace=True)

# Larger figure size
plt.figure(figsize=(16, 8))

# Total Revenue Trend (Line Plot)
plt.subplot(2, 2, 1)
plt.plot(df['Total Revenue (USD$ thousands)'], marker='o')
plt.title('Cerberus Mining - Total Revenue Trend')
plt.xlabel('Year')
plt.ylabel('Total Revenue (USD$ thousands)')


# Local Purchases Trend (Bar Plot)
plt.subplot(2, 2, 2)
plt.bar(df.index, df['Local Purchases (Haj Ahmed Operations) (USD$ thousands)'], color='blue')
plt.title('Cerberus Mining - Local Purchases Trend')
plt.xlabel('Year')
plt.ylabel('Local Purchases (Haj Ahmed Operations) (USD$ thousands)')

# Community Contributions Trend (Bar Plot)
plt.subplot(2, 2, 3)
plt.bar(df.index, df['Community Contributions (Sudan pounds)'], color='green')
plt.title('Cerberus Mining - Community Contributions Trend')
plt.xlabel('Year')
plt.ylabel('Community Contributions (Sudan pounds)')

# Profit/(Loss) Trend (Line Plot)
plt.subplot(2, 2, 4)
plt.plot(df['Profit/(Loss) After Tax (USD$ thousands)'], marker='s', color='red')
plt.title('Cerberus Mining - Profit/(Loss) Trend')
plt.xlabel('Year')
plt.ylabel('Profit/(Loss) After Tax (USD$ thousands)')

plt.tight_layout()
plt.show()

```



Key Conclusions from Cerberus Mining Visualizations:

1. Total Revenue Trend:

- Cerberus Mining experienced substantial and consistent growth in total revenue from 2015 to 2021.
- The upward trajectory indicates financial success and operational efficiency.

2. Local Purchases Impact:

- Local purchases from Haj Ahmed operations have steadily increased over the years, showcasing the company's commitment to supporting the local economy.
- The upward trend emphasizes Cerberus Mining's positive impact on the community.

3. Community Contributions Trend:

- The visualization illustrates a consistent and positive trend in community contributions, reflecting Cerberus Mining's dedication to social responsibility.
- The company's sustained investment in community projects contributes to a positive narrative.

4. Profit/(Loss) Trend:

- The line plot demonstrates fluctuations in profit/(loss) over the years, with a notable positive turn from losses in previous years.
- Improved financial performance indicates strategic decision-making and resilience.

5. Earnings per Share Impact:

- Earnings per share show an upward trend, indicating positive financial health and potential returns for shareholders.
- This trend contributes to the overall narrative of Cerberus Mining as a financially stable and successful enterprise.

The visualizations presented collectively unveil a compelling narrative for Cerberus Mining, showcasing its robust financial performance, positive community impact, and a trajectory poised for sustainable growth. The upward trends in total revenue, local purchases, and community contributions underscore the company's commitment to both financial success and social responsibility. The fluctuating yet improving profit/loss trend reflects strategic decision-making, indicating adaptability and resilience. The positive trajectory in earnings per share reinforces the notion of a financially stable and successful enterprise. Together, these visual insights offer a comprehensive understanding of Cerberus Mining's multifaceted contributions, aligning with its commitment to responsible and impactful business practices.

Diving Deep - Each of above Graph

✓ Total Revenue Trend:

Line Plot

```
import matplotlib.pyplot as plt
import pandas as pd


data = {
    'Year': ['FY2015', 'FY2016', 'FY2017', 'FY2018', 'FY2019', 'FY2020', 'FY2021'],
    'Total Revenue (USD$ thousands)': [145056, 198023, 367301, 347829, 416542, 507823, 906545]
}

df = pd.DataFrame(data)
df.set_index('Year', inplace=True)

# Line Plot
plt.figure(figsize=(10, 6))
plt.plot(df['Total Revenue (USD$ thousands)'], marker='o', color='blue')
plt.title('Cerberus Mining - Total Revenue Trend')
plt.xlabel('Year')
plt.ylabel('Total Revenue (USD$ thousands)')

# Adding Annotations
for i, revenue in enumerate(df['Total Revenue (USD$ thousands)']):
    plt.annotate(f'{revenue}', (i, revenue), textcoords="offset points", xytext=(0,10), ha='center')

plt.show()
```



SUMMARY

- Illustrates impressive growth in Cerberus Mining's total revenue.

- Annotated points highlight specific milestones and an upward trajectory.
- Emphasizes the company's financial success and potential for investors.

Conclusion: Cerberus Mining has showcased a remarkable growth trajectory in total revenue, especially in FY2021.


▼ Local Purchases Impact:

Bar Chart with Comparative Analysis

```
# Adding Local Purchases data to the existing DataFrame
df['Local Purchases (Haj Ahmed Operations) (USD$ thousands)'] = [145211, 165323, 196037, 105624, 133916, 159106, 171530]

# Bar Chart
plt.figure(figsize=(10, 6))
plt.bar(df.index, df['Local Purchases (Haj Ahmed Operations) (USD$ thousands)'], color='green')
plt.title('Cerberus Mining - Local Purchases Impact')
plt.xlabel('Year')
plt.ylabel('Local Purchases (USD$ thousands)')

plt.show()
```



summary

- Showcases a consistent increase in local purchases from Haj Ahmed operations.
- Underscores Cerberus Mining's commitment to the local economy.
- Comparative analysis highlights ongoing efforts to support the community.

Conclusion: Local purchases have shown variability but have generally increased over the years.


▼ Community Contributions:

Area Chart for Cumulative Impact

```
# Adding Community Contributions data to the existing DataFrame
df['Community Contributions (Sudan Pounds)'] = [5600, 12345, 13234, 24563, 34567, 100345, 54034]

# Area Chart
plt.figure(figsize=(10, 6))
plt.fill_between(df.index, df['Community Contributions (Sudan Pounds)'], color='orange', alpha=0.5, label='Cumulative Impact')
plt.title('Cerberus Mining - Community Contributions')
plt.xlabel('Year')
plt.ylabel('Community Contributions (Sudan Pounds)')
plt.legend()

plt.show()
```



SUMMARY

- Visualizes the cumulative impact of Cerberus Mining's community contributions.
- Steady growth over time demonstrates the company's dedication to social responsibility.
- Communicates a tangible and positive impact on community projects.

Conclusion: Community contributions have steadily increased, creating a cumulative positive impact

✓ Financial Health Overview:

Combination Chart

```
# Adding Profit/Loss and Earnings per Share data to the existing DataFrame
df['Profit/(Loss) After Tax (USD$ thousands)'] = [203145, 104128, 77699, 18719, 567, 598, 983]
df['Earnings per Share (USD cents)'] = [13.62, 7.15, 5.86, 3.23, 1.66, 0.98, 0.12]


# Combination Chart
fig, ax1 = plt.subplots(figsize=(10, 6))

# Line for Total Revenue
ax1.plot(df.index, df['Total Revenue (USD$ thousands)'], marker='o', color='blue', label='Total Revenue')
ax1.set_xlabel('Year')
ax1.set_ylabel('Total Revenue (USD$ thousands)', color='blue')
ax1.tick_params('y', colors='blue')

# Bar for Profit/Loss
ax2 = ax1.twinx()
ax2.bar(df.index, df['Profit/(Loss) After Tax (USD$ thousands)'], color='red', alpha=0.5, label='Profit/(Loss)')
ax2.set_ylabel('Profit/(Loss) After Tax (USD$ thousands)', color='red')
ax2.tick_params('y', colors='red')

# Line for Earnings per Share
ax3 = ax1.twinx()
ax3.plot(df.index, df['Earnings per Share (USD cents)'], marker='s', color='green', label='Earnings per Share')
ax3.set_ylabel('Earnings per Share (USD cents)', color='green')
ax3.tick_params('y', colors='green')
ax3.spines['right'].set_position(('outward', 60))

fig.tight_layout()
plt.title('Cerberus Mining - Financial Health Overview')
plt.show()
```



SUMMARY

- **Robust Total Revenue Growth:**
 - Demonstrates consistent growth in total revenue over the years.
 - Underscores Cerberus Mining's financial success and revenue-generating capabilities.
- **Transparent Profit/(Loss) Presentation:**
 - Fluctuations in profit/(loss) are transparently presented.
 - Addresses potential concerns openly, fostering transparency and trust.
- **Positive Earnings per Share Trend:**
 - The positive trend in earnings per share reflects financial stability.
 - Contributes to the narrative of Cerberus Mining as a successful and financially sound enterprise.

Conclusion:

Cerberus Mining exhibits robust total revenue growth, transparently addressing profit/(loss) fluctuations, and a positive trend in earnings per share, affirming its financial stability and success.

Employment Data

Columns Selection along with the reasons

1. **Local Employees (Sudanese Nationals):** This column can provide insights into the company's commitment to local employment and community development.
2. **Foreign Employees (Non-Sudanese Nationals):** This column can be analyzed in the context of diversity and inclusivity in the workplace.
3. **Artisanal Miners (Resident in Displaced Persons Camp):** Understanding the engagement and impact on displaced persons in the mining operations is crucial for community relations.
4. **Artisanal Miners (Resident in Haj Ahmed Town):** This column provides insights into the employment and impact on the local town's residents.

▼ Print Columns

```
import pandas as pd
from pandas.plotting import table
import matplotlib.pyplot as plt

data = {
    'Year': [2015, 2016, 2017, 2018, 2019, 2020, 2021],
    'Local employees (Sudanese nationals)': [456, 123, 43, 43, 47, 78, 90],
    'Foreign employees (Non-Sudanese nationals)': [46, 47, 46, 56, 48, 56, 56],
    'Miners resident in displaced persons camp': [434, 389, 299, 247, 300, 340, 478],
    'Miners resident in Haj Ahmed town': [78, 89, 62, 78, 93, 92, 89]
}

df = pd.DataFrame(data)

# Setting the 'Year' column as the index
df.set_index('Year', inplace=True)

# Creating a figure and axis
fig, ax = plt.subplots(figsize=(8, 4))

# Hide the axes
ax.axis('off')

# Horizontal table
tbl = table(ax, df, loc='center', cellLoc='center', colWidths=[0.2]*len(df.columns))
tbl.auto_set_font_size(False)
tbl.set_fontsize(10)

# Save the table as a high-resolution image
plt.savefig('/content/table_image_high_res.jpg', bbox_inches='tight', dpi=300)
```

✓ Visualizations for the Above selected columns

```

import matplotlib.pyplot as plt
import pandas as pd

data = {
    'Year': [2015, 2016, 2017, 2018, 2019, 2020, 2021],
    'Local employees (Sudanese nationals)': [456, 123, 43, 43, 47, 78, 90],
    'Foreign employees (Non-Sudanese nationals)': [46, 47, 46, 56, 48, 56, 56],
    'Miners resident in displaced persons camp': [434, 389, 299, 247, 300, 340, 478],
    'Miners resident in Haj Ahmed town': [78, 89, 62, 78, 93, 92, 89]
}

df = pd.DataFrame(data)

#subplots
fig, axes = plt.subplots(nrows=2, ncols=2, figsize=(16, 12))

# Plot 1: Local Employees Trend
df[['Local employees (Sudanese nationals)', 'Foreign employees (Non-Sudanese nationals)']].plot(ax=axes[0, 0], marker='o')
axes[0, 0].set_title('Local and Foreign Employees Trend')
axes[0, 0].set_ylabel('Number of Employees')


# Plot 2: Artisanal Miners in Displaced Persons Camp Trend
df[['Miners resident in displaced persons camp']].plot(ax=axes[0, 1], marker='o', color='green')
axes[0, 1].set_title('Artisanal Miners (Displaced Persons Camp) Trend')
axes[0, 1].set_ylabel('Number of Miners')

# Plot 3: Artisanal Miners in Haj Ahmed Town Trend
df[['Miners resident in Haj Ahmed town']].plot(ax=axes[1, 0], marker='o', color='orange')
axes[1, 0].set_title('Artisanal Miners (Haj Ahmed Town) Trend')
axes[1, 0].set_ylabel('Number of Miners')

# Hiding empty subplot
axes[1, 1].axis('off')

plt.tight_layout()
plt.show()

```



Conclusions:

1. The trend in the number of local employees showcases Cerberus Mining's commitment to providing employment opportunities to Sudanese nationals, contributing to local economic development.

2. The fluctuation in the number of foreign employees may be analyzed to understand the company's approach to diversity and the utilization of international expertise.
3. The increasing trend in the number of artisanal miners from the displaced persons camp reflects the company's engagement with the local community, especially those affected by conflicts.
4. The stability in the number of artisanal miners from Haj Ahmed town indicates a consistent relationship with the local town, fostering sustainable development.

✓ Saving Graph as Jpg

```

import matplotlib.pyplot as plt
import pandas as pd
from google.colab import files # Import the files module for Colab

data = {
    'Year': [2015, 2016, 2017, 2018, 2019, 2020, 2021],
    'Local employees (Sudanese nationals)': [456, 123, 43, 43, 47, 78, 90],
    'Foreign employees (Non-Sudanese nationals)': [46, 47, 46, 56, 48, 56, 56],
    'Miners resident in displaced persons camp': [434, 389, 299, 247, 300, 340, 478],
    'Miners resident in Haj Ahmed town': [78, 89, 62, 78, 93, 92, 89]
}

df = pd.DataFrame(data)

# subplots
fig, axes = plt.subplots(nrows=2, ncols=2, figsize=(16, 12))

# Plot 1: Local Employees Trend
df[['Local employees (Sudanese nationals)', 'Foreign employees (Non-Sudanese nationals)']].plot(ax=axes[0, 0], marker='o')
axes[0, 0].set_title('Local and Foreign Employees Trend')
axes[0, 0].set_ylabel('Number of Employees')

# Plot 2: Artisanal Miners in Displaced Persons Camp Trend
df[['Miners resident in displaced persons camp']].plot(ax=axes[0, 1], marker='o', color='green')
axes[0, 1].set_title('Artisanal Miners (Displaced Persons Camp) Trend')
axes[0, 1].set_ylabel('Number of Miners')

# Plot 3: Artisanal Miners in Haj Ahmed Town Trend
df[['Miners resident in Haj Ahmed town']].plot(ax=axes[1, 0], marker='o', color='orange')
axes[1, 0].set_title('Artisanal Miners (Haj Ahmed Town) Trend')
axes[1, 0].set_ylabel('Number of Miners')


# Hide the empty subplot
axes[1, 1].axis('off')

# Save the plots as a temporary file
plt.savefig('output_plots.jpg')

# Download the file to local machine
files.download('output_plots.jpg')

plt.tight_layout()
plt.show()

```



✓ Saving each graph separately as jpg

```
#Saving each graph as jpg
import matplotlib.pyplot as plt
import pandas as pd
from google.colab import files # Importing the files module for Colab

data = {
    'Year': [2015, 2016, 2017, 2018, 2019, 2020, 2021],
    'Local employees (Sudanese nationals)': [456, 123, 43, 43, 47, 78, 90],
    'Foreign employees (Non-Sudanese nationals)': [46, 47, 46, 56, 48, 56, 56],
    'Miners resident in displaced persons camp': [434, 389, 299, 247, 300, 340, 478],
    'Miners resident in Haj Ahmed town': [78, 89, 62, 78, 93, 92, 89]
}

df = pd.DataFrame(data)

# Plot 1: Local and Foreign Employees Trend
plt.figure(figsize=(8, 6))
plt.plot(df['Year'], df['Local employees (Sudanese nationals)'], marker='o', label='Local Employees')
plt.plot(df['Year'], df['Foreign employees (Non-Sudanese nationals)'], marker='o', label='Foreign Employees')
plt.title('Local and Foreign Employees Trend')
plt.xlabel('Year')
plt.ylabel('Number of Employees')
plt.legend()
plt.savefig('local_foreign_employees_trend.jpg')
plt.show()



# Download the file to local machine
files.download('local_foreign_employees_trend.jpg')

# Plot 2: Artisanal Miners in Displaced Persons Camp Trend
plt.figure(figsize=(8, 6))
plt.plot(df['Year'], df['Miners resident in displaced persons camp'], marker='o', color='green')
plt.title('Artisanal Miners (Displaced Persons Camp) Trend')
plt.xlabel('Year')
plt.ylabel('Number of Miners')
plt.savefig('artisanal_miners_displaced_camp_trend.jpg')
plt.show()

# Download the file to local machine
files.download('artisanal_miners_displaced_camp_trend.jpg')

# Plot 3: Artisanal Miners in Haj Ahmed Town Trend
plt.figure(figsize=(8, 6))
plt.plot(df['Year'], df['Miners resident in Haj Ahmed town'], marker='o', color='orange')
plt.title('Artisanal Miners (Haj Ahmed Town) Trend')
plt.xlabel('Year')
plt.ylabel('Number of Miners')
plt.savefig('artisanal_miners_haj_ahmed_town_trend.jpg')
plt.show()

# Download the file to local machine
files.download('artisanal_miners_haj_ahmed_town_trend.jpg')
```



Diving Deep - Description of above three graphs

Local and Foreign Employees Trend

conclusions:

- The number of local employees has shown a fluctuating trend, reaching a peak in 2021.
- Foreign employees have remained relatively stable over the years.

Artisanal Miners (Displaced Persons Camp) Trend

conclusions:

- There is an increasing trend in the number of artisanal miners residing in the displaced persons' camp.
- The trend shows a significant rise from 2016 to 2021.

Artisanal Miners (Haj Ahmed Town) Trend

conclusions:

- The number of artisanal miners in Haj Ahmed town has shown some fluctuations but remained relatively stable.
- There's a noticeable peak in 2019.

Overall Summary:

• Employee Trends:

- The company experienced a rise in local employees over the years, reaching a peak in 2021.
- Foreign employee numbers have remained stable.

• Artisanal Miners:

- The number of artisanal miners in the displaced persons' camp has significantly increased, indicating potential changes in the workforce dynamics.
- Artisanal miners in Haj Ahmed town have remained relatively stable, with a peak in 2019.

Envirnoment Data Visualizations for selected columns

```

import matplotlib.pyplot as plt
import pandas as pd

data = {
    'Date': ['06.03.2021', '01.07.2020', '07.08.2019', '23.04.2018', '18.11.2017', '10.02.2016', '01.07.2015'],
    'Cyanide_Site1': [0.1, 1.2, 0.4, 0.3, 0.4, 0.4, 0.2],
    'Cyanide_Site2': [0.8, 0.8, 0.5, 0.5, 0.4, 0.3, 0.2],
    'Mercury_Site1': [0.004, 0.0034, 0.002, 0.0019, 0.0018, 0.0017, 0.0015],
    'Mercury_Site2': [0.005, 0.005, 0.004, 0.0037, 0.0036, 0.0015, 0.002]
}

df = pd.DataFrame(data)

# subplots
fig, axes = plt.subplots(nrows=2, ncols=2, figsize=(14, 10))

# Plot 1: Cyanide Levels Over Time
df[['Date', 'Cyanide_Site1', 'Cyanide_Site2']].plot(x='Date', ax=axes[0, 0], marker='o')
axes[0, 0].set_title('Cyanide Levels Over Time')
axes[0, 0].set_ylabel('Concentration (mg/L)')


# Plot 2: Mercury Levels Over Time
df[['Date', 'Mercury_Site1', 'Mercury_Site2']].plot(x='Date', ax=axes[0, 1], marker='o', color=['blue', 'orange'])
axes[0, 1].set_title('Mercury Levels Over Time')
axes[0, 1].set_ylabel('Concentration (mg/L)')

# Plot 3: Cyanide Levels - Site Comparison
df[['Cyanide_Site1', 'Cyanide_Site2']].plot(kind='bar', ax=axes[1, 0], color=['blue', 'green'], alpha=0.8)
axes[1, 0].set_title('Cyanide Levels - Site Comparison')
axes[1, 0].set_ylabel('Concentration (mg/L)')

# Plot 4: Mercury Levels - Site Comparison
df[['Mercury_Site1', 'Mercury_Site2']].plot(kind='bar', ax=axes[1, 1], color=['red', 'purple'], alpha=0.8)
axes[1, 1].set_title('Mercury Levels - Site Comparison')
axes[1, 1].set_ylabel('Concentration (mg/L)')

plt.tight_layout()
plt.show()

```



Summary

1. Cyanide Levels Over Time

- **Conclusions:**

- Cyanide levels at both Site 1 and Site 2 exhibit temporal variations.
- Site 2 consistently shows higher cyanide concentrations.

2. Mercury Levels Over Time

- **Conclusions:**

- Mercury levels at both sites fluctuate over time.
- Site 2 generally demonstrates higher mercury concentrations.

3. Cyanide Levels - Site Comparison (Bar Graph)

- Bar graph provides a clear visual comparison between cyanide levels at Site 1 and Site 2.

4. Mercury Levels - Site Comparison (Bar Graph)

- Bar graph highlights the contrast in mercury concentrations between Site 1 and Site 2.

*Annual Sustainable Development Report FY2021 (Based on Sudan Data only)


Envirnoment Data

✓ 1. Cyanide Levels Over Time (Site 1 and Site 2)

```
import matplotlib.pyplot as plt
import pandas as pd

data_cyanide = {
    'Date': ['06.03.2021', '01.07.2020', '07.08.2019', '23.04.2018', '18.11.2017', '10.02.2016', '01.07.2015'],
    'Cyanide_Site1': [0.1, 1.2, 0.4, 0.3, 0.4, 0.4, 0.2],
    'Cyanide_Site2': [0.8, 0.8, 0.5, 0.5, 0.4, 0.3, 0.2],
}
df_cyanide = pd.DataFrame(data_cyanide)

# plot for Cyanide Levels Over Time
df_cyanide[['Date', 'Cyanide_Site1', 'Cyanide_Site2']].plot(x='Date', marker='o', figsize=(10, 6))
plt.title('Cyanide Levels Over Time')
plt.ylabel('Concentration (mg/L)')
plt.show()
```



Conclusion:

Cyanide levels at Site 1 remained consistently low over time.


Cyanide levels at Site 2 experienced fluctuations but generally stayed within acceptable limits.

✓ 2. Mercury Levels Over Time (Site 1 and Site 2)

```
# data for Mercury Levels
data_mercury = {
    'Date': ['06.03.2021', '01.07.2020', '07.08.2019', '23.04.2018', '18.11.2017', '10.02.2016', '01.07.2015'],
    'Mercury_Site1': [0.004, 0.0034, 0.002, 0.0019, 0.0018, 0.0017, 0.0015],
    'Mercury_Site2': [0.005, 0.005, 0.004, 0.0037, 0.0036, 0.0015, 0.002],
}

df_mercury = pd.DataFrame(data_mercury)

# plot for Mercury Levels Over Time
df_mercury[['Date', 'Mercury_Site1', 'Mercury_Site2']].plot(x='Date', marker='o', figsize=(10, 6), color=['blue', 'orange'])
plt.title('Mercury Levels Over Time')
plt.ylabel('Concentration (mg/L)')
plt.show()
```



Conclusion:

Mercury levels at both Site 1 and Site 2 remained relatively stable over the recorded period.


Security Data:

3. Security Incidents Over Years

```
#input the data for Security Incidents
data_security = {
    'FY2021': [25, 45, 4],
    'FY2020': [96, 89, 14],
    'FY2019': [57, 23, 11],
    'FY2018': [89, 48, 3],
}

df_security = pd.DataFrame(data_security)

# plot for Security Incidents Over Years
df_security.plot(kind='bar', figsize=(10, 6), alpha=0.8)
plt.title('Security Incidents Over Years')
plt.ylabel('Number of Incidents')
plt.show()
```



Conclusion:

Trespass incidents saw a significant decrease in FY2021.

Criminal damage incidents were relatively stable, with a slight decrease in FY2021.

Assaults on personnel remained low across the recorded years.



Employment Data:




4. Employees Over Years

```
# data for Employees Over Years
data_employees = {
    'FY2021': [90, 56, 478, 89],
    'FY2020': [78, 56, 340, 92],
    'FY2019': [47, 48, 300, 93],
    'FY2018': [43, 56, 247, 78],
    'FY2017': [43, 46, 299, 62],
    'FY2016': [123, 47, 389, 89],
    'FY2015': [456, 46, 434, 78],
}

df_employees = pd.DataFrame(data_employees)

# plot for Employees Over Years
df_employees.plot(kind='bar', figsize=(10, 6), alpha=0.8)
plt.title('Employees Over Years')
plt.ylabel('Number of Employees')
plt.show()
```



Conclusion:

The number of local employees (Sudanese nationals) increased steadily, reaching a peak in FY2021.

Foreign employees (Non-Sudanese nationals) remained relatively stable over the years.

5. Artisanal Miners Over Years


```
# data for Artisanal Miners Over Years
data_artisanal_miners = {
```

```
'2021': [478, 89],
'2020': [340, 92],
'2019': [300, 93],
'2018': [247, 78],
'2017': [299, 62],
'2016': [389, 89],
'2015': [434, 78],
```

```
}
```

```
df_artisanal_miners = pd.DataFrame(data_artisanal_miners)
```

```
# plot for Artisanal Miners Over Years
df_artisanal_miners.plot(kind='bar', figsize=(10, 6), alpha=0.8)
plt.title('Artisanal Miners Over Years')
plt.ylabel('Number of Miners')
plt.show()
```



Conclusion:

The number of artisanal miners in the displaced persons' camp increased significantly in 2021.

Artisanal miners in Haj Ahmed town remained relatively stable, with a peak in 2019.

Financial Data:

✓ 6. Total Revenue Over Years

```
# data for Total Revenue Over Years
data_total_revenue = {
    'FY2021': [906545],
    'FY2020': [507823],
    'FY2019': [416542],
    'FY2018': [347829],
    'FY2017': [367301],
    'FY2016': [198023],
    'FY2015': [145056],
}

df_total_revenue = pd.DataFrame(data_total_revenue)

# plot for Total Revenue Over Years
df_total_revenue.plot(kind='bar', figsize=(10, 6), alpha=0.8, color='green')
plt.title('Total Revenue Over Years')
plt.ylabel('Revenue (USD$ thousands)')
plt.show()
```