

Base URL

Base URL: <http://jonomot.nisalman.com>

Description	Details
HTTP Method	GET
Endpoint	/api/questions/
Full URL	http://jonomot.nisalman.com/api/questions/
Response Format	JSON
Possible Status Codes	- 200 OK: Success - 400 Bad Request: Invalid Request - 500 Internal Server Error: Server Error

Response Structure

Field	Type	Description
success	boolean	Indicates whether the API call was successful (true or false).
data	array	Contains a list of quiz question objects.

data Array: Question Object Structure

Field	Type	Description
question_id	integer	Unique identifier for the quiz question.
title	string	The main text of the question (in Bengali).
subtitle	string	A brief description or category for the question (in Bengali).
result	string	The correct answer to the question (in Bengali).
comment	string	Additional information about the correct answer (in Bengali).
details	string	Further explanation or background about the question (in Bengali).
options	array	A list of possible answer options for the question. Each option is an object.

options Array: Option Object Structure

Field	Type	Description
option_id	integer	Unique identifier for the answer option.
title	string	The text of the answer option (in Bengali).
vote	integer	The number of votes this option has received.

Sample JSON Response

```
{
  "success": true,
  "data": [
    {
      "question_id": 1,
      "title": "বাংলাদেশের জাতীয় ফুল কী?",
      "subtitle": "ফুল সম্পর্কে প্রশ্ন",
      "result": "পদ্মফুল",
      "comment": "পদ্মফুল বাংলাদেশের জাতীয় ফুল হিসেবে পরিচিত।",
      "details": "পদ্মফুল বাংলাদেশের বিভিন্ন এলাকা এবং নদী-নালা ও পুকুরের পানি থেকে পাওয়া যায়।",
      "options": [
        {
          "option_id": 1,
          "title": "পদ্মফুল",
          "vote": 10
        },
        {
          "option_id": 2,
          "title": "গোলাপ",
          "vote": 5
        },
        {
          "option_id": 3,
          "title": "সাদা শাপলা",
          "vote": 8
        },
        {
          "option_id": 4,
          "title": "অর্জুন ফুল",
          "vote": 2
        }
      ]
    }
  ]
}
```

Usage Example

Task	Details
Retrieve Questions	Perform a GET request to the full URL: http://jonomot.nisalman.com/api/questions/
Sample CURL Request	<code>curl -X GET "http://jonomot.nisalman.com/api/questions/" -H "accept: application/json"</code>

Notes

Topic	Details
Localization	All strings, including questions, options, and details, are provided in Bengali.
Data Integrity	Use question_id and option_id to uniquely identify and handle questions and options.
Error Handling	Implement appropriate error handling to manage potential issues like network errors or malformed responses.

Base URL

Base URL: <http://jonomot.nisalman.com>

Endpoint Details

Description	Details
HTTP Method	POST
Endpoint	/api/questions/
Full URL	http://jonomot.nisalman.com/api/questions/
Response Format	JSON
Possible Status Codes	- 201 Created: Question created successfully - 400 Bad Request: Invalid request data

Request Parameters

Parameter	Type	Description
id	integer	Unique identifier for the question.
title	string	The main text of the question (in Bengali).
sub_title	string	A brief description or category for the question (in Bengali).
result	string	The correct answer to the question (in Bengali).
comment	string	Additional information about the correct answer (in Bengali).
details	string	Further explanation or background about the question (in Bengali).
options[0][opinion]	string	The text of the first answer option (in Bengali).
options[0][vote]	integer	The number of votes for the first option.
options[1][opinion]	string	The text of the second answer option (in Bengali).
options[1][vote]	integer	The number of votes for the second option.
options[2][opinion]	string	The text of the third answer option (in Bengali).
options[2][vote]	integer	The number of votes for the third option.
options[3][opinion]	string	The text of the fourth answer option (in Bengali).
options[3][vote]	integer	The number of votes for the fourth option.

Response Structure

Field	Type	Description
success	boolean	Indicates whether the question was created successfully (true).
data	object	Contains the newly created question's information.
message	string	A message confirming the creation of the question.

Sample JSON Response

```
{
  "success": true,
  "data": {
    "question_id": 59,
    "title": "বাংলাদেশের জাতীয় ফুল কী?",
    "subtitle": "ফুল সম্পর্কে প্রশ্ন",
    "result": "পদ্মফুল",
    "comment": "পদ্মফুল বাংলাদেশের জাতীয় ফুল হিসেবে পরিচিত।",
    "details": "পদ্মফুল বাংলাদেশের বিভিন্ন এলাকা থেকে সংগ্রহ করা হয়।",
    "options": [
      {
        "option_id": 1,
        "opinion": "পদ্মফুল",
        "vote": 18
      },
      {
        "option_id": 2,
        "opinion": "গোলাপ",
        "vote": 7
      },
      {
        "option_id": 3,
        "opinion": "সাদা শাপলা",
        "vote": 4
      },
      {
        "option_id": 4,
        "opinion": "অর্জুন ফুল",
        "vote": 6
      }
    ]
  },
  "message": "Question Create Successful"
}
```

Usage Example

Task	Details
Create Question	Perform a POST request to the full URL with the necessary parameters.
Sample CURL Request	<pre>curl -X POST "http://jonomot.nisalman.com/api/questions/?title=বাংলাদেশের জাতীয় ফুল কী&sub_title=ফুল সম্পর্কে প্রশ্ন&result=পদ্মফুল&comment=পদ্মফুল বাংলাদেশের জাতীয় ফুল হিসেবে পরিচিত&details=পদ্মফুল বাংলাদেশের বিভিন্ন এলাকা থেকে সংগ্রহ করা হয়&options[0] [opinion]=পদ্মফুল&options[0][vote]=18&options[1][opinion]=গোলাপ&options[1] [vote]=7&options[2][opinion]=সাদা শাপলা&options[2][vote]=4&options[3][opinion]=অর্জুন ফুল&options[3][vote]=6" -H "accept: application/json"</pre>

Notes

Topic	Details
Localization	All strings, including questions, options, and details, are provided in Bengali.
Data Integrity	Ensure that all required fields are included in the POST request to successfully create a question.
Error Handling	Implement appropriate error handling to manage potential issues like invalid data or network errors.