TestPlayer

Execution time	Computer name	Language
22/12/2023 11:32:30	QA-AUTOMAT02	en-US
Operating system	Screen dimension	Duration
Microsoft Windows Server 2019 Standard 64bit	1600x900	54.89s
Run configuration name	Username	
TestRun	ballylab	

■ 1 x Failed

Total warnings
0

Total errors
1

Table of Contents

<table>
<tr><td colspan="2">Global Parameters:</td></tr>
<tr><td colspan="2">AppProcessID:</td></tr>
</table>

TestCase

▶ **TestCase**			
		54.85s	⊤

SETUP			
		902ms	⊤

◉◀ StartAUT			
		881ms	⊤

Time	Level	Category	Message
00:00.062	Info	Data	Current variable values: $StartAutProcessIDVar = ''
00:00.135	Info	Application	Run application 'C:\Program Files (x86)\Bally Technologies\MCC Casino System\Player.exe' in normal mode. Return value bound to $StartAutProcessIDVar.

◉◀ Recording1			
		53.93s	⊤

Time	Level	Category	Message
00:00.941	Info	Mouse	Mouse Left Click item 'Password.Password' at 45;10.
00:01.960	Info	Keyboard	Key sequence '{LShiftKey down}123456{LShiftKey up}' with focus on 'Password.Password'.
00:02.332	Info	Mouse	Mouse Left Click item 'Password.ButtonOK' at 12;18.
00:02.884	Info	Mouse	Mouse Left Click item 'VIPlayers23502416' at 16;50.
00:03.932	Info	Mouse	Mouse Left Click item 'Player.Management' at 56;10.
00:04.616	Info	Mouse	Mouse Left Click item 'Player.Player' at 59;12.
00:05.080	Info	Mouse	Mouse Left Click item 'CustomerSearch23502416.Name' at 56;11.
00:06.686	Info	Keyboard	Key sequence 'RANO{LShiftKey down}000{LShiftKey up}' with focus on 'CustomerSearch23502416.Name'.
00:07.025	Info	Mouse	Mouse Left Click item 'CustomerSearch23502416.FirstName' at 45;8.
00:07.550	Info	Keyboard	Key sequence 'REX{LShiftKey down}000{LShiftKey up}' with focus on 'CustomerSearch23502416.FirstName'.
00:07.806	Info	Mouse	Mouse Left Click item 'CustomerSearch23502416.ButtonOK' at 10;14.
00:08.351	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 825;133.
00:09.277	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 570;166.

00:09.895	Info	Keyboard	Key sequence 'RANO{LShiftKey down}501{LShiftKey up}' with focus on 'Form1'.
00:10.280	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 738;158.
00:10.730	Info	Keyboard	Key sequence 'REX{LShiftKey down}500{LShiftKey up}' with focus on 'Form1'.
00:11.071	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 447;200.
00:11.534	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 495;196.
00:11.998	Info	Keyboard	Key sequence '{LShiftKey down}2000{LShiftKey up}' with focus on 'Form1'.
00:12.294	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 635;202.
00:12.741	Info	Keyboard	Key sequence 'PARIS' with focus on 'Form1'.
00:13.063	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 753;192.
00:13.514	Info	Keyboard	Key sequence 'fr{Return}' with focus on 'Form1'.
00:13.782	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 870;198.
00:14.226	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 870;198.
00:14.690	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 514;265.
00:15.154	Info	Keyboard	Key sequence '{LShiftKey down}2{Space}RUE{Space}DU{Space}TEST{LShiftKey up}' with focus on 'Form1'.
00:15.642	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 553;348.
00:16.111	Info	Keyboard	Key sequence 'fr{Return}' with focus on 'Form1'.
00:16.380	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 846;130.
00:16.823	Info	Mouse	Mouse Left Click item 'Error.ButtonNo' at 55;10.
00:17.628	Info	Mouse	Mouse Left Click item 'PlayerAccountManagement23502416.ButtonClose' at 23;19.
00:18.399	Info	Mouse	Mouse Left Click item 'VIPlayers23502416.ImBackSplash' at 1122;109.
00:21.801	Info	Mouse	Mouse Left Click item 'VIPlayers23502416' at 19;52.
00:22.265	Info	Mouse	Mouse Left Click item 'Player.Exit' at 55;9.
00:54.504 ❌	Error	Module	The test run has been aborted by the user.